

CPPO: CONTINUAL LEARNING FOR REINFORCEMENT LEARNING WITH HUMAN FEEDBACK

Han Zhang^{1,2}, Yu Lei^{2*}, Lin Gui³, Min Yang⁴, Yulan He⁴, Hui Wang², Ruifeng Xu^{1,2,5*}

¹ Harbin Institute of Technology (Shenzhen)

² Peng Cheng Laboratory

³ King’s College London

⁴ Shenzhen Institutes of Advanced Technology

⁵ Guangdong Provincial Key Laboratory of Novel Security Intelligence Technologies

ABSTRACT

The approach of Reinforcement Learning from Human Feedback (RLHF) is widely used for enhancing pre-trained Language Models (LM), enabling them to better align with human preferences. Existing RLHF-based LMs however require complete retraining whenever new queries or feedback are introduced, as human preferences may differ across different domains or topics. LM retraining is often impracticable in most real-world scenarios, due to the substantial time and computational costs involved, as well as data privacy concerns. To address this limitation, we propose **Continual Proximal Policy Optimization (CPPO)**, a novel method that is able to continually align LM with dynamic human preferences. Specifically, CPPO adopts a weighting strategy to decide which samples should be utilized for enhancing policy learning and which should be used for solidifying past experiences. This seeks a good trade-off between policy learning and knowledge retention. Our experimental results show that CPPO outperforms strong Continual learning (CL) baselines when it comes to consistently aligning with human preferences. Furthermore, compared to PPO, CPPO offers more efficient and stable learning in non-continual scenarios.

1 INTRODUCTION

Recent studies (Stiennon et al., 2020; Bai et al., 2022a; Ouyang et al., 2022) have shown that Reinforcement Learning from Human Feedback (RLHF) can significantly enhance language models by aligning them with human intention. RLHF uses human preferences as a reward signal to fine-tune language models with the Proximal Policy Optimization (PPO) algorithm. The RLHF-based model can effectively generate answers preferred by humans for tasks that lack standardized solutions, such as summarization (Stiennon et al., 2020), translation (Kreutzer et al., 2018), and dialogue (Jaques et al., 2020), without over-optimizing metrics such as ROUGE (Lin, 2004) or BLEU (Papineni et al., 2002).

In real-world applications, learning continuously changing human preferences is more practical than learning invariable human preferences. For example, the progression from the onset of the COVID-19 virus in human society to widespread infections and finally to achieving herd immunity has seen corresponding changes in government policies and human perspective. An AI agent that keeps pace with the times should exhibit behavior that aligns with current government policies and human understanding preferences at different stages, rather than remaining static.

However, traditional alignment methods (Stiennon et al., 2020; Ouyang et al., 2022), lack flexibility for continual learning (CL) of human preferences. Recent approach (Bai et al., 2022a) tackles these problems by periodically retraining the Preference Model (PM) and policy based on both new and historical data, it might be inefficient and impractical due to the involved concerns of computational cost and data privacy.

In this paper, we propose a more practical approach by enhancing RLHF with continual learning (CL), aiming to optimize two conflicting objectives: preserving old knowledge and acquiring new

* Corresponding authors: Yu Lei (leiy01@pcl.ac.cn) and Ruifeng Xu (xuruifeng@hit.edu.cn).

knowledge (Rolnick et al., 2019). This leads to a long-standing challenge known as the *stability-plasticity*¹ *dilemma* (Abraham & Robins, 2005). Moreover, due to the vast action space (vocabulary) of LMs, the RLHF algorithms (e.g., PPO) usually suffer from the issues of inefficiency and instability during training (Ramamurthy et al., 2022). To tackle these challenges, we attempt to seek a good tradeoff between policy learning and knowledge retention with stable learning by designing a sample-wise weighting strategy over the rollout² samples. Our weighting strategy is motivated by the fact that *a desired policy should always generate high-reward results with high probabilities*.

Specifically, we first categorize the rollout samples into five types according to their rewards and generation probabilities, as shown in Figure 1. We then assign each rollout sample with a policy learning weight α and a knowledge retention weight β , in the following way. 1) For a high-performance sample, we assign a high α and a high β , in order to consolidate the knowledge of this sample. 2) For a high-variance or overfitting sample, we assign a high α and a low β , so as to learn more knowledge of this sample and force the new policy to be different from the old one in generating such a sample. 3) For a noisy sample, we assign a low α and a low β to decrease its impact on learning. 4) For a normal sample, we make no changes.

Based on the above weighting strategy, we develop a novel PPO-based method, named continual proximal policy optimization (CPPO). CPPO implements the weighting strategy in two different ways: heuristic and learnable, resulting in two different CPPO methods (see Section 3.2 for details). The heuristic approach sets the weight with linear gain or decay according to strategy. The learnable approach converts the strategy into several inequality constraints and learns the best weight by optimizing the Lagrange function.

Experimental results on real-world summarization datasets demonstrate that our proposed CPPO methods significantly outperform the PPO re-training methods and the strong CL baselines, in both CL and non-CL settings (detailed in Appendix F). Furthermore, additional experiments in both settings verify the superior training stability of CPPO compared to the original PPO algorithm.




Figure 1: Five types of the rollout are utilized in our method.

2 PRELIMINARY AND TASK FORMULATION

PPO algorithm (Schulman et al., 2017) utilizes the clipped surrogate objective with a learned state-value function, and the entropy bonus (Mnih et al., 2016) is added to the original reward. The total objective is approximately maximized in each iteration step $i = 1, 2, \dots, I$ (in the NLP scene, step- i denotes the generation of the i -th token):

$$L_i^{CLIP+VF}(\theta) = \mathbb{E}_i[L_i^{CLIP}(\theta) - c \cdot L_i^{VF}(\theta)] \quad (1)$$

where c is the coefficient, and L_i^{VF} is a squared-error loss $(V_\theta(s_i) - V_i^{targ})^2$. The clipped policy learning objective is: $L_i^{CLIP}(\theta) = \min(r_i(\theta) \cdot \mathbf{A}_i, \text{clip}(r_i(\theta), 1 \pm \epsilon) \cdot \mathbf{A}_i)$, where $r_i(\theta) = \frac{\pi_\theta(a_i|s_i)}{\pi_{\theta_{old}}(a_i|s_i)}$ is the probability ratio, ϵ is the clip hyperparameter, s_i is the i -th state, \mathbf{A}_i is the truncated version of generalized advantage estimation.

Task Formulation: In this paper, we propose the task of continually learning human preferences under an offline continual learning setting (Biesialska et al., 2020). Formally, we consider a task sequence of $\mathbb{T} = \{\mathcal{T}_1, \mathcal{T}_2, \dots\}$ to continually learn a policy model on the corresponding human

¹In this context, stability refers to the retention of previously acquired knowledge, which is different from the training stability mentioned later. Plasticity, on the other hand, refers to the ability to adapt to new knowledge through policy learning.

²In the context of RLHF, a rollout, also known as a trajectory or episode, entails generating a response sequence, such as a summary, to a given conversation prompt, starting from a particular state (i.e. the initial prompt). The responses generated during the rollout are then used to update the policy network.

preference datasets $\mathbb{H}\mathbb{F} = \{HF_1, HF_2, \dots\}$ and prompt datasets $\mathbb{S} = \{S_1, S_2, \dots\}$. For each task $\mathcal{T}_t (t = 1, 2, \dots)$, the policy π_t is initialized by π_{t-1} and then is trained against the reward model r_t , where the reward model r_t is learned on HF_t . The initial policy π_0 is the SFT model, namely, $\pi_0 = \pi_{SFT}$. Let $x = (s, a)$ denote the prompt s and answer a pair. The final objective is to learn a policy model π_θ that maximizes the overall reward on all of the learned human preferences:

$$\max_{\theta} \sum_{t=1}^T \mathbb{E}_{s \sim S_t, a \sim \pi_\theta(\cdot|s)} [r_t(s, a)] \quad (2)$$

3 CONTINUAL PROXIMAL POLICY OPTIMIZATION

3.1 MOTIVATION AND THEORETICAL ANALYSIS

To optimize the objective 2 in the CL paradigm, the key is to balance the tradeoff between policy learning and knowledge retention, i.e., to learn a policy π_t that not only fits current task t but also retains the knowledge of previous tasks. This is typically accomplished by maximizing π_t 's average reward and meanwhile minimizing the difference between π_t and π_{t-1} by KL-based knowledge distillation (Kaplanis et al., 2019):

$$\max_{\theta} \mathbb{E}_{s \sim S_t, a \sim \pi_\theta(\cdot|s)} [r_t(s, a)] - \mathbb{E}_{s \in S_{t-1}} D_{\text{KL}}(P_{\pi_\theta}(a|s) \| P_{\pi_{t-1}}(a|s)) \quad (3)$$

where $P_{\pi_\theta}(a|s)$ denotes the probability that policy π_θ generates the answer a to the prompt s . However, in the RLHF setting, we argue that a more effective way to achieve policy learning is to maximize the rewards of the results that π_θ has a high probability to generate. This is because LMs usually have a vast action space (vocabulary size) and adopt a sampling strategy such as beam search that favors high-probability generative results. For knowledge retention, on the other hand, it is more important to make π_θ retain π_{t-1} 's certain knowledge that generates high-reward outputs rather than all.

To accomplish the above ideas, we propose a theoretically desirable objective for continual RLHF at task \mathcal{T}_t :

$$\max_{\theta} \mathbb{E}_{(s,a) \in D_1} r_t(s, a) - \mathbb{E}_{(s,a) \in D_2} D_{\text{KL}}(P_{\pi_\theta}(a|s) \| P_{\pi_{t-1}}(a|s)) \quad (4)$$

where, $D_1 = \{(s, a) | s \sim S_t, a \sim \pi_\theta(\cdot|s), P_{\pi_\theta}(a|s) > \mu_a[P_{\pi_\theta}(a|s)] + k\sigma_a[P_{\pi_\theta}(a|s)]\}$ and $D_2 = \{(s, a) | s \sim S_{t-1}, a \sim \pi_{t-1}(\cdot|s), r_t(s, a) > \mu_a[r_t(s, a)] + k\sigma_a[r_t(s, a)]\}$ denote the sets of samples with high generation probability and high rewards, respectively. μ and σ denote the mean and standard deviation respectively, and k is a hyperparameter. It is important to note that here we use $r_t(s, a)$ instead of $r_{t-1}(s, a)$. Since the reward model is continually learned, we assume $r_{t-1}(s, a) \approx r_t(s, a)$ when $s \in S_{t-1}$ and $a \sim \pi_\theta(\cdot|s)$. To simplify notation, the subsequent sections of the paper use x instead of (s, a) .

The KL divergence term requires a significant amount of memory to store the probability distribution of each token across the vast vocabulary. To tackle this problem, we incorporate a low computational knowledge retention penalty term $L_i^{KR}(\theta) = (\log P_{\pi_\theta}(x_i) - \log P_{\pi_{t-1}}(x_i))^2$. We compute the L2 distance of the log generation probability of true tokens instead of the KL divergence of the entire vocabulary's probability distribution. We find the former is effective for knowledge retention and needs NOT to save the vocabulary's probability distribution in the memory³.

We introduce $I_{D_1}(x)$ and $I_{D_2}(x)$ to denote the indicator functions of the sets of D_1 and D_2 , respectively. By introducing the actor-critic version, the clipped ratio, and the entropy bonus, we claim that Eq.(4) can be written to (the derivation is detailed in Appendix Section B):

$$\begin{aligned} \mathbf{J}'(\theta) &= L_i^{I_{D_1} \cdot CLIP + I_{D_2} \cdot KR + VF}(\theta) \\ &= \mathbb{E}_i [I_{D_1}(x) \cdot L_i^{CLIP}(\theta) - I_{D_2}(x) \cdot L_i^{KR}(\theta) - c \cdot L_i^{VF}(\theta)] \end{aligned} \quad (5)$$

Compared with objective Eq. (1), Eq.(5) introduces the learning weights $I_{D_1}(x)$, $I_{D_2}(x)$, and the L_i^{KR} loss. Unfortunately, it is still impractical to directly optimize the objective, since the training

³In our task, the reference model generates 512 summaries (max 50 tokens) in one rollout. The vocabulary size is nearly $5e+4$. If we use FP16 to save the logits or probability tensor, it takes about $512 * 50 * 5e4 * 2 \text{ Bit}/1e9 = 1.28\text{GB}$ of memory. However, computing L_i^{KR} only needs to save the probability of true tokens, which takes only $512 * 50 * 2 \text{ Bit}/1e9 = 2.56\text{E-}05\text{GB}$ of memory.

samples in D_1 and D_2 are seldom as indicated by the *Cantelli Inequation*⁴ $P(\mathbf{X} > \mu[\mathbf{X}] + k\sigma[\mathbf{X}]) < 1/(1 + k^2)$. To make Eq.(5) easy to optimize, we generalize the indicator functions $I_{D_1}(x)$ and $I_{D_2}(x)$ to positive real-valued functions $\alpha(x)$ and $\beta(x)$, which gives each sample a non-zero learning weight.

3.2 WEIGHTING STRATEGY

Our method utilizes sample-wise balance weights $\alpha(x)$ and $\beta(x)$ to regulate the policy learning and knowledge retention processes, aiming to find a balance between knowledge retention and policy learning. The final objective is:

$$\begin{aligned} \mathbf{J}(\theta) &= L_i^{\alpha \cdot CLIP + \beta \cdot KR + VF}(\theta) \\ &= \mathbb{E}_i[\alpha(x)L_i^{CLIP}(\theta) - \beta(x)L_i^{KR}(\theta) - c \cdot L_i^{VF}(\theta)] \end{aligned} \quad (6)$$

for task $t = 1, 2, \dots, T$. Next, we propose a weighting strategy for balancing policy learning and knowledge retention.

3.2.1 BALANCING POLICY LEARNING AND KNOWLEDGE RETENTION

To simplify the expression, we define the operator $F[\cdot] = \mu[\cdot] - k\sigma[\cdot]$ and operator $G[\cdot] = \mu[\cdot] + k\sigma[\cdot]$. As shown in Figure 1 and Table 1, we classify the rollout samples into 5 rollout types based on the joint distribution of $(\mathbf{P}_{\pi_\theta}(x), \mathbf{R}(x))$. If $\mathbf{P}_{\pi_\theta}(x)$ or $\mathbf{R}(x)$ is outside the discriminant interval $(F[\cdot], G[\cdot])$, it is considered as high or low. Now, we detail each rollout type and corresponding weight strategy.

High-performance sample:

If both $\mathbf{P}_{\pi_\theta}(x)$ and $\mathbf{R}(x)$ are high, it indicates that the old policy has high confidence to generate x which gets a high reward, implying that it is already performing well. In this case, we ask the new policy to enhance both policy learning and knowledge retention.

Overfitting sample:

A high $\mathbf{P}_{\pi_\theta}(x)$ with a low $\mathbf{R}(x)$ indicates that the old policy is likely overfitting (due to high

probability) to the biased sample (due to low reward score). We aim to reduce the generation probability of the biased sample x , which can be achieved through policy learning. However, knowledge retention will maintain the high probability of the biased sample x . Therefore, we enhance policy learning and slow down knowledge retention.

High-variance sample:

If $\mathbf{P}_{\pi_\theta}(x)$ is low while $\mathbf{R}(x)$ is high, it suggests that sample x has high variance. Due to the low $\mathbf{P}_{\pi_\theta}(x)$, the likelihood of generating x next time is low. To achieve stable (low variance) performance, we aim to increase the generation probability of sample x , which can be accomplished through policy learning. However, knowledge retention will maintain a low generation probability. Therefore, we enhance policy learning and slow down knowledge retention.

Noisy sample:

If both $\mathbf{P}_{\pi_\theta}(x)$ and $\mathbf{R}(x)$ are low, sample x is considered noisy data which may lead to overoptimization against the PM (Gao et al., 2022). Therefore, we slow down both knowledge retention and policy learning.

Normal sample:

If at least one of $\mathbf{P}_{\pi_\theta}(x)$ and $\mathbf{R}(x)$ falls within the discriminant interval, we consider it a normal condition and do not alter the learning process.

Table 1: The determining condition of rollout type and corresponding weight strategy to balance policy learning and knowledge retention. We monitor the generating probability $\mathbf{P}_{\pi_\theta}(x)$ and the corresponding reward score $\mathbf{R}(x)$. The rollout type of sample x depends on whether the $\mathbf{P}_{\pi_\theta}(x)$ and $\mathbf{R}(x)$ fall in or outside the discriminant interval $(F[\cdot], G[\cdot])$.

ID	Rollout Type	Determining Condition		Weight Strategy	
r_1	High-performance	$\mathbf{P}_{\pi_\theta}(x) \geq G[\mathbf{P}_{\pi_\theta}]$	$\mathbf{R}(x) \geq G[\mathbf{R}]$	$\alpha(x) \uparrow$	$\beta(x) \uparrow$
r_2	Overfitting	$\mathbf{P}_{\pi_\theta}(x) \geq G[\mathbf{P}_{\pi_\theta}]$	$\mathbf{R}(x) \leq F[\mathbf{R}]$	$\alpha(x) \uparrow$	$\beta(x) \downarrow$
r_3	High-variance	$\mathbf{P}_{\pi_\theta}(x) \leq F[\mathbf{P}_{\pi_\theta}]$	$\mathbf{R}(x) \geq G[\mathbf{R}]$	$\alpha(x) \uparrow$	$\beta(x) \downarrow$
r_4	Noisy	$\mathbf{P}_{\pi_\theta}(x) \leq F[\mathbf{P}_{\pi_\theta}]$	$\mathbf{R}(x) \leq F[\mathbf{R}]$	$\alpha(x) \downarrow$	$\beta(x) \downarrow$
r_5	Normal	$\mathbf{P}_{\pi_\theta}(x)$ or $\mathbf{R}(x) \in (F, G)$		—	—

⁴Cantelli’s inequality (also called the Chebyshev-Cantelli inequality and the one-sided Chebyshev inequality) is a version of Chebyshev’s inequality for one-sided tail bounds.




Figure 2: The surfaces of heuristic weights. The weights are equal to 1 when rollout samples fall in the normal zone.

3.2.2 HOW TO DETERMINE BALANCE WEIGHTS?

The above weight strategies constitute several inequality constraints of $\alpha(x)$ and $\beta(x)$, shown in Table 2. Determining balance weights requires finding a feasible solution that satisfies those constraints. We provide two methods to determine balance weights including the heuristic weight method and the learnable weight method.

Table 2: The constraint of weights and heuristic weights.

ID	Constraint of $\alpha(x)$	Constraint of $\beta(x)$	Heuristic $\alpha(x)$	Heuristic $\beta(x)$
r_1	$\alpha(x_{r_5}) - \alpha(x_{r_1}) < 0$	$\beta(x_{r_5}) - \beta(x_{r_1}) < 0$	$\min(ub, \frac{P_{\pi_\theta}(x) - \mu[P_{\pi_\theta}]}{k\sigma[\pi_\theta]})$	$\min(ub, \frac{\mathbf{R}(x) - \mu[\mathbf{R}]}{k\sigma[\mathbf{R}]})$
r_2	$\alpha(x_{r_5}) - \alpha(x_{r_2}) < 0$	$\beta(x_{r_2}) - \beta(x_{r_5}) < 0$	$\min(ub, \frac{P_{\pi_\theta}(x) - \mu[P_{\pi_\theta}]}{k\sigma[\pi_\theta]})$	$\max(lb, 2 + \frac{\mathbf{R}(x) - \mu[\mathbf{R}]}{k\sigma[\mathbf{R}]})$
r_3	$\alpha(x_{r_5}) - \alpha(x_{r_3}) < 0$	$\beta(x_{r_3}) - \beta(x_{r_5}) < 0$	$\min(ub, \frac{P_{\pi_\theta}(x) - \mu[P_{\pi_\theta}]}{k\sigma[\pi_\theta]})$	$\max(lb, 2 + \frac{\mathbf{R}(x) - \mu[\mathbf{R}]}{k\sigma[\mathbf{R}]})$
r_4	$\alpha(x_{r_4}) - \alpha(x_{r_5}) < 0$	$\beta(x_{r_4}) - \beta(x_{r_5}) < 0$	$\max(lb, 2 + \frac{P_{\pi_\theta}(x) - \mu[P_{\pi_\theta}]}{k\sigma[\pi_\theta]})$	$\max(lb, 2 + \frac{\mathbf{R}(x) - \mu[\mathbf{R}]}{k\sigma[\mathbf{R}]})$
r_5	—	—	1	1
All	$\mathbb{E}_{x \sim \pi_{t-1}}[\alpha(x)] = 1$	$\mathbb{E}_{x \sim \pi_{t-1}}[\beta(x)] = 1$	—	—

Heuristic $\alpha(x)$ and $\beta(x)$: If $\mathbf{P}_{\pi_\theta}(x)$ or $\mathbf{R}(x)$ fall within the discriminant interval, the balance weights are set to 1. If they are further away from the discriminant interval, the weights will linearly increase or decrease (depending on the rollout type). We can plot the surfaces of $\alpha(x)$ and $\beta(x)$ in 3D coordinate systems, as shown in Figure 2. The heuristic weights $\alpha(x)$ and $\beta(x)$ for a given sample x can be calculated by the formula presented in Table 2.

Learnable $\alpha(x)$ and $\beta(x)$: Heuristic $\alpha(x)$ and $\beta(x)$ lack enough adaptation ability to the dynamic learning process. Hence, we propose the learnable balance weights to automatically balance policy learning and knowledge retention. We learn $2N$ parameters for each rollout batch in which the LM generates N responses, the $2N$ parameters can be discarded before the next rollout batch.

Our goal is to find a set of weights that satisfy the constraints in Table 2. Unlike the typical optimization problem solved by the Lagrange Multiplier method, we do not need to minimize an additional objective function. It should be noted that the optimization objective of CPPO in Eq.6 is not directly optimized using the Lagrange Multiplier method.

We employ a more straightforward strategy. We construct an unconstrained optimization objective by adding all the terms on the left side of the inequalities (in Table 2) together:

$$\begin{aligned}
 \mathbf{L}_{coef}(\phi) = & \mathbb{E}_{x \sim \pi_{t-1}} [(\alpha_\phi(x) - 1)^2 + (\beta_\phi(x) - 1)^2] + \tau(\alpha(x_{r_5}) - \alpha(x_{r_1}) + \beta(x_{r_5}) - \beta(x_{r_1})) \\
 & + \alpha(x_{r_5}) - \alpha(x_{r_2}) + \beta(x_{r_2}) - \beta(x_{r_5}) + \alpha(x_{r_5}) - \alpha(x_{r_3}) + \beta(x_{r_3}) - \beta(x_{r_5}) \\
 & + \alpha(x_{r_4}) - \alpha(x_{r_5}) + \beta(x_{r_4}) - \beta(x_{r_5}))
 \end{aligned} \quad (7)$$

where, $\alpha(x) = (ub - lb) \cdot sig(\phi_x^1) + lb$, $\beta(x) = (ub - lb) \cdot sig(\phi_x^2) + lb$, and sig is sigmoid function, lb and ub are lower and upper bound of $\alpha(x)$ and $\beta(x)$. We directly optimize Eq. 7 using SGD to find

a set of weights that satisfy the constraints. We set multiplier τ as a hyperparameter, and $\tau = 0.1$ is selected from $\{0.01, 0.1, 0.5, 1.0\}$. For more hyperparameter sensitivity analysis experiments, please refer to Appendix E.1. We found this simple idea is highly effective in our scenario. In Appendix E.2, we analyze the time and memory required for SGD to find feasible solutions and found that it does NOT significantly increase the overall training time and memory.

4 EXPERIMENTS

We assess the performance of CPPO and baseline methods in the domain incremental learning (DIL) summary task. We also evaluate CPPO on non-continual learning tasks (Appendix Section F).

4.1 THE EXPERIMENTAL CONFIGURATION FOR CONTINUAL LEARNING FROM HUMAN PREFERENCES

Dataset and split: In accordance with previous research (Stiennon et al., 2020), we evaluate our method using the Reddit TL;DR (Völske et al., 2017) dataset for summarization. We use the human preference data provided by CarperAI⁵. To the best of our knowledge, there are limited benchmark datasets proposed for evaluating continual RLHF methods. Consequently, we divide the Reddit TL;DR dataset based on domains into two parts, which are outlined in Table 3. Each part corresponds to a distinct alignment task.

Experiment settings:

We evaluate CPPO under the DIL setting with two tasks, and the historical data is assumed inaccessible. This scenario is typical in real-world applications, such as developers continually learning an open-source

Table 3: The dataset is utilized for continual learning. The human feedback data is used for training the reward model. The post (prompt) and summary (label) of Reddit TL;DR are used for SFT. The domain of "r / others" includes 28 categories, such as books, travel, and cooking. It's worth noting that the summary (label) data is not used in the reinforcement learning (RL) process.

Task ID	Data	Data split	Train	Valid	Test	Domain
task-1	Human Feedback	part-1	52243	-	45148	r / relationships
	Reddit TL;DR	part-1	63324	3462	3539	r / relationships
task-2	Human Feedback	part-2	40291	-	38481	r / others
	Reddit TL;DR	part-2	53398	2985	3014	r / others

RLHF model like vicuna (Chiang et al., 2023) in a special domain (e.g., game) without permission to access the pre-training corpus. For each task, we employ a 1.3B gpt2-xl (Radford et al., 2019) model with a value head as the reward model (RM). The RM is continually trained for 5 epochs on each task using the MAS (Aljundi et al., 2018) method. Since the policy is prone to over-optimize against the PM (Gao et al., 2022), we train a 6.7B gptj (Wang & Komatsuzaki, 2021) model as the reference PM (rPM) to measure the performance of alignment. The rPM is trained on entire human preferences data. We conduct experiments to evaluate the RM trained with and without MAS through accuracy and forgetting ratio (Chaudhry et al., 2018) (FR) of accuracy. The evaluation results of RM and rPM are shown in Table 4. The accuracy is computed by counting the percentage of the reward scores of human-preferred responses that are higher than the reward scores of human-NOT-preferred responses (Yuan et al., 2023). We initialize the SFT model from gpt2-s and train it on the Reddit TL;DR part-1 for 5 epochs. However, we do not perform the SFT process in task-2 as we observe no significant effects on performance.

Metrics: We use the forgetting ratio (Chaudhry et al., 2018) of the ROUGE and reference PM score to measure the extent to which the old policy is forgotten. Notably, we consider the alignment tax (Ouyang et al., 2022) as part of forgetting since it arises when the SFT model

learns human preferences during the RL step. After learning all tasks, we evaluate the models on the entire test set using both reference PM score and ROUGE score. Table 5 presents the metrics used to

Table 4: The evaluation results of RMs and rPM.

Reward Model	Acc(HF_1^{test})	Acc(HF_2^{test})	FR
RM ₁	0.7441	-	-
RM ₂ w MAS	0.7203	0.7482	0.024
RM ₂ w/o MAS	0.6971	0.7496	0.047
rPM	0.7624	0.7592	-

⁵URL: https://huggingface.co/datasets/CarperAI/openai_summarize_comparisons

evaluate each task, as well as the final evaluation metric. A well-performing model is expected to achieve high scores in both the reference PM and ROUGE metrics.

Table 5: Metrics for our tasks. \mathbb{D}_i^{test} ($i = 1, 2$) denote the test data of Reddit TL;DR data part- i , and $rPM(M_i, \mathbb{D}_i^{test})$ ($i = 1, 2$) denote the reference PM score of model M_i on dataset \mathbb{D}_i^{test} .

	Metric	Definition
Task-1	reference PM Score on Task-1 (rPMS ₁ , ↑)	$rPM(M_1, \mathbb{D}_1^{test})$
Task-1	Alignment Tax (AT, ↓)	$Rouge(M_{SFT}, \mathbb{D}_1^{test}) - Rouge(M_1, \mathbb{D}_1^{test})$
Task-2	reference PM Score on Task-2 (rPMS ₂ , ↑)	$rPM(M_2, \mathbb{D}_2^{test})$
Task-2	Score Forgetting Ratio (SFR, ↓)	$rPM(M_1, \mathbb{D}_1^{test}) - rPM(M_2, \mathbb{D}_1^{test})$
Final eval	reference PM Score on entire test data (rPMS, ↑)	$rPM(M_2, \mathbb{D}_1^{test} \cup \mathbb{D}_2^{test})$

4.2 RESULTS OF CONTINUAL LEARNING FROM HUMAN PREFERENCES

Table 6 shows the results of continual learning from human preferences on the summary task. We observe that CL methods, such as EWC (Kirkpatrick et al., 2017) regularization or policy consolidation (Kaplanis et al., 2019) can improve the training stability of the PPO method, thereby ensuring that the policy does not change too much with every policy gradient step. This leads to improved rPMS. Our method outperforms CL baselines by achieving the most significant enhancement in policy learning (rPMS) and possessing Backward Transfer (BWT) (Lopez-Paz & Ranzato, 2017) capability (negative SFR). This is because our learning strategy is sample-adaptive and balances policy learning and knowledge retention. Additionally, CPPO performs better than Iterated RLHF because PPO is not stable enough in the learning process. We observed that during PPO training, the KL divergence and value prediction errors tend to increase suddenly, as discussed in Section 4.4.

Table 6: The main results of continual alignment on TL; DR dataset. For PPO (In order)*, we directly finetune the RM_1 on the novel data to obtain RM_2 , without using MAS regularization; and we directly train the policy model M_{π_1} against RM_2 to obtain M_{π_2} . For the Iterated RLHF†(PPO), we retrain the RM_2 and policy model M_{π_2} on the combination of the Task-1 and Task-2 corpus. Methods in italics are trained against the continually learned (by MAS) reward models. Details of the implementation can be found in Appendix G.

Method	Task-1 (M_{π_1})			Task-2 (M_{π_2})			Final eval (M_{π_2})	
	rPMS ₁ (↑)	rouge (↑)	AT (↓)	rPMS ₂ (↑)	rouge (↑)	SFR (↓)	rPMS (↑)	rouge (↑)
Human	2.958	–	–	2.805	–	–	2.903	–
ChatGPT	3.298	0.197	–	3.189	0.191	–	3.242	0.193
SFT (In order)	1.499 ± 0.130	0.248 ± 0.006	–	1.543 ± 0.067	0.237 ± 0.007	–	1.498 ± 0.051	0.237 ± 0.009
SFT (multi-tasks)	1.524 ± 0.041	0.254 ± 0.011	–	1.536 ± 0.092	0.234 ± 0.009	–	1.505 ± 0.011	0.236 ± 0.008
PPO (In order)*	2.629 ± 0.183	0.196 ± 0.050	0.052 ± 0.044	2.546 ± 0.201	0.151 ± 0.022	0.144 ± 0.024	2.502 ± 0.242	0.186 ± 0.016
Iterated RLHF†	2.629 ± 0.183	0.196 ± 0.050	0.052 ± 0.044	2.732 ± 0.163	0.211 ± 0.011	0.061 ± 0.018	2.666 ± 0.124	0.200 ± 0.010
<i>PPO</i>	2.629 ± 0.183	0.196 ± 0.050	0.052 ± 0.044	2.687 ± 0.126	0.184 ± 0.017	0.080 ± 0.017	2.612 ± 0.191	0.188 ± 0.013
<i>PPO+OnlineL2 Reg</i>	2.758 ± 0.121	0.206 ± 0.042	0.042 ± 0.042	2.701 ± 0.205	0.180 ± 0.012	0.062 ± 0.013	2.700 ± 0.114	0.196 ± 0.011
<i>PPO+EWC (Kirkpatrick et al., 2017)</i>	2.833 ± 0.122	0.201 ± 0.043	0.047 ± 0.039	2.823 ± 0.192	0.175 ± 0.022	0.040 ± 0.015	2.801 ± 0.202	0.196 ± 0.023
<i>PPO+MAS (Aljundi et al., 2018)</i>	2.712 ± 0.132	0.211 ± 0.051	0.034 ± 0.037	2.726 ± 0.189	0.157 ± 0.021	0.039 ± 0.020	2.714 ± 0.167	0.179 ± 0.011
<i>PPO+LwF (Li & Hoiem, 2018)</i>	2.822 ± 0.126	0.197 ± 0.051	0.048 ± 0.050	2.832 ± 0.179	0.169 ± 0.036	0.030 ± 0.019	2.824 ± 0.192	0.179 ± 0.019
<i>PPO+TFCL (Aljundi et al., 2019)</i>	2.867 ± 0.109	0.202 ± 0.039	0.043 ± 0.046	2.864 ± 0.169	0.169 ± 0.020	0.054 ± 0.022	2.842 ± 0.211	0.178 ± 0.014
<i>PC (Kaplanis et al., 2019)</i>	2.692 ± 0.117	0.209 ± 0.048	0.036 ± 0.055	2.723 ± 0.195	0.165 ± 0.019	0.047 ± 0.017	2.703 ± 0.191	0.187 ± 0.016
<i>HN-PPO (Schöpff et al., 2022)</i>	2.859 ± 0.105	0.212 ± 0.034	0.036 ± 0.042	2.868 ± 0.132	0.171 ± 0.017	0.028 ± 0.029	2.846 ± 0.177	0.201 ± 0.011
<i>NLPO (Ramamurthy et al., 2022)</i>	2.784 ± 0.102	0.185 ± 0.041	0.060 ± 0.050	2.796 ± 0.116	0.172 ± 0.021	0.012 ± 0.012	2.799 ± 0.146	0.181 ± 0.022
<i>CPPO (Heuristic)</i>	3.020 ± 0.137	0.213 ± 0.024	0.035 ± 0.023	2.978 ± 0.113	0.174 ± 0.019	-0.164 ± 0.009	3.099 ± 0.153	0.179 ± 0.016
<i>CPPO (Learn)</i>	3.180 ± 0.154	0.220 ± 0.040	0.028 ± 0.042	3.085 ± 0.134	0.164 ± 0.024	-0.161 ± 0.008	3.207 ± 0.113	0.179 ± 0.008

4.3 ABLATION STUDY

We conduct an ablation study on our proposed CPPO method. To analyze the effect of the balance weights, we conduct experiments by setting either $\alpha(x)$ or $\beta(x)$ to 1. To analyze the effect of the knowledge retention penalty, we set $\beta(x) \equiv 0$. The training curves of different weights are shown in Figure 3, and the evaluation results are presented in Table 7. We observe that the training process becomes unstable when setting $\beta(x)$ to 0. When setting $\alpha(x)$ to 1 reduces the rPMS, the noisy samples are learned together with normal samples without distinction, hence the reward increase is slower than CPPO. When setting $\beta(x)$ to 1 increases the SFR, the overfitting samples, high-variance samples, and noisy samples are consolidated in the knowledge retention process, hence the final reward value is lower than CPPO. The above experiments indicate that the sample-wise balance weights are helpful for both policy learning and knowledge retention.

Table 7: Ablation study. PPO is a special case of CPPO ($\alpha \equiv 1, \beta \equiv 0$).

Method	Task-1			Task-2		
	rPMS ₁ (↑)	rouge (↑)	AT (↓)	rPMS ₂ (↑)	rouge (↑)	SFR (↓)
CPPO / Heuristic	3.020 ±0.137	0.213 ±0.024	0.035 ±0.023	2.978 ±0.113	0.174 ±0.019	-0.164 ±0.009
CPPO / Learn	3.180 ±0.154	0.220 ±0.040	0.028 ±0.042	3.085 ±0.134	0.164 ±0.024	-0.161 ±0.008
PPO / $\alpha \equiv 1, \beta \equiv 0$	2.629 ±0.183	0.196 ±0.050	0.052 ±0.044	2.687 ±0.126	0.184 ±0.017	0.080 ±0.017
CPPO / $\alpha \equiv 1$	2.837 ±0.124	0.196 ±0.029	0.047 ±0.041	2.745 ±0.121	0.169 ±0.020	-0.031 ±0.010
CPPO / $\beta \equiv 1$	2.476 ±0.117	0.185 ±0.021	0.063 ±0.025	2.520 ±0.119	0.186 ±0.017	0.051 ±0.009
CPPO / $\beta \equiv 0$	2.012 ±0.186	0.209 ±0.022	0.038 ±0.045	2.436 ±0.141	0.174 ±0.021	0.142 ±0.015




Figure 3: The curves of different weights in task-1. The knowledge retention weights penalty can improve the training stability of the PPO algorithm. However, setting $\beta(x) \equiv 1$ slows down the increase of the reward compared with CPPO. On the other hand, the policy learning weights $\alpha(x)$ can boost the increase of the reward compared with $\alpha(x) \equiv 1$.

4.4 STABILITY ANALYSIS

In this section, we analyze the stability of the CPPO, PPO, and PPO with the knowledge retention penalty. Previous work (Bai et al., 2022a) argues that small models are more prone to be unstable in PPO training. However, we find that CPPO can learn stably without the need for invalid-action masking (Ramamurthy et al., 2022), even with small models. As shown in Figure 4, the vanilla PPO performs unstably on the new data distribution. PPO with a knowledge retention penalty is more stable than PPO, but policy learning is slow. CPPO gets fast convergence on reward score and shows stable performance on the KL divergence and value prediction. This is because the sample-wise learning strategy of CPPO restricts the learning of noisy samples.




Figure 4: Training process of Task-2. The PPO algorithm is unstable at 7k steps and is unable to continuously increase the reward score.

4.5 HUMAN EVALUATION ON REDDIT TL;DR

We train two gpt2-xl models using CPPO and PPO, respectively, and compare their summaries with those generated by humans and ChatGPT using a Likert scale (Likert, 1932). The results are shown in Table 8. During the human evaluation, we observe that ChatGPT tends to generate longer summaries than humans and our models, but its performance remains stable across the test samples.

Although humans provide the best summaries, they still made mistakes, such as obfuscating important details. Our model achieves comparable performance with ChatGPT but still makes mistakes that the

small model often makes, such as repeating words and sentences. Due to the training inefficiency and instability, the performance of gpt2-xl trained by PPO is not satisfactory.

5 RELATED WORK

5.1 REINFORCEMENT LEARNING FROM HUMAN OR AI FEEDBACKS

Learning from human preferences has been studied in the game field (Bradley Knox & Stone, 2008) and has recently been introduced into the NLP domain, such as dialogue systems (Li et al., 2023; Zhao et al., 2023; 2024). Previous work (Stiennon et al., 2020) utilizes the PPO algorithm to fine-tune a language model (LM) for summarization and demonstrates that RLHF can improve the LM’s generalization ability, which serves as the technology prototype for InstructGPT (Ouyang et al., 2022) and ChatGPT. Learning LMs from feedback can be divided into two categories: human or AI feedback. Recent works such as HH-RLHF (Bai et al., 2022a) and InstructGPT (Ouyang et al., 2022) collect human preferences to train a reward model and learn a policy through it. ILF (Scheurer et al., 2023) proposes to learn from natural language feedback, which provides more information per human evaluation. Since human annotation can be expensive, learning from AI feedback (RLAIF) (Bai et al., 2022b; Perez et al., 2022; Ganguli et al., 2022) is proposed, but current methods are only effective for reducing harmless outputs, while helpful outputs still require human feedback.

Table 8: Human evaluation on 100 posts from the Reddit TL;DR.

Method	Likert score	Improve	p-value
PPO	4.370 \pm 1.180	-	-
CPPO	4.730 \pm 1.231	8.23%	0.037
ChatGPT	4.760 \pm 1.011	8.92%	0.013
Human	4.900 \pm 1.034	12.13%	0.001

Recent works such as HH-RLHF (Bai et al., 2022a) and InstructGPT (Ouyang et al., 2022) collect human preferences to train a reward model and learn a policy through it. ILF (Scheurer et al., 2023) proposes to learn from natural language feedback, which provides more information per human evaluation. Since human annotation can be expensive, learning from AI feedback (RLAIF) (Bai et al., 2022b; Perez et al., 2022; Ganguli et al., 2022) is proposed, but current methods are only effective for reducing harmless outputs, while helpful outputs still require human feedback.

5.2 CONTINUAL LEARNING

Within the realm of continual learning, several noteworthy methodologies emerge, encompassing the *regularization-based approach*, *replay-based techniques*, *optimization-based strategies*, *representation-based methodologies*, and *architecture-based innovations* (Wang et al., 2023).

The Regularization-Based Approach (Kirkpatrick et al., 2017; Aljundi et al., 2018; Chaudhry et al., 2018; Li & Hoiem, 2018; Castro et al., 2018) orchestrates the introduction of explicit regularization terms, thereby striving to strike a harmonious balance between the acquisition of new skills and the retention of past knowledge. *The Replay-Based Approach* aims to preserve and reuse past experiences to enhance model performance, which includes *experience replay* (Lin, 1992), *generative replay or pseudo-rehearsal* (Sun et al., 2020) and *feature replay* (Liu et al., 2020). *The Optimization-Based Approach* navigates the terrain of continual learning through explicit design and manipulation of optimization programs. This includes techniques such as *gradient projection* (Lopez-Paz & Ranzato, 2017), and *meta-learning* (Javed & White, 2019). *The Representation-Based Approach* leverages the strengths of self-supervised learning (SSL) (Gallardo et al., 2021) and large-scale pre-training (Mehta et al., 2022) to enhance the quality of representations at both the initialization and continual learning stages. *The Architecture-Based Approach* addresses inter-task interference by fashioning task-specific parameters. This approach can be dissected into three distinct paradigms: *parameter allocation* (Serra et al., 2018), *model decomposition* (Ebrahimi et al., 2020), and *modular networks* (Rusu et al., 2016).

6 CONCLUSION

In this work, we propose CPPO, which utilizes learning weights to balance policy learning and knowledge retention, with the aim of improving the PPO algorithm for continual learning from human preferences. CPPO is a task-agnostic and model-agnostic method that does not significantly increase the time and space complexity of PPO. We evaluate CPPO on both the DIL task and three non-continual tasks and show that it outperforms strong continual learning baselines when continually aligning with human preferences. Additionally, CPPO improves the learning efficiency and training stability of PPO. Our experiments demonstrate the potential of our approach for efficient and stable continual learning from human preferences, which can have applications in various domains and tasks.

ACKNOWLEDGEMENTS

We thank the anonymous reviewers for their valuable suggestions to improve the quality of this work, and we express our sincere gratitude to Dr. Bin Liang for his invaluable guidance and constructive feedback throughout the preparation of this manuscript. This research was supported in part by the National Key Research and Development Program of China (2021ZD0112905), the Major Key Project of PCL (PCL2023A09-4), the National Natural Science Foundation of China (62176076), the Guangdong Provincial Key Laboratory of Novel Security Intelligence Technologies(2022B1212010005), Natural Science Foundation of Guangdong (2023A1515012922), Shenzhen Foundational Research Funding (JCYJ20220818102415032) and the UK Engineering and Physical Sciences Research Council (EP/X019063/1).

REFERENCES

- Wickliffe C. Abraham and Anthony Robins. Memory retention – the synaptic stability versus plasticity dilemma. *Trends in Neurosciences*, 28(2):73–78, 2005. ISSN 0166-2236. doi: <https://doi.org/10.1016/j.tins.2004.12.003>. URL <https://www.sciencedirect.com/science/article/pii/S0166223604003704>.
- Rahaf Aljundi, Francesca Babiloni, Mohamed Elhoseiny, Marcus Rohrbach, and Tinne Tuytelaars. Memory aware synapses: Learning what (not) to forget. In Vittorio Ferrari, Martial Hebert, Cristian Sminchisescu, and Yair Weiss (eds.), *Proceedings of the European Conference on Computer Vision (ECCV)*, pp. 144–161, Cham, 2018. Springer International Publishing. ISBN 978-3-030-01219-9.
- Rahaf Aljundi, Klaas Kelchtermans, and Tinne Tuytelaars. Task-free continual learning. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2019.
- Yuntao Bai, Andy Jones, Kamal Ndousse, Amanda Askell, Anna Chen, Nova DasSarma, Dawn Drain, Stanislav Fort, Deep Ganguli, Tom Henighan, Nicholas Joseph, Saurav Kadavath, Jackson Kernion, Tom Conerly, Sheer El-Showk, Nelson Elhage, Zac Hatfield-Dodds, Danny Hernandez, Tristan Hume, Scott Johnston, Shauna Kravec, Liane Lovitt, Neel Nanda, Catherine Olsson, Dario Amodei, Tom Brown, Jack Clark, Sam McCandlish, Chris Olah, Ben Mann, and Jared Kaplan. Training a helpful and harmless assistant with reinforcement learning from human feedback, 2022a.
- Yuntao Bai, Saurav Kadavath, Sandipan Kundu, Amanda Askell, Jackson Kernion, Andy Jones, Anna Chen, Anna Goldie, Azalia Mirhoseini, Cameron McKinnon, Carol Chen, Catherine Olsson, Christopher Olah, Danny Hernandez, Dawn Drain, Deep Ganguli, Dustin Li, Eli Tran-Johnson, Ethan Perez, Jamie Kerr, Jared Mueller, Jeffrey Ladish, Joshua Landau, Kamal Ndousse, Kamile Lukosuite, Liane Lovitt, Michael Sellitto, Nelson Elhage, Nicholas Schiefer, Noemi Mercado, Nova DasSarma, Robert Lasenby, Robin Larson, Sam Ringer, Scott Johnston, Shauna Kravec, Sheer El Showk, Stanislav Fort, Tamera Lanham, Timothy Telleen-Lawton, Tom Conerly, Tom Henighan, Tristan Hume, Samuel R. Bowman, Zac Hatfield-Dodds, Ben Mann, Dario Amodei, Nicholas Joseph, Sam McCandlish, Tom Brown, and Jared Kaplan. Constitutional ai: Harmlessness from ai feedback, 2022b.
- Satanjeev Banerjee and Alon Lavie. METEOR: An automatic metric for MT evaluation with improved correlation with human judgments. In *Proceedings of the ACL Workshop on Intrinsic and Extrinsic Evaluation Measures for Machine Translation and/or Summarization*, pp. 65–72, Ann Arbor, Michigan, June 2005. Association for Computational Linguistics. URL <https://aclanthology.org/W05-0909>.
- Magdalena Biesialska, Katarzyna Biesialska, and Marta R. Costa-jussà. Continual lifelong learning in natural language processing: A survey. In *Proceedings of the 28th International Conference on Computational Linguistics*, pp. 6523–6541, Barcelona, Spain (Online), 2020. International Committee on Computational Linguistics. doi: 10.18653/v1/2020.coling-main.574. URL <https://aclanthology.org/2020.coling-main.574>.
- W. Bradley Knox and Peter Stone. Tamer: Training an agent manually via evaluative reinforcement. In *2008 7th IEEE International Conference on Development and Learning*, pp. 292–297, 2008. doi: 10.1109/DEVLRN.2008.4640845.

- Francisco M Castro, Manuel J Marín-Jiménez, Nicolás Guil, Cordelia Schmid, and Karteek Alahari. End-to-end incremental learning. In *Proceedings of the European conference on computer vision (ECCV)*, pp. 233–248, 2018.
- Arslan Chaudhry, Puneet K. Dokania, Thalaiyasingam Ajanthan, and Philip H. S. Torr. Riemannian walk for incremental learning: Understanding forgetting and intransigence. In *Proceedings of the European Conference on Computer Vision (ECCV)*, 2018.
- Lili Chen, Kevin Lu, Aravind Rajeswaran, Kimin Lee, Aditya Grover, Michael Laskin, Pieter Abbeel, Aravind Srinivas, and Igor Mordatch. Decision transformer: Reinforcement learning via sequence modeling, 2021.
- Wei-Lin Chiang, Zhuohan Li, Zi Lin, Ying Sheng, Zhanghao Wu, Hao Zhang, Lianmin Zheng, Siyuan Zhuang, Yonghao Zhuang, Joseph E. Gonzalez, Ion Stoica, and Eric P. Xing. Vicuna: An open-source chatbot impressing gpt-4 with 90URL <https://vicuna.lmsys.org>.
- Arthur Douillard, Matthieu Cord, Charles Ollion, Thomas Robert, and Eduardo Valle. Podnet: Pooled outputs distillation for small-tasks incremental learning. In *Computer Vision–ECCV 2020: 16th European Conference, Glasgow, UK, August 23–28, 2020, Proceedings, Part XX 16*, pp. 86–102. Springer, 2020.
- Sayna Ebrahimi, Franziska Meier, Roberto Calandra, Trevor Darrell, and Marcus Rohrbach. Adversarial continual learning. In *Computer Vision–ECCV 2020: 16th European Conference, Glasgow, UK, August 23–28, 2020, Proceedings, Part XI 16*, pp. 386–402. Springer, 2020.
- Kawin Ethayarajh, Yejin Choi, and Swabha Swayamdipta. Understanding dataset difficulty with \mathcal{V} -usable information. In Kamalika Chaudhuri, Stefanie Jegelka, Le Song, Csaba Szepesvari, Gang Niu, and Sivan Sabato (eds.), *Proceedings of the 39th International Conference on Machine Learning*, volume 162 of *Proceedings of Machine Learning Research*, pp. 5988–6008. PMLR, 17–23 Jul 2022.
- Jhair Gallardo, Tyler L Hayes, and Christopher Kanan. Self-supervised training enhances online continual learning. *arXiv preprint arXiv:2103.14010*, 2021.
- Deep Ganguli, Liane Lovitt, Jackson Kernion, Amanda Askell, Yuntao Bai, Saurav Kadavath, Ben Mann, Ethan Perez, Nicholas Schiefer, Kamal Ndousse, Andy Jones, Sam Bowman, Anna Chen, Tom Conerly, Nova DasSarma, Dawn Drain, Nelson Elhage, Sheer El-Showk, Stanislav Fort, Zac Hatfield-Dodds, Tom Henighan, Danny Hernandez, Tristan Hume, Josh Jacobson, Scott Johnston, Shauna Kravec, Catherine Olsson, Sam Ringer, Eli Tran-Johnson, Dario Amodei, Tom Brown, Nicholas Joseph, Sam McCandlish, Chris Olah, Jared Kaplan, and Jack Clark. Red teaming language models to reduce harms: Methods, scaling behaviors, and lessons learned, 2022.
- Leo Gao, John Schulman, and Jacob Hilton. Scaling laws for reward model overoptimization, 2022.
- Karl Moritz Hermann, Tomas Kocisky, Edward Grefenstette, Lasse Espeholt, Will Kay, Mustafa Suleyman, and Phil Blunsom. Teaching machines to read and comprehend. In C. Cortes, N. Lawrence, D. Lee, M. Sugiyama, and R. Garnett (eds.), *Advances in Neural Information Processing Systems*, volume 28. Curran Associates, Inc., 2015. URL https://proceedings.neurips.cc/paper_files/paper/2015/file/afdec7005cc9f14302cd0474fd0f3c96-Paper.pdf.
- Ari Holtzman, Jan Buys, Maxwell Forbes, Antoine Bosselut, David Golub, and Yejin Choi. Learning to write with cooperative discriminators. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pp. 1638–1649, Melbourne, Australia, July 2018. Association for Computational Linguistics. doi: 10.18653/v1/P18-1152. URL <https://aclanthology.org/P18-1152>.
- Saihui Hou, Xinyu Pan, Chen Change Loy, Zilei Wang, and Dahua Lin. Learning a unified classifier incrementally via rebalancing. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pp. 831–839, 2019.

- Yufan Huang, Yanzhe Zhang, Jiaao Chen, Xuezhi Wang, and Diyi Yang. Continual learning for text classification with information disentanglement based regularization. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pp. 2736–2746, Online, 2021. Association for Computational Linguistics. doi: 10.18653/v1/2021.naacl-main.218. URL <https://aclanthology.org/2021.naacl-main.218>.
- Natasha Jaques, Judy Hanwen Shen, Asma Ghandeharioun, Craig Ferguson, Agata Lapedriza, Noah Jones, Shixiang Gu, and Rosalind Picard. Human-centric dialog training via offline reinforcement learning. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pp. 3985–4003, Online, November 2020. Association for Computational Linguistics. doi: 10.18653/v1/2020.emnlp-main.327. URL <https://aclanthology.org/2020.emnlp-main.327>.
- Khurram Javed and Martha White. Meta-learning representations for continual learning. In H. Wallach, H. Larochelle, A. Beygelzimer, F. d'Alché-Buc, E. Fox, and R. Garnett (eds.), *Advances in Neural Information Processing Systems*, volume 32. Curran Associates, Inc., 2019. URL https://proceedings.neurips.cc/paper_files/paper/2019/file/f4dd765c12f2ef67f98f3558c282a9cd-Paper.pdf.
- Christos Kaplanis, Murray Shanahan, and Claudia Clopath. Policy consolidation for continual reinforcement learning. In Kamalika Chaudhuri and Ruslan Salakhutdinov (eds.), *Proceedings of the 36th International Conference on Machine Learning*, volume 97 of *Proceedings of Machine Learning Research*, pp. 3242–3251. PMLR, 09–15 Jun 2019. URL <https://proceedings.mlr.press/v97/kaplanis19a.html>.
- James Kirkpatrick, Razvan Pascanu, Neil Rabinowitz, Joel Veness, Guillaume Desjardins, Andrei A. Rusu, Kieran Milan, John Quan, Tiago Ramalho, Agnieszka Grabska-Barwinska, Demis Hassabis, Claudia Clopath, Dharshan Kumaran, and Raia Hadsell. Overcoming catastrophic forgetting in neural networks. *Proceedings of the National Academy of Sciences*, 114(13):3521–3526, 2017. doi: 10.1073/pnas.1611835114. URL <https://www.pnas.org/doi/abs/10.1073/pnas.1611835114>.
- Julia Kreutzer, Shahram Khadivi, Evgeny Matusov, and Stefan Riezler. Can neural machine translation be improved with user feedback? In *Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 3 (Industry Papers)*, pp. 92–105, New Orleans - Louisiana, June 2018. Association for Computational Linguistics. doi: 10.18653/v1/N18-3012. URL <https://aclanthology.org/N18-3012>.
- Jiazheng Li, Runcong Zhao, Yongxin Yang, Yulan He, and Lin Gui. Overprompt: Enhancing chatgpt through efficient in-context learning. *Advances in Neural Information Processing Systems R0-FoMo workshop*, 2023.
- Zhizhong Li and Derek Hoiem. Learning without forgetting. *IEEE Trans. Pattern Anal. Mach. Intell.*, 40(12):2935–2947, dec 2018. ISSN 0162-8828. doi: 10.1109/TPAMI.2017.2773081. URL <https://doi.org/10.1109/TPAMI.2017.2773081>.
- Rensis Likert. A technique for the measurement of attitudes. *Archives of Psychology*, 140:1–55, 1932.
- Chin-Yew Lin. ROUGE: A package for automatic evaluation of summaries. In *Text Summarization Branches Out*, pp. 74–81, Barcelona, Spain, July 2004. Association for Computational Linguistics. URL <https://aclanthology.org/W04-1013>.
- Long-Ji Lin. Self-improving reactive agents based on reinforcement learning, planning and teaching. *Mach. Learn.*, 8(3–4):293–321, May 1992. ISSN 0885-6125. doi: 10.1007/BF00992699.
- Xialei Liu, Chenshen Wu, Mikel Menta, Luis Herranz, Bogdan Raducanu, Andrew D Bagdanov, Shangling Jui, and Joost van de Weijer. Generative feature replay for class-incremental learning. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops*, pp. 226–227, 2020.

- David Lopez-Paz and Marc’Aurelio Ranzato. Gradient episodic memory for continual learning. In Isabelle Guyon, Ulrike von Luxburg, Samy Bengio, Hanna M. Wallach, Rob Fergus, S. V. N. Vishwanathan, and Roman Garnett (eds.), *Advances in Neural Information Processing Systems 30: Annual Conference on Neural Information Processing Systems 2017, December 4-9, 2017, Long Beach, CA, USA*, pp. 6467–6476, 2017. URL <https://proceedings.neurips.cc/paper/2017/hash/f87522788a2be2d171666752f97ddeb-Abstract.html>.
- Andrew L. Maas, Raymond E. Daly, Peter T. Pham, Dan Huang, Andrew Y. Ng, and Christopher Potts. Learning word vectors for sentiment analysis. In *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies*, pp. 142–150, Portland, Oregon, USA, June 2011. Association for Computational Linguistics. URL <https://aclanthology.org/P11-1015>.
- Sanket Vaibhav Mehta, Darshan Patil, Sarath Chandar, and Emma Strubell. An empirical investigation of the role of pre-training in lifelong learning, 2022. URL <https://openreview.net/forum?id=D9E8MKsfhw>.
- Volodymyr Mnih, Adria Puigdomenech Badia, Mehdi Mirza, Alex Graves, Timothy Lillicrap, Tim Harley, David Silver, and Koray Kavukcuoglu. Asynchronous methods for deep reinforcement learning. In Maria Florina Balcan and Kilian Q. Weinberger (eds.), *Proceedings of The 33rd International Conference on Machine Learning*, volume 48 of *Proceedings of Machine Learning Research*, pp. 1928–1937, New York, New York, USA, 20–22 Jun 2016. PMLR. URL <https://proceedings.mlr.press/v48/mnihal16.html>.
- Long Ouyang, Jeff Wu, Xu Jiang, Diogo Almeida, Carroll L. Wainwright, Pamela Mishkin, Chong Zhang, Sandhini Agarwal, Katarina Slama, Alex Ray, John Schulman, Jacob Hilton, Fraser Kelton, Luke Miller, Maddie Simens, Amanda Askell, Peter Welinder, Paul Christiano, Jan Leike, and Ryan Lowe. Training language models to follow instructions with human feedback, 2022. URL <https://arxiv.org/abs/2203.02155>.
- Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. Bleu: a method for automatic evaluation of machine translation. In *Proceedings of the 40th Annual Meeting of the Association for Computational Linguistics*, pp. 311–318, Philadelphia, Pennsylvania, USA, July 2002. Association for Computational Linguistics. doi: 10.3115/1073083.1073135. URL <https://aclanthology.org/P02-1040>.
- Ethan Perez, Saffron Huang, Francis Song, Trevor Cai, Roman Ring, John Aslanides, Amelia Glaese, Nat McAleese, and Geoffrey Irving. Red teaming language models with language models. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pp. 3419–3448, Abu Dhabi, United Arab Emirates, December 2022. Association for Computational Linguistics. URL <https://aclanthology.org/2022.emnlp-main.225>.
- Alec Radford, Jeffrey Wu, Rewon Child, David Luan, Dario Amodei, Ilya Sutskever, et al. Language models are unsupervised multitask learners. *OpenAI blog*, 1(8):9, 2019.
- Rajkumar Ramamurthy, Prithviraj Ammanabrolu, Kianté Brantley, Jack Hessel, Rafet Sifa, Christian Bauckhage, Hannaneh Hajishirzi, and Yejin Choi. Is reinforcement learning (not) for natural language processing?: Benchmarks, baselines, and building blocks for natural language policy optimization. 2022. URL <https://arxiv.org/abs/2210.01241>.
- David Rolnick, Arun Ahuja, Jonathan Schwarz, Timothy Lillicrap, and Gregory Wayne. Experience replay for continual learning. In H. Wallach, H. Larochelle, A. Beygelzimer, F. d’Alché-Buc, E. Fox, and R. Garnett (eds.), *Advances in Neural Information Processing Systems*, volume 32. Curran Associates, Inc., 2019. URL https://proceedings.neurips.cc/paper_files/paper/2019/file/fa7cdfad1a5aaf8370ebeda47a1ff1c3-Paper.pdf.
- Andrei A Rusu, Neil C Rabinowitz, Guillaume Desjardins, Hubert Soyer, James Kirkpatrick, Koray Kavukcuoglu, Razvan Pascanu, and Raia Hadsell. Progressive neural networks. *arXiv preprint arXiv:1606.04671*, 2016.
- Victor Sanh, Lysandre Debut, Julien Chaumond, and Thomas Wolf. Distilbert, a distilled version of BERT: smaller, faster, cheaper and lighter. *CoRR*, abs/1910.01108, 2019. URL <http://arxiv.org/abs/1910.01108>.

- Jérémy Scheurer, Jon Ander Campos, Tomasz Korbak, Jun Shern Chan, Angelica Chen, Kyunghyun Cho, and Ethan Perez. Training language models with language feedback at scale, 2023.
- Philemon Schöpf, Sayantan Auddy, Jakob Hollenstein, and Antonio Rodriguez-sanchez. Hypernetwork-PPO for continual reinforcement learning. In *Deep Reinforcement Learning Workshop NeurIPS 2022*, 2022. URL <https://openreview.net/forum?id=s9wY71poI25>.
- John Schulman, Filip Wolski, Prafulla Dhariwal, Alec Radford, and Oleg Klimov. Proximal policy optimization algorithms. *CoRR*, abs/1707.06347, 2017. URL <http://arxiv.org/abs/1707.06347>.
- Joan Serra, Didac Suris, Marius Miron, and Alexandros Karatzoglou. Overcoming catastrophic forgetting with hard attention to the task. In *International conference on machine learning*, pp. 4548–4557. PMLR, 2018.
- Zheyang Shen, Jiashuo Liu, Yue He, Xingxuan Zhang, Renzhe Xu, Han Yu, and Peng Cui. Towards out-of-distribution generalization: A survey. *CoRR*, abs/2108.13624, 2021. URL <https://arxiv.org/abs/2108.13624>.
- Nisan Stiennon, Long Ouyang, Jeff Wu, Daniel M. Ziegler, Ryan Lowe, Chelsea Voss, Alec Radford, Dario Amodei, and Paul F. Christiano. Learning to summarize from human feedback. *CoRR*, abs/2009.01325, 2020. URL <https://arxiv.org/abs/2009.01325>.
- Fan-Keng Sun, Cheng-Hao Ho, and Hung-Yi Lee. LAMOL: language modeling for lifelong language learning. In *8th International Conference on Learning Representations, ICLR 2020, Addis Ababa, Ethiopia, April 26-30, 2020*. OpenReview.net, 2020. URL <https://openreview.net/forum?id=Skgxcn4YDS>.
- Michael Völske, Martin Potthast, Shahbaz Syed, and Benno Stein. TL;DR: Mining Reddit to learn automatic summarization. In *Proceedings of the Workshop on New Frontiers in Summarization*, pp. 59–63, Copenhagen, Denmark, September 2017. Association for Computational Linguistics. doi: 10.18653/v1/W17-4508. URL <https://aclanthology.org/W17-4508>.
- Ben Wang and Aran Komatsuzaki. GPT-J-6B: A 6 Billion Parameter Autoregressive Language Model. <https://github.com/kingoflolz/mesh-transformer-jax>, May 2021.
- Liyuan Wang, Xingxing Zhang, Hang Su, and Jun Zhu. A comprehensive survey of continual learning: Theory, method and application, 2023.
- Zheng Yuan, Hongyi Yuan, Chuanqi Tan, Wei Wang, Songfang Huang, and Fei Huang. Rrhf: Rank responses to align language models with human feedback without tears, 2023.
- Runcong Zhao, Wenjia Zhang, Jiazheng Li, Lixing Zhu, Yanran Li, Lin Gui, and Yulan He. Narrative-play: Interactive narrative understanding. In *Proceedings of the 18th Conference of the European Chapter of the Association for Computational Linguistics, Demonstration Track*. Association for Computational Linguistics, 2023.
- Runcong Zhao, Wenjia Zhang, Jiazheng Li, Lixing Zhu, Yanran Li, Yulan He, and Lin Gui. Narrative-play: An automated system for crafting visual worlds in novels for role-playing. In *AAAI Conference on Artificial Intelligence*, 2024.

A NOTATIONS

All of the notations used in this paper and their corresponding meanings are listed in Table 9.

Table 9: Notations used in this paper, *italic* font denotes the CPPO-specific symbols

Notations	Corresponding Meanings
$i(1, \dots, I)$	generation of the i -th token
$t(1, \dots, T)$	t -th task of CL
x	a rollout sample
x_i	i -th token of sample x
s_i	state- i : prompt + $x_{1:i-1}$
θ	parameters of policy learned in task- t
π_t	policy learned in task- t
$\mathbf{P}_{\pi_t(x)}$	generation probability of x under π_t
$\mathbf{J}(\theta)$	total objective of PPO or CPPO
L^{CLIP}	clipped policy learning objective
L^{VF}	squared-error value loss
$V(s_i)$	value estimation by critic
λ / γ	reward / value discount coefficients
\mathbf{A}_i	advantage score of token x_i
$\mathbf{R}(x)$	reward model score of x
$r_i(\theta)$	the probability ratio
ϵ	clip hyperparameter
$clip(\cdot, 1 \pm \epsilon)$	clip by $1 \pm \epsilon$
c	coefficient of L^{VF}
N	samples number per rollout batch
k	the threshold of times of standard variance
L^{KR}	<i>knowledge retention penalty</i>
$\alpha(x)$	<i>weight of policy learning</i>
$\beta(x)$	<i>weight of knowledge retention</i>
ub, lb	<i>the upper bound and lower bound of weights</i>
$\mu[\mathbf{P}_{\pi_\theta}]$	<i>expectation of $\mathbf{P}_{\pi_\theta}(x)$</i>
$\mu[\mathbf{R}]$	<i>expectation of $\mathbf{R}(x)$</i>
$\sigma[\mathbf{P}_{\pi_\theta}]$	<i>standard variance of $\mathbf{P}_{\pi_\theta}(x)$</i>
$\sigma[\mathbf{R}]$	<i>standard variance of $\mathbf{R}(x)$</i>
$\phi (\phi =2N)$	<i>parameters for weight learning</i>
$\mathbf{L}_{coef}(\phi)$	<i>objective of weight learning</i>

B THE THEORETICAL ANALYSIS OF CPPO

The theoretical objective in Eq. 4 is an intuitive implementation of our basic idea. Based on it, we derive a more practical objective in Eq. 6. Next, we will elaborate the relationship between the two and explain how we were inspired by Eq. 4 and designed Eq. 6.

Eq. 6 is a generalized version of Eq. 4.

Let $I_{D_1}(x)$ and $I_{D_2}(x)$ denote the indicator functions of the sets of D_1 and D_2 , respectively. In Eq. 6, $\alpha(x)$ and $\beta(x)$ can be any non-negative real-valued functions defined on the rollout set. We claim that in Eq. 4, $\alpha(x)$ and $\beta(x)$ are specialized as $\alpha(x) = I_{D_1}(x)$, $\beta(x) = I_{D_2}(x)$. Next, we provide the derivation step by step.

By introducing the actor-critic version, the clipped ratio, the objective Eq. 4. can be written as the objective Eq. 5.

1. We utilize notations $I_{D_1}(x)$ and $I_{D_2}(x)$ to rewrite the Eq.4 as $\max_{\theta} \mathbb{E}_{x \sim \pi_{\theta}} I_{D_1}(x) \cdot \mathbf{R}(x) - \mathbb{E}_{x \sim \pi_{t-1}} I_{D_2}(x) \cdot D_{KL}(\mathbf{P}_{\pi_{\theta}}(x) \parallel \mathbf{P}_{\pi_{t-1}}(x))$.
2. Then we introduce the importance sampling like PPO, the above objective can be written as $\max_{\theta} \mathbb{E}_{x \sim \pi_{t-1}} I_{D_1}(x) \cdot \frac{\mathbf{P}_{\pi_{\theta}}(x)}{\mathbf{P}_{\pi_{t-1}}(x)} \mathbf{R}(x) - \mathbb{E}_{x \sim \pi_{t-1}} I_{D_2}(x) \cdot D_{KL}(\mathbf{P}_{\pi_{\theta}}(x) \parallel \mathbf{P}_{\pi_{t-1}}(x))$.
3. In the PPO method, the objective is to maximize the expectation of the advantage function instead of the reward value. By introducing the advantage function instead of the reward, the above objective can be written as $\max_{\theta} \mathbb{E}_{x \sim \pi_{t-1}} I_{D_1}(x) \cdot \frac{\mathbf{P}_{\pi_{\theta}}(x)}{\mathbf{P}_{\pi_{t-1}}(x)} \mathbf{A}(x) - \mathbb{E}_{x \sim \pi_{t-1}} I_{D_2}(x) \cdot D_{KL}(\mathbf{P}_{\pi_{\theta}}(x) \parallel \mathbf{P}_{\pi_{t-1}}(x))$.

4. By introducing the knowledge retention penalty, the above objective is written as:

$$\max_{\theta} \mathbb{E}_{x \sim \pi_{t-1}} I_{D_1}(x) \cdot \frac{P_{\pi_{\theta}}(x)}{P_{\pi_{t-1}}(x)} \mathbf{A}(x) - \mathbb{E}_{x \sim \pi_{t-1}} I_{D_2}(x) \cdot L^{KR}(x).$$
5. In the CL task, the new policy π_t is generally initialized by the old policy π_{t-1} . In CPPO, we treat the π_{t-1} and π_t as the reference model and policy model respectively. Then, we consider the actor-critic version, the clipped ratio, and the entropy bonus used in PPO[32], the above objective can be written as $\mathbf{J}(\theta)' = L^{I_{D_1} \cdot CLIP + I_{D_2} \cdot KR + VF}(\theta)$.

From the objective Eq. 5 to the objective Eq. 6.

Comparing $\mathbf{J}(\theta)'$ with $\mathbf{J}(\theta) = L^{\alpha \cdot CLIP + \beta \cdot KR + VF}(\theta)$ in Eq. 6, $\alpha(x)$ and $\beta(x)$ are specialized as $I_{D_1}(x)$ and $I_{D_2}(x)$. Hence, the objective Eq. 5 can be treated as a special case of Eq. 6.

C CASE STUDY OF SUMMARY TASK

Table 10 presents a case where CPPO improves the performance on task-1 (r/relationships) after learning task-2 (r/others).

Table 10: Example responses of Reddit TL;DR.

<p>The original POST (the domain is r/relationships): TITLE: [20F] My [22M] SO never wants to spend time with me. POST: My boyfriend and I have been together off & on for three years. We’ve had our fair share of issues, but I love him and I think he loves me. We work opposite shifts, and it really cuts into our time together. Majorly. On the few days we both have off, every other weekend, he chooses to hang out with his friends. He works with his friends on the same schedule, and they are over every single day. I always feel like I have to force him to do anything with me and I’m getting tired of it. I always complain to him that it would be nice if we could spend time together. But, he just says in over reacting. And that I can hang out with him and his friends. The thing is, we haven’t spent a day together just him and I in over a year. I like his friends but I just want a day where we can be together just us. I’m sick of being ignored for his friends, or video games and I don’t know what to do. TL;DR:</p>
<p>The summary after learning task-1 (r/relationships): CPPO (rPMS: 1.75): My SO never wants to spend time with me. He works with his friends on the same schedule, and they are over every single day. I always feel like I have to force him to do anything with me and I’m getting tired of it.</p>
<p>The summary after learning task-2 (r/others): CPPO (rPMS: 1.82): My boyfriend prioritizes friends over time with me. Opposite work schedules strain time together. I’m tired of urging for attention. Seeking advice for reconnection. PPO(In order) (rPMS: 1.44): The boyfriend has been with his boyfriend for three years and doesn’t want to spend time with his boyfriend anymore. The boyfriend’s boyfriend has been with him for three years and doesn’t want to spend time with him anymore. PPO (rPMS:1.65): The boyfriend and I have been dating for three years and I love him but he is not interested in going out with his girlfriend.</p>

After learning the task-2, the model generates an accurate and concise summary. It more clearly conveys the main issue and emotions in the post, along with the desire for advice. And it also gets a higher rPMS (1.82 v.s. 1.75).

From the three summaries after learning task-2, it can be observed that PPO(In order) seems to exhibit a more noticeable knowledge forgetting, with a seeming lack of understanding of the concept "boyfriend." This is due to the frequent occurrence of "boyfriend" in task-1 (r/relationships) and its almost absence in task-2 (r/others), resulting in a case of catastrophic forgetting. The PPO model still manages to convey the main essence of the text, but it overlooks some crucial details, such as "opposite work schedule" and "prioritizes friends over time with me", hence PPO lags behind CPPO in terms of rPMS value.

D BASELINES

Supervise fine-tuning (SFT) directly learns the human-labeled summary through the cross-entropy loss.

Online L2Reg penalizes the updating of model parameters through a L2 loss $L_2^t(\theta) = \sum_i (\theta_t^i - \theta_{t-1}^i)^2$. This regularization term mitigates the forgetting issue by applying a penalty for every parameter change.

EWC (Kirkpatrick et al., 2017) uses fisher information to measure the parameter importance to old tasks, then slows down the update of the important parameters by L2 regularization.

MAS (Aljundi et al., 2018) computes the importance of the parameters of a neural network in an unsupervised and online manner to restrict the updating of parameters in the next task.

LwF (Li & Hoiem, 2018) is a knowledge-distillation-based method, which computes a smoothed version of the current responses for the new examples at the beginning of each task, minimizing their drift during training.

TFCL (Aljundi et al., 2019) proposes to timely update the importance weights of the parameter regularization by detecting plateaus in the loss surface.

PC (Kaplanis et al., 2019) is inspired by the biologically plausible synaptic model and proposes to consolidate memory directly at the behavioral level by knowledge distillation, aiming to mitigate catastrophic forgetting in the reinforcement learning context.

HN-PPO (Schöpf et al., 2022) Hypernetwork-PPO is a continual model-free RL method employing a hyper network to learn multiple policies in a continual manner by using PPO.

NLPO (Ramamurthy et al., 2022) NLPO learns to mask out less relevant tokens in-context as it trains via top-p sampling, which restricts tokens to the smallest possible set whose cumulative probability is greater than the probability parameter p (Holtzman et al., 2018).

E DISCUSSION

E.1 HYPERPARAMETER SENSITIVE ANALYSIS

Due to the introduction of additional hyperparameters by CPPO, we conducted a sensitivity analysis of CPPO’s hyperparameters. We conduct sensitivity analysis on five hyperparameters, including the threshold of times of standard variance k , the upper bound ub and lower bound lb of weights, the learning rate **weights-lr** of CPPO Heuristic, and the multiplier τ . As shown in Table 11, the analysis of experimental results shows that our method is insensitive to the introduction of extra hyperparameters.

Table 11: Hyperparameter sensitivity analysis of CPPO Heuristic and CPPO Learn.

Hyper-Parameters k / ub / lb	Method	Task-1 rPMS ₁ (↑)	rouge (↑)	AT (↓)	Task-2 rPMS ₂ (↑)	rouge (↑)	SFR (↓)
0.85 / 2.5 / 0.5	Heuristic	3.020 ±0.137	0.213 ±0.024	0.035 ±0.023	2.978 ±0.113	0.174 ±0.019	-0.164 ±0.009
k: 0.85 -> 0.5	Heuristic	3.011 ±0.141	0.209 ±0.026	0.036 ±0.025	2.97 ±0.121	0.171 ±0.018	-0.162 ±0.011
k: 0.85 -> 1.0	Heuristic	3.017 ±0.132	0.214 ±0.025	0.031 ±0.031	2.891 ±0.117	0.170 ±0.021	-0.151 ±0.010
ub: 2.5 -> 1.5	Heuristic	2.982 ±0.124	0.205 ±0.031	0.040 ±0.042	2.809 ±0.124	0.173 ±0.023	-0.165 ±0.008
ub: 2.5 -> 3.0	Heuristic	3.012 ±0.123	0.205 ±0.042	0.040 ±0.051	2.941 ±0.115	0.171 ±0.029	-0.166 ±0.013
lb: 0.5 -> 0.1	Heuristic	3.011 ±0.162	0.221 ±0.051	0.024 ±0.041	2.809 ±0.115	0.167 ±0.019	-0.162 ±0.011
lb: 0.5 -> 0.0	Heuristic	2.997 ±0.152	0.219 ±0.031	0.026 ±0.040	2.941 ±0.141	0.179 ±0.016	-0.161 ±0.010
weights-lr / τ	Method	rPMS ₁ (↑)	rouge (↑)	AT (↓)	rPMS ₂ (↑)	rouge (↑)	SFR (↓)
0.01 / 0.1	Learn	3.180 ±0.154	0.220 ±0.040	0.028 ±0.042	3.085 ±0.134	0.164 ±0.024	-0.161 ±0.008
weights-lr: 0.01 -> 0.1	Learn	3.122 ±0.162	0.201 ±0.041	0.044 ±0.041	2.824 ±0.141	0.171 ±0.024	-0.155 ±0.012
weights-lr: 0.01 -> 0.5	Learn	3.141 ±0.131	0.209 ±0.053	0.036 ±0.052	2.934 ±0.125	0.170 ±0.022	-0.162 ±0.016
τ : 0.1 -> 0.01	Learn	3.042 ±0.137	0.211 ±0.046	0.034 ±0.054	2.89 ±0.151	0.168 ±0.026	-0.161 ±0.020
τ : 0.1 -> 0.5	Learn	3.087 ±0.151	0.212 ±0.040	0.033 ±0.062	2.892 ±0.118	0.174 ±0.032	-0.161 ±0.014
τ : 0.1 -> 1.0	Learn	3.072 ±0.148	0.209 ±0.039	0.036 ±0.051	2.967 ±0.129	0.172 ±0.021	-0.169 ±0.008

E.2 COMPLEXITY ANALYSIS

In this section, we compare CPPO (learnable weights) with PPO in terms of time and memory occupation. The steps of CPPO are similar to PPO, except for the step of learning balance weights. By considering the time of the rollout step as our reference, we demonstrate that the time required to learn the weights is negligible compared to the overall training process of CPPO and PPO. Figure 5 illustrates the time required for learning balance weights and the time for making rollouts during the training of gpt2-s and gpt2-xl. For gpt2-s training, the ratio between the time spent on learning balance weights (approximately 8s) and the time taken for rollout steps (around 400s) is 1/50. This ratio decreases to 1/200 when training gpt2-xl, due to the fact that the time for learning balance weights remains the same, while the time for making rollouts increases to 1600s. Hence, our method does not significantly increase the time complexity of PPO, especially for training large language models.




Figure 5: Time of learning weights and time of making rollout.

For memory occupation, we record the GPU memory allocation, GPU utilization, and the process memory in the training process of PPO and CPPO. Figure 6 illustrates the comparison of the above metrics between PPO and CPPO. CPPO, which learns the balance weights and calculates the knowledge retention loss, leads to higher allocation of GPU memory and process memory compared to PPO. Nevertheless, the improvements in GPU memory and process memory are not particularly substantial.




Figure 6: GPU utilization and memory allocation when the algorithm runs for 15+ hours. Compared to the PPO method, our CPPO does not significantly utilize extra memory.

F TASKS FOR STATIC LEARNING

We compare PPO and CPPO on 3 static learning tasks, including random walks, sentiment text generation, and summary on CNN Daily Mail.

F.1 RANDOM WALKS

The task(Chen et al., 2021) involves finding the shortest path on a directed graph. The reward is based on how optimal the path is compared to the shortest possible (bounded in $[0, 1]$). Paths are represented as strings of letters, with each letter corresponding to a node in the graph. For CPPO or

PPO, a language model was fine-tuned to predict the next token in a sequence of returns-to-go (sum of future rewards), states, and actions.

F.2 SENTIMENT TEXT GENERATION

This task focuses on generating positive movie reviews by fine-tuning a pre-trained model on the IMDB dataset using a sentiment reward function. We consider the IMDB(Maas et al., 2011) dataset for the task of generating text with positive sentiment. The dataset consists of 25k training, 5k validation and 5k test examples of movie review text with sentiment labels of positive and negative. We utilize a sentiment classifier (Sanh et al., 2019) trained on pairs of text and labels as a reward model, which provides sentiment scores indicating how positive a given piece of text is.

F.3 SUMMARY ON CNN DAILY MAIL

The dataset for this task comprises 287k training examples, 13k validation examples, and 11k test examples. We utilize meteor(Banerjee & Lavie, 2005) as the reward function. T5 is chosen as the base language model due to its pre-training in a unified text-to-text framework and its ability to handle zero-shot capabilities.

F.4 EVALUATION ON NON-CONTINUAL LEARNING TASKS

We compare the performance of PPO and CPPO on three static learning tasks, including randomwalks(Chen et al., 2021), sentiment text generation (Ramamurthy et al., 2022) on IMDB(Huang et al., 2021), and summarization on CNN Daily Mail (Hermann et al., 2015). As in the continual learning setting, we initialize our model with a pre-trained model and compute the knowledge retention penalty using both the policy model and the pre-trained model. Experimental results demonstrate that CPPO outperforms PPO in static learning settings. We observe the instability of PPO on the sentiment text generation task, while CPPO can learn stably. As shown in Figure 7, CPPO outperforms the PPO algorithm on all three tasks, which is attributed to CPPO’s ability to enhance the learning of high-performance, high-variance, and overfitting samples while slowing down the learning of noisy samples.




Figure 7: Evaluation results on the test data during different training steps. a) The optimality scores in $[0, 1]$, as compared to the shortest path. b) Positive sentiment scores provided by the distilbert trained on the IMDB dataset. c) METEOR (Metric for Evaluation of Translation with Explicit ORDERing).

G DETAILS OF IMPLEMENTATION

The algorithm of CPPO is presented in Algorithm 1. Step 3 is for learning an RM continually; step 7 is for computing balance weights; step 9 is for calculating CPPO loss; other steps are the same as the PPO algorithm. Our implementation is based on the open source library trlx⁶. The experiments on the SHP dataset are conducted in 4 Nvidia A100 GPUs with 80 GB of RAM, other experiments are conducted in 2 Nvidia Tesla V100 GPUs with 32 GB of RAM. To conserve GPU memory, we utilize CPU-Offload and Mixed-Precision techniques. We provide all hyperparameters used in both the PPO and CPPO algorithms in Table 12.

⁶<https://github.com/CarperAI/trlx>

Algorithm 1: CPPPO

```

input : SFT model  $M_{SFT}$ , critic model  $C$ , reward model  $RM$ , ppo epoches  $N$ , ppo steps  $S$ , query
streams  $\mathbf{Q}_t (t = 1, 2, \dots, T)$ .
output : Aligned model  $M'_T$ .
1 Initialize actor  $M_0 \leftarrow M_{SFT}$ ;
2 for  $t = 1, 2, \dots, T$  do
3   update  $RM$  on new feedback by MAS;
4   for  $epoch = 1, 2, \dots, N$  do
5     make actor  $M_{t-1}$  generate response  $O_{t-1}$  on prompts  $Q_t$ ;
6     compute generation probability  $P_{\pi_{t-1}}(x)$  of  $M_{t-1}$  on  $O_{t-1}$ , reward  $R(x)$  of response  $O_{t-1}$  by
        $RM$ , state value evaluation  $v_{t-1}$  by critic  $C$  and advantage  $A_{t-1}(x)$ ;
7     compute a set of balance weights  $\{(\alpha(x), \beta(x)) | x \in O_{t-1}\}$ ;
8     for  $step = 1, 2, \dots, S$  do
9       compute the CPPPO loss by Equation (5);
10      update model  $M_t$  by Adam optimizer;
11    end
12  end
13 end

```

Table 12: Hyperparameters of different tasks. *Italic* font denotes the CPPPO-specific hyperparameters. For all tasks, we utilize the default PPO hyperparameters released by trlx.

	CNN	Random walks	IMDB	Reddit
seq-length	612	10	1024	550
total-steps	17200	10000	4000	25600
batch-size	12	100	128	8
model (huggingface)	google/flan-t5-small	CarperAI/randomwalks	lvwerra/gpt2-imdb	gpt2
num-layers-unfrozen	2	-1	2	8
optimizer	adamw	adamw	adamw	adamw
lr	1.00E-05	3.00E-04	1.00E-04	5.00E-06
betas	[0.9, 0.999]	[0.9, 0.95]	[0.9, 0.95]	[0.9, 0.999]
eps	1.00E-08	1.00E-08	1.00E-08	1.00E-08
weight-decay	1.00E-06	1.00E-06	1.00E-06	1.00E-06
lr scheduler	cosine-annealing	cosine-annealing	cosine-annealing	cosine-annealing
T-max	17200	10000	4000	25600
eta-min	1.00E-06	3.00E-04	1.00E-04	5.00E-06
num-rollouts	512	128	128	512
chunk-size	12	128	128	32
ppo-epochs	4	4	4	4
init-kl-coef	0.05	0.05	0.05	0.1
target	6	6	6	6
horizon	10000	10000	10000	10000
gamma	0.99	1	1	1
lam	0.95	0.95	0.95	0.95
cliprange	0.2	0.2	0.2	0.2
cliprange-value	0.2	0.2	0.2	0.2
vf-coef	1	1.2	1	0.2
scale-reward	False	False	False	False
cliprange-reward	10	1	10	10
max-new-tokens	100	9	40	50
top-k	50	-	-	-
top-p	0.95	-	-	-
<i>k</i>	0.85	0.85	0.85	0.85
<i>reg-coef</i>	0.1	0.1	0.1	0.1
<i>ub</i>	2.5	2.5	2.5	2.5
<i>lb</i>	0.5	0.2	0.5	0.5
<i>weights-lr</i>	0.01	0.01	0.01	0.01




Figure 8: Cross-domain evaluation of 18 reward models. The i -th row represents the RM trained on domain i , the j -th column represents the RM tested on domain j , and the value indicates the accuracy degradation value, namely, $Acc_{test}^j - Acc_{test}^i$.

H EVALUATION OF STANFORD HUMAN PREFERENCES BENCHMARK

We have established a novel continual RLHF benchmark using the Stanford Human Preferences Dataset (SHP) (Ethayarajh et al., 2022). We assess CPPO and baselines on this benchmark within the context of a 3-task sequence setting.

H.1 DOMAIN INCREMENTAL LEARNING SETTING

The policy is required to continuously learn from three segments of the **SHP** dataset. The SHP dataset comprises 18 domains, which we divide into 3 parts based on the maximal errors of the out-of-distribution (OOD) generalization (Shen et al., 2021). We employ the *SteamSHP-flan-t5-xl model* (Ethayarajh et al., 2022), developed by Stanford, as the reference preference model (rPM) for assessing responses to SHP prompts. The *SteamSHP-flan-t5-xl model*⁷ is trained on the combination of the SHP (all domains) and the HH-RLHF (Bai et al., 2022a) human preference data.

To create more challenging DIL tasks, we individually trained 18 reward models (based on Llama-7b) on 18 domains of SHP data and evaluated each reward model on the test set of the 18 domains, resulting in an accuracy difference matrix of size 18x18 as shown in Figure 8. In this matrix, the row coordinates represent the training domains, and the column coordinates represent the evaluation domains. The elements in the matrix represent the relative decrease in performance on the evaluation domain compared to the training domain (both evaluated on test sets from various domains). Based on this accuracy difference matrix, we divided the 18 domains into 3 groups (each has 6 domains). This division ensures that there will be a significant performance decrease, i.e., the largest error of OOD generalization, when evaluated on domains from different groups. For example, the RM trained in the first group (from "explainlikeimfive" to "changemyview") has large errors in the third group (from "legaladvice" to "vet"). Refer to Table 13 for the distribution of samples across various domains.

⁷<https://huggingface.co/stanfordnlp/SteamSHP-flan-t5-xl>

Table 13: Number of posts in the SHP dataset by subreddit.

Task ID	subreddit	train	valid	test	total	% of All
	ALL	348718	18436	18409	385563	100.00%
Task 1	explainlikeimfive	19592	1014	1070	21676	5.62%
	askanthropology	3910	203	268	4381	1.14%
	askcarguys	3227	159	117	3503	0.91%
	asksciencefiction	29382	1576	1987	32945	8.54%
	asksocialscience	2706	147	188	3041	0.79%
	changemyview	38173	1637	1836	41646	10.80%
Task 2	askacademia	31450	2095	1708	35253	9.14%
	askculinary	45710	2094	2563	50367	13.06%
	askengineers	57096	3154	2638	62888	16.31%
	askphilosophy	10307	608	677	11592	3.01%
	askphysics	7364	409	587	8360	2.17%
	askscience	13316	899	977	15192	3.94%
Task 3	legaladvice	21170	1106	1011	23287	6.04%
	askbaking	44007	2096	1544	47647	12.36%
	askdocs	6449	315	455	7219	1.87%
	askhistorians	3264	113	164	3541	0.92%
	askhr	8295	641	395	9331	2.42%
	askvet	3300	170	224	3694	0.96%

H.2 EVALUATION METRIC FOR CONTINUAL LEARNING

Overall performance is commonly assessed using *average accuracy* (AA) (Chaudhry et al., 2018; Lopez-Paz & Ranzato, 2017) and *average incremental accuracy* (AIA) (Douillard et al., 2020; Hou et al., 2019). In our evaluation framework, accuracy is replaced by the reference Preference Score, which ranges from 0 to 1. Let $a_{k,j} \in [0, 1]$ represent the reference Preference Score evaluated on the test set of the j -th task after incremental learning of the k -th task ($j \leq k$). The two metrics at the k -th task are then defined as:

$$AA_k = \frac{1}{k} \sum_{j=1}^k a_{k,j}, \quad (8)$$

$$AIA_k = \frac{1}{k} \sum_{i=1}^k AA_i, \quad (9)$$

where AA signifies the current overall performance, and AIA additionally captures the historical fluctuations.

Memory stability can be evaluated through *forgetting measure* (FM) (Chaudhry et al., 2018) and *backward transfer* (BWT) (Lopez-Paz & Ranzato, 2017). Regarding the former, the forgetting of a task is computed as the difference between its best performance achieved in the past and its current performance:

$$f_{j,k} = \max_{i \in \{1, \dots, k-1\}} (a_{i,j} - a_{k,j}), \forall j < k. \quad (10)$$

FM at the k -th task is the average forgetting of all old tasks:

$$FM_k = \frac{1}{k-1} \sum_{j=1}^{k-1} f_{j,k}. \quad (11)$$

Regarding the latter, BWT assesses the collective impact of learning the k -th task on all previous tasks:

$$BWT_k = \frac{1}{k-1} \sum_{j=1}^{k-1} (a_{k,j} - a_{j,j}), \quad (12)$$

H.3 EVALUATION RESULTS

We utilize the Llama-7B as the backbone of the policy model and reward model. When training the reward model, we fine-tune the all of parameters. When training the RLHF model, we only fine-tune the top 8 layers.

The experiments are run for 3 random seeds, the final results are shown in Table 14. We found that using reward and policy models based on Llama-7B, as opposed to training with gpt2-xl as the backbone, significantly improves the training stability. It is related to larger reward models being less susceptible to reward attacks (Gao et al., 2022).

From Table 14, we observe that the Iterated RLHF method has a significant effect in preventing forgetting. Since it re-trains the reward model and policy model from scratch at each task, resulting in higher memory and computational complexity. CPPO, compared to PPO, shows a noticeable improvement in overall performance, and it outperforms PPO in the Memory stability metric. This indicates that CPPO can effectively learning varying human preferences.

Table 14: Performance on DIL setting. The range of SteamSHP score is $[0, 1]$.

Method	Task 1	Task 2	Task 3	Overall performance		Memory stability	
	SteamSHP (\uparrow)	SteamSHP (\uparrow)	SteamSHP (\uparrow)	AA (\uparrow)	AIA (\uparrow)	BWT (\uparrow)	FM (\downarrow)
SFT (In order)	0.806 \pm 0.0101	0.836 \pm 0.0103	0.853 \pm 0.0103	0.832 \pm 0.0061	0.837 \pm 0.0039	-0.022 \pm 0.0094	0.022 \pm 0.0094
SFT (multi-tasks)	0.831 \pm 0.0266	0.847 \pm 0.0145	0.858 \pm 0.0114	0.845 \pm 0.0147	0.844 \pm 0.0082	-0.006 \pm 0.0183	0.009 \pm 0.0160
Iterated RLHF	0.869 \pm 0.0583	0.88 \pm 0.0490	0.887 \pm 0.0421	0.879 \pm 0.0488	0.874 \pm 0.0433	-0.0004 \pm 0.0186	0.003 \pm 0.0162
PPO	0.853 \pm 0.0573	0.879 \pm 0.0428	0.889 \pm 0.0369	0.874 \pm 0.0433	0.877 \pm 0.0378	-0.017 \pm 0.0351	0.020 \pm 0.0327
CPPO (Heuristic)	0.864 \pm 0.0557	0.89 \pm 0.0448	0.894 \pm 0.0350	0.883 \pm 0.0429	0.887 \pm 0.0391	-0.015 \pm 0.0321	0.018 \pm 0.0300
CPPO (Learn)	0.872 \pm 0.0544	0.898 \pm 0.0450	0.899 \pm 0.0342	0.89 \pm 0.0424	0.894 \pm 0.0389	-0.013 \pm 0.0298	0.016 \pm 0.0281

I LIMITATION: THE RISK OF OVER-OPTIMIZATION

We have observed that both PPO and CPPO have the potential risk of achieving high rewards while generating poor summaries. This issue is depicted in Figure 9, where the policy model tends to overoptimize against the RM when trained for 100k steps (390 epochs). Over time, the policy becomes excessively focused on maximizing rewards without adequately considering the quality of the generated summaries. To address the risk of optimization, various strategies can be employed. One approach is to train an additional RM to evaluate the policy during training. This allows for evaluating the policy’s performance using an external objective metric, providing a more robust measure of the summary quality. Another strategy is to implement early stopping, where the training process is halted based on the quality of the generated summaries or other external metrics. Instead of solely focusing on maximizing rewards, we prioritize the quality of the generated summaries. Training is halted when the summary quality reaches a certain threshold or shows no further improvement. This approach ensures that the generated summaries not only maximize rewards but also maintain a high level of quality.

Recent research (Gao et al., 2022) has noted an interesting observation regarding larger policy models. It has been found that as the size of the policy models increases, they become less susceptible to over-optimization against the RM. This suggests that scaling up the model size can potentially alleviate the over-optimization issue by introducing more complexity and capacity into the policy model, making it harder for the model to excessively optimize solely for rewards without considering the summary quality.

In summary, mitigating the risk of over-optimization in PPO and CPPO can be achieved through strategies such as training additional reward models, implementing early stopping, and considering larger policy models. These measures aim to strike a balance between achieving high rewards and generating high-quality summaries, ensuring that the models generalize well and produce reliable results even on unseen data.




Figure 9: Overoptimize against the reward model. After training 100k steps, the RM score (RMS) on the test data has a high bias compared with the rPMS.

J BROADER IMPACT

The broader impact of our proposed CPPO method is significant for both researchers and practitioners in the field of NLP. By addressing the limitations of existing RLHF-based LMs, we enable the continual alignment of these models with human preferences, opening up new possibilities for their widespread adoption and deployment.

One important implication of our work is the reduction of time and computational costs associated with retraining LMs. In many real-world scenarios, complete retraining is impractical due to resource constraints and data privacy. By introducing sample-wise weights and enhancing policy learning while retaining valuable past experiences, CPPO offers a more efficient and practical alternative. This efficiency allows practitioners to keep LMs up-to-date with evolving human preferences without incurring the substantial overhead of retraining, making them more accessible and applicable across a range of applications.

The practical implications of our work extend beyond research and development. Industries that heavily rely on LMs, such as customer service, virtual assistants, and content generation, stand to benefit from the continual alignment provided by CPPO. The improved performance and adaptability of LMs enable more personalized and effective interactions with users, enhancing user satisfaction and overall user experience. Additionally, CPPO's ability to align with human preferences consistently enables the development of more inclusive and fair AI systems that better understand and respect diverse user needs and values.

In summary, our CPPO method has broad implications for the NLP community and beyond. By addressing the challenges associated with RLHF-based LMs, our approach offers a practical and efficient solution for continually aligning with human preferences while reducing retraining costs and preserving data privacy. These advancements promote the wider adoption and responsible use of LMs in various domains, leading to more personalized, inclusive, and trustworthy AI systems.