

























Sequence	LR	SISO	MIMO	MIMO tuned	GT
$\lambda_{T_1} = 6.63$					
	34.38/0.9371	42.42/0.9883	44.60/0.9920	45.50/0.9940	PSNR/SSIM
					
$\lambda_{T_2} = 2.11$					
	29.74/0.8903	36.25/0.9734	36.42/0.9752	37.70/0.9832	PSNR/SSIM
					
$\lambda_{flair} = 8.00$					
	39.89/0.9311	43.94/0.9864	44.74/0.9883	45.49/0.9894	PSNR/SSIM
					

Figure 4: Visual comparison of different methods, with PSNR (dB) and SSIM values listed under the images. The difference map is shown beneath each image for better visualization.





























Sequence	LR	SISO	MIMO	MIMO tuned	GT
$\lambda_{T_1} = 6.63$					
	35.46/0.9431	40.82/0.9826	41.84/0.9857	42.12/0.9867	PSNR/SSIM
					
$\lambda_{T_2} = 2.11$					
	32.34/0.9254	36.19/0.9699	36.42/0.9711	36.78/0.9695	PSNR/SSIM
					
$\lambda_{flair} = 8.00$					
	42.54/0.9489	45.24/0.9837	45.89/0.9868	46.35/0.9880	PSNR/SSIM
					

Figure 5: Visual comparison of different methods, with PSNR (dB) and SSIM values listed under the images. The difference map is shown beneath each image for better visualization.

























Sequence	LR	SISO	MIMO	MIMO tuned	GT
$\lambda_{T_1} = 2.90$					
	38.30/0.9484	45.03/0.9920	45.35/0.9926	46.70/0.9951	PSNR/SSIM
					
$\lambda_{T_2} = 2.44$					
	29.78/0.8990	35.43/0.9720	35.93/0.9752	37.05/0.9809	PSNR/SSIM
					
$\lambda_{flair} = 7.82$					
	41.24/0.9412	44.54/0.9850	45.66/0.9885	46.15/0.9891	PSNR/SSIM
					

Figure 6: Visual comparison of different methods, with PSNR (dB) and SSIM values listed under the images. The difference map is shown beneath each image for better visualization.