

RNA SECONDARY STRUCTURE PREDICTION BY LEARNING UNROLLED ALGORITHMS

Anonymous authors

Paper under double-blind review

ABSTRACT

In this paper, we propose an end-to-end deep learning model, called E2Efold, for RNA secondary structure prediction which can effectively take into account the inherent constraints in the problem. The key idea of E2Efold is to directly predict the RNA base-pairing matrix, and use an unrolled algorithm for constrained programming as the template for deep architectures to enforce constraints. With comprehensive experiments on benchmark datasets, we demonstrate the superior performance of E2Efold: it predicts significantly better structures compared to previous SOTA (29.7% improvement in some cases in F1 scores and even larger improvement for pseudoknotted structures), while being as efficient as the fastest algorithms in terms of inference time.

1 INTRODUCTION

Ribonucleic acid (RNA) is a molecule playing essential roles in numerous cellular processes and regulating expression of genes (Crick, 1970). It consists of an ordered sequence of nucleotides, with each nucleotide containing one of four bases: Adenine (A), Guanine (G), Cytosine (C) and Uracile (U). This sequence of bases can be represented as

$$\mathbf{x} := (x_1, \dots, x_L) \text{ where } x_i \in \{A, G, C, U\},$$

which is known as the *primary structure* of RNA. The bases can bond with one another to form a set of base-pairs, which defines the *secondary structure*. A secondary structure can be represented by a binary matrix A^* where $A_{ij}^* = 1$ if the i, j -th

bases are paired (Fig 1). Discovering the secondary structure of RNA is important for understanding functions of RNA since the structure essentially affects the interaction and reaction between RNA and other cellular components. Although secondary structure can be determined by experimental assays (e.g. X-ray diffraction), it is slow, expensive and technically challenging. Therefore, computational prediction of RNA secondary structure becomes an important task in RNA research and is useful in many applications such as drug design (Iorns et al., 2007).

Research on computational prediction of RNA secondary structure from knowledge of primary structure has been carried out for decades. Most existing methods assume the secondary structure a result of energy minimization, i.e., $A^* = \arg \min_A E_x(A)$. The energy function is either estimated by physics-based thermodynamic experiments (Lorenz et al., 2011; Bellaousov et al., 2013; Markham & Zuker, 2008) or learned from data (Do et al., 2006). These approaches are faced with a common problem that the search space of *all valid secondary structures* is exponentially-large with respect to the length L of the sequence. To make the minimization tractable, it is often assumed the base-pairing has a *nested* structure (Fig 2 left), and the energy function factorizes pairwise. With this assumption, dynamic programming (DP) based algorithms can iteratively find the optimal structure for subsequences and thus consider an enormous number of structures in time $\mathcal{O}(L^3)$.

Although DP-based algorithms have dominated RNA structure prediction, it is notable that they restrict the search space to *nested structures*, which excludes some valid yet biologically important




Figure 1: Graph and matrix representations of RNA secondary structure.




Figure 2: Nested and non-nested structures.

RNA secondary structures that contain ‘*pseudoknots*’, i.e., elements with at least two non-nested base-pairs (Fig 2 right). Pseudoknots make up roughly 1.4% of base-pairs (Mathews & Turner, 2006), and are overrepresented in functionally important regions (Hajdin et al., 2013; Staple & Butcher, 2005). Furthermore, pseudoknots are present in around 40% of the RNAs. They also assist folding into 3D structures (Fechter et al., 2001) and thus should not be ignored. To predict RNA structures with pseudoknots, energy based methods need to run more computationally intensive algorithms to decode the structures.

In summary, in the presence of more complex structured output (i.e., pseudoknots), it is challenging for energy function based approaches to simultaneously take into account the complex constraints while being efficient. In this paper, we adopt a different view point by assuming that the secondary structure is the output of a feed-forward function, i.e., $A^* = \mathcal{F}_\theta(x)$, and propose to learn θ from data in an end-to-end fashion. It avoids the second minimization step needed in energy function based approach, and does not require the output structure to be nested. Furthermore, the feed-forward model can be fitted by directly optimizing the loss that one is interested in.

Despite the above advantages of using a feed-forward model, the architecture design is challenging. To be more concrete, in the RNA case, \mathcal{F}_θ is difficult to design for the following reasons:

- (i) RNA secondary structure needs to obey certain *hard constraints* (see details in section 3.2.1), which means certain kinds of pairings cannot occur at all (Steeg, 1993). Ideally, the output of \mathcal{F}_θ needs to satisfy these constraints.
- (ii) The number of RNA data points is limited, so we cannot expect that a naive fully connected network can learn the predictive information and constraints directly from data. Thus, inductive biases need to be encoded into the network architecture.
- (iii) One may take a two-step approach, where a post-processing step can be carried out to enforce the constraints when \mathcal{F}_θ predicts an invalid structure. However, in this design, the deep network trained in the first stage is unaware of the post-processing stage, making less effective use of the potential prior knowledge encoded in the constraints.

In this paper, we present an end-to-end deep learning solution which integrates the two stages. The first part of the architecture is a transformer-based deep model called *Deep Score Network* which represents sequence information useful for structure prediction. The second part is a multilayer network called *Post-Processing Network* which gradually enforces the constraints and restrict the output space. It is designed based on an unrolled algorithm for solving a constrained optimization. These two networks are coupled together and learned jointly in an end-to-end fashion. Therefore, we call our model **E2Efold**.




Figure 3: Output space of E2Efold.

By using an unrolled algorithm as the inductive bias to design Post-Processing Network, the output space of E2Efold is constrained (see Fig 3 for an illustration), which makes it easier to learn a good model in the case of limited data and also reduces the overfitting issue. Yet, the constraints encoded in E2Efold is flexible enough such that pseudoknots are included in the output space. In summary, E2Efold strikes a nice balance between model biases for learning and expressiveness for valid RNA structures.

We conduct extensive experiments to compare E2Efold with state-of-the-art (SOTA) methods on several RNA benchmark datasets, showing superior performance of E2Efold including:

- being able to predict valid RNA secondary structures including pseudoknots;
- running as nearly efficient as the fast algorithm in terms of inference time;
- producing structures that are closest to the true structure;
- 29.7% improvement in terms of the F1 score over previous SOTA in some cases.

Although in this paper we focus on RNA secondary structure prediction, which presents an important and concrete problem where E2Efold leads to significant improvements, our method is generic and can be applied to other problems where constraints need to be enforced or prior knowledge is provided. We imagine that our design idea of learning unrolled algorithm to enforce constraints can also be transferred to problems such as protein folding and natural language understanding problems (e.g., building correspondence structure between different parts in a document).

2 RELATED WORK

Classical RNA folding methods identify candidate structures for an RNA sequence energy minimization through DP and rely on thousands of experimentally-measured thermodynamic parameters. A few widely used methods such as RNAstructure (Bellaousov et al., 2013), Vienna RNAfold (Lorenz et al., 2011) and UNAFold (Markham & Zuker, 2008) adopted this approach. These methods typically scale $\mathcal{O}(L^3)$ in time and $\mathcal{O}(L^2)$ in storage (Mathews, 2006), making them slow for long sequences. A recent advance called LinearFold (Huang et al., 2019) achieved linear run time $\mathcal{O}(L)$ by applying beam search, but it can not handle pseudoknots in RNA structures. The prediction of lowest free energy structures with pseudoknots is NP-complete (Lyngsø & Pedersen, 2000), so pseudoknots are not considered in most algorithms. Heuristic algorithms such as HotKnots (Andronescu et al., 2010) and Probknots (Bellaousov & Mathews, 2010) have been made to predict structures with pseudoknots, but the predictive accuracy and efficiency still need to be improved.

Learning-based RNA folding methods such as ContraFold (Do et al., 2006) and ContextFold (Zakov et al., 2011) have been proposed for energy parameters estimation due to the increasing availability of known RNA structures, resulting in higher prediction accuracies, but these methods still rely on the above DP-based algorithms for energy minimization. A recent deep learning model, CDPfold (Zhang et al., 2019), applied convolutional neural networks to predict base-pairings, but it adopts the dot-bracket representation for RNA secondary structure, which can not represent pseudoknotted structures. Moreover, it requires a DP-based post-processing step whose computational complexity is prohibitive for sequences longer than a few hundred.

Learning with differentiable algorithms is a useful idea that inspires a series of recent works (Belanger et al., 2017; Ingraham et al., 2018; Chen et al., 2018; Shrivastava et al., 2019), which shared similar idea of using differentiable unrolled algorithms as a building block in neural architectures. Some models are also applied to structured prediction problems (Belanger et al., 2017; Pillutla et al., 2018; Ingraham et al., 2018), but they did not consider the challenging RNA secondary structure problem or discuss how to properly incorporating constraints into the architecture. OptNet (Amos & Kolter, 2017) integrates constraints by differentiating KKT conditions, but it has cubic complexity in the number of variables and constraints, which is prohibitive for the RNA case.

3 E2EFOLD: DEEP LEARNING MODEL BASED ON UNROLLED ALGORITHM

In the RNA secondary structure prediction problem, the input is the ordered sequence of bases $\mathbf{x} = (x_1, \dots, x_L)$ and the output is the RNA secondary structure represented by a matrix $A^* \in \{0, 1\}^{L \times L}$ which can represent all types of secondary structures.

In the literature on feed-forward networks for structured prediction, most models are designed using traditional deep learning architectures. However, for RNA secondary structure prediction, directly using these architectures does not work well due to the limited amount of RNA data points and the hard constraints on forming an RNA secondary structure. These challenges motivate the design of our E2Efold deep model, which combines a *Deep Score Network* with a *Post-Processing Network* based on an unrolled algorithm for solving a constrained optimization problem.

3.1 DEEP SCORE NETWORK

The first part of E2Efold is a *Deep Score Network* $U_\theta(\mathbf{x})$ whose output is an $L \times L$ symmetric matrix. Each entry of this matrix, i.e., $U_\theta(\mathbf{x})_{ij}$, indicates the score of nucleotides x_i and x_j being paired. The \mathbf{x} input to the network here is the $L \times 4$ dimensional one-hot embedding. The specific architecture of U_θ is shown in Fig 4. It mainly consists of

- a position embedding matrix \mathbf{P} which distinguishes $\{x_i\}_{i=1}^L$ by their exact and relative positions:

$$\mathbf{P}_i = \text{MLP}(\psi_1(i), \dots, \psi_\ell(i), \psi_{\ell+1}(i/L), \dots, \psi_n(i/L)), \quad (1)$$

where $\{\psi_j\}$ is a set of n feature maps such as $\sin(\cdot)$, $\text{poly}(\cdot)$, $\text{sigmoid}(\cdot)$, etc, and $\text{MLP}(\cdot)$ denotes multi-layer perceptions. Such position embedding idea has been used in natural language modeling such as BERT (Devlin et al., 2018), but we adapted for RNA sequence representation;

- a stack of Transformer Encoders (Vaswani et al., 2017) which encode the sequence information and the global dependency between nucleotides;

- a 2D Convolution layers for outputting the pairwise scores.

With the representation power of neural networks, the hope is that we can learn an informative U_θ such that higher scoring entries in $U_\theta(\mathbf{x})$ correspond well to actual paired bases in RNA structure. Once the score matrix $U_\theta(\mathbf{x})$ is computed, a naive approach to use it is to choose an offset term $s \in \mathbb{R}$ (e.g., $s = 0$) and let $A_{ij} = 1$ if $U_\theta(\mathbf{x})_{ij} > s$. However, such entry-wise independent predictions of A_{ij} may result in a matrix A that violates the constraints for a valid RNA secondary structure. Therefore, a post-processing step is needed to make sure the predicted A is valid. This step could be carried out separately after U_θ is learned. But such decoupling of base-pair scoring and post-processing for constraints may lead to sub-optimal results, where the errors in these two stages can not be considered together and tuned together. Instead, we will introduce a Post-Processing Network which can be trained end-to-end together with U_θ to enforce the constraints.

3.2 POST-PROCESSING NETWORK

The second part of E2Efold is a *Post-Processing Network* PP_ϕ which is an unrolled and parameterized algorithm for solving a constrained optimization problem. We first present how we formulate the post-processing step as a constrained optimization problem and the algorithm for solving it. After that, we show how we use the algorithm as a template to design deep architecture PP_ϕ .

3.2.1 POST-PROCESSING WITH CONSTRAINED OPTIMIZATION

Hard constraints on the forming of an RNA secondary structure dictate that certain kinds of pairings cannot occur at all (Steege, 1993). Formally, these constraints are:

(i) Only three types of nucleotides combinations, $\mathcal{B} := \{AU, UA\} \cup \{GC, CG\} \cup \{GU, UG\}$, can form base-pairs.	$\forall i, j$, if $x_i x_j \notin \mathcal{B}$, then $A_{ij} = 0$.
(ii) No sharp loops are allowed.	$\forall i - j < 4, A_{ij} = 0$.
(iii) There is no overlap of pairs, i.e., it is a matching.	$\forall i, \sum_{j=1}^L A_{ij} \leq 1$.

(i) and (ii) prevent pairing of certain base-pairs based on their types and relative locations. Incorporating these two constraints can help the model exclude lots of illegal pairs. (iii) is a global constraint among the entries of A^* . The space of all valid secondary structures contains all *symmetric* matrices $A \in \{0, 1\}^{L \times L}$ that satisfy the above three constraints. This space is much smaller than the space of all binary matrix $\{0, 1\}^{L \times L}$. Therefore, if we could incorporate these constraints in our deep model, the reduced output space can help us train a better predictive model with less training data. We do this by using an unrolled algorithm as the inductive bias to design deep architecture, so next we will present the post-processing step as a constrained optimization and the algorithm for solving it.

Formulation of constrained optimization. Given the scores predicted by $U_\theta(\mathbf{x})$, we define the total score $\frac{1}{2} \sum_{i,j} (U_\theta(\mathbf{x})_{ij} - s) A_{ij}$ as the objective to maximize, where s is an offset term. Clearly, without structure constraints, the optimal solution is to take $A_{ij} = 1$ when $U_\theta(\mathbf{x})_{ij} > s$. Intuitively, the objective measure the covariation between the entries in the scoring matrix and the A matrix. With constraints, the exact maximization becomes intractable. To make it tractable, we consider a convex relaxation of this discrete optimization to a continuous one by allowing $A_{ij} \in [0, 1]$. Consequently, the solution space that we consider to optimize over is $\mathcal{A}(\mathbf{x}) := \{A \in [0, 1]^{L \times L} \mid A \text{ is symmetric and satisfies constraints (i)-(iii)}\}$.




Figure 4: Architecture of Deep Score Network.

To further simplify the search space, we define a nonlinear transformation \mathcal{T} on $\mathbb{R}^{L \times L}$ as $\mathcal{T}(\hat{A}) := \frac{1}{2}(\hat{A} \circ \hat{A} + (\hat{A} \circ \hat{A})^\top) \circ M(\mathbf{x})$, where \circ denotes element-wise multiplication. Matrix M is defined as $M(\mathbf{x})_{ij} := 1$ if $x_i x_j \in \mathcal{B}$ and also $|i - j| \geq 4$, and $M(\mathbf{x})_{ij} := 0$ otherwise. From this definition we can see that $M(\mathbf{x})$ encodes both constraint (i) and (ii). With transformation \mathcal{T} , the resulting matrix is non-negative, symmetric, and satisfies constraint (i) and (ii). Hence, by defining $A := \mathcal{T}(\hat{A})$, the solution space is simplified as $\mathcal{A}(\mathbf{x}) = \{A = \mathcal{T}(\hat{A}) \mid \hat{A} \in \mathbb{R}^{L \times L}, A\mathbf{1} \leq \mathbf{1}\}$.

Finally, we introduce a ℓ_1 penalty term $\|\hat{A}\|_1 := \sum_{i,j} |\hat{A}_{ij}|$ to make A sparse and formulate the post-processing step as: ($\langle \cdot, \cdot \rangle$ denotes matrix inner product, i.e., sum of entry-wise multiplication)

$$\max_{\hat{A} \in \mathbb{R}^{L \times L}} \frac{1}{2} \langle U_\theta(\mathbf{x}) - s, A := \mathcal{T}(\hat{A}) \rangle + \rho \|\hat{A}\|_1 \quad \text{s.t. } A\mathbf{1} \leq \mathbf{1}$$

The advantages of this formulation are the variables \hat{A}_{ij} are free variables in \mathbb{R} and there are only L inequality constraints $A\mathbf{1} \leq \mathbf{1}$. This system of linear inequalities can be replaced by a set of nonlinear equalities $\text{relu}(A\mathbf{1} - \mathbf{1}) = \mathbf{0}$ so that the constrained problem can be easily transformed into an unconstrained problem by introducing a Lagrange multiplier $\lambda \in \mathbb{R}_+^L$:

$$\min_{\lambda \geq \mathbf{0}} \max_{\hat{A} \in \mathbb{R}^{L \times L}} \underbrace{\frac{1}{2} \langle U_\theta(\mathbf{x}) - s, A \rangle - \langle \lambda, \text{relu}(A\mathbf{1} - \mathbf{1}) \rangle}_{f} - \rho \|\hat{A}\|_1. \quad (2)$$

Algorithm for solving it. We use proximal gradient for maximization and gradient descent for minimization. In each iteration, \hat{A} and λ are updated alternatively by:

$$\text{gradient step: } \hat{A}_{t+1} \leftarrow \hat{A}_t + \alpha \cdot \gamma_\alpha^t \cdot \hat{A}_t \circ M(\mathbf{x}) \circ \left(\partial f / \partial A_t + (\partial f / \partial A_t)^\top \right), \quad (3)$$

$$\text{where } \begin{cases} \partial f / \partial A_t = \frac{1}{2} (U_\theta(\mathbf{x}) - s) - (\lambda \circ \text{sign}(A_t \mathbf{1} - \mathbf{1})) \mathbf{1}^\top, \\ \text{sign}(c) := 1 \text{ when } c > 0 \text{ and } 0 \text{ otherwise,} \end{cases} \quad (4)$$

$$\text{soft threshold: } \hat{A}_{t+1} \leftarrow \text{relu}(|\hat{A}_{t+1}| - \rho \cdot \alpha \cdot \gamma_\alpha^t), \quad A_{t+1} \leftarrow \mathcal{T}(\hat{A}_{t+1}), \quad (5)$$

$$\text{gradient step: } \lambda_{t+1} \leftarrow \lambda_{t+1} + \beta \cdot \gamma_\beta^t \cdot \text{relu}(A_{t+1} \mathbf{1} - \mathbf{1}), \quad (6)$$

where α, β are step sizes and $\gamma_\alpha, \gamma_\beta$ are decaying coefficients. When it converges at T , an approximate solution $\text{Round}(A_T = \mathcal{T}(\hat{A}_T))$ is obtained. With this algorithm operated on the learned $U_\theta(\mathbf{x})$, even if this step is disconnected to the training phase of $U_\theta(\mathbf{x})$, the final prediction works much better than many other existing methods (as reported in section 5). Next, we introduce how to couple this post-processing step with the training of $U_\theta(\mathbf{x})$ to further improve the performance.

3.2.2 POST-PROCESSING NETWORK VIA AN UNROLLED ALGORITHM

We design a *Post-Processing Network*, denoted by PP_ϕ , based on the above algorithm. After it is defined, we can connect it with the deep score network U_θ and train them jointly in an end-to-end fashion, so that the training phase of $U_\theta(\mathbf{x})$ is aware of the post-processing step.

Algorithm 1: Post-Processing Network $\text{PP}_\phi(U, M)$

Parameters $\phi := \{w, s, \alpha, \beta, \gamma_\alpha, \gamma_\beta, \rho\}$
 $U \leftarrow \text{softsign}(U - s) \circ U$
 $\hat{A}_0 \leftarrow \text{softsign}(U - s) \circ \text{sigmoid}(U)$
 $A_0 \leftarrow \mathcal{T}(\hat{A}_0); \quad \lambda_0 \leftarrow w \cdot \text{relu}(A_0 \mathbf{1} - \mathbf{1})$
For $t = 0, \dots, T - 1$ **do**
 $\lambda_{t+1}, A_{t+1}, \hat{A}_{t+1} = \text{PPcell}_\phi(U, M, \lambda_t, A_t, \hat{A}_t, t)$
return $\{A_t\}_{t=1}^T$

Algorithm 2: Neural Cell PPcell_ϕ

Function $\text{PPcell}_\phi(U, M, \lambda, A, \hat{A}, t)$:
 $G \leftarrow \frac{1}{2} U - (\lambda \circ \text{softsign}(A\mathbf{1} - \mathbf{1})) \mathbf{1}^\top$
 $\hat{A} \leftarrow \hat{A} + \alpha \cdot \gamma_\alpha^t \cdot \hat{A} \circ M \circ (G + G^\top)$
 $\hat{A} \leftarrow \text{relu}(|\hat{A}| - \rho \cdot \alpha \cdot \gamma_\alpha^t)$
 $\hat{A} \leftarrow 1 - \text{relu}(1 - \hat{A})$ [i.e., $\min(\hat{A}, 1)$]
 $A \leftarrow \mathcal{T}(\hat{A}); \quad \lambda \leftarrow \lambda + \beta \cdot \gamma_\beta^t \cdot \text{relu}(A\mathbf{1} - \mathbf{1})$
return λ, A, \hat{A}

The specific computation graph of PP_ϕ is given in Algorithm 1, whose main component is a recurrent cell which we call PPcell_ϕ . The computation graph is almost the same as the iterative update from Eq. 3 to Eq. 6, except for several modifications:

- (*learnable hyperparameters*) The hyperparameters including step sizes α, β , decaying rate $\gamma_\alpha, \gamma_\beta$, sparsity coefficient ρ and the offset term s are treated as learnable parameters in ϕ , so that there is no need to tune the hyperparameters by hand but automatically learn them from data instead.

- (*fixed # iterations*) Instead of running the iterative updates until convergence, PPcell_ϕ is applied recursively for T iterations where T is a manually fixed number. This is why in Fig 3 the output space of E2Efold is slightly larger than the true solution space.
- (*smoothed sign function*) Resulted from the gradient of $\text{relu}(\cdot)$, the update step in Eq. 4 contains a $\text{sign}(\cdot)$ function. However, to push gradient through PP_ϕ , we require a differentiable update step. Therefore, we use a smoothed sign function defined as $\text{softsign}(c) := 1/(1 + \exp(-kc))$, where k is a temperature.
- (*clip \hat{A}*) An additional step, $\hat{A} \leftarrow \min(\hat{A}, 1)$, is included to make the output A_t at each iteration stay in the range $[0, 1]^{L \times L}$. This is useful for computing the loss over intermediate results $\{A_t\}_{t=1}^T$, for which we will explain more in section 4.

With these modifications, the Post-Processing Network PP_ϕ is a tuning-free and differentiable unrolled algorithm with meaningful intermediate outputs. Combining it with the deep score network, the final deep model is

$$\mathbf{E2Efold} : \quad \{A_t\}_{t=1}^T = \overbrace{\text{PP}_\phi(U_\theta(\mathbf{x}), M(\mathbf{x}))}^{\text{Post-Process Network}}. \quad (7)$$

Deep Score Network

4 END-TO-END TRAINING ALGORITHM

Given a dataset \mathcal{D} containing examples of input-output pairs (\mathbf{x}, A^*) , the training procedure of E2Efold is similar to standard gradient-based supervised learning. However, for RNA secondary structure prediction problems, commonly used metrics for evaluating predictive performances are F1 score, precision and recall, which are non-differentiable.

Differentiable F1 Loss. To directly optimize these metrics, we mimic true positive (TP), false positive (FP), true negative (TN) and false negative (FN) by defining continuous functions on $[0, 1]^{L \times L}$:

$$\text{TP} = \langle A, A^* \rangle, \text{FP} = \langle A, 1 - A^* \rangle, \text{FN} = \langle 1 - A, A^* \rangle, \text{TN} = \langle 1 - A, 1 - A^* \rangle.$$

Since $\text{F1} = 2\text{TP}/(2\text{TP} + \text{FP} + \text{FN})$, we define a loss function to mimic the negative of F1 score as:

$$\mathcal{L}_{\text{-F1}}(A, A^*) := -2\langle A, A^* \rangle / (2\langle A, A^* \rangle + \langle A, 1 - A^* \rangle + \langle 1 - A, A^* \rangle). \quad (8)$$

Assuming that $\sum_{i,j} A_{ij}^* \neq 0$, this loss is well-defined and differentiable on $[0, 1]^{L \times L}$. Precision and recall losses can be defined in a similar way, but we optimize F1 score in this paper.

It is notable that this F1 loss takes advantages over other differentiable losses including ℓ_2 and cross-entropy losses, because there are much more negative samples (i.e. $A_{ij} = 0$) than positive samples (i.e. $A_{ij} = 1$). A hand-tuned weight is needed to balance them while using ℓ_2 or cross-entropy losses, but F1 loss handles this issue automatically.

Overall Loss Function. As noted earlier, E2Efold outputs a matrix $A_t \in [0, 1]^{L \times L}$ in each iteration. This allows us to add auxiliary losses to regularize the intermediate results, guiding it to learn parameters which can generate a smooth solution trajectory. More specifically, we use an objective that depends on the entire trajectory of optimization:

$$\min_{\theta, \phi} \frac{1}{|\mathcal{D}|} \sum_{(\mathbf{x}, A^*) \in \mathcal{D}} \frac{1}{T} \sum_{t=1}^T \gamma^{T-t} \mathcal{L}_{\text{-F1}}(A_t, A^*), \quad (9)$$

where $\{A_t\}_{t=1}^T = \text{PP}_\phi(U_\theta(\mathbf{x}), M(\mathbf{x}))$ and $\gamma \leq 1$ is a discounting factor. Empirically, we find it very useful to pre-train U_θ using logistic regression loss. Also, it is helpful to add this additional loss to Eq. 9 as a regularization.

5 EXPERIMENTS

We compare E2Efold with the SOTA and also the most commonly used methods in the RNA secondary structure prediction field on two benchmark datasets. It is revealed from the experimental results that E2Efold achieves 29.7% improvement in terms of F1 score on RNAstralign dataset and it infers the RNA secondary structure as fast as the most efficient algorithm (LinearFold) among existing ones. An ablation study is also conducted to show the necessity of pushing gradient through the post-processing step.

Dataset. We use two benchmark datasets: (i) ArchiveII (Sloma & Mathews, 2016), containing 3975 RNA structures from 10 RNA types, is a widely used benchmark dataset for classical RNA folding methods. (ii) RNAStralign (Tan et al., 2017), composed of 37149 structures from 8 RNA types, is one of the most comprehensive collections of RNA structures in the market. After removing redundant sequences and structures, 30451 structures remain. See Table 1 for statistics about these two datasets.

Experiments On RNAStralign. We divide RNAStralign dataset into training, testing and validation sets by stratified sampling, so that each set contains all RNA types (see Table 7 and Fig 6 in appendix). We compare the performance of E2Efold to six methods including CDPfold, LinearFold, Mfold, RNAstructure (ProbKnot), RNAfold and CONTRAfold. Both E2Efold and CDPfold are learned from the same training/validation sets. For other methods, we directly use the provided packages or web-servers to generate predicted structures. We evaluate the F1 score, Precision and Recall for each sequence in the test set. Averaged values are reported in Table 2. As suggested by Mathews (2019), for a base pair (i, j) , the following predictions are also considered as correct: $(i + 1, j)$, $(i - 1, j)$, $(i, j + 1)$, $(i, j - 1)$, so we also reported the metrics when one-position shift is allowed.

Table 2: Results on RNAStralign test set. “(S)” indicates the results when one-position shift is allowed.

Method	Prec	Rec	F1	Prec(S)	Rec(S)	F1(S)
E2Efold	0.866	0.788	0.821	0.880	0.798	0.833
CDPfold	0.633	0.597	0.614	0.720	0.677	0.697
LinearFold	0.620	0.606	0.609	0.635	0.622	0.624
Mfold	0.450	0.398	0.420	0.463	0.409	0.433
RNAstructure	0.537	0.568	0.550	0.559	0.592	0.573
RNAfold	0.516	0.568	0.540	0.533	0.587	0.558
CONTRAfold	0.608	0.663	0.633	0.624	0.681	0.650

Table 1: Dataset Statistics

Type	ArchiveII		RNAStralign	
	length	#samples	length	#samples
All	28~2968	3975	30~1851	30451
16SrRNA	73~1995	110	54~1851	11620
5SrRNA	102~135	1283	104~132	9385
tRNA	54~93	557	59~95	6443
grp1	210~736	98	163~615	1502
SRP	28~533	928	30~553	468
tmRNA	102~437	462	102~437	572
RNaseP	120~486	454	189~486	434
telomerase	382~559	37	382~559	37
23SrRNA	242~2968	35	-	-
grp2	619~780	11	-	-




Figure 5: Distribution of F1 score.

As shown in Table 2, traditional methods can achieve a F1 score ranging from 0.433 to 0.624, which is consistent with the performance reported with their original papers. The two learning-based methods, CONTRAfold and CDPfold, can outperform classical methods with reasonable margin on some criteria. E2Efold, on the other hand, significantly outperforms all previous methods across all criteria, with at least 20% improvement. Notice that, for almost all the other methods, the recall is usually higher than precision, while for E2Efold, the precision is higher than recall. That can be the result of incorporating constraints during neural network training. Fig 5 shows the distributions of F1 scores for each method. It suggests that E2Efold has consistently good performance.

Test On ArchiveII Without Re-training. To mimic the real world scenario where the users want to predict newly discovered RNA’s structures which may have a distribution different from the training dataset, we directly test the model learned from RNAStralign training set on the ArchiveII dataset, without re-training the model. To make the comparison fair, we exclude sequences that are overlapped with the RNAStralign dataset. We then test the model on sequences in ArchiveII that have overlapping RNA types (5SrRNA, 16SrRNA, etc) with the RNAStralign dataset. Results are shown in Table 3. It is understandable that the performances of classical methods which are not learning-based are consistent with that on RNAStralign. The performance of E2Efold, though is not as good as that on RNAStralign, is still better than all the other methods across different evaluation criteria.

Table 3: Performance comparison on ArchiveII

Method	Prec	Rec	F1	Prec(S)	Rec(S)	F1(S)
E2Efold	0.734	0.66	0.686	0.758	0.676	0.704
CDPfold	0.557	0.535	0.545	0.612	0.585	0.597
LinearFold	0.641	0.617	0.621	0.668	0.644	0.647
Mfold	0.428	0.383	0.401	0.450	0.403	0.421
RNAstructure	0.563	0.615	0.585	0.590	0.645	0.613
RNAfold	0.565	0.627	0.592	0.586	0.652	0.615
CONTRAfold	0.607	0.679	0.638	0.629	0.705	0.662

Table 4: Inference time on RNAStralign


Method	total run time	time per seq
E2Efold (Pytorch)	19m (GPU)	0.40s
CDPfold (Pytorch)	440m*32 threads	300.107s
LinearFold (C)	20m	0.43s
Mfold (C)	360m	7.65s
RNAstructure (C)	3 days	142.02s
RNAfold (C)	26m	0.55s
CONTRAfold (C)	1 day	30.58s

Inference Time Comparison. We record the running time of all algorithms for predicting RNA secondary structures on the RNAStralign test set, which is summarized in Table 4. LinearFold is the most efficient among baselines because it uses beam pruning heuristic to accelerate DP. CDPfold, which achieves higher F1 score than other baselines, however, is extremely slow due to its DP post-processing step. Since we use a gradient-based algorithm which is simple to design the Post-Processing Network, E2Efold is fast. On GPU, E2Efold has similar inference time as LinearFold.


Pseudoknot Prediction. Even though E2Efold does not exclude pseudoknots, it is not sure whether it actually generates pseudoknotted structures. Therefore, we pick all sequences containing pseudoknots and compute the averaged F1 score only on this set. Besides, we count the number of pseudoknotted sequences that are predicted as pseudoknotted and report this count as true positive (TP). Similarly we report TN, FP and FN in Table 5 along with the F1 score. Most tools exclude pseudoknots while RNAstructure is the most famous one that can predict pseudoknots, so we choose it for comparison.

Table 5: Evaluation of pseudoknot prediction

Method	Set	F1	TP	FP	TN	FN
E2Efold		0.710	1312	242	1271	0
RNAstructure		0.472	1248	307	983	286



Visualization. We visualize predicted structures of three RNA sequences in the main text. More examples are provided in appendix (Fig 7 to 13). In these figures, purple lines indicate edges of pseudoknotted elements. Although CDPfold has higher F1 score than other baselines, its predictions are visually far from the ground-truth. Instead, RNAstructure and CONTRAfold produce comparatively more reasonable visualizations among all baselines, so we compare with them. These two methods can capture a rough sketch of the structure, but not good enough. For most cases, E2Efold produces structures most similar to the ground-truths. Moreover, it works surprisingly well for some RNA sequences that are long and very difficult to predict.



Ablation Study. To exam whether integrating the two stages by pushing gradient through the post-process is necessary for performance of E2Efold, we conduct an ablation study (Table 6). We test the performance when the post-processing step is disconnected with the training of Deep Score Network U_θ . We apply the post-processing step (i.e., for solving augmented Lagrangian) after U_θ is learned (thus the notation “ $U_\theta + PP$ ” in Table 6). Although “ $U_\theta + PP$ ” performs decently well, with constraints incorporated into training, E2Efold still has significant advantages over it.

Table 6: Ablation study

Method	Prec	Rec	F1	Prec(S)	Rec(S)	F1(S)
E2Efold	0.866	0.788	0.821	0.880	0.798	0.833
$U_\theta + PP$	0.755	0.712	0.621	0.782	0.737	0.752

Discussion. Despite the superior performance of E2Efold as demonstrated above, we found it not performing equally well on all RNA types. For telomerase class, which only contains 37 samples in the dataset, E2Efold performs worse than classic methods. This is understandable since E2Efold is learning-based and structures of different RNA types may not always share similarity. This suggests us to conduct studies related to few-shot learning in the future.

6 CONCLUSION

We propose a novel DL model, E2Efold, for RNA secondary structure prediction, which incorporates hard constraints in its architecture design. Comprehensive experiments are conducted to show the superior performance of E2Efold, no matter on quantitative criteria, running time, or visualization. Further studies need to be conducted to deal with the RNA types with less samples. Finally, we believe the idea of unrolling constrained programming and pushing gradient through post-processing can be generic and useful for other constrained structured prediction problems.

REFERENCES

- Brandon Amos and J Zico Kolter. Optnet: Differentiable optimization as a layer in neural networks. In *Proceedings of the 34th International Conference on Machine Learning-Volume 70*, pp. 136–145. JMLR. org, 2017.
- Mirela S Andronescu, Cristina Pop, and Anne E Condon. Improved free energy parameters for rna pseudoknotted secondary structure prediction. *RNA*, 16(1):26–42, 2010.
- David Belanger, Bishan Yang, and Andrew McCallum. End-to-end learning for structured prediction energy networks. In *Proceedings of the 34th International Conference on Machine Learning-Volume 70*, pp. 429–439. JMLR. org, 2017.
- Stanislav Bellaousov and David H Mathews. Probknot: fast prediction of rna secondary structure including pseudoknots. *Rna*, 16(10):1870–1880, 2010.
- Stanislav Bellaousov, Jessica S Reuter, Matthew G Seetin, and David H Mathews. Rnastructure: web servers for rna secondary structure prediction and analysis. *Nucleic acids research*, 41(W1):W471–W474, 2013.
- Xiaohan Chen, Jialin Liu, Zhangyang Wang, and Wotao Yin. Theoretical linear convergence of unfolded ista and its practical weights and thresholds. In *Advances in Neural Information Processing Systems*, pp. 9061–9071, 2018.
- Francis Crick. Central dogma of molecular biology. *Nature*, 227(5258):561, 1970.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. Bert: Pre-training of deep bidirectional transformers for language understanding. *arXiv preprint arXiv:1810.04805*, 2018.
- Chuong B Do, Daniel A Woods, and Serafim Batzoglou. Contrafold: Rna secondary structure prediction without physics-based models. *Bioinformatics*, 22(14):e90–e98, 2006.
- P Fechter, J Rudinger-Thirion, C Florentz, and R Giege. Novel features in the trna-like world of plant viral rnas. *Cellular and Molecular Life Sciences CMLS*, 58(11):1547–1561, 2001.
- Christine E Hajdin, Stanislav Bellaousov, Wayne Huggins, Christopher W Leonard, David H Mathews, and Kevin M Weeks. Accurate shape-directed rna secondary structure modeling, including pseudoknots. *Proceedings of the National Academy of Sciences*, 110(14):5498–5503, 2013.
- Liang Huang, He Zhang, Dezhong Deng, Kai Zhao, Kaibo Liu, David A Hendrix, and David H Mathews. Linearfold: linear-time approximate rna folding by 5’-to-3’ dynamic programming and beam search. *Bioinformatics*, 35(14):i295–i304, 2019.
- John Ingraham, Adam Riesselman, Chris Sander, and Debora Marks. Learning protein structure with a differentiable simulator. 2018.
- Elizabeth Iorns, Christopher J Lord, Nicholas Turner, and Alan Ashworth. Utilizing rna interference to enhance cancer drug discovery. *Nature reviews Drug discovery*, 6(7):556, 2007.
- Ronny Lorenz, Stephan H Bernhart, Christian Höner Zu Siederdisen, Hakim Tafer, Christoph Flamm, Peter F Stadler, and Ivo L Hofacker. Viennarna package 2.0. *Algorithms for molecular biology*, 6(1):26, 2011.
- Rune B Lyngsø and Christian NS Pedersen. Rna pseudoknot prediction in energy-based models. *Journal of computational biology*, 7(3-4):409–427, 2000.
- NR Markham and M Zuker. Unafold: software for nucleic acid folding and hybridization in: Keith jm, editor.(ed.) bioinformatics methods in molecular biology, vol. 453, 2008.
- David H Mathews. Predicting rna secondary structure by free energy minimization. *Theoretical Chemistry Accounts*, 116(1-3):160–168, 2006.
- David H Mathews. How to benchmark rna secondary structure prediction accuracy. *Methods*, 2019.

- David H Mathews and Douglas H Turner. Prediction of rna secondary structure by free energy minimization. *Current opinion in structural biology*, 16(3):270–278, 2006.
- Venkata Krishna Pillutla, Vincent Roulet, Sham M Kakade, and Zaid Harchaoui. A smoother way to train structured prediction models. In *Advances in Neural Information Processing Systems*, pp. 4766–4778, 2018.
- Harsh Shrivastava, Xinshi Chen, Binghong Chen, Guanghui Lan, Srinvas Aluru, and Le Song. Glad: Learning sparse graph recovery. *arXiv preprint arXiv:1906.00271*, 2019.
- Michael F Sloma and David H Mathews. Exact calculation of loop formation probability identifies folding motifs in rna secondary structures. *RNA*, 22(12):1808–1818, 2016.
- David W Staple and Samuel E Butcher. Pseudoknots: Rna structures with diverse functions. *PLoS biology*, 3(6):e213, 2005.
- Evan W Steeg. Neural networks, adaptive optimization, and rna secondary structure prediction. *Artificial intelligence and molecular biology*, pp. 121–160, 1993.
- Zhen Tan, Yinghan Fu, Gaurav Sharma, and David H Mathews. Turbofold ii: Rna structural alignment and secondary structure prediction informed by multiple homologs. *Nucleic acids research*, 45(20):11570–11581, 2017.
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. Attention is all you need. In *Advances in neural information processing systems*, pp. 5998–6008, 2017.
- Shay Zakov, Yoav Goldberg, Michael Elhadad, and Michal Ziv-Ukelson. Rich parameterization improves rna structure prediction. *Journal of Computational Biology*, 18(11):1525–1542, 2011.
- Hao Zhang, Chunhe Zhang, Zhi Li, Cong Li, Xu Wei, Borui Zhang, and Yuanning Liu. A new method of rna secondary structure prediction based on convolutional neural network and dynamic programming. *Frontiers in genetics*, 10, 2019.

A APPENDIX




Figure 6: The RNAStralign length distribution.

Table 7: RNAStralign dataset splits statistics

RNA type	All	Training	Validation	Testing
16SrRNA	11620	9325	1145	1150
5SrRNA	9385	7687	819	879
tRNA	6443	5412	527	504
grp1	1502	1243	123	136
SRP	468	379	36	53
tmRNA	572	461	50	61
RNaseP	434	360	37	37
telomerase	37	28	4	5
RNAStralign	30451	24895	2702	2854




Figure 7: Visualization of 5S rRNA, B01865.




Figure 8: Visualization of 16S rRNA, DQ170870.




Figure 9: Visualization of Group I intron, IC3, Kaf.c.trnL.




Figure 10: Visualization of RNaseP, A.salinestris-184.




Figure 11: Visualization of SRP, Homo.sapi._BU56690.




Figure 12: Visualization of tmRNA, uncu.bact._AF389956.




Figure 13: Visualization of tRNA, tdbD00012019.