

LIVEXIV - A MULTI-MODAL LIVE BENCHMARK BASED ON ARXIV PAPERS CONTENT

Nimrod Shabtay^{1,2}, Felipe Maia Polo³, Sivan Doveh², Wei Lin⁴, M. Jehanzeb Mirza⁵, Leshem Choshen⁶, Mikhail Yurochkin⁶, Yuekai Sun³, Assaf Arbelle², Leonid Karlinsky⁶, Raja Giryes¹

¹ Faculty of Engineering Tel-Aviv University, ² IBM Research,

³ Department of Statistics, University of Michigan, USA ⁴ JKU Linz, Austria, ⁵ MIT CSAIL, ⁶ MIT-IBM

ABSTRACT

The large-scale training of multi-modal models on data scraped from the web has shown outstanding utility in infusing these models with the required world knowledge to perform effectively on multiple downstream tasks. However, one downside of scraping data from the web can be the potential sacrifice of the benchmarks on which the abilities of these models are often evaluated. To safeguard against test data contamination and to *truly* test the abilities of these foundation models we propose LiveXiv: A scalable evolving live benchmark based on scientific ArXiv papers. LiveXiv accesses domain-specific manuscripts at any given timestamp and proposes to automatically generate visual question-answer pairs (VQA). This is done without any human-in-the-loop, using the multi-modal content in the manuscripts, like graphs, charts, and tables. Moreover, we introduce an efficient evaluation approach that estimates the performance of all models on the evolving benchmark using evaluations of only a subset of models. This significantly reduces the overall evaluation cost. We benchmark multiple open and proprietary Large Multi-modal Models (LMMs) on the first version of our benchmark, showing its challenging nature and exposing the models’ true abilities, avoiding contamination. Lastly, in our commitment to high quality, we have collected and evaluated a manually verified subset. By comparing its overall results to our automatic annotations, we have found that the performance deviation is indeed minimal ($< 2.5\%$). Our dataset is available online on [HuggingFace](#) and our code is available on [GitHub](#).

1 INTRODUCTION




Figure 1: **Static benchmark contamination.** As training data increases, the risk for test set contamination grows and static benchmarks becomes saturated, reflecting falsely improved capabilities.

The internet, with its vast and ever-growing repository of information, serves as a rich data source for training Large Language Models (LLMs) (Brown et al., 2020; OpenAI, 2023; Chiang et al., 2023; Raffel et al., 2019; Touvron et al., 2023a;b; Dubey et al., 2024) and Large Multi-modal Models (LMMs) (OpenAI, 2023; Liu et al., 2023c; Li et al., 2024c; Zhu et al., 2023; Chen et al., 2023a; Alayrac et al., 2022; Radford et al., 2021a). This diverse and continuously updated data fits precisely the need to cover varying knowledge in scale in the training data.

Training on such data enables the models to achieve superhuman performance across a wide range of tasks on multiple common benchmarks (Fu et al., 2023; Yue et al., 2024; Li et al., 2024d; Liu et al., 2023d).




Figure 2: We propose LiveXiv, a new method for generating Live multi-modal dataset for Visual Question-Answering based on ArXiv content. Our pipeline automatically generates scalable and reliable questions along with an efficient evaluation method to reduce the computational and logistic overheads required for continually evaluating past and present models on new versions of the dataset.

We hypothesize that a portion of LLMs’ reported improvements are due to data contamination (Figure 1) and pose the following question: *To what extent does the potential for test set contamination during large-scale training affect our perception of the abilities of LMMs?*

One possible way to safeguard against the contamination of *static* benchmarks is to design a live benchmark that can continuously harness data from the web and turn it into an *ever-evolving* benchmark to test the abilities of these models. A live benchmark may be used in one of the following ways: (a) Expand the dataset over time and evaluate the models’ overall knowledge over all collected data, while taking into account that the data might be contaminated. (b) Use only the latest version to assess model capabilities while keeping data contamination risk minimal. While we focus on (b), we share key properties of our efficient evaluation method can be applicable to both cases.

Although, a live benchmark is a promising direction, it still comes with its fair share of challenges. A live benchmark should ideally be updated frequently, consistently, and automatically, *i.e.*, it should be able to scrape the data from the web and formulate it into a benchmark for automated evaluations. Furthermore, as the benchmark is *ever-evolving*, each time a new version arrives, all the participant models need to be re-evaluated, making the update procedure prohibitively expensive both in time and compute. This requires a methodology for efficient evaluation of these models on a continuously updating benchmark. Such a methodology should ease the computational burden of evaluating all the models on each new version of the dataset and reduce the logistic overhead of maintaining inaccessible old models.

In this work, we take a step in this direction and propose LiveXiv – a novel fully automated multi-modal live benchmark that focuses on scientific domains. LiveXiv starts with scraping category-specific (*e.g.*, cs.CV, eess.SY, q-bio.BM, etc.) manuscripts from ArXiv and generates visual question answers from figures, charts, and tables present in these manuscripts through a capable multi-modal model, namely, GPT-4o. As it is challenging to directly feed information-rich PDF documents to GPT-4o, as a pre-processing step, we extract relevant information from the papers by processing it with a structured document parsing pipeline (Team, 2022) to obtain pertinent information like placements of figures, charts, tables, and the text in the captions or in the tables.

This information is used to extract, *e.g.*, by cropping, relevant information from the manuscripts, which is fed to GPT-4o to generate visual questions and answers. Although very capable, GPT-4o is still prone to errors, *e.g.*, due to hallucinations, and may even generate questions that can be answered without visual information. Thus, to mitigate these issues, we add an extensive filtering stage that automatically filters questions requiring only textual information to answer them, and reduce hallucinations through obtaining agreement about the generated questions with another capable multi-modal model, namely, Claude-Sonnet. After the extensive filtering, we obtain a large corpora of VQA pairs which are incorporated into our LiveXiv live benchmark.

Over time, the benchmark is expected to grow, either in the size of the dataset or the amount of models to be evaluated, which increases the required resources for evaluation. Moreover, comparing a new model to existing models at different times requires re-evaluating the existing models over the latest version of the dataset, which can cause additional overhead for continuous evaluation and comparison to prior works. To make the evaluations on LiveXiv feasible, we take inspiration from Maia Polo et al. (2024a;b) and propose a method to approximate the performance of the existing models in new versions of LiveXiv just by re-evaluating a small portion of them. Figure 2 provides a conceptualized overview of our approach.

We summarize our contributions as follows: (a) We propose a scalable live benchmark without any human in the loop that automatically harnesses data from online scientific manuscripts, generates multiple

VQA pairs, filters these questions to reduce errors, and formulates them in the form of a benchmark to test the evolving landscape of LMMs; (b) We introduce an efficient evaluation pipeline that requires LMMs to be tested only on a fraction of the data to infer its performance on the latest version of the benchmark, reducing the overall needed evaluations by at least $\approx 75\%$; (c) We benchmark multiple open and proprietary LMMs on the first version of our benchmark highlighting its challenging nature and providing interesting insights about the models’ behavior when evaluated on less contaminated data.

2 RELATED WORKS

Large multi-modal Models (LMMs). LMMs have shown significant advancements in enabling billion-parameter scale LLMs to perform multi-modal tasks such as image captioning, visual reasoning, and visual question answering. Academia and industry have endeavored to develop LMMs targeting the multi-modal competence of advanced proprietary models like GPT-4o (OpenAI, 2023) and Claude (cla, 2024). Instruct-BLIP performs instruction tuning on the pre-trained BLIP-2 (Li et al., 2023) covering 11 vision-language tasks. The LLaVA series models (Liu et al., 2023c;a;b; Li et al., 2024b) develop the pipeline of collection of instruction-following data and visual instruction tuning with enhanced vision capabilities. The internLM-XComposer (IXC) series (Dong et al., 2024a;b) target free-form vision-language composition and multilingual comprehension. Models from Idefics release (Laurençon et al., 2024b;a) benefit from the massive collection of instruction-following data from over 50 vision-language databases, enhancing capabilities of OCR, document understanding, and visual reasoning. In this work, we include 17 top-performing LMMs in our multi-modal live benchmark LiveXiv, covering both open-sourced and proprietary representatives.

Static evaluation benchmarks for LMMs. Most existing LMM benchmarks offer static evaluation with fixed questions and answers (Fu et al., 2023; Yue et al., 2024; Li et al., 2024d; Liu et al., 2023d; Huang et al., 2024; Lin et al., 2024; Zhang et al., 2024b; Onoe et al., 2024; Yanuka et al., 2025). Ben-Kish et al. (2024) use generative models to extend such benchmarks to open settings. MME (Fu et al., 2023) offers evaluation of perception and cognition on 14 tasks and MMMU (Yue et al., 2024) includes 11.5K questions from college exams, quizzes and text books from six major disciplines. Although these benchmarks cover a large variety of multi-modal domain knowledge, evaluation on them is faced with two hazards: the excessive evaluation cost and test data contamination. In this work, we tackle both challenges by proposing a suite that enables efficient evaluation on a contamination-free live benchmark.

Contamination-free benchmarks. As large foundation models like LLMs and LMMs are trained on combined sources of tremendous amount of web data or repurposed version of existing open-sourced datasets, there is a high risk of overlap between training data and samples from evaluation benchmarks. Reported evidence and analysis show impact of data contamination on evaluation benchmarks for LLMs (Wei et al., 2023; Zhang et al., 2024a; Cobbe et al., 2021; Roberts et al., 2023; Jain et al., 2024) and LMMs (Chen et al., 2024), indicating the significance of contamination-free evaluation benchmarks. Recent works targeted at LLMs are discussed in A.1.

For LMMs, Vibe-Eval (Padlewski et al., 2024) and LLaVA-Wilder (Li et al., 2024a) perform contamination check on the collected samples that reflect real-world user requests. Most related to our work, the LMMs-Eval LiveBench (Zhang et al., 2024b) collects images from sources of new websites and online forums and employs proprietary LMMs for design and revision of questions. However, the LMMs-Eval LiveBench requires human manual verification of questions which impedes the scalability. Furthermore, it contains only open-ended questions that require LMM-as-a-judge which is time-consuming, susceptible to judge biases, and difficult to scale. In comparison, our LiveXiv constructs a fully-automated data collection pipeline which generates multiple-choice questions which are challenging to the top-performing LMMs.

Efficient benchmarks. With the increasing amount of tasks and samples in current benchmarks, evaluation of the full suite is time-consuming and cost-intensive. Efforts are underway to develop efficient benchmarks that reduce computation costs without sacrificing reliability. In A.1 at the appendix we cover the works related to efficient benchmarks.

3 LIVEXIV

At a higher level, our automated LiveXiv is created by first obtaining the domain-specific scientific manuscripts from ArXiv at any given timestamp. Then, to obtain pertinent information from the manuscripts, we pass them through a structured document parsing pipeline and then generate visual




Figure 3: Our live dataset generation consists of several stages. We first extract the images and their corresponding metadata (*i.e.* captions and table contents), then we classify the figures into categories using meta-prompting. All the extracted data is then fed to GPT4o to generate multiple questions-answer pairs per image. Since generative models are prone to errors, we apply several filtering steps, using an LLM and LMM to ensure that our dataset is truly multi-modal and reliable.

question answers through a capable LMM (Section 3.1). However, the generated questions can contain errors due to hallucinations or might be too straightforward to answer. Thus, to mitigate these issues, we offer an extensive filtering stage (Section 3.2). To evaluate the benchmark, we propose an efficient evaluation framework to infer the overall performance on the benchmark using only a small subset of evaluations, making the evaluations extremely resource-efficient (Section 3.3). The data acquisition and filtering steps are schematically visualized in Figure 3.

3.1 DATA ACQUISITION AND VQA GENERATION

We start with the data acquisition phase, then pre-process the data to obtain the required metadata (*e.g.*, placements of figures, captions, etc.), and then generate the first iteration of VQA from the multi-modal data (figures and tables) from the manuscripts.

Data Acquisition: At any given timestamp, we begin by acquiring only ArXiv papers which have non-exclusive license to distribute from predefined domains such as Computer Science (`cs.AI`, `cs.CV`), Electrical Engineering (`eess.SP`, `eess.SY`), and Quantitative Biology (`q-bio.BM`, `q-bio.GN`). However, these manuscripts contain a lot of information that might not be necessary for the task of VQA data generation. Thus, to extract pertinent information we require a pre-processing step.

Pre-processing: The downloaded PDFs undergo a structured document parsing pipeline using the DeepSearch toolkit (Team, 2022), which extracts a comprehensive layout of each document, including the positions of figures, tables, captions, and other elements. This structured layout forms the basis for extracting the multi-modal data required for subsequent tasks. To enrich the dataset with additional metadata not captured by the parsing pipeline, we employ a meta-prompting approach with CLIP (Radford et al., 2021b), similar to the method used by Mirza et al. (2024). Specifically, we classify the figures into three distinct categories: Block Diagram, Chart, and Qualitative visual examples which facilitates a more granular, domain-specific evaluation of LMM performance.

VQA Generation: For Visual Question Answering (VQA), we construct pairs of figures and their corresponding captions, and for generating VQA from the data present in the tables, we obtain (*e.g.*, crop) images of tables accompanied by their corresponding data.

The VQA process involves two steps using GPT-4o. First, we input the figure and its caption to GPT-4o to generate a detailed description of the figure, employing a Chain-of-Thought (CoT) approach (Wei et al., 2022). Next, the detailed description and figure are fed back into GPT-4o, with prompts adapted from ‘ConMe’ (Huang et al., 2024) to suit our scientific use case, enabling the generation of relevant VQA questions. For questions from the tables, we utilize the table’s content directly, presenting both the image of the table and its data in markdown format to GPT-4o to produce questions that require common-sense reasoning and data manipulation. The automated nature of this process ensures a robust and comprehensive evaluation framework for LMMs, tailored to scientific literature specifics. Detailed prompt templates can be found in Appendix A.6.

3.2 FILTERING PHASE

Even though GPT-4o is powerful and has been reported to outperform humans on many different benchmarks (OpenAI, 2023), still it is prone to errors and sometimes can even result in VQA pairs that are answerable without requiring the visual information. Thus, to ensure that the benchmark remains competitive and also has minimum errors, we propose an extensive automatic filtering step. At a higher

level, the filtering phase consists of two main parts, each designed to mitigate a separate issue that can arise due to the automatic dataset generation.

Blind test with an LLM: To ensure that the generated VQA pairs are *truly* multi-modal, we pass them through a Large Language Model (LLM), namely LLama-3.1-70B (Meta, 2024), without providing any associated images or image descriptions. This process, referred to as a *blind test*, aims to identify questions that the LLM can answer correctly even in the absence of visual context, indicating they are not truly multi-modal. To ensure robustness, this blind evaluation is repeated multiple times to eliminate any potential *lucky guesses* by the LLM. Questions that are consistently answered correctly by the LLM are filtered out, resulting in the removal of approximately 30% of the generated questions. This step ensures that the remaining questions in the dataset are inherently multi-modal and cannot be answered solely based on linguistic context. The filtered dataset thus represents a more challenging benchmark for evaluating multi-modal capabilities of vision-language models.

Agreement between disjoint models: Generative models, including LMMs, are prone to hallucination, where the model generates incorrect or not grounded information. In our case, these hallucinations can lead to erroneous VQA pairs. To address this issue, we introduce an additional filtering step. All questions that pass the initial “blind test” are reviewed along with their generated answers by a different LMM, in this case Claude-Sonnet (cla, 2024), which is provided with the image, question, and the ground truth answer which were all generated by GPT-4o. This second model is asked to either agree or disagree with the generated answer, considering the visual context.

We point out that agreement between models is a nuanced process; incorporating more models to validate answers may lead to the exclusion of difficult questions, thereby diluting the *difficulty* of the dataset. Therefore, we limit this validation step to models with comparable performance to the generation model (*i.e.* GPT-4o). Our preliminary manual evaluation on a subset of the dataset indicates that this agreement step significantly reduces the proportion of incorrect ground-truth (GT) questions, with a reduction of 38.5%, while minimally impacting the retention of high-quality question-GT pairs, with only a 6.15% removal of valid pairs. This refinement ensures that the final dataset is both challenging and accurate for the evaluation of LMMs’ multi-modal reasoning capabilities. The generated corpus of data is ready to be incorporated into LiveXiv and can be updated automatically without any human intervention.

3.3 EFFICIENT EVALUATION

Since LiveXiv is a dynamic benchmark, evaluation can be costly: ideally, whenever a new version of the benchmark is released, all models must be re-evaluated on the updated data, which can pose an engineering challenge and become computationally expensive when handling dozens of models. In this section, we describe our approach to efficient evaluation, which avoids re-evaluating all models at each step, making LiveXiv’s maintenance economically feasible. Our idea is based on Item Response Theory (IRT) (Cai et al., 2016; Van der Linden, 2018; Lord et al., 1968; Maia Polo et al., 2024b;a), a collection of statistical models traditionally used in psychometrics and educational assessment. We briefly give some background on IRT and detail how we use it for our evaluations.

3.3.1 ITEM RESPONSE THEORY (IRT)

We use the IRT model to predict the probability of a certain LMM i answering correctly on a sample (question) j . In mathematical terms, let $Y_{ij} \in \{0,1\}$ denote the correctness on sample j when responded by LMM i :

$$Y_{ij} \sim \text{Bernoulli}(\mu(\theta_i, \beta_j)),$$

where θ_i is an LMM-specific parameter, β_j is a sample-specific parameter, and μ is a function that maps those parameters to the probability of correctness. In this work, we follow Maia Polo et al. (2024b) and assume the parameters live in the real line while μ induces a logistic regression model. In more detail, we assume

$$\mathbb{P}(Y_{ij} = 1; \theta_i, \beta_j) = \frac{1}{1 + \exp[-(\theta_i - \beta_j)]}. \tag{1}$$

Here, θ_i can be interpreted as the skill level of LMM i while β_j is seen as the hardness of sample j . By equation 1, if θ_i is much greater (resp. smaller) than β_j , then the probability $\mathbb{P}(Y_{ij} = 1; \theta_i, \beta_j)$ will be close to one (resp. zero). This version of the IRT model is known as the Rasch model (Georg, 1960; Chen et al.,

2023b), and it is widely used in fields such as recommendation systems (Starke et al., 2017), educational testing (Clements et al., 2008), and evaluation of language models (Maia Polo et al., 2024b). Moreover, it has a similar formulation to the popular Bradley-Terry model (Bradley & Terry, 1952) used in Chatbot Arena (Chiang et al., 2024), a popular and dynamic benchmark for AI-powered chatbots. We fit the Rasch model using maximum likelihood estimation as in Chen et al. (2023b) and Maia Polo et al. (2024b).

3.3.2 EFFICIENT EVALUATION WITH IRT

We can estimate old model scores on new data without reevaluating those models. Let \mathcal{I}_t and \mathcal{J}_t represent sets of non-negative integers corresponding to LMMs and samples at time $t \geq 0$. It is usually the case that $\mathcal{I}_t \subseteq \mathcal{I}_{t+1}$ since the set of available models does not shrink over time, except in cases of deprecation, and $\mathcal{J}_{t_1} \cap \mathcal{J}_{t_2} = \emptyset$ for $t_1 \neq t_2$ because samples are not repeated across different time steps. Let the set of evaluated models at time t be denoted by $\hat{\mathcal{I}}_t$. For $t > 0$, we assume that $\mathcal{I}_t \setminus \mathcal{I}_{t-1}$ is a proper subset of $\hat{\mathcal{I}}_t$, meaning that all newly introduced models are evaluated on the new batch of samples along with some previously existing models. At $t = 0$, we assume that $\hat{\mathcal{I}}_t = \mathcal{I}_t$, meaning all models are evaluated on all samples. Furthermore, we assume that $|\hat{\mathcal{I}}_t|$ is much smaller than $|\mathcal{I}_t|$ when $t > 0$ so computing power and evaluation time can be saved.

Our goal at time $t > 0$ is to estimate the performance of a model $i \notin \hat{\mathcal{I}}_t$ on the set of samples \mathcal{J}_t , using only the correctness scores $\mathcal{D}_t = \{Y_{ij} : (i, j) \in \Omega_t\}$, where $\Omega_t \triangleq \cup_{t' \leq t} \hat{\mathcal{I}}_{t'} \times \mathcal{J}_{t'}$. Specifically, we aim to approximate $S_{it} = \frac{1}{|\mathcal{J}_t|} \sum_{j \in \mathcal{J}_t} Y_{ij}$ by estimating its expectation

$$\mathbb{E}[S_{it}] = \frac{1}{|\mathcal{J}_t|} \sum_{j \in \mathcal{J}_t} \mathbb{P}(Y_{ij} = 1; \theta_i, \beta_j). \quad (2)$$

For a moment, let us assume that Ω_t is known. Using \mathcal{D}_t , we can estimate the skill parameters θ_i 's of all models in \mathcal{I}_t and the difficulty parameters β_j 's of all samples in $\cup_{t' \leq t} \mathcal{J}_{t'}$; we denote these estimates as $\hat{\theta}_i$'s and $\hat{\beta}_j$'s. Finally, we obtain an approximation for equation 2, $\hat{\mathbb{E}}[S_{it}]$, by substituting θ_i and β_j 's by their estimates. The estimator $\hat{\mathbb{E}}[S_{it}]$ is known as the Performance-IRT estimator (Maia Polo et al., 2024b;a).

Now, we provide a method to obtain Ω_t assuming Ω_{t-1} is given; in summary, we need to decide which models in \mathcal{I}_{t-1} are going to be in $\hat{\mathcal{I}}_t$. Our approach to choosing which models are going to be re-evaluated is inspired by the concept of optimal design of tests (Van der Linden, 2017, Chapter 9) but in which we choose LMMs instead of samples. First, we set a budget m_t , representing the maximum number of models to be re-evaluated at time step t . Second, assuming that the level of difficulty of the new samples \mathcal{J}_t is not very different from the ones in \mathcal{J}_{t-1} , we choose a set of m_t representative samples in \mathcal{J}_{t-1} by ordering $\hat{\beta}_j$'s and choosing equally spaced samples, based on their quantiles, from the 5th to the 95th percentiles; this will give us questions with a variety of difficulties, excluding outliers. For example, if $m_t = 3$ we would choose questions with difficulties in the 5th, 50th, and 95th percentiles. Denote the chosen core set of samples as $\{j_0, \dots, j_{m_t-1}\}$ and, for each one of these samples j_k , we choose a model i in \mathcal{I}_{t-1} such that the following Fisher information criterion

$$F_{j_k}(i) = \mathbb{P}\left(Y_{ij_k} = 1; \hat{\theta}_i, \hat{\beta}_{j_k}\right) \left[1 - \mathbb{P}\left(Y_{ij_k} = 1; \hat{\theta}_i, \hat{\beta}_{j_k}\right)\right]$$

is maximized. The model that maximizes F_{j_k} is maximally informative about the parameter of sample j_k and, consequently, about all samples with similar difficulty levels in the new version of LiveXiv; this will help us estimate the difficulties of new samples. We note that some models in \mathcal{I}_{t-1} might not be available at step t , e.g., due to deprecation; when choosing models, we do not consider them, but note that we can still estimate their performance on the new batches of data. Moreover, the model selection procedure can also take convenience into account; for example, if two models have very similar Fisher information, we opt for the one that is cheaper to evaluate.

Our experiments demonstrate that re-evaluating just 5 (or even 3) models per step provides accurate model evaluation. With 50 total models, this approach can reduce computing costs by at least $\times 10$, particularly when selecting less expensive models without significantly impacting F_{j_k} . In this paper, we use a maximum of 19 models; thus, re-evaluating 3 to 5 models represents a saving of $\approx 75\%$ to 85% in the number of evaluated models.

4 RESULTS & ANALYSIS

This section presents the results obtained on the first version of LiveXiv. First, we start by describing the experimental settings. Then, we present the results and finally conclude with a detailed analysis of our dataset.

4.1 EXPERIMENTAL SETTINGS

Evaluation Protocol: After the generation of the question-answer pairs from our automated pipeline explained in Section 3, we transform the benchmark to multiple-choice questions. We resort to the ‘generate’ inference employed extensively by previous works, such as Li et al. (2024d); Huang et al. (2024); Liu et al. (2023d). The model is prompted to choose the letter corresponding to the correct choice and answer with the letter directly. The output letter is then compared with the ground truth and the accuracy is measured. For ease of assimilation and to obtain insights into what type of data the models flourish at, we provide the results from data generated on tables and figures separately. The data generated from figures is labeled as part of Visual Question and Answers (VQA) and the data from the tables is labeled as Table Question and Answers (TQA). Examples for the multiple-choice formulation of the question-answer pairs are added to the Appendix Section A.3.

Size of dataset: The first version of our LiveXiv consists of 7328 questions on figures, and 9000 questions on tables, both are generated from 250 papers (25 papers from 10 domains). Overall our first version of the dataset has 16328 questions in total. Thanks to the continual growth in the number of publications in our target domains and the fully automatic nature of our proposed LiveXiv pipeline for benchmark data generation, we will grow LiveXiv by adding an equal-sized large amount of new VQA & TQA data (around 7K VQA and 9K TQA) on a monthly basis.

Models: We extensively evaluate our benchmark by employing a total of 17 LMMs. Specifically, we employ 5 models from the LLaVA family of models including LLaVA 1.5-7B and LLaVA 1.5-13B (Liu et al., 2023c), LLaVA-1.6-7B and LLaVA 1.6-34B (Liu et al., 2023b), and LLaVA One-Vision (Li et al., 2024b). Furthermore, we employ IntstructBLIP (Dai et al., 2023), InternVL2-2B and InternVL2-8B (Chen et al., 2023c), InternLM-Xcomposer2-4KHD (Dong et al., 2024b), InternLM-Xcomposer2.5 (Chen et al., 2023c), Mantis (Jiang et al., 2024), Phi3v (Abdin et al., 2024), Idefics2 (Laurençon et al., 2024b) and Idefics3 (Laurençon et al., 2024a), Qwen2-VL (Wang et al., 2024) and API models Claude-Sonnet (cla, 2024) and GPT-4o (OpenAI, 2023) for our evaluations. These models have been chosen because of their varying characteristics and strong performance on multiple current benchmarks. All the models (except GPT-4o and Claude-Sonnet) are accessed from the huggingface API, which makes our framework modular for an extension to more models as they are being added to the hub in the future.

Additional LiveXiv versions: While this section mainly focuses on the analysis of the first version of LiveXiv, new versions are continuously being uploaded to the [HuggingFace Hub](#), at the time of writing, four additional versions exist: one of past ArXiv papers (v0) and three of more recent papers (v2 - v4). Version 2 consists of 18K samples, introduces 4 new domains from physics (namely, physics.optics, physics.bio-ph, physics.app-ph, physics.data-an), and includes two additional LMMs (Pixtral and Molmo-7B). Version 3 utilizes multiple generation and filtering models (GPT-4o, Claude-Sonnet, Qwen2-VL-72B) to and increase diversity and measure the effect of potential biases. In Version 4, we restrict diversity to two models, GPT-4o and Claude-Sonnet, but maintain variability by having each model take on different roles each time. In addition, to perform a deeper analysis, we created a variant of version 1 with opposite roles (*i.e.*, Claude as the QA generation model and GPT as the filter model). We found that the question and visual content diversity remained roughly the same which kept the model performance and ranking unaffected. Lastly, version 0 is generated from papers from more than 10 years ago. Our experiments reassure our findings about the performance of our efficient evaluation, strengthening its validity even in the presence of a large time gap between the dataset versions. All the details can be found in Appendix A.4.

4.2 EXPERIMENTAL RESULTS

Results on LiveXiv v1: We evaluated 17 LMMs across two prominent tasks, VQA and TQA. Table 1 provides a detailed summary of the performance across both tasks. One interesting observation is Claude’s superior performance on all tasks. This substantial performance gap suggests that Claude’s architecture and underlying methodologies are particularly well-suited for both VQA and TQA tasks. The results align with other relatively close benchmarks, DocVQA (Mathew et al., 2021), ChartQA (Masry et al., 2022) and AI2D (Kembhavi et al., 2016), where we see a similar trend: Claude has significantly higher performance

Table 1: LiveXiv v1 VQA and TQA average accuracy across ArXiv taxonomy. (V is VQA, T-TQA)

VQA&TQA Acc.	eess.SP		q-bio.EM		q-bio.CB		cs.AI		eess.SY		cs.CV		cs.RO		q-bio.GN		cs.LG		q-bio.TO		Mean	
	V	T	V	T	V	T	V	T	V	T	V	T	V	T	V	T	V	T	V	T	V	T
# Samples	651	429	900	1624	840	697	685	1069	735	472	720	932	672	570	647	1121	844	1195	634	894	7328	9000
InstructBLIP-7B	21.2	18.1	25.2	16.6	19.5	20.2	24.5	21.8	23.4	18.9	21.3	20.7	22.6	22.8	24.9	16.9	24.1	18.5	21.1	18.2	23.6	19.1
LLaVA-1.5-7B	29.0	24.9	27.8	20.9	29.5	25.4	31.9	23.5	30.5	25.0	31.0	21.8	34.9	24.9	29.1	22.6	29.3	24.9	32.8	25.4	30.4	23.5
LLaVA-1.6-Mistral-7B	28.1	31.9	28.7	26.8	28.6	29.7	33.9	29.2	31.0	36.4	31.4	29.0	33.3	30.5	27.0	27.6	27.9	30.4	29.5	29.1	29.9	29.3
Mantis-LLama3-8B	32.3	31.2	28.6	28.0	32.7	30.0	33.7	30.0	30.2	33.5	36.9	29.1	32.6	32.5	29.2	29.9	30.8	30.0	34.9	30.3	32.1	30.0
LLaVA-1.5-13B	32.6	30.5	29.4	28.9	31.5	33.1	33.4	31.5	33.2	35.6	35.9	31.5	35.7	33.0	30.6	29.8	30.0	29.4	32.2	30.8	32.3	30.9
Idefics2-8B	35.6	37.1	38.4	35.9	35.9	43.2	40.7	39.2	40.5	42.8	38.6	35.0	39.6	40.0	30.3	38.7	36.9	37.0	38.8	38.9	37.6	38.2
IXC2-4KHD-7B	33.0	41.1	36.7	40.8	33.0	46.8	40.1	38.4	35.8	47.2	45.7	37.0	44.5	41.9	37.9	42.8	35.8	41.3	36.1	42.6	37.7	41.5
IXC2.5-7B	46.2	42.3	46.1	40.5	48.2	48.4	53.3	39.8	50.5	50.8	45.1	39.2	47.0	44.6	47.9	47.5	49.4	36.7	46.8	40.7	48.1	42.1
InternVL2-2B	48.4	42.7	48.1	44.2	50.4	53.7	53.4	48.9	50.5	58.3	46.3	44.7	54.2	51.6	48.4	52.0	48.2	49.2	50.9	52.0	49.8	49.1
LLaVA-1.6-34B	48.4	49.5	45.6	49.4	47.4	55.7	55.9	49.2	52.5	59.7	51.8	48.9	54.9	50.7	47.9	49.2	47.9	46.6	50.2	50.8	50.0	50.2
Idefics3	54.4	47.2	50.6	48.1	52.3	55.5	57.2	48.9	57.0	57.8	53.3	47.2	54.6	51.9	51.5	51.7	51.5	48.0	56.6	51.8	53.7	50.2
LLaVA-OneVision-7B	53.1	46.2	49.7	47.8	51.8	53.9	57.2	50.3	52.8	57.8	57.2	47.7	57.6	53.2	51.6	51.2	51.1	50.5	59.1	52.7	53.9	50.6
Phi3v	60.1	51.4	54.4	48.7	59.9	54.8	64.5	52.8	61.8	57.8	56.0	48.7	58.5	51.4	58.9	51.0	56.0	51.5	58.2	56.2	58.7	51.8
GPT-4o	64.1	50.7	55.9	51.8	58.8	56.2	62.9	54.3	64.4	62.3	60.1	50.8	60.3	56.1	55.2	56.3	59.0	55.1	64.4	55.0	60.3	54.5
InternVL2-8B	64.5	57.5	56.9	57.5	61.4	65.3	67.0	57.5	65.3	67.2	59.9	60.1	65.3	61.8	58.4	60.8	61.4	59.1	65.6	61.4	62.3	60.2
Qwen2-VL	68.0	60.3	62.4	59.6	71.8	67.3	67.2	59.7	69.3	70.1	63.3	62.6	64.6	64.6	64.5	61.1	63.7	59.2	71.9	65.0	66.6	62.1
Claude-Sonnet	78.9	84.0	72.3	81.2	77.4	80.3	77.7	84.5	78.4	85.6	69.9	84.0	74.1	86.5	72.9	82.9	76.4	86.4	75.9	82.3	75.4	83.5

Table 2: Performance change between LiveXiv (v1) and a manually verified subset averaged across all evaluated models. LiveXiv is robust, thanks to excessive filtering steps which keep the labeling errors low.

	LiveXiv	Verified Subset	Absolute Avg.
VQA	46.734	47.273	2.336
TQA	45.101	46.028	2.105

over the runner-up models such as Qwen2-VL, GPT-4o and InternVL2-8B. See Table 4 for more details. However, a notable caveat is that Claude plays an integral role in the question-filtering process, which may introduce a potential bias in favor of questions it is predisposed to solve effectively. This implies that while Claude’s overall performance remains strong, the evaluation might not fully reflect its robustness to novel or more diverse question types outside the scope of this filtering. Surprisingly, GPT-4o has low performance. To understand the root cause of this observation, we experimented with various hyper-parameters such as temperature, image resolution, and diverse textual prompts. Nevertheless, these all yielded similar results.

We further observe that newer models, such as InternVL2-8B and Qwen2-VL, consistently outperform older models like LLaVA-1.6 and Idefics2, suggesting rapid advancements in LMM development over the past few months. This trend highlights the continual improvement in both architecture and training paradigms, leading to better generalization across multi-modal tasks.

Zooming into the domain-specific performance using an ArXiv-based taxonomy, we evaluate each model’s effectiveness in distinct scientific fields such as biology, electrical engineering, and mathematics. Our results show that certain models, particularly the newer architectures, exhibit a higher degree of robustness across diverse domains, highlighting that the models’ training data might already have potential contamination issues. Conversely, for VQA, models in the Intern-VL2 and the LLaVA families appear to be more sensitive to domain shifts, performing inconsistently across different scientific areas, as oppose to the more recent models like Qwen2-VL, Claude and GPT-4o, see Figures 6, 7 for more details. For TQA, it’s not the case, probably since the questions test more specific skills such as retrieval and arithmetic manipulations, see Figures 8, 9. This domain-specific sensitivity emphasizes the need for further refinements in LMMs, especially when applied to specialized scientific knowledge domains. Overall, this analysis not only underscores the ongoing evolution of LMMs but also highlights areas for further investigation, especially concerning model adaptability to diverse content domains and the potential biases introduced by models.

Contamination free effect: Interestingly, focusing on new data that came after the LMMs were trained, allows LiveXiv to provide a new, contamination-free, perspective on the relative performance ranking between strong LMMs. For example, taking the official results from original publications and computing the average ranking of the evaluated LMMs over the established DocVQA (Mathew et al., 2021), ChartQA (Masry et al., 2022) and AI2D (Kembhavi et al., 2016) benchmarks, and comparing those to the average rankings provided by LiveXiv, we observe some significant ranking changes. *e.g.*, IXC2.5 and IXC2-4KHD drop over 4 points in average ranking. See Table 5 in the appendix for details.

Performance on manually filtered dataset: To further verify our proposed automated question-answer generation and filtering methodology and to obtain a measure of errors in the generated data, we manually verified a subset of 1000 samples (500 for both, VQA and TQA) and evaluated all models on this subset. Table 2 presents the results for VQA and TQA on the filtered subset. We see that on average




Figure 4: Average prediction errors and rank correlations for overall performance. We report MAE (\pm mean absolute deviation) for non-re-evaluated models and Spearman’s rank correlation across 19 LMMs on different LiveXiv versions. Re-evaluating just 3–5 models is generally sufficient for accurate performance prediction.




Figure 5: Average prediction errors and rank correlations when we predict performance for each domain separately. We report average MAE (\pm average mean absolute deviation) for non-re-evaluated models and average Spearman’s rank correlation across 19 LMMs on different LiveXiv versions. A worse performance LiveXiv v3 can be explained by a smaller number of evaluations.

the performance only fluctuates by 2.3% and 2.1% for VQA and TQA when comparing the results obtained by all the models on the entire dataset and the manually verified subset. These results hint that our automated question-answer generation pipeline and the filtering methodology is quite robust. Detailed results can be found at the Appendix, Tables 6 and 7.

Efficient evaluations of LMMs: In this section, we empirically validate the effectiveness of our proposed efficient re-evaluation method for LMMs using LiveXiv v1-v4. Dynamic benchmarks like LiveXiv present a challenge in terms of evaluation costs since each time a new version of the benchmark is released, all models should be re-evaluated on the updated data. This process, however, can become computationally prohibitive when dealing with numerous models. Our goal is to demonstrate that by re-evaluating only a small subset of models on a new version of LiveXiv, we can still reliably predict the performance of the remaining models. For this experiment, we evaluate 17 models on the first version of LiveXiv but only re-evaluate $m \in \{3, 5, 8, 12\}$ models on the subsequent versions of the benchmark using the model selection methodology detailed in Section 3.3; we focus on VQA or TQA (but not both simultaneously) and consider all ArXiv domains. From LiveXiv v2 onwards, two new extra models were added to the analysis; these do not count towards the budget of m models at v2.

At every step, an IRT model is fitted to the full observed data and we predict the performance of the non-re-evaluated models on the full VQA and TQA versions of LiveXiv and on each ArXiv domain using empirical versions of equation 2. Figure 4 presents the results for the case we aim to predict the performance of the non-re-evaluated models on the full VQA and TQA versions of LiveXiv while Figure 5 presents the averages of errors and correlations across domains. They report both the mean absolute error (MAE) (\pm mean absolute deviation) for the non-re-evaluated models when predicting their accuracy and Spearman’s rank correlation across all 19 LMMs on different LiveXiv versions when comparing real accuracy and predicted accuracy. These results suggest that re-evaluating just 3 or 5 models is likely to be sufficient for accurately predicting the performance of the remaining models and the ranking of all models, especially when our focus is predicting the overall performances. This last observation makes sense since the full benchmarks contain many more data points when compared to individual domains and, in that case, individual prediction errors tend to cancel out in the empirical version of equation 2. For the same reason, we ended up having a poorer performance on LiveXiv v3, which has fewer data points; as detailed in Appendix A.4.4, LiveXiv v3 has questions generated by three models as part of an ablation study, however, we ultimately use the questions generated by GPT-4o and Claude-Sonnet in this study to keep procedures more standardized with v4.

In Appendix A.5, we present additional results to further validate the effectiveness of our method. Specifically, we (i) show a detailed error analysis of the results for LiveXiv v4 (from Figures 4/5), (ii)

Table 3: LiveXiv accuracy (%) on different categories of question and partitions averaged over all evaluated models.

	Data Analysis	Reasoning	Attribute	Localization	Reading	Arithmetic	Charts	Block Diagram	Qualitative
VQA	46.93	47.95	46.18	41.91	47.83	46.87	44.17	52.69	48.60
TQA	46.02	63.61	68.69	51.66	59.35	35.56	-	-	-

test a situation with high distribution shift using a hypothetical version of LiveXiv consisting of ArXiv papers from 2010 (v0), (iii) validate our efficient evaluation method when questions are also generated by Qwen2-VL-72B in v3, and (iv) test our approach on MM-LiveBench (Zhang et al., 2024b).

4.3 ANALYSIS AND ABLATIONS

To analyze various aspects of LiveXiv we provide an extensive ablation study. We start by providing an analysis of the results from different models obtained w.r.t the language content partitions, then provide results for different models w.r.t the visual data partitions.

Language analysis - performance according to question type. To discover error slices of models for an analysis of mistakes they commonly make, we classify the questions present in the benchmark into one of the following categories: reasoning, data analysis, reading, localization, attribute, and arithmetic. To achieve this classification, we employ the Llama-3.1 (Meta, 2024) LLM and prompt the model with the question and the list of categories to choose for this question. The prompt is provided in the Appendix Figure 21. Table 3 summarizes the results for all the models. We see that the performance of these models on the arithmetic partition is the lowest on average as compared to other partitions highlighting room for potential improvement. We also provide the detailed results for all models on these partitions for VQA and TQA in Tables 9 and 10 of the Appendix.

Vision analysis - performance according to figure type. For a more fine-grained analysis of LMM performance on different types of visual data present in our benchmark, we first categorize the data through Meta-Prompting for CLIP, proposed by Mirza et al. (2024), in a zero-shot classification setup. Specifically, we classify the image content into three categories of figures: Block diagrams, Qualitative visual results, and Charts. We summarize the results in Table 3. Detailed results for each model’s performance can be found in Table 8 in the Appendix. The results reveal a significant variance in performance across figure types for nearly all models. In most cases, block diagrams are the most favorable category for models. However, InternLM-Xcomposer2-4KHD-7B (Dong et al., 2024b) stands out by achieving the highest accuracy on Qualitative figures. Overall, Charts emerge as the most challenging figure type on average, suggesting a lack of sufficient examples in the training data for this category. This kind of analysis can be further expanded to include more categories and discover error slices on which different models struggle so that potential targeted improvements can be designed for these models to mitigate the shortcomings.

Diversity & Difficulty The visual content of scientific papers (figures and tables) evolves over time, and we aim to ensure our questions remain diverse across dataset versions. To achieve this, we use an LLM (Llama-3.1-70B Meta (2024)) to classify questions into predefined categories, allowing us to monitor and maintain diversity. Table 18 confirms that LiveXiv maintains question diversity across versions. Additionally, we assess question difficulty by analyzing how many models answer each question correctly. Figure 10 shows that the difficulty distribution for both VQA and TQA tasks remains stable across dataset versions.

5 LIMITATIONS AND CONCLUSIONS

Limitations. LiveXiv relies on capable proprietary LMMs in order to be fully automatic, and with high quality. However, relying on proprietary LMMs is a limitation since we do not have full control over the models, they can change through time and might affect LiveXiv. Nevertheless, we commonly expect them to continuously improve leading to a positive impact on LiveXiv effectiveness.

Conclusions. We propose LiveXiv, an ever-evolving, fully automatic, multi-modal benchmark focused on scientific domains to tackle test set contamination issues and consequently allow a new (contamination-free) perspective on relative ranking of advanced LMMs. We utilize ArXiv, as the data source, carefully and extensively crafting a quality dataset to evaluate LMMs. To significantly reduce the computational and logistical overhead of maintaining the dataset throughout time and models, we propose an efficient evaluation method that can save more than 70% of the evaluated models on each dataset version. Our method can be extended to other archives such as BioRxiv to extend our dataset to new domains. For future work, we propose enhancing LMM evaluation by incorporating free-form questions to assess generative abilities and complex question types to evaluate reasoning capabilities.

6 ETHICS STATEMENT

This work introduces LiveXiv, a live multi-modal benchmark for evaluating LMMs using scientific ArXiv papers. By relying solely on publicly available ArXiv manuscripts with proper licenses, we ensure compliance with copyright and distribution policies. The automated generation of Visual Question Answering (VQA) and Table Question Answering (TQA) pairs enables scalable evaluation of LMMs without human involvement, minimizing the risk of human biases in data collection. However, we acknowledge the potential for unintentional biases within the models or dataset itself. Continuous evaluation and refinement are necessary to mitigate these biases and promote the responsible deployment of LMMs in wider applications.

7 ACKNOWLEDGMENTS

This research was partially supported by the TAD center at Tel Aviv University. The authors thank Eli Schwartz for his valuable feedback and assistance.

REFERENCES

- Introducing the next generation of claude. <https://www.anthropic.com/news/claude-3-family>, 2024.
- Marah Abdin, Sam Ade Jacobs, Ammar Ahmad Awan, Jyoti Aneja, Ahmed Awadallah, Hany Awadalla, Nguyen Bach, Amit Bahree, Arash Bakhtiari, Harkirat Behl, et al. Phi-3 technical report: A highly capable language model locally on your phone. *arXiv preprint arXiv:2404.14219*, 2024.
- Pravesh Agrawal, Szymon Antoniak, Emma Bou Hanna, Baptiste Bout, Devendra Chaplot, Jessica Chudnovsky, Diogo Costa, Baudouin De Monicault, Saurabh Garg, Theophile Gervet, et al. Pixtral 12b. *arXiv preprint arXiv:2410.07073*, 2024.
- Scale AI. Seal leaderboards. <https://scale.com/leaderboard>, 2024.
- Jean-Baptiste Alayrac, Jeff Donahue, Pauline Luc, Antoine Miech, Iain Barr, Yana Hasson, Karel Lenc, Arthur Mensch, Katie Millican, Malcolm Reynolds, Roman Ring, Eliza Rutherford, Serkan Cabi, Tengda Han, Zhitao Gong, Sina Samangooei, Marianne Monteiro, Jacob Menick, Sebastian Borgeaud, Andrew Brock, Aida Nematzadeh, Sahand Sharifzadeh, Mikolaj Binkowski, Ricardo Barreira, Oriol Vinyals, Andrew Zisserman, and Karen Simonyan. Flamingo: a Visual Language Model for Few-Shot Learning. *arXiv:2204.14198*, 2022.
- Assaf Ben-Kish, Moran Yanuka, Morris Alper, Raja Giryes, and Hadar Averbuch-Elor. Mitigating open-vocabulary caption hallucinations. In *Conference on Empirical Methods in Natural Language Processing*, pp. 22680–22698, 2024.
- Ralph Allan Bradley and Milton E Terry. Rank analysis of incomplete block designs: I. the method of paired comparisons. *Biometrika*, 39(3/4):324–345, 1952.
- Tom B. Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, Sandhini Agarwal, Ariel Herbert-Voss, Gretchen Krueger, Tom Henighan, Rewon Child, Aditya Ramesh, Daniel M. Ziegler, Jeffrey Wu, Clemens Winter, Christopher Hesse, Mark Chen, Eric Sigler, Mateusz Litwin, Scott Gray, Benjamin Chess, Jack Clark, Christopher Berner, Sam McCandlish, Alec Radford, Ilya Sutskever, and Dario Amodei. Language Models are Few-Shot Learners. *arXiv:2005.14165*, 2020.
- Li Cai, Kilchan Choi, Mark Hansen, and Lauren Harrell. Item response theory. *Annual Review of Statistics and Its Application*, 3:297–321, 2016.
- Jun Chen, Deyao Zhu¹ Xiaoqian Shen¹ Xiang Li, Zechun Liu² Pengchuan Zhang, Raghuraman Krishnamoorthi² Vikas Chandra² Yunyang Xiong, and Mohamed Elhoseiny. MiniGPT-v2: Large Language Model as a Unified Interface for Vision-Language Multi-task Learning. *arXiv preprint arXiv:2310.09478*, 2023a.
- Lin Chen, Jinsong Li, Xiaoyi Dong, Pan Zhang, Yuhang Zang, Zehui Chen, Haodong Duan, Jiaqi Wang, Yu Qiao, Dahua Lin, et al. Are we on the right way for evaluating large vision-language models? *arXiv preprint arXiv:2403.20330*, 2024.

- Yunxiao Chen, Chengcheng Li, Jing Ouyang, and Gongjun Xu. Statistical inference for noisy incomplete binary matrix. *Journal of Machine Learning Research*, 24(95):1–66, 2023b.
- Zhe Chen, Jiannan Wu, Wenhai Wang, Weijie Su, Guo Chen, Sen Xing, Muyan Zhong, Qinglong Zhang, Xizhou Zhu, Lewei Lu, Bin Li, Ping Luo, Tong Lu, Yu Qiao, and Jifeng Dai. Internvl: Scaling up vision foundation models and aligning for generic visual-linguistic tasks. *arXiv preprint arXiv:2312.14238*, 2023c.
- Wei-Lin Chiang, Zhuohan Li, Zi Lin, Ying Sheng, Zhanghao Wu, Hao Zhang, Lianmin Zheng, Siyuan Zhuang, Yonghao Zhuang, Joseph E. Gonzalez, Ion Stoica, and Eric P. Xing. Vicuna: An Open-Source Chatbot Impressing GPT-4 with 90%* ChatGPT Quality, March 2023. URL <https://lmsys.org/blog/2023-03-30-vicuna/>.
- Wei-Lin Chiang, Lianmin Zheng, Ying Sheng, Anastasios Nikolas Angelopoulos, Tianle Li, Dacheng Li, Hao Zhang, Banghua Zhu, Michael Jordan, Joseph E Gonzalez, et al. Chatbot arena: An open platform for evaluating llms by human preference. *arXiv preprint arXiv:2403.04132*, 2024.
- Douglas H Clements, Julie H Sarama, and Xiufeng H Liu. Development of a measure of early mathematics achievement using the rasch model: The research-based early maths assessment. *Educational Psychology*, 28(4):457–482, 2008.
- Karl Cobbe, Vineet Kosaraju, Mohammad Bavarian, Mark Chen, Heewoo Jun, Lukasz Kaiser, Matthias Plappert, Jerry Tworek, Jacob Hilton, Reiichiro Nakano, et al. Training verifiers to solve math word problems. *arXiv preprint arXiv:2110.14168*, 2021.
- Wenliang Dai, Junnan Li, Dongxu Li, Anthony Tiong, Junqi Zhao, Weisheng Wang, Boyang Li, Pascale Fung, and Steven Hoi. InstructBLIP: Towards General-purpose Vision-Language Models with Instruction Tuning. In *NeurIPS*, 2023.
- Matt Deitke, Christopher Clark, Sangho Lee, Rohun Tripathi, Yue Yang, Jae Sung Park, Mohammadreza Salehi, Niklas Muennighoff, Kyle Lo, Luca Soldaini, et al. Molmo and pixmo: Open weights and open data for state-of-the-art multimodal models. *arXiv preprint arXiv:2409.17146*, 2024.
- Jia Deng, Wei Dong, Richard Socher, Li-Jia Li, Kai Li, and Li Fei-Fei. ImageNet: A large-scale hierarchical image database. In *Proc. CVPR*, 2009.
- Xiaoyi Dong, Pan Zhang, Yuhang Zang, Yuhang Cao, Bin Wang, Linke Ouyang, Xilin Wei, Songyang Zhang, Haodong Duan, Maosong Cao, et al. Internlm-xcomposer2: Mastering free-form text-image composition and comprehension in vision-language large model. *arXiv preprint arXiv:2401.16420*, 2024a.
- Xiaoyi Dong, Pan Zhang, Yuhang Zang, Yuhang Cao, Bin Wang, Linke Ouyang, Songyang Zhang, Haodong Duan, Wenwei Zhang, Yining Li, et al. Internlm-xcomposer2-4khd: A pioneering large vision-language model handling resolutions from 336 pixels to 4k hd. *arXiv preprint arXiv:2404.06512*, 2024b.
- Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-Dahle, Aiesha Letman, Akhil Mathur, Alan Schelten, Amy Yang, Angela Fan, et al. The llama 3 herd of models. *arXiv preprint arXiv:2407.21783*, 2024.
- Chaoyou Fu, Peixian Chen, Yunhang Shen, Yulei Qin, Mengdan Zhang, Xu Lin, Jinrui Yang, Xiawu Zheng, Ke Li, Xing Sun, Yunsheng Wu, and Rongrong Ji. Mme: A comprehensive evaluation benchmark for multimodal large language models. *arXiv preprint arXiv:2306.13394*, 2023.
- Rasch Georg. Probabilistic models for some intelligence and attainment tests. *Copenhagen: Institute of Education Research*, 1960.
- Dan Hendrycks, Collin Burns, Saurav Kadavath, Akul Arora, Steven Basart, Eric Tang, Dawn Song, and Jacob Steinhardt. Measuring mathematical problem solving with the math dataset. *arXiv preprint arXiv:2103.03874*, 2021.
- Irene Huang, Wei Lin, M Jehanzeb Mirza, Jacob A Hansen, Sivan Dohav, Victor Ion Butoi, Roei Herzig, Assaf Arbelle, Hilde Kuhene, Trevor Darrel, et al. Conme: Rethinking evaluation of compositional reasoning for modern vlms. *arXiv preprint arXiv:2406.08164*, 2024.

- Naman Jain, King Han, Alex Gu, Wen-Ding Li, Fanjia Yan, Tianjun Zhang, Sida Wang, Armando Solar-Lezama, Koushik Sen, and Ion Stoica. Livecodebench: Holistic and contamination free evaluation of large language models for code. *arXiv preprint arXiv:2403.07974*, 2024.
- Dongfu Jiang, Xuan He, Huaye Zeng, Cong Wei, Max Ku, Qian Liu, and Wenhui Chen. Mantis: Interleaved multi-image instruction tuning. *arXiv preprint arXiv:2405.01483*, 2024.
- Aniruddha Kembhavi, Mike Salvato, Eric Kolve, Minjoon Seo, Hannaneh Hajishirzi, and Ali Farhadi. A diagram is worth a dozen images. In *Computer Vision—ECCV 2016: 14th European Conference, Amsterdam, The Netherlands, October 11–14, 2016, Proceedings, Part IV 14*, pp. 235–251. Springer, 2016.
- Alex Krizhevsky and Geoffrey Hinton. Learning Multiple Layers of Features from Tiny Images. Technical report, Department of Computer Science, University of Toronto, 2009.
- Hugo Laurençon, Andrés Marafioti, Victor Sanh, and Léo Tronchon. Building and better understanding vision-language models: insights and future directions. *arXiv preprint arXiv:2408.12637*, 2024a.
- Hugo Laurençon, Léo Tronchon, Matthieu Cord, and Victor Sanh. What matters when building vision-language models? *arXiv preprint arXiv:2405.02246*, 2024b.
- Bo Li, Kaichen Zhang, Hao Zhang, Dong Guo, Renrui Zhang, Feng Li, Yuanhan Zhang, Ziwei Liu, and Chunyuan Li. Llava-next: Stronger llms supercharge multimodal capabilities in the wild, 2024a.
- Bo Li, Yuanhan Zhang, Dong Guo, Renrui Zhang, Feng Li, Hao Zhang, Kaichen Zhang, Yanwei Li, Ziwei Liu, and Chunyuan Li. Llava-onevision: Easy visual task transfer. *arXiv preprint arXiv:2408.03326*, 2024b.
- Bo Li, Yuanhan Zhang, Dong Guo, Renrui Zhang, Feng Li, Hao Zhang, Kaichen Zhang, Yanwei Li, Ziwei Liu, and Chunyuan Li. LLaVA-OneVision: Easy Visual Task Transfer. *arXiv preprint arXiv:2408.03326*, 2024c.
- Bohao Li, Yuying Ge, Yixiao Ge, Guangzhi Wang, Rui Wang, Ruimao Zhang, and Ying Shan. Seed-bench: Benchmarking multimodal large language models. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 13299–13308, 2024d.
- Junnan Li, Dongxu Li, Silvio Savarese, and Steven Hoi. BLIP-2: Bootstrapping Language-Image Pre-training with Frozen Image Encoders and Large Language Models. *arXiv preprint arXiv:2301.12597*, 2023.
- Percy Liang, Rishi Bommasani, Tony Lee, Dimitris Tsipras, Dilara Soylu, Michihiro Yasunaga, Yian Zhang, Deepak Narayanan, Yuhuai Wu, Ananya Kumar, et al. Holistic evaluation of language models. *arXiv preprint arXiv:2211.09110*, 2022.
- Wei Lin, Muhammad Jehanzeb Mirza, Sivan Doveh, Rogerio Feris, Raja Giryes, Sepp Hochreiter, and Leonid Karlinsky. Comparison visual instruction tuning. *arXiv preprint arXiv:2406.09240*, 2024.
- Haotian Liu, Chunyuan Li, Yuheng Li, and Yong Jae Lee. Improved Baselines with Visual Instruction Tuning. *arXiv:2310.03744*, 2023a.
- Haotian Liu, Chunyuan Li, Yuheng Li, and Yong Jae Lee. LLaVA-Next (LLaVA 1.6). *arXiv:2310.03744*, 2023b. URL <https://llava-vl.github.io/blog/2024-01-30-llava-next/>.
- Haotian Liu, Chunyuan Li, Qingyang Wu, and Yong Jae Lee. Visual Instruction Tuning. In *NeurIPS*, 2023c.
- Yuan Liu, Haodong Duan, Yuanhan Zhang, Bo Li, Songyang Zhang, Wangbo Zhao, Yike Yuan, Jiaqi Wang, Conghui He, Ziwei Liu, et al. Mmbench: Is your multi-modal model an all-around player? *arXiv preprint arXiv:2307.06281*, 2023d.
- FM Lord, MR Novick, and Allan Birnbaum. Statistical theories of mental test scores. 1968.
- Yujie Lu, Dongfu Jiang, Wenhui Chen, William Yang Wang, Yejin Choi, and Bill Yuchen Lin. Wildvision: Evaluating vision-language models in the wild with human preferences. *arXiv preprint arXiv:2406.11069*, 2024.

- Felipe Maia Polo, Lucas Weber, Leshem Choshen, Yuekai Sun, Gongjun Xu, and Mikhail Yurochkin. tinybenchmarks: evaluating llms with fewer examples. *arXiv preprint arXiv:2402.14992*, 2024a.
- Felipe Maia Polo, Ronald Xu, Lucas Weber, Mírian Silva, Onkar Bhardwaj, Leshem Choshen, Allysson Flavio Melo de Oliveira, Yuekai Sun, and Mikhail Yurochkin. Efficient multi-prompt evaluation of llms. *arXiv preprint arXiv:2405.17202*, 2024b.
- Ahmed Masry, Do Long, Jia Qing Tan, Shafiq Joty, and Enamul Hoque. ChartQA: A benchmark for question answering about charts with visual and logical reasoning. In *Findings of the Association for Computational Linguistics: ACL 2022*, pp. 2263–2279, Dublin, Ireland, May 2022. Association for Computational Linguistics. doi: 10.18653/v1/2022.findings-acl.177. URL <https://aclanthology.org/2022.findings-acl.177>.
- Minesh Mathew, Dimosthenis Karatzas, and CV Jawahar. Docvqa: A dataset for vqa on document images. In *Proceedings of the IEEE/CVF winter conference on applications of computer vision*, pp. 2200–2209, 2021.
- Meta. Introducing meta llama 3: The most capable openly available llm to date. <https://ai.meta.com/blog/meta-llama-3>, 2024.
- M. Jehanzeb Mirza, Leonid Karlinsky, Wei Lin, Sivan Doveh, , Jakub Micorek, Mateusz Kozinski, Hilde Kuhene, and Horst Possegger. Meta-Prompting for Automating Zero-shot Visual Recognition with LLMs. In *Proceedings of the European Conference on Computer Vision (ECCV)*, 2024.
- Yasumasa Onoe, Sunayana Rane, Zachary Berger, Yonatan Bitton, Jaemin Cho, Roopal Garg, Alexander Ku, Zarana Parekh, Jordi Pont-Tuset, Garrett Tanzer, Su Wang, and Jason Baldridge. DOCCI: Descriptions of Connected and Contrasting Images. In *ECCV*, 2024.
- OpenAI. Gpt-4 technical report. *arXiv preprint arXiv:2303.08774*, 2023.
- Piotr Padlewski, Max Bain, Matthew Henderson, Zhongkai Zhu, Nishant Relan, Hai Pham, Donovan Ong, Kaloyan Aleksiev, Aitor Ormazabal, Samuel Phua, et al. Vibe-eval: A hard evaluation suite for measuring progress of multimodal language models. *arXiv preprint arXiv:2405.02287*, 2024.
- Yotam Perlitz, Elron Bandel, Ariel Gera, Ofir Arviv, Liat Ein-Dor, Eyal Shnarch, Noam Slonim, Michal Shmueli-Scheuer, and Leshem Choshen. Efficient benchmarking (of language models). *arXiv preprint arXiv:2308.11696*, 2023.
- Ameya Prabhu, Vishaal Udandarao, Philip Torr, Matthias Bethge, Adel Bibi, and Samuel Albanie. Lifelong benchmarks: Efficient model evaluation in an era of rapid progress. *arXiv preprint arXiv:2402.19472*, 2024.
- Alec Radford, Jong Wook Kim, Chris Hallacy, Aditya Ramesh, Gabriel Goh, Sandhini Agarwal, Girish Sastry, Amanda Askell, Pamela Mishkin, Jack Clark, et al. Learning Transferable Visual Models from Natural Language Supervision. In *Proc. ICML*, 2021a.
- Alec Radford, Jong Wook Kim, Chris Hallacy, Aditya Ramesh, Gabriel Goh, Sandhini Agarwal, Girish Sastry, Amanda Askell, Pamela Mishkin, Jack Clark, et al. Learning transferable visual models from natural language supervision. In *International conference on machine learning*, pp. 8748–8763. PMLR, 2021b.
- Colin Raffel, Noam Shazeer, Adam Roberts, Katherine Lee, Sharan Narang, Michael Matena, Yanqi Zhou, Wei Li, and Peter J. Liu. Exploring the Limits of Transfer Learning with a Unified Text-to-Text Transformer. *arXiv:1910.10683*, 2019.
- Manley Roberts, Himanshu Thakur, Christine Herlihy, Colin White, and Samuel Dooley. To the cutoff... and beyond? a longitudinal perspective on llm data contamination. In *The Twelfth International Conference on Learning Representations*, 2023.
- Saurabh Srivastava, Anto PV, Shashank Menon, Ajay Sukumar, Alan Philipose, Stevin Prince, Sooraj Thomas, et al. Functional benchmarks for robust evaluation of reasoning performance, and the reasoning gap. *arXiv preprint arXiv:2402.19450*, 2024.

- Alain Starke, Martijn Willemsen, and Chris Snijders. Effective user interface designs to increase energy-efficient behavior in a rasch-based energy recommender system. In *Proceedings of the eleventh ACM conference on recommender systems*, pp. 65–73, 2017.
- Deep Search Team. Deep Search Toolkit, 6 2022. URL <https://github.com/DS4SD/deepsearch-toolkit>.
- Hugo Touvron, Thibaut Lavril, Gautier Izacard, Xavier Martinet, Marie-Anne Lachaux, Timothée Lacroix, Baptiste Rozière, Naman Goyal, Eric Hambro, Faisal Azhar, et al. Llama: Open and Efficient Foundation Language Models. *arXiv:2302.13971*, 2023a.
- Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shrutu Bhosale, et al. Llama 2: Open Foundation and Fine-Tuned Chat Models. *arXiv preprint arXiv:2307.09288*, 2023b.
- Wim J Van der Linden. *Handbook of item response theory: Volume 3: Applications*. CRC press, 2017.
- Wim J Van der Linden. *Handbook of item response theory: Three volume set*. CRC Press, 2018.
- Peng Wang, Shuai Bai, Sinan Tan, Shijie Wang, Zhihao Fan, Jinze Bai, Keqin Chen, Xuejing Liu, Jialin Wang, Wenbin Ge, et al. Qwen2-vl: Enhancing vision-language model’s perception of the world at any resolution. *arXiv preprint arXiv:2409.12191*, 2024.
- Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Fei Xia, Ed Chi, Quoc V Le, Denny Zhou, et al. Chain-of-thought prompting elicits reasoning in large language models. *Advances in neural information processing systems*, 35:24824–24837, 2022.
- Tianwen Wei, Liang Zhao, Lichang Zhang, Bo Zhu, Lijie Wang, Haihua Yang, Biye Li, Cheng Cheng, Weiwei Lü, Rui Hu, et al. Skywork: A more open bilingual foundation model. *arXiv preprint arXiv:2310.19341*, 2023.
- Colin White, Samuel Dooley, Manley Roberts, Arka Pal, Ben Feuer, Siddhartha Jain, Ravid Shwartz-Ziv, Neel Jain, Khalid Saifullah, Siddartha Naidu, Chinmay Hegde, Yann LeCun, Tom Goldstein, Willie Neiswanger, and Micah Goldblum. Livebench: A challenging, contamination-free llm benchmark. 2024. URL [arXivpreprintarXiv:2406.19314](https://arxiv.org/abs/2406.19314).
- Moran Yanuka, Assaf Ben Kish, Yonatan Bitton, Idan Szpektor, and Raja Giryes. Bridging the visual gap: Fine-tuning multimodal models with knowledge-adapted captions. In *NAACL*, 2025.
- Xiang Yue, Yuansheng Ni, Kai Zhang, Tianyu Zheng, Ruoqi Liu, Ge Zhang, Samuel Stevens, Dongfu Jiang, Weiming Ren, Yuxuan Sun, et al. Mmmu: A massive multi-discipline multimodal understanding and reasoning benchmark for expert agi. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 9556–9567, 2024.
- Hugh Zhang, Jeff Da, Dean Lee, Vaughn Robinson, Catherine Wu, Will Song, Tiffany Zhao, Pranav Raja, Dylan Slack, Qin Lyu, et al. A careful examination of large language model performance on grade school arithmetic. *arXiv preprint arXiv:2405.00332*, 2024a.
- Kaichen Zhang, Bo Li, Peiyuan Zhang, Fanyi Pu, Joshua Adrian Cahyono, Kairui Hu, Shuai Liu, Yuanhan Zhang, Jingkang Yang, Chunyuan Li, et al. Lmms-eval: Reality check on the evaluation of large multimodal models. *arXiv preprint arXiv:2407.12772*, 2024b.
- Deyao Zhu, Jun Chen, Xiaoqian Shen, Xiang Li, and Mohamed Elhoseiny. MiniGPT-4: Enhancing Vision-Language Understanding with Advanced Large Language Models. *arXiv preprint arXiv:2304.10592*, 2023.

A APPENDIX

A.1 RELATED WORKS

A.1.1 EFFICIENT BENCHMARKS

With the increasing amount of tasks and samples in current benchmarks, evaluation of the full suite is time-consuming and cost-intensive. Efforts are underway to develop efficient benchmarks that reduce computation costs without sacrificing reliability. For LLMs, [Perlitz et al. \(2023\)](#) proposed the first systematic study of the effects of language model benchmark designs on reliability and efficiency, and applied efficient benchmark practices on the HELM benchmark ([Liang et al., 2022](#)), leading to $\times 100$ computation reduction with minimal loss on reliability. Lifelong benchmarks ([Prabhu et al., 2024](#)) has an ever-expanding pool of test samples for the categories in CIFAR10 ([Krizhevsky & Hinton, 2009](#)) and ImageNet ([Deng et al., 2009](#)); to make this design economically feasible, it reuses past model evaluations on a sample set through dynamic programming to enable efficient evaluation of new incoming models, drastically reducing the evaluation cost. Most related to our work, tinyBenchmarks ([Maia Polo et al., 2024a](#)) and PromptEval ([Maia Polo et al., 2024b](#)) propose using Item Response Theory (IRT) ([Lord et al., 1968](#)) to estimate the performance of LLMs on unseen samples, making efficient evaluation possible by only conducting a small fraction of the total number of evaluations. Inspired by the last two works, we leverage IRT to estimate the performance of older models in new batches of data. More specifically, at each version of LiveXiv, we choose a small core set of models (≤ 5) previously added to the leaderboard and re-evaluate them on the new data. Depending on their responses to the new samples, we estimate the performance of the remaining old models on the new benchmark version.

A.1.2 LLM CONTAMINATION-FREE BENCHMARKS

For LLMs, LMSys Chatbot Arena ([Chiang et al., 2024](#)) and AI2 WildVision ([Lu et al., 2024](#)) create a user-focused platform that provides contamination-free environment for proper evaluations. However, it is expensive to collect tens of thousands of human preferences on the compared language models. Furthermore, Seal Benchmark (AI, 2024) proposes private questions paired with human evaluations. [Srivastava et al. \(2024\)](#) update the questions in the MATH dataset ([Hendrycks et al., 2021](#)) by changing numbers in the math questions. LiveBench [White et al. \(2024\)](#) collects frequently updated questions from diverse information sources *e.g.* math competitions, arXiv papers and news articles and more challenging versions of existing benchmark tasks. Concurrently, LiveCodeBench ([Jain et al., 2024](#)) contributes a live benchmark on broader code-related capabilities. Note that these datasets focus on language data only.

A.2 ANALYSIS & ABLATIONS

Table 4: **Average results for relatively close benchmarks (DocVQA, ChartQA and AI2D).** We can see that Claude, GPT4o, Qwen2-VL and InternVL2 are the top models. The overall ordering is align with our benchmark.

	ChartQA	DocVQA	AI2D
InstructBLIP-7B	10.9	74	40.6
LLaVA-1.6-Mistral-7B	51.8	72.2	69
Mantis	42.9	-	60.4
LLaVA-1.5-7B	17.8	74.4	55.5
LLaVA-1.5-13B	18.2	77.5	70
Idefics2	-	74	72.3
InternVL2-2B	76.2	86.9	74.1
IXC2-4KHD-7B	81	90	81
IXC2.5-7B	82.2	90.9	81.6
LLaVA-OneVision-7B	80	83.7	81.4
Phi3v	72	84.9	77.8
Idefics3	-	87.7	76.5
LLaVA-1.6-34B	67.6	84	78.9
GPT-4o	85.7	92.8	94.2
Qwen2-VL	83	94.5	83
InternVL2-8B	83.3	91.6	83.8
Claude-Sonnet	90.8	95.2	94.7




Figure 6: **Domain sensitivity according to domains.** We visualize the performance of each model across all domains. Clear trends revealed where old models or models with a small LLM are "under-fitting" and perform worse across all domains. In the middle we have the mid-level models that are sensitive to the domain, indicating their lack of generalization across domain without any additional training. Lastly the newest models (open-source and proprietary) are robust to domain shifts and present a stable performance across the domains.

Table 5: Average ranking on static benchmarks (ChartQA, DocVQA and AI2D) and LiveXiv (v1). We can see from the ranking difference column that some models have a significant drop (negative difference) in the relative ranking in LiveXiv compared to the static datasets. The gap is highlighting a potential risk of test data contamination when using static (frozen in time) benchmark datasets.

Model	Static datasets	LiveXiv	Difference (static - livexiv)
InstructBLIP-7B	15.33	17.00	-1.67
LLaVA-1.6-Mistral-7B	13.67	16.00	-2.33
Mantis	14.50	14.50	0.00
LLaVA-1.5-7B	14.33	14.50	-0.17
LLaVA-1.5-13B	12.67	13.00	-0.33
Idefics2	13.00	12.00	1.00
InternVL2-2B	9.00	10.00	-1.00
IXC2-4KHD-7B	6.33	10.50	-4.17
IXC2.5-7B	5.00	9.50	-4.50
LLaVA-OneVision-7B	8.00	6.50	1.50
Phi3v	9.00	6.00	3.00
Idefics3	8.50	6.50	2.00
LLaVA-1.6-34B	9.33	6.50	2.83
GPT-4o	2.33	4.00	-1.67
Qwen2-VL	3.33	3.00	0.33
InternVL2-8B	3.33	2.00	1.33
Claude-Sonnet	1.00	1.00	0.00




Figure 7: **LMMs performance based on domain.** To complement our analysis from Figure 6 we visualize the statistical properties of each domain. One clear trend is that across all models, the performance on cs.CV and cs.AI is the most concentrated, hinting lower variance between models.




Figure 8: **Domain sensitivity according to domains.** As opposed to the high variance some models demonstrated in Figure 6, in TQA the tasks and the visual content are more limited thus shrunken the performance variance greatly.




Figure 9: **LMMs performance based on domain.** The domains are very similar in their statistical properties showing high variance in performance. This is probably due to wide range of models that differ significantly in their performance.

A.2.1 PERFORMANCE CHANGE COMPARED TO MANUALLY CURATED SUBSET

Table 6: VQA Performance change between LiveXiv (v1) and a manually curated subset (500 examples).

Model	LiveXiv (%)	Manual (%)	Performance Change	LiveXiv Rank	Manual Rank	Change
InstructBLIP-7B	23.216	21.346	-1.87	17	17	0
InternLM-Xcomposer2.5-7B	47.839	50.769	2.93	10	9	1
InternVL2-8B	61.558	66.154	4.596	3	3	0
LLaVA-1.6-Mistral-7B	29.163	26.346	-2.816	16	16	0
LLaVA-OneVision-Qwen2-7B	52.864	56.154	3.29	7	6	1
LLaVA-1.5-13B	31.859	30.385	-1.475	14	13	1
LLaVA-1.5-7B	29.983	28.654	-1.329	15	14	1
LLaVA-1.6-34B	49.196	53.269	4.073	9	7	2
Mantis-LLama3-8B	32.094	28.654	-3.44	13	14	-1
Phi3v	58.141	58.654	0.513	5	5	0
InternLM-Xcomposer2-4KHD-7B	36.801	33.654	-3.147	12	12	0
Idefics2-8B	36.851	36.731	-0.12	11	11	0
InternVL2-2B	49.548	48.654	-0.894	8	10	-2
Claude-Sonnet	75.942	79.615	3.673	1	1	0
Qwen2-VL	66.248	71.346	5.098	2	2	0
GPT-4o	60.303	60.577	0.274	4	4	0
Idefics3	52.881	52.692	-0.189	6	8	-2
Average (absolute) change			2.336			

Table 7: TQA Performance change between LiveXiv (v1) and a manually curated subset (500 examples).

Model	LiveXiv (%)	Manual (%)	Performance Change	LiveXiv Rank	Manual Rank	Change
InstructBLIP-7B	19.1	18.5	-0.6	17	17	0
InternLM-Xcomposer2.5-7B	49.1	45.9	-3.2	9	9	0
InternVL2-8B	62.1	65.3	3.2	2	2	0
LLaVA-1.6-Mistral-7B	23.5	23.2	-0.3	16	16	0
LLaVA-OneVision-Qwen2-7B	50.2	51.6	1.4	7	8	-1
LLaVA-1.5-13B	30.9	31.2	0.3	13	13	0
LLaVA-1.5-7B	30.0	29.6	-0.3	14	14	0
LLaVA-1.6-34B	51.8	52.2	0.4	5	7	-2
Mantis-LLama3-8B	29.3	28.0	-1.3	15	15	0
Phi3v	50.2	54.1	4.0	7	6	1
InternLM-Xcomposer2-4KHD-7B	42.1	41.7	-0.4	10	11	-1
Idefics2-8B	38.2	42.0	3.8	12	10	-2
InternVL2-2B	41.5	39.5	-2.0	11	12	-1
Claude-Sonnet	83.5	89.2	5.6	1	1	0
Qwen2-VL	60.2	58.3	-1.9	3	3	0
GPT-4o	54.5	55.7	1.3	4	5	-1
Idefics3	50.6	56.4	5.7	6	4	2
Average (absolute) change			2.105			

A.2.2 FIGURE TYPE

We provide all the details for VQA performance according to figure type content in Table 8. We divide the performance to the following figure types: "Chart", "Block Diagram" and "Qualitative".

A.2.3 QUESTION CATEGORY

In Tables 9 and 10 we provide detailed results for VQA and TQA performance according to the category of the questions as classified by an LLM. We divide the performance to the following categories: "Data Analysis", "Attribute", "Reasoning", "Reading", "Localization" and "Arithmetic"

A.2.4 QUESTIONS' DIFFICULTY

We provide additional analyses regarding the diverse difficulties of LiveXiv's generated questions. Figure 10 demonstrates that for all LiveXiv tasks and for both the first and second versions, a wide range of difficulties is present, where most of the questions concentrate in the middle, suggesting our dataset is indeed challenging.

Table 8: Performance of LMMs over different figure types from the LiveXiv v1 VQA set (the amount of samples for each figure type is in brackets).

Model	Chart (4354)	block_diagram (2110)	Qualitative (864)
InstructBLIP-7B	22.9	22.8	22.5
InternLM-Xcomposer2.5-7B	46.7	53.5	41.7
InternVL2-8B	59.1	68.4	63.8
LLaVA-1.6-Mistral-7B	27.3	33.6	33.4
LLaVA-OneVision-Qwen2-7B	48.7	62.8	57.9
LLaVA-1.5-13B	29.3	35.4	40.2
LLaVA-1.5-7B	28.1	33.1	36.0
LLaVA-1.6-34B	44.6	60.0	52.7
Mantis-LLama3-8B	29.3	36.2	36.1
Phi3v	56.1	65.5	55.2
InternLM-Xcomposer2-4KHD-7B	32.9	43.7	47.1
Idefics2-8B	34.3	43.0	41.1
InternVL2-2B	47.2	54.9	50.0
Claude-Sonnet	73.7	81.3	69.1
Qwen2-VL	63.1	73.9	66.0
GPT-4o	56.5	68.6	59.5
idefics3	51.1	59.0	54.1

Table 9: LiveXiv v1 VQA Performance by Question Categories (the amount of samples for each category is in brackets).

Model	Data Analysis (2291)	Reasoning (872)	Attribute (903)	Localization (1596)	Reading (1470)	Arithmetic (154)
InstrcutBLIP	21.16	29.29	22.77	31.25	23.87	23.01
InterLM-XC-2.5	47.52	43.43	48.51	31.25	50.46	47.28
InternVL2-8B	61.74	63.64	65.35	56.25	62.54	62.41
LLaVA1.6-7B	28.91	31.31	30.69	12.50	30.00	30.43
LLaVA-OneVision	52.57	54.55	60.40	56.25	56.76	52.85
LLaVA1.5-13B	32.92	25.25	25.74	43.75	31.85	32.58
LLaVA1.5-7B	30.56	28.28	29.70	25.00	29.71	30.89
LLaVA1.6-34B	50.87	43.43	45.54	37.50	49.60	50.00
Mantis	32.50	33.33	30.69	43.75	31.97	31.80
Phi3v	58.05	63.64	59.41	43.75	58.15	59.07
InterLM-XC-4Khd	37.51	43.43	39.60	18.75	38.67	37.09
Idefics2	37.79	39.39	35.64	31.25	39.54	36.34
InternVL2-2B	50.26	46.46	44.55	43.75	51.45	48.62
Claude-Sonnet	74.78	78.79	67.33	81.25	75.49	75.64
Qwen2-VL	66.93	66.67	68.32	43.75	68.73	65.01
GPT4o	61.41	60.61	59.41	62.50	59.83	59.76
Idefics3	52.34	63.64	51.49	50.00	54.51	54.00

Table 10: LiveXiv v1 TQA Performance by Question Categories (the amount of samples for each category is in brackets).

Model	Data Analysis (2582)	Reasoning (123)	Attribute (121)	Localization (23)	Reading (2127)	Arithmetic (3934)
InstructBLIP-7B	24.7	27.6	34.7	43.5	20.4	13.6
InternLM-Xcomposer2.5-7B	54.9	75.6	79.3	60.9	74.6	29.7
InternVL2-8B	58.6	73.2	78.5	65.2	79.8	54.1
LLaVA-1.6-Mistral-7B	30.4	39.0	52.1	30.4	32.0	13.0
LLaVA-OneVision-Qwen2-7B	47.5	72.4	80.2	60.9	69.1	40.3
LLaVA-1.5-13B	31.6	49.6	47.9	30.4	32.4	28.5
LLaVA-1.5-7B	30.8	39.0	42.1	43.5	31.6	27.9
LLaVA-1.6-34B	46.4	69.1	76.9	47.8	66.8	46.1
Mantis-LLama3-8B	28.7	39.0	46.3	21.7	32.4	27.3
Phi3v	52.2	76.4	77.7	60.9	72.4	35.2
InternLM-Xcomposer2-4KHD-7B	45.4	69.1	77.7	60.9	66.2	25.0
Idefics2-8B	35.0	57.7	57.9	43.5	51.1	32.4
InternVL2-2B	36.9	57.7	70.2	30.4	62.2	32.1
Claude-Sonnet	85.1	90.2	91.7	87.0	91.0	78.1
Qwen2-VL	64.6	86.2	90.1	65.2	82.0	44.0
GPT-4o	57.5	79.7	86.8	69.6	73.0	40.6
Idefics3	52.0	79.7	77.7	56.5	72.0	36.6




Figure 10: **LiveXiv questions' difficulty diversity.** LiveXiv is composed of questions at varying levels of difficulty. Each row shows a version of the dataset on both of its task (VQA and TQA). LiveXiv demonstrates questions in a wide range of questions' difficulties, from questions that no model was able to answer correctly up to questions that all models were able to easily answer, The center mass consternates in the middle, hinting the dataset is indeed challenging and the fact that the difficulty distribution remains the same for both the first version and second version suggests the stability of our diverse and challenging dataset.

Table 11: Version 0 - VQA and TQA average accuracy across ArXiv taxonomy (the number of samples is in brackets).

VQA Accuracy	cs.AI (188)	cs.CV (200)	cs.LG (196)	cs.RO (321)	eess.SP (269)	eess.SY (286)	q-bio.BM (154)	q-bio.CB (206)	q-bio.GN (80)	q-bio.TO (167)	Mean (2067)
InstrcutBLIP	0.29	0.24	0.20	0.22	0.24	0.25	0.27	0.22	0.19	0.25	0.24
InterLM-XC-2.5	0.42	0.42	0.49	0.48	0.56	0.48	0.51	0.49	0.57	0.46	0.49
InternVL2-2B	0.30	0.28	0.30	0.34	0.32	0.36	0.26	0.25	0.22	0.30	0.29
InternVL2-8B	0.61	0.66	0.64	0.65	0.69	0.68	0.58	0.55	0.59	0.57	0.62
LLaVA1.6-7B	0.54	0.56	0.52	0.62	0.55	0.60	0.50	0.50	0.60	0.43	0.54
LLaVA-OneVision	0.32	0.36	0.33	0.38	0.35	0.35	0.31	0.27	0.32	0.22	0.32
LLaVA1.5-13B	0.29	0.35	0.31	0.35	0.33	0.33	0.33	0.28	0.29	0.25	0.31
LLaVA1.5-7B	0.44	0.50	0.63	0.52	0.52	0.53	0.46	0.40	0.44	0.48	0.49
LLaVA1.6-34B	0.30	0.39	0.33	0.36	0.29	0.36	0.33	0.32	0.32	0.31	0.33
Mantis	0.55	0.60	0.65	0.57	0.67	0.61	0.54	0.58	0.57	0.42	0.58
Phi3v	0.42	0.42	0.41	0.41	0.29	0.35	0.39	0.36	0.39	0.26	0.37
InterLM-XC-4Khd	0.39	0.44	0.42	0.41	0.43	0.45	0.38	0.34	0.32	0.40	0.40
Idefics2	0.47	0.48	0.48	0.52	0.50	0.49	0.49	0.43	0.49	0.48	0.48
Claude-Sonnet	0.77	0.74	0.81	0.77	0.89	0.79	0.72	0.74	0.55	0.78	0.75
Qwen2-VL-7B	0.62	0.66	0.71	0.72	0.77	0.70	0.69	0.59	0.66	0.61	0.67
GPT4o	0.49	0.52	0.55	0.55	0.58	0.52	0.47	0.49	0.45	0.49	0.51
Idefics3	0.52	0.63	0.54	0.58	0.54	0.54	0.55	0.47	0.55	0.51	0.54
TQA Accuracy	cs.AI (167)	cs.CV (473)	cs.LG (516)	cs.RO (247)	eess.SP (45)	eess.SY (188)	q-bio.BM (118)	q-bio.CB (108)	q-bio.GN (398)	q-bio.TO (115)	Mean (2375)
InstrcutBLIP	0.20	0.19	0.23	0.19	0.20	0.21	0.19	0.14	0.24	0.21	0.20
InterLM-XC-2.5	0.46	0.38	0.36	0.51	0.38	0.56	0.45	0.44	0.47	0.44	0.45
InternVL2-2B	0.41	0.36	0.36	0.51	0.27	0.49	0.42	0.43	0.40	0.42	0.41
InternVL2-8B	0.50	0.56	0.55	0.68	0.64	0.75	0.62	0.64	0.54	0.73	0.62
LLaVA1.6-7B	0.26	0.19	0.22	0.29	0.24	0.26	0.20	0.28	0.22	0.30	0.25
LLaVA-OneVision	0.48	0.41	0.43	0.57	0.33	0.64	0.49	0.57	0.43	0.55	0.49
LLaVA1.5-13B	0.37	0.29	0.28	0.36	0.31	0.32	0.29	0.31	0.30	0.31	0.31
LLaVA1.5-7B	0.32	0.26	0.29	0.32	0.33	0.30	0.28	0.36	0.30	0.30	0.31
LLaVA1.6-34B	0.54	0.50	0.46	0.55	0.47	0.63	0.58	0.57	0.47	0.54	0.53
Mantis	0.31	0.24	0.29	0.35	0.33	0.32	0.19	0.32	0.32	0.32	0.30
Phi3v	0.47	0.41	0.43	0.51	0.49	0.60	0.48	0.56	0.46	0.48	0.49
InterLM-XC-4Khd	0.43	0.31	0.36	0.50	0.24	0.53	0.48	0.44	0.38	0.43	0.41
Idefics2	0.36	0.30	0.34	0.38	0.33	0.43	0.34	0.41	0.34	0.30	0.35
Claude-Sonnet	0.77	0.79	0.84	0.85	0.80	0.85	0.84	0.79	0.78	0.83	0.81
Qwen2-VL-7B	0.59	0.53	0.52	0.63	0.53	0.64	0.53	0.66	0.53	0.63	0.58
GPT4o	0.46	0.41	0.40	0.55	0.47	0.57	0.49	0.50	0.45	0.48	0.48
Idefics3	0.49	0.43	0.44	0.57	0.36	0.57	0.45	0.58	0.46	0.52	0.49

A.4 ADDITIONAL LIVEXIV DATASET VERSIONS

In this section we describe in detail the additional LiveXiv versions, v0 (generated from papers from 2010), v1-opposite which is the same raw data as v1 but this time Claude is the QA generation model and GPT-4o does the filtering, and v2 and v3 which consist of multiple participating models. We start by describing each version and the performance of the evaluated models. Lastly, we summarize the diversity of our generated dataset, both in terms of visual content and in terms of the different categories of questions.

A.4.1 LIVEXIV v0

We analyzed 100 scientific papers from 2010 and developed v0, which contains 4,500 questions. Due to the dynamic nature of scientific data, v0 represents a significant distribution shift from v1. We used our efficient evaluation method to predict v1 from v0, and our high-accuracy predictions demonstrate the method’s robustness across a large temporal gap. Refer to Table 11 for performance details.

A.4.2 LIVEXIV v1-OPPOSITE

To show the impact of the the role of each model in the dataset creation, we created an opposite version of v1, where Claude is the model that generates the questions and GPT is the model that does the filtering. Table 12 demonstrates the changes in the absolute performance and in the ranking between the models. Overall, switching roles between Claude and GPT-4o has minimal impact on most models. However, GPT-4o shows slightly more variation, dropping slightly in the rankings when it takes on the role of filtering questions. This variation occurs because generating the questions provides some advantage.

A.4.3 LIVEXIV v2

LiveXiv second version (v2) consists of 10.4K questions for VQA and 7.7K questions for TQA. In addition we introduced 4 new domains from physics, namely, `physics.app-ph`, `physics.optics`,

Table 12: We compared LiveXiv first version with different configurations, The original configuration where GPT4o generates the questions and Claude filters and an opposite version where Claude generates the questions and GPT4o performs the filtering. We see in it that overall, the ranking remains similar and the changes are minor. Indeed, for the generating model there is some advantage as we see that GPT goes down a bit in the ranking (Claude remains first in both cases).

	VQA		TQA	
	Ranking change	Average change (%)	Ranking change	Average change (%)
InstructBLIP-7B	0	-1.78	0	9.66
IXC2.5-7B	0	-0.83	0	13.73
InternVL2-8B	0	-1.18	0	2.37
LLaVA-1.6-Mistral-7B	2	-8.64	0	10.72
LLaVA-OneVision-7B	1	-3.66	-2	13.42
LLaVA-v1.5-13B	0	-6.49	0	8.48
LLaVA-v1.5-7B	0	-8.00	-1	12.72
LLaVA-v1.6-34B	2	-5.85	0	-0.35
Mantis-LLama3-8B	2	-7.13	0	10.24
Phi3v	1	-0.49	0	13.856
IXC2-4KHD-7B	-5	-0.47	3	8.60
Idefics2-8B	1	-6.00	0	3.21
InternVL2-2B	0	-1.42	0	2.61
Claude-Sonnet	0	-3.31	0	10.11
Qwen2-VL	0	-0.31	0	2.81
GPT-4o	-4	4.74	0	13.46
Idefics3	0	-1.89	0	12.23
Average	0	-3.10	0	8.70

Table 13: Version 2 - VQA and TQA average accuracy across ArXiv taxonomy (the number of samples is in brackets).

VQA Accuracy	cs.AI (790)	cs.CV (1071)	cs.LG (853)	cs.RO (834)	eess.SP (889)	eess.SY (772)	physics.app-ph (944)	physics.bio-ph (868)	physics.data-an (841)	physics.optics (819)	q-bio.BM (890)	q-bio.CB (184)	q-bio.GN (321)	q-bio.TO (299)	Mean (10375)
InstructBLIP	0.25	0.24	0.23	0.27	0.28	0.22	0.22	0.25	0.27	0.22	0.20	0.25	0.22	0.17	0.24
InterLM-XC-2.5	0.51	0.49	0.43	0.49	0.54	0.52	0.46	0.52	0.49	0.51	0.47	0.42	0.54	0.51	0.49
InternVL2-8B	0.66	0.67	0.54	0.65	0.65	0.65	0.63	0.68	0.64	0.66	0.62	0.59	0.64	0.66	0.64
InternVL2-2B	0.34	0.39	0.34	0.36	0.33	0.32	0.30	0.34	0.32	0.31	0.34	0.29	0.30	0.34	0.33
LLaVA1.6-7B	0.55	0.60	0.47	0.59	0.54	0.59	0.57	0.59	0.55	0.59	0.55	0.47	0.58	0.56	0.56
LLaVA-OneVision	0.35	0.36	0.33	0.39	0.35	0.36	0.34	0.35	0.33	0.34	0.36	0.33	0.35	0.35	0.35
LLaVA1.5-13B	0.32	0.35	0.33	0.35	0.31	0.34	0.31	0.34	0.35	0.35	0.33	0.35	0.32	0.35	0.33
LLaVA1.5-7B	0.53	0.56	0.42	0.57	0.54	0.54	0.48	0.58	0.45	0.55	0.51	0.47	0.45	0.56	0.52
LLaVA1.6-34B	0.35	0.35	0.29	0.35	0.30	0.33	0.31	0.35	0.31	0.36	0.33	0.35	0.33	0.35	0.33
Mantis	0.59	0.64	0.51	0.63	0.64	0.60	0.60	0.66	0.60	0.62	0.60	0.49	0.58	0.62	0.60
Phi3v	0.43	0.45	0.30	0.42	0.32	0.35	0.32	0.33	0.36	0.32	0.36	0.24	0.38	0.32	0.35
InterLM-XC-4Khd	0.39	0.44	0.36	0.43	0.36	0.40	0.38	0.43	0.39	0.39	0.33	0.34	0.39	0.39	0.39
Idefics2	0.50	0.54	0.45	0.52	0.47	0.52	0.52	0.55	0.51	0.53	0.48	0.43	0.48	0.51	0.50
Claude-Sonnet	0.81	0.78	0.75	0.76	0.83	0.80	0.78	0.80	0.76	0.77	0.69	0.76	0.78	0.78	0.78
Qwen2-VL-7B	0.68	0.71	0.61	0.68	0.72	0.66	0.70	0.75	0.69	0.73	0.67	0.58	0.69	0.71	0.68
GPT4o	0.58	0.61	0.50	0.60	0.62	0.57	0.61	0.63	0.59	0.61	0.59	0.53	0.54	0.67	0.59
Idefics3	0.57	0.60	0.50	0.55	0.58	0.58	0.52	0.59	0.53	0.54	0.55	0.52	0.60	0.58	0.56
Pixtral	0.73	0.71	0.66	0.73	0.78	0.70	0.76	0.77	0.73	0.73	0.70	0.67	0.72	0.77	0.73
Molmo	0.62	0.67	0.52	0.62	0.62	0.62	0.59	0.65	0.61	0.63	0.61	0.49	0.55	0.67	0.60
TQA Accuracy	cs.AI (1208)	cs.CV (901)	cs.LG (785)	cs.RO (1315)	eess.SP (164)	eess.SY (458)	physics.app-ph (998)	physics.bio-ph (482)	physics.data-an (340)	physics.optics (198)	q-bio.BM (252)	q-bio.CB (203)	q-bio.GN (141)	q-bio.TO (267)	Mean (7712)
InstructBLIP	0.20	0.22	0.21	0.19	0.19	0.19	0.15	0.13	0.18	0.18	0.18	0.21	0.20	0.18	0.19
InterLM-XC-2.5	0.41	0.43	0.45	0.49	0.42	0.50	0.46	0.56	0.52	0.43	0.45	0.38	0.46	0.41	0.46
InternVL2-2B	0.37	0.34	0.39	0.37	0.36	0.41	0.41	0.47	0.39	0.37	0.38	0.34	0.41	0.30	0.38
InternVL2-8B	0.56	0.55	0.59	0.64	0.63	0.65	0.65	0.69	0.56	0.60	0.61	0.51	0.57	0.57	0.60
LLaVA1.6-7B	0.23	0.21	0.22	0.23	0.21	0.24	0.22	0.21	0.26	0.25	0.24	0.15	0.24	0.21	0.22
LLaVA-OneVision	0.42	0.44	0.50	0.48	0.45	0.53	0.49	0.56	0.52	0.50	0.48	0.46	0.49	0.47	0.49
LLaVA1.5-13B	0.30	0.28	0.33	0.32	0.34	0.28	0.29	0.35	0.31	0.29	0.25	0.28	0.27	0.30	0.28
LLaVA1.5-7B	0.28	0.26	0.31	0.31	0.28	0.30	0.27	0.33	0.28	0.29	0.31	0.33	0.25	0.27	0.29
LLaVA1.6-34B	0.45	0.45	0.48	0.54	0.54	0.59	0.55	0.55	0.55	0.52	0.54	0.48	0.49	0.51	0.52
Mantis	0.28	0.28	0.29	0.32	0.33	0.28	0.28	0.33	0.34	0.25	0.28	0.22	0.27	0.24	0.29
Phi3v	0.43	0.47	0.48	0.49	0.42	0.53	0.47	0.60	0.54	0.48	0.47	0.39	0.49	0.44	0.48
InterLM-XC-4Khd	0.37	0.37	0.40	0.43	0.34	0.42	0.40	0.46	0.44	0.47	0.39	0.24	0.41	0.30	0.39
Idefics2	0.32	0.33	0.35	0.37	0.34	0.44	0.35	0.44	0.39	0.36	0.36	0.29	0.37	0.32	0.36
Claude-Sonnet	0.79	0.82	0.81	0.87	0.81	0.81	0.83	0.85	0.83	0.80	0.83	0.77	0.81	0.84	0.82
Qwen2-VL-7B	0.51	0.54	0.56	0.59	0.60	0.63	0.57	0.73	0.59	0.53	0.56	0.51	0.61	0.52	0.58
GPT4o	0.47	0.45	0.45	0.50	0.50	0.50	0.52	0.55	0.46	0.47	0.43	0.43	0.49	0.54	0.49
Idefics3	0.43	0.48	0.47	0.47	0.47	0.58	0.47	0.55	0.48	0.48	0.47	0.39	0.50	0.49	0.48
Pixtral	0.57	0.56	0.58	0.59	0.57	0.63	0.60	0.66	0.58	0.57	0.58	0.54	0.61	0.57	0.59
Molmo	0.49	0.48	0.51	0.53	0.49	0.55	0.52	0.64	0.53	0.50	0.53	0.44	0.51	0.49	0.51

physics.bio-ph, physics.data-an to a total of 14 domains. Lastly, we also added Two new models, Pixtral (Agrawal et al., 2024) and Molmo-7B (Deitke et al., 2024). Due to our high frequency updates, Quantitative Biology related domains have overlapping papers between versions. Thus, we filtered these overlapping papers out. V2 shows similar diversity to v1 (see Table 18), similar performance of the evaluated models, resulting an accurate and reliable efficient evaluation (see Figure ??) and lastly, demonstrating LiveXiv to be evolving scalable live dataset. Table 13 reports the performance summary.

A.4.4 LIVEXIV v3

To further mitigate the potential bias due to single generation and single filtering model, v3 is a combination of 3 participant models, GPT-4o, Claude-Sonnet and Qwen2-VL-72B. v3 is actually 3 subsets, where each time a different model takes a different role. Table 14 presents the results for all 3 subsets. Table 15 shows the performance per subset. Overall we can see that the model ranking remains similar to previous version. This hints that the bias of using a single model is small. We extended our manual verification process with an additional check of v3. Tables 16 and 17 present these results in detail. The manual check revealed more variations compared to the manual check on v1, which can be attributed to the participation of three models in v3. As shown in Table 15, Qwen2-VL-72B demonstrated weaker performance compared to GPT and Claude. Consequently, its role as the filtering and generation model likely introduced additional noise into the dataset. However, the average performance change for both VQA and TQA remains below 5%.

Table 14: Version 3 - VQA and TQA average accuracy across ArXiv taxonomy (the number of samples is in brackets).

VQA Accuracy	cs.AI (609)	cs.CV (892)	cs.LG (792)	cs.RO (798)	eess.SP (835)	eess.SY (597)	physics.app-ph (1035)	physics.bio-ph (908)	physics.data-an (425)	physics.optics (628)	q-bio.BM (803)	q-bio.CB (640)	q-bio.GN (425)	q-bio.TO (555)	Mean (9942)
InstructBLIP	0.24	0.26	0.23	0.26	0.21	0.21	0.22	0.22	0.23	0.20	0.22	0.23	0.26	0.24	0.23
InterLM-XC-2.5	0.50	0.50	0.46	0.49	0.48	0.47	0.53	0.50	0.50	0.52	0.49	0.48	0.51	0.52	0.50
InternVL2-2B	0.37	0.38	0.31	0.42	0.33	0.35	0.34	0.31	0.28	0.34	0.35	0.35	0.32	0.35	0.34
InternVL2-8B	0.65	0.66	0.60	0.71	0.67	0.65	0.69	0.64	0.62	0.68	0.62	0.64	0.61	0.69	0.65
LLaVA1.6-7B	0.58	0.59	0.51	0.65	0.57	0.55	0.61	0.57	0.52	0.58	0.51	0.56	0.52	0.57	0.56
LLaVA-OneVision	0.38	0.40	0.33	0.45	0.33	0.39	0.36	0.34	0.31	0.37	0.36	0.38	0.33	0.34	0.36
LLaVA1.5-13B	0.37	0.38	0.32	0.44	0.31	0.36	0.35	0.33	0.29	0.36	0.32	0.36	0.34	0.36	0.35
LLaVA1.5-7B	0.54	0.59	0.47	0.64	0.56	0.56	0.57	0.52	0.47	0.59	0.50	0.49	0.50	0.57	0.54
LLaVA1.6-34B	0.37	0.40	0.31	0.42	0.33	0.37	0.37	0.35	0.30	0.36	0.34	0.37	0.34	0.37	0.36
Mantis	0.63	0.64	0.59	0.65	0.62	0.59	0.67	0.63	0.60	0.63	0.56	0.60	0.60	0.59	0.61
Phi3v	0.38	0.42	0.34	0.46	0.33	0.33	0.38	0.32	0.31	0.37	0.31	0.31	0.37	0.38	0.36
InterLM-XC-4Khd	0.40	0.42	0.35	0.47	0.36	0.41	0.42	0.39	0.35	0.38	0.36	0.39	0.39	0.45	0.40
Idefics2	0.54	0.55	0.47	0.58	0.49	0.51	0.55	0.50	0.49	0.50	0.48	0.53	0.49	0.50	0.51
Claude-Sonnet	0.75	0.77	0.76	0.78	0.80	0.80	0.81	0.80	0.73	0.81	0.76	0.75	0.77	0.78	0.78
Qwen2-VL-7B	0.68	0.69	0.66	0.74	0.68	0.66	0.75	0.72	0.69	0.72	0.62	0.70	0.68	0.73	0.69
GPT4o	0.50	0.54	0.50	0.56	0.51	0.54	0.52	0.48	0.48	0.48	0.46	0.51	0.51	0.52	0.51
Idefics3	0.59	0.58	0.50	0.60	0.54	0.57	0.58	0.53	0.52	0.56	0.49	0.52	0.57	0.54	0.55
Pixtral	0.69	0.71	0.69	0.74	0.72	0.70	0.76	0.70	0.72	0.74	0.69	0.71	0.70	0.74	0.71
Molmo	0.62	0.64	0.58	0.66	0.64	0.60	0.66	0.60	0.60	0.62	0.57	0.62	0.60	0.65	0.62
TQA Accuracy	cs.AI (802)	cs.CV (939)	cs.LG (890)	cs.RO (502)	eess.SP (386)	eess.SY (273)	physics.app-ph (270)	physics.bio-ph (199)	physics.data-an (149)	physics.optics (241)	q-bio.BM (821)	q-bio.CB (283)	q-bio.GN (650)	q-bio.TO (248)	Mean (6653)
InstructBLIP	0.18	0.25	0.16	0.18	0.17	0.22	0.24	0.18	0.18	0.19	0.22	0.18	0.20	0.23	0.20
InterLM-XC-2.5	0.49	0.47	0.51	0.49	0.49	0.59	0.66	0.65	0.52	0.53	0.50	0.56	0.56	0.59	0.54
InternVL2-2B	0.44	0.38	0.44	0.46	0.46	0.56	0.63	0.58	0.46	0.46	0.42	0.49	0.47	0.47	0.48
InternVL2-8B	0.67	0.60	0.60	0.65	0.67	0.77	0.79	0.77	0.70	0.72	0.62	0.75	0.66	0.67	0.69
LLaVA1.6-7B	0.26	0.24	0.24	0.21	0.23	0.32	0.35	0.29	0.29	0.26	0.24	0.27	0.23	0.26	0.26
LLaVA-OneVision	0.52	0.52	0.50	0.52	0.52	0.66	0.73	0.66	0.60	0.60	0.57	0.48	0.62	0.53	0.56
LLaVA1.5-13B	0.35	0.32	0.33	0.29	0.34	0.38	0.33	0.32	0.17	0.33	0.33	0.29	0.33	0.24	0.31
LLaVA1.5-7B	0.32	0.32	0.32	0.30	0.34	0.37	0.33	0.30	0.24	0.30	0.32	0.31	0.30	0.29	0.31
LLaVA1.6-34B	0.58	0.51	0.47	0.56	0.60	0.66	0.72	0.72	0.60	0.65	0.55	0.67	0.56	0.54	0.60
Mantis	0.32	0.27	0.33	0.31	0.29	0.40	0.33	0.32	0.33	0.35	0.29	0.30	0.30	0.26	0.31
Phi3v	0.52	0.51	0.53	0.51	0.55	0.62	0.74	0.68	0.59	0.61	0.53	0.63	0.58	0.51	0.58
InterLM-XC-4Khd	0.45	0.39	0.46	0.44	0.44	0.51	0.57	0.55	0.43	0.48	0.46	0.46	0.44	0.47	0.47
Idefics2	0.40	0.31	0.39	0.33	0.40	0.46	0.51	0.45	0.42	0.47	0.35	0.42	0.42	0.44	0.41
Claude-Sonnet	0.82	0.78	0.78	0.85	0.85	0.87	0.85	0.86	0.89	0.88	0.78	0.88	0.83	0.83	0.84
Qwen2-VL-7B	0.62	0.60	0.63	0.63	0.62	0.68	0.77	0.72	0.72	0.73	0.62	0.70	0.66	0.64	0.67
GPT4o	0.45	0.44	0.45	0.44	0.51	0.59	0.62	0.56	0.54	0.53	0.48	0.60	0.54	0.51	0.52
Idefics3	0.55	0.49	0.57	0.47	0.51	0.59	0.68	0.66	0.54	0.59	0.52	0.58	0.56	0.53	0.56
Pixtral	0.40	0.41	0.50	0.42	0.37	0.48	0.16	0.14	0.49	0.54	0.36	0.42	0.39	0.37	0.39
Molmo	0.35	0.35	0.42	0.38	0.34	0.47	0.14	0.12	0.44	0.44	0.31	0.33	0.34	0.31	0.34

Table 15: **Average performance (%) on different versions.** We clearly can see that version subset 3 (denote v3-s3) has a large shift in the average performance for TQA, suggests that Qwen2-VL-72B might generates easier questions.

	VQA	TQA
v1	47.1	45.1
v2	50.7	44.0
v3 - s1	51.6	44.5
v3 - s2	49.1	41.7
v3 - s3	52.2	52.5
v3	50.8	46.3

Table 16: VQA Manual verification. We re-verified our dataset by curating a subset of 300 questions (100 from each subset). We can see that version 3 even though composed of 3 different subset, remains accurate with a bounded performance change overall and minimal ranking changes.

	Overall	Manual	Performance change	Rank Overall	Rank Manual	Rank change
instructblip-vicuna-7b	22.90	26.75	-3.84	19	19	0
internlm-xcomposer2d5-7b	49.62	51.37	-1.75	12	12	0
InternVL2-8B	65.43	68.09	-2.66	4	5	-1
llava-v1.6-mistral-7b	34.21	40.12	-5.91	18	17	1
llava-onevision-qwen2-7b-ov	56.69	59.88	-3.19	7	9	-2
llava-v1.5-13b	36.48	43.16	-6.68	14	15	-1
llava-v1.5-7b	34.92	39.51	-4.59	17	18	-1
llava-v1.6-34b	54.59	61.40	-6.81	9	8	1
Mantis-8B-siglip-llama3	35.87	41.34	-5.47	16	16	0
phi3v	61.79	64.74	-2.95	6	7	-1
internlm-xcomposer2-4khd-7b	36.07	46.20	-10.13	15	13	2
idefics2-8b	39.64	45.59	-5.95	13	14	-1
InternVL2-2B	51.67	54.10	-2.43	10	10	0
claude	77.95	81.46	-3.51	1	1	0
qwen2vl	69.56	73.56	-3.99	3	2	1
gpt	50.82	51.67	-0.85	11	11	0
idefics3	54.94	64.74	-9.80	8	7	1
pixtral	71.49	72.64	-1.15	2	3	-1
molmo	61.93	69.91	-7.98	5	4	1
mean	50.87	55.59	4.72			

Table 17: TQA Manual verification. We re-verified our dataset by curating a subset of 300 questions (100 from each subset). We can see that version 3 even though composed of 3 different subset, remains accurate with small performance change overall and minimal ranking changes.

	Overall	Manual	Performance change	Rank Overall	Rank Manual	Rank change
instructblip-vicuna-7b	19.93	17.96	1.97	19	19	0
internlm-xcomposer2d5-7b	52.28	49.40	2.88	9	11	-2
InternVL2-2B	45.69	43.71	1.98	12	13	-1
InternVL2-8B	65.93	73.65	-7.73	2	2	0
llava-v1.6-mistral-7b	25.22	26.35	-1.13	18	18	0
llava-onevision-qwen2-7b-ov	53.99	56.29	-2.30	8	6	2
llava-v1.5-13b	32.24	31.74	0.50	15	17	-2
llava-v1.5-7b	31.50	33.23	-1.73	16	15	1
llava-v1.6-34b	56.74	62.57	-5.83	5	3	2
Mantis-8B-siglip-llama3	30.74	32.34	-1.60	17	16	1
phi3v	55.49	52.40	3.10	6	7	-1
internlm-xcomposer2-4khd-7b	45.44	40.12	5.32	13	14	-1
idefics2-8b	39.13	46.71	-7.58	14	12	2
claude	81.92	88.62	-6.70	1	1	0
qwen2vl	64.36	62.28	2.09	3	4	-1
gpt	49.23	50.30	-1.07	11	10	1
idefics3	54.41	52.10	2.32	7	8	-1
pixtral	57.45	56.36	1.09	4	5	-1
molmo	50.12	51.36	-1.25	10	9	1
mean	47.99	48.82	3.06			

A.4.5 DIVERSITY THROUGH TIME

We evaluate LiveXiv diversity through time in Table 18. It shows that each version has a steady distribution of visual content and a diverse set of questions for both figures and tables.

Table 18: Questions and visual content diversity through LiveXiv versions, we can see that the diversity is persistent and LiveXiv has a rich set of visual content as well diverse questions throughout the new versions.

VQA	Data Analysis	Reasoning	Attribute	Localization	Reading	Arithmetic	Charts	Block Diagram	Qualitative
v0	768	280	256	365	320	42	1239	578	214
v1	2291	872	903	1596	1470	154	4354	2110	864
v2	3005	1471	1610	1797	1732	112	5480	2805	1442
v3	3265	1196	1459	1202	1916	321	5113	2141	1573

TQA	Data Analysis	Reasoning	Attribute	Localization	Reading	Arithmetic
v0	637	45	40	14	425	1168
v1	2582	123	121	23	2127	3934
v2	2289	228	74	23	1125	3436
v3	1808	130	97	16	1590	2572

A.5 EXPLORING MORE DETAILS ON EFFICIENT EVALUATION

A.5.1 DETAILED RESULTS FOR LIVEXIV v4

In Figure 13, we present a more detailed set of results extracted from the experiment presented in Figures 4/5 for LiveXiv v4. Interestingly, we see that the models selected for re-evaluation cover the possible values of performances and that our method can make reasonable predictions for domains that were not included in LiveXiv v1.

A.5.2 LIVEXIV v0 (PAPERS FROM 2010) EFFICIENT EVALUATION RESULTS

In Figure 15 we show the performance prediction results of our efficient re-evaluation method on v1 from v0, when re-evaluating 5 models. Despite the (temporal) big distribution shift, our efficient evaluation method does still work well.

A.5.3 LIVEXIV v3 EFFICIENT EVALUATION RESULTS CONSIDERING ALL QUESTIONS (GENERATED BY DIFFERENT MODELS)

The third version of LiveXiv (denoted as v3) introduced multiple participating models for QA generation and filtering. Unlike the default pipeline for the two first versions, in which we have GPT4o as the generation model and Claude-Sonnet for the filtering, we augment LiveXiv v3 with more questions but (i) using Claude-Sonnet as the generation model and Qwen2-VL-72B as the filtering model, and using (ii) Qwen2-VL-72B as the generation model and GPT4o as the filtering model. The results can be seen in Figure 14; in summary, we have a greater distribution shift when it comes to TQA and when Qwen2-VL-72B is included as the generation model, making the prediction task for the IRT model harder, thus increasing the prediction errors for v3 when compared to Figures 4/5. In v4 we narrow the participants only to GPT-4o and Claude-Sonnet playing both roles, and reducing both potential bias from a single model for generation or filtering and maintaining accurate predictions.

A.5.4 EFFICIENT EVALUATION ON MM-LIVEBENCH

In this section, we challenge our efficient evaluation method, by examining its performance over another type of multi-modal live dataset Zhang et al. (2024b). The dataset has 3 versions (May 2024, June 2024, and July 2024), and each version has roughly 250-300 samples of open-ended questions scraped from newspapers. To evaluate our method we use GPT-4o to convert the open-ended questions into closed-form of questions where the true answer is rephrased and 3 more negative answers are proposed. Then we evaluate 13 LMMs over all the dataset versions. We use the first version as a training set and we predict the performance over the new concatenated sets using our IRT-based method. Figure 16 shows that our method still performs well on a different benchmark when re-evaluating only 5 models.




Figure 13: Performance prediction results of our efficient re-evaluation method on v4 when re-evaluating 5 models.




Figure 14: This figure is a reproduction of Figures 4 (first row) and 5 (second row) considering the full LiveXiv v3 and not only questions generated by GPT4o and Claude-Sonnet. In this case, we can see that the prediction performance of IRT can be deteriorated due to distribution shifts in the data.




Figure 15: Performance prediction results of our efficient re-evaluation method on v1 from v0 when re-evaluating 5 models. We can see that even in a large temporal gap, our method managed to predict accurately.




Figure 16: Our efficient evaluation method applied to MM-LiveBench. We check that our method could be successfully applied in this other context, here we convert MM-LiveBench to multiple choice questions and apply our efficient evaluation method between MM-LiveBench versions. The results for MM-LiveBench are optimistic, showing our method predict the results between its version accurately.

A.6 PROMPT TEMPLATE FOR QA GENERATIONS

```
This is a figure
from a scientific paper with the following caption: {text_desc}.
Please describe the image in
as much details as possible. For all the details you are confident
about include everything you see, and be as specific as possible
, such as existing numbers, describing objects, attributes ...
```

Figure 17: Prompt template for general detailed caption.

```
Compositional reasoning defines the understanding of
attributes, relations and word order significance. A good vision
-language model should be able to accurately answer composition
reasoning questions about an image. Your task is to fool a vision
-language model by generating challenging compositional reasoning
questions about the figure. Given the image and the description
you generated: {detailed_description}, generate {n_questions}
diverse and challenging compositional reasoning questions which a
vision-language model would incorrectly answer. For each question
include the following: - A compositional reasoning question -
A correct answer - 3 hard negative options. Each negative option
should differ only subtly from the correct answer but still be
clearly incorrect given the image, and the question. The goal is
for a vision-language model to choose the negative option over the
positive option when you asked to answer the question in binary
multiple choice format. Only include questions you are confident
in your answer and make sure there is indeed only a single correct
answer and the others are false answers. Format your response
as a string in the format [{"Q":<question>, "a":<correct answer
>, "n1":<negative option 1>, "n2":<negative option 2>, ...}].
```

Figure 18: Prompt template for visual question-answering.

```
Document and table understanding defines
the understanding of values, metrics and perform arithmetic
operations over numerical values and commonsense reasoning
. A good language model should be able to accurately answer
{commonsense_reasoning / arithmetic manipulation} questions from a
given table. Your task is to fool a language model by generating
challenging table {commonsense_reasoning / arithmetic manipulation
} questions about the table. Given the table: {table_content}
Generate {n_questions} diverse and challenging
{commonsense_reasoning / arithmetic manipulation} questions on the
table questions which a language model would incorrectly answer
.For each question include the following: - A question - A correct
answer - 3 hard negative options. Each negative option should
differ only subtly from the correct answer but still be clearly
incorrect given the figure, caption and the question. The goal
is for a language model to choose the negative option over the
positive option when you asked to answer the question in binary
multiple choice format. Only include questions you are confident
in your answer and make sure there is indeed only a single correct
answer and the others are false answers. Format your response
as a string in the format [{"Q":<question>, "a":<correct answer
>, "n1":<negative option 1>, "n2":<negative option 2>, ...}].
```

Figure 19: Prompt template for table question-answering.

```
Think step by step before answering.
For the given image and question: {question}
write only the words yes or no if think the option {correct_answer
} is indeed the correct answer out of {options} for this question?
```

Figure 20: Prompt template for agreement filtering.

```
You are
an insightful assistant, for the question/options pair provided
by the user, pick a question category from the list below:
Question category:
- attribute: the question asks about the presence or
visibility of an attribute of an object (e.g. "What is the color
of circles in plot (a)?" "[A. Blue, B. White, C. Green, D. Red]")
- reasoning: the question
asks about understanding the figure (e.g "What is the object
inside the red box?" "[A. Bottle, B. Table, C. Tree, D. Nothing]")
- localization: the question asks about
the presence or visibility at a specific location in the image
(e.g "On which subplot does the scatter is the most spread?"
"[A. Top-Left, B. Bottom-Right, C. 'Middle-Left', D. 'Top-Right']")
- reading: the question asks about reading
some text from the figure (e.g "What is name of the method
presneted as a green line?" "[A. GPSK, B. FDAH, C. TQWA, D.Ours]")
- arithmetic: the questions asks about mathematical arithmetic
of numbers (e.g if the maximum accuracy of SIFT would be
doubled? what would be the value?" "[A. 2, B. 4 , C. 100, D. 50])
- data
analysis: the question asks about understanding of a graph (e.g,
"Which values intersect at T=2?" "[A. N1, B. N2, C. N3, D. N4]")
Respond with a JSON object
with the following format: {"Question category": "category"}
```

Figure 21: Prompt template for question categories analysis.