
MindSet: Vision. A toolbox for testing DNNs on key psychological experiments

Valerio Biscione^{1*} Dong Yin¹ Gaurav Malhotra² Marin Dujmovic³
Milton L. Montero⁴ Guillermo Puebla⁵ Federico Adolfi^{1,6}
Rachel F. Heaton^{7,8} John E. Hummel⁸ Benjamin D. Evans⁹ Karim Habashy¹
Jeffrey S. Bowers¹

¹School of Psychological Science, University of Bristol

²University at Albany, State University of New York

³School of Physiology, Pharmacology and Neuroscience, University of Bristol

⁴IT University of Copenhagen

⁵Instituto de Alta Investigación, Universidad de Tarapacá, Chile

⁶Ernst Strüngmann Institute for Neuroscience, Max-Planck Society, Germany

⁷Siebel Center for Design, University of Illinois Urbana-Champaign

⁸Department of Psychology, University of Illinois Urbana-Champaign

⁹School of Engineering and Informatics, University of Sussex

1 Supplementary Materials: Accessibility and Licensing

2 Pre-generated datasets are accessible for viewing and download on Kaggle in both a comprehensive
3 version and a "lite" version, which can be found at large and "lite" respectively. Croissant metadata
4 for both versions are automatically generated by Kaggle and can be downloaded from the Kaggle
5 page. These datasets comprise a collection of folders containing .png images and associated
6 metadata. Notably, each dataset's root folder includes a .csv file containing metadata for each
7 individual image, as well as a .toml file detailing the configuration parameters used in dataset
8 generation. This structure enables precise replication of each dataset published on Kaggle using our
9 provided codebase. The dataset is made available under the CC 1.0 Universal license, with a DOI of
10 10.34740/kaggle/dsv/8037793.

11 The codebase for regenerating the dataset with varying parameters is hosted on GitHub, licensed
12 under MIT. Comprehensive documentation on dataset generation procedures is included in the main
13 README file within the repository. Additionally, we provide code for evaluating the datasets using
14 three distinct testing methods: out-of-distribution classification, similarity analysis, and decoder
15 approach. Each method is documented in a dedicated README file within the corresponding
16 folder, such as src/utills/similarity_judgment/README.md, and examples are provided. The
17 appendix in the main text offers detailed descriptions of each dataset, emphasizing that each dataset
18 can be regenerated by specifying a set of parameters. The meaning of each parameter for each dataset
19 is accessible via the -h flag and is also provided in the accompanying .toml file used for dataset
20 generation. The entire dataset generation process is tested on Windows Server 2022 (Windows 10/11),
21 macOS 14.4.1, and Ubuntu 20.04. Authors assume full responsibility in the event of any rights
22 violations.

*corresponding author: valerio.biscione@gmail.com