

RECURSIVE GENERALIZATION TRANSFORMER FOR IMAGE SUPER-RESOLUTION

Zheng Chen¹, Yulun Zhang^{1*†}, Jinjin Gu^{2,3}, Linghe Kong^{1*}, Xiaokang Yang¹

¹Shanghai Jiao Tong University, ²Shanghai AI Laboratory, ³The University of Sydney

ABSTRACT

Transformer architectures have exhibited remarkable performance in image super-resolution (SR). Since the quadratic computational complexity of the self-attention (SA) in Transformer, existing methods tend to adopt SA in a local region to reduce overheads. However, the local design restricts the global context exploitation, which is crucial for accurate image reconstruction. In this work, we propose the Recursive Generalization Transformer (RGT) for image SR, which can capture global spatial information and is suitable for high-resolution images. Specifically, we propose the recursive-generalization self-attention (RG-SA). It recursively aggregates input features into representative feature maps, and then utilizes cross-attention to extract global information. Meanwhile, the channel dimensions of attention matrices (*query*, *key*, and *value*) are further scaled to mitigate the redundancy in the channel domain. Furthermore, we combine the RG-SA with local self-attention to enhance the exploitation of the global context, and propose the hybrid adaptive integration (HAI) for module integration. The HAI allows the direct and effective fusion between features at different levels (local or global). Extensive experiments demonstrate that our RGT outperforms recent state-of-the-art methods quantitatively and qualitatively. Code and pre-trained models are available at <https://github.com/zhengchen1999/RGT>.

1 INTRODUCTION

Image super-resolution (SR) aims to recover a high-resolution (HR) images from its low-resolution (LR) counterpart. Image SR is an ill-posed problem, as there are multiple solutions that can map to any given LR input. To tackle this challenging inverse problem, researchers have proposed numerous deep convolutional neural networks (CNNs) (Dong et al., 2014; Lim et al., 2017; Zhang et al., 2018b; Mei et al., 2020) in the past few years. Thanks to their impressive performance against conventional approaches, CNNs have almost dominated the field of SR.

However, deep CNNs still suffer from a limitation in global context awareness, due to the local processing principle of the convolution operator. Recently, an alternative method, Transformer, has exhibited considerable performance compared with CNN-based methods on multiple high-level computer vision tasks (Dosovitskiy et al., 2021; Liu et al., 2021; Wang et al., 2021; Chu et al., 2021; Yang et al., 2022). Transformer is first developed in the natural language processing (NLP) field, and its core component is the self-attention (SA) mechanism. This mechanism can directly model long-range dependencies by capturing the interaction between all input data. However, the computational complexity of the vanilla self-attention grows quadratically with image size, limiting its application in high-resolution scenarios, especially low-level vision tasks (*e.g.*, image SR).

To apply Transformer in image SR, several methods have been proposed to reduce the computational cost of self-attention. Some researchers apply local (window) self-attention, which divides the feature maps into sub-regions to limit the scope of self-attention. Meanwhile, they utilize the shift mechanism (Liang et al., 2021), overlapping windows (Chen et al., 2022b), or the cross-aggregation operation (Chen et al., 2022c), to enhance the interaction between windows. These methods achieve linear complexity with respect to image size and outperform previous CNN-based methods. However, compared with global attention, the local design needs to stack many blocks to establish global dependencies. Furthermore, some methods propose “transposed” self-attention (Zamir et al., 2022) that operates across the channel dimension instead of the spatial dimension. Although this method

*Corresponding authors: Yulun Zhang, yulun100@gmail.com; Linghe Kong, linghe.kong@sjtu.edu.cn.

†The work was mainly done when Yulun Zhang was at ETH Zürich.

can implicitly capture global information, it hinders modeling spatial dependencies, which is crucial to image SR. Therefore, there is a need to develop a method for image SR that can effectively capture global spatial information with low computational cost on high-resolution images.

In this paper, we propose the Recursive Generalization Transformer (RGT) for image SR, which can model global spatial information and is suitable for high-resolution images. Specifically, we propose the recursive-generalization self-attention (RG-SA) to explore global information directly in linear computational complexity. The RG-SA first generalizes the input features of arbitrary resolution into representative feature maps with a small, constant size, via the recursive generalization module (RGM). Intuitively, the global information is aggregated into representative maps. Then cross-attention is utilized between input features and representative maps to exchange global information. Since the size of representative maps is much smaller than input features, the whole process is at a low computational cost. Moreover, the RG-SA further adjusts the channel dimension of *query*, *key*, and *value* matrices in SA to mitigate the redundancy in the channel domain.

Furthermore, considering that the RG-SA aggregates the image features via the RGM, it is inevitable to lose some local details. Thus, we combine the RG-SA with the local self-attention (L-SA) in an alternate arrangement to better utilize the global context. To enhance the integration of two different SA modules, we propose the hybrid adaptive integration (HAI), which acts on the outside of each Transformer block. The HAI directly fuses features at different levels (local or global) before and after the block. Besides, HAI adaptively adjusts the input features through a learnable adaptor for feature alignment. Overall, equipped with the above designs, our RGT can capture global information for accurate image SR while the complexity is manageable.

Our contributions can be summarized as follows:

- We propose the Recursive Generalization Transformer (RGT) for image SR. The RGT is capable of capturing global spatial information and is suitable for high-resolution images. Our RGT obtains notable SR performance quantitatively and visually.
- We propose the recursive-generalization self-attention (RG-SA), utilizing the recursive aggregation module and cross-attention to model global dependency with linear complexity.
- We further combine RG-SA with local self-attention to better exploit the global context, and propose the hybrid adaptive integration (HAI) for module integration.

2 RELATED WORK

Image Super-Resolution. In recent years, CNN-based methods have shown superior performance over conventional SR approaches. SRCNN (Dong et al., 2014) is the pioneering work, that introduces three convolutional layers for image SR. Following this attempt, many works deepen the architecture to improve performance (Zhang et al., 2019; Magid et al., 2021; Dai et al., 2019). VDSR (Kim et al., 2016) introduces residual learning to build a network with 20 layers. EDSR (Lim et al., 2017) further simplifies residual block, which allows deeper networks. RCAN (Zhang et al., 2018a) proposes a residual-in-residual structure to train a model over 400 layers. Moreover, numerous spatial and channel attention mechanisms (Zhang et al., 2019; Liu et al., 2020; Zhou et al., 2020) are proposed to improve the reconstruction quality. For instance, HAN (Niu et al., 2020) proposes a layer attention module and channel-spatial attention. Although these CNN-based methods produce remarkable results, they still suffer from a limitation in global modeling capability.

Vision Transformer. Transformer is proposed in natural language processing (NLP) and has been adapted to multiple high-level vision tasks, such as image classification (Dosovitskiy et al., 2021; Liu et al., 2021; Dong et al., 2022), semantic segmentation (Xie et al., 2021), and object detection (Yang et al., 2022; Tu et al., 2022). Due to the impressive performance in high-level tasks, Transformer has also been introduced to low-level vision tasks (Liang et al., 2021; Zamir et al., 2022; Wang et al., 2022; Tsai et al., 2022; Chen et al., 2022c; 2023; Li et al., 2023), including image SR. SwinIR (Liang et al., 2021), following the design of Swin Transformer (Liu et al., 2021), utilizes local window self-attention and shift mechanism. ELAN (Zhang et al., 2022) proposes multi-scale self-attention to reduce the computational cost. CAT (Chen et al., 2022c) designs the rectangle-window self-attention to aggregate the features across different windows. These methods all reduce computational complexity by applying self-attention within local regions. However, the local designs restrict the exploitation of global information that is crucial to image SR.




Figure 1: The architecture of the Recursive Generalization Transformer (RGT). The local self-attention (L-SA) blocks, and recursive-generalization self-attention (RG-SA) blocks are alternately arranged. α_l is a learnable adaptor in the hybrid adaptive integration (HAI) of the l^{th} block.

Global Attention. To reduce the computational complexity of vanilla self-attention, in addition to local design, several works attempt to propose global attention with low overheads (Wang et al., 2021; Tu et al., 2022; Yang et al., 2022; Chen et al., 2022a; Ali et al., 2021). PVT (Wang et al., 2021) designs a spatial-reduction module to merge tokens of *key* and *value*. MaxViT (Tu et al., 2022) proposes the grid attention to gain sparse global attention. ScalableViT (Yang et al., 2022) scales attention matrices from both spatial and channel dimensions. Although these methods reduce the computational complexity to a certain extent, the theoretical complexity remains quadratic, which hinders their effective application on high-resolution images. RegionViT Chen et al. (2022a) captures global information among regional tokens to alleviate the overhead of global attention. Moreover, XCiT (Ali et al., 2021) proposes a “transposed” version of self-attention that operates across channels dimension rather than the spatial dimension to achieve linear complexity. However, it cannot explicitly model the spatial relationship. In contrast, we propose the recursive-generalization self-attention (RG-SA), which can explore global spatial information in linear complexity.

3 METHOD

We propose the Recursive Generalization Transformer (RGT) for image SR, which is capable of capturing global context and handling high-resolution images effectively. In this section, we first introduce the architecture of RGT. Then, we focus on our proposed recursive-generalization self-attention (RG-SA) and hybrid adaptive integration (HAI).

3.1 OVERALL ARCHITECTURE

The overall architecture of our proposed RGT is illustrated in Fig. 1, consisting of three modules: shallow feature extraction, deep feature extraction, and image reconstruction. Given a low-resolution (LR) image $\mathbf{I}_{LR} \in \mathbb{R}^{H \times W \times 3}$, RGT first leverages a convolutional layer as the shallow feature extraction to get the low-level feature $\mathbf{F}_0 \in \mathbb{R}^{H \times W \times C}$, where H , W , and C represent the image height, width, and channel number. \mathbf{F}_0 is used for the deep feature extraction module, which is composed of N_1 residual groups (RGs) and a convolutional layer. Through this module, the \mathbf{F}_0 is transformed into the deep feature $\mathbf{F}_d \in \mathbb{R}^{H \times W \times C}$. Finally, the \mathbf{F}_0 and \mathbf{F}_d are fused through a residual connection, and processed by the reconstruction module to generate the high-resolution (HR) image $\mathbf{I}_{HR} \in \mathbb{R}^{\hat{H} \times \hat{W} \times 3}$, where \hat{H} and \hat{W} are the output height and width. The reconstruction module consists of pixel-shuffle (Shi et al., 2016) and convolutional layers.

Each RG contains N_2 Transformer blocks and a convolutional layer. And the residual connection is employed to ensure training stability. As shown in Fig. 1, there are two types of Transformer blocks: Local Self-Attention (L-SA) blocks and RG-SA blocks. The two types of blocks are arranged alternately to organize the topological structure. Each Transformer block is composed of two layer normalization (LN), self-attention, and multilayer perceptron (MLP) (Vaswani et al., 2017). Meanwhile, the HAI acts outside each Transformer block with a learnable adaptor α . In this work, we apply the recently proposed rectangle-window self-attention (Rwin-SA) (Chen et al., 2022c) as local self-attention by default. Next, we pay more attention to our proposed RG-SA and HAI.




Figure 2: The illustration of the recursive-generalization self-attention (RG-SA). The RG-SA first generates the representative feature maps with constant size ($h \times w$), through the recursive generalization module (RGM). Then, the cross-attention between input features and representative maps is performed to capture global information. \otimes denotes matrix multiplication.

3.2 RECURSIVE-GENERALIZATION SELF-ATTENTION

The vanilla self-attention (SA) mechanism establishes connections between all input tokens. Although it can capture global context, the SA suffers the quadratic computational complexity with image size, limiting its application in high-resolution scenarios, including image SR. To tackle this problem, we propose the recursive-generalization self-attention (RG-SA), shown in Fig. 2, that can maintain linear computational complexity while capturing global information.

The RG-SA first aggregates input image features of arbitrary resolution into compressed maps (denoted as representative feature maps), through the recursive generalization module (RGM). Intuitively, the representative maps aggregate the information of the whole image features, providing a global view of the image. Then, the cross-attention is calculated between input features and representative maps. Therefore, each token in the input image features can obtain a global receptive field. Meanwhile, we further scale the channel dimension of *query*, *key*, and *value* matrices in attention to mitigate the channel redundancy. It improves the performance and reduces consumption.

Recursive Generalization Module. For simplicity, our RGM only consists of depth-wise and pixel-wise convolutions, shown in Fig. 2. Given an input $\mathbf{X}_{in} \in \mathbb{R}^{H \times W \times C}$, we first compress spatial size of the features by recursively reusing a single depth-wise convolution $T = \lceil \log_{s_r} \frac{H}{h} \rceil$ times to obtain the rough aggregation maps $\hat{\mathbf{X}} \in \mathbb{R}^{h \times w \times C}$, where s_r is the convolution stride size, h is a constant, and $w = W \times \frac{h}{H}$. Without loss of generality, we assume $W \leq H$, then $w \leq h$. Next, we refine the rough aggregation maps to generate the representative maps $\mathbf{X}_r \in \mathbb{R}^{h \times w \times C_r}$, through a 3×3 depth-wise convolution and a 1×1 point-wise convolution. The RGM is formulated as:

$$\begin{aligned} \hat{\mathbf{X}} &= \mathbf{W}_r^K(\mathbf{X}_{in}) = \mathbf{W}_r(\mathbf{W}_r(\dots(\mathbf{W}_r(\mathbf{X}_{in}))), \\ \mathbf{X}_r &= \mathbf{W}_p \mathbf{W}_d(\hat{\mathbf{X}}), \end{aligned} \quad (1)$$

where \mathbf{W}_r is the depth-wise convolution with s_r stride, \mathbf{W}_d is the 3×3 depth-wise convolution, and \mathbf{W}_p is the 1×1 point-wise convolution. Also, the 1×1 point-wise convolution scales the channels from C to $C_r = C \times c_r$, where c_r is the adjustment factor. Through RGM, we can aggregate the global information of the input image features. Meanwhile, the recursive design is flexible for processing inputs with varying sizes (common in image SR) by dynamically choosing the recursion times T .

Cross-Attention. Subsequently, we reshape and project the input features \mathbf{X}_{in} as the $\mathbf{Q} \in \mathbb{R}^{H W \times C_r}$ (*query*) and the representative maps as the $\mathbf{K} \in \mathbb{R}^{h w \times C_r}$ (*key*), and $\mathbf{V} \in \mathbb{R}^{h w \times C}$ (*value*) to compute the cross-attention. The attention matrix $\mathbf{A} \in \mathbb{R}^{H W \times h w}$ is calculated from the dot-product interaction of *query* and *key*. Note that we further scale the channel dimensions of *query*, *key*, and *value*. Overall, the whole cross-attention process is defined as:

$$\begin{aligned} \mathbf{Q} &= \mathbf{W}_Q \mathbf{X}_{in}, \mathbf{K} = \mathbf{W}_K \mathbf{X}_r, \mathbf{V} = \mathbf{W}_V \mathbf{X}_r, \\ \mathbf{A} &= \text{SoftMax}(\mathbf{Q} \mathbf{K}^T / \sqrt{C_r}), \\ \text{Cross-Attention}(\mathbf{X}_{in}, \mathbf{X}_r) &= \mathbf{W}_m (\mathbf{A} \cdot \mathbf{V}), \end{aligned} \quad (2)$$

where $\mathbf{W}_Q \in \mathbb{R}^{C \times C_r}$, $\mathbf{W}_K \in \mathbb{R}^{C_r \times C_r}$, and $\mathbf{W}_V \in \mathbb{R}^{C_r \times C}$ are learnable parameters and biases are omitted for simplification; $\mathbf{W}_m \in \mathbb{R}^{C \times C}$ is the projection matrix for feature fusion. Similar to vanilla self-attention (Vaswani et al., 2017; Dosovitskiy et al., 2021), we divide the channels into

multiple “heads” and execute the attention operation in parallel. Finally, we reshape the result of cross-attention to obtain the output features $\mathbf{X}_{out} \in \mathbb{R}^{H \times W \times C}$. Through RGM, cross-attention, and channel adjustment, our RG-SA can capture global spatial information while maintaining low computational overheads. Next, we analyze the complexity of the RG-SA in detail.

Complexity Analysis. Our RG-SA can be divided into two components: RGM and cross-attention. For RGM, the computational complexity is $\mathcal{O}(HWC)$. For cross-attention, the computational complexity is $\mathcal{O}(hwHW(C+C_r)+HWC(C+C_r)+hwC_r(C+C_r))$. Here, we analyze the single-head self-attention for simplicity. Since h and w are constants, and $C_r=C \times c_r$, the complexity of cross-attention is $\mathcal{O}(HWC^2)$. In general, The total computational complexity of our RG-SA is linear with the input features size ($H \times W$). Additionally, by applying the small (<1) adjustment factor c_r , we can mitigate the channel redundancy, thus further reducing complexity.

3.3 HYBRID ADAPTIVE INTEGRATION

Alternate Arrangement. In RG-SA, the global information is captured through the cross-attention between input features and representative maps, ensuring low computational overheads. However, the RGM in RG-SA is a coarse-grained design, which leads to losing some local details and ultimately limits modeling global information. To improve the exploitation of the global context, we introduce local self-attention (L-SA) and combine it with our proposed RG-SA. Two attention modules are alternately arranged in each residual group (RG), as illustrated in Fig. 1.

Analysis and Motivation. Although the two blocks are integrated, the linear arrangement lacks direct interaction between features at different levels (global or local), thus still cannot exploit global information effectively. For further analysis, under the alternating topology, the input and output of each Transformer block are different level features. Specifically, the input of the RG-SA block is the local features generated from L-SA, while the output is the global features. Correspondingly, the input and output of L-SA are global and local features, respectively. This observation inspires us to enhance information fusion by combining the input and output features of each block.

Specific Design. The intuitive idea is directly integrating the input and output features via the vanilla skip connection (He et al., 2016). Nevertheless, since the misalignment between global and local features, simple addition cannot fuse features effectively. To overcome the above issues, we propose hybrid adaptive integration (HAI). As shown in Fig. 1, our HAI acts on the outside of each Transformer block. The input features are adaptively adjusted by a learnable adaptor α , and added to the output features. The process of the l^{th} Transformer block \mathcal{B}^l equipped with HAI is:

$$Z^l = \mathcal{B}^l(Z^{l-1}) + \alpha_l \cdot Z^{l-1}, \quad (3)$$

where Z^{l-1} and Z^l represent the input and the output of the l^{th} Transformer block, $\alpha_l \in \mathbb{R}^C$ is the learnable parameter in the l^{th} block. Overall, the HAI is able to enhance the integration of different SA modules on the basis of the alternate arrangement, which advances the modeling of global information. Moreover, similar to the regular residual connection, our HIA encourages more information flows to the deep network layers, resulting in better performance.

Visual Results. To intuitively show the effectiveness of HAI, we visualize the relevant features of one RG-SA block (first row, 2^{nd} block in 1^{st} RG) and one L-SA block (second row, 5^{th} block in 1^{st} RG) of RGT in Fig. 3. The deeper color indicates larger weights. First, by observing columns (a) and (b), we can find great differences in the input and output of SA modules in some cases. It reveals the misalignment between global and local features. Secondly, directly fused by the vanilla skip connection, the features are over-integrated (top of (c) column), or not changed obviously (bottom of (c) column). In contrast, through HAI, the features shown in column (d) are adaptively changed according to different blocks. It indicates that the input and output features are fused effectively. More discussions on the role of HAI and the value distribution of learnable adaptors α are given in Sec. 4.2.




Figure 3: Visualization of the features in RGT. a) Block input. (b) Block output before connection. (c) Vanilla skip connection result: directly add input to output. (d) HAI result: adjust input with α before adding to output. Please zoom in for a better visualization.

L-SA	RG-SA	HAI	Params(M)	FLOPs(G)	PSNR(dB)	SSIM
✓			10.69	229.42	33.43	0.9396
✓	✓		10.04	183.08	33.52	0.9405
✓	✓	✓	10.05	183.08	33.68	0.9414

(a) Break-down ablation on each component.

Method	Recursion	c_r	Params(M)	FLOPs(G)	PSNR(dB)	SSIM
w/o Recur		0.5	10.05	274.54	33.57	0.9412
w/o Scale	✓	1	11.37	189.62	33.54	0.9404
RGT-S	✓	0.5	10.05	183.08	33.68	0.9414

(b) Ablation study on RG-SA.

Method	Vanilla Skip	α	Params (M)	FLOPs (G)	PSNR (dB)	SSIM
w/o HAI			10.04	183.08	33.52	0.9405
w/ Skip	✓		10.04	183.08	32.71	0.9339
w/ HAI	✓	✓	10.05	183.08	33.68	0.9414

(c) Ablation study on HAI.

Method	Params(M)	FLOPs(G)	PSNR(dB)	SSIM
L-SA only	10.69	229.42	33.43	0.9396
L-SA w/ HAI	10.69	229.42	33.44	0.9400

(d) Further ablation study on HAI.

Table 1: Ablation studies. We train models on DIV2K and Flickr2K, and test on Urban100 ($\times 2$).

4 EXPERIMENTS

4.1 EXPERIMENTAL SETTINGS

Data and Evaluation. Following recent works (Zhang et al., 2021; Magid et al., 2021; Liang et al., 2021), we choose DIV2K (Timofte et al., 2017) and Flickr2K (Lim et al., 2017) as the training data. For testing, we use five standard benchmark datasets: Set5 (Bevilacqua et al., 2012), Set14 (Zeyde et al., 2010), B100 (Martin et al., 2001), Urban100 (Huang et al., 2015), and Manga109 (Matsui et al., 2017). We conduct experiments with three upscaling factors: $\times 2$, $\times 3$, and $\times 4$. The low-resolution images are generated by Bicubic (BI) downsampling. To evaluate our method, we use the metrics PSNR and SSIM (Wang et al., 2004) on the Y channel of the YCbCr space.

Implementation Details. We set two version models, RGT-S and RGT, with different computational complexity. For RGT-S, we set the residual group (RG) number N_1 as 6 and the Transformer block number N_2 for each RG as 6 for L-SA. The channel dimension number, attention head number, and mlp expansion ratio (Dosovitskiy et al., 2021) are set as 180, 6, and 2, respectively. The window size is set as 8×32 . The s_r (stride size) and c_r (adjustment factor) are set as 4 and 0.5 for RG-SA. The representative map size h is set as 4 for training, and 16 for testing. For RGT, we increase the number of RG from 6 to 8, while other settings remain the same as RGT-S.

Training Settings. We train our models with batch size 32, where each input image is randomly cropped to 64×64 size, and the total training iterations are 500K. Training patches are augmented using random horizontal flips and rotations with 90° , 180° , and 270° . To keep fair comparisons, we adopt Adam optimizer (Kingma & Ba, 2015) with $\beta_1=0.9$ and $\beta_2=0.99$ to minimize the L_1 loss function following previous works (Zhang et al., 2018a; Dai et al., 2019; Liang et al., 2021). The initial learning rate is set as 2×10^{-4} and reduced by half at the milestone [250K,400K,450K,475K]. We use PyTorch (Paszke et al., 2019) to implement our models with 4 Nvidia A100 GPUs.

4.2 ABLATION STUDY

In this section, we study the effects of different components of our method. For fair comparisons, all models adopt the same basic architecture and settings as RGT-S. We conduct experiments on the $\times 2$ factor. We adopt the dataset DIV2K (Timofte et al., 2017) and Flickr2K (Lim et al., 2017) to train models, and the iterations are 200K. The dataset Urban100 (Huang et al., 2015) is applied for testing. When we calculate the FLOPs, the input size is $3 \times 128 \times 128$.

Effects of each component. We conduct a break-down ablation experiment to investigate the effects of each component on SR performance. The results are listed in Tab. 1a. *First, baseline.* The baseline model is derived by replacing all Transformer blocks in RGT-S with local self-attention (L-SA) (Liang et al., 2021; Chen et al., 2022b) block and removing HAI. We set the window size of L-SA as 8×32 , which is consistent with RGT-S. *Second, applying RG-SA.* We introduce the recursive-generalization self-attention (RG-SA) into the baseline, and alternately arrange L-SA and RG-SA in successive Transformer blocks. Without changing the structure of the network, the model achieves a 0.09 dB improvement. Meanwhile, compared with the baseline, the FLOPs and parameters of the model are slightly reduced. It shows that our proposed RG-SA is effective regarding parameters and computational complexity. *Third, applying HAI.* We further adopt the hybrid adaptive integration (HAI) and get the final version of our RGT-S. The model obtains the best performance of 33.68 dB. These results demonstrate the effectiveness of the RG-SA and HAI.




Figure 4: CKA similarity between all pairs of Transformer blocks in RGT-S without or with HAI.




Figure 5: The value ($|\alpha|/C$, $C=180$) distribution of α of RGT-S.

Effects of RG-SA. We investigate the design of our recursive-generalization self-attention (RG-SA). We implement ablation experiments on the recursive operation and channel adjustment factor. The results are reported in Tab. 1b. **First, the impact of recursive operation.** We build the model without recursion (w/o Recur) by removing the recursive operation of RGM in RGT-S. Namely, the stride depth-wise convolution is only utilized once to generate the representative maps. We keep $s_r=4$ and $c_r=0.5$ unchanged. Compared with RGT-S, it can be observed that the usage of recursive operation can effectively reduce the FLOPs by 30%, while achieving better performance. **Second, the impact of the channel adjustment factor c_r .** We build and train the model without channel scaling (w/o Scale) by setting the adjustment factor c_r in RGT-S as 1 (0.5 by default). Compared with RGT-S, we discover that scaling the channel dimension yields 0.14 dB performance gain, since the smaller c_r mitigates the redundancy between channels, thus enhancing the feature expression.

Effects of HAI. We show the influence of the hybrid adaptive integration (HAI) in Tab. 1c. We compared three models: without HAI (w/o HAI), with vanilla skip connection (He et al., 2016) (w/ Skip), and with HAI (w/ HAI). Both skip connection and HAI act on the outside of each Transformer block. **First, the impact of vanilla skip connection.** Comparing the model w/o HAI and the model w/ Skip, we can find that the simple application of skip connection seriously degrades the model performance by 0.81 dB. This may be due to the misalignment between different level (global or local) features, which prevents their direct fusion. **Second, the impact of HAI.** In contrast, our proposed HAI adaptively adjusts the input features through a learnable adaptor α , thus achieving valid feature integration. With the HAI, the model obtains 0.16 dB gain.

We also apply HAI only models only with L-SA in Tab. 1d. Since there is no feature misalignment, the performance does not change much with HAI. These results are consistent with analysis in Sec. 3.3 and demonstrates the effectiveness of HAI in solving feature misalignment.

Furthermore, we further introduce centered kernel alignment (CKA) (Cortes et al., 2012; Kornblith et al., 2019; Raghu et al., 2021) to study the internal representation structure of the model. The higher the CKA score, the higher the representation similarity. We calculate CKA similarities between all Transformer blocks in RGT-S without and with HAI. The results are shown as heatmaps in Fig. 4. **First, enhance module integration.** There are obvious differences before and after the 30th block, in the model without HAI. On the contrary, equipping with HAI, it can be found that the transition is more gradual, which indicates that the integration between the modules is more effective. **Second, encourage information flow.** We observe that there is still a high similarity between the initial blocks (0th~2nd) and the very deep blocks (28th~29th) in the model with HAI. It means that through HAI, more information can flow to the deep layers of the network.

We also visualize the value distribution of α of RGT-S in Fig. 5. We find that α is diverse based on different blocks, indicating its adaptability. Meanwhile, the value of α increases at the end block in each RG, i.e., blocks 5th, 11th, 17th, and 23th. It indicates that HAI integrates different modules.

4.3 COMPARISONS WITH STATE-OF-THE-ART METHODS


We compare our two models, RGT-S and RGT, with recent state-of-the-art methods: EDSR (Lim et al., 2017), RCAN (Zhang et al., 2018a), SRFBN (Li et al., 2019), SAN (Dai et al., 2019), HAN (Niu et al., 2020), CSNLN (Mei et al., 2020), NLSA (Mei et al., 2021), CRAN (Zhang et al., 2021), DFSA (Magid et al., 2021), ELAN (Zhang et al., 2022), SwinIR (Liang et al., 2021), and CAT-A (Chen et al., 2022c). Similar to previous works (Lim et al., 2017; Zhang et al., 2018a), we use self-ensemble strategy in testing and mark the model with the symbol “+”.

Method	Scale	Set5		Set14		B100		Urban100		Manga109	
		PSNR	SSIM								
EDSR (Lim et al., 2017)	×2	38.11	0.9602	33.92	0.9195	32.32	0.9013	32.93	0.9351	39.10	0.9773
RCAN (Zhang et al., 2018a)	×2	38.27	0.9614	34.12	0.9216	32.41	0.9027	33.34	0.9384	39.44	0.9786
SRFBN (Li et al., 2019)	×2	38.11	0.9609	33.82	0.9196	32.29	0.9010	32.62	0.9328	39.08	0.9779
SAN (Dai et al., 2019)	×2	38.31	0.9620	34.07	0.9213	32.42	0.9028	33.10	0.9370	39.32	0.9792
HAN (Niu et al., 2020)	×2	38.27	0.9614	34.16	0.9217	32.41	0.9027	33.35	0.9385	39.46	0.9785
CSNLTN (Mei et al., 2020)	×2	38.28	0.9616	34.12	0.9223	32.40	0.9024	33.25	0.9386	39.37	0.9785
NLSA (Mei et al., 2021)	×2	38.34	0.9618	34.08	0.9231	32.43	0.9027	33.42	0.9394	39.59	0.9789
CRAN (Zhang et al., 2021)	×2	38.31	0.9617	34.22	0.9232	32.44	0.9029	33.43	0.9394	39.75	0.9793
DFSA (Magid et al., 2021)	×2	38.38	0.9620	34.33	0.9232	32.50	0.9036	33.66	0.9412	39.98	0.9798
ELAN (Zhang et al., 2022)	×2	38.36	0.9620	34.20	0.9228	32.45	0.9030	33.44	0.9391	39.62	0.9793
SwinIR (Liang et al., 2021)	×2	38.42	0.9623	34.46	0.9250	32.53	0.9041	33.81	0.9427	39.92	0.9797
CAT-A (Chen et al., 2022c)	×2	38.51	0.9626	34.78	0.9265	32.59	0.9047	34.26	0.9440	40.10	0.9805
RGT-S (ours)	×2	38.56	0.9627	34.77	0.9270	32.59	0.9050	34.32	0.9457	40.18	0.9805
RGT (ours)	×2	38.59	0.9628	34.83	0.9272	32.62	0.9050	34.47	0.9467	40.34	0.9808
RGT+ (ours)	×2	38.62	0.9629	34.88	0.9275	32.64	0.9053	34.63	0.9474	40.45	0.9810
EDSR (Lim et al., 2017)	×3	34.65	0.9280	30.52	0.8462	29.25	0.8093	28.80	0.8653	34.17	0.9476
RCAN (Zhang et al., 2018a)	×3	34.74	0.9299	30.65	0.8482	29.32	0.8111	29.09	0.8702	34.44	0.9499
SRFBN (Li et al., 2019)	×3	34.70	0.9292	30.51	0.8461	29.24	0.8084	28.73	0.8641	34.18	0.9481
SAN (Dai et al., 2019)	×3	34.75	0.9300	30.59	0.8476	29.33	0.8112	28.93	0.8671	34.30	0.9494
HAN (Niu et al., 2020)	×3	34.75	0.9299	30.67	0.8483	29.32	0.8110	29.10	0.8705	34.48	0.9500
CSNLTN (Mei et al., 2020)	×3	34.74	0.9300	30.66	0.8482	29.33	0.8105	29.13	0.8712	34.45	0.9502
NLSA (Mei et al., 2021)	×3	34.85	0.9306	30.70	0.8485	29.34	0.8117	29.25	0.8726	34.57	0.9508
CRAN (Zhang et al., 2021)	×3	34.80	0.9304	30.73	0.8498	29.38	0.8124	29.33	0.8745	34.84	0.9515
DFSA (Magid et al., 2021)	×3	34.92	0.9312	30.83	0.8507	29.42	0.8128	29.44	0.8761	35.07	0.9525
ELAN (Zhang et al., 2022)	×3	34.90	0.9313	30.80	0.8504	29.38	0.8124	29.32	0.8745	34.73	0.9517
SwinIR (Liang et al., 2021)	×3	34.97	0.9318	30.93	0.8534	29.46	0.8145	29.75	0.8826	35.12	0.9537
CAT-A (Chen et al., 2022c)	×3	35.06	0.9326	31.04	0.8538	29.52	0.8160	30.12	0.8862	35.38	0.9546
RGT-S (ours)	×3	35.11	0.9328	31.05	0.8548	29.53	0.8164	30.18	0.8884	35.39	0.9548
RGT (ours)	×3	35.15	0.9329	31.13	0.8550	29.55	0.8165	30.28	0.8899	35.55	0.9553
RGT+ (ours)	×3	35.18	0.9331	31.16	0.8558	29.57	0.8170	30.40	0.8914	35.69	0.9559
EDSR (Lim et al., 2017)	×4	32.46	0.8968	28.80	0.7876	27.71	0.7420	26.64	0.8033	31.02	0.9148
RCAN (Zhang et al., 2018a)	×4	32.63	0.9002	28.87	0.7889	27.77	0.7436	26.82	0.8087	31.22	0.9173
SRFBN (Li et al., 2019)	×4	32.47	0.8983	28.81	0.7868	27.72	0.7409	26.60	0.8015	31.15	0.9160
SAN (Dai et al., 2019)	×4	32.64	0.9003	28.92	0.7888	27.78	0.7436	26.79	0.8068	31.18	0.9169
HAN (Niu et al., 2020)	×4	32.64	0.9002	28.90	0.7890	27.80	0.7442	26.85	0.8094	31.42	0.9177
CSNLTN (Mei et al., 2020)	×4	32.68	0.9004	28.95	0.7888	27.80	0.7439	27.22	0.8168	31.43	0.9201
NLSA (Mei et al., 2021)	×4	32.59	0.9000	28.87	0.7891	27.78	0.7444	26.96	0.8109	31.27	0.9184
CRAN (Zhang et al., 2021)	×4	32.72	0.9012	29.01	0.7918	27.86	0.7460	27.13	0.8167	31.75	0.9219
DFSA (Magid et al., 2021)	×4	32.79	0.9019	29.06	0.7922	27.87	0.7458	27.17	0.8163	31.88	0.9266
ELAN (Zhang et al., 2022)	×4	32.75	0.9022	28.96	0.7914	27.83	0.7459	27.13	0.8167	31.68	0.9226
SwinIR (Liang et al., 2021)	×4	32.92	0.9044	29.09	0.7950	27.92	0.7489	27.45	0.8254	32.03	0.9260
CAT-A (Chen et al., 2022c)	×4	33.08	0.9052	29.18	0.7960	27.99	0.7510	27.89	0.8339	32.39	0.9285
RGT-S (ours)	×4	32.98	0.9047	29.18	0.7966	27.98	0.7509	27.89	0.8347	32.38	0.9281
RGT (ours)	×4	33.12	0.9060	29.23	0.7972	28.00	0.7513	27.98	0.8369	32.50	0.9291
RGT+ (ours)	×4	33.16	0.9066	29.28	0.7979	28.03	0.7520	28.09	0.8388	32.68	0.9303

Table 2: Quantitative comparison (PSNR/SSIM) with state-of-the-art methods. Best and second best results are colored with red and blue. Our methods outperforms other competitors.

Quantitative results. We show the quantitative comparisons for $\times 2$, $\times 3$, and $\times 4$ image SR in Tab. 2. We also report the comparisons of computational complexity (*e.g.*, FLOPs), and parameter numbers in Tab. 3. As we can see, our proposed RGT significantly outperforms other methods on all datasets with all scaling factors. Compared with recent Transformer-based methods, such as SwinIR (Liang et al., 2021) and CAT-A (Chen et al., 2022c), our proposed RGT achieves better results, particularly on the Urban100 and Manga109 datasets. For instance, on the Urban100 dataset ($\times 2$), RGT outperforms CAT-A by 0.21 dB. Meanwhile, the model size and computational complexity are lower than CAT-A. Even the small vision model, RGT-S, obtains comparable or better results than compared methods. These comparisons indicate that our proposed RGT can capture more global information compared with previous CNN-based and Transformer-based methods.

Visual Results. We show visual comparisons ($\times 4$) in Fig. 6. We can observe that most compared methods suffer from blurring artifacts and cannot recover accurate textures in some representative challenging cases. In contrast, our RGT can alleviate the blurring artifacts better and recover more image details. For instance, in image `img_059`, some methods fail to reconstruct most of the strips correctly (*e.g.*, SAN and DFSA), while some only restore part stripes (*e.g.*, SwinIR and CAT-A). In contrast, our method recovers more precise structures. These visual comparisons demonstrate that our RGT is capable of reconstructing high-quality images by modeling global information. Combining with the quantitative comparisons, we further demonstrate the effectiveness of our method.

Figure 6: Visual comparison for image SR ($\times 4$) in some challenging cases.

Method	EDSR	RCAN	HAN	CSNLN	SwinIR	CAT-A	RGT-S (ours)	RGT (ours)
Params(M)	43.09	15.59	16.07	6.57	11.90	16.60	10.20	13.37
FLOPs(G)	823.34	261.01	269.1	84,155.24	215.32	360.67	193.08	251.07
Urban100	26.64	26.82	26.85	27.22	27.45	27.89	27.89	27.98
Manga109	31.02	31.22	31.42	31.43	32.03	32.39	32.38	32.50

Table 3: Comparison of parameters, FLOPs, and PSNR (dB) values on Urban100 and Manga109 with scaling factor $\times 4$. When we calculate FLOPs, the output size is $3 \times 512 \times 512$.

4.4 MODEL SIZE ANALYSES

We further show the comparison of parameter numbers, FLOPs, and performance with recent image SR methods in Tab. 3. FLOPs are measured when the output size is set as $3 \times 512 \times 512$, and PSNR values are tested on Urban100 and Manga109 ($\times 4$). Our RGT has lower computational complexity and model size than CNN-based methods, EDSR (Lim et al., 2017) and RCAN (Zhang et al., 2018a). Compared with CSNLN (Mei et al., 2020), our RGT only requires 0.3% computational complexity (*i.e.*, FLOPs). Meanwhile, compared with the recent Transformer-based model, CAT-A, our RGT performs better, while FLOPs decreased by 30.39% (109.6G) and parameters decreased by 19.46% (3.23M). Compared with SwinIR (Liang et al., 2021), RGT has comparable computational complexity and model size. Furthermore, to further demonstrate the effectiveness of our method, we provide another version of the model, RGT-S, with lower FLOPs and parameters than SwinIR. Our RGT-S still obtains notable SR performance gains compared with other methods. These comparisons indicate that our method achieves a better trade-off between model complexity and performance.

5 CONCLUSION

We propose a new Transformer model, named Recursive Generalization Transformer (RGT), for accurate image SR. Our RGT is capable of modeling global spatial information while maintaining low computational costs. Specifically, we design the recursive-generalization self-attention (RG-SA) to extract global information effectively in linear complexity. The RG-SA computes cross-attention between the input features and the representative maps recursively aggregated from the input. Meanwhile, the channel dimensions of attention matrices are further scaled to mitigate the redundancy in the channel domain. Furthermore, to improve the exploitation of the global context, we combine RG-SA with local self-attention, and propose the hybrid adaptive integration (HAI) for module integration. The HAI acts on the outside of each Transformer block to directly fuse features at different levels (local or global). Extensive experiments on image SR demonstrate that our proposed RGT achieves superior performance over recent state-of-the-art methods.

ACKNOWLEDGMENTS

This work was supported in part by NSFC grant (62141220, U19B2035) and Shanghai Municipal Science and Technology Major Project (2021SHZDZX0102).

REFERENCES

- Alaeldin Ali, Hugo Touvron, Mathilde Caron, Piotr Bojanowski, Matthijs Douze, Armand Joulin, Ivan Laptev, Natalia Neverova, Gabriel Synnaeve, Jakob Verbeek, et al. Xcit: Cross-covariance image transformers. In *NeurIPS*, 2021.
- Marco Bevilacqua, Aline Roumy, Christine Guillemot, and Marie Line Alberi-Morel. Low-complexity single-image super-resolution based on nonnegative neighbor embedding. In *BMVC*, 2012.
- Richard Chen, Rameswar Panda, and Quanfu Fan. Regionvit: Regional-to-local attention for vision transformers. In *ICLR*, 2022a.
- Xiangyu Chen, Xintao Wang, Jiantao Zhou, and Chao Dong. Activating more pixels in image super-resolution transformer. *arXiv preprint arXiv:2205.04437*, 2022b.
- Zheng Chen, Yulun Zhang, Jinjin Gu, Yongbing Zhang, Linghe Kong, and Xin Yuan. Cross aggregation transformer for image restoration. In *NeurIPS*, 2022c.
- Zheng Chen, Yulun Zhang, Jinjin Gu, Linghe Kong, Xiaokang Yang, and Fisher Yu. Dual aggregation transformer for image super-resolution. In *ICCV*, 2023.
- Xiangxiang Chu, Zhi Tian, Yuqing Wang, Bo Zhang, Haibing Ren, Xiaolin Wei, Huaxia Xia, and Chunhua Shen. Twins: Revisiting the design of spatial attention in vision transformers. In *NeurIPS*, 2021.
- Corinna Cortes, Mehryar Mohri, and Afshin Rostamizadeh. Algorithms for learning kernels based on centered alignment. *JMLR*, 2012.
- Tao Dai, Jianrui Cai, Yongbing Zhang, Shu-Tao Xia, and Lei Zhang. Second-order attention network for single image super-resolution. In *CVPR*, 2019.
- Chao Dong, Chen Change Loy, Kaiming He, and Xiaoou Tang. Learning a deep convolutional network for image super-resolution. In *ECCV*, 2014.
- Xiaoyi Dong, Jianmin Bao, Dongdong Chen, Weiming Zhang, Nenghai Yu, Lu Yuan, Dong Chen, and Baining Guo. Cswin transformer: A general vision transformer backbone with cross-shaped windows. In *CVPR*, 2022.
- Alexey Dosovitskiy, Lucas Beyer, Alexander Kolesnikov, Dirk Weissenborn, Xiaohua Zhai, Thomas Unterthiner, Mostafa Dehghani, Matthias Minderer, Georg Heigold, Sylvain Gelly, et al. An image is worth 16x16 words: Transformers for image recognition at scale. In *ICLR*, 2021.
- Kaiming He, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. Deep residual learning for image recognition. In *CVPR*, 2016.
- Jia-Bin Huang, Abhishek Singh, and Narendra Ahuja. Single image super-resolution from transformed self-exemplars. In *CVPR*, 2015.
- Jiwon Kim, Jung Kwon Lee, and Kyoung Mu Lee. Accurate image super-resolution using very deep convolutional networks. In *CVPR*, 2016.
- Diederik Kingma and Jimmy Ba. Adam: A method for stochastic optimization. In *ICLR*, 2015.
- Simon Kornblith, Mohammad Norouzi, Honglak Lee, and Geoffrey Hinton. Similarity of neural network representations revisited. In *NeurIPS*, 2019.

- Yawei Li, Yuchen Fan, Xiaoyu Xiang, Denis Demandolx, Rakesh Ranjan, Radu Timofte, and Luc Van Gool. Efficient and explicit modelling of image hierarchies for image restoration. In *CVPR*, 2023.
- Zhen Li, Jinglei Yang, Zheng Liu, Xiaomin Yang, Gwanggil Jeon, and Wei Wu. Feedback network for image super-resolution. In *CVPR*, 2019.
- Jingyun Liang, Jiezhong Cao, Guolei Sun, Kai Zhang, Luc Van Gool, and Radu Timofte. Swinir: Image restoration using swin transformer. In *ICCV*, 2021.
- Bee Lim, Sanghyun Son, Heewon Kim, Seungjun Nah, and Kyoung Mu Lee. Enhanced deep residual networks for single image super-resolution. In *CVPRW*, 2017.
- Jie Liu, Wenjie Zhang, Yuting Tang, Jie Tang, and Gangshan Wu. Residual feature aggregation network for image super-resolution. In *CVPR*, 2020.
- Ze Liu, Yutong Lin, Yue Cao, Han Hu, Yixuan Wei, Zheng Zhang, Stephen Lin, and Baining Guo. Swin transformer: Hierarchical vision transformer using shifted windows. In *ICCV*, 2021.
- Salma Abdel Magid, Yulun Zhang, Donglai Wei, Won-Dong Jang, Zudi Lin, Yun Fu, and Hanspeter Pfister. Dynamic high-pass filtering and multi-spectral attention for image super-resolution. In *ICCV*, 2021.
- David Martin, Charless Fowlkes, Doron Tal, and Jitendra Malik. A database of human segmented natural images and its application to evaluating segmentation algorithms and measuring ecological statistics. In *ICCV*, 2001.
- Yusuke Matsui, Kota Ito, Yuji Aramaki, Azuma Fujimoto, Toru Ogawa, Toshihiko Yamasaki, and Kiyoharu Aizawa. Sketch-based manga retrieval using manga109 dataset. *Multimedia Tools and Applications*, 2017.
- Yiqun Mei, Yuchen Fan, Yuqian Zhou, Lichao Huang, Thomas S Huang, and Humphrey Shi. Image super-resolution with cross-scale non-local attention and exhaustive self-exemplars mining. In *CVPR*, 2020.
- Yiqun Mei, Yuchen Fan, and Yuqian Zhou. Image super-resolution with non-local sparse attention. In *CVPR*, 2021.
- Ben Niu, Weilei Wen, Wenqi Ren, Xiangde Zhang, Lianping Yang, Shuzhen Wang, Kaihao Zhang, Xiaochun Cao, and Haifeng Shen. Single image super-resolution via a holistic attention network. In *ECCV*, 2020.
- Adam Paszke, Sam Gross, Francisco Massa, Adam Lerer, James Bradbury, Gregory Chanan, Trevor Killeen, Zeming Lin, Natalia Gimelshein, Luca Antiga, et al. Pytorch: An imperative style, high-performance deep learning library. In *NeurIPS*, 2019.
- Maithra Raghu, Thomas Unterthiner, Simon Kornblith, Chiyuan Zhang, and Alexey Dosovitskiy. Do vision transformers see like convolutional neural networks? In *NeurIPS*, 2021.
- Wenzhe Shi, Jose Caballero, Ferenc Huszár, Johannes Totz, Andrew P Aitken, Rob Bishop, Daniel Rueckert, and Zehan Wang. Real-time single image and video super-resolution using an efficient sub-pixel convolutional neural network. In *CVPR*, 2016.
- Radu Timofte, Eirikur Agustsson, Luc Van Gool, Ming-Hsuan Yang, Lei Zhang, Bee Lim, Sanghyun Son, Heewon Kim, Seungjun Nah, Kyoung Mu Lee, et al. Ntire 2017 challenge on single image super-resolution: Methods and results. In *CVPRW*, 2017.
- Fu-Jen Tsai, Yan-Tsung Peng, Yen-Yu Lin, Chung-Chi Tsai, and Chia-Wen Lin. Stripformer: Strip transformer for fast image deblurring. In *ECCV*, 2022.
- Zhengzhong Tu, Hossein Talebi, Han Zhang, Feng Yang, Peyman Milanfar, Alan Bovik, and Yinxiao Li. Maxvit: Multi-axis vision transformer. In *ECCV*, 2022.
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. Attention is all you need. In *NeurIPS*, 2017.

- Wenhai Wang, Enze Xie, Xiang Li, Deng-Ping Fan, Kaitao Song, Ding Liang, Tong Lu, Ping Luo, and Ling Shao. Pyramid vision transformer: A versatile backbone for dense prediction without convolutions. In *ICCV*, 2021.
- Zhendong Wang, Xiaodong Cun, Jianmin Bao, Wengang Zhou, Jianzhuang Liu, and Houqiang Li. Uformer: A general u-shaped transformer for image restoration. In *CVPR*, 2022.
- Zhou Wang, Alan C Bovik, Hamid R Sheikh, and Eero P Simoncelli. Image quality assessment: from error visibility to structural similarity. *TIP*, 2004.
- Enze Xie, Wenhai Wang, Zhiding Yu, Anima Anandkumar, Jose M Alvarez, and Ping Luo. Segformer: Simple and efficient design for semantic segmentation with transformers. In *NeurIPS*, 2021.
- Rui Yang, Hailong Ma, Jie Wu, Yansong Tang, Xuefeng Xiao, Min Zheng, and Xiu Li. Scalablevit: Rethinking the context-oriented generalization of vision transformer. In *ECCV*, 2022.
- Syed Waqas Zamir, Aditya Arora, Salman Khan, Munawar Hayat, Fahad Shahbaz Khan, and Ming-Hsuan Yang. Restormer: Efficient transformer for high-resolution image restoration. In *CVPR*, 2022.
- Roman Zeyde, Michael Elad, and Matan Protter. On single image scale-up using sparse-representations. In *Proc. 7th Int. Conf. Curves Surf.*, 2010.
- Xindong Zhang, Hui Zeng, Shi Guo, and Lei Zhang. Efficient long-range attention network for image super-resolution. In *ECCV*, 2022.
- Yulun Zhang, Kunpeng Li, Kai Li, Lichen Wang, Bineng Zhong, and Yun Fu. Image super-resolution using very deep residual channel attention networks. In *ECCV*, 2018a.
- Yulun Zhang, Yapeng Tian, Yu Kong, Bineng Zhong, and Yun Fu. Residual dense network for image super-resolution. In *CVPR*, 2018b.
- Yulun Zhang, Kunpeng Li, Kai Li, Bineng Zhong, and Yun Fu. Residual non-local attention networks for image restoration. In *ICLR*, 2019.
- Yulun Zhang, Donglai Wei, Can Qin, Huan Wang, Hanspeter Pfister, and Yun Fu. Context reasoning attention network for image super-resolution. In *ICCV*, 2021.
- Shangchen Zhou, Jiawei Zhang, Wangmeng Zuo, and Chen Change Loy. Cross-scale internal graph neural network for image super-resolution. In *NeurIPS*, 2020.