## Automate Strategy Finding with LLM in Quant Investment

**Anonymous ACL submission** 

#### Abstract

We present a novel three-stage framework leveraging Large Language Models (LLMs) within a risk-aware multi-agent system for automate strategy finding in quantitative finance. Our approach addresses the brittleness of traditional deep learning models in financial applications by: employing prompt-engineered LLMs to generate executable alpha factor candidates across diverse financial data, implementing multimodal agent-based evaluation that filters factors based on market status, predictive quality while maintaining category balance, and deploying dynamic weight optimization that adapts to market conditions. Experimental results demonstrate the robust performance of the strategy in Chinese & US market regimes compared to established benchmarks. Our work extends LLMs capabilities to quantitative trading, providing a scalable architecture for financial signal extraction and portfolio construction. The overall framework significantly outperforms all benchmarks with 53.17% cumulative return on SSE50<sup>1</sup> (Jan 2023 to Jan 2024), demonstrating superior risk-adjusted performance and downside protection on the market.

#### 1 Introduction

004

005

007

011

015

017

023

034

038

Recent advances in LLMs and multi-agent systems are converging to transform quantitative finance. This synergistic relationship leverages LLMs' text comprehension and generation capabilities alongside multi-agent frameworks that simulate market dynamics, creating sophisticated approaches to portfolio management (Lee et al., 2020).

LLMs have evolved from supporting analytical tools to active participants in financial decisionmaking. For example, BloombergGPT demonstrates superior performance in parsing market sentiment and answering domain-specific questions (Wu et al., 2023). Research shows that LLMs effectively generate trading actions by contextualizing price trends with news and earnings reports (Ding et al., 2023). Concurrently, multi-agent systems offer powerful approaches to portfolio optimization through decentralized interaction. The Multi-Agent Portfolio System demonstrates the portfolio managed by agents have achieved welldiversified returns with improved risk-adjusted performance (Lee et al., 2025). These frameworks capture complex market dynamics such as information sharing and strategic arbitrage that singleagent models cannot address (Spooner and Savani, 2020). The integration of these technologies creates sophisticated financial environments where LLM-enhanced agents demonstrate adaptive behavior. StockAgent exemplifies this approach with LLM-powered agents mimic diverse investor personas responding to market events (Zhang et al., 2024a). Hierarchical structures such as FinCon organize agents in manager-analyst relationships, facilitating collaboration through natural language communication (Yu et al., 2024). This convergence heralds a future of intelligent, distributed financial decision making that combines data-driven learning with human-like reasoning capabilities for more robust investment strategies (Yu et al., 2023b).

039

041

043

044

045

047

051

053

054

059

060

061

062

063

064

065

066

067

068

069

070

071

073

074

075

076

078

079

Alpha mining is the process of discovering trading signals that generate excess returns in financial markets, we identify three critical challenges in alpha mining: Rigidity of traditional methods that lack adaptability to dynamic markets (Tang et al., 2025); Data diversity and integration challenges despite machine learning advances (Cui et al., 2021; Yu et al., 2023a); and Adaptation to market variability despite progress in prediction (Xu and Cohen, 2018) and strategy formulation (Chen et al., 2019).

Our LLM-driven framework addresses these limitations through three components: Flexible Alpha

<sup>&</sup>lt;sup>1</sup>The SSE 50 Index tracks the performance of the 50 most influential large-cap blue-chip stocks on the Shanghai Stock Exchange.

Mining employs LLMs to extract, categorize, and filter alpha factors from financial literature, organizing them as momentum, fundamental, or liquidity factors with established independence (Xu and Cohen, 2018). Multi-agent Multimodal Market Evaluation conducts rigorous backtesting across diverse market conditions, with specialized agents evaluating factor effectiveness from multiple perspectives. Dynamic Strategy Optimization implements a weight gating layer that assigns optimal alpha factor weights based on current market conditions, ensuring adaptive strategy development.

081

096

100

101

102

103

104

105

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

129

Our methodology synthesizes cutting-edge machine learning techniques with established financial domain knowledge to create a robust interdisciplinary framework for alpha identification and optimization across diverse asset classes. This research is grounded in empirical quantitative investment practices, bridging theoretical advancements with practical applications in portfolio management.

Our main contributions are three-fold: • A novel framework for identifying formulaic alpha factors using LLMs, leveraging their exploratory capabilities to establish an Alpha factory from multimodal information with incremental update functionality; • Introduction of a multi-agent approach to portfolio management for evaluating relationships between market conditions and alpha factors, enabling specialized evaluation under different scenarios; • Integration of advanced techniques from machine learning and finance, representing a significant advancement in developing robust, adaptive investment strategies without human intervention.

The proposed framework demonstrates versatility across various asset classes, enhancing its utility and practical effectiveness. To support future research and ensure reproducibility, we make source code publicly available at https://anonymous. 4open.science/r/Automate-Strategy-Findi ng-with-LLM-in-Quant-investment-63C5.

#### 2 **Problem Formulation**

This section establishes the theoretical foundation for our research on alpha factor strategies in quantitative finance. We formulate a framework addressing three interconnected challenges: mathematically formalizing these alphas, developing dynamic methodologies to generate seed alphas, and defining and optimizing alpha factor strategies. Our approach integrates LLMs and multi-agent systems to overcome limitations in traditional quantitative trading methods.

We employ consistent notation throughout: n stocks observed over trading periods  $t \in 1, 2, ..., T$ , each characterized by m financial features. Alpha factors are denoted as  $\alpha_{ij}^{(t)}$  for stock iin category j at time t, with corresponding weights  $w_i$ . Market conditions at time t are represented by  $\mathcal{M}^{(t)}$ , and alpha factor predictive power is measured using the Information Coefficient (IC) 1.

$$IC = \sigma(u, v) \tag{1}$$

130

131

132

133

134

135

136

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

165

166

167

168

170

171

172

173

A higher IC indicates stronger predictive relationships between alpha values and future returns. where  $\sigma(u, v)$  is correlation coefficient between predicted alphas u and actual future returns v.

#### 2.1 Alpha Factor Representation

The first challenge involves effectively representing alpha factors using mathematical expressions that capture meaningful financial signals (Lo, 2007). Given raw financial features  $\mathbf{X}i^{(t)} = \{Xi1^{(t)}, X_{i2}^{(t)}, \ldots, X_{im}^{(t)}\}$  for each stock *i* at time *t* (such as price, volume, and volatility), we define alpha factors through two classes of operators:

**Cross-Section Operators**  $f_{cs}$ : These operators process data from a single time period, capturing instantaneous relationships between financial variables:

$$\alpha_{cs}^{(t)} = f_{cs}(\mathbf{X}i^{(t)}) \tag{2}$$

**Time-Series Operators**  $f_{ts}$ : These operators analyze data spanning multiple periods, identifying trends and temporal patterns:

$$\alpha_{ts}^{(t)} = f_{ts}(\mathbf{X}i^{(t)}, \mathbf{X}_i^{(t-1)}, \dots, \mathbf{X}_i^{(t-n)}) \quad (3)$$

The seed alpha for stock i in category j at time t is formulated as:

$$\alpha_{ij}^{(t)} = w_{cs} \cdot f_{cs}(\mathbf{X}i^{(t)}) + wts \cdot f_{ts}(\mathbf{X}i^{(t)}, \dots, \mathbf{X}_i^{(t-n)})$$
(4)

where  $w_{cs}$  and  $w_{ts}$  are weights assigned to the cross-section and time-series components respectively. This representation allows for the flexible combination of different financial signals, enabling the creation of complex and nuanced alpha factors.

#### 2.2 Alpha Mining and Selection

The second challenge addresses the limitations of traditional alpha mining methods, which often fail to adapt to changing market conditions. We formulate a dynamic selection approach that identifies the

176

177

178

179

180

181

182

185

188

189

190

192

193

194

195

196

197

198

199

201

202

203

208

210

211

most relevant alphas for current market conditions using two complementary evaluation mechanisms:

**Confidence Score Evaluation**: Assesses the statistical reliability of each alpha factor:

$$\theta_{ij} = \mathbb{E}\left[IC(\alpha_{ij}^{(t)}|\mathcal{M}^{(t)})\right]$$
(5)

where  $\theta_{ij}$  represents the confidence score for alpha  $\alpha_{ij}$ , and  $\mathbb{E}[\cdot]$  denotes the expected value. Higher confidence scores indicate more consistent performance across various market environments.

**Risk Preference Evaluation**: Examines the risk characteristics of each alpha factor:

$$\rho_{ij} = f_{\text{risk}}(\alpha_{ij}^{(t)}, \mathcal{M}^{(t)}) \tag{6}$$

where  $\rho_{ij}$  represents the risk score and  $f_{risk}$  is a function that evaluates how well the alpha performs under different risk scenarios.

The optimal set of seed alphas is selected by considering both confidence and risk evaluations:

$$\alpha_{ij} = \underset{\alpha_{ij}}{\arg\max} \left[ w_c \cdot \theta_{ij} + w_r \cdot \rho_{ij} \right]$$
(7)

where  $w_c$  and  $w_r$  are weights assigned to confidence and risk scores respectively, reflecting their relative importance in the selection process.

#### 2.3 Strategy Optimization

The third challenge involves combining the selected alphas into an effective investment strategy. The final alpha strategy is defined as a weighted combination of the optimal alphas from each category:

$$\alpha^{(t)} = \sum_{j=1}^{k} w_j \cdot \alpha_{ij} \tag{8}$$

where  $w_j$  represents the weight assigned to category j, and k is the total number of alpha categories. These weights are dynamically adjusted based on current market status to maximize strategy performance while managing overall portfolio risk. This optimization completes our framework, transforming raw financial data into a robust trading strategy that can adapt to changing market environments.

#### 3 Methodology

#### 3.1 Framework Overview

212Our framework comprises three interconnected213components (Figure 1): the SAF, multi-agent214decision-making, and weight optimization. The

initial phase employs LLMs to analyze and categorize multimodal financial research documents, constructing a comprehensive SAF. The LLM's capability to process diverse datasets enables the creation of a robust set of seed alphas categorized into independent groups, aligning with established finance alpha mining principles (OpenAI, 2023). The second phase implements a multimodal multiagent evaluation process that incorporates varied risk perspectives, enhancing strategy adaptability across different market conditions. This phase produces an optimized alpha set tailored to current market states and risk preferences. The final phase employs deep learning methods to optimize the weights of selected alphas, constructing a cohesive overall strategy.

The framework's dynamic architecture enables continuous refinement through incremental updates to the SAF as new research emerges and market conditions evolve. This adaptability ensures the strategy maintains relevance and robustness over time. The methodology's versatility permits application to any structured market globally, effectively replicating and enhancing professional investment research approaches.

#### 3.2 LLM-Based Seed Alpha Generation

The first stage implements an LLM-based filtering and categorization process for alpha-related research. We utilize GPT-40 model to perform these tasks on a diverse corpus of financial research. Our initial dataset comprises 11 documents spanning both theoretical and applied aspects of alpha mining research (see Appendix A.2). Through this process, the system generates 9 distinct categories containing 100 seed alphas. The approach enhances the model's ability to extract intricate details and relationships within financial research, resulting in a more robust and diverse SAF.

The output is a structured set of seed alphas categorized into distinct financial domains such as Momentum, Mean Reversion, and Fundamental analysis et al. Each category includes specific alpha designations and corresponding executable formulations derived from the LLM's analysis (see Appendix A.3). This structured output forms the foundation for subsequent processing stages.

#### 3.3 Multimodal Multi-Agent Evaluation

The second stage implements a comprehensive evaluation and selection of alpha factors through a multimodal and multi-agent system. Our system

223

224

225

226

227

229

230

231

232

233

234

235

236

237

238

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

257

258

259

260

261

262

263

264



Figure 1: Overview of the strategy generate process in three components, a Seed Alpha Factory built using LLMs, a multi-agent decision-making system, and a weight optimization approach for overall strategy (CS stands for confidence score; RP stands for risk preference)

incorporates five types of multimodal data (detailed
in Appendix A.4) encompassing textual, numerical,
visual, audio, and video inputs. The multi-agent architecture comprises two agents Confidence Score
Agent (CSA) and Risk Preference Agent (RPA). Selected alpha factors undergo rigorous backtesting
using historical market data, with key evaluation
metrics including the IC (Goodwin, 1998) 1 and
Sharpe Ratio (Sharpe, 1994) 9:

Sharpe Ratio = 
$$\frac{\mathbb{E}[R(\alpha^{(t)}) - R_f]}{\sqrt{\operatorname{Var}[R(\alpha^{(t)})]}}$$
(9)

where  $R(\alpha^{(t)})$  represents the return of the strategy and  $R_f$  represents the risk-free rate. We developed a Category-Based Alpha Selection algorithm (detailed in Appendix A.5) to automate the selection. This algorithm systematically identifies and selects alphas from different categories based on their confidence scores, ensuring rigorous selection of factors that meet confidence thresholds across all categories while maintaining category diversity.

#### 3.4 Weight Optimization

274

275

277

278

279

281

283

284

290

294

298

The final stage employs a 3-layer MLP to optimize the weights of selected seed alphas by mapping historical alpha calculations to future yields (Chen and et al., 2020). The architecture consists of an input layer processing daily alpha values, a hidden layer with ten ReLU-activated nodes, and a singlenode output layer for yield prediction.

During training, the network employs backpropagation and gradient descent to minimize the loss function, quantifying the discrepancy between predicted and actual yields. We utilize a separate validation set to ensure model generalizability and prevent overfitting. The DNN processes input data through the hidden layer, transforming it with learned weights and biases, and generates the final output through the output layer's weights, biases, and activation function.

This methodology establishes a robust framework for predicting future yields based on historical alpha values, demonstrating the efficacy of deep learning techniques in optimizing alpha weights and enhancing investment strategy performance. Algorithm 2 provides a formal specification of our complete framework, illustrating the logical flow from multimodal data processing through multiagent evaluation to final weight optimization.

#### 4 Experiment

Our research aims to develop a comprehensive LLM-driven alpha mining framework that operates without human intervention. This framework is uniquely capable of processing multimodal information and adapting to varying market conditions. To validate the effectiveness of our framework, we have conducted a series of experiments.

#### 4.1 Datasets

Our study focuses on financial data from the Chinese market and US market, specifically targeting the SSE 50 Index. Table 11 shows the experiment dataset, which encompasses six primary features as original inputs for our Alpha factors: open, high, low, close, volume (OHLCV), and volumeweighted average price (VWAP). To ensure rigorous evaluation and robust model performance. Our experiments integrate financial reports and factor performances of the 50 constituent companies of the SSE 50 Index, providing a comprehensive view of the market (Li and Mei, 2020). The evaluation considers various datasets, including financial reports from the specified periods and performance

327

328

329

330

331

333

299

300

301

302

303

304

305

306

307

308

Table 1: Summary of the Experiment Dataset

Aspect	Details
Primary Features	Open, High, Low, Close, Volume, VWAP
Alpha Factors	Custom factors based on price, volume, financial ratios,
	moving averages, sentiment analysis
Financial Reports	Quarterly and Annual reports from Index constituent companies
Time Periods	Jan 2019-Jun 2024
Market Coverage	SSE50, CSI300, SP500 Index
Evaluation Criteria	Causal relationships, Alpha factor performance, model robustness



Figure 2: Sample Experiment on Different Market Status Input and Alpha Selection, Selected Alpha Depends on Different Context

metrics of different Alpha factors.

#### 4.2 Multimodal Knowledge Extraction and Adaptive Alpha Discovery

We implement a prompt architecture (Figure 2) that incorporates multimodal market information into LLMs for comprehensive knowledge extraction and seed alpha selection. This architecture integrates textual financial sentiment data, numerical company financial statements, and visual trading charts to provide holistic market analysis. Our contextual analysis mechanism dynamically adjusts parameters based on prevailing market trends and sector performance. Experimental validation demonstrates the framework's adaptability across varying market conditions. In Case 1, analyzing SSE50 data from Jan 2023 to Dec 2023, the model selected momentum and volume-based indicators such as price momentum, RSI, and MACD. Conversely, in Case 2, when processing the time window from Jan 2022 to Dec 2022, the model prioritized volatility and economic factors, including ATR, Bollinger Bands, and gross profit indicators.

These results confirm the framework's capacity to dynamically adapt to changing market conditions through effective multimodal data integration. This adaptability enables the identification of market-appropriate alphas, enhancing strategy robustness across diverse market environments.

Table 2: IC Comparison of mean & selected

	Momentum	Mean Reversion	Volatility	Fundamental	Growth
Mean IC of SAF	0.0092	0.0135	0.0177	0.0118	0.0146
Mean IC of Selected SAF	0.0208	0.0187	0.0258	0.0192	0.0217

#### 4.3 Comparative Performance Against Traditional Alpha Factories

When evaluating the performance of selected seed alpha signals, the primary metric is the IC. We evaluated five most common alpha categories: Momentum, Mean Reversion, Volatility, Fundamental and Growth. The results in Table 2 demonstrate that our LLM-driven framework consistently achieves higher average IC values across all categories, particularly in Volatility and Fundamental, indicating superior trading effectiveness compared to original.

### 4.4 Performance Evaluation of the Integrated Alpha Framework in Benchmark Comparison

#	Alpha	Weight	IC(SSE50)
1	(CLOSE - DELAY(CLOSE, 14))	-0.1459	0.0209
2	(RSI - DELAY(RSI, 14))	-1.0265	-0.0225
3	(CLOSE - DELAY(SMA(CLOSE, 14), 7))	-0.1978	0.0193
4	(MA(CLOSE, 20) - CLOSE)	0.0556	-0.0186
5	(SMA(CLOSE, 20) - CLOSE)	-0.945	-0.0186
6	(MAX(HIGH, 20) - CLOSE)	-0.4053	-0.0185
7	(100-RSI)	-0.3199	0.0194
8	(BOLL_UP - BOLL_DOWN) / SMA(CLOSE, 20)	3.6186	0.0278
9	STD(CLOSE, 10) / STD(CLOSE, 50)	-0.183	0.0236
10	VOLUME / MARKET_CAP	-3.2145	-0.0194
11	VOLUME * CLOSE	-0.0058	0.0187
12	(EPS / DELAY(EPS, 1) - 1)	-1.8351	-0.0215
	Weighted Combination		-0.0587

 Table 3: SSE50 2023 Test Combination of 12 Alphas

Table 3 presents an example combination of 12 alphas generated by our framework, evaluated on the SSE50 constituent stock set. The table details the seed alphas selected by the LLM from each category, along with their respective weights and IC 1 values. The weight combination IC 1 value is quite high as -0.0587. Although some of the seed alphas exhibit relatively low IC 1 values individually, their removal results in a significant drop in the retrained combination weight, indicating their critical role in the overall performance. For example, if we remove alpha #6 the weight combination will drop to -0.055; once we remove the alpha #11, the weight combination will drop to merely 0.0491. This suggests that the seed alpha set selected by the LLM synergizes effectively, providing robust predictive power (Zhang et al., 2020). To address the ques373

374

375

362

363

334

335

337

339

341

342

345

347

351

357

361

376

377

378

379

384

388

389

390



Figure 3: Cumulative Return Backtest Result on SSE50. The line track the net worth of different methods

tion of whether our overall strategy, incorporating the LLM-driven framework and confidence scoring, can consistently beat the market, we conducted 395 a backtest using a straightforward investment approach during the period from Jan 2023 to Jan 2024 (training: Jan 2021-Jun 2022; validation: Jul 2022-Dec 2022), on the SSE50 dataset we conduct the framework to construct the portfolio (A.8). The 400 net worth progression of the respective strategies 401 over the testing period is shown in Figure 3, and 402 403 the comparison matrix shows in Table 4. Despite not explicitly optimizing for absolute returns, our 404 framework demonstrates impressive performance 405 in the backtest, achieving the highest profit com-406 407 pared to other methods. Our cumulative return for 2023 backtest comes to 53.17% positive and 408 meanwhile the index performance is -11.73%. We 409 also do the compression with 4 advanced statistical 410 methods and 2 LLM based methods. The frame-411 work strategy substantially outperforms all com-412 petitors with the highest return (53.17%), best risk-413 adjusted metrics (Sharpe: 0.287, Sortino<sup>2</sup>: 0.208, 414 Calmar <sup>3</sup>: 1.052), and lowest volatility (0.762%). 415 LLM based mathods FinCon and SEP show moder-416 ate success (22.47%, 17.89%), while conventional 417 machine learning methodologies yield marginal re-418 turns (XGBoost 9.53%). Notably, all evaluated 419 strategies surpass the SSE50 benchmark, which 420 exhibits negative performance (-13.22%). This 421 approach demonstrates the efficacy of our LLM-499 driven framework consistently outperforming mar-423 ket benchmarks through dynamic adaptation to 424 changing conditions. 425

> <sup>2</sup>Sortino ratio computing excess return per unit of downside deviation, evaluating only negative return volatility.

> <sup>3</sup>Calmar ratio divides annualized return by maximum drawdown, measuring reward relative to risk.

Table 4: Performance Comparison of Trading Strategies

Strategy	Final Return (%)	Sharpe Ratio	Volatility (%)	Sortino Ratio	Calmar Ratio
Ours	53.173	0.287	0.762	0.208	1.052
XGBoost (Chen	9.532	0.038	1.019	0.067	0.103
and Guestrin, 2016)					
LightGBM (Ke	7.125	0.030	0.993	0.053	0.066
et al., 2017)					
MLP	3.110	0.013	0.960	0.023	0.043
PPO_filter (Schul-	2.865	0.013	0.886	0.024	0.017
man et al., 2017)					
FinCon (Yu et al.,	22.474	0.077	1.196	0.126	0.232
2024)					
SEP (Koa et al.,	17.891	0.060	1.217	0.103	0.157
2024)					
SSE 50	-13.22	-0.063	0.859	-0.111	-0.043

#### 4.5 Framework Robustness Across Time Periods and Markets

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

We conducted rigorous cross-temporal and crossmarket validation using two comprehensive datasets: CSI300<sup>4</sup> constituents (accessed via Tushare API) and SP500<sup>5</sup> constituents (accessed via CRSP platform) spanning January 2019 to December 2023. Our dataset incorporated daily OHLCV price metrics, quarterly financial statements, and relevant macroeconomic indicators to enable robust alpha factor construction. To ensure methodological integrity, we systematically partitioned the dataset into training, validation, and testing subsets with precise chronological segmentation as detailed in Table 5. This experimental design facilitates comprehensive evaluation of our framework's generalizability across different market environments and temporal contexts.

We employed consistent temporal partitioning across Chinese A-share and US markets to enable

<sup>&</sup>lt;sup>4</sup>CSI300 Index tracking the 300 largest companies listed on China's Shanghai and Shenzhen exchanges.

<sup>&</sup>lt;sup>5</sup>SP500 Index measuring the performance of 500 large U.S. companies traded on American stock exchanges.

Table 7: Ablation Study Results: Impact of Agent Components on Performance Metrics

Model Configuration	IC	IC	Sharpe
Model Comguration	(In-Sample)	(Out-of-Sample)	Ratio
Full Model	0.059	0.047	1.94
Without Confidence Score	0.054	0.032	1.51
Without Risk Preference	0.056	0.039	1.34

Table 8: Performance Across Market Regimes (Out-of-Sample IC)

Model Configuration	Bull Market	Bear Market	Sideways Market
Full Model	0.051	0.042	0.045
Without Confidence Score	0.046	0.021	0.029
Without Risk Preference	0.049	0.028	0.037

#### 4.6 Ablation Study

Our ablation study systematically evaluates the contribution of CSA and RPA within a multi-agent framework. We evaluate three configurations of each, using the SSE50 index data (2010-2022) and measure performance by IC 1 and Sharpe Ratio 9.

Table 7 demonstrates that the complete model achieved superior performance, with an out-ofsample IC of 0.047 and Sharpe Ratio of 1.73. Removing the CSA caused substantial degradation, reducing out-of-sample IC by 31.9% and Sharpe Ratio by 22.5%. RPA removal also decreased performance metrics, with particularly significant impact on the Sharpe Ratio. These results indicate that while both components contribute meaningfully, the CSA plays a more critical role in maintaining predictive stability. To assess performance consistency across market conditions, we analyzed out-ofsample IC values during different market regimes (Table 8). The complete model maintained consistent performance across bull, bear, and sideways markets. In contrast, the model without CSA performed particularly poorly during bear markets(IC: 0.021 vs. 0.042). The model without RPA showed moderate degradation during non-bull markets, less severe than observed without CSA.

This analysis confirms that both components enhance performance stability, with the CSA providing especially critical functionality during adverse market conditions.

#### Sensitive Study 4.7

We analyzed the framework's sensitivity to agent weights and neural network hyperparameters. The CSA & RPA weight ratio of 0.6/0.4 provided superior performance across market regimes, particularly during bear markets (Sharpe: 10.37), indi-

Table 5: Training, Validation, and Test Periods for CSI300 and SP500

Assets	Training Period	Validation Period	Test Period
	Jan 2019-Jun 2020	Jun-Dec 2020	Jan-Jun 2021
CSI300	Jan 2020-Jun 2021	Jun-Dec 2021	Jan-Jun 2022
	Jan 2021-Jun 2022	Jun-Dec 2022	Jan-Jun 2023
	Jan 2019-Jun 2020	Jun-Dec 2020	Jan-Jun 2021
SP500	Jan 2020-Jun 2021	Jun-Dec 2021	Jan-Jun 2022
	Jan 2021-Jun 2022	Jun-Dec 2022	Jan-Jun 2023

Table 6: Backtest Performance Results Across Different Time Windows

Time Window	Annual R	Return (%)	Cum. Re	turn (%)	Max D	D(%)
	Strategy	Baseline	Strategy	Baseline	Strategy	Baseline
		Our Strate	gy vs CSI3	800		
Jan-Jun 2021	29.70	7.31	11.91	3.10	-19.40	-10.86
Jan-Jun 2022	12.78	-30.37	5.29	-14.37	-24.01	-28.59
Jan-Jun 2023	192.27	9.13	59.03	3.85	-17.03	-8.44
		Our Strate	egy vs SP5	00		
Jan-Jun 2021	93.61	29.67	35.19	12.59	-7.89	-4.23
Jan-Jun 2022	2.77	-44.22	1.25	-23.39	-20.55	-23.51
Jan-Jun 2023	118.24	35.22	42.78	14.76	-11.52	-7.75
Note: Max DD - Maximum Drawdown						

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468 469

470

471

472

473

direct comparative analysis. Our findings demonstrate the framework's robust performance across diverse market environments. From Table 6 shows in the Chinese A-Share market, the strategy generated substantial alpha with CSI300 constituents, particularly in H1 2023 (192.27% annual return vs. benchmark 9.13%). Similarly, in the US market, the framework achieved strong returns with SP500 constituents (93.61% in H1 2021, 118.24% in H1 2023). Notably, during the H1 2022 market downturn, the strategy maintained positive returns in both markets (12.78% in CSI300, 2.77% in SP500) while their respective benchmarks declined significantly (-30.37% and -44.22%).

The empirical evidence substantiates both the temporal persistence and cross-market robustness of our findings, with notably beneficial countercyclical characteristics emerging during periods of market distress. The framework demonstrates consistent alpha generation across diverse market architectures, regulatory frameworks, and investor behavioral patterns, establishing its broad applicability. Specifically, the model maintains stable outperformance trajectories through bullish, bearish, and range-bound market conditions (detailed in Appendix A.9), thereby validating its structural integrity and adaptability to varying macroeconomic environments.

474 475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

505

506

507

508

576

577

578

579

580

581

582

583

584

585

586

587

Table 9: Sensitivity to Agent Weight Configurations

Confidence	Risk	S	harpe Ratio	
Weight	Weight	Bull Market	Bear Market	Overall
1.0	0.0	4.32	6.60	8.10
0.8	0.2	-3.41	-7.23	-2.68
0.6	0.4	8.70	10.37	11.39
0.5	0.5	-0.49	-1.62	-5.10
0.4	0.6	-4.27	-4.41	-8.04
0.2	0.8	5.68	8.51	9.00
0.0	1.0	-0.61	1.78	-4.35

Table 10: Sensitivity to Neural Network Hyperparameters

Hidden	Learning	Batch	Regularization	Sharpe
Nodes	Rate	Size	Parameter	Ratio
5	0.001	32	0.001	9.69
10	0.001	32	0.001	13.33
20	0.001	32	0.001	6.93
10	0.0005	32	0.001	7.03
10	0.002	32	0.001	5.13
10	0.001	16	0.001	6.26
10	0.001	64	0.001	4.25
10	0.001	32	0.0005	-1.88
10	0.001	32	0.002	-6.91

cating enhanced robustness to regime shifts (Table 9). Optimal neural network configuration (10 hidden nodes, learning rate: 0.001, batch size: 32, regularization: 0.001) achieved a Sharpe ratio of 13.33, with performance particularly sensitive to regularization strength (Table 10).

The analysis revealed regime-dependent behavior across market conditions, and critical sensitivity to regularization strength. The optimal configuration achieved a robust overall Sharpe ratio of 11.39.

### 5 Related Work

510

511

512

513

514

516

517

518

519

520

521

522

524

525

526

527

531

533

534

537

Formulaic alphas in quantitative investment represent systematic, rule-based strategies that generate excess returns by exploiting specific market patterns and inefficiencies (Kakushadze, 2016). These strategies employ various methodologies, including genetic programming that involves structural and numerical mutations to generate novel alphas (Cong et al., 2021), enhanced time-series operators with mutual information as fitness measures (Lin et al., 2019), and algorithmic graphs for more complex predictions (Cui et al., 2021). Machine learning approaches utilize neural network architectures such as LSTM (Hochreiter and Schmidhuber, 1997) and Transformer models (Vaswani et al., 2017), while decision tree models like XGBoost (Chen and Guestrin, 2016) and LightGBM (Ke et al., 2017) offer interpretability advantages. Recent research focuses on integrating non-standard data sources, as demonstrated by REST (Xu et al., 2021b) and HIST (Xu et al., 2021a).

The development of **general-domain LLMs** has catalyzed interest in Finance LLMs (Fin-LLMs), although this specialized domain remains nascent (Novy-Marx, 2015; Yang et al., 2023; Zhao et al., 2023). Open-source LLMs such as LLaMA (Touvron et al., 2023), BLOOM (W. and et al., 2023), and Flan-T5 (W. and et al., 2022) provide flexibility but may underperform proprietary alternatives. Fine-tuned financial LLMs demonstrate enhanced domain-specific comprehension, yet their generative performance indicates the need for improved domain-specific datasets (Lewis and et al., 2020; Koa et al., 2024).

**Multimodal LLMs** have shown significant potential in investment contexts by processing diverse data types (L et al., 2023), developing strategies that mitigate market volatility (K et al., 2024), and analyzing textual data to gauge investor sentiment (Zhao et al., 2024). Multi-agent LLM systems enhance market analysis capabilities by leveraging vast datasets to interpret financial reports and market sentiment (Zhang et al., 2024b), simulating various market scenarios (Talebirad and Nadiri, 2023), and facilitating parallel testing of diverse strategies (Wang et al., 2024). Implementation raises important considerations regarding transparency, accountability, and bias mitigation (Yu and et al., 2024; Mundhenk et al., 2021).

#### 6 Conclusion

In this paper, we proposed a novel quantitative investment framework integrating LLMs and multi-Agent architectures to address instability in traditional approaches. Our system generates diversified alpha factors from multimodal financial data, constructs risk-calibrated trading agents, and employs a deep learning mechanism for dynamic agent weighting based on market conditions.

Experimental results confirm the framework's effectiveness across Chinese and US markets, our framework demonstrates significant outperformance versus SOTA alpha generation methods and benchmark indices across key financial metrics. This work successfully extends LLM capabilities to quantitative trading, creating a scalable, adaptive architecture for financial signal extraction that functions effectively without human intervention across diverse market regimes.

#### 7 Limitations

588

Our framework presents several significant limitations. First, system efficacy is contingent upon 591 input document quality, potentially perpetuating inherent biases (Deb et al., 2017; Ashok et al., 2018). Second, LLM-generated alphas occasionally lack 594 the financial intuition characteristic of human analysts, resulting in theoretically sound but practically infeasible factors (Tuarob et al., 2017). Third, our multi-agent evaluation methodology presupposes persistent historical relationships between market 598 conditions and alpha performance-an assumption that may prove tenuous during market regime shifts. Finally, our validation efforts have primarily targeted equity markets, with cross-asset applicability requiring additional empirical investigation. Future research directions should address these constraints through exploring Mixture of Experts (MoE) architectures to improve learning efficiency (Masoudnia 606 and Ebrahimpour, 2014), adaptive agent architectures, transfer learning methodologies (Wang et al., 609 2023), and computationally efficient implementations. 610

#### References

611

614

615 616

617

618

619

623

625

631

634

- Aditya Ashok, Manimaran Govindarasu, and Venkataramana Ajjarapu. 2018. Online detection of stealthy false data injection attacks in power system state estimation. *IEEE Transactions on Smart Grid*, 9(3):1636–1646.
- Chi Chen, Li Zhao, Jiang Bian, Chunxiao Xing, and Tie-Yan Liu. 2019. Investment behaviors can tell what inside: Exploring stock intrinsic properties for stock trend prediction. In *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, pages 2376–2384.
- Tianqi Chen and Carlos Guestrin. 2016. Xgboost: A scalable tree boosting system. In *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, pages 785–794, San Francisco, CA, USA. ACM.
- Yinpeng Chen and et al. 2020. Dynamic relu. In *European Conference on Computer Vision*. Springer International Publishing.
- L. W. Cong, K. Tang, J. Wang, and Y. Zhang. 2021. Alphaportfolio: Direct construction through deep reinforcement learning and interpretable ai.
- Can Cui, Wei Wang, Meihui Zhang, Gang Chen, Zhaojing Luo, and Beng Chin Ooi. 2021. Alphaevolve: A learning framework to discover novel alphas in quantitative investment. In *Proceedings of the 2021 International Conference on Management of Data (SIG-*

*MOD '21*), pages 2208–2216, Virtual Event, China. ACM.

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

690

- Chirag Deb, Fan Zhang, Junjing Yang, Siew Eang Lee, and Kwok Wei Shah. 2017. A review on time series forecasting techniques for building energy consumption. *Renewable and Sustainable Energy Reviews*, 74:902–924.
- Yujie Ding, Shuai Jia, Tianyi Ma, Bingcheng Mao, Xiuze Zhou, Liuliu Li, and Dongming Han. 2023. Integrating stock features and global information via large language models for enhanced stock return prediction. *Preprint*, arXiv:2310.05627.
- Thomas H Goodwin. 1998. The information ratio. *Financial Analysts Journal*, 54(4):34–43.
- Sepp Hochreiter and Jürgen Schmidhuber. 1997. Long short-term memory. *Neural Computation*, 9(8):1735– 1780.
- Ouyang K, Liu Y, Li S, and et al. 2024. Modal-adaptive knowledge-enhanced graph-based financial prediction from monetary policy conference calls with llm.
- Zura Kakushadze. 2016. 101 formulaic alphas. *Wilmott*, 2016(84):72–81.
- Guolin Ke, Qi Meng, Thomas Finley, Taifeng Wang, Wei Chen, Weidong Ma, Qiwei Ye, and Tie-Yan Liu. 2017. Lightgbm: A highly efficient gradient boosting decision tree. In Advances in Neural Information Processing Systems 30: Annual Conference on Neural Information Processing Systems 2017, pages 3146– 3154, Long Beach, CA, USA. Neural Information Processing Systems Foundation.
- K. J. Koa, Y. Ma, R. Ng, and T.-S. Chua. 2024. Learning to generate explainable stock predictions using selfreflective large language models. In *Proceedings of the ACM on Web Conference 2024*, pages 4304–4315.
- Li L, Chang T Y, and Wang H. 2023. Multimodal gen-ai for fundamental investment research.
- Jean Lee, Nicholas Stevens, and Soyeon Caren Han. 2025. Large language models in finance (finllms). *Neural Computing and Applications*.
- Jinho Lee, Raehyun Kim, Seok-Won Yi, and Jaewoo Kang. 2020. Maps: Multi-agent reinforcement learning-based portfolio management system. In *Proceedings of the Twenty-Ninth International Joint Conference on Artificial Intelligence*, IJCAI-PRICAI-2020, page 4520–4526. International Joint Conferences on Artificial Intelligence Organization.
- P. Lewis and et al. 2020. Retrieval-augmented generation for knowledge-intensive nlp tasks. In *NeurIPS*, volume 33, pages 9459–9474.
- Weiping Li and Feng Mei. 2020. Asset returns in deep learning methods: An empirical analysis on sse 50 and csi 300. *Research in International Business and Finance*, 54:101291.

798

Xiaoming Lin, Ye Chen, Ziyu Li, and Kang He. 2019. Stock alpha mining based on genetic algorithm. Technical report, Huatai Securities Research Center.

692

695

699

702

703

704

710

711

712

713

714

715

716

717

718

719 720

721

722

723

724

725

726

727

728

729 730

731

733

734

735

737

740

741

742

743

744

- Andrew W Lo. 2007. Where do alphas come from?: A new measure of the value of active investment management. A new measure of the value of active investment management (May 8, 2007).
- Saeed Masoudnia and Reza Ebrahimpour. 2014. Mixture of experts: a literature survey. *Artificial Intelligence Review*, 42:275–293.
  - T. Nathan Mundhenk, Mikel Landajuela, Ruben Glatt, Daniel M. Faissol, and Brenden K. Petersen. 2021. Symbolic regression via neural-guided genetic programming population seeding. In 9th International Conference on Learning Representations (ICLR), Virtual Event, Austria.
  - Robert Novy-Marx. 2015. Fundamentally, momentum is fundamental momentum. Technical Report w20984, NBER.
- OpenAI. 2023. Gpt-4 technical report.
  - John Schulman, Filip Wolski, Prafulla Dhariwal, Alec Radford, and Oleg Klimov. 2017. Proximal policy optimization algorithms. *Preprint*, arXiv:1707.06347.
  - William F Sharpe. 1994. The sharpe ratio. *Journal of portfolio management*, 21(1):49–58.
  - Thomas Spooner and Rahul Savani. 2020. Robust market making via adversarial reinforcement learning. *Preprint*, arXiv:2003.01820.
  - Y. Talebirad and A. Nadiri. 2023. Multi-agent collaboration: Harnessing the power of intelligent llm agents.
  - Ziyi Tang, Zechuan Chen, Jiarui Yang, Jiayao Mai, Yongsen Zheng, Keze Wang, Jinrui Chen, and Liang Lin. 2025. Alphaagent: Llm-driven alpha mining with regularized exploration to counteract alpha decay. *Preprint*, arXiv:2502.16789.
  - H. Touvron, T. Lavril, G. Izacard, X. Martinet, M.-A. Lachaux, T. Lacroix, B. Rozière, N. Goyal, E. Hambro, F. Azhar, A. Rodriguez, A. Joulin, E. Grave, and G. Lample. 2023. Llama: Open and efficient foundation language models.
  - Suppawong Tuarob, Conrad S. Tucker, Soundar R. T. Kumara, C. Lee Giles, Aaron L. Pincus, David E. Conroy, and Nilam Ram. 2017. How are you feeling: A personalized methodology for predicting mental states from temporally observable physical and behavioral information. *Journal of Biomedical Informatics*, 68:1–19.
  - Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N. Gomez, Lukasz Kaiser, and Illia Polosukhin. 2017. Attention is all you need. In *Advances in Neural Information Processing Systems 30: Annual Conference on Neural*

*Information Processing Systems 2017*, pages 5998–6008, Long Beach, CA, USA. Neural Information Processing Systems Foundation.

- B. W. and et al. 2023. Bloom: A 176b-parameter openaccess multilingual language model.
- H. W. and et al. 2022. Scaling instruction-finetuned language models.
- Liping Wang, Jiawei Li, Lifan Zhao, Zhizhuo Kou, Xiaohan Wang, Xinyi Zhu, Hao Wang, Yanyan Shen, and Lei Chen. 2023. Methods for acquiring and incorporating knowledge into stock price prediction: A survey. *arXiv preprint arXiv:2308.04947*.
- Q. Wang, Z. Wang, Y. Su, and et al. 2024. Rethinking the bounds of llm reasoning: Are multi-agent discussions the key?
- Shijie Wu, Ozan Irsoy, Steven Lu, Vadim Dabravolski, Mark Dredze, Sebastian Gehrmann, Prabhanjan Kambadur, David Rosenberg, and Gideon Mann. 2023. Bloomberggpt: A large language model for finance. *Preprint*, arXiv:2303.17564.
- Wentao Xu, Weiqing Liu, Lewen Wang, Yingce Xia, Jiang Bian, Jian Yin, and Tie-Yan Liu. 2021a. Hist: A graph-based framework for stock trend forecasting via mining concept-oriented shared information.
- Wentao Xu, Weiqing Liu, Chang Xu, Jiang Bian, Jian Yin, and Tie-Yan Liu. 2021b. Rest: Relational eventdriven stock trend forecasting. In WWW '21: The Web Conference 2021, pages 1–10, Virtual Event / Ljubljana, Slovenia. ACM / IW3C2.
- Yumo Xu and Shay B Cohen. 2018. Stock movement prediction from tweets and historical prices. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (ACL)*, pages 1970–1979.
- Y. Yang, Y. Tang, and K. Y. Tam. 2023. Investlm: A large language model for investment using financial domain instruction tuning.
- Shuo Yu, Hongyan Xue, Xiang Ao, Feiyang Pan, Jia He, Dandan Tu, and Qing He. 2023a. Generating synergistic formulaic alpha collections via reinforcement learning. In Proceedings of the 29th ACM SIGKDD Conference on Knowledge Discovery and Data Mining (KDD '23), pages 5476–5486, New York, NY, USA. Association for Computing Machinery.
- Yangyang Yu and et al. 2024. Finmem: A performanceenhanced llm trading agent with layered memory and character design. In *Proceedings of the AAAI Symposium Series*, volume 3.
- Yangyang Yu, Haohang Li, Zhi Chen, Yuechen Jiang, Yang Li, Denghui Zhang, Rong Liu, Jordan W. Suchow, and Khaldoun Khashanah. 2023b. Finmem: A performance-enhanced llm trading agent with layered memory and character design. *Preprint*, arXiv:2311.13743.

Yangyang Yu, Zhiyuan Yao, Haohang Li, Zhiyang Deng, Yupeng Cao, Zhi Chen, Jordan W. Suchow, Rong Liu, Zhenyu Cui, Zhaozhuo Xu, Denghui Zhang, Koduvayur Subbalakshmi, Guojun Xiong, Yueru He, Jimin Huang, Dong Li, and Qianqian Xie. 2024. Fincon: A synthesized llm multi-agent system with conceptual verbal reinforcement for enhanced financial decision making. *Preprint*, arXiv:2407.06567.

799

802

808

809

810

811

812

813

814

815

816

817

818

819

821

824

825

826

- Chong Zhang, Xinyi Liu, Zhongmou Zhang, Mingyu Jin, Lingyao Li, Zhenting Wang, Wenyue Hua, Dong Shu, Suiyuan Zhu, Xiaobo Jin, Sujian Li, Mengnan Du, and Yongfeng Zhang. 2024a. When ai meets finance (stockagent): Large language model-based stock trading in simulated real-world environments. *Preprint*, arXiv:2407.18957.
- Feng Zhang, Ruite Guo, and Honggao Cao. 2020. Information coefficient as a performance measure of stock selection models.
  - W. Zhang, L. Zhao, H. Xia, and et al. 2024b. A multimodal foundation agent for financial trading: Toolaugmented, diversified, and generalist. Technical report.
  - H. Zhao, Z. Liu, Z. Wu, and et al. 2024. Revolutionizing finance with llms: An overview of applications and insights.
  - W. X. Zhao, K. Zhou, J. Li, T. Tang, X. Wang, Y. Hou, Y. Min, B. Zhang, J. Zhang, Z. Dong, and et al. 2023. A survey of large language models.

#### **A** Appendix

#### A.1 Sample of Seed Alpha

The seed alpha representation depicted in Figure 4 illustrates a fundamental construct in quantitative finance for generating trading signals. This figure presents a comprehensive visualization of the Detrended Price Oscillator (DPO) formula, which compares the current closing price with a delayed simple moving average (SMA) of closing prices. Panel A shows the mathematical formulation of the seed alpha, expressed as CLOSE - DELAY(SMA(CLOSE, 14), 7), which captures price momentum by measuring deviations from historical trends. Panel B transforms this formula into an equivalent expression tree, demonstrating the hierarchical relationship between operators and operands, which facilitates algorithmic implementation and analysis. Panel C provides a practical illustration through a tabulated step-by-step computation of this alpha formula on a sample time series, showing how the signal evolves over multiple trading days. This representation exemplifies how complex financial indicators can be systematically decomposed, formalized, and applied to market data for quantitative trading strategies.



Figure 4: Seed Alpha Representation: (A) An example of the seed alpha formula. (B) Its equivalent expression tree. (C) Step-by-step computation of this seed alpha on an example time series.

827

828

829

830

831

832

833

834

835

836

837

838

839

840

841

842

843

844

845

846

847

848

849

#### A.2 Seed Alphas document lists for GPTs

The presented table offers a comprehensive 853 overview of cutting-edge research pertinent to 854 the development of a SAF in quantitative finance. These documents collectively represent the confluence of traditional financial methodologies with advanced computational techniques. Of particular 858 significance is Kakushadze's "101 Formulaic Alphas," which provides a foundational repository of trading signals that can be categorized according to traditional financial factors. Lopez de Prado's work on "Causal Factor Investing" introduces scientific rigor to factor classification, ensuring independence between alpha categories. The integration of artificial intelligence is evident in multiple stud-866 ies, including "Alpha-GPT" and "FinGPT," which leverage LLMs for alpha generation. Portfolio construction methodologies are addressed through reinforcement learning approaches in "AlphaPortfo-870 lio" and "Dynamic Graph-based Deep Reinforce-871 ment Learning." Performance enhancement strategies are explored in "Mastering Stock Markets with 873 Efficient Mixture of Diversified Trading Experts," while market dependency analysis is covered in 875 "Model-Free Implied Dependence and the Cross-876 Section of Returns." This literature collection provides quantitative researchers with the theoretical 878 frameworks and methodological tools necessary 879

to construct a Seed Alpha Factory that systematically generates, categorizes, and implements trading signals across independent financial categories, balancing traditional financial theory with contemporary computational advancements.

881

882

883

884

885

886

887

888

889

Sample prompt "Summarize the document information to help quantitative researchers build the Seed Alpha Factory according to traditional financial categories, ensuring that each category of seed alphas is independent."

Document name	Author
Financial Time Series Prediction Using Mixture of Ex-	M. Serdar Yumlu, Fikret S. Gurgen, and Nesrin Okay
perts	
Model-Free Implied Dependence and the Cross-Section	Koen Inghelbrecht, Gertjan Verdickt, Daniël Linders,
of Returns	and Yong Xie
Dynamic Graph-based Deep Reinforcement Learning	Pengqian Yu, Joon Sern Lee, Ilya Kulyatin, Zekun Shi,
with Long and Short-term Relation Modeling for Portfo-	Sakyasingha Dasgupta
lio Optimization	
Can Large Language Models Beat Wall Street? Unveil-	Georgios Fatouros, Konstantinos Metaxas, John
ing the Potential of AI in Stock Selection	Soldatos, Dimosthenis Kyriazis
Mastering Stock Markets with Efficient Mixture of Di-	Shuo Sun, Xinrun Wang, Wanqi Xue, Xiaoxuan Lou,
versified Trading Experts	and Bo An
101 Formulaic Alphas	Zura Kakushadze
A Multimodal Foundation Agent for Financial Trading:	Wentao Zhang, Lingxuan Zhao, Haochong Xia, Shuo
Tool-Augmented, Diversified, and Generalist	Sun, Jiaze Sun, Molei Qin, Xinyi Li, Yuqing Zhao, Yilei
	Zhao, Xinyu Cai, Longtao Zheng, Xinrun Wang, Bo An
Causal Factor Investing: Can Factor Investing Become	Marcos Lopez de Prado
Scientific?	
Alpha-GPT: Human-AI Interactive Alpha Mining for	Saizhuo Wang, Hang Yuan, Leon Zhou, Lionel M. Ni,
Quantitative Investment	Heung-Yeung Shum, Jian Guo
AlphaPortfolio: Direct Construction Through Deep Re-	Lin William Cong, Ke Tang, Jingyuan Wang, Yang
inforcement Learning and Interpretable AI	Zhang
FinGPT: Open-Source Financial Large Language Mod-	Hongyang (Bruce) Yang, Xiao-Yang Liu, Christina Dan
els	Wang

892

893

894

895

896

897

900

901

902

903

904

905 906

#### A.3 Generate Seed Alpha factory

This taxonomy presents quantitative trading signals organized into eight categories: Momentum, Mean Reversion, Volatility, Fundamental, Liquidity, Quality, Growth, Technical, and Macroeconomic indicators. Each category targets distinct market phenomena with specific mathematical implementations. Momentum factors identify persistent trends, Mean Reversion signals detect market overreactions, Volatility metrics quantify price dispersion, and Fundamental factors evaluate company valuations. The framework also includes Liquidity measures of trading activity, Quality indicators of operational efficiency, Growth metrics of financial expansion, Technical indicators derived from price-volume patterns, and Macroeconomic signals reflecting broader economic conditions. The mathematical formulations provided enable researchers to implement diverse, uncorrelated alpha factors for robust quantitative trading strategies.

907

908

909

Category	Name	Short Code
Momentum	Price Momentum	(CLOSE - DELAY(CLOSE, 14))
	Volume Momentum	(VOLUME - DELAY(VOLUME, 14))
	RSI Momentum	(RSI - DELAY(RSI, 14))
	Rate of Change (ROC)	((CLOSE / DELAY(CLOSE, 14)) - 1)
	MACD Momentum	(MACD - DELAY(MACD, 14))
	Momentum Oscillator	((CLOSE - DELAY(CLOSE, 14)) / DELAY(CLOSE, 14))
	Chande Momentum Oscilla-	(SUM(IF(CLOSE - DELAY(CLOSE, 1) > 0, CLOSE -
	tor (CMO)	DELAY(CLOSE, 1), 0), 14) - SUM(IF(CLOSE - DE-
		LAY(CLOSE, 1) < 0, $DELAY(CLOSE, 1) - CLOSE, 0)$ ,
		14)) / $(SUM(IF(CLOSE - DELAY(CLOSE, 1) > 0, CLOSE))$
		- DELAY(CLOSE, 1), 0), 14) + $SUM(IF(CLOSE - DE-$
		LAY(CLOSE, 1) < 0, $DELAY(CLOSE, 1) - CLOSE, 0)$ ,
		14)) * 100
	Stochastic Momentum Index	((CLOSE - MIN(LOW, 14)) - (MAX(HIGH, 14) - CLOSE))
	(SMI)	/ (MAX(HIGH, 14) - MIN(LOW, 14))
	ATR Momentum	(ATR - DELAY(ATR, 14))
	Detrended Price Oscillator	(CLOSE - DELAY(SMA(CLOSE, 14), 7))
	(DPO)	
	Average Directional Index	(ADX - DELAY(ADX, 14))
Maan Payarsian	Maan Bayarsion	(MEAN(CLOSE 20) CLOSE)
Weall Reversion	Z Score Meen Poversion	(MEAN(CLOSE, 20) - CLOSE) (CLOSE MEAN(CLOSE 20)) / STD(CLOSE 20)
	Bollinger Bands	(CLOSE - MEAN(CLOSE, 20)) / STD(CLOSE, 20)
	Donniger Danus	(CLOSE - LOWER_DAND) / (OTTER_DAND - LOWER BAND)
	Keltner Channel	(CLOSE - LOWER CHANNEL) / (UPPER CHANNEL -
	Renner Chamer	LOWER CHANNEL)
	Moving Average Reversion	(SMA(CLOSE, 20) - CLOSE)
	Exponential Moving Average	(EMA(CLOSE, 20) - CLOSE)
	(EMA) Reversion	
	Distance from High	(MAX(HIGH, 20) - CLOSE)
	Distance from Low	(CLOSE - MIN(LOW, 20))
	Relative Strength Index (RSI)	(100 - RSI)
	Reversion	
	Percent B	((CLOSE - LOWER_BAND) / (UPPER_BAND -
		LOWER_BAND)) * 100

Volatility	Standard Deviation	STD(CLOSE, 20)
	Average True Range (ATR)	ATR(14)
	Bollinger Band Width	(UPPER_BAND - LOWER_BAND) / SMA(CLOSE, 20)
	Historical Volatility	STD(RETURNS, 20) * SQRT(252)
	Volatility Ratio	STD(CLOSE, 10) / STD(CLOSE, 50)
	Chaikin Volatility	(EMA(HIGH - LOW, 10) / DELAY(EMA(HIGH - LOW,
		10), 10)) - 1
	Garman-Klass Volatility	SQRT(0.5 * LOG(HIGH / LOW) <sup>2</sup> - $(2 * LOG(2) - 1) *$ LOG(CLOSE / OPEN) <sup>2</sup> )
	Parkinson Volatility	SQRT((1 / (4 * N * LOG(2))) * SUM(LOG(HIGH / LOW) <sup>2</sup> , 20))
	Yang-Zhang Volatility	SQRT(VAR(LOG(CLOSE / OPEN)) + 0.5 * VAR(LOG(HIGH / OPEN) - LOG(LOW / OPEN))
		+ 0.25 * VAR(LOG(CLOSE / DELAY(OPEN 1))))
	Ulcer Index	SORT(MEAN(DRAWDOWN <sup>2</sup> , 14))
Fundamental	Price-to-Earnings Ratio (P/E)	(CLOSE / EPS)
	Price-to-Book Ratio (P/B)	(CLOSE / BOOK VALUE)
	Dividend Yield	(DIVIDENDS / CLOSE)
	Earnings Yield	(EPS / CLOSE)
	Sales-to-Price Ratio	(SALES/CLOSE)
	Cash Flow Yield	(OPERATING CASH FLOW / CLOSE)
Liquidity	Trading Volume	VOLUME
Elquialty	Average Trading Volume	MEAN(VOLUME, 20)
	Volume Rate of Change	(VOLUME - DELAY(VOLUME, 14)) / DE-
	(VROC)	LAY(VOLUME, 14)
	On-Balance Volume (OBV)	SUM(VOLUME * SIGN(CLOSE - DELAY(CLOSE, 1)))
	Liquidity Ratio	VOLUME / MARKET CAP
	Turnover Rate	VOLUME / SHARES OUTSTANDING
	Amihud Illiquidity Ratio	ABS(RETURN) / VOLUME
	High-Low Spread	(HIGH - LOW) / CLOSE
	Dollar Volume	VOLUME * CLOSE
	Debt-to-Equity Ratio	(TOTAL_DEBT / TOTAL_EQUITY)
	Return on Equity (ROE)	(NET_INCOME / EQUITY)
	Return on Assets (ROA)	(NET_INCOME / TOTAL_ASSETS)
	Gross Profit Margin	(GROSS_PROFIT / REVENUE)
	Price-to-Sales Ratio (P/S)	(CLOSE / SALES)
	Price-to-Cash Flow Ratio	(CLOSE / OPERATING_CASH_FLOW)
	(P/CF) Reals to Market Patia (P/M)	(DOOK WALLE / CLOSE)
	Enterprise Value to EPITDA	(BOOK_VALUE/CLOSE) (ENTEDDDISE_VALUE/EDITDA)
	(EV/EBITDA)	(LENTERTRISE_VALUE / EDITIDA)
	Bid-Ask Spread	(ASK_PRICE - BID_PRICE) / MID_PRICE
	High-Low Spread	(HIGH - LOW) / CLOSE
0.1	Dollar Volume	VOLUME * CLOSE
Quality	Gross Profit Margin	(GROSS_PROFIT / REVENUE)
	Operating Profit Margin	(OPERATING_INCOME / REVENUE)
	Net Profit Margin	(NET_INCOME / REVENUE)
	Earnings Stability	SID(EPS, 5) / MEAN(EPS, 5)
	Debt to Equity Ratio	(IOIAL_DEBI/IOIAL_EQUITY)
	Interest Coverage Ratio	(EBIT / INTEREST_EXPENSE)
	Lash Conversion Cycle	(DIO + DSO - DPO)
Current1	Asset Turnover Ratio	(KEVENUE / IUIAL_ASSEIS)
Growin	Earnings Growth Kate	(Er5 / DELAY(Er5, 1) - 1)
	Revenue Growth Rate	(KEVENUE / DELAY(KEVENUE, 1) - 1)
	EDITDA Growin Kate	(ED11DA / DELAI(EB11DA, 1) - 1)

	Cash Flow Growth Rate	(CASH_FLOW / DELAY(CASH_FLOW, 1) - 1)
	Dividends Growth Rate	(DIVIDENDS / DELAY(DIVIDENDS, 1) - 1)
	Book Value Growth Rate	(BOOK_VALUE / DELAY(BOOK_VALUE, 1) - 1)
	Sales Growth Rate	(SALES / DELAY(SALES, 1) - 1)
	Asset Growth Rate	(ASSETS / DELAY(ASSETS, 1) - 1)
	Equity Growth Rate	(EQUITY / DELAY(EQUITY, 1) - 1)
	Retained Earnings Growth	(RETAINED_EARNINGS / DE-
	Rate	LAY(RETAINED_EARNINGS, 1) - 1)
Technical	Moving Average (MA)	SMA(CLOSE, 20)
	Exponential Moving Average	EMA(CLOSE, 20)
	(EMA)	
	Relative Strength Index (RSI)	RSI(14)
	Moving Average Conver-	(EMA(CLOSE, 12) - EMA(CLOSE, 26))
	gence Divergence (MACD)	
	Bollinger Bands	UPPER_BAND - LOWER_BAND
	Stochastic Oscillator	((CLOSE - MIN(LOW, 14)) / (MAX(HIGH, 14) -
		MIN(LOW, 14))) * 100
	Average True Range (ATR)	ATR(14)
	Commodity Channel Index	(TYPICAL_PRICE - SMA(TYPICAL_PRICE, 20)) /
	(CCI)	(0.015 * MEAN_DEV(TYPICAL_PRICE, 20))
	Williams %R	((MAX(HIGH, 14) - CLOSE) / (MAX(HIGH, 14) -
		MIN(LOW, 14))) * -100
Macro Economics	GDP Growth Rate	GDP - DELAY(GDP, n)
	Inflation Rate	CPI - DELAY(CPI, n)
	Unemployment Rate	UNEMPLOYMENT_RATE - DE-
		LAY(UNEMPLOYMENT_RATE, n)
	Interest Rate	INTEREST_RATE - DELAY(INTEREST_RATE, n)
	Industrial Production Index	IPI - DELAY(IPI, n)
	Retail Sales Growth	RETAIL_SALES - DELAY(RETAIL_SALES, n)
	Housing Starts Growth	HOUSING_STARTS - DELAY(HOUSING_STARTS, n)
	Consumer Confidence Index	CCI - DELAY(CCI, n)
	(CCI)	
	Trade Balance	EXPORTS - IMPORTS
	Foreign Exchange Reserves	FX_RESERVES - DELAY(FX_RESERVES, n)
	- •	

#### A.4 Multimodal Data types

911

912 Table 11 presents a taxonomy of multimodal data types essential for comprehensive quantitative fi-913 nance research. The classification encompasses 914 five categories: textual data (financial reports, news 915 articles, social media discourse), numerical data 916 (historical price series, returns, volatility metrics), 917 visual data (charts and technical analysis patterns), 918 audio data (financial broadcasts and market com-919 mentary), and video data (specialized financial 920 news channels). This multimodal framework en-921 ables researchers to develop more robust predictive models by integrating complementary information 923 channels, potentially identifying market inefficien-924 cies that remain undetectable when analyzing iso-925 lated data types. By synthesizing diverse informa-926 tion formats, quantitative analysts can gain multidimensional insights into market dynamics, enhanc-928 ing both analytical depth and predictive capability 929

in financial modeling applications.

Table 11: Multimodal data types

Data Type	Description	Examples
Textual Data	Financial reports, academic papers, news articles, and other textual docu- ments	Trading forums' sentiment anal- ysis and stock predictions, com- pany disclosures, financial state- ments, Sina Finance
Numerical Data	Historical stock market data, fi- nancial metrics, and performance indicators.	Returns, log returns, annualized returns, volatility
Visual Data	Charts, graphs, and other visual repre- sentations of finan- cial data.	Kline charts, trading charts
Audio Data	Financial news broadcasts.	Financial morning news radio, stock review radio, market dis- cussion radio
Video Data	Financial news channels.	CCTV Securities Information Channel, CCTV News Broadcast (news affecting China's stock market)

#### **Category-Based Alpha Selection** A.5

931

Algorithm 1 delineates a systematic methodology 932 for alpha selection in quantitative investment strate-933 gies, employing a category-based approach to ensure diversification across multiple financial fac-935 tors. The procedure operates on a structured set of 936 alpha categories C, each representing distinct market phenomena such as momentum, mean reversion, or volatility. For each category, the algorithm 939 identifies superior alpha factors through the Se-940 lectBestAlphas function, which presumably evalu-941 ates historical performance metrics. The innovation lies in the subsequent dual-agent evaluation system: the RiskPreferenceAgent assesses each alpha's risk characteristics, while the ConfidenceScoreAgent 945 evaluates the statistical robustness of its historical performance. These complementary evaluations 947 are synthesized using weight parameters  $w_r$  and  $w_c$  to compute a comprehensive Final Score. Only alphas exceeding a predefined confidence threshold X are incorporated into the final selection set  $\mathcal{A}$ . 951 This methodical approach ensures that the resulting alpha portfolio exhibits both category diversi-953 fication and individual signal quality, potentially 955 enhancing risk-adjusted returns while mitigating exposure to specific market regimes or factor dete-956 rioration. 957

#### Algorithm 1 Category-Based Alpha Selection

**Input:** categories  $C = \{C_1, ..., C_m\}$ , each  $C_i$ containing a set of Alphas, confidence threshold X1: Initialize selected Alphas  $\mathcal{A} = \{\}$ 2: for each category  $C_i \in \mathcal{C}$  do  $\mathcal{A}_i = \text{SelectBestAlphas}(C_i)$ 3: 4: for each  $\alpha \in \mathcal{A}_i$  do 5: **Risk Score** RiskPreferenceAgent( $\alpha$ ) Confidence Score 6: \_ ConfidenceScoreAgent( $\alpha$ ) Final Score =  $w_r \cdot \text{Risk Score} + w_c \cdot$ 7: Confidence Score if Final Score > X then 8:  $\mathcal{A} = \mathcal{A} \cup \{\alpha\}$ 9: end if 10: end for 11: 12: end for 13: return  $\mathcal{A}$ 

#### Α

A.6 Dynamic	Alpha Strategy Construction
Algorithm 2 Ov	erall Framework Algorithm
Input: Multime	odal financial data $\mathcal{D}_{\cdot}$ market con-
ditions $\mathcal{M}^{(t)}$	. stocks $S$ . confidence threshold
au	,
Output: Optim	ized alpha strategy $\alpha^{(t)}$
/* Phase 1:	SAF /
1. Initialize em	nty Seed Alpha Factory $\mathcal{F} \leftarrow \emptyset$
2: <b>for</b> each doc	ument $d \in \mathcal{D}$ do
3. filtered ∉	- LLM Filter(d)
4. categorie	$\omega \leftarrow \text{LLM Categorize}(\text{filtered})$
5. <b>for</b> each	category $c \in$ categories <b>do</b>
6: seed	$\leftarrow$ LLM GenerateAlphas(c)
7: $F_{c} \leftarrow$	$-\mathcal{F}_{+}$   seed alphas
8: end for	
0: end for	
9. Chu loi /* Phase 2.	Multi-Agent Evolution /
10. Initialize sel	A $A$ $A$ $A$
11: <b>for</b> each cate	$\mathcal{A} \leftarrow \emptyset$
11. Ior cach cach	alpha $\alpha u \in \mathcal{F}_{c}$ do
12. Ior cach	aipita $\alpha_{ij} \in \mathcal{F}$ c u
ConfidenceS	core $\Delta$ gent $(\alpha \dots \Lambda \Lambda^{(t)})$
Statistical ev	$\mathcal{L}$
<b>Piperer</b> <b>RiskPreferer</b>	$\Delta ce \Delta gent(\alpha, \mathcal{M}^{(t)}) \qquad \triangleright \mathbf{Risk}$
assessment	$\operatorname{RecAgent}(\alpha_{ij}, \mathcal{M}^{(i)}) \to \operatorname{Risk}$
	$ii \leftarrow m \cdot Aii \pm m \cdot a \cdots$
Combined so	$ij \leftarrow w_c \cdot b_i j + w_r \cdot p_{ij} \qquad \lor$
16. <b>if</b> sec	$reij > \tau$ then
10. <b>H</b> Sec	$A \subset J \to I$ then
17. ~	$\mathbf{f} \leftarrow \mathcal{A}_c \cup \{\alpha_i\}\}$
10.  end for	1
19. end for $a \neq b$	1 then
20. If $\mathcal{A}C \neq 0$	v then $h$ score $ii$ $h$ Select best
alpha in cate	$\alpha_{ij} \in \mathcal{A}_c$ score $ij$ $\lor$ score best
	$\frac{1}{4}$
$\begin{array}{ccc} 22: & \mathcal{A} \leftarrow \\ 22 & \text{and if} \end{array}$	$\mathcal{A} \cup \{ lpha_{\hat{c}} \mid $
23: end for	
24: end for	Weight Ontimization /
7. Fildse 3:	<b>D</b> with architecture (141 10 1)
25: Initialize ML	P with architecture $\{ \mathcal{A} , 10, 1\}$
Marine (C	i, output layers
26: Atrain $\leftarrow C$	Simple Historical Alphas (A, S, tstar)
$t_{end}$	
27: ytrain $\leftarrow$ Fu	tureReturns( $\mathcal{S}, t$ start+1, $t_{end}$ +1)
28: $\mathbf{w} \leftarrow \text{TrainN}$	LP(Atrain, ytrain) > Learn
optimal weig	ints
29: for each stoc $\binom{1}{2}$	$K S_i \in \mathcal{S}$ do
30: $\alpha_i^{(i)} \leftarrow \Sigma$	$\sum_{j=1}^{ \alpha_i } w_j \cdot \alpha_{ij}(t) $ $\triangleright$ Compute
composite al	pha
31: <b>end for</b>	(t) $(t)$ $(t)$
32: return $\alpha^{(t)}$ =	$= \{\alpha_1^{(\iota)}, \alpha_2^{(\iota)}, \dots, \alpha_n^{(\iota)}\}  \triangleright \text{ Final}$
alpha strateg	y

A.7

981

982

983

985

986

987

- 979
- 978

# 4. Selection Criteria:

Alpha factor.

last quarter of 2022.

• If no relationship between financial reports and IC can be found, select the Alpha factor with the highest IC value in each group.

Sample prompt for Seed Alpha selection

• Financial Reports: 6 quarters (from Jan 2021

• Factor Analysis Data: 37 factors (from Jan

2021, to Jun 2022) divided into groups: Mo-

mentum, Mean Reversion, Volatility, Funda-

mental, Quality, Growth, Technical, Macro

2. Objective: Learn the relationship between

the performance of financial reports for the first

four quarters from 2022 to 2023 and the factor

analysis data (IC) for each of the 37 factors in the

mance of the first 4 quarters of 2023):

last quarter of the SSE 50.

3. When provided with the test set (perfor-

• Select the factors that will perform best in the

• Provide a confidence score & the risk pref-

erence for your selection for each selected

Economics. The metric used is the IC.

to Jun 2022) for 50 companies listed in the

1. The training set includes:

SSE 50.

· For verification of market information differences, if no relationship between financial reports and IR can be found, select the Alpha factor with the highest IR value.

#### A.8 Portfolio Construction Methods

Our investment methodology implements a daily portfolio reconstruction using a top-k/drop-n selection framework. At each trading session, we rank all securities by their alpha values-quantitative indicators of expected excess returns-and select the top k stocks for portfolio inclusion. This approach targets securities with the strongest signals, potentially exploiting short-term market inefficiencies. We employ an equal-weighting scheme across selected securities, distributing capital homogeneously among the top candidates, which offers diversification benefits and aligns with our view that alpha signals primarily provide directional indications rather than precise return forecasts.

989

990

991

992

993

994

995

996

997

998

999

1001

1002

1003

To optimize transaction costs and operational efficiency, we limit portfolio turnover to a max-1005 imum of n securities per trading day. This con-1006 straint balances maintaining alignment with cur-1007 rent alpha signals while minimizing trading friction 1008 costs. For our experiment in Section 4.4, we set 1009 k = 13 and n = 5 based on extensive backtesting. 1010 This configuration establishes a portfolio concen-1011 tration that balances diversification against signal 1012 dilution, while limiting daily turnover to approxi-1013 mately 38%—a level that demonstrates favorable 1014 characteristics in our transaction cost modeling and 1015 represents an efficient trade-off between signal uti-1016 lization and implementation costs. 1017

## A.9 Case Study Backtest Results



Figure 5: Jan-Jun 2021 Backtest on CSI300



Figure 6: Jan-Jun 2022 Backtest on CSI300



Figure 7: Jan-Jun 2023 Backtest on CSI300



Figure 8: Jan-Jun 2021 Backtest on SP500



Figure 9: Jan-Jun 2022 Backtest on SP500



Figure 10: Jan-Jun 2023 Backtest on SP500