Language Tools and Postmodern Classism:
Where We Are and Where We Going

Abstract

Since the seminal work of William Labov on the social stratification of language (Labov, 1964), linguistics has made concentrated efforts to explore the links between socio-demographic characteristics and language production and perception. But while there is strong evidence for socio-demographic characteristics in language, they are infrequently used in Natural Language Processing (NLP). Age and gender are somewhat well represented, but Labov's original target, socioeconomic status, is noticeably absent. And yet it matters. We show empirically that NLP disadvantages less-privileged socioeconomic groups. We annotate a corpus of 95K utterances from movies with social class, ethnicity and geographical language variety and measure the performance of NLP systems on three tasks: language modelling, automatic speech recognition, and grammar error correction. We find significant differences in performance that can be attributed to socioeconomic status as well as ethnicity and geographical differences. With NLP technologies becoming ever more ubiquitous and quotidian, they must accommodate all language varieties to avoid disadvantaging already marginalised groups. We argue for the inclusion of socioeconomic class in future language technologies.[1]

1 Introduction

Class or socioeconomic status is an important part of identity formation (Rickford, 1986; Bucholtz and Hall, 2005; Eckert, 2012). People still retain a sense of social status even in today's increasingly equal world. Certain accents, phrases, and expressions, particularly in English, indicate upper, middle, or lower-class or other references to socioeconomic status. This relationship was first examined by Labov (1964). He discovered that New Yorkers with greater socioeconomic status

---

[1]We make our code and data available at [REDACTED].

pronounce the /R/ sound after vowels, whereas individuals with lower socioeconomic position drop it. He quantified this observation by asking employees in various department shops (a proxy for socioeconomic rank) for things found on the *fourth floor*. Then he kept track of how many Rs were dropped in those two words. He discovered a clear anti-correlation between the store's (and presumably the speakers') socioeconomic standing and the quantity of dropped Rs: the higher the status, the fewer dropped Rs.

Since Labov's (1964) analysis of social stratification and language, linguistics has made concerted efforts to understand how different socio-demographic factors influence language production and perception, and how speakers use them to create identity (Eckert, 2012). Despite a considerable body of evidence demonstrating links between language and demographic characteristics (the "first wave" of socio-linguistic variation studies), comparatively few socio-demographic factors have been studied in the context of natural language processing (NLP) technology. Given NLP's role as a product and a tool for understanding other phenomena, it must represent all language varieties.

Existing research on socio-demographic characteristics has primarily concentrated on the signaling effect of certain linguistic variables like age, ethnicity, regional origin, and gender (Johannsen et al., 2015). Most of these publications focus on any bias toward the particular variable they study. However, NLP does hardly interact with the second and third waves of sociolinguistics, i.e., how variation 1) shapes local identity and 2) drives language development. To narrow this gap, we use NLP to focus on socioeconomic position.

Using a dataset of 95K utterances from English television episodes and movies, we empirically investigate performance as a function of socioeconomic class. We study its effect on vocabulary, automated speech recognition (ASR), language mod-

elling, and grammatical error correction. In all applications, we see strong negative correlations. Movie characters are usually typecast to present as a certain class, an so provide a representative sample without the privacy issues associated with regular subjects.

We discover that the performance of NLP tools is associated with socioeconomic class, geographic variety (US vs. UK), and race across all tasks. Our findings highlight an important lack of flexibility of NLP tools, and a more fundamental issue: What does it mean if NLP technologies only reliably work for a limited segment of society?

Contributions

1. We construct a corpus of 95K utterances from television shows and movie scripts, coded for socioeconomic status, geography, and race.

2. We empirically show that socioeconomic status measurably impacts the performance of NLP systems across four measures.

2 Social Class and Its Impact on Language

Social stratification is the grouping of people based on their socioeconomic status (SES), which is determined by factors such as income, education, wealth, and other characteristics. Different groups are distinguished in terms of power and prestige. There are various social stratification systems, such as the Indian caste system, indigenous American clans or tribes, and the Western hierarchical class system.

The exact number of social strata is unknown and is likely to vary by country and culture. However, at least three strata are commonly used to refer to upper, middle, and lower-class people. Other systems distinguish between blue collar and white collar jobs. Recently, the Great British Class Survey (GBCS, Savage et al., 2013) has taken an empirical approach to understanding the different social strata, and they propose a seven-level system for the United Kingdom. Their stratification is based on economic, social, and cultural capital: elite, established middle-class, technical middle-class, new affluent workers, traditional working class, emergent service workers, and precariat. They derive these classes from a survey conducted over British citizens that received more than 160K responses.

Social class influences people's daily lives by granting or limiting access to resources. Beyond power and prestige, social stratification has a significant impact on people. For example, lower socioeconomic status has been linked to poorer health outcomes and higher mortality. (Saydah et al., 2013).

SES also affects language use from the very early stages of development. Bernstein (1960) posits that language takes on a different role in middle- and working-class families, where middle-class parents encourage language learning to describe more abstract thinking. In working-class families, parents are *limited* to more concrete and descriptive concepts. Parents from lower SES tend to interact less with their children, with fewer open-ended questions than parents from higher SES, which shapes language development (Clark and Casillas, 2015). While Usategui Basozábal et al. (1992) show that education reduces this language gap, education has traditionally been one of the most important factors in determining social class and potential for upward social mobility.

Given the well-documented effects of socioeconomic status on language development and use, it stands to reason that social class should be carefully considered as a variable in NLP.

3 Dataset

Here, we want to assess the impact a user's social class has on the performance of NLP systems.

To the best of our knowledge, no datasets are available that would suit our purposes: a large enough sample that is (ethically) annotated with the speakers' socieconomic background. We thus collect our own. We identify an initial sample of English language television series by selecting the 250 highest-rated series on the International Movie Database (IMDB).[2] We annotate each show according to attributes, i.e., class, race, gender, dialect, and geography of the main characters, as well as the genre and time period of the show. Three annotators familiar with the shows agree on the labels. We exclude cartoons, documentaries, science fiction, and historical fiction. After our filtering and selection, 63 shows remain in consideration. Of those, 34 are predominantly about white men, and 29 feature a mixture of white women and men. Only three predominantly feature female characters, and none black or lower-class female characters. Because we want to measure the effect of class separately from gender, race and regional accent, we select the TV shows from the list representing each category.

---

[2]IMDB top 250 TV shows.

Based on this initial sample, we identified additional shows to augment gaps (e.g., the lack of Black stories) in the class and dialect. We only consider shows that are scripted and pertain to fictional characters to ensure that the language production of each character is controlled by the script-writers to produce a particular vernacular and to avoid collecting highly sensitive information about private individuals.

In our final selection of movies and television shows, we include a total of 19 shows that are based in the United States of America and the United Kingdom. To ensure racial diversity, we emphasize movies and shows that predominantly represent Black characters in addition to movies and shows that represent white characters.[3] We include the U.S.-based shows *The Wire* and *When They See Us* (predominantly lower-class Black characters), *Fargo* (middle-class Black characters), *The Fresh Prince of Bel-Air* (upper-class Black characters). For the shows' centre white characters, we include *Trailer Park Boys* (lower-class white), *The Sopranos* (lower-class white), *Breaking Bad* (middle-class white), and *Arrested Development* (upper-class white). The list of shows above, however, predominantly feature male characters. For this reason, we also include shows whose characters represent a wider array of genders. The shows that we include are *Pose* (lower-class Black and Latinx), *Big Little Lies* (middle-class white), and *Sex and the City* (upper middle-class white). Finally, to compare with other regional varieties of English, we include movies and shows from different regions in the United Kingdom. The movies and shows that we include are *Train Spotting* and *T2* (lower-class white Scottish, predominantly male characters), *Derry Girls* (lower-class white Irish, primarily female), *Downton Abbey* (English), *The IT Crowd* (white, middle-class) and *The Crown* (upper-class white English).

We collect the first season for each of the shows on our list, except for Fargo and The Wire. For Fargo, we collect the fourth season, which includes Black characters. For The Wire, we collect seasons 1 and 3, which predominantly feature Black characters but have a significant minority representation of white characters.

We deliberately chose this approach to data selection from "artificial sources" since collecting class

Geography	Class	Episodes	Utterances
USA	Low	13	20119
	Low, middle	13	22947
	Middle	7	4140
	Middle, Upper	25	13221
	Upper	15	8561
EN	Middle	6	2271
	Upper	3	1515
	Upper, Low	7	5214
NE	Low	7	3929
	Middle	2	1238

Table 1: Summary of statistics by geographic variety and class. EN refers to England, NE to non-English U.K.

information is highly sensitive and can introduce privacy risks. Fictional characters, however, are often scripted into particular roles with explicit SES. This data can, therefore, be readily used without the risks of leaking personally identifying information (PII).

Our dataset contains 95K utterances from 19 TV shows and movies (see Table 1 for dataset statistics). We make all the scientific artifacts available at [REDACTED].[4]

3.1 Lexical Analysis

Bernstein (1960) showed that children from working-class families had significantly smaller vocabularies even when general IQ was controlled for, and Flekova et al. (2016) showed that there is significant lexical and stylistic variation between people of different social strata, with lexical features being stronger predictors of income than even age.

Thus, we first assess whether our dataset has sufficient linguistic cues to capture lexical differences in language use. We generally follow the methodology set out in Flekova et al. (2016). However, we model class as a categorical value. We calculate the following features:

Surface: Turn length, mean word length per turn, ratio of words longer than five letters, type-token ratio. Flekova et al. (2016) also measure the use of emojis, but this is not relevant to our analysis.

Readability Metrics: Readability metrics aim to measure the complexity of a text generally based on the number of syllables per word and the number

---

[3]At least one of the authors is familiar with every show and movie. We annotated them for race and class based on the setup and main characters.

[4]Due to copyright laws, we cannot publish the actual transcriptions, but describe ways to obtain them.

of words per sentence. Using Textstat,[5] we calculate the Automatic Readability Index (ARI) (Senter and Smith, 1967), the Flesch-Kincaid Grade Level (FKG) (Kincaid et al., 1975), the Coleman-Liau Index (CLI) (Coleman and Liau, 1975), the Flesch Reading Ease (FRE) (Flesch, 1948), the LIX Index (LIX) (Anderson, 1983), and the Gunning-Fog Index (FOG) (Gunning, 1952). We normalise the text before calculating these metrics by lower-casing and removing punctuating except for periods since these are used by CLI. Note that these were designed to evaluate long-form text.

Syntax: Flekova et al. (2016) also model part-of-speech (POS) information citing that texts with more nouns and articles as opposed to pronouns and adverbs are considered more formal. We measure the ratio of each POS per turn using Stanza (Qi et al., 2020).

Style: Finally, to capture some notion of speaker style, we measure the number of abstract words[6], the ratio of hapax legomena (HL), and the number of named entities (NER). Flekova et al. (2016) also measure netspeak; however, this does not apply to our dataset.

We run a multi-class logistic regression to understand whether the features are correlated to class. First, we normalise each of the features. Then, we run a logistic regression with social class as the predicted class and the features above as the predictive features. In contrast with Flekova et al. (2016), we find only mildly predictive qualities for our set of features in this dataset. Although CLI and the number of characters have strong coefficients, the overall performance is very low. Our best model achieves a macro F1 of 0.16, only slightly better than a most-frequent label baseline (macro-F1 of 0.07). In addition, we run the same regression for the other sociodemographic aspects: gender, race, and geographical origin. Overall, we find these less predictive with F1 scores similar to the baseline. This suggests the features better capture differences caused by SES than other sociodemographic factors. Table 2 shows the coefficients for each sociodemographic factor.

The fact that the lexical features do not capture differences in SES suggests one of two things: the features are better suited for written text rather than dialogue (for example, many of them capture

	Class	Gender	Race	Geography
Length	-0.033	-0.034	-0.025	0.052
Chars	**-0.437**	**0.243**	**0.203**	**0.155**
>5	0.073	-0.024	0.017	-0.022
TTR	-0.019	-0.047	-0.046	-0.085
FRE	-0.096	0.033	0.032	0.074
ARI	-0.214	0.068	0.059	0.110
CLI	**0.467**	**-0.213**	**-0.201**	**-0.137**
FKG	0.007	-0.035	-0.029	-0.005
FOG	0.137	-0.031	-0.040	-0.025
LIX	0.106	0.013	-0.007	-0.065
NOUN	**-0.181**	0.076	-0.035	0.163
VERB	-0.059	0.039	-0.002	**0.082**
PROPN	-0.017	-0.064	-0.099	-0.067
ADV	-0.066	-0.068	-0.103	-0.037
ADJ	-0.051	0.044	0.021	0.076
DET	0.037	0.059	0.024	0.026
INTJ	0.121	**-0.079**	**-0.093**	-0.044
PRON	-0.004	0.014	0.008	0.020
NER	0.078	-0.001	0.035	-0.010
abst	**0.052**	-0.034	-0.026	-0.034
HL	-0.034	**0.109**	**0.142**	**0.066**

Table 2: Coefficients for the logistic regression model. For each class and type of feature, the strongest coefficient is in bold face.

	Val	Test
Lexical		0.290
TF-IDF	**0.528**	**0.524**
TF-IDF + Lexical	0.297	0.290
Sentence Embed	0.457	0.454

Table 3: F1 Macro for different representations on social class prediction. Best results in bold.

formality), and/or our dataset does not accurately capture linguistic differences. To assess whether linguistic cues in our dataset might help us differentiate between speakers of SES which the previous study did not capture, we also experiment with alternative text encodings such as TF-IDF, and sentence embeddings (Reimers and Gurevych, 2019).[7] The results are shown in Table 3. Logistic regression based on TF-IDF achieves an F1 of 0.52 (x1.8 lexical features). This finding suggests there are, in fact, linguistic differences, but the metrics do not

---

[5]https://github.com/textstat/textstat
[6]https://onlymyenglish.com/list-of-abstract-nouns/

[7]We use the standard scikit-learn's TfidfVectorizer collecting uni- and bi-grams for TF-IDF, and https://huggingface.co/sentence-transformers/all-mpnet-base-v2.

capture them.

4 Social Class and Speech

Beyond written language, our dataset affords testing whether speech models understand and process accent unevenly. Therefore, we test disparities in ASR word error rates across social classes. We calculate the WER for all shows and movies to measure how well ASR technologies capture different variants of English in our sample.

Models: We use Wav2Vec2 (Baevski et al., 2020), XLS-R (Babu et al., 2021), and Whisper (Radford et al., 2023) as implemented in `transformers` (Wolf et al., 2020).[8]

Processing Pipeline: We use movies and TV shows which are available online. We first collect the audio and subtitles from OpenSubtitles[9] and use them as gold reference.[10] Then, we used one ASR model to transcribe the audio.

The timestamps from the model-generated transcription and the subtitles often do not match, and neither source provides information about which character is speaking. We therefore group all utterances from a single episode of a show or movie together into one long string and calculate the WER using Jiwer (Morris et al., 2004). Ideally, we would like to separate by character to get a more fine-grained analysis. However, this approach would require us to keep mappings from utterance to character consistent across episodes. Despite several approaches, we were not able to achieve this goal with the computational power we had. Our analysis is therefore group-based, rather than character-based.

Results: Figure 1 shows the differences in word-error-rate by race and class in US TV shows. We find clear trends across models, with effects from both race and class: **lower ASR error rates are associated with higher SES and with whiteness.** These trends are stronger for the Wav2Vec2 model.

5 Language Modelling

Language modelling plays an essential role in downstream applications in NLP, so it is imperative that language models can accurately and equally represent different speakers' lects. Language models are evaluated through perplexity, a measure of how expected a given sentence is: the higher the perplexity, the more unexpected. Perplexity can give us an indication of how well a model might perform in downstream tasks: Gonen et al. (2022) show that the lower the perplexity of a prompt, the better the prompt can perform the task. Here, we calculate perplexity as a measure of linguistic acceptability, that is, how 'expectable' a particular language variant might be to a given language model. Should models display differing perplexities for different groups, they would put such groups at a disadvantage.

Models: We experiment with two state-of-the-art base models, Llama 2 (Touvron et al., 2023) and Mistral-7B (Jiang et al., 2023). Moreover, we include Zephyr-7B (Tunstall et al., 2023), a Mistral-7B optimized assistant model to test the effect of alignment. [11]

We calculate perplexity for each sentence in our dataset after lower-casing them and removing numbers and punctuation. We exclude turns shorter than five tokens as they generally do not differentiate between classes.

Results: Table 4 shows the mean perplexity and standard deviation for each model and each class for the entire dataset. We do not find significant differences based on geographical location (U.K. vs U.S.A) across the models. We see small differences across groups based on class alone, however, because language is affected by other socio-demographic besides class, we also consider the effect of race and geographic variety.

We calculate mean perplexity by SES in the U.K. and the U.S.A. Figure 2 shows that class and perplexity are correlated and we find similar patterns across geographical dialects: higher SES leads to lower perplexity also in U.S.A.-based shows.

Next, we consider U.S.-based shows. The breakdown of by class and race are shown in Table 5. Once both factors are taken into account, a clearer picture emerges: **lower SES leads to higher perplexity.** To confirm these differences are significant, we run a one-tailed student's t-test and find significant differences between classes, particularly for white speakers for both Mistral-7B and Zephyr-7B. In the case of Mistral, lower-class and lower-

---

[8]Hugging Face Hub IDs: facebook/wav2vec2-base-960h, openai/whisper-medium, and jonatasgrosman/wav2vec2-large-xlsr-53-english

[9]https://www.opensubtitles.org/

[10]Here, we manually checked a random sample to verify the quality. We henceforth assume that the subtitles are an accurate transcription of what is being said.

[11]Hugging Face Hub IDs: meta-llama/Llama-2-7b, mistralai/Mistral-7B-v0.1, and HuggingFaceH4/zephyr-7b-beta

(a) Wav2Vec2	(b) Whisper

Figure 1: Word error rate for the different models, grouped by the speakers' SES and race, for US-based TV shows. The race in the chart refers to that of the majority of characters in the show.

Figure 2: Mean perplexity among U.K.-based shows by model.

Figure 3: Proportion of utterances that are grammar-corrected per model and geographical language variety.

middle class speakers have significantly higher perplexities than Mid-Upper ($p < 0.05$) and Middle class peakers ($p < 0.05$). In the case of Zephyr, the model shows higher perplexities for lower classes than it does for Middle ($p < 0.05$), Mid-Upper ($p < 0.01$) and Upper class speakers ($p < 0.01$).

6 Grammar Correction

Finally, we consider the grammaticality of each sentence. We suspect that grammar features correlate strongly with class, as "correct" grammar is typically a hallmark of signalling higher SES. We calculate the edit distance between the original sentence and the corrected one. Lower edit distance means higher grammaticality.

Models: Since we are concerned with potential end-user experience, we choose to evaluate the four most downloaded models on Huggingface since they will reach the largest audience. We use the following models for grammar correction:

- T5 Grammar Correction[12]: A model based on the HappyTransformer[13] trained on the JFLEG dataset (Napoles et al., 2017).
- Gramformer:[14] A seq2seq model fine-tuned on a dataset of WikiEdits.
- CoEdit-large[15]: A flan-t5-large based model, finetuned on the CoEdit dataset (Raheja et al., 2023).
- Grammar-synthesis-large[16]: A fine-tuned version of Google's flan-t5-large for grammar correction, trained on an expanded version of the JFLEG dataset.

---

[12] https://huggingface.co/vennify/t5-base-grammar-correction

[13] https://github.com/EricFillion/happy-transformer

[14] https://github.com/PrithivirajDamodaran/Gramformer

[15] https://huggingface.co/grammarly/coedit-large

[16] https://huggingface.co/pszemraj/flan-t5-large-grammar-synthesis

Class	Mistral-7B Mean	Std	Zephyr-7B Mean	Std	Llama 2 Mean	Std
Low	294.606	690.361	415.641	989.066	189.804	361.815
Low, middle	442.756	911.300	649.462	1441.759	265.114	477.377
Middle	252.729	536.903	353.667	822.553	177.900	398.560
Middle, Upper	**241.923**	683.345	**332.224**	999.137	**164.807**	450.446
Upper	288.324	693.994	399.854	1063.942	190.536	370.958
Upper, Low	282.815	575.833	385.273	876.126	190.696	358.952

Table 4: Mean perplexity and standard deviation per class and model. Best mean result per model in bold.

		Perplexity
Black	Low	328.848
	Middle, Upper	**259.673**
White	Low	275.337
	Low, middle	342.865
	Middle	229.278
	Middle, Upper	**205.585**
	Upper	302.057

Table 5: Mean perplexity and standard deviation per class and race. Best results per race in bold.

	Happy	CoEdit	Flan-T5	Gramf.
Low	2.455	1.963	6.424	2.192
Mid-Low	2.590	2.138	12.050	1.553
Middle	2.068	1.785	6.117	1.653
Mid-Upper	2.866	1.944	7.952	2.091
Upper	1.122	1.212	5.518	0.808
% corrected	19.76	35.94	66.42	19.11

Table 6: Mean edit distance between the subtitle reference and the grammar-corrected utterance generated by each model, and percentage of sentences with at least one correction.

Results: Figure 3 shows the percentage of utterances that each model corrected, grouped by geographical variation. The Flan-T5-based model generates significantly more corrections than the other models, followed by CoEdit-large. Overall, U.K. utterances are corrected slightly more often by the models. Table 6 shows the mean edit distances between the original sentence extracted from the subtitles and the models' proposed corrections. We find little difference in grammar error correction for most models, even when controlling for geographical and racial differences. However, on further analysis, we find that models generally produce corrections for relatively few utterances.

Figure 4: Distribution by class of utterances with at least one correction.

Instead, we consider whether models are more likely to produce edits for different classes. In Figure 4 we plot the count of utterances with corrections per model and per class. From this, **we can see a clear pattern where models produce corrections more frequently for those of lower SES.**

In addition, we notice that often some of these corrections are performed on in-group slang or regional linguistic phenomena, see Table 7.

7 Discussion

Following established work in sociolinguistics, our results support our hypothesis that NLP systems display biases regarding different language varieties beyond geographical and ethnic differences. When it comes to evaluating the justice and fairness of NLP systems, **all** factors affecting language should be considered. By dint of their use, NLP systems are setting a standard of language: NLP systems are becoming more common, not only in social contexts calling for formal (i.e. standardised) language but in everyday scenarios. For example, one of the proposed use cases for the

---

[17] *Skag* refers to heroin in Scottish slang.

The Crown

And what a bunch of ice-veined monsters *my family are.*
And what a bunch of ice-veined monsters *my family is.*

Pose

The *tittiness* *of it all.*
The *quality* *of it all.*

Trainspotting

So, I'm off the skag .[17]
So, I'm off the grid.

Trailer park Boys

We *be dope* *when the new NW A come out, know what* *I'm sayin'*
We *will be happy* *when the new NWA comes out, know what* *I'm saying?*

Table 7: Examples of grammar correction in different shows. The corrected examples are from the T5 Gramar correction model.

Gramformer include correcting text messages as a built-in feature for messaging apps, language models inform systems like automatic correction, and large language models like chatGPT now boast millions of users. This widespread interaction with language technologies reinforces the lect of middle class, white English speakers as the only valid version of English. Moreover, when we consider findings such as those by Gonen et al. (2022), which showed that perplexity of a model and the accuracy of the response are correlated, and certain parts of the population have significantly higher mean perplexitys than others, we risk disadvantaging those groups.

With our work, **we are not encouraging more work toward social class prediction from text but to bring awareness to the NLP community about an essential factor of language use that has thus far been mostly ignored in our field**. While reporting on the socioeconomic background of study participants and dataset contributors is more complicated than other factors such as age or ethnicity (as it is not a one-point measurement and it is culture-dependent), we encourage researchers to report on this to draw a more accurate picture of the language varieties NLP will capture. Given the limitations of our study (most notably, restriction

to English and group rather than individual scores, see below), we envision several possible avenues for future research in this area: (1) the findings of this study should be validated for other languages where such differences have been observed; (2) the collection of a (possibly larger) corpus of unaggregated speakers; and (3) while we find support from previous research such as Flekova et al. (2016) for social media data, the findings should also be validated for other modalities of data such as long-form written texts.

8 Related Work

While there has been an uptick in the number of papers tackling gender and racial bias in NLP, work considering other under-privileged communities has lagged behind. Curto et al. (2022) investigate bias against the poor in NLP but they do so in terms of the language that surrounds poor people, considering the associations of 'poor' and 'rich' in embeddings and language models. As a way to mitigate and document biases in NLP, Bender and Friedman (2018) ask for the socioeconomic status of both the speakers and the annotators to be declared, however they do not suggest any standardised way to measure or report this. Field et al. (2021) conduct a survey focus on race but also call for more diversity in NLP in terms of the broader inclusion other underprivileged people such as those from lower socioeconomic status. To the best of our knowledge, we are the first to investigate how NLP systems fare when faced with different SES.

9 Conclusion

Social class plays an important role in people's identity construction, and is consequently strongly reflected in their language use. Despite its central status as a variable in sociolinguistics, there is so far little work in NLP engaging with social class and its impact. Our contributions are twofold. We use a data set of 95K movie transcripts that we annotate for portrayed class, race, and geographical variety (UK vs. US). We use this data to show that linguistic class markers greatly affect the performance of various NLP tools. Our findings show that speakers of non-upper-class varieties experience lower application performance on a range of tasks. These results suggest that we should actively incorporate social class as a variable in NLP systems if we want to make them more equitable and fair. Our data set also provides a starting point for more explorations of social class in NLP.

Limitations

In terms of our experiments, there are several limitations: TV shows and films are biased - not all groups are represented and those that are are often pigeonholed into certain roles. For example, we did not find any TV shows about lower-class women, Latinxs, or upper-class Non-English Britons (or non-white Britons for that matter), and the majority of TV shows about Black Americans revolve around the drug trade. Furthermore, characters are not necessarily written by, nor perfectly depict the group they represent and this is potentially reflected in its language. Finally, though our dataset is large in terms of utterances, it is limited in the number of characters. However, we present a case study hoping to motivate further research that may validate our findings. Despite our best efforts, we were unable to reliably separate the utterances by character across episodes. Instead of introducing more sources of potential mix-ups, we therefore estimate the metrics over all characters in a show. We leave the character-based separation for future work.

Ethical Considerations

Our paper is arguing for fairness in the services provided by NLP systems for people of all socioeconomic backgrounds. However, we note that by showing measurable differences in language use across groups, we run the risk of profiling speakers. In our work, we used fictional characters to avoid this, but in order to ensure fairness of service all peoples must be represented. Future work should ensure that this is done respectfully and with consent from any participants.

Furthermore, measuring socioeconomic status is not a straightforward process. The class system used in this paper is fuzzy and tied to Western social structures that are not valid across the world. Future work should focus on measuring in the most appropriate way by following established metrics and guidelines from economics and other fields, such as Savage et al. (2013). We urge any future work to follow ethical guidelines when it comes to dataset and system development.

References

Jonathan Anderson. 1983. Lix and rix: Variations on a little-known readability index. *Journal of Reading*, 26(6):490–496.

Arun Babu, Changhan Wang, Andros Tjandra, Kushal Lakhotia, Qiantong Xu, Naman Goyal, Kritika Singh, Patrick von Platen, Yatharth Saraf, Juan Pino, et al. 2021. Xls-r: Self-supervised cross-lingual speech representation learning at scale. *arXiv preprint arXiv:2111.09296*.

Alexei Baevski, Yuhao Zhou, Abdelrahman Mohamed, and Michael Auli. 2020. wav2vec 2.0: A framework for self-supervised learning of speech representations. *Advances in neural information processing systems*, 33:12449–12460.

Emily M Bender and Batya Friedman. 2018. Data statements for natural language processing: Toward mitigating system bias and enabling better science. *Transactions of the Association for Computational Linguistics*, 6:587–604.

Basil Bernstein. 1960. Language and social class. *The British journal of sociology*, 11(3):271–276.

Mary Bucholtz and Kira Hall. 2005. Identity and interaction: A sociocultural linguistic approach. *Discourse studies*, 7(4-5):585–614.

Eve V Clark and Marisa Casillas. 2015. First language acquisition. In *The Routledge handbook of linguistics*, pages 311–328. Routledge.

Meri Coleman and Ta Lin Liau. 1975. A computer readability formula designed for machine scoring. *Journal of Applied Psychology*, 60(2):283.

Georgina Curto, Mario Fernando Jojoa Acosta, Flavio Comim, and Begoña Garcia-Zapirain. 2022. Are ai systems biased against the poor? a machine learning analysis using word2vec and glove embeddings. *AI & society*, pages 1–16.

Penelope Eckert. 2012. Three waves of variation study: The emergence of meaning in the study of sociolinguistic variation. *Annual review of Anthropology*, 41(1):87–100.

Anjalie Field, Su Lin Blodgett, Zeerak Waseem, and Yulia Tsvetkov. 2021. A survey of race, racism, and anti-racism in nlp. In *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing (Volume 1: Long Papers)*, pages 1905–1925.

Lucie Flekova, Daniel Preoţiuc-Pietro, and Lyle Ungar. 2016. Exploring stylistic variation with age and income on Twitter. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, pages 313–319, Berlin, Germany. Association for Computational Linguistics.

Rudolph Flesch. 1948. A new readability yardstick. *Journal of applied psychology*, 32(3):221.

Hila Gonen, Srini Iyer, Terra Blevins, Noah A Smith, and Luke Zettlemoyer. 2022. Demystifying prompts in language models via perplexity estimation. *arXiv preprint arXiv:2212.04037*.

Robert Gunning. 1952. The technique of clear writing. *(No Title)*.

Albert Q Jiang, Alexandre Sablayrolles, Arthur Mensch, Chris Bamford, Devendra Singh Chaplot, Diego de las Casas, Florian Bressand, Gianna Lengyel, Guillaume Lample, Lucile Saulnier, et al. 2023. Mistral 7b. *arXiv preprint arXiv:2310.06825*.

Anders Johannsen, Dirk Hovy, and Anders Søgaard. 2015. Cross-lingual syntactic variation over age and gender. In *Proceedings of the nineteenth conference on computational natural language learning*, pages 103–112.

J Peter Kincaid, Robert P Fishburne Jr, Richard L Rogers, and Brad S Chissom. 1975. Derivation of new readability formulas (automated readability index, fog count and flesch reading ease formula) for navy enlisted personnel.

William Labov. 1964. *The social stratification of English in New York city*. Ph.D. thesis, Columbia University.

Andrew Cameron Morris, Viktoria Maier, and Phil Green. 2004. From WER and RIL to MER and WIL: Improved evaluation measures for connected speech recognition. In *Interspeech 2004*, pages 2765–2768. ISCA.

Courtney Napoles, Keisuke Sakaguchi, and Joel Tetreault. 2017. JFLEG: A fluency corpus and benchmark for grammatical error correction. In *Proceedings of the 15th Conference of the European Chapter of the Association for Computational Linguistics: Volume 2, Short Papers*, pages 229–234, Valencia, Spain. Association for Computational Linguistics.

Peng Qi, Yuhao Zhang, Yuhui Zhang, Jason Bolton, and Christopher D Manning. 2020. Stanza: A python natural language processing toolkit for many human languages. *arXiv preprint arXiv:2003.07082*.

Alec Radford, Jong Wook Kim, Tao Xu, Greg Brockman, Christine McLeavey, and Ilya Sutskever. 2023. Robust speech recognition via large-scale weak supervision. In *International Conference on Machine Learning*, pages 28492–28518. PMLR.

Vipul Raheja, Dhruv Kumar, Ryan Koo, and Dongyeop Kang. 2023. Coedit: Text editing by task-specific instruction tuning. *arXiv preprint arXiv:2305.09857*.

Nils Reimers and Iryna Gurevych. 2019. Sentence-BERT: Sentence embeddings using Siamese BERT-networks. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 3982–3992, Hong Kong, China. Association for Computational Linguistics.

John R Rickford. 1986. The need for new approaches to social class analysis in sociolinguistics. *Language and communication*, 6(3):215–221.

Mike Savage, Fiona Devine, Niall Cunningham, Mark Taylor, Yaojun Li, Johs Hjellbrekke, Brigitte Le Roux, Sam Friedman, and Andrew Miles. 2013. A new model of social class? findings from the bbc's great british class survey experiment. *Sociology*, 47(2):219–250.

Sharon H. Saydah, Giuseppina Imperatore, and Gloria L. Beckles. 2013. Socioeconomic status and mortality. *Diabetes Care*, 36(1):49–55.

RJ Senter and Edgar A Smith. 1967. Automated readability index. Technical report, Technical report, DTIC document.

Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shruti Bhosale, et al. 2023. Llama 2: Open foundation and fine-tuned chat models. *arXiv preprint arXiv:2307.09288*.

Lewis Tunstall, Edward Beeching, Nathan Lambert, Nazneen Rajani, Kashif Rasul, Younes Belkada, Shengyi Huang, Leandro von Werra, Clémentine Fourrier, Nathan Habib, et al. 2023. Zephyr: Direct distillation of lm alignment. *arXiv preprint arXiv:2310.16944*.

Elisa Usategui Basozábal et al. 1992. La sociolingüística de basil bernstein y sus implicaciones en el ámbito escolar. *Revista de educación*.

Thomas Wolf, Lysandre Debut, Victor Sanh, Julien Chaumond, Clement Delangue, Anthony Moi, Pierric Cistac, Tim Rault, Remi Louf, Morgan Funtowicz, Joe Davison, Sam Shleifer, Patrick von Platen, Clara Ma, Yacine Jernite, Julien Plu, Canwen Xu, Teven Le Scao, Sylvain Gugger, Mariama Drame, Quentin Lhoest, and Alexander Rush. 2020. Transformers: State-of-the-art natural language processing. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing: System Demonstrations*, pages 38–45, Online. Association for Computational Linguistics.