An Optical Control Environment for Benchmarking Reinforcement Learning Algorithms

Anonymous authors
Paper under double-blind review

Abstract

Deep reinforcement learning has the potential to address various scientific problems. In this paper, we implement an optics simulation environment for reinforcement learning based controllers. The environment captures the essence of nonconvexity, nonlinearity, and time-dependent noise inherent in optical systems, offering a more realistic setting. Subsequently, we provide the benchmark results of several reinforcement learning algorithms on the proposed simulation environment. The experimental findings demonstrate the superiority of off-policy reinforcement learning approaches over traditional control algorithms in navigating the intricacies of complex optical control environments.

1 Introduction

In recent years, deep reinforcement learning (RL) has been used to solve challenging problems in various fields Sutton & Barto (2018), including self-driving car Bansal et al. (2018) and robot control Zhang et al. (2015). Among all applications, deep RL made significant progress in playing games on a superhuman level Mnih et al. (2013); Silver et al. (2014; 2016); Vinyals et al. (2017). Beyond playing games, deep RL has the potential to strongly impact the traditional control and automation tasks in the natural science, such as control problems in chemistry Dressler et al. (2018), biology Izawa et al. (2004), quantum physics Bukov et al. (2018), optics and photonics Genty et al. (2020).

In optics and photonics, there are particular potentials for RL methods to drive the next generation of optical laser technologies Genty et al. (2020). That is not only because there are increasing demands for adaptive control and automation (of tuning and control) for optical systems Baumeister et al. (2018), but also because many phenomena in optics are nonlinear and multidimensional Shen (1984), with noise-sensitive dynamics that are extremely challenging to model using conventional approaches. RL methods are able to control multidimensional environments with nonlinear function approximation Dai et al. (2018). Thus, exploring RL controllers becomes increasingly promising in optics and photonics as well as in scientific research, medicine, and other industries Genty et al. (2020); Fermann & Hartl (2013).

In the field of optics and photonics, Stochastic Parallel Gradient Descent (SPGD) algorithm with a PID controller has traditionally been employed to tackle control problems Cauwenberghs (1993); Zhou et al. (2009); Abuduweili et al. (2020a). These problems typically involve adjusting system parameters, such as the delay line of mirrors, with the objective of maximizing a reward, such as optical pulse energy. SPGD is a specific case of the stochastic error descent method Cauwenberghs (1993); Dembo & Kailath (1990), which operates based on a model-free distributed learning mechanism. The algorithm updates the parameters by perturbing each individual parameter vector, resulting in a decrease in error or an increase in reward. However, the applicability of SPGD is limited to convex or near-convex problems, while many control problems in optics exhibit non-convex characteristics. As a result, SPGD struggles to find the global optimum of an optics control system unless the initial state of the system is in close proximity to the global optimum. Traditionally, experts would manually tune the initial state of the optical system, followed by the use of SPGD-PID to control the adjusted system. Nevertheless, acquiring such expert knowledge becomes increasingly challenging as system complexity grows.

To enable efficient control and automation in optical systems, researchers have introduced deep reinforcement learning (RL) techniques Tünnermann & Shirakawa (2019); Sun et al. (2020); Abuduweili et al. (2020b; 2021). Previous studies predominantly focused on implementing Deep Q-Network (DQN) Mnih et al. (2013) and Deep Deterministic Policy Gradient (DDPG) Lillicrap et al. (2015) in simple optical control systems, aiming to achieve comparable performance to traditional SPGD-PID controllers Tünnermann & Shirakawa (2019); Valensise et al. (2021). However, there is a lack of research evaluating a broader range of RL algorithms in more complex optical control environments. The exploration and evaluation of RL algorithms in real-world optical systems pose significant challenges due to the high cost and the need for experienced experts to implement multiple optical systems with various configurations. Even for a simple optical system, substantial efforts and resources are required to instrument and implement RL algorithms effectively.

Simulation has been widely utilized in the fields of robotics and autonomous driving since the early stages of research Pomerleau (1998); Bellemare et al. (2013). As the interest and application of learning-based robotics continue to grow, the role of simulation becomes increasingly crucial in driving research advancements. We believe that simulation holds equal importance in evaluating RL algorithms for optical control. However, to the best of our knowledge, there is currently no open-source RL environment available for optical control simulation.

In this paper, we present OPS (Optical Pulse Stacking), an open and scalable simulator designed for controlling typical optical systems. The underlying physics of OPS aligns with various optical applications, including coherent optical inference Wetzstein et al. (2020) and linear optical sampling Dorrer et al. (2003), which find applications in precise measurement, industrial manufacturing, and scientific research. A typical optical pulse stacking system involves the direct and symmetrical stacking of input pulses to multiply their energy, resulting in stacked output pulses Tünnermann & Shirakawa (2017); Stark et al. (2017); Astrauskas et al. (2017); Yang et al. (2020). By introducing the OPS optical control simulation environment, our objective is to encourage exploration of RL applications in optical control tasks and further investigate RL controllers in natural sciences. We utilize OPS to evaluate several important RL algorithms, including Twin Delayed Deep Deterministic Policy Gradient (TD3) Fujimoto et al. (2018), Soft Actor-Critic (SAC) Haarnoja et al. (2018), and Proximal Policy Optimization (PPO) Schulman et al. (2017). Our findings indicate that in a simple optical control environment (nearly convex), the traditional SPGD-PID controller performs admirably. However, in complex environments (non-convex optimization), SPGD-PID falls short, and RL-trained policies outperform SPGD-PID. Following the reporting of these RL algorithm results, we discuss the potential and challenges associated with RL algorithms in real-world optical systems. By providing the OPS simulation environment and conducting RL algorithm experiments, we aim to facilitate research on RL applications in optics, benefiting both the machine learning and optics communities. We will make the code publicly available.

2 Simulation environment

2.1 Physics of the simulation

The optical pulse stacking (OPS), also known as pulse combination, system employs a recursive approach to stack optical pulses in the time domain. The dynamics of the OPS are similar to the recurrent neural networks (RNN) or Wavenet architecture Oord et al. (2016). We illustrate the dynamics of the OPS in RNN style as shown in Fig. 1. In the OPS system, the input consists of a periodic pulse train [1] with a repetition period of T. Assuming the basic function of the first pulse at time step t is denoted as $E_1 = E(t)$ (a complex function), the subsequent pulses can be described as $E_2 = E(t+T)$, $E_3 = E(t+2T)$, and so on. The OPS system recursively imposes time delays to earlier pulses in consecutive pairs. For instance, in the first stage of OPS, a time-delay controller imposes the delay τ_1 on pulse 1 to allow it to combine (overlap) with pulse 2. With the appropriate time delay, pulse 1 can be stacked with the next pulse, E_2, resulting in the stacked pulses $E_{1,2} = E(t+\tau_1) + E(t+T)$. Similarly, pulse 3 can be stacked with pulse 4, creating $E_{3,4} = E(t+2T+\tau_1) + E(t+3T)$, and so forth. In the second stage of OPS, an additional time delay, τ_2, is imposed on $E_{1,2}$ to allow it to stack with $E_{3,4}$, resulting in $E_{1,2,3,4}$. This stacking process continues

[1] The periodic pulse train is typically emitted by lasers, where each laser pulse's wave function is nearly identical except for the time delay.



Figure 1: Illustration of the principle of optical pulse stacking. Only 3-stage pulse stacking was plotted for simplicity.

in each subsequent stage of the OPS controller, multiplying the pulse energy by a factor of 2^N by stacking 2^N pulses, where N time delays $(\tau_1, \tau_2, ..., \tau_N)$ are required for control and stabilization. Additional details about the system configuration are shown in appendix A.



(a) One stage OPS (1-d)

(b) Two stage OPS (2-d)

Figure 2: Function of the (a) 1-stage OPS: pulse energy $P_1(\tau_1)$ w.r.t. delay line τ_1. (b) 2-stage OPS: pulse energy $P_2(\tau_1, \tau_2)$ w.r.t. delay lines (τ_1, τ_2).

2.2 Control objective and noise

The objective of controlling an OPS system is to maximize the energy of the final stacked (output) pulse by adjusting the time delays. We denote the vector of time delays as $\tau = [\tau_1, \tau_2, \cdots, \tau_N]$, and $E_{out}(t; \tau)$ represents the final stacked pulse under the time delay configuration τ. For an N-stage OPS system, the energy of the final stacked pulse, denoted as $P_N(\tau)$, is computed as the integral of the norm of $E_{out}(t; \tau)$ over time. In mathematical terms, we express it as $P_N(\tau) = \int |E_{out}(t; \tau)| dt$. To formulate the objective function for controlling an N-stage OPS system, we aim to find the optimal set of time delays τ^* that maximizes

$P_N(\tau)$. The objective function can be defined as follows:

$$\arg\max_{\tau} P_N(\tau) = \arg\max_{\tau_1,\tau_2,...,\tau_N} P_N(\tau_1, \tau_2, ..., \tau_N) \tag{1}$$

When ignoring noise, the objective function of the final pulse energy, P_N, with respect to the time delays, τ, can be derived based on optical coherence. Figure 2(a) depicts the pulse energy function $P_1(\tau_1)$ in a 1-stage OPS system, showing the relationship between pulse energy and the time delay τ_1. Similarly, Figure 2(b) displays the function surface of $P_2(\tau_1, \tau_2)$ in a 2-stage OPS system, illustrating how pulse energy varies with the first and second stage time delays (τ_1, τ_2). As evident from the figures, the control objective of the OPS system is nonlinear and non-convex, even when noise is disregarded. This inherent complexity arises due to factors such as optical periodicity and the nonlinearity of coherent interference. Consequently, achieving the global optimum or better local optima becomes a challenging task for any control algorithms, particularly when starting from a random initial state.

However, in practical scenarios, noise cannot be ignored, and the OPS system is highly sensitive to noise. This sensitivity is primarily due to the pulse wavelength being on the order of micrometers ($1\mu\text{m} = 10^{-6}\text{m}$). Environmental noise, including vibrations of optical devices and atmospheric temperature drift, can easily cause shifts in the time delays, resulting in changes to the output pulses. As a result, the objective function in real-world applications is much more complex than what is depicted in Figure 2, especially for higher-stage OPS systems with higher dimensions. Consequently, achieving the control objective becomes even more challenging in the presence of unknown initial states and unpredictable noise in such noise-sensitive complex systems Genty et al. (2020). Therefore, model-based controllers face significant difficulties in implementation. In this paper, we primarily focus on model-free reinforcement learning approaches to address these challenges.

In this simulation, we incorporate two types of noise: fast noise arising from device vibrations and slow noise caused by temperature drift. The fast noise is modeled as a zero-mean Gaussian random noise with variance σ^2, following the simulation noise approach outlined in Tünnermann & Shirakawa (2019). On the other hand, the slow noise μ_t accounts for temperature drift and is represented as a piecewise linear function Ivanova et al. (2021). To capture the combined effect of these two noise sources, we define the overall noise e_t as a random process. Specifically, we can express it as follows:

$$\mathbb{E}\left[e_t\right] = \mu_t, \quad \mathbb{VAR}\left[e_t\right] = \sigma^2 \tag{2}$$

2.3 Reinforcement learning environment

Interactions with RL agent. An RL agent interacts with the OPS environment in discrete time steps, as shown in Fig. 3. At each time step t, the RL agent receives the current state of the OPS environment, denoted as s_t. Based on this state, the agent selects an action a_t to be applied to the environment. The action could involve adjusting the time delays τ in the OPS system. Once the action is chosen, it is transmitted to the OPS environment, which then processes the action and transitions to a new state s_{t+1}. The OPS environment provides feedback to the RL agent in the form of a reward r_t. The reward serves as a measure of how well the OPS system is achieving the objective of maximizing the final stacked pulse energy. The RL agent utilizes the experience tuple (s_t, a_t, s_{t+1}, r_t) to learn and update its policy $\pi(a, s)$ over time. The goal of the agent is to learn a policy that maximizes the expected cumulative reward over the interaction with the OPS environment.

State space. The state space of the OPS system is a continuous and multidimensional vector space. The state value at time step t, denoted as s_t, corresponds to the pulse amplitude measurement of the final stacked pulse, given by $s_t = |E_{\text{out}}(t; \tau)|$. Therefore, s_t provides a time-domain representation of the final stacked pulse, offering direct insight into the control performance. In practical implementations, the pulse amplitude is typically detected using a photo-detector and subsequently converted into digital time-series signals. In our simulation, we have incorporated real-time rendering of the pulse amplitude to facilitate the monitoring of the control process.

Action space. The action space of an N-stage OPS environment is a continuous and N-dimensional vector space. At each time step t, the action a_t corresponds to an additive time delay value $\Delta\tau(t)$ for the N-stage



Figure 3: Illustration of the interaction between RL agent and OPS environment. Only 2-stage OPS was plotted for simplicity.

OPS environment: $a_t = \Delta\tau(t) = \tau(t+1) - \tau(t)$. The OPS environment applies the additive time delay value $a(t)$ to transition to the next state.

Reward. As mentioned in section 2.2, the objective of the OPS controller is maximizing the final stacked pulse energy $P_N(\tau)$. In our simulation, we use the normalized final pulse energy as the reward value. The reward at each time step is defined as:

$$r = -\frac{(P_N(\tau) - P_{max})^2}{(P_{min} - P_{max})^2}, \tag{3}$$

where P_{max} is the maximum pulse energy at the global optimum, and P_{min} is the minimum pulse energy. The maximum reward 0 achieved when $P(\tau) = P_{max}$ (peak position of Fig. 2(b)) .

State transition function. The environmental noise has direct impacts on the delay lines, including the vibration and temperature-induced shift noise of the delay line devices. Therefore, in the state transition process, the actual applied delay line value $\tau_{\text{real}}(t+1)$ is a combination of the action a_t and the noise e_t. Specifically, it can be expressed as:

$$\tau_{\text{real}}(t+1) = \tau_{\text{real}}(t) + a_t + e_t. \tag{4}$$

After selecting the pulses, the real-time delay $\tau_{\text{real}}(t+1)$ is imposed on them using delay line devices, which introduce additional time delays for the pulses. The state transition process is governed by the combination of the current state, the action taken, and the noise present. The specific form of the state transition follows the principles of coherent light interference Saleh & Teich (2019).

Then the real-time delay $\tau_{\text{real}}(t+1)$ is imposed on some specific pulses by delay line devices (the device introduce additional time delay for pulses). The state transition process is governed by the combination of the current state, the action taken, and the noise present. The specific form of the state transition follows the principles of coherent light interference Saleh & Teich (2019). Let f is a interference observation function. Then the state transition can be written as:

$$s_{t+1} = f(\tau_{\text{real}}(t+1)) = f(\tau_{\text{real}}(t) + a_t + e_t) = f(f^{-1}(s_t) + a_t + e_t) \tag{5}$$

It is important to note that the slow-changing noise term $\mathbb{E}[e_t] = \mu_t$ follows a piecewise linear function that changes slowly over time. During episodic training for RL agents, μ_t can be treated as a constant value within an episode. However, the value of μ_t may vary from one episode to the next. In this case, assuming that μ_t changes very slowly, the OPS control process can be modeled as a Markov decision process (MDP). If higher accuracy is required, one can include the noise term in the state definition as $\hat{s}_t = [s_t; e_t]$, which transforms the control process into a partially observable Markov decision process (POMDP).

Mode	Initial state	Noise	Objective
Easy	near the optimum	time-independent: $\frac{d\mu_t}{dt} \equiv 0$	convex
Medium	random	time-independent: $\frac{d\mu_t}{dt} \equiv 0$	non-convex
Hard	random	time-dependent: $\frac{d\mu_t}{dt} \not\equiv 0$	non-convex

Table 1: Different difficulty modes on OPS.

```
from optics_env import OPS_env
env = OPS_env(stage=5, mode="medium")
env.reset()
done = False
while not done:
    action = env.action_space.sample()
    observation, reward, done, info = env.step(action)
    env.render()
```

Figure 4: Example code of the OPS environment.

Control difficulty of the environment. We have implemented the OPS environment to support arbitrary stages of pulse stacking ($N \in 1, 2, 3, ...$). As the number of stages increases, the control task becomes more challenging. In addition to the customizable number of stages, we have also introduced three difficulty modes (easy, medium, and hard) for each stage of OPS, as outlined in Table 1. The difficulty mode is determined by the initial state of the system and the distribution of noise. These difficulty modes allow for different levels of complexity and challenge in the control task, providing flexibility for evaluating and training control algorithms in various scenarios.

- Easy mode. In the easy mode of the OPS environment, the initial state of the system is set to be near the global optimum. This configuration is often encountered in traditional optics control problems where experts fine-tune the initial state to facilitate easier control. As depicted in Figure 5(a), we provide an example of the initial state for the easy mode in a 3-stage OPS environment. The proximity of the initial state to the global optimum allows the control objective in the easy mode to be considered convex. This means that the optimization problem in the easy mode is relatively straightforward and can be solved more easily compared to other modes.
- Medium mode. In the medium mode of the OPS environment, the initial state of the system is randomly determined, as illustrated in Figure 5(b). This random initialization introduces non-convexity into the control problem, making it more challenging to solve. However, in the medium mode, the noise present in the system is time-independent. We model this noise as a Gaussian distribution, where e_t follows a normal distribution $\mathcal{N}(\mu, \sigma)$. This setting aligns with classical reinforcement learning and typical Markov Decision Process (MDP) settings, where the noise distribution remains the same throughout each episode.
- Hard mode. In the hard mode of the OPS environment, similar to the medium mode and as shown in Figure 5(b), the initial state of the system is randomly determined. However, in contrast to the medium mode, the behavior of the noise in the hard mode is more complex. The mean value of the noise distribution μ_t becomes a time-dependent variable that slowly changes over time. This time-dependent noise introduces additional challenges and complexity to the control problem. In this case, the control problem deviates from a typical Markov Decision Process (MDP) setting. The hard mode is designed to mimic real-world settings more closely. In practical applications, when deploying the trained model in a testing environment, we often encounter temperature drift, which causes the noise distribution of the testing environment to differ from the training environment. Therefore, the hard mode simulates the realistic scenario where the noise distribution is not stationary and may vary over time, making the control problem more challenging and closer to real-world conditions.

API & sample usage. The simulation in this study is based on the Nonlinear-Optical-Modeling Hult (2007), which provides the optical and physical fundamentals for the OPS environment. To facilitate integration and compatibility with existing frameworks and tools, the OPS environment is designed to be compatible with the widely used OpenAI Gym API Brockman et al. (2016). To demonstrate the usage of the OPS environment, we provide an example code snippet in Figure 4.

Features of the OPS environment. We summarize the key features of the OPS environment as follows:

- Open-source optical control environment: To the best of our knowledge, this is the first open-sourced RL environment for optical control problems. The use of open-source licenses enables researchers to inspect the underlying code and modify the environment if necessary to test new research ideas.



(a) Initial state: easy mode (b) Initial state: medium/hard mode (c) Target optimal state

Figure 5: Rendering examples of the (a) initial state for easy mode, (b) initial state for medium or hard mode, (c) global optimal target state in a 2-stage OPS environment. In the initial state of the easy mode, some parts of the pulses have already stacked, which is closer to the target state. The initial state of medium or hard mode is random.

- Scalable and difficulty-adjustable scientific environment: Unlike many RL environments that are easy to solve, our OPS environment allows flexible adjustment of difficulty. The dimension of the action space can easily scale with the stage number N. Choosing a larger N with the hard mode makes controlling the environment more challenging. Effective solutions to hard scientific control problems can have a broad impact on various scientific control problems Genty et al. (2020); Fermann & Hartl (2013).

- Realistic noise: In the hard mode of the OPS environment, we model the noise distribution as a time-dependent function. This reflects the realistic scenario where the noise distribution in the testing environment differs from the noise distribution in the training environment. Such realistic noise modeling is particularly relevant for noise-sensitive systems Ivanova et al. (2021) and increases the stochasticity of the environment.

- Extendable state and structural information: When μ_t changes very slowly, the OPS control process can be formulated as an MDP. For higher accuracy requirements, the noise can be included in the state definition, transforming the OPS control process into a POMDP. Furthermore, we can explore the structural information or physical constraints from the function of the OPS (see Fig. 2) and incorporate it with RL controllers.

3 Experiments

3.1 Experimental setup

We present benchmark results for various control algorithms, including a traditional control algorithm and three state-of-the-art reinforcement learning algorithms:

- **SPGD** (Stochastic Parallel Gradient Descent) algorithm with PID controller: SPGD is a widely used approach for controlling optical systems Cauwenberghs (1993); Zhou et al. (2009). In SPGD, the objective gradient estimation is achieved by applying a random perturbation to the time delay value, denoted as $\delta\tau$. The update formula is $\tau(t+1) = \tau(t) + \eta[P_N(\tau(t)+\delta\tau) - P_N(\tau(t))]\delta\tau$, where η is the update step-size. The output of the SPGD algorithm is then sent to a PID controller to control the system. In this work, we refer to the SPGD-PID controller as the SPGD controller.

- **PPO** (Proximal Policy Optimization) is an on-policy reinforcement learning algorithm Schulman et al. (2017). It efficiently updates its policy within a trust region by penalizing KL divergence or clipping the objective function.

- **SAC** (Soft Actor-Critic) is an off-policy reinforcement learning algorithm Haarnoja et al. (2018). It learns two Q-functions and utilizes entropy regularization, where the policy is trained to maximize a trade-off between expected return and entropy.

- **TD3** (Twin Delayed Deep Deterministic policy gradient) is an off-policy reinforcement learning algorithm Fujimoto et al. (2018). It learns two Q-functions and uses the smaller of the two Q-values to form the targets in the loss functions. Additionally, TD3 adds noise to the target action for exploration.

We implement the RL algorithms using stable-baseline-3 Raffin et al. (2019). The training procedure for an RL agent consists of multiple episodes, and each episode consists of 200 steps. For each of the experimental settings, we run ten random seeds and average the results. The hyperparameters of the RL algorithms used in our experiments are provided in appendix B.1.

3.2 Results on controlling 5-stage OPS

In this section, we present the results obtained for the 5-stage OPS system, which involves stacking 32 pulses. We evaluate all four algorithms in three difficulty modes: easy, medium, and hard. It is important to note that SPGD is a training-free method, as it relies on a fixed policy. Therefore, we only evaluate the testing performance of SPGD. For the RL algorithms (PPO, TD3, and SAC), we assess both the training convergence and the testing performance of the trained policy.

The training curves, depicting the reward per step during training iterations, are shown in Fig. 6(a) for the easy mode, Fig. 6(b) for the medium mode, and Fig. 6(c) for the hard mode. From these plots, we observe that TD3 and SAC exhibit similar performance, which is consistently higher than that of PPO across all three difficulty modes. Notably, in the hard mode of the environment, the convergence speed of the algorithms slows down. Moreover, the final convergence value decreases as the difficulty of the environment increases. For instance, in the easy mode, SAC converges to a reward value of -0.04 within 100,000 steps, while it takes 200,000 steps to converge to a reward value of -0.1 in the hard mode.



(a) Training curve: easy mode (b) Training curve: medium mode (c) Training curve: hard mode

Figure 6: Training curve for SAC, TD3, and PPO on 5-stage OPS environment for (a) easy mode, (b) medium mode, and (c) hard mode. The dashed region shows the area within the standard deviation.

Following the training of RL agents, we proceeded to evaluate the performance of the trained policies in the testing environment. The final pulse energy P_N achieved under different iterations is depicted in Fig. 7(a) for the easy mode, Fig. 7(b) for the medium mode, and Fig. 7(c) for the hard mode. We observed that SPGD performs admirably in the easy mode, where the control problem is close to convex. However, its performance deteriorates significantly in the medium and hard modes, which are non-convex control problems. This disparity arises because RL controllers are capable of learning better policies through exploration in non-convex settings. Furthermore, the off-policy RL algorithms (TD3 and SAC) outperform the on-policy RL algorithm (PPO) in our simulation environment. Across all methods, the testing performance in the hard mode is lower than that in the medium mode, despite both being non-convex control problems. This discrepancy can be attributed to the more complex and realistic noise present in the hard mode, which slows down the convergence rate and reduces the final pulse energy in the testing environment.



(a) Testing curve: easy mode (b) Testing curve: medium mode (c) Testing curve: hard mode

Figure 7: Evaluation of the stacked pulse power P_N (normalized) of different policies in the testing environment for (a) easy mode, (b) medium mode, and (c) hard mode.

The final pulse energy P_N achieved in both the training and testing environments for the trained policy is reported in table 2. It is important to note that the training and testing environments for the easy and medium modes are similar, resembling the classical Atari environment, with performance differences primarily arising from randomness. However, the hard mode exhibits different noise behavior between the training and testing environments due to slow temperature drift, leading to a performance gap between the two environments. The experimental results of the 4-stage and 6-stage systems can be found in appendix B.2.

Table 2: Evaluation performance of SPGD, PPO, TD3, and SAC on three (easy, medium, hard) modes. Final pulse energy P_N on both the training environment and testing environment was evaluated.

Mode	Evaluation environment	SPGD	PPO	SAC	TD3
easy	training	**0.9909 ± 0.0021**	0.7684 ± 0.0884	0.9637 ± 0.0172	0.9610 ± 0.0189
	testing	**0.9909 ± 0.0021**	0.7553 ± 0.0463	0.9614 ± 0.0231	0.9581 ± 0.0177
medium	training	0.6155 ± 0.0163	0.6210 ± 0.0828	0.8945 ± 0.0501	**0.9204 ± 0.0351**
	testing	0.6155 ± 0.0163	0.6219 ± 0.0229	0.8873 ± 0.0838	**0.9185 ± 0.0217**
hard	training	0.4821 ± 0.0248	0.5673 ± 0.0680	0.8515 ± 0.0375	**0.8524 ± 0.0380**
	testing	0.4821 ± 0.0248	0.5261 ± 0.0300	0.8071 ± 0.0164	**0.8130 ± 0.0215**

3.3 Comparison of the different settings of OPS environment

In this section, we investigate the impact of different modes (easy, medium, hard) and stage numbers (N) in an N-stage OPS environment. We evaluate the trained TD3 and SAC policies, as well as SPGD, on



(a) Testing curve (final return P_N) (b) Training convergence step

Figure 8: (a) Final return P_N of different stage OPS on testing environment controlled with TD3 or SAC. (b) Convergence steps for the training of TD3 and SAC on different stage OPS environments.

different testing environments with varying stage numbers. Figure 8(a) illustrates the final return P_N in

relation to the stage number N in the N-stage OPS environment, comparing the performance of different algorithms across different modes. From the figure, we draw the following conclusions: (1) For the easy mode, SPGD outperforms SAC and TD3, and all methods achieve near-optimal performance regardless of the stage number N. (2) Across both the medium and hard modes, the performance of RL methods (SAC and TD3) is comparable. (3) As the stage number increases in the hard and medium modes, the performance of SPGD drops significantly. Moreover, for $N \geq 4$, RL methods (SAC and TD3) outperform SPGD by a substantial margin. Figure 8(b) illustrates the training convergence steps for different stage OPS. It can be observed that as the stage number increases, the number of steps required for training convergence also increases significantly.



(a) Training curve: TD3 with hard mode

(b) Testing curve: TD3 with hard mode

Figure 9: Comparison of the results on hard mode N-stage OPS environment with TD3 algorithms. (a) shows the training curve; (b) shows the evaluation of TD3 and SPGD in the testing environment.

To provide a clearer illustration of the impact of stage number N in the OPS environment, we present the training and testing curves for TD3 and SPGD on the hard mode. Figure 9(a) displays the training curve of TD3 on different N-stage OPS systems. It can be observed that as the stage number increases, the training convergence becomes slower. Figure 9(b) showcases the testing curve of SPGD and TD3 on different N-stage OPS systems. From the figure, we can draw the following observations: (1) With an increase in stage number, the final return P_N becomes smaller for both TD3 and SPGD, indicating a decrease in performance as the system becomes more complex. (2) TD3 consistently outperforms SPGD for stage numbers $N \geq 4$. This suggests that RL methods like TD3 are more effective in handling the control challenges posed by OPS systems with a larger number of stages.

3.4 Transferring trained policy between different modes



(a) hard trained

(b) medium trained

(c) easy trained

Figure 10: Demonstration of the transfer performance of the trained policy on (a) hard mode training environment; (b) medium mode training environment; (c) easy mode training environment.

The major difference between the simulation and real-world environments is the different noise levels. In order to investigate the transferability of trained policies between different noise levels in the OPS environment, we conducted a simulated experiment. Our simulation environment incorporates different noise levels

depending on the difficulty mode: "easy", "medium", and "hard". We trained policies on the "hard" mode environment and tested their performance on "hard", "medium", and "easy" mode environments. The transfer results are presented in Fig. 10(a). As can be observed, the trained policy can be successfully transferred to both "medium" and "easy" mode environments, achieving high performance in terms of pulse energy. Figure 10(b) and Figure 10(c) depict the transfer results of policies trained on the "medium" and "easy" mode environments, respectively. It can be seen that when policies trained on easier mode environments are transferred to a harder mode environment, their performance may drop and result in fluctuations in pulse energy. On the contrary, policies trained in harder environments can be effectively applied to easier environments.

These results demonstrate the transferability of policies between different noise levels in the OPS environment. Specifically, policies trained in harder environments can be effectively applied to easier environments, while the performance of policies trained in easier environments may be compromised when transferred to harder environments. Based on these findings, training policies in harder simulation environments that introduce more noise and uncertainty can be more useful. This approach allows us to explore and develop fast and robust control algorithms that can then be deployed on real-world physical systems.

4 Discussion

4.1 Real-world environment and simulation

Deploying RL algorithms in real-world optics systems poses several challenges, including the need for signal conversion, time delays, and manual tuning of optical devices. In our simulation system, we have the advantage of faster control steps and simplified initial alignment. We In real-world optics systems, the optical signal needs to be converted to an electrical analog signal using a photo-detector (PD), which is then further converted to a digital signal using an analog-to-digital converter (ADC). Additionally, the time-delay introduced by the delay line device (controller) contributes to the time cost per control step, which typically ranges from 0.1 to 1 second. However, in our simulation system, we can speed up the control step by a factor of 10 to 100, allowing for faster training and evaluation. Furthermore, in real-world OPS systems, manual tuning of the optical devices is required when the optical beams are misaligned, which can be a time-consuming process taking several hours or even days. In contrast, in our simulation system, we can easily reset the environment to achieve the initial alignment, simplifying the setup and reducing the time required for system preparation.

Previous endeavors to directly apply RL algorithms to real-world OPS systems have encountered obstacles, including slow training in a real environment, and unstable and non-optimal convergence of RL algorithms. Consequently, the sim2real approach, which involves training and evaluating RL algorithms in simulation environments before deploying them to real-world systems, has garnered considerable interest. Our objective is to conduct comprehensive research on RL algorithms within the simulation environment and subsequently leverage the sim2real approach to transition these algorithms into real-world applications.

To validate the correctness of our simulation, we have evaluated it through simplified pulse stacking experiments, as mentioned in Tünnermann & Shirakawa (2019); Yang et al. (2020). In these studies, both real experiments and simulations were conducted, and the authors found the simulation to be valuable. While our simulation and experimental settings are more complex than those in Tünnermann & Shirakawa (2019), the underlying physics remains the same, which adds confidence to the reliability and accuracy of our simulation environment.

4.2 RL controllers and different simulation modes

The experimental results demonstrate that off-policy RL algorithms (TD3 and SAC) outperform traditional SPGD controllers in larger N-stage OPS systems, particularly in the challenging hard mode. In the simulation, the easy mode corresponds to the traditional control approach in which experts manually fine-tune the OPS system to achieve a state close to the global optimum (representing the real-world "easy" mode) before employing SPGD for control. However, the future of optical control lies in automation. The hard mode in the simulation reflects a more realistic scenario where direct control of the OPS system is performed

without initial expert tuning. In this context, RL controllers exhibit significant promise for optical systems. This motivates our focus on developing OPS simulation environments, emphasizing the need for fast training and noise-robust RL algorithms capable of handling non-stationary noise and non-convex control objectives. Additionally, exploring the nonconvex and periodic nature of OPS objectives holds potential benefits for real-world RL applications, incorporating valuable structural information into the control tasks in optics.

5 Conclusion

In this paper, we present OPS, an open-source simulator for controlling pulse stacking systems using RL algorithms. To the best of our knowledge, this is the first publicly available RL environment specifically tailored for optical control problems. We conducted evaluations of SAC, TD3, and PPO within our proposed simulation environment. The experimental results clearly demonstrate that off-policy RL methods outperform traditional SPGD-PID controllers by a substantial margin, especially in challenging environments. By offering an optical control simulation environment and providing RL benchmarks, our aim is to encourage the exploration and application of RL techniques in optical control tasks, as well as to facilitate further advancements of RL controllers in the field of natural sciences.

References

Abulikemu Abuduweili, Bowei Yang, and Zhigang Zhang. Modified stochastic gradient algorithms for controlling coherent pulse stacking. In *Conference on Lasers and Electro-Optics*, pp. STh4P.1, 2020a.

Abulikemu Abuduweili, Bowei Yang, and Zhigang Zhang. Control of delay lines with reinforcement learning for coherent pulse stacking. In *Conference on Lasers and Electro-Optics*, pp. JW2F.33, 2020b.

Abulikemu Abuduweili, Jie Wang, Bowei Yang, Aimin Wang, and Zhigang Zhang. Reinforcement learning based robust control algorithms for coherent pulse stacking. *Opt. Express*, 29(16):26068–26081, Aug 2021.

Alekh Agarwal, Sham M Kakade, Jason D Lee, and Gaurav Mahajan. On the theory of policy gradient methods: Optimality, approximation, and distribution shift. *Journal of Machine Learning Research*, 22 (98):1–76, 2021.

Ignas Astrauskas, Edgar Kaksis, Tobias Flöry, Giedrius Andriukaitis, Audrius Pugžlys, Andrius Baltuška, John Ruppe, Siyun Chen, Almantas Galvanauskas, and Tadas Balčiūnas. High-energy pulse stacking via regenerative pulse-burst amplification. *Optics letters*, 42(11):2201–2204, 2017.

Mayank Bansal, Alex Krizhevsky, and Abhijit Ogale. Chauffeurnet: Learning to drive by imitating the best and synthesizing the worst. *arXiv preprint arXiv:1812.03079*, 2018.

Thomas Baumeister, Steven L Brunton, and J Nathan Kutz. Deep learning and model predictive control for self-tuning mode-locked lasers. *JOSA B*, 35(3):617–626, 2018.

Marc G Bellemare, Yavar Naddaf, Joel Veness, and Michael Bowling. The arcade learning environment: An evaluation platform for general agents. *Journal of Artificial Intelligence Research*, 47:253–279, 2013.

Greg Brockman, Vicki Cheung, Ludwig Pettersson, Jonas Schneider, John Schulman, Jie Tang, and Wojciech Zaremba. Openai gym. *arXiv preprint arXiv:1606.01540*, 2016.

Marin Bukov, Alexandre GR Day, Dries Sels, Phillip Weinberg, Anatoli Polkovnikov, and Pankaj Mehta. Reinforcement learning in different phases of quantum control. *Physical Review X*, 8(3):031086, 2018.

Gert Cauwenberghs. A fast stochastic error-descent algorithm for supervised learning and optimization. *Advances in neural information processing systems*, 5:244–251, 1993.

Bo Dai, Albert Shaw, Lihong Li, Lin Xiao, Niao He, Zhen Liu, Jianshu Chen, and Le Song. Sbeed: Convergent reinforcement learning with nonlinear function approximation. In *International Conference on Machine Learning*, pp. 1125–1134. PMLR, 2018.

Amir Dembo and Thomas Kailath. Model-free distributed learning. *IEEE Transactions on Neural Networks*, 1(1):58–70, 1990.

C Dorrer, DC Kilper, HR Stuart, G Raybon, and MG Raymer. Linear optical sampling. *IEEE Photonics Technology Letters*, 15(12):1746–1748, 2003.

Oliver J Dressler, Philip D Howes, Jaebum Choo, and Andrew J deMello. Reinforcement learning for dynamic microfluidic control. *ACS omega*, 3(8):10084–10091, 2018.

Simon S Du, Yuping Luo, Ruosong Wang, and Hanrui Zhang. Provably efficient q-learning with function approximation via distribution shift error checking oracle. *arXiv preprint arXiv:1906.06321*, 2019.

Gabriel Dulac-Arnold, Daniel Mankowitz, and Todd Hester. Challenges of real-world reinforcement learning. *arXiv preprint arXiv:1904.12901*, 2019.

Martin E Fermann and Ingmar Hartl. Ultrafast fibre lasers. *Nature photonics*, 7(11):868–874, 2013.

Scott Fujimoto, Herke van Hoof, and David Meger. Addressing function approximation error in actor-critic methods. In Jennifer Dy and Andreas Krause (eds.), *Proceedings of the 35th International Conference on Machine Learning*, volume 80, pp. 1587–1596. PMLR, 2018.

Goëry Genty, Lauri Salmela, John M Dudley, Daniel Brunner, Alexey Kokhanovskiy, Sergei Kobtsev, and Sergei K Turitsyn. Machine learning and applications in ultrafast photonics. *Nature Photonics*, pp. 1–11, 2020.

Tuomas Haarnoja, Aurick Zhou, Pieter Abbeel, and Sergey Levine. Soft actor-critic: Off-policy maximum entropy deep reinforcement learning with a stochastic actor. In Jennifer Dy and Andreas Krause (eds.), *Proceedings of the 35th International Conference on Machine Learning*, volume 80, pp. 1861–1870. PMLR, 10–15 Jul 2018.

Johan Hult. A fourth-order runge–kutta in the interaction picture method for simulating supercontinuum generation in optical fibers. *J. Lightwave Technol.*, 25(12):3770–3775, Dec 2007.

Yoanna M Ivanova, Hannah Pallubinsky, Rick Kramer, and Wouter van Marken Lichtenbelt. The influence of a moderate temperature drift on thermal physiology and perception. *Physiology & Behavior*, 229:113257, 2021.

Jun Izawa, Toshiyuki Kondo, and Koji Ito. Biological arm motion through reinforcement learning. *Biological cybernetics*, 91(1):10–22, 2004.

Timothy P Lillicrap, Jonathan J Hunt, Alexander Pritzel, Nicolas Heess, Tom Erez, Yuval Tassa, David Silver, and Daan Wierstra. Continuous control with deep reinforcement learning. *arXiv preprint arXiv:1509.02971*, 2015.

Sobhan Miryoosefi, Kianté Brantley, Hal Daumé III, Miroslav Dudík, and Robert Schapire. Reinforcement learning with convex constraints. *arXiv preprint arXiv:1906.09323*, 2019.

Volodymyr Mnih, Koray Kavukcuoglu, David Silver, Alex Graves, Ioannis Antonoglou, Daan Wierstra, and Martin Riedmiller. Playing atari with deep reinforcement learning. *arXiv preprint arXiv:1312.5602*, 2013.

Aaron van den Oord, Sander Dieleman, Heiga Zen, Karen Simonyan, Oriol Vinyals, Alex Graves, Nal Kalchbrenner, Andrew Senior, and Koray Kavukcuoglu. Wavenet: A generative model for raw audio. *arXiv preprint arXiv:1609.03499*, 2016.

D Pomerleau. An autonomous land vehicle in a neural network. *Advances in Neural Information Processing Systems; Morgan Kaufmann Publishers Inc.: Burlington, MA, USA*, 1998.

Antonin Raffin, Ashley Hill, Maximilian Ernestus, Adam Gleave, Anssi Kanervisto, and Noah Dormann. Stable baselines3. `https://github.com/DLR-RM/stable-baselines3`, 2019.

Bahaa EA Saleh and Malvin Carl Teich. *Fundamentals of photonics*. john Wiley & sons, 2019.

John Schulman, Filip Wolski, Prafulla Dhariwal, Alec Radford, and Oleg Klimov. Proximal policy optimization algorithms. *arXiv preprint arXiv:1707.06347*, 2017.

Yuen-Ron Shen. The principles of nonlinear optics. *New York*, 1984.

David Silver, Guy Lever, Nicolas Heess, Thomas Degris, Daan Wierstra, and Martin Riedmiller. Deterministic policy gradient algorithms. In *Proceedings of the 31st International Conference on Machine Learning*, volume 32 of *Proceedings of Machine Learning Research*, pp. 387–395. PMLR, 2014. URL `http://proceedings.mlr.press/v32/silver14.html`.

David Silver, Aja Huang, Chris J Maddison, Arthur Guez, Laurent Sifre, George Van Den Driessche, Julian Schrittwieser, Ioannis Antonoglou, Veda Panneershelvam, Marc Lanctot, et al. Mastering the game of go with deep neural networks and tree search. *Nature*, 529(7587):484–489, 2016.

Henning Stark, Michael Müller, Marco Kienel, Arno Klenke, Jens Limpert, and Andreas Tünnermann. Electro-optically controlled divided-pulse amplification. *Optics express*, 25(12):13494–13503, 2017.

Chang Sun, Eurika Kaiser, Steven L Brunton, and J Nathan Kutz. Deep reinforcement learning for optical systems: A case study of mode-locked lasers. *Machine Learning: Science and Technology*, 1(4):045013, 2020.

Richard S Sutton and Andrew G Barto. *Reinforcement learning: An introduction*. MIT press, 2018.

Henrik Tünnermann and Akira Shirakawa. Delay line coherent pulse stacking. *Opt. Lett.*, 42(23):4829–4832, Dec 2017.

Henrik Tünnermann and Akira Shirakawa. Deep reinforcement learning for coherent beam combining applications. *Opt. Express*, 27(17):24223–24230, Aug 2019.

Carlo M Valensise, Alessandro Giuseppi, Giulio Cerullo, and Dario Polli. Deep reinforcement learning control of white-light continuum generation. *Optica*, 8(2):239–242, 2021.

Oriol Vinyals, Timo Ewalds, Sergey Bartunov, Petko Georgiev, Alexander Sasha Vezhnevets, Michelle Yeo, Alireza Makhzani, Heinrich Küttler, John Agapiou, Julian Schrittwieser, et al. Starcraft ii: A new challenge for reinforcement learning. *arXiv preprint arXiv:1708.04782*, 2017.

Gordon Wetzstein, Aydogan Ozcan, Sylvain Gigan, Shanhui Fan, Dirk Englund, Marin Soljačić, Cornelia Denz, David AB Miller, and Demetri Psaltis. Inference in artificial intelligence with deep optics and photonics. *Nature*, 588(7836):39–47, 2020.

Bowei Yang, Guanyu Liu, Abuduweili Abulikemu, Yan Wang, Aimin Wang, and Zhigang Zhang. Coherent stacking of 128 pulses from a ghz repetition rate femtosecond yb:fiber laser. In *Conference on Lasers and Electro-Optics*, pp. JW2F.28, 2020.

Fangyi Zhang, Jürgen Leitner, Michael Milford, Ben Upcroft, and Peter Corke. Towards vision-based deep reinforcement learning for robotic motion control. *arXiv preprint arXiv:1511.03791*, 2015.

Pu Zhou, Zejin Liu, Xiaolin Wang, Yanxing Ma, Haotong Ma, Xiaojun Xu, and Shaofeng Guo. Coherent beam combining of fiber amplifiers using stochastic parallel gradient descent algorithm and its application. *IEEE Journal of Selected Topics in Quantum Electronics*, 15(2):248–256, 2009.

A Configuration of Optical Pulse Stacking



Figure 11: Real-world optical pulse stacking system. A controller adjusts time delay values to achieve maximum pulse energy.

The actual OPS system is depicted in Fig. 11. A controller is responsible for determining the value of each time delay τ by measuring the final stacked pulse using a photodetector. Subsequently, these time delay values are transmitted to each delay line device in order to adjust the positions of the pulses. It should be noted that in Fig. 11, the controller is connected to the electric signal line of the 1st, 2nd, and 3rd delay line devices located at the bottom. Conducting real-world OPS control experiments can be both costly and time-consuming due to the complexities involved in the process. To visually illustrate the stacking procedure for combining two pulses, please refer to Supplemental Video 1.

B Additional details of Experiments

B.1 Experimental setting

We conducted a comprehensive evaluation of PPO, TD3, and SAC algorithms in our OPS environment. To optimize their performance, we performed a thorough hyperparameter search for each algorithm. The search process involved training on the 5-stage OPS environment with medium difficulty. Multiple hyperparameter sets were tested, and each set was evaluated using 3 different random seeds. The best hyperparameter set for each algorithm was determined based on its performance in the testing environment. Subsequently, the best hyperparameter sets obtained from the search were utilized to conduct experiments across all scenarios. In each experiment, we ran the algorithm with 10 different random seeds to ensure the robustness and reliability of the results. Detailed information regarding the hyperparameter ranges and the selected values for TD3, SAC, and PPO can be found in tables 3 to 5.

Table 3: TD3: ranges used during the hyperparameter search and the final selected values.

Hyperparameter	Range	Best-selected
Size of the replay buffer	{1000,10000,100000}	10000
Step of collect transition before training	{100, 1000, 10000}	1000
Unroll Length/n-step	{1,10, 100}	100
Training epochs per update	{1,10, 100}	100
Discount factor (γ)	{0.98, 0.99, 0.999}	0.98
Noise type	{'normal', 'ornstein-uhlenbeck', None}	'normal'
Noise standard value	{0.1, 0.3, 0.5, 0.7, 0.9}	0.7
Learning rate	{0.0001, 0.0003, 0.001,0.003,0.01}	0.001
Policy network hidden layer	{1, 2, 3}	2
Policy network hidden dimension	{64, 128, 256}	256
Optimizer	Adam	Adam

Table 4: SAC: ranges used during the hyperparameter search and the final selected values.

Hyperparameter	Range	Best-selected
Size of the replay buffer	{1000,10000,100000}	10000
Step of collect transition before training	{100, 1000, 10000}	1000
Unroll Length/n-step	{1,10, 100}	1
Training epochs per update	{1,10, 100}	1
Discount factor (γ)	{0.98, 0.99, 0.999}	0.98
Generalized State Dependent Exploration (gSDE)	{True, False}	True
Soft update coefficient for "Polyak update" (τ)	{0.002,0.005, 0.01, 0.02}	0.005
Learning rate	{0.0001, 0.0003, 0.001,0.003,0.01}	0.001
Policy network hidden layer	{1, 2, 3}	2
Policy network hidden dimension	{64, 128, 256}	256
Optimizer	Adam	Adam

Table 5: PPO: ranges used during the hyperparameter search and the final selected values.

Hyperparameter	Range	Best-selected
Unroll Length/n-step	{128,256,512,1024,2048}	1024
Training epochs per update	{1,5,10}	10
Clipping range	{0.1,0.2,0.4}	0.2
Discount factor (γ)	{0.98, 0.99, 0.999}	0.98
Entropy Coefficient	{0, 0.001, 0.01, 0.1}	0.01
GAE (λ)	{0.90, 0.95, 0.98, 0.99}	0.95
Value function coefficient	{0.1,0.3,0.5,0.7,0.9}	0.5
Learning rate	{0.0001, 0.0003, 0.001,0.003,0.01}	0.001
Gradient norm clipping	{0.1, 0.5, 1.0, 5.0}	0.5
Policy network hidden layer	{1, 2, 3}	2
Policy network hidden dimension	{64, 128, 256}	256
Optimizer	Adam	Adam

B.2 Results on controlling 4-stage and 6-stage OPS environments

We present the training curves (training reward vs. iterations) and testing curves (final pulse energy P_N vs. testing iterations) for the 4-stage OPS environment in Fig. 12 and for the 6-stage OPS environment in Fig. 13. From the figures, it is evident that TD3 and SAC outperform PPO in terms of performance. Moreover, comparing Fig. 12 (4-stage) to Fig. 13 (6-stage), it can be observed that as the stage number increases, the training convergence becomes slower and the final return P_N becomes smaller, particularly in the medium and hard difficulty modes.



(a) Easy mode: train curve (b) Medium mode: train curve (c) Hard mode: train curve

(d) Easy mode: testing curve (e) Medium mode: testing curve (f) Hard mode: testing curve

Figure 12: 4-stage OPS experiments. Training reward was plotted for (a) easy mode, (b) medium mode, and (c) hard mode. Evaluation of the stacked pulse power P_4 (normalized) of the testing environment was plotted for (d) easy mode, (e) medium mode, and (f) hard mode.

B.3 Rendering the controlling results on OPS environment

Figure 14 depicts the pulse trains on a 5-stage hard mode OPS system controlled by TD3, starting from a random initial state. It is evident from the figure that the TD3 algorithm is capable of attaining a maximum power within 40 iterations. For a more comprehensive visualization, please refer to supplemental video 2.

C Potential Impact and future work

Our simulation environment offers significant benefits in tackling challenging and realistic reinforcement learning problems. Real-world reinforcement learning problems are often highly challenging due to factors such as high-dimensionality of control, noisy behaviors, and distribution shift Dulac-Arnold et al. (2019); Agarwal et al. (2021); Du et al. (2019). By selecting a large N-stage number with the hard mode in our simulation environment, we can create high-dimensional and difficult control scenarios. The hard mode of the OPS environment exhibits a distinct noise distribution in the testing environment compared to the training environment, which mirrors the challenges encountered in real-world reinforcement learning problems.

In our simulation, we have access to the objective function of the OPS (ignoring noise), which provides valuable structural information and physical constraints. This enables us to explore additional information about the OPS function and incorporate it into RL algorithms. Rather than focusing on generic nonconvex problems, many real-world scenarios involve specific nonconvex control problems with known objective



(a) Easy mode: train curve (b) Medium mode: train curve (c) Hard mode: train curve

(d) Easy mode: testing curve (e) Medium mode: testing curve (f) Hard mode: testing curve

Figure 13: 6-stage OPS experiments. Training reward was plotted for (a) easy mode, (b) medium mode, and (c) hard mode. Evaluation of the stacked pulse power P_6 (normalized) of the testing environment was plotted for (d) easy mode, (e) medium mode, and (f) hard mode.



(a) Initial state (b) After 10 iterations (c) After 20 iterations

(d) After 30 iterations (e) After 40 iterations (f) After 50 iterations

Figure 14: Demonstration of the controlling 5-stage OPS hard mode testing environment by TD3 algorithm after training. (a): initial state of pulses; (b) pulse state after 10 control iterations; (c) pulse state after 20 control iterations; (d) pulse state after 30 control iterations; (e) pulse state after 40 control iterations; (e) pulse state after 50 control iterations.

functions or physical constraints Miryoosefi et al. (2019). Exploring the nonconvex and periodic nature of the OPS objective can greatly benefit real-world RL problems that encompass structural information.

Similar to our OPS control system, optical control problems in general are influenced by the nonlinearity and periodicity of light interactions. This includes applications such as coherent optical interference Wetzstein et al. (2020) and linear optical sampling Dorrer et al. (2003), which find utility in precise measurement, industrial manufacturing, and scientific research. We consider our simulation environment to be an important and representative optical control environment. Furthermore, RL methods have the potential to drive advancements in optical laser technologies and the next generation of scientific control technologies Genty et al. (2020).