Online Market Equilibrium with Application to Fair Division

Abstract

Computing market equilibria is a problem of both theoretical and applied interest. Much research to date focuses on the case of static Fisher markets with full information on buyers' utility functions and item supplies. Motivated by real-world markets, we consider an online setting: individuals have linear, additive utility functions; items arrive sequentially and must be allocated and priced irrevocably. We define the notion of an online market equilibrium in such a market as time-indexed allocations and prices which guarantee buyer optimality and market clearance in hindsight. We propose simple, distributed, and highly scalable allocation and pricing dynamics called PACE. When items are drawn i.i.d. from an unknown distribution (with a possibly continuous support), we show that PACE leads to an online market equilibrium asymptotically. More specifically, PACE ensures that buyers' time-averaged utilities converge to the equilibrium utilities (w.r.t. a static market with item supplies being the unknown distribution) and buyers' time-averaged expenditures converge to their per-period budget. Hence, many desirable properties of market equilibrium-based fair division such as no envy, Pareto optimality, and the proportional-share guarantee are also attained asymptotically in the online setting. Next, we extend the dynamics to handle quasi-linear buyer utilities, which gives an online algorithm for computing first-price pacing equilibria. Finally, numerical experiments on real and synthetic datasets show that the dynamics converges quickly under various metrics.

1 Introduction

A market is said to be in equilibrium when supply is equal to demand. Computing prices and allocations which constitute a market equilibrium (ME) has long been a topic of interest [17, 20, 28, 31, 38, 43]. Most existing work focuses on the case of static markets. However, in this paper we consider the case of online markets where items arrive sequentially. We consider the extension of market equilibrium to this setting and provide market dynamics which quickly converge to an equilibrium in the case of online Fisher markets.

In static Fisher markets there is a fixed supply of each item, individual preferences are linear, additive, and items are divisible (or equivalently, randomization is allowed so individuals can purchase not just items but lotteries over items). In general, finding market equilibria is a hard problem [14, 39, 47]. However, in static linear Fisher markets, equilibrium prices and allocations can be computed via solving the Eisenberg-Gale (EG) convex program [22, 37].

We consider an online extension of Fisher markets where buyers are constantly present but items arrive one-at-a-time. Buyers' budgets are per-period and represent their respective 'bidding powers' instead of being binding constraints. We extend the definition of market equilibrium to the online setting: online equilibrium allocations and prices are time-indexed and, when averaged across time,

form an equilibrium in a corresponding static Fisher market where item supplies are proportional to item arrival probabilities. Due to the stochastic nature of online Fisher markets, any online algorithm can only attain an online market equilibrium *asymptotically*, that is, the allocations and prices approximately satisfy the equilibrium conditions after running the algorithm for a long time.

We propose market dynamics that find these equilibria in an online fashion based on the *dual averaging* algorithm applied to a reformulation of the dual of the EG convex program. We refer to this mechanism as **PACE** (Pace According to Current Estimated utility). In PACE, each buyer is assigned a utility *pacing* multiplier at time 0. When an item arrives, the individual with the highest adjusted utility (its valuation times the multiplier) receives that item and pays a price equal to its adjusted utility. The pacing multipliers of all individuals are then adjusted according to a closed-form rule which is given by the time average of the subgradient of the dual of the EG program. Intuitively, the pacing multipliers of those that did not receive the item go up while the receiver's typically (but not always) goes down. We show that PACE yields item allocations and prices that satisfy various equilibrium properties asymptotically, for example no-regret and envy-freeness.

One important application of market equilibrium is fair allocation using the *competitive equilibrium from equal incomes* (CEEI) mechanism [12, 46]. In CEEI, each individual is given an endowment of faux currency and reports her valuations for items; then, a market equilibrium is computed and the items are allocated accordingly. However, many fair division problems are online rather than static. These include the allocation of impressions to content in certain recommender systems [34], workers to shifts, donations to food banks [2], scarce compute time to requestors [25, 29, 40], or blood donations to blood banks [32]. Similarly, online advertising can also be thought of as the allocation of impressions to advertisers via a market though with a budget of real money rather than faux currency. In the static CEEI case with linear additive preferences, the resulting equilibrium outcomes (i.e. results of the EG program) have been described as "perfect justice" [3]. In the online case, PACE achieves the same fair allocations as CEEI asymptotically. See Appendix A for more related work in the areas of (static and online) equilibrium computation and fair division.

We evaluate PACE experimentally in several market datasets. Convergence to good outcomes happens quickly in experiments. Taken together our results, we conclude that PACE is an attractive algorithm for both computing online market equilibria and online fair division.

Main contributions. We consider the problem of allocating and pricing sequentially arriving items to buyers. The setting is termed as an online Fisher market. Given a sequence of item arrivals, we define an online market equilibrium as the items' allocations and prices that, in hindsight, ensure buyer optimality and market clearance. We propose the PACE dynamics, which can be viewed as a nontrivial instantiation of the dual averaging algorithm on a reformulation of the dual of the Eisenberg-Gale convex program. Leveraging the convergence theory of dual averaging, we show that, when item arrivals are drawn from an (unknown) underlying distribution s (possibly over an infinite item space), PACE ensures the following: (i) the pacing multipliers generated by PACE converge to the static equilibrium *utility prices* (here, 'static' means w.r.t. to the static Fisher market with item supplies being the underlying distribution s); (ii) buyers' time-averaged utilities converge to the static equilibrium utilities; (iii) buyers' time-averaged expenditures converge to their respective budgets. These convergences are all in mean square and with rates $O((\log t)/t)$, $O((\log t)/t)$ and $O((\log t)^2/t)$, respectively. In this way, PACE generates allocations and prices that constitute an online market equilibrium in the limit. In particular, the allocations and prices ensure that, in the limit, the allocation is Pareto optimal, and buyers have no regret, no envy, and get at least their proportional share. Finally, we extend PACE to the case of quasilinear buyer utilities, which yields an online algorithm (also the first one to the best of our knowledge) for computing first-price pacing equilibria.

2 Static and Online Fisher Markets

Static Fisher markets and equilibria. We first introduce static Fisher markets and their equilibria, following the recent work [24, §2], which allows a measurable (possibly continuous) item space. These are the preliminaries for the subsequent online setting. They can be skimmed through and referred back to as needed. We define $[k] := \{1, \ldots, k\}$ for any $k \in \mathbb{N} := \{0, 1, 2, \ldots\}$ and $\mathbb{R}_+$ ($\mathbb{R}_{++}$, resp.) as the set of nonnegative (positive, resp.) real numbers. Let $\mathbb{I}\{A\} \in \{0, 1\}$ denote the indicator function of an event A.

(a) There are n buyers (individuals), each having a budget $B_i > 0$.

(b) The item space is a *finite* measurable space $(\Theta, \mathcal{M}, \mu)$ with $0 < \mu(\Theta) < \infty$, where Θ is a (μ-)measurable subset of $\mathbb{R}^d$, $\mathcal{M}$ is a σ-algebra and $\mu : \mathcal{M} \to \mathbb{R}_+$ is a (finite) measure. From now on, L^p (and L^p_+, resp.) denote the set of (nonnegative, resp.) L^p functions on Θ for any $p \in [1, \infty]$ (including $p = \infty$). Below are some concrete special cases for illustration.

  (i) Finite: $\Theta = [m]$, $\mathcal{M} = 2^{[m]} = \{A : A \subseteq [m]\}$ and $\mu(A) = \sum_{a \in A} \mu(a)$ (all 2^m subsets are measurable and the measure is given by a point mass on each item).

  (ii) Lebesgue-measurable: μ is the Lebesgue measure on $\mathbb{R}^d$, $\mathcal{M}$ is the Lebesgue σ-algebra and Θ is a (Lebesgue-)measurable subset of $\mathbb{R}^d$ with positive finite measure. For example, Θ can be a compact subset of $\mathbb{R}^d$ with a nonempty interior.

  (iii) Countably infinite: $\Theta = \mathbb{N}$ and $\mu(A) = \sum_{a \in A} \mu(a)$ for any $A \subseteq \mathbb{N}$, where $\mu(\mathbb{N}) < 0$. For example, $\mu(a)$ can be the probability mass of a Poisson distribution, in which case $(\mathbb{N}, \mathcal{M}, \mu)$ is a probability space.

(c) The *supplies* of items is $s \in L^\infty_+$, i.e., item $\theta \in \Theta$ has supply $s(\theta)$ (e.g., for the finite case $\Theta = [m]$, $s = (s_1, \ldots, s_m) \in \mathbb{R}^m_+$). Since Θ is compact, it is measurable with a finite measure.

(d) The *valuation* of each buyer i on all items is $v_i \in L^1_+$, i.e., buyer i has valuation $v_i(\theta)$ on item $\theta \in \Theta$ (e.g., for $\Theta = [m]$, $v_i = (v_{i1}, \ldots, v_{im}) \in \mathbb{R}^m_+$).

(e) For buyer i, an *allocation* of items $x_i \in L^\infty_+$ gives a utility of $u_i(x_i) := \langle v_i, x_i \rangle := \int_\Theta v_i(\theta) x_i(\theta) d\theta$, where the angle brackets are notations for applying a bounded linear functional x_i to a vector v_i in the Banach space L^1 and the integral is the usual Lebesgue integral (e.g., for $\Theta = [m]$, $x_i = (x_{i1}, \ldots, x_{im}) \in \mathbb{R}^m_+$ and the utility is $u_i(x_i) = \langle v_i, x_i \rangle = \sum_j v_{ij} x_{ij}$, i.e., the usual Euclidean vector inner product). We will use $x \in (L^\infty_+)^n$ to denote the aggregate allocation of items to all buyers, i.e., the concatenation of all buyers' allocations.

(f) The *prices* of items are modeled as $p \in L^1_+$; in other words, the price of item $\theta \in \Theta$ is $p(\theta)$ (for the case where $\Theta = [m]$, $p = (p_1, \ldots, p_m) \in \mathbb{R}^m_+$).

(g) For a measurable item subset $A \subseteq \Theta$, let $v_i(A) := \int_A v_i(\theta) d\theta$ (and similarly for $p(A)$ and $s(A)$), the v_i-induced measure of A.

(h) Without loss of generality, we assume a unit total budget $\|B\|_1 = 1$, a unit total supply $s(\Theta) = 1$ and normalized buyer valuations $\langle v_i, s \rangle = 1$ (i.e., all items have a total value of 1 for every buyer).

Definition 1. *Given item prices $p \in L^1_+$, the **demand** of buyer i is $D_i(p) := \arg\max\{\langle v_i, x_i \rangle : x_i \in L^\infty_+, \langle p, x_i \rangle \leq B_i\}$ (i.e., the set of utility-maximizing allocations given the prices and budget); the associated **utility level** $\hat{U}_i(p)$ is defined as the value of $\langle v_i, x_i \rangle$ for any $x_i \in D_i(p)$.*

Definition 2. *A **market equilibrium (ME)** is an allocation-price pair $(x^*, p^*) \in (L^\infty_+)^n \times L^1_+$ such that $\sum_i x_i^* \leq s$ (supply feasibility), $x_i^* \in D_i(p^*)$ for all i (buyer optimality) and (ii) $\langle p^*, s - \sum_i x_i^* \rangle = 0$ (market clearance, i.e., any item with a positive price is fully allocated).*

In the above definition and subsequently, all equations involving measurable functions are understood as 'holding almost everywhere.' For example, $\sum_i x_i \leq s$ means the (measurable) set $\{\theta \in \Theta : \sum_i x_i(\theta) \leq s(\theta)\}$ has the same measure as Θ. Given a ME (x^*, p^*), we often denote the (unique) equilibrium utilities as $u_i^* = \langle v_i, x_i^* \rangle$. For a finite-dimensional linear Fisher market, it is well known that a ME can be computed via solving the EG convex program. Recently, [24] generalized this framework to handle the case of an infinite item space. More specifically, consider the following (possibly infinite-dimensional) convex programs.

$$\sup_{x \in (L^\infty_+)^n} \sum_i B_i \log \langle v_i, x_i \rangle \ \text{ s.t. } \sum_i x_i \leq s. \qquad (\mathcal{P}_{\mathrm{EG}})$$

$$\inf_{p \in L^1_+, \beta \in \mathbb{R}^n_+} \left(\langle p, s \rangle - \sum_i B_i \log \beta_i \right) \ \text{ s.t. } p \geq \beta_i v_i, \ \forall\, i. \qquad (\mathcal{D}_{\mathrm{EG}})$$

The following theorem summarizes the results in [24, §3] regarding the above convex programs capturing market equilibria. As shown in that work, the above convex programs satisfy strong duality and their optimal solutions (which correspond to ME) can be characterized by the KKT optimality conditions. We slightly generalize the assumptions of [24] by allowing non-uniform item supplies s instead of $s(\theta) = 1$ for all $\theta \in \Theta$, and an item space Θ with a finite measure (as opposed to a compact subset of $\mathbb{R}^d$). For completeness, a proof, which is mainly based on the proofs of the results in [24, §3], can be found in the Appendix.

Theorem 1. *Both suprema are attained. Given x^* feasible to $(\mathcal{P}_{EG})$ and (p^*, β^*) feasible to $(\mathcal{D}_{EG})$, they are both optimal if and only if the following holds: (i) $\langle p^*, s - \sum_i x_i^* \rangle = 0$ (market clearance), (ii) $\langle p^* - \beta_i^* v_i, x_i^* \rangle = 0$ (buyer i only receives items within its 'winning set' $\{p^* = \beta_i^* v_i\}$) (ii) and $\langle v_i, x_i^* \rangle = u_i^* := B_i / \beta_i^*$ (buyer i gets its maximum possible utility from x_i^*). In this case, (x^*, p^*) is a ME. Conversely, for a ME (x^*, p^*), it holds that (i) x^* is an optimal solution of $(\mathcal{P}_{EG})$ and (ii) (p^*, β^*), where $\beta_i^* := B_i / \langle v_i, x_i^* \rangle$, is an optimal solution of $(\mathcal{D}_{EG})$.*

In the above theorem, β_i^* is known as buyer i's *utility price*, i.e., price per unit utility at equilibrium. As is well known, in a ME (x^*, p^*), the allocations x^* are Pareto optimal, envy-free (in a budget weighted sense, i.e., $\langle v_i, x_i^* \rangle / B_i \geq \langle v_i, x_k^* \rangle / B_k$ for all $k \neq i$) and Proportional (i.e., $\langle v_i, x_i^* \rangle \geq \langle v_i, s \rangle / n = 1/n$) (see, e.g.,[24, Theorem 3].

Online Fisher markets and equilibria. We now consider a simple online variant of the Fisher market setting, referred to as an online Fisher market (OFM). There are n buyers, each with a valuation $v_i \in L_+^1$. Assume there are discrete time steps $t = 1, 2, \ldots$. At each time step t, an item θ_t arrives and each buyer i sees a value $v_i(\theta_t)$. The item must be allocated irrevocably to one buyer. Each buyer i has a budget $B_i > 0$ representing her per-period expenditure rate. [1]

Next, we introduce the notions of demand, utility level and online market equilibrium in an OFM. All of them are defined based on sequences of arrived items and their prices; they do not require any distributional assumption on the item arrivals.

Definition 3. *Let the arrived items be $(\theta_\tau)_{\tau \in [t]}$. An allocation (of arrived items) is $(x_i^\tau)_{(\tau, i) \in [t] \times [n]}$, where $x_i^\tau \in [0, 1]$ is the fraction of the item θ_τ allocated to buyer i. [2] Let the prices of the arrived items be $(p^\tau(\theta_\tau))_{\tau \in [t]}$. The* demand *of each buyer i (in hindsight) at time t is*

$$D_i^t = \underset{(z_i^\tau)_{\tau \in [t]}}{\arg\max} \left\{ \frac{1}{t} \sum_{\tau=1}^t v_i(\theta_\tau) z_i^\tau : 0 \leq z_i^\tau \leq 1, \, \forall \tau, \, \frac{1}{t} \sum_{\tau=1}^t p^\tau(\theta_\tau) z_i^\tau \leq B_i \right\}. \quad (1)$$

Let $\hat{U}_i^t$ be the utility level *associated with this demand, i.e., the maximum value in (1). An* **online market equilibrium (OME)** *is a pair of allocations $(x_i^\tau)_{(\tau, i) \in [t] \times [n]}$ and prices $p^\tau(\theta_\tau)$ such that (i) $\sum_i x_i^\tau \leq 1$ (total allocation does not exceed the unit amount of the item), (ii) $(x_i^\tau)_{\tau \in [t]} \in D_i^t$ for all i (buyers' realized allocations are optimal in hindsight) and (iii) $\sum_i x_i^\tau = 1$ for τ such that $p^\tau(\theta_\tau) > 0$ (market clearance).*

In words, $\hat{U}_i^t$ is the maximum possible (time-averaged) utility buyer i could have attained via choosing from the arrived items $(\theta_\tau)_{\tau \in [t]}$ in hindsight, subject to their respective posted prices $(p^\tau(\theta_\tau))_{\tau \in [t]}$ and her current total budget tB_i, with D_i^t being the set of such utility-maximizing (time-indexed) allocations subject to per-period item availability constraints. An OME is a pair of allocations and prices that make buyers optimal (i.e., no-regret) in hindsight and market cleared (i.e., valuable items fully allocated).

Given an OFM, we define the associated underlying static Fisher market as having the same n buyers and an item space Θ with supply s being the (unknown) distribution from which the arriving items θ_t are drawn. To clarify the concepts of OFM and OME, we consider some simple special cases.

- Suppose all item arrivals $\theta_1, \ldots, \theta_t$ are known in advance. Then, the OFM is the same as a static $n \times t$ Fisher market with the same buyers and the t items, each having a unit supply. Here, buyer i's valuation of item τ is $v_{i\tau} = v_i(\theta_\tau)$. To compute an OME, it suffices to solve the classical (finite-dimensional) Eisenberg-Gale convex program, that is, $(\mathcal{P}_{EG})$ with $\Theta = [t]$, $s = (1, \ldots, 1) \in \mathbb{R}_+^t$ and $x \in \mathbb{R}_+^{n \times t}$. Let the static ME be $(x^*, p^*) \in \mathbb{R}_+^{n \times t} \times \mathbb{R}_{++}^t$. When each item θ_τ arrives, OME allocates a fraction $x_{i\tau}^*$ of the item to each buyer i and set its price as p_τ^*.
- Suppose the sequentially arriving items are drawn i.i.d. from a known underlying distribution $s \in L_+^\infty$ (which specifies a random variable $\theta \sim s$ such that $\mathbf{P}[\theta \in A] = s(A)$ for any measurable

---

[1]This assumption is similar to one made in the literature on budget management in auctions, where each buyers has a per-period expenditure rate and the overall budget equal to the rate times the number of time periods. If a hard budget cap across all time periods is desired, then PACE and similar mechanisms may deplete some buyers' budgets close to the end of the horizon [6–8].

[2]We allow fractional allocations in the definition for more generality. As we will see, PACE generates allocations and prices that satisfy the OME conditions asymptotically via assigning each arrived item to a single buyer (so fractional allocation is not needed).

set $A \subseteq \Theta$) and all buyers' valuations v_i are known. Suppose we have also computed a static ME (x^*, p^*) (Definition 2) of a market with buyer valuations v_i, budgets B_i and item supplies being the distribution s (the *underlying static market*). Then, when a new item θ_t (which is drawn from the distribution s) arrives at time t, set its price as $p^*(\theta_t)$ and allocate a fraction $x_i^*(\theta_t)/s(\theta_t)$ of it to each buyer i (assume $s(\theta_t) > 0$, i.e., only items with positive supplies can appear). Then, the time-averaged utility of each buyer i is $\frac{1}{t} \sum_{\tau=1}^{t} v_i(\theta_t) x_i^*(\theta_t)/s(\theta_t)$, which converges to $\mathbf{E}_{\theta \sim s}[v_i(\theta) x_i(\theta)/s(\theta)] = \int_\Theta v_i(\theta) x_i^*(\theta) d\theta = u_i^*$ a.s. by to the Strong Law of Large Numbers. Since the online process is carried out using static equilibrium prices and allocations, the static ME properties (Definition 2) ensure the required OME properties hold asymptotically.

The above special cases require full knowledge of either the exact future item arrivals or the underlying static market to attain an OME. Next, we propose a simple, distributed dynamics which generates allocations and prices that satisfy the OME conditions asymptotically **without** requiring such knowledge (in particular, without knowledge of the distribution s).

3 The PACE Dynamics

In this section, we introduce the **PACE** (Pacing According to Current Estimated utility) dynamics that prices and allocates sequentially arriving items via (i) maintaining a *pacing multiplier* for each buyer and (ii) simple, distributed updates.[3] In §5, we will show that PACE is an instantiation of dual averaging [48], a stochastic first-order method for regularized optimization, applied to a reformulation of ($\mathcal{D}_{\mathrm{EG}}$).

In the PACE dynamics, each buyer maintains a pacing multiplier β_i^t (with an initial value $\beta_i^0 = (B_i + 1)/2$). At time step t, the following events take place.

(a) An item θ_t appears and each buyer i sees a value $v_i(\theta_t)$ for the item.

(b) Each buyer i bids their paced value $\beta_i^t v_i(\theta_t)$ for the item.

(c) The item is allocated to the highest bidder (the *winner* at t): $i_t = \arg\max_i \beta_i^t v_i(\theta_t)$, with ties broken arbitrarily. For concreteness, we always choose the lowest winning index, i.e., $i_t = \min \arg\max_i \beta_i^t v_i(\theta_t)$. Then, the price of θ_t is set by a first-price rule $p^t(\theta_t) = \max_i \beta_i^t v_i(\theta_t) = \beta_{i_t}^t v_i(\theta_t)$ and the winner i_t pays this price $p^t(\theta_t)$ for the item θ_t.

(d) Each buyer i gets a utility $u_i^t = v_i(\theta_t)\mathbb{I}\{i = i_t\}$ (i.e., buyer i_t gets $v_{i_t}(\theta_t)$ and others get zero).

(e) Each buyer i updates its cumulative average utility $\bar{u}_i^t$:

$$\bar{u}_i^t = \frac{1}{t} \sum_{\tau=1}^{t} u_i^\tau = \frac{t-1}{t} \bar{u}_i^{t-1} + \frac{1}{t} u_i^t.$$

(f) Each buyer i updates their pacing multiplier β_i^{t+1} as follows:

$$\beta_i^{t+1} = \Pi_{[l_i, h_i]}(B_i/\bar{u}_i^t) := \min\{\max\{l_i, B_i/\bar{u}_i^t\}, h_i\}.$$

where $l_i = B_i/(1 + \delta_0)$ and $h_i = 1 + \delta_0$ for some fixed $\delta_0 > 0$ (e.g., $\delta_0 = 1$).

As will be seen in §5, buyer i's equilibrium pacing multiplier (utility price) satisfies $l_i < \beta_i^* < h_i$ and her per-period utility u_i^t corresponds to the ith component of a stochastic subgradient of a function on β in a reformulation of the convex program ($\mathcal{D}_{\mathrm{EG}}$), on which we run dual averaging. Furthermore, the update rule for β_i^{t+1} is such that, if the realized utilities $\bar{u}_i^t$ were the true static equilibrium utility for buyer i, then β_i^{t+1} would be the equilibrium multiplier. Note that PACE does not randomize (any randomness can only come from the market environment from which item arrivals are drawn) and assigns every item to a single buyer without splitting it.

The simplicity and distributed nature of PACE makes it desirable for large-scale practical use.

- It can be run on arbitrary sequential item arrivals and only requires buyers' valuations $v_i(\theta_t)$ on the arrived items (rather than all valuations v_i over the potentially large item space). No parameter tuning is needed (in particular, no stepsize tuning as in many first-order optimization methods).
- When run as a *centralized* allocation mechanism, PACE only needs to maintain $O(n)$ scalars, namely, β_i^t, B_i and $\bar{u}_i^t$ for all i. At time t, it observes buyers' valuations $v_i(\theta_t)$ of the item θ_t, compute bids $\beta_i^t v_i(\theta_t)$, finds the winner i_t, set the price as the maximal bid $\beta_{i_t}^t v_{i_t}(\theta_t)$ and allocates the item to the winner; finally, it updates $\bar{u}^t$ and β^{t+1} as in (f), which takes $O(n)$ time.

---

[3]Pacing and pacing multipliers are terminology in budget management in large-scale ad auctions [18, 19].

- PACE can also be run among the buyers in a *decentralized* manner, in which case each buyer only maintains two scalar values: the pacing multiplier β_i^t and time-averaged utility $\bar{u}_i^t$. When a new item arrives, each buyer only performs a few simple arithmetic operations to create a bid $\beta_i^t v_i(\theta_t)$, receives her utility (if she wins) and subsequently updates $\bar{u}_i^t$ and β_i^{t+1}.

These make PACE suitable for Internet-scale online fair division and online Fisher market applications. In particular, it is very reminiscent of how Internet advertising auctions are run. There, a similar auction-based system is used, with the pacing multiplier ensuring that each advertiser smooths out their budget expenditure across the many auctions. The primary difference between this and our setting is that (i) the auction can be first-price or second-price and (ii) buyers usually have *quasilinear* utilities, that is, utility of the item minus the expenditure (price paid) [6–8, 18]. In §C, we extend PACE to quasilinear utilities, which provides an online algorithm for first-price pacing equilibrium computation [19].

4 Dual Averaging

In this section, we briefly recap the setup and general convergence results of *dual averaging* [35, 48], which will be used in the analysis of PACE. First, we introduce some notation for this and subsequent sections. Let $\mathbf{e}^{(i)}$ denote the i'th unit basis vector in $\mathbb{R}^n$ and $\mathbf{1} \in \mathbb{R}^n$ denote the vector of 1's. For $x, y \in \mathbb{R}^n$, $[x, y]$ denotes the Cartesian product of intervals $\prod_{i=1}^n [x_k, y_k] \subseteq \mathbb{R}^n$. All norms $\|\cdot\|$ without a subscript are Euclidean 2-norms, unless otherwise stated.

Let Ψ be a closed convex function with domain $\operatorname{dom}\Psi := \{w \in \mathbb{R}^n : \Psi(w) < \infty\}$. Let $Z \subseteq \mathbb{R}^d$ be an arbitrary sample space. For each $z \in Z$, let f_z be a convex and subdifferentiable function on $\operatorname{dom}\Psi$. Considers the following regularized convex optimization problem [48, §1.1]:

$$\min_w \mathbf{E} f_z(w) + \Psi(w), \tag{2}$$

where the expectation is taken over a probability distribution $\mathcal{D}$ on Z. A more general online optimization setting, as described in [48, §1.2] is as follows. At each time $t = 1, 2, 3, \ldots$, we must choose an action w^t before a new, unknown convex loss function f_t arrives, which incurs a loss $f_t(w^t)$ (a special case is i.i.d. sampled functions, i.e., $f_t = f_{z_t}$, where z_t are i.i.d. samples drawn from $\mathcal{D}$). The goal is to minimize *regret* when comparing our sequence of actions $w^1, w^2, \ldots$ to any *fixed* action w. Here, the regret against w is defined as $R_t(w) := \sum_{\tau=1}^t (f_\tau(w^\tau) + \Psi(w^\tau)) - \sum_{\tau=1}^t (f_\tau(w) + \Psi(w))$ and the overall (maximal) regret up to time t is $R_t = \max_w R_t(w)$. We assume access to an oracle that, given any f_t and $w \in \operatorname{dom}\Psi$, returns a subgradient $g^t \in \partial f_t(w)$. The dual averaging algorithm (DA) [48, Algorithm 1] is as follows. First, set $w_1 \in \operatorname{dom}\Psi$ and $\bar{g}^0 = 0$. Then, for each $t = 1, 2, \ldots$, DA performs the following steps:

(1) Observe f_t and compute $g^t \in \partial f_t(w^t)$.
(2) Update the average subgradient (the *dual average*) via $\bar{g}^t = \frac{t-1}{t}\bar{g}^{t-1} + \frac{1}{t}\bar{g}^t$.
(3) Compute the next iterate $w^{t+1} = \arg\min_w \{\langle \bar{g}^t, w \rangle + \Psi(w)\}$.

Here, we do not employ any auxiliary regularizing function, since our problem has a natural source of strong convexity (i.e., a strongly convex Ψ) through the $B_i \log \beta_i$ terms in $(\mathcal{D}_{\mathrm{EG}})$. The following convergence guarantee on DA is proved as part of the proof of Corollary 4 in [48].

Theorem 2. *Dual averaging generates iterates w^t such that $\mathbf{E}\|w^t - w^*\|^2 \leq \frac{(6+\log t)G^2}{t\sigma^2}$, where G^2 is an upper bound on $\mathbf{E}\|g^t\|^2$, $t = 1, 2, \ldots$ and σ is the strong convexity modulus of Ψ.*

When solving the stochastic optimization problem (2), in Theorem 2, we can set G^2 to be an upper bound on $\sup_{w \in \operatorname{dom}\Psi} \mathbf{E}\|g_z(w)\|^2$, where $g_z(w)$ is a subgradient oracle mapping each $(z, w) \in Z \times \operatorname{dom}\Psi$ to a subgradient and the expectation is over $z \sim \mathcal{D}$ and possible randomness of the subgradient oracle. We will shortly see that a reformulation of $\mathcal{D}_{\mathrm{EG}}$, when cast into the form (2), exhibits stochastic subgradients that are exactly buyers' received utilities in each time step. Using Theorem 2, we can show that the sequence of pacing multipliers β^t generated by PACE converges to the underlying (equilibrium) utility prices β^* of the static Fisher market.

5 Convergence analysis of the PACE dynamics

We will now show that PACE correspond to running DA on the vector β^t of pacing multipliers for the buyers. To this end, we first reformulate $(\mathcal{D}_{\text{EG}})$ into a (finite-dimensional) convex program in β in the form of (2):

$$\min_{\beta} \left(\langle \max_i \beta_i v_i, s \rangle - \sum_i B_i \log \beta_i \right) \text{ s.t. } \beta \in [B/(1+\delta_0), (1+\delta_0)\mathbf{1}], \tag{3}$$

where $\delta_0 > 0$ is an arbitrarily small constant. The bounds on β do not change the optimal solution, because $\beta_i^* \in (B_i, 1)$ for each i. Detailed steps of the reformulation are given in Appendix B.

In order to run DA, we need to compute a subgradient of $f_\theta : \beta \mapsto \max_i \beta_i v_i(\theta)$ at any $\theta \in \Theta$. Following [24, §5], since f_θ is a piecewise linear function, a subgradient is $g_\theta(\beta) := v_{i^*}(\theta)\mathbf{e}^{(i^*)} \in \partial f_\theta(\beta)$, where $i^* = \min \arg \max_i \beta_i v_i(\theta)$ is the winner (see, e.g., [10, Theorem 3.50]).

We can now show that the PACE dynamics corresponds to running DA on (3). First, choose an arbitrary $\beta^0 \in (B/(1+\delta_0), (1+\delta_0)\mathbf{1})$ and $\bar{g}^0 = 0$. At each time step $t = 1, 2, \ldots$, given the current pacing multiplier β^t, DA applied to (3) unrolls the following steps.

- An item θ_t arrives, having value $v_i(\theta_t)$ for each buyer i. The f_t in DA is $f_{\theta_t} : \beta \mapsto \max_i \beta_i v_i(\theta_t)$.
- The winner is $i_t = \min \arg \max_i \beta_i^t v_i(\theta_t)$ and a subgradient is $g^t = v_{i_t j_t} \mathbf{e}^{(i_t)} \in \partial f_t(\beta^t)$. Its ith entry is exactly the realized (single-period) utility of individual i at time t in PACE, that is, $g_i^t = v_i(\theta_t)\mathbb{I}\{i = i_t\} = u_i^t$.
- Update the dual average (time-averaged utilities): for each i, compute $\bar{g}^t = \frac{t-1}{t}\bar{g}^{t-1} + \frac{1}{t}g^t$, i.e.,

$$\bar{g}_i^t = \frac{t-1}{t}\bar{g}_i^{t-1} + \frac{1}{t}v_i(\theta_t)\mathbb{I}\{i = i_t\}.$$

- Update the pacing multipliers: $\beta^{t+1} = \arg \min_{\beta \in [B/(1+\delta_0), (1+\delta_0)\mathbf{1}]} \{\langle \bar{g}^t, \beta \rangle - \sum_i B_i \log \beta_i\}$. The minimization problem is separable in each i and exhibits a simple and explicit solution which recovers step (f) in PACE (where $\bar{g}_i^t = \bar{u}_i^t$):

$$\beta_i^{t+1} = \arg \min_{\beta_i \in [B_i/(1+\delta_0), 1+\delta_0]} \{\bar{g}_i^t \beta_i - B_i \log \beta_i\} \Rightarrow \beta_i^{t+1} = \Pi_{[B_i/(1+\delta_0), 1+\delta_0]}\left(\frac{B_i}{\bar{u}_i^t}\right).$$

As mentioned earlier, PACE does not require a stepsize parameter. This is because DA is stepsize-free given a strongly convex regularizer Ψ, which is indeed the case in our reformulation (3). In addition, in the above update step for β_i^{t+1}, the directions of change are as follows.

- For a non-winner $i \neq i_t$, we have $u_i^t = 0$ and hence $\bar{u}_i^t \leq \bar{u}_i^{t-1}$. This implies $\beta_i^{t+1} \geq \beta_i^t$. In words, a non-winner's pacing multiplier weakly increases.
- For the winner i_t, $\bar{u}_{i_t}^t$ may become greater than $\bar{g}_{i_t}^{t-1}$, in which case $\beta_{i_t}^{t+1} \leq \beta_{i_t}^t$. In words, the winner's pacing multiplier may go up or down.

In order to analyze PACE, we assume $v_i(\Theta) = 1$, $v_i \in L_+^\infty$ (normalized and a.e.-bounded valuations)[4] and that there is an underlying item distribution $s \in L_+^\infty$ from which the item arrivals θ_t, $t = 1, 2, \ldots$ are drawn i.i.d.[5] Define the underlying static Fisher market as one having the same n buyers (each with valuation v_i and budget B_i) and item supplies s. Denote the equilibrium utilities and utility prices w.r.t. the underlying static market as u^* and β^*, respectively. We further assume that the valuations are $v_i \in L_+^\infty$ (i.e., a.e.-bounded on the item space).

Convergence of pacing multipliers. After aligning PACE with DA, the convergence of the pacing multipliers β^t follows directly from Theorem 2.

Theorem 3. *PACE generates pacing multipliers β^t, $t = 1, 2, \ldots$ such that*

$$\mathbf{E}\|\beta^t - \beta^*\|^2 \leq \frac{(6 + \log t)G^2}{t\sigma^2},$$

where $G^2 = \max_i \mathbf{E}_{\theta \sim s}[v_i(\theta)^2] \leq \max_i \|v_i\|_\infty^2$, $\sigma = \frac{1}{\kappa(1+\delta_0)^2}$, $\kappa = \frac{1}{\min_i B_i}$.

---

[4]The a.e.-boundedness assumption is needed in subsequent convergence analysis. Since Θ has finite measure, it holds that $L_+^\infty \subseteq L_+^2 \subseteq L_+^1$. For $\Theta = [m]$, they are are all equal to $\mathbb{R}_+^m$.

[5]The distributional assumption on item arrivals (i.e., they are drawn i.i.d. from an unknown distribution s) is needed to establish asymptotic equilibrium properties of PACE. See Appendix B for an example that any algorithm can yield arbitrarily suboptimal allocations without such a distributional assumption.

In other words, we have mean-square convergence of β^t to β^* at a $O((\log t)/t)$ rate. The constant κ in Theorem 3 can be interpreted as a *condition number* of the market instance: convergence rates of various iterates degrade as κ increases. Since $\|B\|_1 = 1$, we have $\kappa \geq n$.

Convergence of utilities. We next show that the time-averaged utility $\bar{u}^t$ (which is equal to the dual average $\bar{g}^t$) converges to the equilibrium utility vector u^* of the underlying Fisher market. A key step in the proof is to bound the probability of a projection in updating β_i^{t+1}, that is, $\mathbf{P}[B_i/\bar{u}_i^t \notin [l_i, u_i]]$.

Theorem 4. *For each i, let $\epsilon_i := \min\{h_i - \beta_i^*, \beta_i^* - l_i\} > 0$ be the minimum distance to the endpoints of the pacing-multiplier interval. Letting $\|v\|_\infty := \max_i \|v_i\|_\infty$, it holds that*

$$\mathbf{E}(\bar{u}_i^t - u_i^*)^2 \leq \left(\frac{\|v_i\|_\infty^2}{\epsilon_i^2} + \left(\frac{1+\delta_0}{B_i} \right)^2 \right) \mathbf{E}(\beta_i^{t+1} - \beta_i^*)^2.$$

Hence, letting $C = \kappa^2 \left((\|v\|_\infty/\delta_0)^2 + (1+\delta_0)^2 \right)$, we have

$$\mathbf{E}\|\bar{u}^t - u^*\|^2 \leq C \cdot \frac{(6 + \log(t+1))G^2}{(t+1)\sigma^2}.$$

Convergence of expenditures. The expenditure of buyer i at time step t is $b_i^t = \beta_i^t v_i(\theta_t)\mathbb{I}\{i = i_\tau\}$ (only the winner i_t spends a nonzero amount, which is its bid). Let $\bar{b}_i^t = \frac{1}{t}\sum_{\tau=1}^t b_i^\tau$ be buyer i's average expenditure. Utilizing the above convergence results, we show mean-squared convergence of $\bar{b}^t$ to B at an $O((\log t)^2/t)$ rate.

Theorem 5. *For each i, it holds that*

$$\mathbf{E}(\bar{b}_i^t - B_i) \leq 2 \left[(\beta_i^*)^2 \mathbf{E}(\bar{g}_i^t - u_i^*)^2 + 2\|v_i\|_\infty^2 \frac{1}{t}\sum_{\tau=1}^t \mathbf{E}(\beta_i^\tau - \beta_i^*)^2 \right].$$

For $t \geq 3$ and the constant C defined in Theorem 4, we have

$$\mathbf{E}\|\bar{b}^t - B\|^2 \leq \frac{2G^2}{t\sigma^2} \left(6(C + \|v\|_\infty^2) + (C + 6\|v\|_\infty^2)\log t + \frac{\|v\|_\infty^2}{2}(\log t)^2 \right).$$

PACE attains OME asymptotically. Next, we show that PACE attains OME asymptotically, i.e., it generates allocations and prices that make buyers *no-regret* and *envy-free* in the limit (these notions will be clarified shortly). Let $x_i^t := \mathbb{I}\{i = i_t\}$ denote whether buyer i_t is the winner (i.e., whether she is allocated the item θ_t at time t) Utilizing Theorems 4 and 5, we can show that buyer i's regret, that is, the difference between the maximum possible utility in hindsight $\hat{U}_i^t$ (Definition 3) and the realized utility $\bar{u}_i^t$, vanishes as t grows. The same holds for each buyer's envy. In other words, at a large t, in hindsight, no buyer prefers another buyer's set of allocated items (up to a vanishing error).[6]

Theorem 6. *Denote $\xi_i^t = |\bar{u}_i^t - u_i^*|$, $\Delta_i^t = |\bar{b}_i^t - B_i|$ and $\gamma_t = \frac{\|v\|_\infty}{t}\sum_{\tau=1}^t \|\beta^\tau - \beta^*\|_\infty$. Let $r_i^t := \max\{\hat{U}_i^t - \bar{u}_i^t, 0\}$ be the* regret *of buyer i at time t. Then, it holds that $r_i^t \leq \xi_i^t + \gamma_t/B_i$ and hence $\mathbf{E}(r_i^t)^2 = O\left((\log t)^2/t\right)$. Furthermore, let the* envy *of buyer i (w.r.t. all other buyers) at time t be $\rho_i^t = \max_k \bar{u}_{ik}^t/B_k - \bar{u}_i^t/B_i$, where $\bar{u}_{ik}^t = \frac{1}{t}\sum_{\tau=1}^t v_i(\theta_\tau)x_k^\tau$. Let $\eta_i^t = \frac{1}{t}\sum_{\tau=1}^t (p^*(\theta_t) - \beta_i^\tau v_i(\theta_t))x_i^t$. It holds that*

$$\rho_i^t \leq \frac{1}{B_i}\left(\xi_i^t + \max_{k \neq i}\frac{\Delta_k^t + \eta_k^t}{B_k} \right) \quad \text{and} \quad \mathbf{E}(\eta_i^t)^2 \leq \frac{\|v\|_\infty^2 G^2}{t\sigma^2}\left(6(1 + \log t) + \frac{(\log t)^2}{2} \right),$$

where ξ_i^t and Δ_i^t are as in Theorem 6. Hence, $\mathbf{E}(\rho_i^t)^2 = O\left((\log t)^2/t\right)$.

In light of Definition 3, Theorem 6 shows that $(x_i^\tau)_{(i,\tau)\in[n]\times[t]}$ is approximately optimal for buyer i. Since PACE also clears the market, we conclude that it attains OME asymptotically. Recall that theorem 4 ensures that buyers' $\bar{u}_i^t$ converge to their static equilibrium utilities u_i^*. Since the latter satisfy Pareto optimality and proportional share guarantee ($u_i^* \geq B_i$ for all i), so are the time-averaged realized utilities in the limit. Together with Theorem 6, we conclude that PACE achieves the said fairness and efficiency guarantees, namely, Pareto optimality, envy-freeness and proportional-share guarantee, asymptotically.

---

[6]In a static market, given an allocation $x \in \mathbb{R}_+^{n\times m}$, the (maximum, budget-weighted) *envy* of buyer i toward others' bundles is $\rho_i(x) = \max_k \langle v_i, x_k \rangle/B_k - \langle v_i, x_i \rangle/B_i$ (see, e.g., [12, 46]). It is well-known that $\rho_i(x^*) = 0$ for all i at equilibrium, a consequence of buyer optimality (Definition 2).

Figure 1: In all of our markets, iterates of the PACE dynamics quickly converges to their static equilibrium values both in the average case and the worst-off-buyer case. The horizontal line shows the fraction of u^* achieved by the proportional share solution. The PACE utilities quickly outperform the proportional share utilities. Vertical lines indicate when t is a multiple of $10n$.

6 Experiments

We evaluate the PACE dynamics in several real and synthetic datasets, namely, MovieLens, Household Items and an infinite-dimensional market instance with item space $\Theta = [0, 1]$ and v_i being linear functions on $[0, 1]$. For the first two datasets, see [31] for more information and exploratory data analysis. For all datasets, we consider the CEEI (fair division) setting where $B_i = 1/n$ for all i. For each dataset (with number of buyers $n = 1500, 2876, 100$, respectively), we run PACE for $T = 10n$ time steps (iterations). More details on the experiments and additional plots displaying convergence of expenditures can be found in Appendix D. Figure 1 displays the mean values of the average and maximum relative errors of the pacing multipliers and time-averaged cumulative utilities over 10 repeated experiments with different seeds (relative errors of cumulative spending w.r.t. total budgets are plotted separately in Appendix D). The standard errors are also displayed as vertical bars but are very small and nearly invisible. Vertical dotted lines indicate $t = 10n$ The figures do not show the initial iterates $t = 1, \ldots, 5n$.

We see that PACE converges very quickly in the average sense: within 10 epochs ($10n$ time steps) average deviations in most quantities falls within 5% of the equilibrium quantity, with the worst case not far behind. An important point is that budget spend takes much longer to converge than utility. This demonstrates an important practical difference for using PACE in an allocation scenario where budgets are 'real money' (e.g. Internet ad impressions) as compared to a CEEI-like setting, where budgets are faux currency only used for fair division.

7 Conclusion

We have introduced the concept of an online Fisher market and proposed the PACE dynamics. We showed that when items arrive sequentially and stochastically, PACE converges to equilibrium outcomes of the underlying market model. Furthermore, we showed that, as a consequence of this, PACE can be used in online fair division problems to generate an online allocation that, asymptotically, achieves the compelling fairness properties of CEEI.

Many questions remain for future research. We mostly focused on the case where budgets are faux currency and there are many open questions for adapting PACE to a real-money budget-management setting as well as more complicated nonlinear utility models. Another imperative question, especially for practitioners, is whether PACE guarantees some level of incentive-compatibility.

References

[1] M. Aleksandrov and T. Walsh. Online fair division: A survey. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 34, pages 13557–13562, 2020.

[2] M. Aleksandrov, H. Aziz, S. Gaspers, and T. Walsh. Online fair division: Analysing a food bank problem. *arXiv preprint arXiv:1502.07571*, 2015.

[3] C. Arnsperger. Envy-freeness and distributive justice. *Journal of Economic Surveys*, 8(2): 155–186, 1994.

[4] Y. Azar, N. Buchbinder, and K. Jain. How to allocate goods in an online market? *Algorithmica*, 74(2):589–601, 2016.

[5] H. Aziz, S. Gaspers, S. Mackenzie, and T. Walsh. Fair assignment of indivisible objects under ordinal preferences. *Artificial Intelligence*, 227:71–92, 2015.

[6] S. Balseiro, A. Kim, M. Mahdian, and V. Mirrokni. Budget management strategies in repeated auctions. In *Proceedings of the 26th International Conference on World Wide Web*, pages 15–23, 2017.

[7] S. R. Balseiro and Y. Gur. Learning in repeated auctions with budgets: Regret minimization and equilibrium. *Management Science*, 65(9):3952–3968, 2019.

[8] S. R. Balseiro, O. Besbes, and G. Y. Weintraub. Repeated auctions with budgets in ad exchanges: Approximations and design. *Management Science*, 61(4):864–884, 2015.

[9] M. H. Bateni, Y. Chen, D. Ciocan, and V. Mirrokni. Fair resource allocation in a volatile marketplace. *Available at SSRN 2789380*, 2018.

[10] A. Beck. *First-order methods in optimization*, volume 25. SIAM, 2017.

[11] B. Birnbaum, N. R. Devanur, and L. Xiao. Distributed algorithms via gradient descent for fisher markets. In *Proceedings of the 12th ACM conference on Electronic commerce*, pages 127–136. ACM, 2011.

[12] E. Budish. The combinatorial assignment problem: Approximate competitive equilibrium from equal incomes. *Journal of Political Economy*, 119(6):1061–1103, 2011.

[13] I. Caragiannis, D. Kurokawa, H. Moulin, A. D. Procaccia, N. Shah, and J. Wang. The unreasonable fairness of maximum Nash welfare. In *Proceedings of the 2016 ACM Conference on Economics and Computation*, pages 305–322. ACM, 2016.

[14] X. Chen and S.-H. Teng. Spending is not easier than trading: on the computational equivalence of fisher and arrow-debreu equilibria. In *International Symposium on Algorithms and Computation*, pages 647–656. Springer, 2009.

[15] Y. K. Cheung, M. Hoefer, and P. Nakhe. Tracing equilibrium in dynamic markets via distributed adaptation. In *Proceedings of the 18th International Conference on Autonomous Agents and MultiAgent Systems*, pages 1225–1233, 2019.

[16] R. Cole and V. Gkatzelis. Approximating the Nash social welfare with indivisible items. *SIAM Journal on Computing*, 47(3):1211–1236, 2018.

[17] R. Cole, N. R. Devanur, V. Gkatzelis, K. Jain, T. Mai, V. V. Vazirani, and S. Yazdanbod. Convex program duality, fisher markets, and Nash social welfare. In *18th ACM Conference on Economics and Computation, EC 2017*. Association for Computing Machinery, Inc, 2017.

[18] V. Conitzer, C. Kroer, E. Sodomka, and N. E. Stier-Moses. Multiplicative pacing equilibria in auction markets. In *International Conference on Web and Internet Economics*, 2018.

[19] V. Conitzer, C. Kroer, D. Panigrahi, O. Schrijvers, E. Sodomka, N. E. Stier-Moses, and C. Wilkens. Pacing equilibrium in first-price auction markets. In *Proceedings of the 2019 ACM Conference on Economics and Computation*. ACM, 2019.

[20] C. Daskalakis, P. W. Goldberg, and C. H. Papadimitriou. The complexity of computing a Nash equilibrium. *SIAM Journal on Computing*, 39(1):195–259, 2009.

[21] A. Dvoretzky, A. Wald, J. Wolfowitz, et al. Relations among certain ranges of vector measures. *Pacific Journal of Mathematics*, 1(1):59–74, 1951.

[22] E. Eisenberg and D. Gale. Consensus of subjective probabilities: The pari-mutuel method. *The Annals of Mathematical Statistics*, 30(1):165–168, 1959.

[23] Y. Gao and C. Kroer. First-order methods for large-scale market equilibrium computation. In *Neural Information Processing Systems 2020, NeurIPS 2020*, 2020.

[24] Y. Gao and C. Kroer. Infinite-dimensional fisher markets and tractable fair division. *arXiv preprint arXiv:2010.03025*, 2020.

[25] A. Ghodsi, M. Zaharia, B. Hindman, A. Konwinski, S. Shenker, and I. Stoica. Dominant resource fairness: Fair allocation of multiple resource types. In *Nsdi*, volume 11, pages 24–24, 2011.

[26] K. Goldberg, T. Roeder, D. Gupta, and C. Perkins. Eigentaste: A constant time collaborative filtering algorithm. *information retrieval*, 4(2):133–151, 2001.

[27] F. M. Harper and J. A. Konstan. The movielens datasets: History and context. *Acm transactions on interactive intelligent systems (tiis)*, 5(4):1–19, 2015.

[28] L. Kantorovich. Mathematics in economics: achievements, difficulties, perspectives. Technical report, Nobel Prize Committee, 1975.

[29] I. Kash, A. D. Procaccia, and N. Shah. No agent left behind: Dynamic fair division of multiple resources. *Journal of Artificial Intelligence Research*, 51:579–603, 2014.

[30] C. Kroer and A. Peysakhovich. Scalable fair division for 'at most one' preferences. *arXiv preprint arXiv:1909.10925*, 2019.

[31] C. Kroer, A. Peysakhovich, E. Sodomka, and N. E. Stier-Moses. Computing large market equilibria using abstractions. In *Proceedings of the 2019 ACM Conference on Economics and Computation*, pages 745–746, 2019.

[32] D. C. McElfresh, C. Kroer, S. Pupyrev, E. Sodomka, K. A. Sankararaman, Z. Chauvin, N. Dexter, and J. P. Dickerson. Matching algorithms for blood donation. In *Proceedings of the 21st ACM Conference on Economics and Computation*, pages 463–464, 2020.

[33] R. Murray, C. Kroer, A. Peysakhovich, and P. Shah. Robust market equilibria with uncertain preferences. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 34, pages 2192–2199, 2020.

[34] R. Murray, C. Kroer, A. Peysakhovich, and P. Shah. https://research.fb.com/blog/2020/09/robust-market-equilibria-how-to-model-uncertain-buyer-preferences/, Sep 2020.

[35] Y. Nesterov. Primal-dual subgradient methods for convex problems. *Mathematical programming*, 120(1):221–259, 2009.

[36] Y. Nesterov and V. Shikhman. Computation of fisher–gale equilibrium by auction. *Journal of the Operations Research Society of China*, 6(3):349–389, 2018.

[37] N. Nisan, T. Roughgarden, E. Tardos, and V. V. Vazirani. *Algorithmic game theory*. Cambridge University Press, 2007.

[38] A. Othman, T. Sandholm, and E. Budish. Finding approximate competitive equilibria: efficient and fair course allocation. In *AAMAS*, volume 10, pages 873–880, 2010.

[39] A. Othman, C. Papadimitriou, and A. Rubinstein. The complexity of fairness through equilibrium. *ACM Transactions on Economics and Computation (TEAC)*, 4(4):1–19, 2016.

[40] D. C. Parkes, A. D. Procaccia, and N. Shah. Beyond dominant resource fairness: Extensions, limitations, and indivisibilities. *ACM Transactions on Economics and Computation (TEAC)*, 3 (1):1–22, 2015.

[41] A. Peysakhovich and C. Kroer. Fair division without disparate impact. *Mechanism Design for Social Good*, 2019.

[42] B. Plaut and T. Roughgarden. Almost envy-freeness with general valuations. *SIAM Journal on Discrete Mathematics*, 34(2):1039–1068, 2020.

[43] H. Scarf et al. *On the computation of equilibrium prices*. Number 232. Cowles Foundation for Research in Economics at Yale University New Haven, CT, 1967.

[44] V. I. Shmyrev. An algorithm for finding equilibrium in the linear exchange model with fixed budgets. *Journal of Applied and Industrial Mathematics*, 3(4):505, 2009.

[45] S. R. Sinclair, S. Banerjee, and C. L. Yu. Sequential fair allocation: Achieving the optimal envy-efficiency tradeoff curve. *arXiv preprint arXiv:2105.05308*, 2021.

[46] H. R. Varian et al. Equity, envy, and efficiency. *Journal of Economic Theory*, 9(1):63–91, 1974.

[47] V. V. Vazirani and M. Yannakakis. Market equilibrium under separable, piecewise-linear, concave utilities. *Journal of the ACM (JACM)*, 58(3):1–25, 2011.

[48] L. Xiao. Dual averaging methods for regularized stochastic learning and online optimization. *Journal of Machine Learning Research*, 11:2543–2596, 2010.

[49] L. Zhang. Proportional response dynamics in the fisher market. *Theoretical Computer Science*, 412(24):2691–2698, 2011.

Checklist. We answered the questions as accurately as possible and believe that many of them do not apply to our work. We are happy to elaborate further should there be any questions or concerns.