Can LLMs Interpret Figurative Language as Humans Do?: Surface-level vs. Representational Similarity

Abstract

Large language models (LLMs) generate judgments that resemble those of humans. Yet the extent to which these models align with human judgments in interpreting figurative language remains uncertain. To investigate this, human participants and four instruction-tuned LLMs of different sizes (GPT-4, Gemma-2-9B, Llama-3.2, and Mistral-7B) rated 240 dialogue-based sentences representing six linguistic traits: conventionality, sarcasm, funny, emotional, idiomacy, and slang. Each of the 240 sentences was paired with 40 interpretive questions, and both humans and LLMs rated these sentences on a 10-point Likert scale. Results indicated that humans and LLMs are well aligned in interpreting sentences literally, but diverged significantly at the representational level, especially in interpreting figurative sentences involving idioms and Gen Z slang. GPT-4 most closely approximates human representational patterns, while all models struggle with pragmatic and conversational expressions like sarcasm, slang, and idiomacy, suggesting that limitations in LLM performance arise not merely from output variability or prompting sensitivity, but from differences in how linguistic meaning is internally structured.

1 Introduction

Human language is the primary medium through which individuals convey thoughts, emotions, and subjective interpretations of the world. The meaning of language is shaped by contextual cues such as social environment, shared background knowledge, prior experiences, and tone. These contextual factors are important for interpreting pragmatically enriched forms of language, including humor, sarcasm, emotions, and slang. Yet, LLMs are known to generate fluent, human-like text despite lacking access to communicative signals such as facial expressions, vocal tones, or gestures.

Comparing LLMs with humans across broader tasks shows mixed strengths. Cai et al. (2024), Karanikolas et al. (2023), (Hu et al., 2024) describes how LLMs balance natural language understanding and generating (NLU and NLG) like abilities in ways that echo aspects of human language, including phonology, grammatical constructions, and pragmatics, whereas studies by Alsajri et al. (2024), Akter et al. (2023), and Atox and Clark (2024) show that ChatGPT excels in grammatical precision while Gemini often performs better in contextual comprehension or reasoning. Together, these findings suggest that, although LLMs produce human-like responses (Cuskley et al., 2024), it remains unclear how well they capture human-like linguistic structures in domains that require pragmatic inference. Durt et al. (2023) note that human language is rooted in subjective experience and preconscious processes, which current LLMs lack. This perspective is reinforced by Dentella et al. (2024), who show that instability in responses by LLMs in basic comprehension tasks indicates reliance on surface-level pattern matching rather than structured and contextually integrated semantic processing.

To address ongoing uncertainty regarding the depth of LLMs' language understanding, we assess whether their sentence-level interpretations resemble those of humans, using Representational Similarity Analysis (RSA) (Kriegeskorte et al., 2008; Kriegeskorte and Kievit, 2013; Yamauchi and Wang, 2025). Consider sentences A, B, and C in Figure 1. A common approach to comparing human and LLM interpretations is to examine ratings along dimensions such as positivity, provocativeness, and dramaticity. However, ratings alone are insufficient because semantic similarity depends on the dimension: B and C may be similar on the Positive scale but differ on the Provocative scale, while A and C show the opposite pattern. To handle this, Representational Similarity Analysis (RSA) evaluates pairwise distance relationships among sentences, revealing stable relational structures (e.g.,

A is closer to B and C, while B and C are most distinct). Comparing these structures across humans and LLMs allows us to assess whether both systems organize meaning within a shared semantic space rather than merely producing similar ratings.

Figure 1: Hypothetical semantic similarities of sentences A, B, and C.

1.1 Related Work

A central question in current research is the extent to which large language models (LLMs) process language in ways comparable to humans. One line of work examines whether LLMs align with human judgments in pragmatic interpretation tasks. For example, Bojić et al. (2025) reports that GPT-4 can outperform humans on structured dialogue-based pragmatic benchmarks, but cautions that these gains rely on highly controlled datasets that may not reflect naturalistic language use. Similarly, Hu et al. (2023) show that LLMs can make human-like choices in some zero-shot pragmatic tasks, yet systematically fail in contexts requiring theory of mind or sensitivity to speaker intent. These findings suggest that apparent alignment with human judgments may depend strongly on task structure.

Several studies also highlight persistent limitations in LLMs' semantic and figurative reasoning, raising questions about whether surface-level agreement reflects deeper interpretive similarity. Shani et al. (2025) find that although LLMs can form broad conceptual categories resembling those of humans, they fail to capture fine-grained distinctions such as typicality. Ye et al. (2025) report inconsistent metaphor comprehension, particularly under syntactic manipulations, suggesting fragility in how figurative meaning is internally represented.

Recent work examines how language models process figurative expressions such as idioms, metaphors, sarcasm, and irony, and how computational methods can improve their handling of figurative language tasks. For example, Jang et al. (2023) finds that although large language models are increasingly competent at recognizing figura-

tive patterns, they still rely on shallow lexical cues like keywords and local word co-occurance patterns, rather than semantic relationships between words and syntactic cues as humans do. They suggest incorporating features like syntactic structures associated with figurative constructions during training and evaluation benchmarks that explicitly capture human interpretive strategies for figurative language. Complementing this, Chakrabarty et al. (2022) presents a dataset that improves figurative language understanding by adding human-written explanations of non-literal meanings. Lai and Nissim (2024) highlights several technical improvements, such as incorporating semantic constraints to maintain metaphor coherence and applying reinforcement learning or controlled methods to generate figurative-style text.

Additionally, studies on model interpretability motivate examining internal representations rather than behavioral accuracy. Poliak et al. (2025) argues that human comprehension relies on structural priors guiding meaning construction beyond surface word order, while Bayzayeva (2025) and Preda (2012) frame language as both cognition and communication, suggesting that LLMs optimized for prediction may not replicate human interpretive processes. Consequently, meaningful human–LLM comparisons require analyzing how meaning is internally organized, not just output ratings.

These perspectives motivate using Representational Similarity Analysis (RSA) to test whether humans and LLMs structure pragmatic and figurative language—such as sarcasm, idioms, and slang—within similar semantic spaces. Prior work shows partial alignment, with Ogg et al. (2024) finding that GPT-4 exhibits the closest representational similarity to humans, while Giallanza and Campbell (2024) demonstrate that human-like behavioral responses can still arise from divergent internal representational geometry, cautioning against equating surface-level agreement with shared understanding.

Together, these studies suggest that although LLMs may align with human judgments at a surface level, it remains unclear to what extent their representations mirror human interpretation for figurative language, and how this alignment varies across models. The present work addresses this gap by jointly examining surface-level judgments and internal representational structure across multiple LLMs, enabling a systematic comparison of how closely different models process figurative and

socially grounded language in ways comparable to humans.

1.2 Overview

This study examines how closely large language models (LLMs) align with human interpretations of figurative language by comparing both surface-level judgments and representational structures. Human participants and LLMs rated sentences spanning multiple semantic categories: conventional, idiomatic, emotional, funny, sarcastic, and slang on a 10-point Likert scale across 40 expression-based questions (e.g., *is this relevant to you?, Is this sarcastic?, Does this concern you?, etc*; Figure 2). The models evaluated were GPT-4, Gemma-2-9B-IT, Mistral-7B-Instruct-v0.3, and Llama-3.2-3B-Instruct.

Surface-level similarity (SLS) was assessed by computing Pearson correlations between human and model ratings for each sentence category (Figure 3a). To examine representational similarity, sentence-level representational spaces were constructed separately for humans and models by computing pairwise Euclidean distances between sentence rating vectors, yielding representational dissimilarity matrices that capture relative patterns of interpretation (Figure 3b). Representational Similarity Analysis (RSA) quantified alignment by correlating these matrices across humans and models, allowing comparison of interpretive structure independent of absolute rating values. Higher correlations indicate closer alignment in how interpretations are organized, whereas lower correlations reflect systematic differences in linguistic processing. Two studies employed different zero-shot prompting strategies to assess model sensitivity to prompt formulation.

Figure 2: The figure shows an example of how a sentence and questions were presented to humans to rate on a 10-point Likert scale.

2 Method

2.1 Materials

A total of 240 sentences were compiled, comprising 120 sensible dialogues commonly used in everyday communication and 120 nonsensical (see Table 4). These sentences correspond to six categories: conventional, idiomatic, emotional, funny, sarcastic, and Gen Z slang, with each category containing 20 sensible and 20 nonsensical sentences. Sensible sentences contained one of these defining characteristics; in contrast, non-sensible sentences omitted the key characteristics that contribute to the linguistic trait (Table 1). For example, *"bite the bullet"* was classified as a sensible idiomatic sentence, whereas *"eat the bullet,"* despite its structural similarity, was categorized as a non-sensible variant. Similarly, *"the dog is outside"* was treated as a sensible conventional sentence, while *"the outside is the dog"* was classified as its non-sensible counterpart.

Each of the 240 sentences was paired with 40 interpretive questions designed to assess meaning, tone, and expressive quality (*e.g., loud, sentimental, concerning, positive, etc*) (Table 5). This design yielded 9,600 sentence–question pairs.

The majority of sentences and questions were created manually by the authors, with a subset extracted from Rabagliati et al. (2018); For a complete list, look at Tables 4, 5

2.2 Participants (Humans and Language Models)

Humans. A total of 235 undergraduate participants were recruited for a course credit. Data from 14 participants were excluded due to incomplete responses, resulting in a final sample of 211 participants (137 female, 73 male, 1 non-binary; M_{age} = 18.82), all of whom reported English as their primary spoken language.

Language Models. Four decoder-only, instruction-tuned large language models (LLMs) were evaluated to examine language understanding and interpretation: GPT-4 (OpenAI), Llama-3.2-3B-Instruct (Meta), Gemma-2-9B-IT (Google), and Mistral-7B-Instruct-v0.3 (Mistral AI). The models developed by Meta, Google, and Mistral AI were accessed through the Hugging Face platform, while GPT-4 was accessed via an OpenAI API key. All models were pretrained on various publicly available datasets with different parameter sizes and then instruction-tuned for better alignment with user

prompts (Table 2.

Language models were provided with the same dataset of 9,600 sentence–question pairs, identical to the human task, and evaluated under zero-shot prompting conditions. The prompts were formatted in a role–content structure, with input given in the user role.

2.3 Procedure

Humans. Participants rated a subset of sentences drawn from the full set of 240 stimuli. Each sentence was paired with all 40 expressive questions and was rated on a 10-point Likert scale ranging from 1 (not likely) to 10 (very much). Participants were instructed to read each sentence carefully and provide ratings based on the displayed questions (Figure 2). Each participant evaluated approximately 32 sentences, randomly sampled from the full set and balanced across all sentence categories. *Language Models*. We employed two zero-shot prompting conditions. This design allowed us to assess models' sensitivity to prompt wording and to examine whether explicit instructions led to systematic changes or improvements in rating patterns and overall performance.

In **Study 1**, each model received a zero-shot prompt instructing it to read a sentence and rate it on a 10-point Likert scale in response to the accompanying question, the same as given to the participants. Each of the 9,600 sentence–question pairs was given as input individually, requiring the model to process the same prompt format repeatedly across all trials. The model outputs included both a numerical rating and a justification for each response, returned under the assistant role. This prompt was identical to the instructions given to human participants.

Prompt template 1= "Read the following sentence , and rate it on a Likert scale of 1-10 based on the given question ."

Study 2 was designed to assess whether model–human alignment improved under refined prompt conditions. It followed the same procedure, with an additional constraint added to the zero-shot prompt. Models were instructed to (a) provide ratings strictly between 1 and 10, and (b) justify their choice in a single sentence. As in Study 1, all 9,600 inputs were processed; however, the outputs followed a more structured format, consisting of a numerical rating and a concise justification.

Prompt template 2= "Read the following sentence and rate it on a Likert scale of 1-10 based on the given question and justify the rating in a sentence. Do not respond with a number other than [1, 10]."

2.4 Analysis

Surface-level Similarity(SLS): Surface-level similarity assesses the extent to which humans and models produce comparable rating patterns, independent of how those judgments are internally organized. Pearson's correlation coefficients were computed between human ratings and each LLM's ratings from both studies, across all questions within each category. This approach provides a direct measure of output-level agreement between human and model language judgments (Figure 3a).

Representational Similarity(RSA): Humans and each model were examined in terms of how they organized sentences relative to one another. For each group, pairwise Euclidean distances were calculated between all sentence pairs using their ratings across all questions, resulting in a distance matrix that captured how similar or different the sentences were in the judgment space. Because the distance matrix was symmetrical, only the upper triangle containing the unique sentence pairs was retained. Correlation coefficients were then computed between the humans' and each model's distance matrix, separately for each category of sentences (Figure 3b). This analysis quantified how similarly humans and models structured and represented relationships among sentences based on their ratings. Intuitively, sentences that were closer together in this space were interpreted more similarly, whereas sentences that were farther apart were interpreted more differently (Kriegeskorte et al., 2008; Yamauchi and Wang, 2025).

Humans vs. Models To evaluate similarities in language interpretation between humans and models, all sentences were clustered according to their defining linguistic characteristics (conventional, idiomatic, emotional, funny, sarcastic, and Gen Z slang), and both similarity analyses were conducted.

Humans vs. Humans To establish a baseline for similarity analysis, human participants were randomly divided into two groups, and both SLS and RSA were computed between these groups. This comparison quantified the internal consistency of human judgments and provided an upper bound for evaluating model–human alignment.

Category	Type	Sentences
Conventional	Sensible
Non-sensible	I adopted a dog today
The dog adopted me today
Idiomatic	Sensible
Non-sensible	I'm feeling under the weather
The weather is over me
Emotional	Sensible
Non-sensible	Max eagerly unwrapped a mysterious gift
Max quietly wrapped a mysterious gift
Funny	Sensible
Non-sensible	I used to be a baker because I kneaded dough
I used to be a baker, and had to knead dough
Sarcastic	Sensible
Non-sensible	I love your shirt, for now
I love your shirt
Gen Z Slang	Sensible
Non-sensible	This food is gas
The gas is food

Table 1: Sample sentences from each sentence category presented to humans and LLMs for judgment.

3 Results

Figures 4 and 5 illustrate surface-level similarity and Representational similarity results, comparing human judgments with LLM's judgments and within human judgments across sentence categories for sensible and non-sensible sentences in Studies 1 and 2.

Surface Similarity Analysis. Across both studies, GPT shows the strongest and most consistent alignment with human judgments across sentence categories. For sensible sentences, GPT–human correlations typically range from $r = .60$–$.90$ (Figures 4a, 5a), while for non-sensible sentences correlations remain lower but substantial ($r = .55$–$.75$) (Figures 4c, 5c). Gemma and Mistral exhibit moderate alignment with humans, with correlations generally ranging from $r = .50$–$.80$ depending on sentence type. In contrast, Llama consistently shows the weakest alignment, particularly for figurative categories such as humor, sarcasm, and Gen-Z slang, where correlations often fall below $r = .40$ for study 2. All model-human surface-level similarity comparisons were highly significant ($p < .001$) for both the studies.

Across all models, conventional and emotional sentences yield higher surface-level correlations than humor, sarcasm, and slang. Correlations are generally higher in Study 2 than in Study 1, indicating improved agreement between models and humans under revised prompting. However, non-sensible sentences remain challenging for all models. Correlations between human groups remain high across all categories ($r = .95$–1.00), indicating an upper bound for model performance.

Representational Similarity Analysis. For sensible sentences, RSA reveals moderate to high alignment between human and model representations across both studies. In Study 1 (Figure 4b), GPT exhibits the strongest representational similarity with humans, with correlations ranging approximately from $r = .50$–$.85$ across categories, and the highest values observed for conventional and emotional sentences. Gemma and Mistral show moderate representational alignment ($r = .55$–$.80$), again performing better on conventional and emotional sentences than on humor, sarcasm, or Gen-Z slang. Llama demonstrates consistently low representational alignment with humans ($r = .10$–$.35$), particularly for figurative categories like idiomatic ($r = .32, p = .040$), sarcastic ($r = .007, p = .967$), and Gen Z slang ($r = 0.29, p = .215$).

Across both studies, representational similarity analyses reveal clear prompt sensitivity and model-wise differences. In Study 2, representational alignment for sensible sentences increases overall, with GPT maintaining high alignment with humans ($r = .60$–$.85$, and Gemma and Mistral showing notable improvements ($r = .60$–$.80$), though figurative categories consistently lag behind conventional and emotional sentences. Human–human RSA remains high and stable across studies ($r = .75$–$.85$), indicating shared representational structure. For non-sensible sentences, model–human similarity is lower and more variable: GPT again shows the strongest alignment ($r = .45$–$.75$), followed by Gemma and Mistral ($r = .40$–$.60$), while Llama exhibits weak or near-zero correlations. Although Study 2 shows improvements for sarcasm and Gen-Z slang ($r = .55$–$.75$), model–human alignment remains consistently below human–human similarity. Overall, a stable hierarchy emerges, with GPT

(a) Surface-level similarity analysis

(b) Representational similarity analysis

Figure 3: Human participants and LLMs rated all sentences on a 10-point Likert scale. In (a), ratings were aggregated by sentence category (e.g., idiomatic sentences) for humans and models, and Pearson correlations were computed between category-level mean ratings across the 40 dimensions (questions)(1×40) to assess surface-level alignment. In (b), sentence-level ratings across all categories (e.g., Gen Z slang *"The food is gas"* and idiomatic *"My arm broke me"*) were used to compute pairwise Euclidean distances across 40-dimensional rating vectors, yielding a 240×240 representational dissimilarity matrix. Representational alignment between humans and models was assessed by correlating the upper-triangular entries of their matrices.

(a) SLS — Sensible Sentences

(b) RSA — Sensible Sentences

(c) SLS — Non-sensible Sentences

(d) RSA — Non-sensible Sentences

Figure 4: The Surface-level similarity (a, c) and Representational similarity (b, d) analyses among humans and models for sensible and non-sensible sentences across Study 1.

most closely aligned to human representations for all categories of sentences, followed by Gemma

and Mistral, and Llama showing limited alignment.

Human-model correlation comparisons All

(a) SLS — Sensible Sentences

(b) RSA — Sensible Sentences

(c) SLS — Non-sensible Sentences

(d) RSA — Non-sensible Sentences

Figure 5: The Surface-level similarity (a, c) and Representational Similarity (b, d) analyses among humans and models for sensible and non-sensible sentences across Study 2.

human–model surface-level correlation comparisons were highly significant ($p < .001$), confirming robust differences between human judgments and model representations. After Bonferroni correction (α=0.0125), GPT showed the smallest mean gap from humans ($r = 0.25$), followed by Gemma ($r = 0.30$), Mistral ($r = 0.32$), and Llama ($r = 0.62$). Fisher's Z tests revealed significant differences in 89 of 144 model comparisons (45% at $p < .001$), with the largest separations observed between GPT and Llama, particularly for Gen Z slang (Study 1) and conventional and emotional content (Study 2).

Descriptive distance analyses further showed that humans exhibited the tightest semantic clustering (Mean Euclidean Distance = 11.17), whereas all models operated in higher distance ranges, indicating less compact semantic organization. Model performance varied by category: conventional sensible sentences showed the strongest correlations (up to $r = 0.93$), while Gen Z slang and funny nonsensical sentences remained consistent failure cases, especially for Llama ($r = 0.06 - 0.10$). Model behavior across studies was largely stable for GPT, Gemma, and Mistral ($p > .080$), but Llama showed a marked decline from Study 1 to Study 2. Overall, these results demonstrate persistent differences between human and model semantic representations, with GPT showing relatively closer alignment but all models struggling with figurative, humorous, and slang-based language.

4 Discussion

At the surface level, LLMs, particularly GPT-4, approximated human judgments for nearly all categories of sentences. However, the persistent gap between model–human and human–human agreement for idiomatic and Gen Z slang suggests that surface-level alignment is fragile. These results support prior critiques that behavioral similarity can emerge from distributional pattern matching rather than stable semantic comprehension (Cuskley et al., 2024; Durt et al., 2023).

Despite moderate to high correlations in surface-level similarity, Representational Similarity Analysis revealed divergence between model and human representational spaces. The contrast between emotional and idiomatic language further sharpens this result. Emotional sentences show relatively stronger representational alignment, likely because emotional meaning is often conveyed through

explicit lexical and affective cues. In contrast, idiomatic expressions require non-compositional reinterpretation, where meaning cannot be derived directly from surface form. The weaker RSA alignment over surface-level, observed for idioms, suggests that model representations privilege literal form meaning over pragmatically inferred meaning, consistent with prior observations of limited pragmatic abstraction in LLMs (Karanikolas et al., 2023; Dentella et al., 2024).

Comparisons across models reveal a consistent hierarchy, with GPT-4 exhibiting stronger alignment with humans than smaller models at both surface and representational levels. GPT-4 fails to reach human–human representational consistency, indicating that improved alignment does not imply convergence toward human-like semantic organization. The weaker representational alignment observed for smaller models, such as Llama and Mistral, is especially pronounced for pragmatically rich categories like idiomatic, sarcastic, and Gen Z slang. This pattern suggests limitations in the models' ability to encode context-sensitive cues within a single representational space. Rather than attributing these differences solely to scale and size of the model, current architectures do not enforce stable clustering of pragmatic meaning, even when surface-level behavior improves.

Although revised prompting produced modest improvements in human–model alignment, representational similarity between humans and models remained consistently lower than human–human similarity. This suggests that prompt engineering can modify observable model behavior but does not substantially alter the underlying representations that guide interpretation. Because human understanding of sarcasm and humor depends on discourse context, speaker intent, and situational knowledge (Hu et al., 2023; Shani et al., 2025), the persistent gap between human and model representations indicates that the two systems may rely on fundamentally different mechanisms of meaning construction.

In humans, linguistic interpretation is embedded within a broader network of cognitive systems, including perception, reasoning, affect, attention, memory, metaphor, analogy, image schema, narrative structure, categorical knowledge, cultural awareness, and motor processes (Akleman et al., 2015; Barrett, 2017; Barsalou, 2020; Gentner, 1983; Johnson, 2013; Lakoff and Johnson, 2008; Langacker, 2014; Talmy, 2000; Yamauchi, 2009).

In contrast, LLMs derive meaning solely from distributional patterns in text: their core mechanism (self-attention) computes statistical relationships between tokens without access to sensorimotor experience or embodied grounding. Because of the lack of multimodal, interactive learning processes that shape human conceptual structure (e.g., embodied simulation, goal-directed action, and experiential context) LLMs' internal representations differ systematically from those of humans, even when surface behavior appears similar (Chemero, 2023; Cuskley et al., 2024; Suresh et al., 2023).

Consistent with prior work calling for improved evaluation frameworks in figurative language processing and understanding in language models (Banou et al., 2025),our approach collects responses to 40 interpretive questions for each item. This allows us to examine multiple dimensions of meaning construction and capture richer patterns of interpretation. By comparing these response structures between humans and LLMs, we can identify differences in representational organization that would remain hidden in single-score evaluations. future research could adopt hybrid evaluation approaches that integrate multiple complementary measures. In addition to behavioral metrics such as classification accuracy and rating-based judgments, evaluation can incorporate contextual reasoning assessments, where models explain or justify their interpretations of figurative expressions, as suggested by explanation-based approaches in the literature (Chakrabarty et al., 2022).

4.1 Conclusion

Using Representational Similarity Analysis, this study shows that current large language models encode figurative language like idiomacy and Gen Z slang in representational spaces that are only partially aligned with human semantic organization. The models fell short of human–human reliability, struggling with pragmatically rich expressions like sarcasm and idiomacy. The results suggest that limitations in LLM performance arise not merely from output variability or prompting sensitivity, but from differences in how linguistic meaning is internally structured, underscoring the need for evaluating frameworks that probe how meaning is organized, not just what output is generated (Cuskley et al., 2024; Poliak et al., 2025).

4.2 Limitations

The dataset size of 240 sentences paired with 40 questions was relatively small, which may limit the generalizability of conclusions about the language behavior of both humans and models. The sentences were presented without contextual cues, and the study relied on Likert-scale ratings to capture language interpretation, which necessarily reduced nuanced judgments to single numerical values and may have obscured differences in the underlying reasoning processes of humans and models. However, these limitations do not undermine the core comparison between surface-level and representational similarity, as both humans and models were evaluated under identical context-free conditions; instead, they delimit the scope of the claims to context-independent pragmatic interpretation.

4.3 Study Materials

The complete dataset is available in Appendix A and B (Tables 4, 5). The complete behavioral data will be available on our GitHub profile later.

4.4 Ethical Considerations

This study was approved by the Institutional Review Board (IRB). The ethical standards in the Declaration of Helsinki for research with human subjects were followed. Informed consent was obtained from all participants before the study. Data were collected from undergraduate participants recruited for course credit. Demographic information was collected in anonymized form and used only for aggregate analysis.

References

Ergun Akleman, Stefano Franchi, Devkan Kaleci, Laura Mandell, Takashi Yamauchi, and Derya Akleman. 2015. A theoretical framework to represent narrative structures for visual storytelling. In *Proceedings of Bridges 2015: Mathematics, Music, Art, Architecture, Culture*, pages 129–136, Phoenix, Arizona. Tessellations Publishing.

S. N. Akter, Z. Yu, A. Muhamed, T. Ou, A. Bäuerle, Á. A. Cabrera, and Graham Neubig. 2023. An in-depth look at gemini's language abilities. *Preprint*, arXiv:2312.11444.

Ali Alsajri, Haider A. Salman, and Ahmed Steiti. 2024. Generative models in natural language processing: A comparative study of chatgpt and gemini. *Babylonian Journal of Artificial Intelligence*, pages 134–145.

N. Atox and M. Clark. 2024. Evaluating large language models through the lens of linguistic proficiency and world knowledge: A comparative study. Authorea Preprints.

Zouheir Banou, Sanaa El Filali, Fatima-Zahra Alaoui, Laila El Jiani, Hasnae Sakhi, and 1 others. 2025. A systematic review of figurative language detection: Methods, challenges, and multilingual perspectives. *Natural Language Processing Journal*, 13:100192.

Lisa Feldman Barrett. 2017. *How emotions are made: The secret life of the brain*. Pan Macmillan.

Lawrence W Barsalou. 2020. Challenges and opportunities for grounding cognition. *Journal of Cognition*, 3(1).

Saltanat Bayzayeva. 2025. The science of language: Exploring the core of linguistics. *Problems and Solutions of Scientific and Innovative Research*, 2(6):32–35.

Luka Bojić, Petar Kovačević, and Miljan Čabarkapa. 2025. Does GPT-4 surpass human performance in linguistic pragmatics? *Humanities and Social Sciences Communications*, 12(1):1–10.

Zhaoyang Cai, Xinyu Duan, Daniel Haslett, Shuai Wang, and Martin Pickering. 2024. Do large language models resemble humans in language use? In *Proceedings of the Workshop on Cognitive Modeling and Computational Linguistics*, pages 37–56.

Tuhin Chakrabarty, Arkadiy Saakyan, Debanjan Ghosh, and Smaranda Muresan. 2022. Flute: Figurative language understanding through textual explanations. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 7139–7159.

Anthony Chemero. 2023. Llms differ from human cognition because they are not embodied. *Nature Human Behaviour*, 7(11):1828–1829.

Christine Cuskley, Robert Woods, and Megan Flaherty. 2024. The limitations of large language models for understanding human language and cognition. *Open Mind*, 8:1058–1083.

Valentina Dentella, Fritz Günther, Elliot Murphy, and 1 others. 2024. Testing ai on language comprehension tasks reveals insensitivity to underlying meaning. *Scientific Reports*, 14:28083.

Christoph Durt, Tom Froese, and Thomas Fuchs. 2023. Large language models and the patterns of human language use: An alternative view of the relation of ai to understanding and sentience.

Dedre Gentner. 1983. Structure-mapping: A theoretical framework for analogy. *Cognitive science*, 7:155–170.

Thomas Giallanza and D. Ian Campbell. 2024. Context-sensitive semantic reasoning in large language models. In *ICLR 2024 Workshop on Representational Alignment*.

Jennifer Hu, Samuel Floyd, Olessia Jouravlev, Evelina Fedorenko, and Edward Gibson. 2023. A fine-grained comparison of pragmatic language understanding in humans and language models. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 4194–4213.

Jennifer Hu, Kyle Mahowald, Gary Lupyan, Anna Ivanova, and Roger Levy. 2024. Language models align with human judgments on key grammatical constructions. *Proceedings of the National Academy of Sciences*, 121(36):e2400917121.

Hyewon Jang, Qi Yu, and Diego Frassinelli. 2023. Figurative language processing: A linguistically informed feature analysis of the behavior of language models and humans. In *Findings of the Association for Computational Linguistics: ACL 2023*, pages 9816–9832.

Mark Johnson. 2013. *The body in the mind: The bodily basis of meaning, imagination, and reason*. University of Chicago press.

Nikolaos Karanikolas, Effrosyni Manga, Nefeli Samaridi, Efthymia Tousidou, and Michael Vassilakopoulos. 2023. Large language models versus natural language understanding and generation. In *Proceedings of the 27th Pan-Hellenic Conference on Progress in Computing and Informatics*, pages 278–290.

Nikolaus Kriegeskorte and Rogier A. Kievit. 2013. Representational geometry: Integrating cognition, computation, and the brain. *Trends in Cognitive Sciences*, 17:401–412.

Nikolaus Kriegeskorte, Marieke Mur, and Peter A Bandettini. 2008. Representational similarity analysis-connecting the branches of systems neuroscience. *Frontiers in systems neuroscience*, 2:249.

Huiyuan Lai and Malvina Nissim. 2024. A survey on automatic generation of figurative language: From rule-based systems to large language models. *ACM Computing Surveys*, 56(10):1–34.

George Lakoff and Mark Johnson. 2008. *Metaphors we live by*. University of Chicago press.

Ronald W Langacker. 2014. *Conceptualization, symbolization, and grammar*, pages 1–37. Psychology Press.

Michael Ogg, Rohan Bose, Jordan Scharf, Christopher Ratto, and Michael Wolmetz. 2024. Turing representational similarity analysis (rsa): A flexible method for measuring alignment between human and artificial intelligence. *Preprint*, arXiv:2412.00577.

Adam Poliak, Shiri Malik-Moraleda, and Edward Gibson. 2025. Rational language comprehension depends on priors about both meaning and structure. *Journal of Experimental Psychology: Learning, Memory, and Cognition*.

Augustin Preda. 2012. Psycholinguistics and language processing. *Studia Universitatis Babes-Bolyai Psychologia-Paedagogia*, 57(2):125–132.

Hugh Rabagliati, Amy Robertson, and David Carmel. 2018. The importance of awareness for understanding language. *Journal of Experimental Psychology: General*, 147(2):190.

Chen Shani, Lior Soffer, Dan Jurafsky, Yann LeCun, and Ravid Shwartz-Ziv. 2025. From tokens to thoughts: How llms and humans trade compression for meaning. *Preprint*, arXiv:2505.17117.

Siddharth Suresh, Kushin Mukherjee, Xizheng Yu, Wei-Chun Huang, Lisa Padua, and Timothy Rogers. 2023. Conceptual structure coheres in human cognition but not in large language models. In *Proceedings of the 2023 conference on empirical methods in natural language processing*, pages 722–738.

Leonard Talmy. 2000. *Toward a cognitive semantics: Concept structuring systems*, volume 1. MIT press.

Takashi Yamauchi. 2009. Finding abstract commonalties of category members. *Journal of Experimental and Theoretical Artificial Intelligence*, 21:155–180.

Takashi Yamauchi and Kunxia Wang. 2025. Reading moods by mouse-cursor tracking: Representational similarity analysis. *IEEE Transactions on Affective Computing*, (01):1–8.

Fengying Ye, Shanshan Wang, Lidia S Chao, and Derek F Wong. 2025. Unveiling llms' metaphorical understanding: Exploring conceptual irrelevance, context leveraging and syntactic influence. *arXiv preprint arXiv:2510.04120*.

Supplementary Materials

Model	Parameters	Primary Training Objective
GPT-4	Not publicly disclosed	General-purpose language understanding and generation, including reasoning, dialogue, and instruction following
Llama-3.2-3B-Instruct	3 billion	Instruction-tuned language generation with an emphasis on efficiency and conversational alignment
Gemma-2-9B-IT	9 billion	Instruction-tuned model optimized for safe, high-quality text generation and reasoning
Mistral-7B-Instruct-v0.3	7 billion	Instruction-following language generation with strong performance on reasoning and dialogue tasks

Table 2: Overview of Large Language Models Used in the Study

Models	Study 1	Study 2	Models	Study 1	Study 2
GPT-4	0.74	0.76	GPT-4	0.63	0.64
Llama-3.2-3B-Instruct	0.31	0.30	Llama-3.2-3B-Instruct	0.49	0.19
Mistral-7B-Instruct-v0.3	0.68	0.69	Mistral-7B-Instruct-v0.3	0.49	0.49
Gemma-2-9B-IT	0.68	0.71	Gemma-2-9B-IT	0.61	0.65

(a) Overall Surface-level similarity (SLS)   (b) Overall Representational Similarity (RSA)

Table 3: Overall surface-level similarity (left) and representational similarity (right) between humans and models across Study 1 and Study 2.

A Complete Sentence Set

Category	Type	Sentence
Conventional	Sensible	The dog is outside.
Conventional	Sensible	I opened the window for some fresh air.
Conventional	Sensible	My sister is playing the piano.
Conventional	Sensible	The fork is in the drawer.
Conventional	Sensible	I made coffee this morning.
Conventional	Sensible	She had a sandwich for lunch.
Conventional	Sensible	The cat drank the water.
Conventional	Sensible	He ironed his shirt.
Conventional	Sensible	Ally went to the mall.
Conventional	Sensible	I broke my arm.
Conventional	Sensible	He bought a computer at the store.
Conventional	Sensible	I microwaved a bowl of soup.
Conventional	Sensible	He folded the laundry this morning.
Conventional	Sensible	I adopted a dog today.
Conventional	Sensible	I washed the dishes after dinner.
Conventional	Sensible	The kids built a sandcastle on the beach.
Conventional	Sensible	There are 32 kids in the class.
Conventional	Sensible	The chef prepared a delicious meal.
Conventional	Sensible	The sun rises in the east and sets in the west.
Conventional	Sensible	Plants need sunlight for photosynthesis.
Idiomatic	Sensible	Do not cry over spilled milk.
Idiomatic	Sensible	Break a leg today!
Idiomatic	Sensible	I'll do that when pigs fly!
Idiomatic	Sensible	Just bite the bullet.
Idiomatic	Sensible	Tell her the truth, don't beat around the bush.
Idiomatic	Sensible	I was going to go to class, but it's raining cats and dogs.
Idiomatic	Sensible	She's going through a lot, cut her some slack.
Idiomatic	Sensible	That's the last straw.
Idiomatic	Sensible	I'm feeling under the weather.
Idiomatic	Sensible	Now we're back to square one.
Idiomatic	Sensible	The project is not rocket science.
Idiomatic	Sensible	It's time to hit the sack.
Idiomatic	Sensible	I think he's pulling my leg.
Idiomatic	Sensible	You're barking up the wrong tree.
Idiomatic	Sensible	This is a wild goose chase.
Idiomatic	Sensible	The homework is a piece of cake.
Idiomatic	Sensible	You can kill two birds with one stone.
Idiomatic	Sensible	Take it with a grain of salt.
Idiomatic	Sensible	The devil is in the details.
Idiomatic	Sensible	She's burning bridges.
Emotional	Sensible	Sam is so enthusiastic that he jumps out of the bed and begins to cheer.
Emotional	Sensible	Filled with pride, Emily beamed as she watched her child's first steps.
Emotional	Sensible	Bursting with excitement, Alex's heart raced when he opened his first college acceptance letter.

Category	Type	Sentence
Emotional	Sensible	Susan cried for Lisa when she heard that her dog passed away.
Emotional	Sensible	She sobbed when she heard the news about her aunt.
Emotional	Sensible	Her jaw dropped when she saw who was at the door.
Emotional	Sensible	Max's face turned red and he clenched his fist.
Emotional	Sensible	Emily took a deep breath to calm her nerves before going on stage
Emotional	Sensible	Ava paced back and forth waiting for her exam results.
Emotional	Sensible	Max eagerly unwrapped a mysterious gift.
Emotional	Sensible	Sarah smiled warmly as she revisited cherished childhood photos
Emotional	Sensible	David sighed in frustration during a traffic jam.
Emotional	Sensible	Alex watched as the long-awaited event was canceled.
Emotional	Sensible	Alex's heart fluttered, anticipating his partner's arrival.
Emotional	Sensible	Mark teared up, moved by a heartfelt movie.
Emotional	Sensible	Jake twirled with joy at news of his dream job.
Emotional	Sensible	Mike angrily crumpled up his homework after getting a bad grade.
Emotional	Sensible	Sally smiled and shed a tear at her brother's graduation.
Emotional	Sensible	Sofia blushed and giggled when he told her a joke.
Emotional	Sensible	Her face turned white with shame when he read her diary.
Funny	Sensible	If money does not grow on trees, why do banks have branches?
Funny	Sensible	I used to be a baker because I kneaded dough.
Funny	Sensible	Parallel lines have so much in common, it's a shame they'll never meet.
Funny	Sensible	An apple a day keeps the doctor away, if you throw it hard enough.
Funny	Sensible	I sold my vacuum, all it was doing was gathering dust.
Funny	Sensible	Life is a bowl of soup, and I'm a fork.
Funny	Sensible	You're not adopted, but we've placed an ad.
Funny	Sensible	My jeans says eat a salad, but my heart says eat a pizza.
Funny	Sensible	My brain has too many tabs open.
Funny	Sensible	I have a food baby.
Funny	Sensible	Everyone has a right to be stupid, but some abuse that privilege.
Funny	Sensible	I'm on a seafood diet; I see food and I eat it.
Funny	Sensible	My doctor diagnosed me with too smart syndrome.
Funny	Sensible	I'm jealous of my parents because I'll never have a kid as cool as theirs.
Funny	Sensible	I get enough exercise pushing my luck.
Funny	Sensible	The first five days after the weekend are the hardest.
Funny	Sensible	The road to success is always under construction.
Funny	Sensible	Finally, spring is here! I am so thrilled I wet my plants.
Funny	Sensible	I'm never late, others are just too early.
Funny	Sensible	Hey dude, pick your brain, sometimes.
Sarcastic	Sensible	I love your shirt, for now.
Sarcastic	Sensible	Nice perfume. How long did you marinate in it?
Sarcastic	Sensible	You find your patience before I lose mine.

Category	Type	Sentence
Sarcastic	Sensible	Light travels faster than sound. This is why some people appear bright until they speak.
Sarcastic	Sensible	If you find me offensive. Then I suggest you quit finding me.
Sarcastic	Sensible	Unless your name is Google, stop acting like you know everything.
Sarcastic	Sensible	I do not have the energy to pretend to like you today.
Sarcastic	Sensible	I love your shoes. Great shoes. What a surprise!
Sarcastic	Sensible	I envy your commitment to being fashionably late.
Sarcastic	Sensible	I'm so glad you posted another photo of your lunch. I was on the edge of my seat wondering what you ate today.
Sarcastic	Sensible	It's truly impressive how you make the easiest tasks look incredibly complicated.
Sarcastic	Sensible	Thank you for the unsolicited advice; it's exactly what I wanted to hear.
Sarcastic	Sensible	I love your new hair, I never thought I'd see chunky highlights in this decade.
Sarcastic	Sensible	I failed my exam, that's exactly what I needed this week!
Sarcastic	Sensible	I love working 40 hours a week for minimum wage!
Sarcastic	Sensible	I would agree with you, but then we would both be wrong.
Sarcastic	Sensible	I don't know why I have a headache; all I've done is forget to drink water and stare at a screen all day.
Sarcastic	Sensible	I am busy right now, can I ignore you some other time?
Sarcastic	Sensible	Life is good, you should get one.
Sarcastic	Sensible	If had a dollar for every smart thing you say, I would be poor.
Gen Z slang	Sensible	I got an A in beer pong.
Gen Z slang	Sensible	Have a seat. You can just move that laundry pile.
Gen Z slang	Sensible	She is so boujee with that Louis Vuitton bag.
Gen Z slang	Sensible	Those potato chips are bussin.
Gen Z slang	Sensible	He got so salty after I did not text back right away.
Gen Z slang	Sensible	Her speech was woke.
Gen Z slang	Sensible	I am so amped for tonight's basketball game!
Gen Z slang	Sensible	She will be OK after she blows off some steam.
Gen Z slang	Sensible	I bombed that exam.
Gen Z slang	Sensible	I heard the Greek life on campus is pretty fun.
Gen Z slang	Sensible	Wake up!. It's time to hit the books.
Gen Z slang	Sensible	Where is your girlfriend? I dunno.
Gen Z slang	Sensible	The movie was mid.
Gen Z slang	Sensible	That 50% off sale at the campus can't be legit.
Gen Z slang	Sensible	I'm so bored, I need to hear some good tea.
Gen Z slang	Sensible	I'm beefing with my roommate.
Gen Z slang	Sensible	Why is your friend on this date with us? He is kind of a third wheel.
Gen Z slang	Sensible	This food is gas.
Gen Z slang	Sensible	I was gonna stay in tonight, but I don't wanna get FOMO.
Gen Z slang	Sensible	Hey Bro. You talk too much. Keep your shirt on.
Conventional	Non-sensible	The outside is the dog.
Conventional	Non-sensible	The fresh air opened the window.

Category	Type	Sentence
Conventional	Non-sensible	The piano is playing my sister.
Conventional	Non-sensible	The drawer is in the fork.
Conventional	Non-sensible	I made morning this coffee.
Conventional	Non-sensible	He had a cat for lunch.
Conventional	Non-sensible	The cat drank the shirt.
Conventional	Non-sensible	His shirt ironed him.
Conventional	Non-sensible	The mall went to Ally.
Conventional	Non-sensible	My arm broke me.
Conventional	Non-sensible	He bought a store at the computer.
Conventional	Non-sensible	I microwaved a soup of bowl.
Conventional	Non-sensible	The laundry folded him this morning.
Conventional	Non-sensible	The dog adopted me today.
Conventional	Non-sensible	After dinner, the dishes washed me.
Conventional	Non-sensible	On the beach, the sandcastle built the kids.
Conventional	Non-sensible	There are 32 classes in the kids.
Conventional	Non-sensible	A delicious meal prepared the chef.
Conventional	Non-sensible	The east rises in the sun and the west sets in the moon.
Conventional	Non-sensible	Sunlight needs plants for photosynthesis.
Idiomatic	Non-sensible	Don't cry over an orange juice spill.
Idiomatic	Non-sensible	Break your arm today.
Idiomatic	Non-sensible	I'll do that when the pigs dance.
Idiomatic	Non-sensible	Eat the bullet.
Idiomatic	Non-sensible	Tell the truth and don't beat up the tree.
Idiomatic	Non-sensible	I was going to go to class, but it's raining fish and monkeys.
Idiomatic	Non-sensible	She's going through the slack, cut her a lot.
Idiomatic	Non-sensible	The straw is last.
Idiomatic	Non-sensible	The weather is over me.
Idiomatic	Non-sensible	Square one is back to me.
Idiomatic	Non-sensible	The rocket science is not the project.
Idiomatic	Non-sensible	It's time for the sack to hit me.
Idiomatic	Non-sensible	I think my leg is pulling him.
Idiomatic	Non-sensible	You're barking up the right flower.
Idiomatic	Non-sensible	This run for ducks is wild.
Idiomatic	Non-sensible	A piece of cake is the homework.
Idiomatic	Non-sensible	You can murder two chickens with one rock.
Idiomatic	Non-sensible	Take a grain of rice with it.
Idiomatic	Non-sensible	The details are in the devil.
Idiomatic	Non-sensible	The bridges burned her.
Emotional	Non-sensible	Sam is so sad that he jumps and cheers.
Emotional	Non-sensible	Filled with anger, Emily beamed as her child took her first steps.
Emotional	Non-sensible	Sadness burst Alex when he opened his college letters.
Emotional	Non-sensible	Susan weeped gleefully for Lisa when she heard that her dog passed away.
Emotional	Non-sensible	She heard the news about her aunt when she sobbed.
Emotional	Non-sensible	Her jaw clenched when she saw who was at the door.
Emotional	Non-sensible	Max's face turned white and he tighened his fist.
Emotional	Non-sensible	Emily took a deep breath to stir her nerves before going on stage

Category	Type	Sentence
Emotional	Non-sensible	Ava ran around the exam results.
Emotional	Non-sensible	Max quietly wrapped a mysterious gift.
Emotional	Non-sensible	Sarah cried as she revisited cherished childhood photos
Emotional	Non-sensible	David smiled in frustration during a traffic jam.
Emotional	Non-sensible	Alex canceled the long-awaited event he watched.
Emotional	Non-sensible	Alex's heart sank, anticipating his partner's arrival.
Emotional	Non-sensible	The movie moved Mark and teared up.
Emotional	Non-sensible	Jake scratched his head at news of his dream job.
Emotional	Non-sensible	Mike crumpled up his homework after getting a nasty grade.
Emotional	Non-sensible	Sally scowled and shed a tea at her brother's graduation.
Emotional	Non-sensible	Sofia turned red when he told her a joke.
Emotional	Non-sensible	Her face turned down when he read her diary.
Funny	Non-sensible	If branches don't grow on banks, why do trees have money?
Funny	Non-sensible	I used to be a baker, and had to knead dough.
Funny	Non-sensible	Parallel lines will never meet.
Funny	Non-sensible	If you throw it at the doctor, the watermelon keeps the doctor away.
Funny	Non-sensible	I sold my vacuum that used to gather dust.
Funny	Non-sensible	I'm a bowl of soup with a fork.
Funny	Non-sensible	You're not adopted, but we've seen an ad.
Funny	Non-sensible	My jeans says buy a salad, my heart says sell a pizza
Funny	Non-sensible	My computer has too many tabs open.
Funny	Non-sensible	The baby is food.
Funny	Non-sensible	Everyone has a right to be stupid, but some are really stupid.
Funny	Non-sensible	I'm on a seafood diet; I eat fish every day
Funny	Non-sensible	My doctor diagnosed me with too nasty syndrome.
Funny	Non-sensible	I envy my parents because they have a cool car.
Funny	Non-sensible	I get enough exercise pushing my lucky chair.
Funny	Non-sensible	The first five days before the weekend are the hardest.
Funny	Non-sensible	The road to success is always under consideration
Funny	Non-sensible	Finally, spring is here! I am so thrilled I watered my plants.
Funny	Non-sensible	I'm never late, others are always late.
Funny	Non-sensible	Dude, sometimes your brain picks you.
Sarcastic	Non-sensible	I love your shirt.
Sarcastic	Non-sensible	Nice perfume. How long have you had that for?
Sarcastic	Non-sensible	The patience got lost and couldn't be found.
Sarcastic	Non-sensible	Light travels faster than sound. Some people appear bright until they smile.
Sarcastic	Non-sensible	If you find me offensive. Then I suggest you quit smoking.
Sarcastic	Non-sensible	Unless your name is Alphabet, stop acting like you know everything.
Sarcastic	Non-sensible	I do not like you today.
Sarcastic	Non-sensible	I love your shoes. Great shoes.
Sarcastic	Non-sensible	I envy your commitment to being fashionable.
Sarcastic	Non-sensible	I'm so glad you posted a photo of your lunch. I was wondering what you ate today.
Sarcastic	Non-sensible	It's truly impressive how you make the incredibly complicated tasks look easy.
Sarcastic	Non-sensible	Thank you for the advice; it's exactly what I needed.

Category	Type	Sentence
Sarcastic	Non-sensible	I love your new hair, I never thought I'd see beautiful hair like that.
Sarcastic	Non-sensible	I needed to fail my exam this week.
Sarcastic	Non-sensible	I hate working 40 hours a week for minimum wage.
Sarcastic	Non-sensible	I would agree with you, we would both be right.
Sarcastic	Non-sensible	I don't know why I have a headache; all I've done is to drink a lot of water.
Sarcastic	Non-sensible	I'm ignoring right now, can I be busy some other time?
Sarcastic	Non-sensible	Life's one, you should get good.
Sarcastic	Non-sensible	If had a dollar for every smart thing you say, I would be rich.
Gen Z slang	Non-sensible	I got an F in Economics 101.
Gen Z slang	Non-sensible	Have a laundry pile, you can just move that seat.
Gen Z slang	Non-sensible	She is so boujee with that Wal Mart bag.
Gen Z slang	Non-sensible	Those bussin' are potato chips.
Gen Z slang	Non-sensible	He bought salt after I didn't text back.
Gen Z slang	Non-sensible	She woke her speech.
Gen Z slang	Non-sensible	Tonight's basketball game was exciting.
Gen Z slang	Non-sensible	She will be OK after she eats steamed rice.
Gen Z slang	Non-sensible	That exam bombed me.
Gen Z slang	Non-sensible	I heard the campus on greek life is pretty fun.
Gen Z slang	Non-sensible	Wake up! It's time to smack the books.
Gen Z slang	Non-sensible	Where is her boyfriend? No clue
Gen Z slang	Non-sensible	The mid was movie.
Gen Z slang	Non-sensible	That 50% off sale at the campus is great.
Gen Z slang	Non-sensible	I need tea to be bored.
Gen Z slang	Non-sensible	My roommate is with beef.
Gen Z slang	Non-sensible	Why is your friend on this date with us? He's kind of a fourth tire.
Gen Z slang	Non-sensible	The gas is food.
Gen Z slang	Non-sensible	I don't wanna eat FOMO.
Gen Z slang	Non-sensible	Hey Bro. You smile too much. Keep your pants on.

Table 4: Complete list of all 240 sentences used in the study for the judgments from human participants and LLMs, organized by category and sentence type.

B Interpretive Questions

Questions
Is this meaningful?
Do you find this funny?
Is this surprising?
Is this relevant (to you)?
Is this grammatically correct?
Is this insulting?
Do you find this exciting?
Is this sentence dull?
Is this sarcastic?
Is this honest?
Does this sentence show attitude?
Is this ironic?
Is this objective?
Is this mocking you?
Is this frustrating?
Does this sound serious?
Is this literal?
Do you find this stupid?
Is this convincing?
Is this active?
Do you think this is dramatic?
Is this arrogant?
Is this sentimental?
Is this polite?
Is this demeaning to you?
Is this positive?
Is this informative?
Is this logical?
Is this intriguing?
Does this sound confident?
Is this ambiguous?
Is this concerning?
Is this provocative?
Does this sound like praise?
Does this sound loud?
Does this sound negative?
Is this sentence weird?
Do you find this suspicious?
Do you think this is melodramatic?
Does this sound sympathetic?

Table 5: List of 40 interpretive questions used to collect judgments from human participants and LLMs.