POPULATION TRANSFORMER: LEARNING POPULATION-LEVEL REPRESENTATIONS OF NEURAL ACTIVITY

Anonymous authors
Paper under double-blind review

ABSTRACT

We present a self-supervised framework that learns population-level codes for arbitrary ensembles of neural recordings at scale. We address two key challenges in scaling models with neural time-series data: sparse and variable electrode distribution across subjects and datasets. The Population Transformer (PopT) stacks on top of pretrained representations and enhances downstream decoding by enabling learned aggregation of multiple spatially-sparse data channels. The pretrained PopT lowers the amount of data required for downstream decoding experiments, while increasing accuracy, even on held-out subjects and tasks. Compared to end-to-end methods, this approach is computationally lightweight, while achieving similar or better decoding performance. We further show how our framework is generalizable to multiple time-series embeddings and neural data modalities. Beyond decoding, we interpret the pretrained PopT and fine-tuned models to show how they can be used to extract neuroscience insights from massive amounts of data. We release our code as well as a pretrained PopT to enable off-the-shelf improvements in multi-channel intracranial data decoding and interpretability.

1 INTRODUCTION

Building effective representations of neural data is an important tool in enabling neuroscience research. We are particularly interested in modeling neural activity recorded from spatially varying electrode layouts, such as intracranial recordings, which use invasive probes placed within the brain to provide high temporal resolution recordings of local neural activity (Parvizi & Kastner, 2018; Herff et al., 2020). But because of dispersed electrode placement within the brain volume, intracranial recordings (iEEG) suffer from data sparsity, and there is significant variability in probe placement across subjects (Parvizi & Kastner, 2018; Herff et al., 2020), leading to high variability in the semantics of the input channels. While these difficulties are particularly relevant for iEEG, they also exist for other neural data modalities such as non-invasive EEG due to variation in electrode layouts. Furthermore, annotated training data is often scarce, since it is limited by patient availability and labor-intensive labeling. This is a problem for many existing approaches which rely on supervised learning (Faezi et al., 2021; Herff et al., 2020; Martin et al., 2018; Metzger et al., 2023; Willett et al., 2023).

To improve decoding data-efficiency, self-supervised pretraining on unannotated data can be employed to first learn generic representations of the recordings, independent of the downstream decoding task that requires task labels. This means that the model does not have to use valuable annotated samples to learn how to do feature extraction before it can do classification, improving the reach of neuroscientific research. In this paper, we are interested in developing generic representations of multi-channel intracranial recordings that enable efficient adaptation to a wide range of downstream decoding tasks. Prior work has shown how to pretrain subject-specific (Le & Shlizerman, 2022) or channel-specific (Wang et al., 2022) models of intracranial data, but such techniques ignore inter-channel relationships or commonalities that might exist across subjects. The most general approach would be to pretrain using data from multiple datasets, but would require tackling the aforementioned challenges of sparse electrode coverage and variable electrode placement between subjects.

We propose Population Transformer (PopT), a self-supervised pretraining approach that learns subject-generic representations of arbitrary electrode ensembles. Transformers offer the flexibility to learn aggregate information across channel configurations, but large amounts of data is needed to train the attention weights (Devlin et al., 2019). During pretraining, we train on large amounts of unannotated data and simultaneously optimize both a channel-level and ensemble-level objective. This requires

the model to (1) build subject-generic representations of channel ensembles and (2) meaningfully distinguish temporal relationships between different ensembles of channels.

Our PopT approach is modular, and builds on top of powerful single-channel temporal embeddings, which provides two key advantages. First, by separating the single-channel embedding and multi-channel-aggregation into different modules, we make our approach agnostic to the specific type of temporal embedding used, leaving room for future independent improvements along either the temporal or spatial dimension (an approach that has been validated in video modeling (Arnab et al., 2021)). Second, by taking advantage of learned channel embeddings, PopT training is computationally lightweight compared to their end-to-end counterparts (Appendix B) and baseline aggregation approaches (Figure 4), allowing for adoption in lower compute resource environments.

Empirically, we find that our pretrained PopT outperforms commonly used aggregation approaches (Ghosal & Abbasi-Asl, 2021), and is competitive with end-to-end trained methods (Zhang et al., 2024; Yang et al., 2024; You et al., 2019). Moreover, we find that these benefits hold even for subjects not seen during pretraining, indicating its usefulness for new subject decoding. We also show that the pretrained PopT weights themselves reveal interpretable patterns for neuroscientific study. Finally, we demonstrate that our proposed framework is agnostic to the underlying temporal encoder further allowing it to adapt to other neural recording modalities.

Our main contributions are:

1. a generic self-supervised learning framework, Population Transformer (PopT), that learns joint representations of arbitrary channel ensembles across neural datasets,
2. a demonstration that pretraining systematically improves ensemble representations for downstream decoding even for held-out subjects,
3. a new method for brain region connectivity analysis and functional brain region identification based on the pretrained and fine-tuned PopT weights,
4. a trained and usable off-the-shelf model that computes population-level representations of high temporal resolution intracranial neural recordings.

2 Related Work

Self-supervised learning on neural data Channel independent pretrained models are a popular approach for neural spiking data (Liu et al., 2022), intracranial brain data (Wang et al., 2022; Talukder & Gkioxari, 2023), and general time-series (Talukder et al., 2024). Additionally, in fixed-channel neural datasets, approaches exist for EEG (Chien et al., 2022; Kostas et al., 2021; Yi et al., 2023), fMRI (Thomas et al., 2022; Kan et al., 2022; Ortega Caro et al., 2023), and calcium imaging (Antoniades et al., 2023) datasets. However, these approaches do not learn population-level interactions across datasets with different recording layouts, either due to a single-channel focus or the assumption that the channel layout is fixed. Several works pretrain spatial and temporal dimensions across datasets with variable inputs (Zhang et al., 2024; Yang et al., 2024; Jiang et al., 2024; Ye et al., 2024; Cai et al., 2023), but most simultaneously learn the temporal embeddings with the spatial modeling, which make them challenging to interpret and computationally expensive to train, especially for high temporal resolution signals. To our knowledge, we are the first to study the problem of building pretrained channel aggregation models on top of pre-existing temporal embeddings trained across neural datasets with variable channel layouts, allowing for modeling of high quality neural data.

Modeling across variable input channels Modeling spatial representations on top of temporal embeddings has been found to be beneficial for decoding (Faezi et al., 2021; Le & Shlizerman, 2022; Azabou et al., 2024), but prior works use supervised labels, so do not leverage large amounts of unannotated data. The brain-computer-interface field has studied how to align latent spaces (Pandarinath et al., 2018; Karpowicz et al., 2022; Degenhart et al., 2020; Jude et al.; Ma et al., 2023) which either still requires creating an alignment matrix to learn across datasets or only provides post-training alignment mechanisms rather than learning across datasets. Other approaches impute missing channels or learn latent spaces robust to missing channels (Talukder et al., 2022; Zhang et al., 2021; Chau et al., 2024), but these are more suited for the occasional missing channel rather than largely varying sensor layouts. We directly learn spatial-level representations using self-supervised learning across datasets to leverage massive amounts of unannotated intracranial data.

3 POPULATION TRANSFORMER APPROACH



Figure 1: **Schematic of our approach**. The inputs to our model (a) are the combined neural activities from a collection of intracranial electrodes in a given time interval. These are passed to a frozen temporal embedding model (dotted red outline: BrainBERT shown), which produces a set of time-contextual embedding vectors (yellow). The 3D position of each electrode (red) is added to these vectors to produce the model inputs (orange). The PopT produces space-contextual embeddings for each electrode and a `[CLS]` token (blue), which can be fine-tuned for downstream tasks. During pretraining, the PopT is trained on two objectives simultaneously. In the first, (b) the PopT determines whether two different sets of electrodes (orange vs brown) represent consecutive or non-consecutive times. In the second objective, (c) the PopT must determine whether an input channel has been replaced with activity at a random other time that is inconsistent with the majority of inputs.

Figure 1 overviews our Population Transformer (PopT) approach. The key ideas are: (1) to learn a generic representation of neural recordings that can handle arbitrary electrode configurations; and (2) to employ a modular system design that uses a transformer architecture to aggregate information from existing per-channel temporal embeddings. To do so, we employ a self-supervised pretraining approach to learn ensemble and channel level representations. Afterwards, one can fine-tune PopT on downstream decoding tasks. In addition to offering strong decoding results, including generalization to new subjects with different electrode configurations than training subjects (see Section 5), the modular system design is computationally lightweight (see Appendix B), can benefit from improved temporal representations, and is more readily interpretable (see Section 6).

Architecture A schematic of our Population Transformer (PopT) approach is shown in Figure 1. We adapt a transformer backbone due to its ability to accommodate variable channel configurations. Consider a given subject with N channels indexed by $C = \{1, ..., N_c\}$, and an arbitrary subset of channels $S \subseteq C$. Activity from channel i at time t can be denoted by x_i^t. The PopT takes as input an interval of brain activity $X^t = \{x_i^t | i \in S\}$ from a given time t and a special `[CLS]` token. Per channel, each interval of brain activity is passed through a temporal embedding model B, in the figure's case BrainBERT, to obtain a representation of each channel's temporal context. For BrainBERT, the first step of pre-processing involves obtaining the STFT for the signal, but preprocessing will differ depending on the embedding model used.

To allow the model to learn a common brain state representation across layouts, each channel's embedding is augmented with its 3D position, so that the final input to the PopT is $X_B^t = \{B(x_i^t) + pos(i) + \mathcal{N}(0, \sigma) | x_i^t \in X^t\}$. Spatial location is given by the electrode's Left, Poste-

rior, and Inferior coordinates for iEEG electrodes (Wideman, 2024), and XYZ positions for EEG electrodes. We add Gaussian fuzzing to each coordinate location to prevent overfitting to a particular set of coordinates. Each coordinate is then encoded using sinusoidal position encoding (Vaswani et al., 2017). Membership in a particular ensemble (see below: ensemble-wise loss) is also encoded. The four encodings are concatenated together to form the position embedding $pos(i) = [e_{\text{left}}; e_{\text{post.}}; e_{\text{inf}}; e_{\text{ensemble}}]$.

The core of PopT consists of a transformer encoder stack (see Appendix A: Architectures). The output of the PopT are spatial-contextual embeddings of the channels $Y = \{y_i\}$ as well as an embedding of the `CLS` token y_{cls}. During pretraining, the PopulationTransformer additionally is equipped with a linear layer head for the `[CLS]` token output and separate linear layer heads for all other individual token outputs. These produce the scalars $\tilde{y}_{cls}$ and $\tilde{y}_i$ respectively, which are used in the pretraining objective (see Figure 1b and c).

Self-supervised loss Our loss function has two discriminative components: (1) *ensemble-wise* — the model determines if activities from two channel ensembles occurred consecutively, requiring an effective brain state representation at the ensemble-level, (2) *channel-wise* — the model identifies outlier channels that have been swapped with a different timepoint's activity, requiring sensitivity to surrounding channel context.

A key aspect of our method is the fact that our objective is discriminative, rather than reconstructive, as is often the case in self-supervision (Liu et al., 2021; Wang et al., 2022). We found this to be necessary, because in practice, the temporal embeddings often have low effective dimension (see Wang et al. (2022)), and reconstruction rewards the model for overfitting to "filler" dimensions in the feature vector (see Section 5).

Pretraining In *ensemble-wise discrimination* (fig. 1b), two different subsets of channels $S_A, S_B \subset C$ are chosen with the condition that they be disjoint $S_A \cap S_B = \emptyset$. During pretraining, the model receives the activities from these channels at separate times $X_A^t = \{x_i^t \mid i \in S_A\}$ and $X_B^{t'} = \{x_i^{t'} \mid i \in S_B\}$. The objective of the task is then to determine whether these states X_A^t and $X_B^{t'}$ have occurred consecutively in time ($|t - t'| = 500ms$) or are separated by some further, randomly selected interval. Given the output of the classification head, the loss function $\mathcal{L}_N$ is again the binary cross entropy. We also vary the number of input channels during sampling to ensure the model handles ensembles of different sizes.

Additionally, we select disjoint subsets for ensemble-wise discrimination to prevent the model from solving tasks through trivial copying.

In *channel-wise discrimination* (fig. 1c), the model must determine whether a channel's activity has been swapped with activity from a random time. Precisely, activity from each channel i is drawn from a time t_i. All channels are drawn from the same time $t_i = T$, and then 10% of the channels are randomly selected to have their activity replaced with activity from the same channel, but taken from a random point in time $t_i \neq T$. Then, given the token outputs of PopT, the channel-wise loss function $\mathcal{L}_C$ is the binary cross entropy. Then, our complete objective function is $\mathcal{L} = \mathcal{L}_N + \mathcal{L}_C$.

Fine-tuning During fine-tuning, the `[CLS]` intermediate representation, $\tilde{y}_{cls}$ of the pretrained PopT is passed through a single layer linear neural network to produce a scalar $\hat{y}_{cls}$; this forms the input to the binary cross entropy loss for our decoding tasks (see Section 4).

4 Experiment Setup

Data We use two types of neural time-series data: intracranial and scalp electroencephalography (iEEG and EEG). iEEG probes are surgically implanted within the 3D brain volume and record local electric signals from the brain at very high temporal resolution and spatial precision. EEG electrodes lie on the scalp, and record electric signals that are smeared by the skull, which results in low temporal and spatial resolution. EEG montages typically tile the whole scalp, while iEEG electrodes are often only inserted in a comparatively smaller number of locations. These cover two resolution extremes of neural time-series data modalities.

iEEG: We use the publicly available subject data from Wang et al. (2022). Data was collected from 10 subjects (total 1,688 electrodes, with a mean of 167 electrodes per subject) who watched 26 movies

while intracranial probes recorded their brain activity. Of the sessions, 19 are used for pretraining, and 7 of the sessions are held-out for evaluation.

EEG: We use the Temple University Hospital EEG and Abnormal datasets, TUEG and TUAB (Obeid & Picone, 2016), for pretraining and task data respectively. We remove all task subjects from the pretraining set and follow the data preprocessing practices in Yang et al. (2024); Jiang et al. (2024).

Decoding Tasks We evaluate on 5 different classification tasks: 4 auditory-linguistic tasks used in the evaluation of Wang et al. (2022) and 1 widely evaluated seizure detection task from Obeid & Picone (2016). Of the auditory-linguistic tasks, two of the tasks are audio focused: determining whether a word is spoken with a high or low pitch and determining whether a word is spoken loudly or softly. And two of the tasks have a more linguistic focus: determining whether the beginning of a sentence is occurring or determining whether any speech at all is occurring. The EEG TUAB seizure detection task is a binary classification of pathological or normal EEG recording.

To test scaling with arbitrary ensemble sizes, we select subsets of electrodes based on their individual linear decodability, with the smallest subsets containing the electrodes with highest decodability.

Baselines For controlled baselines, we concatenate the single-channel temporal embeddings and train a linear (Linear) or non-linear (Deep NN) aggregator on the decoding task. These enable us to directly assess how much PopT improves upon existing aggregation approaches (Ghosal & Abbasi-Asl, 2021). These approaches cannot be pretrained across subjects due to the changing meaning and quantity of inputs. To test the effectiveness of pretraining, we also compare against a non-pretrained PopT. **Methods compared** For the iEEG experiments, we also compare against Brant (Zhang et al., 2024), which is an end-to-end iEEG trained encoder. We take the fully pretrained Brant model, and fine-tune on our iEEG tasks combining channels with linear aggregation. For the EEG experiments, we compare against BIOT (Yang et al., 2024) and LaBraM (Jiang et al., 2024). Both BIOT and LaBraM use discrete channel ID as positional encodings, which only allows them to be used for layouts with discete channel locations such as EEG. They also train end-to-end in contrast to our modular approach.

5 RESULTS

Decoding performance We find that using a pretrained PopT significantly benefits downstream decoding compared to baseline channel aggregation techniques across tasks, data modalities, and temporal encoding models (Tables 1 and 2 and Figure 2). To test our method's ability to handle multiple types of channel encodings, we applied our framework to 4 different channel encoders: (1) an iEEG-specific temporal encoder: BrainBERT (Wang et al., 2022), (2) a general tokenization-based

Model	Pitch	Volume	Sent. Onset	Speech/Non-speech
BrainBERT:				
Linear Agg.	0.59 ± 0.08	0.66 ± 0.08	0.70 ± 0.09	0.71 ± 0.11
Deep NN Agg.	0.58 ± 0.08	0.67 ± 0.08	0.71 ± 0.10	0.72 ± 0.10
Non-pretrained PopT	0.53 ± 0.06	0.61 ± 0.13	0.74 ± 0.10	0.70 ± 0.08
Pretrained PopT	$\mathbf{0.69 \pm 0.07}^*$	$\mathbf{0.84 \pm 0.06}^*$	$\mathbf{0.86 \pm 0.05}^*$	$\mathbf{0.89 \pm 0.07}^*$
TOTEM:				
Linear Agg.	0.55 ± 0.02	0.66 ± 0.03	0.79 ± 0.04	0.77 ± 0.05
Deep NN Agg.	0.57 ± 0.02	0.67 ± 0.03	0.78 ± 0.03	0.75 ± 0.05
Non-pretrained PopT	0.53 ± 0.02	0.64 ± 0.02	0.79 ± 0.03	0.77 ± 0.05
Pretrained PopT	$\mathbf{0.60 \pm 0.02}^*$	$\mathbf{0.73 \pm 0.02}^*$	$\mathbf{0.86 \pm 0.03}^*$	$\mathbf{0.84 \pm 0.06}^*$
End-to-end:				
Brant (Zhang et al., 2024)	$\mathbf{0.61 \pm 0.03}$	$\mathbf{0.74 \pm 0.03}$	$\mathbf{0.80 \pm 0.04}$	$\mathbf{0.80 \pm 0.03}$

Table 1: **Pretraining PopT is critical to downstream decoding performance (iEEG data).** We test on a variety of audio-linguistic decoding tasks (see Section 4) with 90 channels as input. The temporal encoder used for aggregation in sections 1 and 2 are denoted in the section header. We also evaluate against an end-to-end pretrained iEEG model in section 3. Shown are the ROC-AUC mean and standard error across subjects. Best per section are bolded. Asterisks * indicate that the bolded model is significantly better than the second-place model ($p < 0.05$, Wilcoxon rank-sum).

Model	Balanced Accuracy	ROC AUC
Chronos:		
Linear Agg.	0.7754 ± 0.0008	0.8563 ± 0.0003
Deep NN Agg.	0.7881 ± 0.0057	0.8678 ± 0.0049
Non-pretrained PopT	0.7763 ± 0.0047	0.8631 ± 0.0016
Pretrained PopT	$\mathbf{0.7976 \pm 0.0022}^*$	$\mathbf{0.8821 \pm 0.0016}^*$
TS2Vec:		
Linear Agg.	0.7649 ± 0.0005	0.8533 ± 0.0003
Deep NN Agg.	0.7853 ± 0.0021	0.8721 ± 0.0015
Non-pretrained PopT	0.7896 ± 0.0037	0.8782 ± 0.0018
Pretrained PopT	$\mathbf{0.8063 \pm 0.0010}^*$	$\mathbf{0.8907 \pm 0.0019}^*$
End-to-end:		
BIOT (Yang et al., 2024)	0.7959 ± 0.0057	0.8815 ± 0.0043
LaBraM (Jiang et al., 2024)	$\mathbf{0.8258 \pm 0.0011}$	$\mathbf{0.9162 \pm 0.0016}$

Table 2: **Pretraining PopT is critical to downstream decoding performance (EEG data).** We test on a seizure detection task (TUAB in Obeid & Picone (2016)) with 21 channels as input. The temporal encoder used for aggregation in sections 1 and 2 are denoted in the section header. We also evaluate against end-to-end pretrained EEG models in section 3 (values from the original works). Shown are the ROC-AUC mean and stdev across 5 random seeds. Best per section are bolded. Asterisks for our experiments * indicate that the bolded model is significantly better than the second-place model ($p < 0.05$, Wilcoxon rank-sum).

time-series encoder: TOTEM (Talukder et al., 2024), (3) a pretrained general time-series encoder: Chronos (Ansari et al., 2024), and a general convolution-based time-series encoder: TS2Vec (Yue et al., 2022). We see significant improvements in performance with the pretrained PopT in all cases when comparing with baseline aggregation approaches (Figure 2). Additionally, the pretrained PopT scales well with increasing ensemble sizes (Figure 3), a challenging task for the baseline aggregation approaches due to limited downstream task data and increasing input size.

We also find that PopT can achieve competitive performance against pretrained end-to-end models, such as Brant (Zhang et al., 2024) for iEEG, and BIOT (Yang et al., 2024) and LaBraM (Jiang et al., 2024) for EEG (Tables 1 and 2). For instance, PopT outperforms Brant (Zhang et al., 2024) in decoding iEEG data with our pretrained PopT + BrainBERT combination, likely due to PopT's ability to leverage spatial relationships. Whereas Brant leaves the channel aggregation problem open. PopT is competitive with recent end-to-end trained EEG models (Yang et al., 2024; Jiang et al., 2024) at the EEG TUAB seizure detection task. This is impressive, since models such as LaBraM were specifically developed for this application, whereas PopT was trained on top of generic time-series embeddings. We find that PopT can offer an efficient and competitive alternative to large end-to-end models for these decoding tasks, due to the effectiveness of our pretraining task for learning spatial and functional relationships between channel input embeddings.



Figure 2: **Compared to common aggregation approaches, pretrained PopT consistently yields better downstream decoding across tasks, data modalities, and temporal embedding types.** NPopT = Non-pretrained PopT. (a) performance on four audio-linguistic iEEG tasks with 90 electrodes. Grey bars denote standard error across subjects. (b) performance on a seizure detection EEG task with 21 electrodes. Grey bars denote standard deviation across 5 random seeds.



Figure 3: **Pretrained PopT downstream performance scales better with ensemble size.** Increasing channel ensemble size from 1 to 50 (x-axis), we see pretrained PopT (green) decoding performance (y-axis) not only beat non-pretrained approaches (orange, purple, grey), but also continually improve more with increasing channel count. Shaded bands show the standard error across subjects. PopT achieves the best performance on the Sentence onset and Speech vs. Non-speech tasks, which is consistent with the findings in the original BrainBERT paper.



Figure 4: **Pretrained PopT is more sample efficient when fine-tuning.** Varying the number of samples available to each model at train time (x-axis), we see that the pretrained PopT is highly sample efficient, requiring only a fraction of samples (fewer than 500 samples out of 5-10k of the full dataset) to reach the full performance level of baseline aggregation approaches (dashed lines). Bands show standard error across test subjects. Stars indicate performance with full fine-tuning dataset.

To verify that the weights of the pretrained PopT capture neural processing well even without fine-tuning, we also train a linear-encoder on top of the frozen PopT `[CLS]` token and find the same trends (Figure 18). This point in particular is important in building confidence in the results of our interpretability studies (see Section 6), in which we use the frozen pretrained weights to analyze connectivity. Finally, for the remaining analyses described below, we use a PopT with BrainBERT inputs.

Sample and compute efficiency Our PopT learns spatial relationships between channels, in a way that makes downstream supervised learning more data and compute efficient (see Figure 4 and Figure 5). Compared to the non-pretrained baseline models, fine-tuning the pretrained PopT can achieve the same decoding performance as other aggregation techniques with an order of magnitude fewer samples. The pretrained PopT surpasses the performance achieved by all other aggregation techniques by 500 samples out of the full dataset (roughly 5-10k examples depending on subject and task) Figure 4. The pretrained PopT also converges at a low number of steps. This greatly contrasts with the non-pretrained PopT. The Linear and Deep NN baselines can be similarly compute efficient, but occasionally may require 2k or more steps (Figure 5), as in the case of Speech vs. Non-speech.

Generalizability To test if our pretrained weights will be useful for subjects not seen during training, we conduct a hold-one-out analysis. We pretrain a model using all subjects except for one, and then fine-tune and evaluate on the model downstream. We find that missing a subject from pretraining does not significantly affect the downstream results (see Figure 6). This raises our confidence that the pretrained weights will be useful for unseen subjects and for researchers using new data.

Scaling with amount of pretraining data To investigate the effect of scaling pretraining data on our model, we pretrain additional versions of PopT using only 25%, 50%, and 75% of our data.



Figure 5: **Pretrained PopT is consistently compute efficient when fine-tuning.** Number of steps required for each model to reach final performance during fine-tuning (dashed lines). The pretrained PopT consistently requires fewer than 750 steps (each step is an update on a batch size of 256) to converge, in contrast to the 2k steps required for the non-pretrained PopT. Bands show standard error across subjects. Stars indicate fully trained performance.



Figure 6: **Gains in decoding performance are available to new subjects.** A minimal decrease in downstream decoding performance is found if the subject is held-out from pretraining (Held-out vs All). Results are cross-validated across all test subjects. Since BrainBERT is a single channel model, we report performance on the channel with the best linearly-decodability.

Evaluation is performed on all test-subjects. We find a general improvement in downstream decoding when we increase the amount of pretraining data available across all our downstream decoding tasks (see Figure 7), suggesting the potential for our framework to continue scaling with more data.

Ablation of loss components and position information An ablation study confirms that both the ensemble-wise and channel-wise component of the pretraining objective contribute to the downstream performance (Table 3). Furthermore, including the 3D position information for each channel is critical for decoding. These findings also hold when the PopT is kept frozen during fine-tuning (see Appendix K: Frozen ablation). Additionally, we find that the discriminative nature of our loss is necessary for decoding. Attempting to only use an L1 reconstruction term for our pretraining objective results in poorer performance, perhaps because the model learns to overfit on low-entropy features in the embedding. Our discriminative loss requires the model to understand the embeddings in terms of how they can be distinguished from one another, which leads the model to extract representations that are more beneficial for decoding.

6 Interpreting Learned Weights

Finally, we conduct two interpretability studies of the Population Transformer's learned weights.

Connectivity Traditional neuroscience analyses typically use cross-correlation as a measure of region connectivity (Wang et al., 2021). Our PopT allows for an alternative method of determining connectivity, based on the degree to which channels are sensitive to each other's context. In this method, each channel is masked in turn, and then model performance on the pretraining channel-wise objective for the remaining unmasked channels is measured. We use the degradation in performance as a measure of connectivity. We can construct plots as in Figure 8, that recapitulate the strongest connectivity of the cross-correlation maps. Note that while some approaches for modelling brain activity explicitly build this into their architecture (Cai et al., 2023), we recover these connections purely as a result of our self-supervised learning. Additional method details available in Appendix G.

Figure 7: **Pretraining with more data leads to better downstream performance.** We pretrain PopT with different percentages of our full pretraining dataset and test on our decoding tasks (x-axis). Bars show mean and standard error of performance across test subjects.

	Pitch	Volume	Sent. Onset	Speech/Non-speech
PopT	$\mathbf{0.69 \pm 0.07}$	$\mathbf{0.84 \pm 0.06}$	$\mathbf{0.86 \pm 0.05}$	$\mathbf{0.89 \pm 0.07}$
PopT w/o ensemble-wise loss	0.66 ± 0.07	0.83 ± 0.06	0.84 ± 0.04	0.88 ± 0.08
PopT w/o channel-wise loss loss	0.67 ± 0.06	0.81 ± 0.08	0.84 ± 0.06	0.87 ± 0.09
PopT w/o position encoding	$0.59 \pm 0.07^{\vee}$	$0.67 \pm 0.10^{\vee}$	$0.75 \pm 0.08^{\vee}$	0.79 ± 0.08
PopT w/o Gaussian fuzzing	0.66 ± 0.08	0.83 ± 0.06	0.85 ± 0.05	0.88 ± 0.08
PopT reconstruction loss only	$0.56 \pm 0.04^{\vee}$	$0.65 \pm 0.08^{\vee}$	$0.73 \pm 0.10^{\vee}$	$0.74 \pm 0.10^{\vee}$

Table 3: **PopT ablation study.** We individually ablate our losses and positional encodings during pretraining then decode on the resulting models. Shown are ROC-AUC mean and standard error across subjects evaluated at 90 electrodes. The best performing model across all decoding tasks uses all of our proposed components, showing that they are all necessary. Removing our positional encoding during pretraining and fine-tuning drops the performance the most, indicating that position encoding is highly important for achieving good decoding. Additionally, we attempt only using a reconstruction loss, but find that this leads to poorer performance (last row). Here, $\vee$ denotes ablations which are significantly worse than the full model ($p < 0.05$, Dunnett's test).

Candidate functional brain regions from attention weights After fine-tuning our weights on a decoding task, we can examine the attention weights of the `[CLS]` output for candidate functional brain regions. We obtain a normalized Scaled Attention Weight metric across all subjects to analyze candidate functional brain regions across sparsely sampled subject datasets Figure 9. The Scaled Attention Weight is computed from raw attention weights at the `[CLS]` token passed through the attention rollout algorithm (Abnar & Zuidema, 2020). The resulting weights from each channel are then grouped by brain region according to the Destrieux atlas (Destrieux et al., 2010). A full description of the method is available in Appendix G.

The resulting weights reveal expected functional brain regions related to the tasks decoded Figure 9, with low-level auditory tasks highlighting primary auditory cortex and higher-level language distinction tasks highlighting language-specific areas. Given the massive pretraining PopT undergoes, these scaled attention weights provide a valuable new tool for discovering candidate functional regions.

7 Discussion

We presented a self-supervised scheme for learning effective joint representations of neural activity from temporal embeddings. Our approach improves decoding and reduces the samples required to learn downstream tasks, which is especially critical for neural data modalities given patient constraints. A key aspect of our approach is the fact that we focus on spatial aggregation of existing channel embeddings, rather than training a large end-to-end model. By decoupling temporal and spatial feature extraction, we are able to leverage existing temporal embeddings to learn spatiotemporal representations efficiently and with a smaller number of parameters. This makes our model available for use in low compute-resource settings. Furthermore, this separation of considerations opens up the possibility for future independent improvement in temporal modeling, whether that be from a domain specific model or a more general time-series encoder. The generality of this approach allowed us to train on two very different neural modalities: scalp EEG and invasive iEEG. Our success in these



Figure 8: **Probing the pretrained model for inter-channel connectivity** Traditionally, connectivity analysis between regions is done by computing the coherence between electrode activity (left). We propose an alternative analysis purely based on the contextual sensitivity learned during pretraining. Briefly, we select an electrode, mask out its activity, and then measure the degradation in the channel-wise objective function for the remaining electrodes. Plotting the values of this delta (right) recovers the main points of connectivity. Plots for all test subjects can be seen in Appendix H: Connectivity.



Figure 9: **Attention weights from a fine-tuned PopT identify candidate functional brain regions** Candidate functional maps can be read from attention weights of a PopT fine-tuned on our decoding tasks. For the Volume and Pitch tasks, note the weight placed on the primary auditory cortex (black arrows), but not in Wernicke's area. For the Speech vs Non-speech and Sentence onset tasks, note the weight placed on regions near Wernicke's area (black arrows). Center brain figure highlight regions related to auditory-linguistic processing; figure credit: (aph, 2017)).

domains suggest that this approach could even be extended to settings outside of neuroscience that also contend with sparsely and variably distributed time-series data channels, as is often the case with geophysical or climate data.

Limitations and Future Work We proposed a strategy for aggregating signals, provided that meaningful spatial coordinates are available, but it remains to be seen how to extend this approach to settings without such coordinates. Individual brains are highly variable, so it is important that some notion of positional encoding be given. Future work could experiment with automatic functional identification for each channel, such as that explored in neural spiking data (Azabou et al., 2024), but it is currently unclear how to do so with neural recordings that have lower SNR.

8 Conclusion

We introduced a pretraining method for learning representations of arbitrary ensembles of intracranial electrodes. We showed that our pretraining produced considerable improvements in downstream decoding and efficiency, that would not have been possible without the knowledge of spatial relationships learned during the self-supervised pretraining stage. These benefits were found across data modalities, decoding tasks, and temporal encoders used, speaking to the generality of our approach. We further showed that this scheme produces interpretable weights from which connectivity maps and candidate functional brain regions can be read. Finally, we release the pretrained weights for our PopT with BrainBERT inputs as well as our code for plug-and-play pretraining with any temporal embedding.

REFERENCES

What is aphasia? — types, causes and treatment, Mar 2017. URL https://www.nidcd.nih.gov/health/aphasia.

Samira Abnar and Willem Zuidema. Quantifying attention flow in transformers. *arXiv preprint arXiv:2005.00928*, 2020.

Bonnie Alexander, Wai Yen Loh, Lillian G Matthews, Andrea L Murray, Chris Adamson, Richard Beare, Jian Chen, Claire E Kelly, Peter J Anderson, Lex W Doyle, et al. Desikan-killiany-tourville atlas compatible version of m-crib neonatal parcellated whole brain atlas: The m-crib 2.0. *Frontiers in Neuroscience*, 13:34, 2019.

Abdul Fatir Ansari, Lorenzo Stella, Caner Turkmen, Xiyuan Zhang, Pedro Mercado, Huibin Shen, Oleksandr Shchur, Syama Sundar Rangapuram, Sebastian Pineda Arango, Shubham Kapoor, et al. Chronos: Learning the language of time series. *arXiv preprint arXiv:2403.07815*, 2024.

Antonis Antoniades, Yiyi Yu, Joseph Canzano, William Wang, and Spencer LaVere Smith. Neuroformer: Multimodal and multitask generative pretraining for brain data. *arXiv preprint arXiv:2311.00136*, 2023.

Anurag Arnab, Mostafa Dehghani, Georg Heigold, Chen Sun, Mario Lučić, and Cordelia Schmid. Vivit: A video vision transformer. In *Proceedings of the IEEE/CVF international conference on computer vision*, pp. 6836–6846, 2021.

Mehdi Azabou, Vinam Arora, Venkataramana Ganesh, Ximeng Mao, Santosh Nachimuthu, Michael Mendelson, Blake Richards, Matthew Perich, Guillaume Lajoie, and Eva Dyer. A unified, scalable framework for neural population decoding. *Advances in Neural Information Processing Systems*, 36, 2024.

Donghong Cai, Junru Chen, Yang Yang, Teng Liu, and Yafeng Li. Mbrain: A multi-channel self-supervised learning framework for brain signals. In *Proceedings of the 29th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*, KDD '23, pp. 130–141, New York, NY, USA, 2023. Association for Computing Machinery. ISBN 9798400701030. doi: 10.1145/3580305.3599426. URL https://doi.org/10.1145/3580305.3599426.

Geeling Chau, Yujin An, Ahamed Raffey Iqbal, Soon-Jo Chung, Yisong Yue, and Sabera Talukder. Generalizability under sensor failure: Tokenization+ transformers enable more robust latent spaces. *arXiv preprint arXiv:2402.18546*, 2024.

Hsiang-Yun Sherry Chien, Hanlin Goh, Christopher M Sandino, and Joseph Y Cheng. Maeeg: Masked auto-encoder for eeg representation learning. *arXiv preprint arXiv:2211.02625*, 2022.

Nilearn contributors. nilearn. URL https://github.com/nilearn/nilearn.

Alan D Degenhart, William E Bishop, Emily R Oby, Elizabeth C Tyler-Kabara, Steven M Chase, Aaron P Batista, and Byron M Yu. Stabilization of a brain–computer interface via the alignment of low-dimensional spaces of neural activity. *Nature biomedical engineering*, 4(7):672–685, 2020.

Christophe Destrieux, Bruce Fischl, Anders Dale, and Eric Halgren. Automatic parcellation of human cortical gyri and sulci using standard anatomical nomenclature. *Neuroimage*, 53(1):1–15, 2010.

Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. Bert: Pre-training of deep bidirectional transformers for language understanding. In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pp. 4171–4186, 2019.

Sina Faezi, Rozhin Yasaei, and Mohammad Abdullah Al Faruque. Htnet: Transfer learning for golden chip-free hardware trojan detection. In *2021 Design, Automation & Test in Europe Conference & Exhibition (DATE)*, pp. 1484–1489. IEEE, 2021.

Gaurav R Ghosal and Reza Abbasi-Asl. Multi-modal prototype learning for interpretable multivariable time series classification. *arXiv preprint arXiv:2106.09636*, 2021.

Alexandre Gramfort, Martin Luessi, Eric Larson, Denis A Engemann, Daniel Strohmeier, Christian Brodbeck, Roman Goj, Mainak Jas, Teon Brooks, Lauri Parkkonen, et al. Meg and eeg data analysis with mne-python. *Frontiers in neuroscience*, 7:70133, 2013.

Christian Herff, Dean J Krusienski, and Pieter Kubben. The potential of stereotactic-eeg for brain-computer interfaces: current progress and future directions. *Frontiers in neuroscience*, 14:483258, 2020.

ildoonet. ildoonet/pytorch-gradual-warmup-lr: Gradually-warmup learning rate scheduler for pytorch, 2024. URL https://github.com/ildoonet/pytorch-gradual-warmup-lr.

Weibang Jiang, Liming Zhao, and Bao liang Lu. Large brain model for learning generic representations with tremendous EEG data in BCI. In *The Twelfth International Conference on Learning Representations*, 2024. URL https://openreview.net/forum?id=QzTpTRVtrP.

Justin Jude, Matthew G Perich, Lee E Miller, and Matthias H Hennig. Robust alignment of cross-session recordings of neural population activity by behaviour via unsupervised domain adaptation. feb 2022. doi: 10.48550. *arXiv preprint arXiv.2202.06159*.

Xuan Kan, Wei Dai, Hejie Cui, Zilong Zhang, Ying Guo, and Carl Yang. Brain network transformer. *Advances in Neural Information Processing Systems*, 35:25586–25599, 2022.

Brianna M Karpowicz, Yahia H Ali, Lahiru N Wimalasena, Andrew R Sedler, Mohammad Reza Keshtkaran, Kevin Bodkin, Xuan Ma, Lee E Miller, and Chethan Pandarinath. Stabilizing brain-computer interfaces through alignment of latent dynamics. *BioRxiv*, pp. 2022–04, 2022.

Demetres Kostas, Stephane Aroca-Ouellette, and Frank Rudzicz. Bendr: using transformers and a contrastive self-supervised learning task to learn from massive amounts of eeg data. *Frontiers in Human Neuroscience*, 15:653659, 2021.

Trung Le and Eli Shlizerman. Stndt: Modeling neural population activity with spatiotemporal transformers. *Advances in Neural Information Processing Systems*, 35:17926–17939, 2022.

Andy T. Liu, Shang-Wen Li, and Hung-yi Lee. TERA: self-supervised learning of transformer encoder representation for speech. *IEEE ACM Trans. Audio Speech Lang. Process.*, 29:2351–2366, 2021. doi: 10.1109/TASLP.2021.3095662. URL https://doi.org/10.1109/TASLP.2021.3095662.

Ran Liu, Mehdi Azabou, Max Dabagia, Jingyun Xiao, and Eva Dyer. Seeing the forest and the tree: Building representations of both individual and collective dynamics with transformers. *Advances in neural information processing systems*, 35:2377–2391, 2022.

Ilya Loshchilov and Frank Hutter. Decoupled weight decay regularization. *arXiv preprint arXiv:1711.05101*, 2017.

Xuan Ma, Fabio Rizzoglio, Kevin L Bodkin, Eric Perreault, Lee E Miller, and Ann Kennedy. Using adversarial networks to extend brain computer interface decoding accuracy over time. *elife*, 12: e84296, 2023.

Stephanie Martin, Iñaki Iturrate, José del R Millán, Robert T Knight, and Brian N Pasley. Decoding inner speech using electrocorticography: Progress and challenges toward a speech prosthesis. *Frontiers in neuroscience*, 12:367292, 2018.

Sean L Metzger, Kaylo T Littlejohn, Alexander B Silva, David A Moses, Margaret P Seaton, Ran Wang, Maximilian E Dougherty, Jessie R Liu, Peter Wu, Michael A Berger, et al. A high-performance neuroprosthesis for speech decoding and avatar control. *Nature*, 620(7976): 1037–1046, 2023.

Iyad Obeid and Joseph Picone. The temple university hospital eeg data corpus. *Frontiers in neuroscience*, 10:196, 2016.

Josue Ortega Caro, Antonio Henrique Oliveira Fonseca, Christopher Averill, Syed A Rizvi, Matteo Rosati, James L Cross, Prateek Mittal, Emanuele Zappala, Daniel Levine, Rahul M Dhodapkar, et al. Brainlm: A foundation model for brain activity recordings. *bioRxiv*, pp. 2023–09, 2023.

Chethan Pandarinath, Daniel J O'Shea, Jasmine Collins, Rafal Jozefowicz, Sergey D Stavisky, Jonathan C Kao, Eric M Trautmann, Matthew T Kaufman, Stephen I Ryu, Leigh R Hochberg, et al. Inferring single-trial neural population dynamics using sequential auto-encoders. *Nature methods*, 15(10):805–815, 2018.

Josef Parvizi and Sabine Kastner. Promises and limitations of human intracranial electroencephalography. *Nature neuroscience*, 21(4):474–483, 2018.

Fabian Pedregosa, Gaël Varoquaux, Alexandre Gramfort, Vincent Michel, Bertrand Thirion, Olivier Grisel, Mathieu Blondel, Peter Prettenhofer, Ron Weiss, Vincent Dubourg, et al. Scikit-learn: Machine learning in python. *Journal of machine learning research*, 12(Oct):2825–2830, 2011.

Sabera Talukder, Jennifer J Sun, Matthew Leonard, Bingni W Brunton, and Yisong Yue. Deep neural imputation: A framework for recovering incomplete brain recordings. *arXiv preprint arXiv:2206.08094*, 2022.

Sabera Talukder, Yisong Yue, and Georgia Gkioxari. Totem: Tokenized time series embeddings for general time series analysis. *arXiv preprint arXiv:2402.16412*, 2024.

Sabera J Talukder and Georgia Gkioxari. Time series modeling at scale: A universal representation across tasks and domains. 2023.

Armin Thomas, Christopher Ré, and Russell Poldrack. Self-supervised learning of brain dynamics from broad neuroimaging data. *Advances in Neural Information Processing Systems*, 35:21255–21269, 2022.

Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. Attention is all you need. *Advances in neural information processing systems*, 30, 2017.

Christopher Wang, Vighnesh Subramaniam, Adam Uri Yaari, Gabriel Kreiman, Boris Katz, Ignacio Cases, and Andrei Barbu. Brainbert: Self-supervised representation learning for intracranial recordings. In *The Eleventh International Conference on Learning Representations*, 2022.

Christopher Wang, Adam Uri Yaari, Aaditya K Singh, Vighnesh Subramaniam, Dana Rosenfarb, Jan DeWitt, Pranav Misra, Joseph R Madsen, Scellig Stone, Gabriel Kreiman, et al. Brain treebank: Large-scale intracranial recordings from naturalistic language stimuli. *Advances in Neural Information Processing Systems*, 2024.

Jiarui Wang, Annabelle Tao, William S Anderson, Joseph R Madsen, and Gabriel Kreiman. Mesoscopic physiological interactions in the human brain reveal small-world properties. *Cell reports*, 36(8), 2021.

Graham Wideman. Orientation and voxel-order terminology: Ras, las, lpi, rpi, xyz and all that, 2024. URL `http://www.grahamwideman.com/gw/brain/orientation/orientterms.htm`.

Francis R Willett, Erin M Kunz, Chaofei Fan, Donald T Avansino, Guy H Wilson, Eun Young Choi, Foram Kamdar, Matthew F Glasser, Leigh R Hochberg, Shaul Druckmann, et al. A high-performance speech neuroprosthesis. *Nature*, 620(7976):1031–1036, 2023.

Chaoqi Yang, M Westover, and Jimeng Sun. Biot: Biosignal transformer for cross-data learning in the wild. *Advances in Neural Information Processing Systems*, 36, 2024.

Joel Ye, Jennifer Collinger, Leila Wehbe, and Robert Gaunt. Neural data transformer 2: multi-context pretraining for neural spiking activity. *Advances in Neural Information Processing Systems*, 36, 2024.

Ke Yi, Yansen Wang, Kan Ren, and Dongsheng Li. Learning topology-agnostic eeg representations with geometry-aware modeling. In *Thirty-seventh Conference on Neural Information Processing Systems*, 2023.

Yang You, Jing Li, Sashank Reddi, Jonathan Hseu, Sanjiv Kumar, Srinadh Bhojanapalli, Xiaodan Song, James Demmel, Kurt Keutzer, and Cho-Jui Hsieh. Large batch optimization for deep learning: Training BERT in 76 minutes. *arXiv preprint arXiv:1904.00962*, 2019.

Zhihan Yue, Yujing Wang, Juanyong Duan, Tianmeng Yang, Congrui Huang, Yunhai Tong, and Bixiong Xu. Ts2vec: Towards universal representation of time series. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 36, pp. 8980–8987, 2022.

Daoze Zhang, Zhizhang Yuan, Yang Yang, Junru Chen, Jingjing Wang, and Yafeng Li. Brant: Foundation model for intracranial neural signal. *Advances in Neural Information Processing Systems*, 36, 2024.

Xiang Zhang, Marko Zeman, Theodoros Tsiligkaridis, and Marinka Zitnik. Graph-guided network for irregularly sampled multivariate time series. *arXiv preprint arXiv:2110.05357*, 2021.

A ARCHITECTURES AND TRAINING

Pretrained PopT The core Population Transformer consists of a transformer encoder stack with 6 layers, 8 heads. All layers ($N = 6$) in the encoder stack are set with the following parameters: $d_h = 512$, $H = 8$, and $p_{\text{dropout}} = 0.1$. We pretrain the PopT model with the LAMB optimizer (You et al., 2019) ($lr = 1e-4$), with a batch size of $n_{\text{batch}} = 256$, and train/val/test split of 0.98, 0.01, 0.01 of the data. We pretrain for 500,000 steps, and record the validation performance every 1,000 steps. Downstream evaluation takes place on the weights with the best validation performance. We use the intermediate representation at the `[CLS]` token $d_h = 512$ and put a linear layer that outputs to $d_{out} = 1$ for fine-tuning on downstream tasks. These parameters for pretraining were the same for any PopT that needed to be pretrained (hold-one-out subject, subject subsets, ablation studies).

Non-pretrained PopT The architecture for the non-pretrained PopT is the same as the pretrained PopT (above). However, no pretraining is done, and the weights are randomly initialized with the default initializations.

Linear The linear baseline consists of a single linear layer that outputs to $d_{out} = 1$. The inputs are flattened and concatenated BrainBERT embeddings $d_{emb} = 756$, TOTEM embeddings $d_{emb} = 64$, Chronos embeddings $d_{emb} = 512$, or TS2Vec embeddings $d_{emb} = 320$ from a subset of channels $S \subset C$. Thus, the full input dimension is $d_{input} = d_{emb} * |S|$.

Deep NN The inputs are the same as above, but the decoding network now consists of 5 stacked linear layers, each with $d_h = 512$ and a GeLU activation.

Downstream Training For both PopT models, we train with these parameters: AdamW optimizer (Loshchilov & Hutter, 2017), $lr = 5e^{-4}$ where transformer weights are scaled down by a factor of 10 ($lr_t = 5e^{-5}$), $n_{batch} = 256$, a Ramp Up scheduler (ildoonet, 2024) with warmup 0.025 and Step LR gamma 0.99, reducing 100 times within the 2000 total steps that we train for. For Linear and DeepNN models, we train with these parameters: AdamW optimizer (Loshchilov & Hutter, 2017), $lr = 5e^{-4}$, $n_{batch} = 256$, a Ramp Up scheduler (ildoonet, 2024) with warmup 0.025 and Step LR gamma 0.95, reducing 25 times within the 17,000 total steps we train for. For all downstream decoding, we use a fixed train/val/test split of 0.8, 0.1, 0.1 of the data.

Compute Resources To run all our experiments (data processing, pretraining, evaluations, interpretability), one only needs 1 NVIDIA Titan RTXs (24GB GPU Ram). Pretraining PopT takes 2 days on 1 GPU. Our downstream evaluations take a few minutes to run each. For the purposes of data processing and gathering all the results in the paper, we parallelized the experiments on 8 GPUs.

B MODEL AND COMPUTE REQUIREMENTS

	e5	e50	e90
PopT		20M	
Deep NN	3M	20M	36M
Linear	3.8k	38k	69k
Brant (Zhang et al., 2024)		500M	
LaBraM (Jiang et al., 2024)		350M	

Table 4: **Parameter counts**. Since PopT takes existing temporal embeddings as input, the number of parameters that must be trained is an order of magnitude less than recent end-to-end approaches.

	GPU count	GPU type	Time to train	TFLOPS
PopT	1	NVIDIA TITAN RTX (24GB)	2 days	2.1M
Brant (Zhang et al., 2024)	4	NVIDIA Tesla A100 (80G)	2.8 days	18.8M
LaBraM (Jiang et al., 2024)	8	NVIDIA Tesla A800 (40G)	–	–

Table 5: **Pretraining compute requirements** Based on published train times (none were given for LaBraM) it is evident that PopT has smaller hardware and shorter training time requirements.

C DECODING TASKS

We follow the same task specification as in Wang et al. (2022), with the modification that the pitch and volume examples are determined by percentile (see below) rather than standard deviation in order to obtain balanced classes.

Pitch The PopT receives an interval of activity and must determine if it corresponds with a high or low pitch word being spoken. For the duration of a given word, pitch was extracted using Librosa's `piptrack` function over a Mel-spectrogram (sampling rate 48,000 Hz, FFT window length of 2048, hop length of 512, and 128 mel filters). For this task, for a given session, positive examples consist of words in the top-quartile of mean pitch and negative examples are the words in the bottom quartiles.

Volume The volume of a given word was computed as the average intensity of root-mean-square (RMS) (`rms` function, frame and hop lengths 2048 and 512 respectively). As before, positive examples are the words in the top-quartile of volume and negative examples are those in the bottom quartiles.

Sentence onset Negative examples are intervals of activity from 1s periods during which no speech is occurring in the movie. Positive examples are intervals of brain activity that correspond with hearing the first word of a sentence.

Speech vs. Non-speech Negative examples are as before. Positive examples are intervals of brain activity that correspond with dialogue being spoken in the stimuli movie.

D RANDOM ELECTRODE ENSEMBLE PERFORMANCE



Figure 10: **Downstream decoding performance on random electrode subsets.** To check if our original channel ensemble ordering inflated performance, we perform downstream decoding on 3 randomly generated electrode ensembles. The random electrode ensembles perform roughly similar to our reported values, with the exception of a few low-electrode count ensembles for Sentence Onset. These exceptions may be due to strong decodability of Sentence Onset at specific electrodes. Shaded bands show the standard error across subjects.

E HOLD OUT SUBJECT PRETRAINING GENERALIZABILITY



Figure 11: **Gains in decoding performance are available to new subjects even on TOTEM pretrained PopT.** Same experiment as Figure 6 but with TOTEM embedding.

F DATA

Subj.	Age (yrs.)	# Electrodes	Movie	Recording time (hrs)	Held-out
1	19	91	Thor: Ragnarok	1.83	
			Fantastic Mr. Fox	1.75	
			The Martian	0.5	x
2	12	100	Venom	2.42	
			Spider-Man: Homecoming	2.42	
			Guardians of the Galaxy	2.5	
			Guardians of the Galaxy 2	3	
			Avengers: Infinity War	4.33	
			Black Panther	1.75	
			Aquaman	3.42	x
3	18	91	Cars 2	1.92	x
			Lord of the Rings 1	2.67	
			Lord of the Rings 2 (extended edition)	3.92	
4	9	135	Megamind	2.58	
			Toy Story	1.33	
			Coraline	1.83	x
5	11	205	Cars 2	1.75	x
			Megamind	1.77	
6	12	152	Incredibles	1.15	
			Shrek 3	1.68	x
			Megamind	2.43	
7	6	109	Fantastic Mr. Fox	1.5	
8	4.5	72	Sesame Street Episode	1.28	
9	16	102	Ant Man	2.28	
10	12	173	Cars 2	1.58	x
			Spider-Man: Far from Home	2.17	

Table 6: **Subject statistics** Subjects used in PopT training, and held-out downstream evaluation. Table taken from Wang et al. (2022). The second column shows the number of uncorrupted, electrodes that can be Laplacian re-referenced. The average amount of recording data per subject is 4.3 (hrs).

G INTERPRETATION METHODS

Connectivity analysis We start with a pretrained PopT. To test a particular channel's contribution to connectivity, we omit it from the input. Then, we consider the remaining unmasked channels and ask: how does this change the pretraining channel-wise loss? Recall that this objective is to determine whether or not a channel has had its inputs swapped with random activity. If the change in loss is large, we infer that the masked channel provided important context. Using the magnitude of this delta as a measure for connectivity, we then average across the Desikan-Killiany regions (Alexander et al., 2019) and produce a plot using `mne-connectivity` (Gramfort et al., 2013).

Scaled Attention Weight First, we obtain an attention weight matrix across all trials which includes weights between all tokens. Then, we perform attention rollout (Abnar & Zuidema, 2020) across layers to obtain the contributions of each input channel by the last layer. We take the resulting last layer of rollout weights for all channels, where the target is the `[CLS]` token, normalize within subject, and scale by ROC AUC to obtain the Scaled Attention Weight per channel. Finally, we plot the 0.75 percentile weight per region, as mapped by the Destrieux atlas (Destrieux et al., 2010) using Nilearn (contributors).



Figure 12: **Schematic of connectivity analysis** To determine the influence of some channel, i, on another channel j, we first measure the baseline performance of the pretrained PopT on the replace-only objective. Then, we omit i from the input, and measure how the performance on the channel-wise objective is perturbed on j.

H CONNECTIVITY



Figure 13: **Electrode level connectivity.** Connectivity between all channels for the same subject shown in Figure 8. Outliers at the 2-percentile are snapped to color map floor and ceiling.

Subject	Correlation
Subject 1	0.42
Subject 2	0.66
Subject 3	0.54
Subject 4	0.55
Subject 6	0.44
Subject 7	0.44
Subject 10	0.50

Table 7: Pearson's r correlation coefficients between connectivity matrices for test subjects shown in Table 7 and Figure 15.



Figure 14: **Region connectivity for test subjects.** Continued from Figure 8; this figures shows the rest of the test subjects. We compare between traditional connectivity analaysis performed via coherence (top row in each section) and the analysis based on our PopT pretrained weights (bottom row in each section). We note that our analysis usually recovers the strongest points of connectivity fromt the traditional analysis. Coherence was computed using scikit-learn's (Pedregosa et al., 2011) `signal.coherence`.



Figure 15: **Electrode connectivity for test subjects.** Continued from Appendix H; this figures shows the rest of the test subjects. Order is given as in Figure 14.

I FUNCTIONAL BRAIN REGION COMPARISON



Figure 16: **Scaled Attention Weight vs Fraction of Significant Electrodes per Desikan Killiany region for the Word Onset task.** Fraction of word-onset significant electrodes from Wang et al. (2024). Across regions, the Pearson's r correlation coefficient is 0.4 between the scores delivered by both analyses.



Figure 17: **Qualitative comparison of functional maps as identified by our method vs traditional measures.** (a) Our method: Scaled Attention Weights. (b) Traditional method: Fraction of Word-Onset Significant Electrodes. General functional maps are similar between the two techniques, with more brain regions identified to be involved using our attention weight technique.

J FROZEN SCALING



Figure 18: **Pretraining is critical to frozen PopT performance that scales with the number of channels.** As in Figure 3, we see that pretraining results in better downstream decoding and better scaling with the number of added channels. However, unlike in Figure 3, the PopT weights are frozen during fine-tuning, and only the linear classification head is updated. Bands show standard error across subjects. Results are shown for a frozen PopT with BrainBERT inputs.

K FROZEN ABLATION

	Sentence onset	Speech/Non-speech	Pitch	Volume
Frozen PopT	$\mathbf{0.73 \pm 0.06}$	$\mathbf{0.72 \pm 0.08}$	0.59 ± 0.06	$\mathbf{0.63 \pm 0.07}$
w/o cls	0.67 ± 0.08	0.68 ± 0.07	0.58 ± 0.04	0.60 ± 0.07
w/o replace loss	0.69 ± 0.07	0.69 ± 0.09	$\mathbf{0.59 \pm 0.06}$	0.62 ± 0.06
w/o position encoding	0.70 ± 0.07	0.69 ± 0.07	0.56 ± 0.08	0.61 ± 0.06
w/o Gaussian fuzzing	0.71 ± 0.08	0.72 ± 0.08	0.55 ± 0.07	0.61 ± 0.07

Table 8: An ablation study of the components of our approach for the frozen PopT. During pretraining, we alternate using either only the CLS or token contrastive component of the loss. We fine-tune these weights on all subjects. We find that both components contribute to the full model's performance.

L INDIVIDUAL SUBJECT PRETRAIN SCALING

Scaling with number of pretraining subjects

We find a consistent improvement in downstream decoding when we increase the number of pretraining subjects available across all our downstream decoding tasks Figure 19.



Figure 19: **Pretraining with more subjects leads to better downstream performance.** We pretrain PopT with different number of subjects (colors) and test on our decoding tasks (x-axis). Bars indicate mean and standard error of performance across channel ensembles 5-30 on a held out test subject. Pretraining with one subject gives a considerable benefit compared to no pretraining (red to yellow), but the addition of more subjects to pretraining consistently improves performance (yellow $\rightarrow$ green).