word2ket: SPACE-EFFICIENT WORD EMBEDDINGS INSPIRED BY QUANTUM ENTANGLEMENT

Anonymous authors
Paper under double-blind review

ABSTRACT

Deep learning natural language processing models often use vector word embeddings, such as word2vec or GloVe, to represent words. A discrete sequence of words can be much more easily integrated with downstream neural layers if it is represented as a sequence of continuous vectors. Also, semantic relationships between words, learned from a text corpus, can be encoded in the relative configurations of the embedding vectors. However, storing and accessing embedding vectors for all words in a dictionary requires large amount of space, and may stain systems with limited GPU memory. Here, we used approaches inspired by quantum computing to propose two related methods, *word2ket* and *word2ketXS*, for storing word embedding matrix during training and inference in a highly efficient way. Our approach achieves a hundred-fold or more reduction in the space required to store the embeddings with almost no relative drop in accuracy in practical natural language processing tasks.

1 INTRODUCTION

Modern deep learning approaches for natural language processing (NLP) often rely on vector representation of words to convert discrete space of human language into continuous space best suited for further processing through a neural network. For a language with vocabulary of size d, a simple way to achieve this mapping is to use one-hot representation – each word is mapped to its own row of a $d \times d$ identity matrix. There is no need to actually store the identity matrix in memory, it is trivial to reconstruct the row from the word identifier. Word embedding approaches such as word2vec (Mikolov et al., 2013) or GloVe (Pennington et al., 2014) use instead vectors of dimensionality p much smaller than d to represent words, but the vectors are not necessarily extremely sparse nor mutually orthogonal. This has two benefits: the embeddings can be trained on large text corpora to capture the semantic relationship between words, and the downstream neural network layers only need to be of width proportional to p, not d, to accept a word or a sentence. We do, however, need to explicitly store the $d \times p$ embedding matrix in GPU memory for efficient access during training and inference. Vocabulary sizes can reach $d = 10^5$ or 10^6 (Pennington et al., 2014), and dimensionality of the embeddings used in current systems ranges from $p = 300$ (Mikolov et al., 2013; Pennington et al., 2014) to $p = 1024$ (Devlin et al., 2018). The $d \times p$ embedding matrix thus becomes a substantial, often dominating, part of the parameter space of a learning model.

In classical computing, information is stored in bits – a single bit represents an element from the set $\mathbb{B} = \{0, 1\}$, it can be in one of two possible states. A quantum equivalent of a bit, a qubit, represents a ray in a two-dimensional projective complex Hilbert space – an arbitrary single state of a qubit is fully described by a single two-dimensional complex unit-norm vector, that is, an element from the set $\mathbb{C}^2$. A state of an n-qubit quantum register corresponds to a vector in $\mathbb{C}^{2^n}$. To have exponential dimensionality of the state space, though, the qubits in the register have to be interconnected so that their states can become entangled; a set of all possible states of n completely separated, independent qubits can be fully represented by $\mathbb{C}^{2n}$ instead of $\mathbb{C}^{2^n}$. Entanglement is a purely quantum phenomenon – we can make quantum bits interconnected, so that a state of a two-qubit system cannot be decomposed into states of individual qubits. We do not see entanglement in classical bits, which are always independent – we can describe a byte by separately listing the state of each of the eight bits. It is hypothesized that a machine with fewer than a hundred entangled

qubits[1] would be able to achieve quantum supremacy, that is, solve problems large enough to be beyond reach of classical supercomputers (Neill et al., 2018).

A quantum computing device capable of keeping a large number of entangled qubits in a coherent state, and of manipulating them, may not be readily available yet. We can, however, simulate a quantum register using classical memory, and then manipulate it using classical processor. Quantum simulators that faithfully, up to a given numerical precision, represent and manipulate multi-qubit registers are available (LaRose, 2019), but they can only reach a limited number of qubits. Their use in machine learning is not widespread, since quantum algorithms are severely constrained; only unitary gates (invertible linear transforms) and measurement gates (projections onto stochastically chosen single basis vectors) are allowed. The alternative avenue we explore here is to approximate a quantum register instead of simulating it – that is, to store vectors of size m using $O(\log m)$ space, at the cost of losing the ability to express all possible m-dimensional vectors that an actual $O(\log m)$-qubit quantum register would be able to represent. As we show in this paper, the loss of representation power does not have a significant impact on NLP machine learning algorithms that use the approximation approaches to store and manipulate the high-dimensional word embedding matrix.

1.1 Our Contribution

Here, we used approaches inspired by quantum computing to propose two related methods, *word2ket* and *word2ketXS*, for storing word embedding matrix during training and inference in a highly efficient way[2]. The first method operates independently on the embedding of each word, allowing for more efficient processing, while the second method operates jointly on all word embeddings, offering even higher efficiency in storing the embedding matrix, as the cost of more complex processing. Empirical evidence from three NLP tasks shows that the new *word2ket* embeddings offer high space saving rate at little cost in terms of accuracy of the downstream NLP model.

2 From Tensor Product Spaces to *word2ket* Embeddings

2.1 Tensor Product Space

Consider two separable[3] Hilbert spaces $\mathcal{V}$ and $\mathcal{W}$. A *tensor product space* of $\mathcal{V}$ and $\mathcal{W}$, denoted as $\mathcal{V} \otimes \mathcal{W}$, is a separable Hilbert space $\mathcal{H}$ constructed using ordered pairs $v \otimes w$, where $v \in \mathcal{V}$ and $w \in \mathcal{W}$. In the tensor product space, the addition and multiplication in $\mathcal{H}$ have the following properties

$$\begin{aligned} c\{v \otimes w\} &= \{cv\} \otimes w = v \otimes \{cw\}, \\ v \otimes w + v' \otimes w &= \{v + v'\} \otimes w, \\ v \otimes w + v \otimes w' &= v \otimes \{w + w'\}. \end{aligned} \tag{1}$$

The inner product between $v \otimes w$ and $v' \otimes w'$ is defined as a product of individual inner products

$$\langle v \otimes w, v' \otimes w' \rangle = \langle v, v' \rangle \langle w, w' \rangle. \tag{2}$$

It immediately follows that $||v \otimes w|| = ||v|| \, ||u||$; in particular, a tensor product of two unit-norm vectors, from $\mathcal{V}$ and $\mathcal{W}$, respectively, is a unit norm vector in $\mathcal{V} \otimes \mathcal{W}$. The Hilbert space $\mathcal{V} \otimes \mathcal{W}$ is a space of equivalence classes of pairs $v \otimes w$; for example $\{cv\} \otimes w$ and $v \otimes \{cw\}$ are equivalent ways to write the same vector. A vector in a tensor product space is often simply called a *tensor*.

[1] Logical qubits; many more physical qubits may be needed to give rise, with the help of error correction algorithms, to stable logical qubits.

[2] In Dirac notation popular in quantum mechanics and quantum computing, a vector $u \in \mathbb{C}^{2^n}$ is written as $|u\rangle$, and called a *ket*.

[3] That is, with countable orthonormal basis.

Let $\{\psi_j\}$ and $\{\phi_k\}$ be orthonormal basis sets in $\mathcal{V}$ and $\mathcal{W}$, respectively. From eq. 1 and 2 we can see that

$$\left\{\sum_j c_j \psi_j\right\} \otimes \left\{\sum_k d_k \phi_k\right\} = \sum_j \sum_k c_j d_k \psi_j \otimes \phi_k,$$
$$\langle \psi_j \otimes \phi_k, \psi_{j'} \otimes \phi_{k'} \rangle = \delta_{j-j'} \delta_{k-k'},$$

where δ_z is the Kronecker delta, equal to one at $z = 0$ and to null elsewhere. That is, the set $\{\psi_j \otimes \phi_k\}_{jk}$ forms an orthonormal basis in $\mathcal{V} \otimes \mathcal{W}$, with coefficients indexed by pairs jk and numerically equal to the products of the corresponding coefficients in $\mathcal{V}$ and $\mathcal{W}$. We can add any pairs of vectors in the new spaces by adding the coefficients. The dimensionality of $\mathcal{V} \otimes \mathcal{W}$ is the product of dimensionalities of $\mathcal{V}$ and $\mathcal{W}$.

We can create tensor product spaces by more than one application of tensor product, $\mathcal{H} = \mathcal{U} \otimes \mathcal{V} \otimes \mathcal{W}$, with arbitrary bracketing, since tensor product is associative. Tensor product space of the form

$$\bigotimes_{j=1}^{n} \mathcal{H}_j = \mathcal{H}_1 \otimes \mathcal{H}_2 \otimes \ldots \otimes \mathcal{H}_n$$

is said to have tensor *order*[4] of n.

2.2 Entangled Tensors

Consider $\mathcal{H} = \mathcal{V} \otimes \mathcal{W}$. We have seen the addition property $v \otimes w + v' \otimes w = \{v + v'\} \otimes w$ and similar property with linearity in the first argument – tensor product is bilinear. We have not, however, seen how to express $v \otimes w + v' \otimes w'$ as $\phi \otimes \psi$ for some $\phi \in \mathcal{V}$, $\psi \in \mathcal{W}$. In many cases, while the left side is a proper vector from the tensor product space, it is not possible to find such ϕ and ψ. The tensor product space contains not only vectors of the form $v \otimes w$, but also their linear combinations, some of which cannot be expressed as $\phi \otimes \psi$. For example, $\sum_{j=0}^{1} \sum_{k=1}^{1} \frac{\psi_j \otimes \phi_k}{\sqrt{4}}$ can be decomposed as $\left\{\sum_{j=0}^{1} \frac{1}{\sqrt{2}} \psi_j\right\} \otimes \left\{\sum_{k=1}^{1} \frac{1}{\sqrt{2}} \phi_k\right\}$. On the other hand, $\frac{\psi_0 \otimes \phi_0 + \psi_1 \otimes \phi_1}{\sqrt{2}}$ cannot; no matter what we choose as coefficients a, b, c, d, we have

$$\begin{aligned}\frac{1}{\sqrt{2}} \psi_0 \otimes \phi_0 + \frac{1}{\sqrt{2}} \psi_1 \otimes \phi_1 &\neq (a\psi_0 + b\psi_1) \otimes (c\phi_0 + d\phi_1) \\ &= ac\psi_0\phi_0 + bd\psi_1\phi_1 + ad\psi_0\phi_1 + bc\psi_1\phi_0,\end{aligned}$$

since we require $ac = 1/\sqrt{2}$, that is, $a \neq 0$, $c \neq 0$, and similarly $bd = 1/\sqrt{2}$, that is, $b \neq 0$, $c \neq 0$, yet we also require $bd = ad = 0$, which is incompatible with $a, b, c, d \neq 0$.

For tensor product spaces of order n, that is, $\bigotimes_{j=1}^{n} \mathcal{H}_j$, tensors of the form $v = \bigotimes_{j=1}^{n} v_j$, where $v_j \in \mathcal{H}_j$, are called *simple*. Tensor *rank*[5] of a tensor v is the smallest number of simple tensors that sum up to v; for example, $\frac{\psi_0 \otimes \phi_0 + \psi_1 \otimes \phi_1}{\sqrt{2}}$ is a tensor of rank 2. Tensors with rank greater than one are called *entangled*. Maximum order of a tensor in a tensor product space of order higher than two is not known in general (Buczyński & Landsberg, 2013).

2.3 The *word2ket* Embeddings

A p-dimensional word embedding model involving a d-token vocabulary is[6] a mapping $f : [d] \to \mathbb{R}^p$, that is, it maps word identifiers into a p-dimensional real Hilbert space, an inner product space with the standard inner product $\langle \cdot, \cdot \rangle$ leading to the L_2 norm. Function f is trained to capture semantic information from the language corpus it is trained on, for example, two words i, j with

[4]Note that some sources alternatively call n a degree or a rank of a tensor. Here, we use tensor rank to refer to a property similar to matrix rank, see below.

[5]Note that some authors use rank to denote what we above called order. In the nomenclature used here, a vector space of $n \times m$ matrices is isomorphic to a tensor product space of order 2 and dimensionality mn, and individual tensors in that space can have rank of up to $\min(m, n)$.

[6]We write $[d] = \{0, ..., d\}$.

$\langle f(i), f(j) \rangle \sim 0$ are semantically unrelated. In practical implementations, we represent f as a collection of vectors $f_i \in \mathbb{R}^p$ indexed by i, typically in the form of $d \times p$ matrix M, with embeddings of individual words as rows.

We propose to represent an embedding $v \in \mathbb{R}^p$ of each a single word as an entangled tensor. Specifically, in *word2ket*, we use tensor of rank r and order n of the form

$$v = \sum_{k=1}^{r} \bigotimes_{j=1}^{n} v_{jk}, \tag{3}$$

where $v_{jk} \in \mathbb{R}^q$. The resulting vector v has dimension $p = q^n$, but takes $rnq = O\left(rq \log q \log p\right)$ space. We use $q \geq 4$; it does not make sense to reduce it to $q = 2$ since a tensor product of two vectors in $\mathbb{R}^2$ takes the same space as a vector in $\mathbb{R}^4$, but not every vector in $\mathbb{R}^4$ can be expressed as a rank-one tensor in $\mathbb{R}^2 \otimes \mathbb{R}^2$.

If the downstream computation involving the word embedding vectors is limited to inner products of embedding vectors, there is no need to explicitly calculate the q^n-dimensional vectors. Indeed, we have (see eq. 2)

$$\langle v, w \rangle = \left\langle \sum_{k=1}^{r} \bigotimes_{j=1}^{n} v_{jk}, \sum_{k=1}^{r} \bigotimes_{j=1}^{n} w_{jk} \right\rangle = \sum_{k=1}^{r} \prod_{j=1}^{n} \langle v_{jk}, w_{jk} \rangle .$$

Thus, the calculation of inner product between two p-dimensional word embeddings, v and w, represented via *word2ket* takes $O\left(rq \log q \log p\right)$ time and $O\left(1\right)$ additional space.

In most applications, a small number of embedding vectors do need to be made available for processing through subsequent neural network layers – for example, embeddings of all words in all sentences in a batch. For a batch consisting of b words, the total space requirement is $O\left(bp + rq \log q \log p\right)$, instead of $O\left(rp\right)$ in traditional word embeddings.

Reconstructing a single p-dimensional word embedding vector from a tensor of rank r and order n takes $O\left(rn \log_2 p\right)$ arithmetic operations. To facilitate parallel processing, we arrange the order-n tensor product space into a balanced tensor product tree (see Figure 1), with the underlying vectors v_{jk} as leaves, and v as root. For example, for $n = 4$, instead of $v = \sum_k ((v_{1k} \otimes v_{2k}) \otimes v_{3k}) \otimes v_{4k}$ we use $v = \sum_k (v_{1k} \otimes v_{2k}) \otimes (v_{3k}) \otimes v_{4k})$. Instead of performing n multiplications sequentially, we can perform them in parallel along branches of the tree, reducing the length of the sequential processing to $O\left(\log_2 n\right)$.

Typically, word embeddings are trained using gradient descent. The proposed embedding representation involves only differentiable arithmetic operations, so gradients with respect to individual elements of vectors v_{jk} can always be defined. With the balanced tree structure, *word2ket* representation can be seen as a sequence of $O\left(\log_2 n\right)$ linear layers with linear activation functions, where n is already small. Still, the gradient of the embedding vector v with respect to an underlying tunable parameters v_{lk} involves products $\partial \left(\sum_k \prod_{j=1}^{n} v_{jk} \right) / \partial v_{lk} = \prod_{j \neq l} v_{jk}$, leading to potentially high Lipschitz constant of the gradient, which may harm training. To alleviate this problem, at each node in the balanced tensor product tree we use LayerNorm (Ba et al., 2016).

3 Linear Operators in Tensor Product Spaces and *word2ketXS*

3.1 Linear Operators in Tensor Product Spaces

Let $A : \mathcal{V} \to \mathcal{U}$ be a linear operator that maps vectors from Hilbert space $\mathcal{V}$ into vector in Hilbert space $\mathcal{U}$; that is, for $v, v', \in \mathcal{V}$, $\alpha, \beta \in \mathbb{R}$, the vector $A(\alpha v + \beta v') = \alpha A v + \beta A v'$ is a member of $\mathcal{U}$. Let us also define a linear operator $B : \mathcal{W} \to \mathcal{Y}$.

A mapping $A \otimes B$ is a linear operator that maps vectors from $\mathcal{V} \otimes \mathcal{W}$ into vectors in $\mathcal{U} \otimes \mathcal{Y}$. We define $A \otimes B : \mathcal{V} \otimes \mathcal{W} \to \mathcal{U} \otimes \mathcal{Y}$ through its action on simple vectors and through linearity

$$(A \otimes B) \left(\sum_{jk} \psi_j \otimes \phi_k \right) = \sum_{jk} (A \psi_j) \otimes (B \phi_k),$$

for $\psi_j \in \mathcal{V}$ and $\phi_k \in \mathcal{U}$. Same as for vectors, tensor product of linear operators is bilinear

$$\left(\sum_j a_j A_j\right) \otimes \left(\sum_k b_k B_k\right) = \sum_{jk} a_j b_k \left(A_j \otimes B_k\right).$$

In finite-dimensional case, for $n \times n'$ matrix representation of linear operator A and $m \times m'$ matrix representing B, we can represent $A \otimes B$ as an $mn \times m'n'$ matrix composed of blocks $a_{jk}B$.

3.2 THE *word2ketXS* EMBEDDINGS

We can see a p-dimensional word embedding model involving a d-token vocabulary as a linear operator $F : \mathbb{R}^d \to \mathbb{R}^p$ that maps the one-hot vector corresponding to a word into the corresponding word embedding vector. Specifically, if e_i is the i-th basis vector in $\mathbb{R}^d$ representing i-th word in the vocabulary, and v_i is the embedding vector for that word in $\mathbb{R}^p$, then the word embedding linear operator is $F = \sum_{i=1}^{d} v_i {e_i}^T$. If we store the word embeddings a $d \times p$ matrix M, we can then interpret that matrix's transpose, M^T, as the matrix representation of the linear operator F.

Consider q and t such that $q^n = p$ and $t^n = d$, and a series of n linear operators $F_j : \mathbb{R}^t \to \mathbb{R}^p$. A tensor product $\bigotimes_{j=1}^{n} F_j$ is a $\mathbb{R}^d \to \mathbb{R}^p$ linear operator. In *word2ketXS*, we represent the $d \times p$ word embedding matrix as

$$F = \sum_{k=1}^{r} \bigotimes_{j=1}^{n} F_{jk}, \tag{4}$$

where F_{jk} can be represented by a $q \times t$ matrix. The resulting matrix F has dimension $p \times d$, but takes $rnqt = O\left(rq \log qt \log t \log p \log d\right)$ space. Intuitively, the additional space efficiency comes from applying tensor product-based exponential compression not only horizontally, individually to each row, but horizontally and vertically at the same time, to the whole embedding matrix.

We use the same balanced binary tree structure as in *word2ket*. To avoid reconstructing the full embedding matrix each time a small number of rows is needed for a multiplication by a weight matrix in the downstream layer of the neural NLP model, which would eliminate any space saving, we use lazy tensors (Gardner et al., 2018; Charlier et al., 2018). If A is an $m \times n$ matrix and matrix



Figure 1: Architecture of the word2ket (left) and word2ketXS (right) embeddings. The word2ket example depicts a representation of a single-word 256-dimensional embedding vector using rank 5, order 4 tensor $\sum_{k=1}^{5} \bigotimes_{j=1}^{4} v_{jk}$ that uses twenty 4-dimensional vectors v_{jk} as the underlying trainable parameters. The word2ketXS example depicts representation of a full 81-word, 16-dimensional embedding matrix as $\sum_{k=1}^{5} \bigotimes_{j=1}^{4} F_{jk}$ that uses twenty 3×2 matrices F_{jk} as trainable parameters.

B is $p \times q$, then ij^{th} entry of $A \otimes B$ is equal to

$$(A \otimes B)_{ij} = a_{\lfloor (i-1)/p \rfloor + 1, \lfloor (j-1)/q \rfloor + 1} b_{i - \lfloor (i-1)/p \rfloor p, j - \lfloor (j-1)/q \rfloor q}.$$

As we can see, reconstructing a row of the full embedding matrix involves only single rows of the underlying matrices, and can be done efficiently using lazy tensors.

4 Experimental Evaluation of *word2ket* and *word2ketXS* in Downstream NLP Tasks

In order to evaluate the ability of the proposed space-efficient word embeddings in capturing semantic information about words, we used them in three different downstream NLP tasks: text summarization, language translation, and question answering. In all three cases, we compared the accuracy in the downstream task for the proposed space-efficient embeddings with the accuracy achieved by regular embeddings, that is, embeddings that store p-dimensional vectors for d-word vocabulary using a single $d \times p$ matrix.

Table 1: Results for the GIGAWORD text summarization task using Rouge-1, Rouge-2, and Rouge-L metrics. The space saving rate is defined as the total number of parameters for the embedding divided by the total number of parameters in the corresponding regular embedding.

Embedding	**Order/Rank**	**Dim**	**RG-1**	**RG-2**	**RG-L**	**#Params**	**Space Saving Rate**
Regular	1/1	256	35.80	16.40	32.47	7,789,568	1
word2ket	4/1	256	33.65	14.87	30.47	486,848	16
word2ketXS	2/10	400	35.19	16.21	31.76	70,000	111
word2ketXS	4/1	256	34.05	15.39	30.75	224	34,775
Regular	1/1	8,000	36.71	17.48	33.37	243,424,000	1
word2ketXS	2/10	8000	35.17	16.35	31.72	19,200	12,678

In text summarization experiments, we used the GIGAWORD text summarization dataset (Graff et al., 2003) using the same preprocessing as (Chen et al., 2019), that is, using 200K examples in training. We used an encoder-decoder sequence-to-sequence architecture with bidirectional forward-backward RNN encoder and an attention-based RNN decoder (Luong et al., 2015), as implemented in PyTorch-Texar Hu et al. (2018). In both the encoder and the decoder we used 256 units and dropout rate of 0.2, and trained the models for 20 epochs. We used the validation set to select the best model epoch, and reported results on a separate test set. We used Rouge 1, 2, and L scores (Lin, 2004). In addition to testing the regular dimensionality of 256, we also explored 400, and 8000.

The results in Table 1 show that word2ket can achieve 16-fold reduction in trainable parameters at the cost of a drop of Rouge scores by about 2 points. As expected, word2ketXS is much more space-efficient, matching the scores of word2ket while allowing for 34,000 fold reduction in trainable parameters. More importantly, it offers over 100-fold space reduction while reducing the Rouge scores by only about 0.5. Thus, in the evaluation on the remaining two NLP tasks we focused on word2ketXS.

Table 2: Results for the IWSLT2014 German-to-English machine translation task. The space saving rate is defined as the total number of parameters for the embedding divided by the total number of parameters in the corresponding regular embedding.

Embedding	**Order/Rank**	**Dimensionality**	**BLEU**	**#Params**	**Space Saving Rate**
Regular	1/1	256	26.44	8,194,816	1
word2ketXS	2/30	400	25.97	214,800	38
word2ketXS	2/10	400	25.33	71,600	114
word2ketXS	3/10	1000	25.02	9,600	853

Table 3: Results for the Stanford Question Answering task using DrQA model. The space saving rate is defined as the total number of parameters for the embedding divided by the total number of parameters in the corresponding regular embedding.

Embedding	**Order/Rank**	**F1**	**#Params**	**Space Saving Rate**
Regular	1	72.73	35,596,500	1
word2ketXS	2/2	72.23	24,840	1,433
word2ketXS	4/1	70.65	380	93,675

The second task we explored is German-English machine translation, using the IWSLT2014 (DE-EN) dataset of TED and TEDx talks as preprocessed in (Ranzato et al., 2016). We used the same sequence-to-sequence model as in GIGAWORD summarization task above. We used BLEU score to measure test set performance. We explored embedding dimensions of 100, 256, 400, 1000, and 8000 by using different values for the tensor order and the dimensions of the underlying matrices F_{jk}. The results in Table 2 show a drop of about 1 point on the BLEU scale for 100-fold reduction in the parameter space, with drops of 0.5 and 1.5 for lower and higher space saving rates, respectively.

The third task we used involves the Stanford Question Answering Dataset (SQuAD) dataset. We used the DrQA's model (Chen et al., 2017) with default parameters. We trained the model for 40 epochs and reported the test set F1 score. DrQA uses an embedding with vocabulary size of 118,655 and embedding dimensionality of 300. As the embedding matrix is larger, we can increase the tensor order in word2ketXS to four, which allows for much higher space savings.

Results in Table 3 show a 0.5 point drop in F1 score with 1000-fold saving of the parameter space required to store the embeddings. For order-4 tensor word2ketXS, we see almost 10^5-fold space saving rate, at the cost of a drop of F1 by less than two points, that is, by a relative drop of less than 3%. We also investigated the computational overhead introduced by the word2ketXS embeddings. For tensors order 2, the training time for 40 epochs increased from 5.8 for the model using regular embedding to 7.4 hours for the word2ketXS-based model. Using tensors of order 4, to gain additional space savings, increased the time to 9 hours. Each run was executed on a single NVIDIA Tesla V100 GPU card, on a machine with 2 Intel Xeon Gold 6146 CPUs and 384 GB RAM. While the training time increased, as shown in Fig. 3, the dynamics of model training remains largely unchanged.



Figure 2: Dynamics of the test-set F1 score on SQuAD dataset using DrQA model with different embeddings, for rank-2 order-2 word2ketXS, for rank-1 order-4 word2ketXS, for for the regular embedding.

CONTEXT:
The 8- and 10-county definitions are not used for the greater Southern California Megaregion, one of the 11 megaregions of the United States. The megaregion's area is more expansive, extending east into Las Vegas, Nevada, and south across the Mexican border into Tijuana.

Question	True Answers	Model Prediction
What is the name of the region that is not defined by the eight or 10 county definitions?	Southern California Megaregion, the greater Southern California Megaregion	greater Southern California Megaregion
How many megaregions are there in the United States?	11	11
What is the name of the state that the megaregion expands to in the east?	Nevada	Southern California Megaregion
Which border does the megaregion extend over?	Mexican	Tijuana
What is the name of the area past the border that the megaregion extends into?	Tijuana	Tijuana

CONTEXT:
In 1900, the Los Angeles Times defined southern California as including "the seven counties of Los Angeles, San Bernardino, Orange, Riverside, San Diego, Ventura and Santa Barbara." In 1999, the Times added a newer county—Imperial—to that list.

Question	True Answers	Model Prediction
Which newspaper defined southern California?	Los Angeles Times, the Los Angeles Times	Los Angeles Times
In which year did the newspaper define southern California?	1900	1900
In which year did the newspaper change its previous definition?	1999	1900
What was the newer county added to the list?	Imperial	Imperial
How many counties initially made up the definition of southern California?	seven	seven

Figure 3: Test set questions and answers from DrQA model trained using rank-1 order-4 word2ketXS embedding that utilizes only 380 parameters (four 19×5 matrices F_{jk}, see eq. 4) to encode the full, 118,655-word embedding matrix.

4.1 Related Work

Recent successful transformer models like BERT by (Devlin et al., 2018), GPT-2 by (Radford et al., 2019), RoBERTa by (Liu et al., 2019) and Sparse Transformers by (Child et al., 2019) require hundreds of millions of parameters to work. In $\text{RoBERTa}_{\text{BASE}}$, 30% of the parameters belong to the word embeddings. Given the current hardware limitation for training and inference, it is crucial to be able to decrease the amount of memory these networks requires to work.

A number of approaches have been used in lowering the space requirements for word embeddings. Dictionary learning (Shu & Nakayama, 2018) and word embedding clustering (Andrews, 2016) approaches have been proposed. An optimized method for uniform quantization of floating point numbers in the embedding matrix has been proposed recently (May et al., 2019). To compress a model for low-memory inference, (Han et al., 2015) used pruning and quantization for lowering the number of parameters. For low-memory training sparsity (Mostafa & Wang, 2019) (Gale et al., 2019) (Sohoni et al., 2019) and low numerical precision (De Sa et al., 2018) (Micikevicius et al., 2017) approaches were proposed. In approximating matrices in general, Fourier-based approximation methods have also been used (Zhang et al., 2018; Avron et al., 2017). None of these approaches can mach space saving rates achieved by word2ketXS.

References

Martin Andrews. Compressing word embeddings. In *International Conference on Neural Information Processing*, pp. 413–422. Springer, 2016.

Haim Avron, Michael Kapralov, Cameron Musco, Christopher Musco, Ameya Velingker, and Amir Zandieh. Random Fourier features for kernel ridge regression: Approximation bounds and statistical guarantees. In *Proceedings of the 34th International Conference on Machine Learning*, pp. 253–262, 2017.

Jimmy Lei Ba, Jamie Ryan Kiros, and Geoffrey E Hinton. Layer normalization. *arXiv preprint arXiv:1607.06450*, 2016.

Jarosław Buczyński and Joseph M Landsberg. Ranks of tensors and a generalization of secant varieties. *Linear Algebra and its Applications*, 438(2):668–689, 2013.

Benjamin Charlier, Jean Feydy, and Joan Glaunes. KeOps: Calcul rapide sur GPU dans les espaces à noyaux, 2018.

Danqi Chen, Adam Fisch, Jason Weston, and Antoine Bordes. Reading Wikipedia to answer open-domain questions. *arXiv preprint arXiv:1704.00051*, 2017.

Liqun Chen, Yizhe Zhang, Ruiyi Zhang, Chenyang Tao, Zhe Gan, Haichao Zhang, Bai Li, Dinghan Shen, Changyou Chen, and Lawrence Carin. Improving sequence-to-sequence learning via optimal transport. *arXiv preprint arXiv:1901.06283*, 2019.

Rewon Child, Scott Gray, Alec Radford, and Ilya Sutskever. Generating long sequences with sparse transformers. *arXiv preprint arXiv:1904.10509*, 2019.

Christopher De Sa, Megan Leszczynski, Jian Zhang, Alana Marzoev, Christopher R Aberger, Kunle Olukotun, and Christopher Ré. High-accuracy low-precision training. *arXiv preprint arXiv:1803.03383*, 2018.

Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. Bert: Pre-training of deep bidirectional transformers for language understanding. *arXiv preprint arXiv:1810.04805*, 2018.

Trevor Gale, Erich Elsen, and Sara Hooker. The state of sparsity in deep neural networks. *CoRR*, abs/1902.09574, 2019. URL `http://arxiv.org/abs/1902.09574`.

Jacob Gardner, Geoff Pleiss, Kilian Q Weinberger, David Bindel, and Andrew G Wilson. GPyTorch: Blackbox matrix-matrix gaussian process inference with GPU acceleration. In *Advances in Neural Information Processing Systems*, pp. 7576–7586, 2018.

David Graff, Junbo Kong, Ke Chen, and Kazuaki Maeda. English gigaword. *Linguistic Data Consortium, Philadelphia*, 4(1):34, 2003.

Song Han, Huizi Mao, and William J Dally. Deep compression: Compressing deep neural networks with pruning, trained quantization and huffman coding. *arXiv preprint arXiv:1510.00149*, 2015.

Zhiting Hu, Haoran Shi, Bowen Tan, Wentao Wang, Zichao Yang, Tiancheng Zhao, Junxian He, Lianhui Qin, Di Wang, et al. Texar: A modularized, versatile, and extensible toolkit for text generation. *arXiv preprint arXiv:1809.00794*, 2018.

Ryan LaRose. Overview and comparison of gate level quantum software platforms. *Quantum*, 3: 130, 2019.

Chin-Yew Lin. Rouge: A package for automatic evaluation of summaries. In *Text summarization branches out*, pp. 74–81, 2004.

Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Mandar Joshi, Danqi Chen, Omer Levy, Mike Lewis, Luke Zettlemoyer, and Veselin Stoyanov. Roberta: A robustly optimized bert pretraining approach. *arXiv preprint arXiv:1907.11692*, 2019.

Minh-Thang Luong, Hieu Pham, and Christopher D Manning. Effective approaches to attention-based neural machine translation. In *Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing*, pp. 1412—1421, 2015.

Avner May, Jian Zhang, Tri Dao, and Christopher Ré. On the downstream performance of compressed word embeddings. In *Advances in Neural Information Processing Systems*, pp. arXiv:1909.01264, 2019.

Paulius Micikevicius, Sharan Narang, Jonah Alben, Gregory Diamos, Erich Elsen, David Garcia, Boris Ginsburg, Michael Houston, Oleksii Kuchaiev, Ganesh Venkatesh, et al. Mixed precision training. *arXiv preprint arXiv:1710.03740*, 2017.

Tomas Mikolov, Ilya Sutskever, Kai Chen, Greg S Corrado, and Jeff Dean. Distributed representations of words and phrases and their compositionality. In *Advances in Neural Information Processing Systems*, pp. 3111–3119, 2013.

Hesham Mostafa and Xin Wang. Parameter efficient training of deep convolutional neural networks by dynamic sparse reparameterization. In *International Conference on Machine Learning*, pp. 4646–4655, 2019.

Charles Neill, Pedran Roushan, K Kechedzhi, Sergio Boixo, Sergei V Isakov, V Smelyanskiy, A Megrant, B Chiaro, A Dunsworth, K Arya, et al. A blueprint for demonstrating quantum supremacy with superconducting qubits. *Science*, 360(6385):195–199, 2018.

Jeffrey Pennington, Richard Socher, and Christopher Manning. GloVe: Global vectors for word representation. In *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing*, pp. 1532–1543, 2014.

Alec Radford, Jeffrey Wu, Rewon Child, David Luan, Dario Amodei, and Ilya Sutskever. Language models are unsupervised multitask learners. *OpenAI Blog*, 1(8), 2019.

Marc'Aurelio Ranzato, Sumit Chopra, Michael Auli, and Wojciech Zaremba. Sequence level training with recurrent neural networks. In *International Conference on Learning Representations*, pp. arXiv:1511.06732, 2016.

Raphael Shu and Hideki Nakayama. Compressing word embeddings via deep compositional code learning. In *International Conference on Learning Representations*, pp. arXiv:1711.01068, 2018.

Nimit Sharad Sohoni, Christopher Richard Aberger, Megan Leszczynski, Jian Zhang, and Christopher Ré. Low-memory neural network training: A technical report. *CoRR*, abs/1904.10631, 2019. URL `http://arxiv.org/abs/1904.10631`.

Jian Zhang, Avner May, Tri Dao, and Christopher Ré. Low-precision random Fourier features for memory-constrained kernel approximation. *arXiv preprint arXiv:1811.00155*, 2018.