World Models for Policy Refinement in StarCraft II

Abstract

Large Language Models (LLMs) have recently shown strong reasoning capabilities, motivating their use in complex decision-making environments. StarCraft II (SC2), with its massive state-action space and partial observability, is a challenging testbed. However, existing LLM-based SC2 agents primarily focus on improving the policy itself, leaving the integration of a learnable, action-conditioned dynamics model into the decision loop largely unexplored. We propose *StarWM*, the first world model for SC2, which predicts short-horizon future observations under partial observability. To assess its impact on decision making, we develop *StarWM-Agent*, a world-model-augmented decision system that integrates StarWM into a *Generate–Simulate–Refine* decision loop for foresight-driven policy refinement. Extensive experiments show that StarWM substantially outperforms zero-shot baselines across multiple dimensions, while StarWM-Agent achieves consistent win-rate gains of 30%, 15%, and 30% against the SC2 built-in AI at Hard (LV5), Harder (LV6), and VeryHard (LV7), respectively. Code is available at https://anonymous.4open.science/r/starwm-anony-2406.

1 Introduction

In recent years, Large Language Models (LLMs) have demonstrated remarkable reasoning and generalization capabilities, extending their utility from general language tasks to complex decision-making scenarios (Yao et al., 2023; Schick et al., 2023; Wang et al., 2024). StarCraft II (SC2), with its enormous state-action space and imperfect information setting, serves as an ideal environment for testing the complex decision-making capabilities of LLMs. Recent work has explored LLM-based SC2 agents from multiple angles, including observation summarization and memory mechanisms (Ma et al., 2024; Qi et al., 2025b), augmenting inputs with external knowledge and multi-modal features (Li et al., 2025), and hierarchical designs that separate strategic planning from tactical execution (Shen et al., 2025). Despite these advances, most methods primarily focus on improving the *policy* itself, while leaving the integration of a learnable, action-conditioned dynamics model into the decision loop largely unexplored.

Cognitive science research indicates that when addressing complex tasks, humans often rely on internal world models to perform short-term simulation, adjusting their actions to avoid penalties and maximize rewards (Lake et al., 2017). In machine learning, world models have been extensively studied across multiple domains, such as model-based RL (Janner et al., 2019; Schrittwieser et al., 2019; Hafner et al., 2025) and autonomous driving (Wang et al., 2023; Russell et al., 2025). However, to the best of our knowledge, there is still no systematic study of world models for SC2. Earlier attempts such as StarCraft Defogger (Synnaeve et al., 2018) focus on *state extrapolation* ($P(s_{t+k} \mid o_{\leq t})$) rather than *action-conditioned dynamics modeling* ($P(s_{t+k} \mid o_{\leq t}, a_t)$), and thus cannot serve as a forward simulator for policy refinement.

We attribute the lack of SC2 world models to two major challenges. First, **learning SC2 dynamics is inherently challenging**: the environment exhibits strongly coupled hybrid dynamics, involving resource flows, task progression, micro-level unit kinematics, and combat evolution governed by damage mechanics, all under partial observability. Second, **decision integration is non-trivial**: even with a learned world model, it remains unclear how to seamlessly integrate predicted futures into an LLM's text-based decision process without resorting to expensive search algorithms.

To address these challenges, we propose **StarWM**, the first world model for SC2: a learnable *action-conditioned dynamics model* that predicts short-horizon future observations under par-

Figure 1: Case study comparing our world-model-augmented decision system (StarWM-Agent) with a policy that does not use a world model. Given the current observation, the LLM policy initially proposes *Build Supply Depot*. A 5-second rollout by the world model predicts that minerals will drop to 50 and the supply depot will be 23% complete, while unused supply remains 18. Based on this prediction, the system revises the action to *Train SCV*, avoiding premature infrastructure expenditure that would lead to mineral shortage. This example illustrates that incorporating a world model can improve macro-management decision-making.

tial observability. Specifically, we introduce a textual representation that factorizes SC2 observations into five semantic modules. Based on this representation, we construct **SC2-Dynamics-50K**, the first instruction-tuning dataset for SC2 dynamics prediction, and train StarWM via supervised fine-tuning. To comprehensively evaluate the learned world model, we develop a multi-dimensional offline evaluation framework tailored to SC2's hybrid dynamics, covering economy, development, micro-entities, and macro-situation. Finally, we develop **StarWM-Agent**, a world-model-augmented decision system that integrates StarWM into a *Generate–Simulate–Refine* decision loop for foresight-driven policy refinement. Offline evaluation results show that StarWM achieves substantial improvements over zero-shot baselines, including nearly 60% gains in resource prediction accuracy and self-side macro-situation consistency. Online tests of StarWM-Agent demonstrate consistent win-rate gains of 30%, 15%, and 30% against the SC2 built-in AI at Hard (LV5), Harder (LV6), and Very-Hard (LV7), respectively.

In summary, our main contributions are three-fold:

- **World Model for SC2 Dynamics:** We propose StarWM, the first world model for SC2, predicting short-horizon future observations under partial observability.

- **Dataset and Evaluation Framework:** We construct SC2-Dynamics-50K, the first instruction-tuning dataset for SC2 dynamics prediction, and develop a multi-dimensional offline evaluation framework tailored to SC2's hybrid dynamics.

- **World-Model-Augmented Decision System:**

We develop StarWM-Agent, which integrates StarWM into a *Generate–Simulate–Refine* decision loop for inference-time policy refinement and yields consistent improvements in online decision-making.

2 Related Work

2.1 World Models in Decision Making

Research on world models in decision making focuses on modeling environment dynamics to support policy improvement. In model-based RL, works such as DreamerV3 (Hafner et al., 2025) and MuZero (Schrittwieser et al., 2019) learn latent dynamics models for imagination-based optimization or online Monte Carlo Tree Search (MCTS), respectively. In autonomous driving, DriveWM (Wang et al., 2023) and GAIA-2 (Russell et al., 2025) use world models to generate high-fidelity video streams for online trajectory planning or offline long-tail data synthesis. In textual decision-making environments, methods such as RAP (Hao et al., 2023), Reflexion (Shinn et al., 2023), and Web-Dreamer (Gu et al., 2025) explore using LLMs as world models to simulate action consequences and estimate their values. However, to the best of our knowledge, prior work has not studied world models for SC2, a complex real-time strategy environment characterized by partial observability and coupled hybrid dynamics.

2.2 LLMs in StarCraft II

The success of AlphaStar (Vinyals et al., 2019) demonstrated the potential of end-to-end neural networks in SC2, but it relies on massive human data and league-based self-play training, with high computational costs and unverified out-of-distribution generalization. Recent work explores leveraging

the pre-training knowledge of LLMs to build more generalized and interpretable agents with lower training cost. Existing studies explore enhancing LLM decision performance from various dimensions: TextStarCraft II (Ma et al., 2024) proposes Chain of Summarization to compress observation histories; LLM-PySC2 (Li et al., 2025) introduces external Wiki knowledge and multi-modal observations. StarEvolve (Shen et al., 2025) employs a hierarchical framework to decouple strategic planning and tactical execution. Comm-CoT (Qi et al., 2025b) achieves task decomposition via multi-agent collaboration. MASMP (Qi et al., 2025a) introduces natural language state machines and strategic memory to constrain action generation. However, most existing methods focus on enhancing the LLM-based policy itself and have not systematically explored introducing a learnable dynamics model into the decision loop.

3 Method

3.1 Problem Modeling

We model SC2 as a Partially Observable Markov Decision Process (POMDP), represented as a tuple $\langle \mathcal{S}, \mathcal{A}, \mathcal{T}, \mathcal{R}, \Omega, \mathcal{O}, \gamma \rangle$, where $\mathcal{S}, \mathcal{A}, \Omega$ denote the state, action, and observation spaces; $\mathcal{T}(s' \mid s, a)$, $\mathcal{O}(o \mid s', a)$ and $\mathcal{R}(s, a)$ denote the transition, observation, and reward functions; and $\gamma \in [0, 1]$ is the discount factor. Under this formulation, it is crucial to distinguish the environment simulator from the world model studied in this work.

Environment Simulator vs. World Model

The **Environment Simulator (God View)**, such as the SC2 engine, operates on perfect information with access to the global state $s_t \in \mathcal{S}$. Its transition function $\mathcal{T} : \mathcal{S} \times \mathcal{A}_{\text{all}} \rightarrow \mathcal{S}$ calculates the next global state based on joint actions of all players. While it executes the environment's objective transition rules, it is inherently *inaccessible* to any player constrained by the Fog of War.

The **World Model (Player View)** studied in this paper is built on a single player's restricted perspective, under the Fog of War and imperfect information. It can only access local observations $o_t \in \Omega$ and faces epistemic uncertainty regarding global states and opponent intentions. We define the world model as a probabilistic, action-conditioned dynamics model that learns the distribution of future observations, rather than full-state transitions.

Formulation of Task

We formulate the world model's prediction task as follows: given the player's current observation o_t and a sequence of intended actions $a_{t:t+\tau}$, the world model $\mathcal{M}_\phi$ aims to predict the future observation $\hat{o}_{t+\tau}$ after τ seconds. Formally:

$$\hat{o}_{t+\tau} \sim P_{\mathcal{M}_\phi}(o_{t+\tau} \mid o_t, a_{t:t+\tau}). \quad (1)$$

This prediction task involves two key challenges:

- **Self-side Evolution:** Predicting the opponent-independent parts of the future observation, such as self-side resources, supply, technology, and production progress.

- **Opponent-Dependent Interaction:** Implicitly inferring possible opponent actions and the opponent-dependent parts of the future observation, such as visible hostile units and combat outcomes.

3.2 StarWM: A World Model for SC2

Textual Representation. The SC2 engine provides highly heterogeneous, structured information, including scalar values (e.g., minerals, gas, supply), categorical variables (e.g., unit types, upgrades), and spatial attributes (e.g., positions). To map them into an LLM-compatible text space, we serialize the engine-side observation x_t into a textual observation o_t, and action u_t into a textual action a_t,

$$o_t = \Phi(x_t), \quad a_t = \Psi(u_t), \quad (2)$$

where Φ denotes the observation-to-text operator and Ψ denotes the action-to-text operator.

Our key insight is that SC2 dynamics are inherently hybrid, governed by multiple distinct evolution mechanisms: resource changes are governed by accumulation and consumption; task progress follows deterministic temporal progression; unit movement follows spatial kinematics; and combat outcomes are driven by damage mechanics. Thus, we propose a textual observation representation, explicitly factorizing observation into five distinct semantic modules:

$$\Phi(x_t) = \big[f_{\text{info}}(x_t); \; f_{\text{queue}}(x_t); \; f_{\text{units}}(x_t); \\ f_{\text{struct}}(x_t); \; f_{\text{hostile}}(x_t) \big], \quad (3)$$

where f_{info} describes economy and status, f_{queue} records ongoing tasks with progress, f_{units} and f_{struct} describe self units and structures with their attributes, and f_{hostile} describes visible enemy entities. More details and examples of textual representation are provided in Appendix B.

Training Dataset. Based on this representation, we construct *SC2-Dynamics-50K*, a trajectory-based dataset for dynamics prediction. Specifically, we collect game trajectories using a rule-based scripted agent against the SC2 built-in AI, and convert each trajectory into textual training triples of the form $(o_t, a_{t:t+\tau}, o_{t+\tau})$, where $o_t = \Phi(x_t)$ and $o_{t+\tau} = \Phi(x_{t+\tau})$ are the current and future observations, and $a_{t:t+\tau} = \Psi(u_{t:t+\tau})$ is the action sequence executed from time t to $t + \tau$.

Training Objective. We train the *StarWM* by supervised fine-tuning (SFT) on SC2-Dynamics-50K. The training objective is the standard negative log-likelihood:

$$\mathcal{L}_{\text{SFT}} = -\sum_{\mathcal{D}} \log P_{\mathcal{M}_\phi}(o_{t+\tau} \mid o_t, a_{t:t+\tau}), \quad (4)$$

where $\mathcal{D}$ denotes the SC2-Dynamics-50K dataset. In this way, StarWM learns to model action-conditioned dynamics and predict future observations in Eq. 1 under partial observability.

3.3 Multi-Dimensional Offline Evaluation Framework

Existing text-overlap metrics such as BLEU (Papineni et al., 2002) and ROUGE (Lin, 2004) fail to capture numerical accuracy, spatial consistency, and transition-level correctness. Thus, we propose a multi-dimensional evaluation framework tailored to SC2's hybrid dynamics. Given a pair of ground-truth and predicted observations $(o_t, \hat{o}_t)$, we parse them into structured variables and evaluate them along four aspects:

Economy & Status. This dimension focuses on economy and status. We adopt the *Symmetric Mean Absolute Percentage Error (SMAPE)* for numerical prediction:

$$\text{SMAPE} = \frac{1}{T} \sum_{t=1}^{T} \frac{|y_t - \hat{y}_t|}{(|y_t| + |\hat{y}_t|)/2 + \epsilon}, \quad (5)$$

where y_t and $\hat{y}_t$ are the ground-truth and predicted values at time step t, T is the total number of evaluation steps, and ϵ ensures numerical stability. For sparse events such as Alerts and Upgrades, we report *F1* on active frames.

Development. This dimension focuses on ongoing tasks and their progress. We calculate *Queue F1* for task prediction accuracy, and *Progress MAE* for temporal progress estimation.

Micro-Entity. We evaluate unit existence and attribute accuracy using a hybrid matching strategy between predicted units p_j and ground-truth units g_i. A pair is counted as a true positive (TP) if either (i) *ID-anchored*: $id(p_j) = id(g_i)$, or (ii) *spatial-anchored*: $type(p_j) = type(g_i)$ and $\|pos(p_j) - pos(g_i)\|_2 \leq \delta$. Unmatched predictions are false positives (FP), and unmatched ground-truth units are false negatives (FN), from which we compute *Precision*, *Recall*, and *F1*. For matched pairs, we report attribute *MAE* on health and energy.

Macro-Situation. The macro situation can be characterized by the spatial distribution of entities from both players. To measure the difference between predicted and ground-truth spatial distributions, inspired by optimal transport (Villani et al., 2009), we introduce the **Augmented Wasserstein Distance (AWD)**. It calculates the minimum cost to transform the predicted distribution to the ground-truth distribution while penalizing unmatched entities. Given the ground-truth set $G = \{g_i\}_{i=1}^{M}$ and the predicted set $P = \{p_j\}_{j=1}^{N}$, we formulate a linear sum assignment problem with an augmented cost matrix:

$$\mathbf{C} = \begin{bmatrix} \mathbf{D}_{match} & \mathbf{D}_{miss} \\ \mathbf{D}_{halluc} & \mathbf{0} \end{bmatrix} \in \mathbb{R}^{(M+N)\times(N+M)}, \quad (6)$$

where $\mathbf{D}_{\text{match}} \in \mathbb{R}^{M \times N}$ contains pairwise Euclidean distance between predicted and ground-truth entities, with cross-type pairs assigned infinite cost. $\mathbf{D}_{\text{miss}} \in \mathbb{R}^{M \times M}$ and $\mathbf{D}_{\text{halluc}} \in \mathbb{R}^{N \times N}$ are diagonal matrices whose entries are set to a penalty λ to penalize unmatched units.

We solve the assignment problem using the Hungarian algorithm (Kuhn, 1955) to obtain the minimum total cost $\mathcal{L}_{total}$, and define the final metric:

$$\text{AWD} = \frac{\mathcal{L}_{total}}{M + N}. \quad (7)$$

Lower AWD indicates higher consistency with the ground-truth macro situation.

3.4 World-Model-Augmented Decision System

To study the effect of incorporating a world model into the decision loop, we develop *StarWM-Agent*, a world-model-augmented decision system that follows a *Generate–Simulate–Refine* pipeline for foresight-driven policy refinement. Given the current observation o_t, the policy π_θ first generates an initial action proposal

$$a_{\text{init}} = \pi_\theta(o_t), \quad (8)$$

Figure 2: Framework of our StarWM-Agent. The agent interacts with the SC2 engine via a textual interface and follows a *Generate–Simulate–Refine* decision loop: the policy first generates an initial action proposal from the current observation, the world model predicts the short-horizon future observation, and the policy then makes the final decision conditioned on the predicted future.

which is then simulated by the world model $\mathcal{M}_\phi$ to predict a short-horizon future observation

$$\hat{o}_{t+\tau} = \mathcal{M}_\phi(o_t, a_{\text{init}}). \qquad (9)$$

We then construct an augmented context

$$c_t = [o_t; a_{\text{init}}; \hat{o}_{t+\tau}], \qquad (10)$$

and obtain the final decision by a second policy call

$$a_{\text{final}} = \pi_\theta(c_t). \qquad (11)$$

As illustrated in Figure 2, this design exposes the predicted consequence of the initial actions to the policy, enabling inference-time action refinement without explicit search.

By incorporating a world model, StarWM-Agent obtains two dimensions of cognitive enhancement. At the macro-management level, StarWM extends the agent's effective time horizon by forecasting resource flow, supply, and task progress, enabling *pre-emptive planning* for upcoming bottlenecks (e.g., resource shortages or supply caps). At the micro-tactical level, StarWM serves as a lightweight combat-and-feasibility simulator, assisting in *assessing tactical risks* (e.g., unfavorable engagements) before execution.

4 Experiment

We evaluate our approach in both offline and online settings. Our experiments are designed to answer the following research questions: **RQ1:** Can a trajectory-trained, action-conditioned world model capture the hybrid dynamics of SC2? **RQ2:** Does integrating a learned world model into the decision loop improve overall decision-making performance?

4.1 Experimental Setup

Our experiments focus on Terran vs. Terran (TvT) games on the Flat64 map, a controlled setting that holds map and race fixed while still retaining most of SC2's hybrid dynamics and a large, complex state-action space, making it sufficient to evaluate our method and the two core research questions.

SC2-Dynamics-50K Dataset. Trajectories are collected by running a rule-based scripted agent against the SC2 built-in AI at Harder (LV6) and VeryHard (LV7), where both the scripted agent and the built-in AI use randomized strategy styles. For sample construction, we set the prediction horizon to 5 seconds (i.e., $\tau = 5$) with a sliding-window step of 1 second, yielding 50,407 training samples, 6,774 validation samples, and 6,579 test samples. Detailed dataset construction and diversity analysis are provided in Appendix C.1, while a full sample is presented in Appendix F.1.

World Model Training. We use Qwen3-8B (Team, 2025) as the backbone of StarWM and perform supervised fine-tuning (SFT) with LLaMA-Factory (Zheng et al., 2024). We adopt LoRA (Hu et al., 2022) with rank 8, a learning rate of 5×10^{-5}, and train for 10 epochs on 8×H100 GPUs.

Offline Evaluation Settings. We compare StarWM against three baselines: Static Bias (copying the input observation as the prediction), Qwen3-8B (zero-shot), and Qwen3-32B (zero-shot). Detailed settings are provided in Appendix C.2.

Online Testing Settings. We use the zero-shot Qwen3-8B and Qwen3-32B policies in SC2Arena (Shen et al., 2025) as policy baselines. Online matches are conducted against the SC2 built-in AI at Hard (LV5), Harder (LV6), and VeryHard (LV7) with randomized strategy styles. To comprehensively characterize decision quality, we report multiple online metrics, including win rate, supply block rate, resource conversion rate, kill-loss

Method	Economy (Minerals / Gas SMAPE↓)	Development (Queue F1↑ / Progress MAE%↓)	Micro-Entity (Self / Enemy HP MAE%↓)	Macro-Situation (Self / Enemy AWD↓)
Static Bias	0.49 / 0.25	0.80 / 24.81	4.81 / 9.15	8.37 / **16.13**
Qwen3-8B	0.49 / 0.27	0.73 / 27.07	5.62 / 9.01	10.87 / 17.76
Qwen3-32B	0.48 / 0.26	0.70 / 24.27	5.11 / 8.47	9.79 / 17.78
StarWM	**0.19 / 0.09**	**0.92 / 0.43**	**4.15 / 7.90**	**3.46** / 18.09

Table 1: Offline evaluation results. MAE for Progress and Health Percentage (HP) is computed as absolute difference in percentage. Our StarWM significantly outperforms baselines in predicting economy values, development progress, unit health, and self-side macro-situation. Detailed results are provided in the Appendix D.1.

ratio, and valid action rate. Detailed online implementation and metric definitions are provided in Appendix C.3.

4.2 Offline Evaluation Results

Main Results. As shown in Table 1, StarWM yields the strongest performance across most metrics. (1) **Economy:** For resource forecasting, StarWM achieves SMAPE of 0.19 / 0.09 for minerals and gas, respectively, significantly outperforming the zero-shot 32B baseline (0.48 / 0.26), with reductions of 60% and 65%. (2) **Development:** StarWM reaches a Queue F1 of 0.92, while Progress MAE drops to only 0.43%, whereas all baselines exceed 24%. These results suggest that StarWM captures both task progression and macro-management logic. (3) **Micro-level attributes:** Compared to zero-shot 32B's 5.11% / 8.47%, StarWM reduces the HP MAE for self/enemy units to 4.15% / 7.90%, and also significantly outperforms the Static Bias baseline. This indicates that StarWM effectively models combat attrition dynamics, enabling the simulation of health degradation under combat interactions. (4) **Macro-Situation:** For the self-side entity distribution (including units and structures), compared to 8.37 for Static Bias and 9.79 for the zero-shot 32B baseline, StarWM reduces the AWD to 3.46, an improvement of nearly 60%, indicating more accurate action-conditioned kinematics prediction.

Limitations of Zero-Shot LLMs. Table 1 shows that zero-shot LLMs (both 8B and 32B) fail to consistently outperform the simple Static Bias across most metrics. This weakness is not solely caused by invalid output formats: the parsing success rates of zero-shot 8B, 32B, and StarWM are 96.38%, 97.54%, and 99.44%, respectively. Since unparsable outputs are excluded from metric computation and the numbers of parseable samples are comparable across methods, the remaining gap suggests that generic pre-trained language models lack

prior knowledge of SC2's specific physical laws, and therefore cannot directly function as accurate forward dynamics models without task-specific adaptation.

Enemy Prediction under Partial Observability. For enemy-side macro-situation, both StarWM and zero-shot LLMs perform slightly worse than Static Bias (e.g., AWD 18.09 vs. 16.13), highlighting the difficulty of single-frame prediction under partial observability. Under Fog of War, enemy actions are only partially observed. A Static Bias strategy (assuming enemies do not move) can achieve better AWD, since enemy displacement within a short horizon is often limited. In contrast, StarWM attempts to predict plausible enemy behaviors (e.g., scouting or regrouping) conditioned on current observation. But without temporal history or explicit opponent-intent modeling, such probabilistic predictions are highly dependent on the training data distribution and inherently under-determined. This indicates accurate opponent forecasting requires temporal memory or explicit opponent modeling, which we leave for future work.

Temporal Analysis of Macro-Situation Consistency. Figure 7 shows the temporal evolution of AWD over game time. StarWM maintains consistently lower self-side AWD than the zero-shot 32B baseline, indicating more stable macro-situation prediction.

Case Study. Figure 3 provides an intuitive example. The spatial distribution of self units predicted by StarWM (hollow circles) closely matches the ground truth (filled circles), preserving the army formation, whereas zero-shot LLM predictions appear more scattered and less coherent. Notably, Figure 4 presents an interesting phenomenon. When self units move into unobservable areas, StarWM predicts potential enemy units within those regions (red hollow circles). Although this causes a false positive in offline evaluation, it suggests the learned

Figure 3: Offline case study. Left: Qwen3-8B. Middle: Qwen3-32B. Right: StarWM. Circles and squares denote units and structures, respectively. Filled markers indicate ground truth, while hollow markers represent predictions. StarWM exhibits stronger spatial consistency with the ground truth, reflecting more accurate action-conditioned movement prediction.

Figure 4: Offline case study on scouting. When self units enter unobservable regions, StarWM predicts potential enemy presence (red hollow circles) within those areas, illustrating a data-driven statistical predictive pattern.

statistical regularity that enemy defenders are likely to exist when approaching hostile territory.

Cross-map and Out-of-domain Opponent Probe. To probe the generalization of StarWM, we further evaluate it without retraining on the unseen Flat128 map against the built-in AI at Hard (LV5). As shown in Table 7, despite the distribution shift, StarWM remains strongest on most economy, development, and self-side metrics, with enemy AWD as the main exception. This suggests that StarWM learns dynamics that are not merely tied to the original training distribution, but generalize to some extent across map and opponent shifts. Details are provided in Appendix D.3.

Action-Conditioned Prediction Probe. We further fix an early-game observation and evaluate StarWM under different single-action inputs. Figure 8 shows that the resulting future observations are distinct and logically consistent with the input actions, qualitatively illustrating that StarWM learns action-conditioned dynamics rather than merely reproducing surface-level textual patterns.

4.3 Online Testing Results

Overall Performance. Table 2 shows that our StarWM-Agent achieves the best overall performance across all difficulty levels. Compared to the baselines, StarWM-Agent (8B) improves win rates by 10% / 5% / 20% against LV5 / LV6 / LV7, respectively, while StarWM-Agent (32B) achieves larger gains of 30% / 15% / 30%. Notably, although StarWM is trained only on LV6 and LV7 trajectories, StarWM-Agent still achieves substantial improvements against the unseen LV5 opponent.

Macro-management. Both StarWM-Agent (8B) and StarWM-Agent (32B) reduce Supply Block Rate (SBR) by approximately 53% and 15%, respectively. These gains suggest that the world model, through predictive lookahead, enables the policy to anticipate upcoming supply bottlenecks and prioritize supply-related build commands in advance, resulting in more preemptive macro management.

Economic Efficiency. These macro-management gains further improve Resource Conversion Rate (RCR) by 49% for StarWM-Agent (8B) and 23% for StarWM-Agent (32B). Reduced supply blocking supports more continuous production, while the world model's ability to predict task completion times allows the policy to issue production commands in advance. As a result, collected resources are converted into units and technologies more efficiently.

Tactical Guidance. At the micro-tactical level, Kill-Loss Ratio (KLR) improves by around 21% for both StarWM-Agent (8B) and StarWM-Agent (32B). This suggests that world-model simulation provides informative short-horizon signals for combat-related decision making, helping the policy avoid unfavorable engagements and support more effective ones.

Ablation Study. To clarify the source of performance gains, we conduct an ablation study against LV7 (VeryHard) using zero-shot Qwen3-8B as the policy model (Table 3). Specifically, we compare four configurations with progressively added components: (1) *Generate (Policy-only)*, where the policy directly outputs actions; (2) *Generate + Refine*, which enables self-reflection; (3) *Generate + Zero-shot WM Simulate + Refine*, where a zero-shot Qwen3-8B is used as a world model for forward simulation with the same prompt template as

Setting	Win Rate(%)↑	Supply Block Rate(%)↓	Resource Conversion Rate(%)↑	Kill-Loss Ratio(%)↑	Valid Action Rate(%)↑
LV5 (Hard)					
Qwen3-8B	0.0%	63.58 ± 13.54	29.09 ± 19.14	15.22%	17.89 ± 12.25
Qwen3-32B	20.0%	25.45 ± 17.47	52.32 ± 23.03	62.42%	41.31 ± 20.81
StarWM-Agent (8B)	10.0%	5.42 ± 4.97	84.20 ± 14.21	50.44%	86.29 ± 12.88
StarWM-Agent (32B)	50.0%	6.09 ± 4.61	81.11 ± 7.56	89.87%	85.57 ± 11.01
LV6 (Harder)					
Qwen3-8B	5.0%	58.31 ± 21.15	36.12 ± 21.36	6.25%	28.00 ± 21.64
Qwen3-32B	25.0%	21.41 ± 21.29	58.81 ± 21.34	27.42%	55.49 ± 25.58
StarWM-Agent (8B)	10.0%	10.57 ± 9.28	78.77 ± 8.82	28.12%	82.37 ± 10.23
StarWM-Agent (32B)	40.0%	5.93 ± 5.20	78.67 ± 8.66	41.30%	84.00 ± 11.22
LV7 (VeryHard)					
Qwen3-8B	0.0%	58.74 ± 19.99	32.78 ± 21.61	12.30%	25.29 ± 20.86
Qwen3-32B	20.0%	16.39 ± 21.25	55.74 ± 20.72	29.26%	61.64 ± 26.31
StarWM-Agent (8B)	20.0%	5.51 ± 5.21	82.89 ± 8.96	20.00%	82.13 ± 11.91
StarWM-Agent (32B)	50.0%	5.39 ± 4.90	76.27 ± 16.14	50.51%	81.99 ± 22.50

Table 2: Online evaluation against SC2's built-in AI at different difficulty levels. StarWM-Agent (8B/32B) denotes our world-model-augmented decision system using zero-shot Qwen3-8B/32B as the policy model. Each setting is evaluated over 20 matches. Note that LV5 is an out-of-distribution (OOD) opponent, as StarWM was trained only on LV6 and LV7 trajectories.

Setting	Win↑	SBR↓	RCR↑	KLR↑	VAR↑	ARR
Generate (Policy-only)	0.0	58.74	32.78	12.30	25.29	–
+ Refine	5.0	9.19	76.44	13.97	78.04	34.64
+ Zero-shot WM Simulate	10.0	9.98	72.80	14.80	78.44	26.66
+ StarWM Simulate	**20.0**	**5.51**	**82.89**	**20.00**	**82.13**	32.33

Table 3: Ablation Study against LV7 (VeryHard) using zero-shot Qwen3-8B as the policy model. All metrics are reported as percentages (%), where ARR denotes Action Revision Rate.

StarWM; and (4) *Generate + StarWM Simulate + Refine* (i.e. StarWM-Agent), which incorporates the trained world model.

Compared to the policy-only baseline (*Generate*), introducing self-reflection (*Generate + Refine*) leads to clear improvements in macro-management metrics: Supply Block Rate decreases from 58.74% to 9.19%, Resource Conversion Rate increases from 32.78% to 76.44%, with a modest gain in win rate (0% to 5%). This indicates that additional inference-time computation can improve decision quality to a certain extent.

Introducing a zero-shot world model for forward simulation (*Generate + Zero-shot WM Simulate + Refine*) further improves win rate (5% to 10%) and Kill-Loss Ratio (13.97% to 14.80%), suggesting that external predictive signals provide additional value beyond self-reflection alone.

Finally, incorporating the trained StarWM (*Generate + StarWM Simulate + Refine*) further improves performance across all key metrics, with win rate increasing to 20%. These results suggest that the performance gains of StarWM-Agent do not stem merely from additional inference-time computation, but also from more accurate action-conditioned simulation.

Analysis of Action Revisions. Under the main settings (Table 2), the Action Revision Rate of StarWM-Agent (8B) and StarWM-Agent (32B) is 32.74% and 19.45%, respectively, aggregated across the three opponents. Figure 9 further breaks down the revision behavior of StarWM-Agent (32B) by action type. Among added actions, *Build Supply Depot* accounts for the largest proportion (44.9%), suggesting that world model simulations effectively promote stronger macro management.

Case Study. Figure 1 shows an illustrative online case in which the world-model simulation changes the policy's initial proposal from building a Supply Depot to training an SCV, demonstrating inference-time refinement of a suboptimal action.

5 Conclusion

We present *StarWM*, the first world model for SC2, together with *StarWM-Agent*, a world-model-augmented decision system for foresight-driven policy refinement. Through offline evaluation, we show that a trajectory-trained action-conditioned world model can capture key aspects of SC2 dynamics; through online evaluation, we show that integrating the learned world model into the decision loop improves overall decision-making performance. These results demonstrate the feasibility and utility of world-model-based policy improvement in StarCraft II.

Limitations

Opponent Prediction under Partial Observability. Our results in Section 4.2 suggest that opponent-related prediction from a single current observation is intrinsically under-determined under partial observability. Under Fog of War, enemy movements, hidden units, and tactical intent are often not uniquely identifiable from the current frame alone, making enemy-side future prediction substantially more uncertain than self-side dynamics prediction. A promising direction for future work is to augment the current framework with memory mechanisms for belief-state modeling, together with explicit opponent modeling modules that track hidden enemy states over time.

Limited Generalization Beyond the Current Setting. Our experiments are conducted in a controlled Terran-versus-Terran setting on the Flat64 map, with trajectories collected from games against the SC2 built-in AI. Although this setting still retains the large state-action space and hybrid dynamics of SC2, it does not cover the full diversity of races, maps, and opponent styles in the game. Therefore, we do not claim broad cross-race or cross-map generalization from the current results. Extending the framework to more diverse maps, asymmetric race matchups, and broader opponent distributions remains an important direction for future work.

Potential Information Loss in Textual Representation. The textual representation defined in Section 3.2 is a task-oriented compression of the engine-side structured information, rather than a lossless encoding. To balance text length and representational fidelity, the observation-to-text operator $\Phi(\cdot)$ preserves most critical information for short-horizon dynamics modeling, while omitting certain fine-grained entity-level attributes (e.g., unit facing direction). Although such information loss is an inevitable and common trade-off in existing LLM-based SC2 agents (Ma et al., 2024; Li et al., 2025; Shen et al., 2025), further information enhancement remains a promising research direction, such as incorporating structured engine information as a new modality for Multimodal Large Language Model (MLLM) training.

References

Yu Gu, Kai Zhang, Yuting Ning, Boyuan Zheng, Boyu Gou, Tianci Xue, Cheng Chang, Sanjari Srivastava, Yanan Xie, Peng Qi, Huan Sun, and Yu Su. 2025. Is your llm secretly a world model of the internet? model-based planning for web agents. *Transactions on Machine Learning Research*.

Danijar Hafner, Jurgis Pasukonis, Jimmy Ba, and Timothy Lillicrap. 2025. Mastering diverse control tasks through world models. *Nature*, pages 1–7.

Shibo Hao, Yi Gu, Haodi Ma, Joshua Hong, Zhen Wang, Daisy Wang, and Zhiting Hu. 2023. Reasoning with language model is planning with world model. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 8154–8173.

Edward J Hu, Yelong Shen, Phillip Wallis, Zeyuan Allen-Zhu, Yuanzhi Li, Shean Wang, Lu Wang, and Weizhu Chen. 2022. LoRA: Low-rank adaptation of large language models. In *International Conference on Learning Representations*.

Michael Janner, Justin Fu, Marvin Zhang, and Sergey Levine. 2019. When to trust your model: Model-based policy optimization. In *Advances in Neural Information Processing Systems*, volume 32. Curran Associates, Inc.

Harold W. Kuhn. 1955. The hungarian method for the assignment problem. *Naval Research Logistics (NRL)*, 52.

Brenden M Lake, Tomer D Ullman, Joshua B Tenenbaum, and Samuel J Gershman. 2017. Building machines that learn and think like people. *Behavioral and brain sciences*, 40:e253.

Zongyuan Li, Yanan Ni, Runnan Qi, Chang Lu, Lumin Jiang, Xu Xiaojie, Xiangbei Liu, Pengfei Li, Yunzheng Guo, Zhe Ma, Huanyu Li, wu hui, Guo Xian, Kuihua Huang, and Xuebo Zhang. 2025. LLM-pySC2: Starcraft II learning environment for large language models. In *The Thirty-ninth Annual Conference on Neural Information Processing Systems*.

Chin-Yew Lin. 2004. ROUGE: A package for automatic evaluation of summaries. In *Text Summarization Branches Out*, pages 74–81, Barcelona, Spain. Association for Computational Linguistics.

Weiyu Ma, Qirui Mi, Yongcheng Zeng, Xue Yan, Runji Lin, Yuqiao Wu, Jun Wang, and Haifeng Zhang. 2024. Large language models play starcraft ii: Benchmarks and a chain of summarization approach. *Advances in Neural Information Processing Systems*, 37:133386–133442.

Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. 2002. Bleu: a method for automatic evaluation of machine translation. In *Proceedings of the 40th Annual Meeting of the Association for Computational Linguistics*, pages 311–318, Philadelphia,

Pennsylvania, USA. Association for Computational Linguistics.

Runnan Qi, Yanan Ni, Lumin Jiang, Zongyuan Li, Kuihua Huang, and Xian Guo. 2025a. Memory-augmented state machine prompting: A novel llm agent framework for real-time strategy games. *Preprint*, arXiv:2510.18395.

Runnan Qi, Yuming Quan, Yanan Ni, Zongyuan Li, Xiaojie Xu, Kuihua Huang, and Xian Guo. 2025b. Comm-cot: Standardized chain-of-thought communication framework for efficient llm based multi-agent decision-making in real-time strategy games. In *2025 IEEE 2nd International Conference on Electronics, Communications and Intelligent Science (ECIS)*, pages 1–8.

Lloyd Russell, Anthony Hu, Lorenzo Bertoni, George Fedoseev, Jamie Shotton, Elahe Arani, and Gianluca Corrado. 2025. Gaia-2: A controllable multi-view generative world model for autonomous driving. *Preprint*, arXiv:2503.20523.

Timo Schick, Jane Dwivedi-Yu, Roberto Dessí, Roberta Raileanu, Maria Lomeli, Eric Hambro, Luke Zettlemoyer, Nicola Cancedda, and Thomas Scialom. 2023. Toolformer: language models can teach themselves to use tools. In *Proceedings of the 37th International Conference on Neural Information Processing Systems*, pages 68539–68551.

Julian Schrittwieser, Ioannis Antonoglou, Thomas Hubert, Karen Simonyan, L. Sifre, Simon Schmitt, Arthur Guez, Edward Lockhart, Demis Hassabis, Thore Graepel, Timothy P. Lillicrap, and David Silver. 2019. Mastering atari, go, chess and shogi by planning with a learned model. *Nature*, 588:604 – 609.

Pengbo Shen, Yaqing Wang, Ni Mu, Yao Luan, Runpeng Xie, Senhao Yang, Lexiang Wang, Hao Hu, Shuang Xu, Yiqin Yang, and Bo Xu. 2025. Sc2arena and starevolve: Benchmark and self-improvement framework for llms in complex decision-making tasks. *Preprint*, arXiv:2508.10428.

Noah Shinn, Federico Cassano, Ashwin Gopinath, Karthik Narasimhan, and Shunyu Yao. 2023. Reflexion: language agents with verbal reinforcement learning. In *Proceedings of the 37th International Conference on Neural Information Processing Systems*, pages 8634–8652.

Gabriel Synnaeve, Zeming Lin, Jonas Gehring, Daniel Gant, Vegard Mella, Vasil Khalidov, Nicolas Carion, and Nicolas Usunier. 2018. Forward modeling for partial observation strategy games - a starcraft defogger. In *Neural Information Processing Systems*.

Qwen Team. 2025. Qwen3 technical report. *Preprint*, arXiv:2505.09388.

Cédric Villani and 1 others. 2009. *Optimal transport: old and new*, volume 338. Springer.

Oriol Vinyals, Igor Babuschkin, Wojciech M. Czarnecki, Michaël Mathieu, Andrew Joseph Dudzik, Junyoung Chung, David Choi, Richard Powell, Timo Ewalds, Petko Georgiev, Junhyuk Oh, Dan Horgan, Manuel Kroiss, Ivo Danihelka, Aja Huang, L. Sifre, Trevor Cai, John P. Agapiou, Max Jaderberg, and 23 others. 2019. Grandmaster level in starcraft ii using multi-agent reinforcement learning. *Nature*, 575:350 – 354.

Guanzhi Wang, Yuqi Xie, Yunfan Jiang, Ajay Mandlekar, Chaowei Xiao, Yuke Zhu, Linxi Fan, and Anima Anandkumar. 2024. Voyager: An open-ended embodied agent with large language models. *Transactions on Machine Learning Research*.

Yu-Quan Wang, Jiawei He, Lue Fan, Hongxin Li, Yuntao Chen, and Zhaoxiang Zhang. 2023. Driving into the future: Multiview visual forecasting and planning with world model for autonomous driving. *2024 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 14749–14759.

Shunyu Yao, Jeffrey Zhao, Dian Yu, Nan Du, Izhak Shafran, Karthik Narasimhan, and Yuan Cao. 2023. ReAct: Synergizing reasoning and acting in language models. In *International Conference on Learning Representations (ICLR)*.

Yaowei Zheng, Richong Zhang, Junhao Zhang, Yanhan Ye, Zheyan Luo, Zhangchi Feng, and Yongqiang Ma. 2024. Llamafactory: Unified efficient fine-tuning of 100+ language models. In *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 3: System Demonstrations)*, Bangkok, Thailand. Association for Computational Linguistics.

A Introduction to StarCraft II

Game Overview. StarCraft II (SC2) is a real-time strategy (RTS) game developed by Blizzard Entertainment and is widely regarded as a benchmark for complex sequential decision-making. In the standard competitive 1v1 setting, the game can be modeled as a two-player zero-sum partially observable stochastic game. Each player selects one of three asymmetric races—Terran, Protoss, or Zerg—with race-specific units, technologies, and strategic styles.

Complexity. SC2 integrates both macro-management and micro-tactical control. At the macro level, players collect minerals and vespene gas, maintain supply capacity, expand bases, and advance through technology trees to unlock stronger units. At the micro-tactical level, players control unit movement, positioning, and engagement decisions during battles, requiring coordination among heterogeneous units under time pressure. The state and action spaces are high-dimensional and combinatorial, making long-horizon planning and execution particularly challenging.

Dynamics Characteristics. SC2 dynamics are hybrid and heterogeneous. Resource quantities change according to collection rates and action costs. Task progress follows deterministic build-time rules. Unit positions evolve under kinematic constraints, while unit health is governed by interaction-based combat dynamics. Meanwhile, due to the Fog of War, opponent states and actions are highly unobservable and must be inferred from limited information. This mixture of deterministic rules, interaction-driven effects, and partial observability makes accurate modeling of SC2 dynamics particularly challenging.

B Details and Examples of Textual Representation

B.1 Textual Representation

Textual Observation Representation. We propose a textual observation representation $\Phi(\cdot)$, explicitly factorizing observation into five distinct semantic modules. This design aims to decompose the observation-level dynamics into a set of sub-dynamics. The observation o_t is structured as:

1. **Info:** Describes economy and status (Minerals, Gas, Collection Rate, Supply, Alerts, Upgrades). This module isolates numerical flow from spatial complexity.

2. **Queue:** Records ongoing tasks (construction, production, upgrades) and their progress. This module focuses on deterministic temporal progression.

3. **My Units:** Includes self units' IDs, positions, health percentage (HP), energy and status. This module focuses on kinematics and damage interactions.

4. **My Structures:** Describes self static assets. This module separates structures from units to focus on state switching.

5. **Visible Hostiles:** Includes visible enemy units, structures, and snapshot enemy structures under the fog of war. This module isolates uncertainty handling for partial observability.

Textual Action Representation. The textual action representation $\Psi(\cdot)$ follows a three-part format:

```
subject_type [id] - action - target.
```

It consists of the acting entity, the action name, and an optional target field. Depending on the subject and action type, the target field takes one of the following forms:

- Entity target. For actions targeting a specific entity (e.g., repair or heal), the target is represented as

```
target_type [id].
```

- Spatial target. For actions targeting a location (e.g., move), the target is represented as coordinates.

- Empty target. For actions without an explicit target (e.g., production-related actions), the target field is left empty.

Examples of Textual Representation. Figure 5 shows an example of the textual observation and textual action used in StarWM.

B.2 Potential Information Loss

The textual representation is a task-oriented compression of the engine-side structured information, rather than a lossless encoding. Specifically, the observation-to-text operator $\Phi(\cdot)$ is lossy: it preserves information most relevant to short-horizon dynamics modeling, while omitting certain entity-level attributes. In contrast, the action-to-text operator $\Psi(\cdot)$ is a near-bijective mapping between textual and executable engine actions, with the only loss arising from the quantization of floating-point coordinates into integers. Table 4 summarizes representative retained and omitted attributes for entity-level attributes.

Raw Engine Attr.	Used	Note
type_name	✓	
tag	✓	Convert to integer ID
owner_id	✓	
position	✓	Quantize from float to integer
health, health_max	✓	Represent as health percentage
energy, energy_max	✓	Represent as energy percentage
buffs	✓	
build_progress, orders	✓	Group into *Queue*
add_on_tag	✓	
is_flying	✓	
is_snapshot, is_visible	✓	
attack_upgrade_level, armor_upgrade_level, shield_upgrade_level	✓	Group into *Upgrades*
shield, shield_max	✗	
cloak, is_burrowed, is_powered, is_hallucination, is_active	✗	
facing, radius	✗	
detect_range, radar_range	✗	
weapon_cooldown	✗	
age, age_in_frames	✗	

Table 4: Entity-level attributes retained in or omitted from the textual observation. Retained attributes may still be compressed (e.g., coordinate quantization or percentage-based normalization).

Examples of Textual Representation

Textual Observation:

```
[Info]
Time: 03:28 | Race: Terran | Enemy Race: Terran | Map: Flat64
Minerals: 215 (+1371/min) | Gas: 77 (+223/min)
Supply: 35/46 (Army: 9, Workers: 26)
Alerts: None
Upgrades: None

[Queue]
 - Orbitalcommand [1] at (63,61): Commandcentertrain_scv (43%)
 - Barracks [37] at (56,51): Barrackstrain_marauder (80%)
 - Commandcenter [53] at (43,64): Upgradetoorbital_orbitalcommand (0%)
 - Starport [66] at (53,54): Starporttrain_vikingfighter (72%)
 - Constructing: Barracks [88] at (53,59) (23%)

[My Units]
> Workers: (22Mining:[2,3,4,5,6,8,9,10,11,12,13,24,32,38,40,41,42,55,62,72,83,90], 1Mule:[82])
 - Scv [74] at (54,58) (HP:100%, St:Building)
> Army:
 - Hellion [70] at (41,54) (HP:100%, St:Idle)
 - Siegetank [89] at (31,34) (HP:100%, St:Moving)

[My Structures]
 - Orbitalcommand [1] at (63,61) (HP:100%, Eng:11%, St:Training)
 - Supplydepotlowered [28] at (50,60) (HP:100%, St:Idle)
 - Refinery [30] at (59,68) (HP:100%, St:Idle)
 - Barracks [37] at (56,51) (HP:100%, St:Training, AddOn:Techlab [73])
 - Refinery [39] at (70,58) (HP:100%, St:Idle)
 - Factory [43] at (59,48) (HP:100%, St:Idle, AddOn:Techlab [61])
 - Commandcenter [53] at (43,64) (HP:100%, St:Upgrading)
 - Supplydepotlowered [54] at (53,57) (HP:100%, St:Idle)
 - Factorytechlab [61] at (62,48) (HP:100%, St:Idle)
 - Starport [66] at (53,54) (HP:100%, St:Training)
 - Barrackstechlab [73] at (59,51) (HP:100%, St:Idle)

[Visible Hostiles]
> Enemy Units:
 - Scv [77] at (32,26) (HP:100%)
 - Marine [93] at (25,30) (HP:100%)
 - Marine [95] at (25,28) (HP:100%)
> Enemy Structures:
 - Supplydepotlowered [91] at (28,28) (HP:100%)
 - Starporttechlab [92] at (33,25) (HP:100%)
 - Starport [94] at (30,25) (HP:100%)
 - Factory [96] at (23,28) (HP:100%)
> Snapshot Enemy Structures:
 - Barracks at (30,22)
 - Orbitalcommand at (24,22)
```

Textual Action:

```
Scv [42] - Smartcmd - Orbitalcommand [1]
Hellion [70] - Move - (18, 20)
Barracks [37] - Barrackstrain_marine
```

Figure 5: An example of the textual observation and textual action.

C   Details of Experimental Setup

C.1   SC2-Dynamics-50K Dataset

We build *SC2-Dynamics-50K*, the first instruction-tuning dataset for SC2 dynamics prediction. The dataset is constructed from Terran vs.   Terran (TvT) games on the Flat64 map, as this setting provides sufficient complexity for evaluating our core methodology.

Data Collection.   We collect trajectories by running a rule-based agent against SC2's built-in AI at Harder (LV6) and VeryHard (LV7), with 50 trajectories per level (100 trajectories in total). Both the scripted agent and the built-in AI use randomized strategy styles.

Data Processing.   We then split trajectories into train/validation/test with a ratio of 8:1:1. We set the prediction horizon to 5 seconds (i.e., $\tau = 5$) with a sliding window step of 1 second. Using the textual representation, we convert trajectories into instruction-tuning triples of the form:

$$(o_t, \ a_{t:t+\tau}) \rightarrow o_{t+\tau}. \qquad (12)$$

This yields 50,407 training samples, 6,774 validation samples, and 6,579 test samples.

Dataset Diversity and Coverage.   Although *SC2-Dynamics-50K* is collected in a controlled TvT-on-Flat64 setting, diversity is introduced through randomized strategy styles on both the scripted agent and the built-in AI, as well as variable game outcomes and game durations. Across the 100 collected trajectories, the scripted agent achieves 56% win rate against LV6 and 60% against LV7, indicating that the dataset contains both winning and losing games under different opponent difficulties. Figure 6 further shows that the collected trajectories span a broad range of game durations. While *SC2-Dynamics-50K* does not cover the full SC2 state-action space, it spans a diverse and non-trivial subset of the TvT-on-Flat64 state-action space, which is sufficient for testing the core claims of this work.

Example of SC2-Dynamics-50K.   Appendix F.1 provides a detailed sample of *SC2-Dynamics-50K*.

C.2   Offline Evaluation Settings.

For the macro-situation metric (AWD), we set the penalty $\lambda = 90.5$, which corresponds to the diagonal distance of the Flat64 map. For micro-entity matching, we set the spatial threshold $\delta =$

Figure 6: Distribution of trajectory durations in the 100 collected games used to build *SC2-Dynamics-50K*. For LV6, durations range from 347s to 1182s (mean 658.9s, median 606.0s). For LV7, durations range from 282s to 1033s (mean 616.3s, median 599.5s).

10.0. We compare StarWM against three baselines: Static Bias (copying the input observation as the prediction), Qwen3-8B (zero-shot), and Qwen3-32B (zero-shot).

C.3   Online Testing Settings.

Implementation.   We adopt SC2Arena (Shen et al., 2025) as the online testing framework, with an LLM serving as the policy model. We treat the zero-shot Qwen3-8B and Qwen3-32B policies in SC2Arena as baselines. To implement our *StarWM-Agent*, we extend SC2Arena with additional modules for world model prediction and action refinement, while reusing its original components for initial action generation (including instructions) and interaction with the underlying game engine. We conduct online matches against the SC2 built-in AI at Hard (LV5), Harder (LV6), and VeryHard (LV7) with randomized strategy styles, which represent the highest non-cheating difficulty levels. Due to resource constraints, all online experiments are conducted under the /no_think setting.

Metrics for Online Testing.   We define multiple online metrics to characterize decision quality from multiple aspects, including overall performance, macro management, combat efficiency, system stability, and decision refinement. Table 5 presents the detailed definitions and formulas of these metrics.

Name	Formula	Description
Win Rate	$\mathrm{WR} = \dfrac{\text{Number of Games Won}}{\text{Total Number of Games Played}} \times 100\%$	**Primary Metric**: Measures the proportion of games won, reflecting the overall performance of the agent. Higher values indicate stronger end-to-end performance.
Supply Block Rate	$\mathrm{SBR} = \dfrac{\text{Time Supply Blocked}}{\text{Total Game Time}} \times 100\%$	**Macro-Management Metric**: Measures the fraction of in-game time during which the agent is supply-blocked, reflecting its ability to balance production and supply expansion. Lower values indicate better macro management.
Resource Conversion Rate	$\mathrm{RCR} = \dfrac{\text{Total Resources Spent}}{\text{Total Resources Collected}} \times 100\%$	**Macro-Management Metric**: Measures the proportion of collected resources that are effectively spent, reflecting the agent's ability to translate economic growth into actions. Higher values indicate more efficient resource utilization.
Kill–Loss Ratio	$\mathrm{KLR} = \dfrac{\text{Killed Enemy Army Value}}{\text{Lost Army Value}} \times 100\%$	**Combat Metric**: Evaluates combat efficiency based on the economic value of killed and lost army units. Higher values indicate more favorable resource exchanges in combat.
Valid Action Rate	$\mathrm{VAR} = \dfrac{\text{Number of Valid Actions}}{\text{Total Number of Issued Actions}} \times 100\%$	**System Stability Metric**: Measures the proportion of valid actions issued by the agent, reflecting the robustness of action generation under diverse situations. An action is considered invalid if it cannot be executed by the game engine at the corresponding timestep.
Action Revision Rate	$\mathrm{ARR} = \dfrac{1}{N} \sum_{t=1}^{N} \mathbb{I}\left(a_t^{\text{final}} \neq a_t^{\text{init}}\right) \times 100\%$	**Mechanism Analysis Metric**: Measures how often the agent modifies its initial action proposal during decision refinement. Here, a_t^{init} and a_t^{final} denote the initial and final actions at decision step t, respectively, and N is the total number of decision steps. This metric reflects the extent to which world model predictions influence final decisions.

Table 5: Detailed definitions and formulas of the online testing metrics.

D Detailed Results of Offline Evaluation

D.1 Quantitative Results

Table 6 reports detailed quantitative results of offline evaluation, aligning with the conclusions presented in Table 1.

D.2 Temporal Analysis of Macro-Situation Consistency

Figure 7 shows the temporal evolution of AWD over game time. StarWM maintains consistently lower self-side AWD than the zero-shot 32B baseline, indicating more stable macro-situation prediction.

D.3 Cross-Map and Out-of-Domain Opponent Probe

To assess whether the dynamics learned by StarWM transfer beyond the training map and opponent distribution, we evaluate StarWM on a small out-of-domain test set without retraining. Specifically, we collect 5 trajectories on the unseen Flat128 map, using the same rule-based agent against the SC2 built-in AI at Hard (LV5), with

randomized strategy styles on both sides. Using the same sample construction procedure as in SC2-Dynamics-50K, with a 5-second prediction horizon and a 1-second sliding step, we obtain 2,969 test samples.

Despite the map and opponent distribution shift, the overall trend in Table 7 remains broadly consistent with Table 1: StarWM still performs best on most economy, development, and self-side metrics, while Static Bias remains strongest on Enemy AWD. This suggests that StarWM learns dynamics that are not merely tied to the original training distribution, but generalize to some extent across map and opponent shifts.

D.4 Action-Conditioned Prediction Probe

We present a case study in which we fix an early-game observation and compare the predicted future observations under five different single-action inputs. Figure 8 shows the corresponding future observations predicted by StarWM 5 seconds later, with action-relevant changes highlighted in red.

The examples show that different actions lead

Metric Classification	Metrics	Our StarWM	Qwen3-32B (Zero-shot)	Qwen3-8B (Zero-shot)	Static Bias
Macro-Situation Consistency	Self Unit AWD	**5.96**	13.44	14.41	13.89
	Self Struct AWD	**0.96**	6.15	7.32	2.84
	Enemy Unit AWD	30.94	27.75	28.34	**27.23**
	Enemy Struct AWD	15.17	15.22	15.73	**14.09**
	Snapshot Enemy Struct AWD	8.16	10.36	9.2	**7.07**
Economy & Status	Minerals SMAPE	**0.19**	0.48	0.49	0.49
	Minerals Rate SMAPE	**0.09**	0.73	0.37	0.12
	Gas SMAPE	**0.09**	0.26	0.27	0.25
	Gas Rate SMAPE	**0.12**	0.58	0.34	**0.12**
	Supply Used SMAPE	**0.02**	0.21	0.04	0.04
	Supply Cap SMAPE	**0.01**	0.2	0.03	0.02
	Alerts F1	0	**0.02**	**0.02**	**0.02**
	Upgrades F1	**1**	0.98	0.98	0.98
	Workers num SMAPE	**0.02**	0.07	0.04	0.03
Development	Queue F1	**0.92**	0.7	0.73	0.8
	Progress(%) MAE	**0.43**	24.27	27.07	24.81
Micro Entity Attributes	Self Unit F1	**0.94**	0.87	0.85	0.85
	Self Unit Prec.	**0.94**	0.87	0.86	0.86
	Self Unit Recall	**0.96**	0.91	0.86	0.85
	Self Unit HP(%) MAE	**4.15**	5.11	5.62	4.81
	Self Unit Energy(%) MAE	**1.47**	4.81	3.89	3.49
	Self Struct F1	**0.99**	0.93	0.92	0.97
	Self Struct Prec.	**0.99**	0.92	0.91	0.98
	Self Struct Recall	**0.99**	0.96	0.94	0.96
	Self Struct HP(%) MAE	0.65	0.63	0.66	**0.61**
	Self Struct Energy(%) MAE	**0.07**	3.42	4.71	3.33
	Enemy Unit F1	0.65	0.69	0.69	**0.7**
	Enemy Unit Prec.	0.68	0.73	0.72	**0.74**
	Enemy Unit Recall	0.68	0.72	0.72	**0.73**
	Enemy Unit HP(%) MAE	**7.9**	8.47	9.01	9.15
	Enemy Unit Energy(%) MAE	**2.54**	2.59	2.61	2.58
	Enemy Struct F1	0.83	0.83	0.83	**0.84**
	Enemy Struct Prec.	0.84	0.84	0.84	**0.85**
	Enemy Struct Recall	0.84	0.84	0.83	**0.85**
	Enemy Struct HP(%) MAE	**2.91**	4.4	4.51	4.85
	Snap Enemy Struct F1	0.91	0.88	0.9	**0.92**
	Snap Enemy Struct Prec.	0.92	0.9	0.91	**0.93**
	Snap Enemy Struct Recall	0.91	0.89	0.9	**0.93**

Table 6: Detailed offline evaluation results across multiple dimensions.

to distinct and logically consistent future predictions. Production and construction actions mainly induce corresponding changes in resources, queue, and structure status, while combat actions mainly affect unit status and health. This provides a direct qualitative illustration that StarWM learns action-conditioned dynamics, rather than merely reproducing surface-level textual patterns.

Figure 7: Evolution of Macro-Situation Metric (AWD) over game time. Left: Self-side entities. Right: Enemy-side entities. The green area indicates where StarWM outperforms the zero-shot Qwen3-32B baseline.

Method	Economy (Minerals / Gas SMAPE↓)	Development (Queue F1↑ / Progress MAE%↓)	Micro-Entity (Self / Enemy HP MAE%↓)	Macro-Situation (Self / Enemy AWD↓)
Static Bias	0.66 / 0.43	0.85 / 26.16	2.07 / 14.48	5.29 / **18.23**
Qwen3-8B	0.65 / 0.40	0.79 / 28.27	2.34 / 14.40	6.59 / 18.76
Qwen3-32B	0.67 / 0.43	0.75 / 25.16	2.28 / 13.44	7.01 / 19.57
StarWM	**0.28 / 0.14**	**0.95 / 0.35**	**1.85 / 11.88**	**2.55** / 22.02

Table 7: Cross-map and out-of-domain opponent probe without retraining. All methods are tested on 2,969 samples constructed from 5 trajectories on the unseen Flat128 map against the SC2 built-in AI at Hard (LV5). StarWM remains strongest on most economy, development, and self-side metrics, while Enemy AWD remains challenging.

Current Observation

Future Observation (No Action)

```
Current Observation

[Info]
Time: 01:27 | Race: Terran | Enemy Race: Terran | Map: Flat64
Minerals: 310 (+755/min) | Gas: 101 (+201/min)
Supply: 19/23 (Army: 0, Workers: 19)
Alerts: None
Upgrades: None

[Queue]
 - Empty

[My Units]
> Workers: (14Mining:[3,4,5,6,8,9,11,12,29,32,35,38,40,41])
 - Scv [2] at (58,49) (HP:100%, St:Idle)
 - Scv [10] at (66,62) (HP:100%, St:Moving)
 - Scv [13] at (66,63) (HP:100%, St:Moving)
 - Scv [24] at (63,65) (HP:100%, St:Moving)
 - Scv [42] at (50,47) (HP:100%, St:Moving)
> Army:
 - None

[My Structures]
 - Commandcenter [1] at (63,61) (HP:100%, St:Idle)
 - Supplydepotlowered [28] at (50,60) (HP:100%, St:Idle)
 - Refinery [30] at (59,68) (HP:100%, St:Idle)
 - Barracks [37] at (56,51) (HP:100%, St:Idle)
 - Refinery [39] at (70,58) (HP:100%, St:Idle)

[Visible Hostiles]
> Enemy Units:
 - Scv [50] at (48,44) (HP:100%)
```

```
Future Observation (No Action)

Input action: None.

[Info]
Time: 01:32 | Race: Terran | Enemy Race: Terran | Map: Flat64
Minerals: 375 (+755/min) | Gas: 117 (+179/min)
Supply: 19/23 (Army: 0, Workers: 19)
Alerts: None
Upgrades: None

[Queue]
 - Empty

[My Units]
> Workers: (14Mining:[3,4,5,6,8,9,11,12,29,32,35,38,40,41])
 - Scv [2] at (58,49) (HP:100%, St:Idle)
 - Scv [10] at (66,62) (HP:100%, St:Moving)
 - Scv [13] at (66,63) (HP:100%, St:Moving)
 - Scv [24] at (65,64) (HP:100%, St:Idle)
 - Scv [42] at (50,47) (HP:100%, St:Idle)
> Army:
 - None

[My Structures]
 - Commandcenter [1] at (63,61) (HP:100%, St:Idle)
 - Supplydepotlowered [28] at (50,60) (HP:100%, St:Idle)
 - Refinery [30] at (59,68) (HP:100%, St:Idle)
 - Barracks [37] at (56,51) (HP:100%, St:Idle)
 - Refinery [39] at (70,58) (HP:100%, St:Idle)

[Visible Hostiles]
> Enemy Units:
 - Scv [50] at (48,44) (HP:100%)
```

Future Observation (Train SCV)

Future Observation (Train Marine)

```
Future Observation (Train SCV)

Input action: Commandcenter [1] - Commandcentertrain_scv.
This action costs 50 minerals and takes 12.14 seconds to com-
plete.

[Info]
Time: 01:32 | Race: Terran | Enemy Race: Terran | Map: Flat64
Minerals: 320 (+783/min) | Gas: 113 (+179/min)
Supply: 20/23 (Army: 0, Workers: 20)
Alerts: None
Upgrades: None

[Queue]
 - Commandcenter [1] at (63,61): Commandcentertrain_scv (41%)

[My Units]
> Workers: (14Mining:[3,4,5,6,8,9,11,12,29,32,35,38,40,41])
 - Scv [2] at (58,49) (HP:100%, St:Idle)
 - Scv [10] at (66,62) (HP:100%, St:Moving)
 - Scv [13] at (66,63) (HP:100%, St:Moving)
 - Scv [24] at (65,64) (HP:100%, St:Idle)
 - Scv [42] at (51,47) (HP:100%, St:Idle)
> Army:
 - None

[My Structures]
 - Commandcenter [1] at (63,61) (HP:100%, St:Training)
 - Supplydepotlowered [28] at (50,60) (HP:100%, St:Idle)
 - Refinery [30] at (59,68) (HP:100%, St:Idle)
 - Barracks [37] at (56,51) (HP:100%, St:Idle)
 - Refinery [39] at (70,58) (HP:100%, St:Idle)

[Visible Hostiles]
> Enemy Units:
 - Scv [50] at (40,43) (HP:100%)
```

```
Future Observation (Train Marine)

Input action: Barracks [37] - Barrackstrain_marine.
This action costs 50 minerals and takes 17.86 seconds to com-
plete.

[Info]
Time: 01:32 | Race: Terran | Enemy Race: Terran | Map: Flat64
Minerals: 325 (+811/min) | Gas: 121 (+223/min)
Supply: 20/23 (Army: 1, Workers: 19)
Alerts: None
Upgrades: None

[Queue]
 - Barracks [37] at (56,51): Barrackstrain_marine (28%)

[My Units]
> Workers: (14Mining:[3,4,5,6,8,9,11,12,29,32,35,38,40,41])
 - Scv [2] at (58,49) (HP:100%, St:Idle)
 - Scv [10] at (53,62) (HP:100%, St:Idle)
 - Scv [13] at (52,62) (HP:100%, St:Moving)
 - Scv [24] at (50,62) (HP:100%, St:Idle)
 - Scv [42] at (33,46) (HP:100%, St:Idle)
> Army:
 - None

[My Structures]
 - Commandcenter [1] at (63,61) (HP:100%, St:Idle)
 - Supplydepotlowered [28] at (50,60) (HP:100%, St:Idle)
 - Refinery [30] at (59,68) (HP:100%, St:Idle)
 - Barracks [37] at (56,51) (HP:100%, St:Training)
 - Refinery [39] at (70,58) (HP:100%, St:Idle)

[Visible Hostiles]
> Enemy Units:
 - Scv [50] at (35,47) (HP:100%)
```

Future Observation (Build Factory)

Future Observation (Attack)

```
Future Observation (Build Factory)

Input action: Scv [2] - Terranbuild_factory - (56, 51).
This action costs 150 minerals, 100 gas and takes 42.86 seconds
to complete.

[Info]
Time: 01:32 | Race: Terran | Enemy Race: Terran | Map: Flat64
Minerals: 230 (+755/min) | Gas: 21 (+201/min)
Supply: 19/23 (Army: 0, Workers: 19)
Alerts: None
Upgrades: None

[Queue]
 - Constructing: Factory [43] at (56,51) (10%)

[My Units]
> Workers: (14Mining:[3,4,5,6,8,9,11,12,29,32,35,38,40,41])
 - Scv [2] at (57,50) (HP:100%, St:Building)
 - Scv [10] at (55,45) (HP:100%, St:Moving)
 - Scv [13] at (56,45) (HP:100%, St:Moving)
 - Scv [24] at (52,46) (HP:100%, St:Moving)
 - Scv [42] at (37,61) (HP:100%, St:Moving)
> Army:
 - None

[My Structures]
 - Commandcenter [1] at (63,61) (HP:100%, St:Idle)
 - Supplydepotlowered [28] at (50,60) (HP:100%, St:Idle)
 - Refinery [30] at (59,68) (HP:100%, St:Idle)
 - Barracks [37] at (56,51) (HP:100%, St:Idle)
 - Refinery [39] at (70,58) (HP:100%, St:Idle)

[Visible Hostiles]
> Enemy Units:
 - Scv [50] at (37,57) (HP:100%)
```

```
Future Observation (Attack)

Input action: Scv [42] - Attack - Scv [50].
One SCV attack deals 5 damage.

[Info]
Time: 01:32 | Race: Terran | Enemy Race: Terran | Map: Flat64
Minerals: 370 (+755/min) | Gas: 121 (+223/min)
Supply: 19/23 (Army: 0, Workers: 19)
Alerts: None
Upgrades: None

[Queue]
 - Empty

[My Units]
> Workers: (14Mining:[3,4,5,6,8,9,11,12,29,32,35,38,40,41])
 - Scv [2] at (58,49) (HP:100%, St:Idle)
 - Scv [10] at (66,62) (HP:100%, St:Idle)
 - Scv [13] at (66,63) (HP:100%, St:Idle)
 - Scv [24] at (63,65) (HP:100%, St:Idle)
 - Scv [42] at (62,58) (HP:100%, St:Attacking)
> Army:
 - None

[My Structures]
 - Commandcenter [1] at (63,61) (HP:100%, St:Idle)
 - Supplydepotlowered [28] at (50,60) (HP:100%, St:Idle)
 - Refinery [30] at (59,68) (HP:100%, St:Idle)
 - Barracks [37] at (56,51) (HP:100%, St:Idle)
 - Refinery [39] at (70,58) (HP:100%, St:Idle)

[Visible Hostiles]
> Enemy Units:
 - Scv [50] at (61,58) (HP:88%)
```

Figure 8: Action-conditioned prediction probe of StarWM. The top-left figure shows the shared current observation, and the other five figures show predicted future observations 5 seconds later under different single-action inputs. Action-relevant changes are highlighted in red. Different actions lead to distinct predicted future observations.

E   Detailed Results of Online Testing

Analysis of Action Revisions.   Under the main settings (Table 2), the Action Revision Rate of StarWM-Agent (8B) and StarWM-Agent (32B) is 32.74% and 19.45%, respectively, aggregated across the three opponents. This indicates that world model simulations frequently lead to action revisions, especially for the smaller policy model. Figure 9 further breaks down the revision behavior of StarWM-Agent (32B) by action type. Among added actions, *Build Supply Depot* accounts for the largest proportion (44.9%), suggesting that world model simulations effectively promote stronger macro management.

Figure 9: Distribution of action revision types for StarWM-Agent (32B) during online evaluation. Left: Added actions. Right: Removed actions.

F Examples of SC2-Dynamics-50K and StarWM-Agent Online Decision Making

F.1 Example of SC2-Dynamics-50K

We show a representative sample from the *SC2-Dynamics-50K* dataset, including the current textual observation, the action sequence, and the target future observation.

A sample from SC2-Dynamics-50K

Input:

```
{
    "role": "user",
    "content": "### Role
You are the StarCraft II World Model, a
dynamics simulator for Player 1.

### Task
Predict the Future Observation for Player 1
exactly 5 seconds later based on the Current
 Observation, the Action Sequence and the
Game Mechanics.

### Input
1. Current Observation: The partial state
visible to Player 1 at time t.
2. Action Sequence: All actions executed by
Player 1 between t and t+5s.

### Output
Future Observation: The Predicted partial
state visible to Player 1 at time t+5s.

### Data Explanation
#### Observation Schema:
- **[Info]**: Player-specific status, race,
enemy race, economy (minerals, gas, gather
rate), supply (used, cap), alerts and
upgrades.
- **[Queue]**: Ongoing and queued production,
 construction, and research tasks.
- **[My Units]**: Self units (workers & army
).
- **[My Structures]**: Self buildings,
including key structures for production and
technology.
- **[Visible Hostiles]**: Enemy units and
structures currently visible within the Fog
of War.
#### Action Schema:
The Action follows the format: Subject -
Command - Target.
- **Subject**: UnitName [ID] (e.g., Marine
[101]).
- **Command**: The specific operation (e.g.,
 Move, Attack, etc.).
- **Target**: Coordinate (x, y) or
TargetName [ID] or absent for some commands.

### Input Data
#### Current Observation:
[Info]
Time: 05:44 | Race: Terran | Enemy Race:
Terran | Map: Flat64
```

```
Minerals: 280 (+2575/min) | Gas: 124 (+223/
min)
Supply: 64/93 (Army: 16, Workers: 48)
Alerts: None
Upgrades: Punishergrenades

[Queue]
 - Orbitalcommand [1] at (63,61):
Commandcentertrain_scv (34%)
 - Barracks [65] at (53,59):
Barrackstrain_marine (80%)
 - Orbitalcommand [83] at (43,64):
Commandcentertrain_scv (93%)
 - Barracks [86] at (55,55):
Barrackstrain_marine (25%)
 - Barracks [90] at (58,57):
Barrackstrain_marine (53%),
Barrackstrain_marine (35%)
 - Commandcenter [226] at (24,61):
Upgradetoorbital_orbitalcommand (0%)
 - Constructing: Barracksreactor [334] at
(65,54) (59%)
 - Constructing: Refinery [335] at (28,68)
(94%)
 - Constructing: Missileturret [352] at
(18,68) (65%)

[My Units]
> Workers: (38Mining
:[5,6,7,8,9,10,11,13,35,61,71,77,84,115,139,
144,153,155,159,160,179,183,196,217,222,225,
237,240,254,256,271,
292,307,311,320,337,351,360], 2Mule
:[305,313])
 - Scv [2] at (53,72) (HP:100%, St:Idle)
 - Scv [3] at (23,64) (HP:100%, St:Moving)
 - Scv [82] at (45,59) (HP:100%, St:Building
)
 - Scv [154] at (21,65) (HP:100%, St:Moving)
 - Scv [264] at (28,69) (HP:100%, St:
Building)
 - Scv [326] at (18,67) (HP:100%, St:
Building)
> Army:
 - Marine [135] at (37,57) (HP:100%, St:Idle
)
 - Marine [143] at (37,56) (HP:100%, St:Idle
)
 - Marine [147] at (36,57) (HP:100%, St:
Attacking)
 - Marine [310] at (40,27) (HP:100%, St:
Attacking)
 - Marine [324] at (41,19) (HP:100%, St:
Attacking)
 - Marauder [332] at (44,38) (HP:73%, St:
Idle)
 - Marauder [347] at (33,39) (HP:100%, St:
Attacking)
 - Marine [356] at (61,46) (HP:100%, St:
Attacking)
 - Marine [358] at (46,53) (HP:100%, St:
Attacking)
 - Marine [359] at (41,49) (HP:100%, St:
Attacking)

[My Structures]
 - Orbitalcommand [1] at (63,61) (HP:100%,
Eng:14%, St:Training)
```

- Supplydepotlowered [36] at (50,60) (HP
:100%, St:Idle)
- Barracks [65] at (53,59) (HP:100%, St:
Training, AddOn:Techlab [148])
- Orbitalcommand [83] at (43,64) (HP:100%,
Eng:17%, St:Training)
- Barracks [86] at (55,55) (HP:100%, St:
Training, AddOn:Techlab [150])
- Barracks [90] at (58,57) (HP:100%, St:
Training, AddOn:Reactor [158])
- Refinery [114] at (70,58) (HP:100%, St:
Idle)
- Refinery [122] at (59,68) (HP:100%, St:
Idle)
- Bunker [140] at (44,54) (HP:100%, St:Idle
)
- Engineeringbay [146] at (57,52) (HP:100%,
St:Idle)
- Barrackstechlab [148] at (56,59) (HP:100%,
St:Idle)
- Barrackstechlab [150] at (58,55) (HP:100%,
St:Idle)
- Supplydepotlowered [156] at (53,57) (HP
:100%, St:Idle)
- Barracksreactor [158] at (61,57) (HP:100%,
St:Idle)
- Supplydepotlowered [164] at (60,53) (HP
:100%, St:Idle)
- Factory [190] at (43,57) (HP:100%, St:
Idle, AddOn:Techlab [252])
- Commandcenter [226] at (24,61) (HP:100%,
St:Upgrading)
- Supplydepotlowered [251] at (55,53) (HP
:100%, St:Idle)
- Factorytechlab [252] at (46,57) (HP:100%,
St:Idle)
- Barracks [257] at (62,54) (HP:100%, St:
Building)
- Supplydepotlowered [265] at (42,55) (HP
:100%, St:Idle)
- Missileturret [299] at (43,73) (HP:100%,
St:Idle)
- Missileturret [314] at (70,68) (HP:100%,
St:Idle)
- Supplydepot [333] at (46,59) (HP:100%, St:
Idle)

[Visible Hostiles]
> Enemy Units:
- Scv [88] at (29,30) (HP:100%)
- Banshee [230] at (28,30) (HP:87%, Eng:3%)
- Banshee [239] at (30,29) (HP:87%, Eng
:15%)
> Enemy Structures:
- Starporttechlab [162] at (33,25) (HP:92%)
- Barrackstechlab [365] at (33,22) (HP
:100%)
> Snapshot Enemy Structures:
- Factory at (23,28)
- Supplydepotlowered at (21,28)
- Orbitalcommand at (24,22)
- Refinery at (17,25)
- Supplydepotlowered at (28,28)
- Barracks at (30,22)
- Refinery at (28,15)
- Barracks at (30,28)
- Starport at (30,25)

Action Sequence(5s):
- +0.1s: Marauder [347] - Attack - (31, 34)
- +0.2s: Scv [196] - Move - (45, 66)
- +0.2s: Scv [196] - Smartcmd -
Orbitalcommand [83]
- +0.3s: Supplydepot [333] -
Morph_supplydepot_lower
- +0.3s: Marauder [347] - Attack - (30, 34)
- +0.4s: Scv [240] - Move - (68, 64)
- +0.4s: Scv [240] - Smartcmd - Mineralfield
[19]
- +0.4s: Scv [217] - Move - (65, 63)
- +0.4s: Scv [217] - Smartcmd -
Orbitalcommand [1]
- +0.4s: Scv [144] - Move - (66, 62)
- +0.4s: Scv [144] - Smartcmd -
Orbitalcommand [1]
- +0.4s: Scv [7] - Move - (64, 64)
- +0.4s: Scv [7] - Smartcmd - Orbitalcommand
[1]
- +0.4s: Mule [313] - Move - (39, 68)
- +0.4s: Mule [313] - Smartcmd -
Mineralfield750 [32]
- +0.4s: Marauder [347] - Attack - (30, 33)
- +0.6s: Factory [190] -
Factorytrain_siegetank
- +0.6s: Scv [337] - Move - (19, 64)
- +0.6s: Scv [337] - Smartcmd -
Mineralfield750 [46]
- +0.6s: Marauder [347] - Attack - (30, 33)
- +0.8s: Scv [237] - Move - (41, 66)
- +0.8s: Scv [237] - Smartcmd -
Orbitalcommand [83]
- +0.8s: Marauder [347] - Attack - (30, 33)
- +0.9s: Orbitalcommand [83] -
Commandcentertrain_scv
- +1.0s: Scv [367] - Harvest_gather -
Mineralfield [33]
- +1.0s: Marauder [347] - Attack - (30, 32)
- +1.0s: Marine [135] - Attack - (36, 57)
- +1.0s: Marine [143] - Attack - (36, 57)
- +1.0s: Marine [147] - Attack - (36, 57)
- +1.2s: Marauder [347] - Move - (30, 33)
- +1.2s: Scv [13] - Move - (65, 63)
- +1.2s: Scv [13] - Smartcmd -
Orbitalcommand [1]
- +1.2s: Scv [3] - Move - (22, 67)
- +1.2s: Scv [3] - Smartcmd -
Mineralfield750 [42]
- +1.3s: Scv [196] - Move - (48, 67)
- +1.3s: Scv [196] - Smartcmd - Mineralfield
[25]
- +1.3s: Marauder [347] - Move - (30, 33)
- +1.5s: Marauder [347] - Move - (30, 33)
- +1.6s: Scv [7] - Harvest_gather - Refinery
[335]
- +1.6s: Scv [61] - Harvest_gather -
Refinery [335]
- +1.6s: Scv [264] - Harvest_gather -
Mineralfield750 [41]
- +1.6s: Scv [217] - Move - (66, 66)
- +1.6s: Scv [217] - Smartcmd -
Mineralfield750 [21]
- +1.7s: Scv [144] - Move - (69, 63)
- +1.7s: Scv [144] - Smartcmd -
Mineralfield750 [15]
- +1.7s: Scv [5] - Move - (69, 62)
- +1.7s: Scv [5] - Smartcmd -
Mineralfield750 [16]

- +1.7s: Marauder [347] - Move - (32, 35)
- +1.9s: Marauder [347] - Move - (32, 35)
- +2.1s: Scv [237] - Move - (38, 67)
- +2.1s: Scv [237] - Smartcmd - Mineralfield [33]
- +2.1s: Marauder [347] - Move - (32, 35)
- +2.1s: Marine [135] - Attack - (36, 57)
- +2.1s: Marine [143] - Attack - (36, 57)
- +2.1s: Marine [147] - Attack - (36, 57)
- +2.2s: Marauder [347] - Attack - (26, 33)
- +2.3s: Scv [9] - Move - (45, 66)
- +2.3s: Scv [9] - Smartcmd - Orbitalcommand [83]
- +2.3s: Scv [6] - Move - (21, 61)
- +2.3s: Scv [6] - Smartcmd - Commandcenter [226]
- +2.4s: Scv [13] - Move - (68, 64)
- +2.4s: Scv [13] - Smartcmd - Mineralfield [19]
- +2.4s: Marauder [347] - Move - (30, 32)
- +2.4s: Marine [356] - Attack - (67, 18)
- +2.6s: Marauder [347] - Move - (32, 35)
- +2.7s: Scv [351] - Move - (21, 61)
- +2.7s: Scv [351] - Smartcmd - Commandcenter [226]
- +2.8s: Marauder [347] - Move - (33, 35)
- +2.9s: Mule [305] - Move - (42, 67)
- +2.9s: Mule [305] - Smartcmd - Orbitalcommand [83]
- +2.9s: Marauder [332] - Attack - (20, 22)
- +2.9s: Marauder [347] - Move - (33, 35)
- +3.0s: Marauder [332] - Move - (42, 37)
- +3.1s: Scv [311] - Move - (65, 63)
- +3.1s: Scv [311] - Smartcmd - Orbitalcommand [1]
- +3.1s: Marauder [347] - Move - (33, 35)
- +3.1s: Marine [135] - Attack - (36, 57)
- +3.1s: Marine [143] - Attack - (36, 57)
- +3.1s: Marine [147] - Attack - (36, 57)
- +3.2s: Scv [367] - Move - (38, 67)
- +3.2s: Scv [367] - Smartcmd - Mineralfield [33]
- +3.2s: Marauder [332] - Attack - (20, 22)
- +3.3s: Marauder [347] - Move - (33, 35)
- +3.3s: Scv [2] - Move - (50, 70)
- +3.3s: Scv [2] - Move - (53, 72)
- +3.3s: Marine [359] - Attack - (17, 41)
- +3.4s: Scv [10] - Move - (64, 64)
- +3.4s: Scv [10] - Smartcmd - Orbitalcommand [1]
- +3.4s: Marauder [332] - Move - (41, 37)
- +3.5s: Scv [9] - Move - (48, 67)
- +3.5s: Scv [9] - Smartcmd - Mineralfield [25]
- +3.5s: Scv [254] - Move - (24, 64)
- +3.5s: Scv [254] - Smartcmd - Commandcenter [226]
- +3.5s: Scv [6] - Move - (18, 62)
- +3.5s: Scv [6] - Smartcmd - Mineralfield750 [50]
- +3.5s: Scv [351] - Move - (19, 61)
- +3.5s: Scv [351] - Smartcmd - Mineralfield [51]
- +3.6s: Scv [160] - Move - (66, 62)
- +3.6s: Scv [160] - Smartcmd - Orbitalcommand [1]
- +3.6s: Scv [154] - Move - (22, 63)
- +3.6s: Scv [154] - Smartcmd - Commandcenter [226]

- +3.6s: Marauder [332] - Attack - (20, 22)
- +3.7s: Barracks [65] - Barrackstrain_marine
- +3.7s: Marauder [347] - Move - (34, 35)
- +3.8s: Mule [305] - Move - (41, 69)
- +3.8s: Mule [305] - Smartcmd - Mineralfield [30]
- +3.8s: Marauder [332] - Move - (40, 36)
- +3.8s: Marauder [347] - Move - (34, 35)
- +3.9s: Marauder [332] - Attack - (20, 22)
- +4.0s: Scv [240] - Move - (65, 63)
- +4.0s: Scv [240] - Smartcmd - Orbitalcommand [1]
- +4.0s: Marauder [347] - Move - (35, 35)
- +4.2s: Marauder [347] - Move - (35, 35)
- +4.2s: Marine [135] - Attack - (36, 57)
- +4.2s: Marine [143] - Attack - (36, 57)
- +4.2s: Marine [147] - Attack - (36, 57)
- +4.2s: Marine [368] - Attack - (17, 41)
- +4.3s: Scv [254] - Move - (24, 66)
- +4.3s: Scv [254] - Smartcmd - Mineralfield [39]
- +4.4s: Scv [311] - Move - (66, 66)
- +4.4s: Scv [311] - Smartcmd - Mineralfield750 [21]
- +4.4s: Scv [337] - Move - (22, 63)
- +4.4s: Scv [337] - Smartcmd - Commandcenter [226]
- +4.4s: Marauder [347] - Move - (35, 35)
- +4.6s: Marauder [332] - Attack - (36, 35)
- +4.6s: Marine [358] - Move - (32, 45)
- +4.6s: Marine [324] - Attack - (37, 21)
- +4.7s: Scv [154] - Move - (21, 66)
- +4.7s: Scv [154] - Smartcmd - Mineralfield [44]
- +4.7s: Marauder [347] - Move - (36, 36)
- +4.7s: Marauder [332] - Attack - (36, 35)
- +4.7s: Marine [358] - Move - (32, 45)
- +4.7s: Marine [324] - Move - (36, 24)
- +4.8s: Scv [160] - Move - (69, 63)
- +4.8s: Scv [160] - Smartcmd - Mineralfield750 [15]
- +4.9s: Scv [10] - Move - (65, 67)
- +4.9s: Scv [10] - Smartcmd - Mineralfield [17]
- +4.9s: Marauder [347] - Move - (36, 36)
- +4.9s: Marauder [332] - Attack - (36, 35)
- +4.9s: Marine [358] - Move - (32, 44)
- +4.9s: Marine [324] - Move - (36, 24)

Rules for Reasoning && Game Mechanics
Perform the state transition based on the following logic:
1. **Time:** Increment the "Time" field by 5 seconds.
2. **Resources:**
 - Minerals/Gas Change ≈ (Income_Rate_per_min / 60 * 5s) - (Cost of new Actions).
 - Note: Income Rate is the (+value) found in the [Info] section.
 - Update Income Rate roughly proportional to the change in active mining workers.
3. **Supply:**
 - Used += Supply Cost of the newly issued Action. (Units in Queue consume Supply, not upon completion.)
 - Cap += Newly Completed Supply Structure (eg. Supply Depot, Command Center).

4. **Queue & Production:**
 - Progress += (5s / Total Build Time at game_speed=1.4). Note: Game Speed is 1.4.
 - If Progress >= 100%: Remove from [Queue], add to [My Units](if unit) or [My Structures](if structure), and update [Info] (Supply Cap, Upgrades) accordingly.
 - New Actions: Add newly issued training/ building Action to [Queue].
5. **Movement:** For moving units: New Pos ≈ Start Pos + Direction_Vector * (min(Remaining Distance, Speed * 5s)).
6. **Status:** Status Change depends on the Command and the Target.
7. **Combat:**
 - If units are "Attacking" or under attack, reduce HP based on estimated DPS and duration.
 - Remove units if HP <= 0.
8. **Visibility:**
 - Unit Hiding: Units inside structures (e.g ., SCVs in Refineries, units in Bunkers/ Medivacs) do NOT appear in [My Units] list temporarily, though they still consume Supply.
 - Fog of War: Update [Visible Hostiles] based on current visual radius of self units and structures. Remove enemy units that move into the fog or become cloaked without detection.
9. **Consistency:** Units/Structures not mentioned in the Action Sequence remain unchanged (ID, Position, HP, Status and so on).

Output Format Requirements
1. **Raw Text Only**: Output the observation text directly. Do NOT use JSON, Markdown code blocks, or conversational fillers (e.g., "Here is the prediction").
2. **Format**: The output must start strictly with the [Info] tag and follow the exact structure of the input observation.

/no_think"
},

Output:

{
    "role": "assistant",
    "content": "<think>

</think>[Info]
Time: 05:49 | Race: Terran | Enemy Race: Terran | Map: Flat64
Minerals: 230 (+2547/min) | Gas: 23 (+268/ min)
Supply: 68/93 (Army: 19, Workers: 49)
Alerts: None
Upgrades: Punishergrenades

[Queue]
 - Orbitalcommand [1] at (63,61): Commandcentertrain_scv (75%)
 - Barracks [65] at (53,59): Barrackstrain_marine (7%)

 - Orbitalcommand [83] at (43,64): Commandcentertrain_scv (34%)
 - Barracks [86] at (55,55): Barrackstrain_marine (53%)
 - Barracks [90] at (58,57): Barrackstrain_marine (81%), Barrackstrain_marine (62%)
 - Factory [190] at (43,57): Factorytrain_siegetank (14%)
 - Commandcenter [226] at (24,61): Upgradetoorbital_orbitalcommand (0%)
 - Constructing: Barracksreactor [334] at (65,54) (73%)
 - Constructing: Missileturret [352] at (18,68) (93%)

[My Units]
> Workers: (40Mining :[3,5,6,7,8,9,11,13,35,61,71,77,82,84,115, 139,144,153,155,159,179,183,196,217,222,225, 237,240,254,256,264,271,292,307,311,320,337, 351,360,367], 2Mule:[305,313])
 - Scv [2] at (51,71) (HP:100%, St:Moving)
 - Scv [10] at (65,66) (HP:100%, St:Moving)
 - Scv [154] at (21,66) (HP:100%, St:Moving)
 - Scv [160] at (68,63) (HP:100%, St:Moving)
 - Scv [326] at (17,67) (HP:100%, St: Building)
> Army:
 - Marine [135] at (37,57) (HP:100%, St:Idle)
 - Marine [143] at (37,56) (HP:100%, St:Idle)
 - Marine [147] at (36,57) (HP:100%, St:Idle)
 - Marine [324] at (38,23) (HP:100%, St: Moving)
 - Marauder [332] at (38,35) (HP:73%, St: Attacking)
 - Marauder [347] at (36,36) (HP:21%, St: Moving)
 - Marine [356] at (67,44) (HP:100%, St: Attacking)
 - Marine [358] at (32,46) (HP:100%, St: Moving)
 - Marine [359] at (26,44) (HP:100%, St: Attacking)
 - Marine [368] at (54,61) (HP:100%, St: Attacking)

[My Structures]
 - Orbitalcommand [1] at (63,61) (HP:100%, Eng:16%, St:Training)
 - Supplydepotlowered [36] at (50,60) (HP :100%, St:Idle)
 - Barracks [65] at (53,59) (HP:100%, St: Training, AddOn:Techlab [148])
 - Orbitalcommand [83] at (43,64) (HP:100%, Eng:19%, St:Training)
 - Barracks [86] at (55,55) (HP:100%, St: Training, AddOn:Techlab [150])
 - Barracks [90] at (58,57) (HP:100%, St: Training, AddOn:Reactor [158])
 - Refinery [114] at (70,58) (HP:100%, St: Idle)
 - Refinery [122] at (59,68) (HP:100%, St: Idle)
 - Bunker [140] at (44,54) (HP:100%, St:Idle)

```
 - Engineeringbay [146] at (57,52) (HP:100%,
St:Idle)
 - Barrackstechlab [148] at (56,59) (HP:100%,
St:Idle)
 - Barrackstechlab [150] at (58,55) (HP:100%,
St:Idle)
 - Supplydepotlowered [156] at (53,57) (HP
:100%, St:Idle)
 - Barracksreactor [158] at (61,57) (HP:100%,
St:Idle)
 - Supplydepotlowered [164] at (60,53) (HP
:100%, St:Idle)
 - Factory [190] at (43,57) (HP:100%, St:
Training, AddOn:Techlab [252])
 - Commandcenter [226] at (24,61) (HP:100%,
St:Upgrading)
 - Supplydepotlowered [251] at (55,53) (HP
:100%, St:Idle)
 - Factorytechlab [252] at (46,57) (HP:100%,
St:Idle)
 - Barracks [257] at (62,54) (HP:100%, St:
Building)
 - Supplydepotlowered [265] at (42,55) (HP
:100%, St:Idle)
 - Missileturret [299] at (43,73) (HP:100%,
St:Idle)
 - Missileturret [314] at (70,68) (HP:100%,
St:Idle)
 - Supplydepotlowered [333] at (46,59) (HP
:100%, St:Idle)
 - Refinery [335] at (28,68) (HP:100%, St:
Idle)

[Visible Hostiles]
> Enemy Units:
 - Scv [181] at (34,21) (HP:88%)
 - Banshee [230] at (32,29) (HP:83%, Eng:5%)
 - Banshee [239] at (34,27) (HP:87%, Eng:1%)
 - Vikingassault [281] at (28,36) (HP:57%)
 - Marine [366] at (30,34) (HP:11%)
> Enemy Structures:
 - Barracks [141] at (30,22) (HP:100%)
 - Starport [142] at (30,25) (HP:100%)
 - Starporttechlab [162] at (33,25) (HP:91%)
 - Barracks [306] at (30,28) (HP:100%)
 - Barrackstechlab [365] at (33,22) (HP:92%)
> Snapshot Enemy Structures:
 - Supplydepotlowered at (21,28)
 - Orbitalcommand at (24,22)
 - Supplydepotlowered at (28,28)
 - Factory at (23,28)
 - Refinery at (17,25)
 - Refinery at (28,15)

"
}
```

F.2 Example of StarWM-Agent Online Decision Making

We present an example of the online decision-making context of StarWM-Agent, including the policy's initial action proposal, the world model's simulated future observation, and the refined action produced by the policy. This example demonstrates how the *Generate–Simulate–Refine* loop operates

in practice.

Example of StarWM-Agent Online Decision Making

```
[{
    "role": "user",
    "content": "As a top-tier StarCraft II
strategist, your task is to give one or more
 commands based on the current game state.
Only give commands which can be executed
immediately, instead of waiting for certain
events.

### Aim
Our final aim: destroy all enemies as soon
as possible.
Our strategy:
- Resource collection: produce workers and
gather minerals and gas
- Development: build attacking units and
structures
- Attacking: concentrate forces to search
and destroy enemies proactively

### Current Game State
# Round state
Time: 01:02
Race: Terran
Minerals: 145
Vespene: 12
Supply army: 0
Supply workers: 13
Supply unused: 18
Map size: 64x64

# Own units
[577, 145, 281, 713, 857, 457, 1, 721, 569,
425, 865]SCV
State: collecting resources automatically
[289]SCV
Position: (25, 53)
Health: 45/45 (100%)
State: constructing [(24, 53)]

# Unit abilities
SCV[577, 145, 281, 713, 857, 457, 1, 721,
569, 425, 289, 865]:
TERRANBUILD_COMMANDCENTER,
TERRANBUILD_SUPPLYDEPOT,
TERRANBUILD_REFINERY, TERRANBUILD_BARRACKS

# Own structures
[137]CommandCenter
Position: (24, 61)
Health: 1500/1500 (100%)
State: idle
Harvesters: 9/16
[169]SupplyDepot
Position: (24, 57)
Health: 400/400 (100%)
State: idle
[321]Barracks(building 29%)
Position: (24, 53)
[601]Refinery
Position: (17, 58)
Health: 500/500 (100%)
State: idle
```

Harvesters: 3/3 (no more harvesters accepted
)
[745]SupplyDepot
Position: (29, 61)
Health: 400/400 (100%)
State: idle

Structure abilities
CommandCenter[137]: COMMANDCENTERTRAIN_SCV

Visible enemy units
[Empty]

Visible enemy structures
[Empty]

Action history
{"action": "COMMANDCENTERTRAIN_SCV", "units":
 [137]}
{"action": "TERRANBUILD_SUPPLYDEPOT", "units
": [281], "target_position": [24, 59]}
{"action": "TERRANBUILD_SUPPLYDEPOT", "units
": [865], "target_position": [27, 61]}
{"action": "TERRANBUILD_REFINERY", "units":
[577], "target_unit": 513}
{"action": "TERRANBUILD_BARRACKS", "units":
[289], "target_position": [24, 55]}

Map information
Closest mineral fields: [665](25, 67),
[633](18, 61), [729](24, 68), [801](20, 67),
 [497](17, 62), [297](18, 65), [193](21, 68),
 [313](17, 64)
Closest vespene geysers: [513](17, 58),
[329](28, 68), [369](36, 65), [945](20, 48)

Ability description
COMMANDCENTERTRAIN_SCV(target: None): Train
a SCV, a Terran worker. Cost: 50 minerals.
TERRANBUILD_BARRACKS(target: Point): Build a
 Barracks to produce infantry units (Marine,
 Reaper, Marauder, Ghost). Cost: 150
minerals.
TERRANBUILD_COMMANDCENTER(target: Point):
Build a Command Center, the Terran base.
Cost: 400 minerals.
TERRANBUILD_REFINERY(target: Unit): Build a
Refinery on a Vespene Geyser. Cost: 75
minerals.
TERRANBUILD_SUPPLYDEPOT(target: Point):
Build a Supply Depot to increase 8 supplies
and unlock Barracks. Cost: 100 minerals.

Rules
Rule checklist:
1. Produce as many units with the strongest
attack power as possible.
2. The total cost of all commands should not
 exceed the current resources (minerals and
gas).
3. Commands should not build redundant
structures(e.g. 2 Refinery while one is not
fully utilized).
4. Commands should not use abilities that
are not supported currently.
5. Commands should not build a structure
that is not needed now (e.g. build a Missile
 Turret but there is no enemy air unit).

6. The unit production list capacity of
structures is 5. If the list is full, do not
 add more units to it.
7. Commands should not send SCV or MULE to
gather resources because the system will do
it automatically.
8. Commands should not train too many SCVs
or MULEs, whose number should not exceed the
 capacity of CommandCenter and Refinery.
9. Commands can construct a new one Supply
Depot only when the remaining unused supply
is less than 7.
10. Do not give any action that is
irrelevant to the task.
11. Each of units can only be used in the
whole response once at most.
12. If a unit is already performing an
action as given task, you should ignore it,
instead of giving a repeated action for it.
13. If one task cannot be finished, just
ignore it.
14. If resource is not enough, just complete
 the most important part of the task.

Give an action JSON in the following format
wrapped with triple backticks:
```
[
    {
        "action": "<action_name>",
        "units": [<unit_id>, <unit_id>, ...],
 # units you want to command
        "target_unit" (optional): <unit_id>,
 # some existing unit
        "target_position" (optional): [x, y]
    },
    // more actions ...
]
```

Example:
```
[
    {
        "action": "ATTACK_ATTACK",
        "units": [1, 2, 3],
        "target_unit": 9
    },
    {
        "action": "MOVE_MOVE",
        "units": [4, 5],
        "target_position": [50, 60]
    },
    {
        "action": "COMMANDCENTERTRAIN_SCV",
        "units": [6]
    }
]
```"
},

{
    "role": "assistant",
    "content": "<think>

</think>

```

```
[
    {
        "action": "TERRANBUILD_SUPPLYDEPOT",
        "units": [713],
        "target_position": [30, 61]
    }
]
```"
},
```

```
{
    "role": "user",
    "content": "
```

Here is a simulation report showing the **
PREDICTED GAME STATE** 5 seconds **IF** your
original proposed action is executed.

```
<simulation_report>
# Round state
Time: 01:07
Race: Terran
Enemy Race: Terran
Minerals: 50
Vespene: 24
Supply army: 0
Supply workers: 13
Supply unused: 18
Map size: 64x64

# Own units
[865, 857, 425, 713, 569, 1, 457]Scv
State: collecting resources automatically
[721]Scv
Position: (21, 67)
Health: 100%
State: idle
[281]Scv
Position: (20, 61)
Health: 100%
State: idle
[145]Scv
Position: (24, 65)
Health: 100%
State: idle
[289]Scv
Position: (25, 54)
Health: 100%
State: constructing
[577]Scv
Position: (21, 60)
Health: 100%
State: idle

# Own structures
[137]Commandcenter
Position: (24, 61)
Health: 100%
State: idle
[169]Supplydepot
Position: (24, 57)
Health: 100%
State: idle
[601]Refinery
Position: (17, 58)
Health: 100%
State: idle
[745]Supplydepot
Position: (29, 61)
Health: 100%
State: idle
[321]Barracks
Position: (24, 53)
State: under construction (40%)
[NEW]Supplydepot
Position: (30, 61)
State: under construction (23%)

# Visible enemy units
[Empty]

# Visible enemy structures
[Empty]
</simulation_report>
```

TACTICAL ANALYSIS REQUIRED
CRITICAL INSTRUCTION:
1. **LOOK BACK**: You MUST compare the **<
simulation_report>** above with the **###
Current Game State** provided in the **first
user message**.
2. **HYPOTHETICAL STATE**: This report is a
prediction. The action you proposed
previously has **NOT** been executed yet.
   - **KEEP** your original commands by
default.
   - **ADD** new commands if you find idle
units/structures or extra resources in the
prediction.
   - **REMOVE/CHANGE** original commands
ONLY if they lead to bad trades.

Analyze the predicted state and output the
OPTIMIZED JSON:

1. **Check Resources & Supply**:
   - **Supply Check**: Look at "Supply
unused" in the prediction. Is it low (< 3)?
     - If YES, you are about to be Supply
Blocked. **ADD** a command to `Build
SupplyDepot` (Use a valid SCV).
   - **Gas Strategy**:
     - Look at "Vespene". Is it very low (e.
g., 0 or < 50) while "Minerals" are high? **
ADD** `Build Refinery` to start gathering
gas.
     - Is "Vespene" high (e.g., > 150)? It's
time to develop technology. **ADD**
commands to `Build Factory/Starport`, `Build
TechLab`, `Upgrade (EngineeringBay)`, or `
Train Marauder/SiegeTank`.
   - **Mineral Surplus & Expansion**:
     - Look at "Minerals". Are they high (e.
g., > 400)? It's time to expand. **ADD**
Building Orders (e.g., `Build Command Center
` (Expand), `Build Barracks` (Increase
Production)).

2. **Check Structure States**:
   - **Queue Limit Check**: Look at the "
Production list" of each structure.
     - Does any list contain 4 or 5 items? (
e.g., `Marine (25%), Marine (Waiting),
Marine (Waiting)...`).
     - If YES, the queue is **FULL**. **Do
NOT** add more training commands to this
structure. Instead, if resources allow, **
ADD** commands to `Build Barracks/Factory`

```
to increase production capacity.
   - **Fill the Queue**: Look at "Production
 list". Is it empty or does it only have 1
item?
      - If YES, the structure needs more
orders. **ADD** commands to fill the queue (
e.g., `Train SCV` for CC, `Train Marine` for
 Barracks).
   - **Idle Structure Check**:
      - Look at "Own structures". Are there
any marked as **"State: idle"**? If YES,
immediately **ADD** commands to train units
(e.g., `Train SCV` for CC, `Train Marine`
for Barracks).
      - Are tech structures (e.g., TechLab,
EngineeringBay) marked as **"State: idle"**?
 If YES, **ADD** commands to upgrade
technology.

3. **Check Unit Health & Survival**:
   - **Idle Army Check**: Look at "Own units
". Are there any Army units marked as **"
State: idle"** while the **Visible enemy
units** or **Visible enemy structures** list
 is NOT empty?
      - If YES, do not just wait. Add an **
Attack** command to pressure the enemy.
   - **Survival & Bad Trade Check**: Compare
 the **Own units** and **Own structures**
list in the prediction with the **### 
Current Game State**. Are any units missing
(This means they **DIED**) without Killing
or Heavily Damaging enemy units?
      - If YES, this is a **Bad Trade**. **
CHANGE** your command to **Retreat** or **
Reposition** to save your units.
   - **Damage Check**: Look at the "Health"
of your units. Is any unit's health low or
dropped significantly?
      - If YES, the unit is under attack. Add
 a command to **Kite** (move back slightly)
or **Heal/Repair** (Medivac/SCV) to save it.
   - **Vision & Scouting Check**: is the **
Visible enemy structures** list [Empty]?
      - If YES, your vision is limited. **ADD
** `Attack` or `Move` commands to **search
for enemy bases**.

### NEW ACTION RULES
   - **VALIDATE ACTORS**: When adding new
commands, refer to **Unit abilities**, **
Structure abilities**, **Ability description
** in the **### Current Game State**
provided in the **first user message**.
Ensure the selected units actually have the
ability to perform the action.
   - **CORRECT UNIT SELECTION**: When adding
 `TERRANBUILD` commands, you MUST find a
valid **SCV** from the **### Current Game
State** (marked as `State: idle` or `State:
collecting resources automatically`).

**Output Rules**: Create an OPTIMIZED JSON
list that combines your beneficial original
actions with any NEW necessary and valid
actions derived from the analysis above.
/no_think"
},
```

```
------------------------------------------
{
    "role": "assistant",
    "content": "<think>

</think>

```
[
    {
        "action": "COMMANDCENTERTRAIN_SCV",
        "units": [137]
    }
]
``` "
}
]
```

G Prompt Templates for World Model and Decision System

G.1 World Model Prompt

We provide the prompt template used for StarWM and zero-shot world models. This prompt is used both in offline training and inference, as well as online simulation within the *Generate–Simulate–Refine* decision loop.

World Model Prompt

```
### Role
You are the StarCraft II World Model, a
dynamics simulator for Player {player_id}.

### Task
Predict the Future Observation for Player {
player_id} exactly {delta} seconds later
based on the Current Observation, the Action
 Sequence and the Game Mechanics.

### Input
1. Current Observation: The partial state
visible to Player {player_id} at time t.
2. Action Sequence: All actions executed by
Player {player_id} between t and t+{delta}s.

### Output
Future Observation: The Predicted partial
state visible to Player {player_id} at time
t+{delta}s.

### Data Explanation
#### Observation Schema:
- **[Info]**: Player-specific status, race,
enemy race, economy (minerals, gas, gather
rate), supply (used, cap), alerts and
upgrades.
- **[Queue]**: Ongoing and queued production,
 construction, and research tasks.
- **[My Units]**: Self units (workers & army
).
- **[My Structures]**: Self buildings,
including key structures for production and
technology.
```

- **[Visible Hostiles]**: Enemy units and structures currently visible within the Fog of War.
Action Schema:
The Action follows the format: Subject - Command - Target.
- **Subject**: UnitName [ID] (e.g., Marine [101]).
- **Command**: The specific operation (e.g., Move, Attack, etc.).
- **Target**: Coordinate (x, y) or TargetName [ID] or absent for some commands.

Input Data
Current Observation:
{start_obs}
Action Sequence({delta}s):
{action_section}

Rules for Reasoning && Game Mechanics
Perform the state transition based on the following logic:
1. **Time:** Increment the "Time" field by {delta} seconds.
2. **Resources:**
 - Minerals/Gas Change ≈ (Income_Rate_per_min / 60 * {delta}s) - (Cost of new Actions).
 - Note: Income Rate is the (+value) found in the [Info] section.
 - Update Income Rate roughly proportional to the change in active mining workers.
3. **Supply:**
 - Used += Supply Cost of the newly issued Action. (Units in Queue consume Supply, not upon completion.)
 - Cap += Newly Completed Supply Structure (eg. Supply Depot, Command Center).
4. **Queue & Production:**
 - Progress += ({delta}s / Total Build Time at game_speed=1.4). Note: Game Speed is 1.4.
 - If Progress >= 100%: Remove from [Queue], add to [My Units](if unit) or [My Structures](if structure), and update [Info] (Supply Cap, Upgrades) accordingly.
 - New Actions: Add newly issued training/ building Action to [Queue].
5. **Movement:** For moving units: New Pos ≈ Start Pos + Direction_Vector * (min(Remaining Distance, Speed * {delta}s)).
6. **Status:** Status Change depends on the Command and the Target.
7. **Combat:**
 - If units are "Attacking" or under attack, reduce HP based on estimated DPS and duration.
 - Remove units if HP <= 0.
8. **Visibility:**
 - Unit Hiding: Units inside structures (e.g ., SCVs in Refineries, units in Bunkers/ Medivacs) do NOT appear in [My Units] list temporarily, though they still consume Supply.
 - Fog of War: Update [Visible Hostiles] based on current visual radius of self units and structures. Remove enemy units that move into the fog or become cloaked without detection.

9. **Consistency:** Units/Structures not mentioned in the Action Sequence remain unchanged (ID, Position, HP, Status and so on).

Output Format Requirements
1. **Raw Text Only:** Output the observation text directly. Do NOT use JSON, Markdown code blocks, or conversational fillers (e.g., "Here is the prediction").
2. **Format:** The output must start strictly with the [Info] tag and follow the exact structure of the input observation.

G.2 Online Refinement Prompt with World Model Predictions

We provide the online refinement prompt used in the *Generate–Simulate–Refine* decision loop of StarWM-Agent. The same refinement prompt is also used in the online zero-shot world model ablation, where StarWM is replaced by a zero-shot Qwen3-8B for future prediction.

Online Refinement Prompt with World Model Predictions

Here is a simulation report showing the ** PREDICTED GAME STATE** 5 seconds **IF** your original proposed action is executed.

<simulation_report>
{report}
</simulation_report>

TACTICAL ANALYSIS REQUIRED
CRITICAL INSTRUCTION:
1. **LOOK BACK**: You MUST compare the **< simulation_report>** above with the **### Current Game State** provided in the **first user message**.
2. **HYPOTHETICAL STATE**: This report is a **prediction**. The action you proposed previously has **NOT** been executed yet.
 - **KEEP** your original commands by default.
 - **ADD** new commands if you find idle units/structures or extra resources in the prediction.
 - **REMOVE/CHANGE** original commands ONLY if they lead to bad trades.

Analyze the predicted state and output the OPTIMIZED JSON:

1. **Check Resources & Supply**:
 - **Supply Check**: Look at "Supply unused" in the prediction. Is it low (< 3)?
  - If YES, you are about to be Supply Blocked. **ADD** a command to `Build SupplyDepot` (Use a valid SCV).
 - **Gas Strategy**:
  - Look at "Vespene". Is it very low (e. g., 0 or < 50) while "Minerals" are high? ** ADD** `Build Refinery` to start gathering gas.

```
      - Is "Vespene" high (e.g., > 150)? It's
   time to develop technology. **ADD**
   commands to `Build Factory/Starport`, `Build
    TechLab`, `Upgrade (EngineeringBay)`, or `
   Train Marauder/SiegeTank`.
      - **Mineral Surplus & Expansion**:
        - Look at "Minerals". Are they high (e.
   g., > 400)? It's time to expand. **ADD**
   Building Orders (e.g., `Build Command Center
   ` (Expand), `Build Barracks` (Increase
   Production)).

2. **Check Structure States**:
   - **Queue Limit Check**: Look at the "
   Production list" of each structure.
      - Does any list contain 4 or 5 items? (
   e.g., `Marine (25%), Marine (Waiting),
   Marine (Waiting)...`).
      - If YES, the queue is **FULL**. **Do
   NOT** add more training commands to this
   structure. Instead, if resources allow, **
   ADD** commands to `Build Barracks/Factory`
   to increase production capacity.
   - **Fill the Queue**: Look at "Production
    list". Is it empty or does it only have 1
   item?
      - If YES, the structure needs more
   orders. **ADD** commands to fill the queue (
   e.g., `Train SCV` for CC, `Train Marine` for
    Barracks).
   - **Idle Structure Check**:
      - Look at "Own structures". Are there
   any marked as **"State: idle"**? If YES,
   immediately **ADD** commands to train units
   (e.g., `Train SCV` for CC, `Train Marine`
   for Barracks).
      - Are tech structures (e.g., TechLab,
   EngineeringBay) marked as **"State: idle"**?
    If YES, **ADD** commands to upgrade
   technology.

3. **Check Unit Health & Survival**:
   - **Idle Army Check**: Look at "Own units
   ". Are there any Army units marked as **"
   State: idle"** while the **Visible enemy
   units** or **Visible enemy structures** list
    is NOT empty?
      - If YES, do not just wait. Add an **
   Attack** command to pressure the enemy.
   - **Survival & Bad Trade Check**: Compare
    the **Own units** and **Own structures**
   list in the prediction with the **###
   Current Game State**. Are any units missing
   (This means they **DIED**) without Killing
   or Heavily Damaging enemy units?
      - If YES, this is a **Bad Trade**. **
   CHANGE** your command to **Retreat** or **
   Reposition** to save your units.
   - **Damage Check**: Look at the "Health"
   of your units. Is any unit's health low or
   dropped significantly?
      - If YES, the unit is under attack. Add
    a command to **Kite** (move back slightly)
   or **Heal/Repair** (Medivac/SCV) to save it.
   - **Vision & Scouting Check**: is the **
   Visible enemy units** list [Empty]?
      - If YES, your vision is limited. **ADD
   ** `Attack` or `Move` commands to **search
   for enemy bases**.
```

```
### NEW ACTION RULES
   - **VALIDATE ACTORS**: When adding new
commands, refer to **Unit abilities**, **
Structure abilities**, **Ability description
** in the **### Current Game State**
provided in the **first user message**.
Ensure the selected units actually have the
ability to perform the action.
   - **CORRECT UNIT SELECTION**: When adding
 `TERRANBUILD` commands, you MUST find a
valid **SCV** from the **### Current Game
State** (marked as `State: idle` or `State:
collecting resources automatically`).

**Output Rules**: Create an OPTIMIZED JSON
list that combines your beneficial original
actions with any NEW necessary and valid
actions derived from the analysis above.
```

G.3 Online Refinement Prompt for Self-Reflection Ablation

We provide the refinement prompt used in the on-line self-reflection ablation study. In this setting, no external future prediction is introduced, and the policy refines its initially generated action solely based on its own internal reasoning.

Online Refinement Prompt for Self-Reflection Ablation

```
Here is a reflection guidance for your
original proposed actions.
### TACTICAL REFLECTION REQUIRED
**CRITICAL INSTRUCTION**:
1. **LOOK BACK**: You MUST review the **###
 Current Game State** provided in the **first
 user message**.
2. **REFLECTION**: The actions you proposed
previously have **NOT** been executed yet.
You have a chance to refine it.
   - **KEEP** your original commands by
default.
   - **ADD** new commands if you find idle
units/structures or extra resources in the
current state.
   - **REMOVE/CHANGE** original commands
ONLY if they are not good enough.

Analyze the current state and output the
OPTIMIZED JSON:

1. **Check Resources & Supply**:
   - **Supply Check**: Look at "Supply
unused". Is it low (< 3)?
      - If YES, you are about to be Supply
Blocked. **ADD** a command to `Build
SupplyDepot` (Use a valid SCV).
   - **Gas Strategy**:
   - Look at "Vespene". Is it very low (e.
g., 0 or < 50) while "Minerals" are high? **
ADD** `Build Refinery` to start gathering
gas.
   - Is "Vespene" high (e.g., > 150)? It's
 time to develop technology. **ADD**
```

commands to `Build Factory/Starport`, `Build TechLab`, `Upgrade (EngineeringBay)`, or `Train Marauder/SiegeTank`.
   - **Mineral Surplus & Expansion**:
     - Look at "Minerals". Are they high (e.g., > 400)? It's time to expand. **ADD** Building Orders (e.g., `Build Command Center` (Expand), `Build Barracks` (Increase Production)).

2. **Check Structure States**:
   - **Queue Limit Check**: Look at the "Production list" of each structure.
     - Does any list contain 4 or 5 items?
     - If YES, the queue is **FULL**. **Do NOT** add more training commands to this structure. Instead, if resources allow, **ADD** commands to `Build Barracks/Factory` to increase production capacity.
   - **Fill the Queue**: Look at "Production list". Is it empty or does it only have 1 item?
     - If YES, the structure needs more orders. **ADD** commands to fill the queue (e.g., `Train SCV` for CC, `Train Marine` for Barracks).
   - **Idle Structure Check**:
     - Look at "Own structures". Are there any marked as **"State: idle"**? If YES, immediately **ADD** commands to train units (e.g., `Train SCV` for CC, `Train Marine` for Barracks).
     - Are tech structures (e.g., TechLab, EngineeringBay) marked as **"State: idle"**? If YES, **ADD** commands to upgrade technology.

3. **Check Unit Health & Status**:
   - **Idle Army Check**: Look at "Own units". Are there any Army units marked as **"State: idle"** while the **Visible enemy units** or **Visible enemy structures** list is NOT empty?
     - If YES, do not just wait. Add an **Attack** command to pressure the enemy.
   - **Damage Check**: Look at the "Health" of your units. Is any unit's health low?
     - If YES, add a command to **Kite** (move back slightly) or **Heal/Repair** (Medivac/SCV) to save it.
   - **Vision & Scouting Check**: Is the **Visible enemy structures** list [Empty]?
     - If YES, your vision is limited. **ADD** `Attack` or `Move` commands to **search for enemy bases**.

NEW ACTION RULES
   - **VALIDATE ACTORS**: When adding new commands, refer to **Unit abilities**, **Structure abilities**, **Ability description** in the **### Current Game State** provided in the **first user message**. Ensure the selected units actually have the ability to perform the action.
   - **CORRECT UNIT SELECTION**: When adding `TERRANBUILD` commands, you MUST find a valid **SCV** from the **### Current Game State** (marked as `State: idle` or `State: collecting resources automatically`).

Output Rules: Create an OPTIMIZED JSON list that combines your beneficial original actions with any NEW necessary and valid actions derived from the reflection above.