LANGUAGE IMBALANCE DRIVEN REWARDING FOR MULTILINGUAL SELF-IMPROVING

Anonymous authors
Paper under double-blind review

ABSTRACT

Large Language Models (LLMs) have achieved state-of-the-art performance across numerous tasks. However, these advancements have predominantly benefited "first-class" languages such as English and Chinese, leaving many other languages underrepresented. This imbalance, while limiting broader applications, generates a natural preference ranking between languages, offering an opportunity to bootstrap the multilingual capabilities of LLM in a self-improving manner. Thus, we propose *Language Imbalance Driven Rewarding*, where the inherent imbalance between dominant and non-dominant languages within LLMs is leveraged as a reward signal. Iterative DPO training demonstrates that this approach not only enhances LLM performance in non-dominant languages but also improves the dominant language's capacity, thereby yielding an iterative reward signal. Fine-tuning Meta-Llama-3-8B-Instruct over two iterations of this approach results in continuous improvements in multilingual performance across instruction-following and arithmetic reasoning tasks, evidenced by an average improvement of 7.46% win rate on the X-AlpacaEval leaderboard and 13.9% accuracy on the MGSM benchmark. This work serves as an initial exploration, paving the way for multilingual self-improvement of LLMs.

1 INTRODUCTION

Large Language Models (LLMs) have revolutionized the field of Natural Language Processing (NLP) with superior performance across numerous tasks. However, existing studies show that due to the imbalance of pre-training and fine-tuning data across languages, existing LLMs have predominately benefited a few "first-class" languages, particularly *English* and *Chinese*, thereby overlooking a wide range of other languages (Qin et al., 2024). Given that LLMs are used worldwide, such language imbalance presents significant risks for users who operate in less dominant languages (Deshpande et al., 2023). To this end, enhancing the multilingual performance of LLMs has gained increasing attention.

Previous research predominantly frames this imbalance as an issue to be resolved, often addressing it through multilingual training and cross-lingual alignment. The first approach aims to improve multilingual performance by incorporating additional multilingual data (Wei et al., 2023; Dang et al., 2024). However, high-quality multilingual instruction tuning and preference data, particularly for low-resource languages, remain scarce and expensive (Boubdir et al., 2023; Chaudhari et al., 2024). The second approach seeks to bridge the performance gap between languages by aligning non-dominant and dominant ones (Li et al., 2023a; Chen et al., 2023b; Chai et al., 2024; Zhang et al., 2024), which are often bottlenecked by the performance of the dominant language.

This work takes a different perspective, positing that language imbalance, while still an issue, *creates a natural preference ranking between dominant and non-dominant languages*, which can be leveraged as a reward signal. As the preference ranking is mutual, the reward signal benefits both dominant and non-dominant languages, enabling their simultaneous optimization. Consequently, reliance on human-authored data is eliminated, and the performance ceiling for dominant languages is surpassed.

We thus introduce *Language Imbalance Driven Rewarding*, which leverages the reward generated from inherent language imbalance to enhance the multilingual capabilities of LLM in a self-improving manner. Specifically, our approach adopts an Iterative Direct Preference Optimization

(DPO) (Rafailov et al., 2024) similar to previous works (Yuan et al., 2024). As shown in Figure 1, starting from any instruction model with basic multilingual capabilities, responses are generated by the model for multilingual prompts and are then mutually translated by that same model. This translation process largely preserves the original preference rankings yielding from language imbalance (discussed in Section 3.2), allowing for the construction of a preference dataset where responses in the dominant language are treated as preferred and those in the non-dominant language as rejected. Subsequently, our approach employs a variant of the DPO that incorporates a negative log-likelihood (NLL) loss term for the chosen labels and has been demonstrated to be crucial for performance in Pang et al. (2024). The DPO training is executed on both dominant and non-dominant languages, enhancing their performance simultaneously. The model trained with DPO is capable of continuously providing reward signals in proceeding iterations.



Figure 1: **Language Imbalance Driven Rewarding.** Our method consists of two steps: (i) *Self multilingual preference pair generation*: Multilingual prompts are used to generate multilingual responses from M_t, respectively. Then, M_t is utilized to perform mutual translations between responses in dominant language (e.g., *en*) and non-dominant languages (e.g., *es, de, ru*). Finally, the inherent language imbalance in LLMs is leveraged to construct multilingual preference pairs. (ii) *Multilingual preference optimization*: Multilingual preference pairs are constructed by M_t itself, which are used for training via a DPO+NLL objective, resulting in model M_{t+1}. The whole process is iteratively repeated, enhancing the model's multilingual abilities across all languages in each subsequent iteration, until optimization saturates.

In our experiments, we begin with Meta-Llama-3-8B-Instruct (Meta, 2024) as the seed model and perform two rounds of iteration. Results demonstrate that multilingual preference optimization not only significantly enhances the instruction-following abilities of non-dominant languages compared to the seed model but also improves the performance of the dominant language. This means that during training, the model is not constrained by the initial performance of the dominant language, which is crucial for iterative self-improvement within our approach. Although this effect will gradually saturate as the performance gap between languages narrows, it presents an intriguing opportunity to bootstrap the multilingual performance of LLMs across all languages without the need for human-authored datasets.

2 Language Imbalance Driven Rewarding

Our approach first assumes access to an instruction-following language model, and a set of multilingual training prompts. Starting from any instruction model that possesses basic multilingual generation capabilities, each iteration consists of two steps, (i) *Self multilingual preference pair generation* and (ii) *Multilingual preference optimization*, as shown in Figure 1. For the tth iteration, we use the current model M_t, with the seed model denoted as M_0. Step (i) generates multilingual preference pairs data for DPO training in step (ii). After training, the updated model M_{t+1} is utilized as the initial weight in the next iteration.

Initialization Given an instruction-tuned model M_0 and a set of parallel multilingual instruction prompts $\mathcal{X}$, where $\mathcal{X}$ includes both the dominant language and non-dominant languages participating in the self-improving process, the model is updated iteratively, resulting in a sequence of models $M_1, M_2, \ldots, M_T$.

Self Multilingual Preference Pair Generation The current model M_t generates corresponding responses $y_i^l \sim M_t(x_i^l)$ for the instruction x_i^l in any language l supported by the model.

$$y_i^l \sim M_t(x_i^l) \quad \text{for all } x_i^l \in \mathcal{X} \tag{1}$$

Let dl and nl represent any dominant and non-dominant language supported by the model, respectively. After generating the corresponding responses, we utilize the *self-translation* capability of LLM to facilitate translation between dominant and non-dominant language responses, the *self-translation* prompt is given in Appendix D.4. Specifically, for the dominant language response y_i^{dl}, M_t is utilized to translate it into any non-dominant language nl, resulting in $y_i^{dl \to nl}$. Similarly, we randomly select a response in any non-dominant language nl for each prompt, denoted as y_i^{nl}, and translate it into the dominant language, resulting in $y_i^{nl \to dl}$.

Due to the inherent differences in the multilingual capabilities of the model itself, and translation does not alter language biases. The following preference ranking holds true for the dominant language dl and any non-dominant language nl supported by the model:

For the same instruction in dominant language x_i^{dl},

$$y_i^{dl} \succ y_i^{nl \to dl} \tag{2}$$

For the same instruction in non-dominant language x_i^{nl},

$$y_i^{dl \to nl} \succ y_i^{nl} \tag{3}$$

Thus, the preference ranking between the dominant language and non-dominant languages is utilized to construct multilingual preference pair dataset in all languages supported by the model.

$$\mathcal{D}_{dl} = \left\{x_i^{dl}, y_i^{dl}, y_i^{nl \to dl}\right\}_{i=1}^{N} \tag{4}$$

$$\mathcal{D}_{nl} = \left\{x_i^{nl}, y_i^{dl \to nl}, y_i^{nl}\right\}_{i=1}^{N} \tag{5}$$

The $\mathcal{D}_{dl}$ and $\mathcal{D}_{nl}$ are combined to form the multilingual preference pair dataset, which is denoted as $\mathcal{D} = \{\mathcal{D}_{dl}, \mathcal{D}_{nl}\}$

Multilingual Preference Optimization Given a multilingual preference pair $\{x, y_{win}, y_{lose}\}$ from $\mathcal{D}$, a variant of DPO is employed to maximize the probability of the chosen output y_{win} and minimize that of the undesirable output y_{lose}. Specifically, a negative log-likelihood (NLL) loss term for the chosen labels is incorporated into the vanilla DPO (Rafailov et al., 2024) formulation to improve alignment performance. The optimization objective is formulated as:

$$\mathcal{L}_{\mathcal{DPO}} = -\mathbb{E}_{(x,y_{win},y_{lose})\sim\mathcal{D}}\left[\log\sigma\left(\beta\log\frac{M_\theta(y_{win}|x)}{M_t(y_{win}|x)} - \beta\log\frac{M_\theta(y_{lose}|x)}{M_t(y_{lose}|x)}\right)\right] \tag{6}$$

$$\mathcal{L}_{\mathcal{NLL}} = -\mathbb{E}_{(x,y_{win})\sim\mathcal{D}}\left[\frac{\log M_\theta(y_{win}|x)}{|y_{win}|}\right] \tag{7}$$

Overall,

$$\mathcal{L} = \mathcal{L}_{\mathcal{DPO}} + \alpha\mathcal{L}_{\mathcal{NLL}} \tag{8}$$

Where $M_\theta(\cdot|x)$ is the policy model to be optimized, $M_t(\cdot|x)$ is the reference model kept unchanged during training. The parameters θ are initialized from model M_t, σ is the sigmoid function. Note that the $\mathcal{L}_{\mathcal{NLL}}$ term is normalized by the response length, while DPO loss is not.

After the DPO training, our next model is updated as $M_{t+1} = M_\theta$, which will be utilized to construct new multilingual preference pairs data for the next iteration.

Iterative Training Our overall procedure starts from an instruction-following model M_0 and instruction prompts $\mathcal{X}$, training a series of models $M_1, M_2, ..., M_T$. The models and corresponding training data used are defined as follows:

M_0: Base LLM; Instruction-following model.

M_1: Initialized with M_0, using M_0 and $\mathcal{X}$ to generate $\mathcal{D}_0$, then conduct multilingual preference optimization on the $\mathcal{D}_0$.

M_2: Initialized with M_1, using M_1 and $\mathcal{X}$ to generate $\mathcal{D}_1$, then conduct multilingual preference optimization on the $\mathcal{D}_1$.

3 DISCUSSION

The insight behind our proposed method is to leverage *the inherent differences in the multilingual capabilities of LLMs to provide rewards for DPO training*. Therefore, two key questions remain to be addressed:

3.1 DO LLMS EXHIBIT SIGNIFICANT DIFFERENCES IN MULTILINGUAL CAPABILITIES?

While the differences in multilingual capabilities have been evidenced by many prior works (Ranaldi & Pucci, 2023; Yuan et al., 2023; Zhao et al., 2024), we further validate the disparity in multilingual capabilities in Llama-3.

Specifically, we randomly selected 100 multilingual Alpagasus (Chen et al., 2023a) instructions and evaluated the response quality across different languages using GPT-4 score. Based on the technical report for LLaMA 3 (Meta, 2024), English is selected as the dominant language, while the other languages are considered non-dominant languages. As shown in Table 1, a significant difference in response quality remains between the dominant language (*en*) and non-dominant languages, demonstrating an inherent imbalance exists in the multilingual capabilities within the model.

Table 1: The average quality of responses across different languages for parallel multilingual instructions. Note that Llama-3-8B-Instruct is subject to the off-target issue in certain languages (*e.g., ja and ru*).

Model	GPT-4 Score (0-10)						
	en	es	fr	it	de	ja	ru
Llama-3-8B-Instruct	**9.60**	8.34	6.43	6.66	4.69	0.76	2.21

3.2 DOES TRANSLATION PRESERVE THE RANKING OF RESPONSE PREFERENCES?

As shown in Discussion 3.1, *Given an English prompt x_i^{en} and a non-dominant language prompt x_i^{nl}, model M consistently produces a better response for the English prompt:* $M(y_i^{en}|x_i^{en}) \succ M(y_i^{nl}|x_i^{nl})$. However, self-translation is employed by our method to convert the English response y_i^{en} into non-dominant language nl, and vice versa. Therefore, a key question arises: Do the translated responses preserve the preference ranking in Equation 2 and 3?

As translation will largely preserve the semantics and the structure of the sentence, it is reasonable to believe that the preference ranking stemming from the quality difference of the response is largely preserved. To verify our assumption, the GPT-4 score is utilized to assess the quality of self-translated responses and compare it with original responses. As shown in Table 2, the GPT-4 score of the translated response $y^{dl \to nl}$ is lower than the original response y^{dl}. However, a substantial gap remains between the translated response and the original response in non-dominant languages, which is consistent with the original preference ranking. This conclusion also holds for the dominant language (English), where the original response is superior to the response translated from non-dominant languages. Overall, the self-translation process does preserve the ranking of response preference.

Table 2: The average quality of self-translated responses. We selected the same responses discussed in Section 3.1 and assessed the self-translate quality using GPT-4 score. The <u>underlined</u> scores represent the self-translation of responses sampled from other languages into English ($y^{nl \to en}$), while the **bold** scores indicate the self-translation of English responses into other languages ($y^{en \to nl}$).

Type	GPT-4 Score (0-10)						
	en	es	fr	it	de	ja	ru
Self Generation	9.60	8.34	6.43	6.66	4.69	0.76	2.21
Self Translation	<u>8.03</u>	**9.32**	**9.17**	**8.72**	**8.96**	**7.89**	**7.75**

To observe the final preference ranking, multilingual preference pairs are constructed between the original and translated responses, sampling 100 pairs from each language. Reward accuracy (Win Rate) was then assessed through head-to-head comparisons by GPT-4. As shown in Table 3, language imbalance provides a positive reward (>0.5). Moreover, the strength of reward signals varies across languages, ranging from 0.57 in *es* to 0.79 in *ja*. In line with the GPT-4 score in Table 1, this indicates that languages with weaker performance in LLMs tend to exhibit stronger reward signals. Based on empirical observations, languages are classified with rewards of 0.60 as the threshold into low-reward ones *(es, fr, it)* and high-reward ones *(de, ja, ru)*.

Table 3: The reward accuracy of multilingual preference pairs.

Model	Reward Accuracy (0-1)						
	en	es	fr	it	de	ja	ru
Llama-3-8B-Instruct	0.72	0.57	0.60	0.57	0.70	0.79	0.74

4 General Instruction following

4.1 Experimental Setup

Base Models In our experiments, we use a widely adopted instruction-following model as our base model M_0, namely Llama-3-8B-Instruct (Meta, 2024). Llama-3-8B-Instruct, as an English-centric LLM, often encounters off-target issues when handling non-English requests. In Appendix A, our method is scaled to Qwen2-7B-Instruct (Yang et al., 2024) to verify its generalization capability.

Languages English is chosen as the common dominant language, and non-dominant languages include high-reward languages (German, Russian) and low-reward languages (Spanish, French). Additionally, Chinese is selected as an unseen language to observe the generalization of our approach. Note that unseen language means that not included in the training data.

Datasets The Alpagasus dataset (Chen et al., 2023a) includes 9,000 high-quality instruction-following examples filtered from the original 52,000 in the Alpaca dataset (Taori et al., 2023). We sample 1,000 prompts from the Alpagasus dataset and translate them into other languages using the Google Translate API to obtain multilingual prompts.

Implementation Details Models are trained for one epoch in each iteration across all experiments. During training, the global batch size is set to 16, and the learning rate is 5e-7. More details are described in Appendix B.4.

Evaluation and Metrics

- **Head-to-head performance**: Head-to-head performance is evaluated between the base model and the iterative models using GPT-4 (Achiam et al., 2023) as an evaluator (Liu et al., 2023) over 805 test prompts in X-AlpacaEval (Zhang et al., 2023).
- **X-AlpacaEval leaderboard**: We extend the existing AlpacaEval 2.0 toolkit (Li et al., 2023d) from an English-only framework to a multilingual one and compare both proprietary and open-source multilingual models on their multilingual instruction-following abilities.
- **Multilingual MT-Bench**: Results are additionally reported on multilingual MT-Bench. MT-Bench (Zheng et al., 2024a) consists of a series of open-ended questions that evaluate the multi-turn conversational and instruction-following abilities, which uses GPT-4 Turbo to grade the model responses on a scale of 10.
- **Multilingual NLP benchmarks**: To assess the *alignment tax* of our method, we further evaluate the performance of our model on multilingual versions of the MMLU (Hendrycks et al., 2020), HellaSwag (Zellers et al., 2019), ARC Challenge (Clark et al., 2018) and TruthfulQA (Lin et al., 2021) benchmarks.

4.2 HEAD-TO-HEAD PERFORMANCE

The head-to-head win rates of our models on the X-AlpacaEval (Zhang et al., 2023) dataset are shown in Figure 2. See Appendix B.1 for the detailed evaluation of the head-to-head performance.



Figure 2: Multilingual instruction following ability improves with *Language Imbalance Driven Rewarding* on Llama-3-8B-Instruct model.

Findings 1: Language Imbalance Driven Rewarding is effective. The head-to-head performance shows that M_1 achieves notable win rates against M_0 across all five training languages and one unseen language. For these five training languages, M_1 demonstrates a significant improvement, with Δ**W-L** values for each language ranging from 15.3% (*en*) to 61.5% (*ru*) compared to the base model. Upon comparing different languages, high-reward languages (*ru, de*) gain larger improvements than low-reward languages (*es, fr*) in Iteration 1 (M_1 vs M_0), but in Iteration 2 (M_2 vs M_1), the gains across all languages diminish and converge. We hypothesize that the reward signals across different languages gradually weaken and align over iterations.

Findings 2: The dominant language also benefits from Language Imbalance Driven Rewarding. Since the responses for non-dominant languages are translated from English, it is natural for these languages to see improvements. However, English also achieves better performance compared to the reference model. As shown in Figure 2, English shows a 15.3% increase in Δ**W-L** for M_1 vs M_0, and a 14.6% increase in Δ**W-L** for M_2 vs M_1. These results suggest that the dominant language also benefits from rejected responses translated from non-dominant languages, a phenomenon that has rarely been observed in previous cross-lingual alignment research.

Findings 3: Iterative training is possible and effective. Findings 2 reveals that English benefits from language imbalance driven rewarding, which lays the foundation for iterative optimization. Specifically, the enhancement in English makes it possible to generate higher-quality responses in the next iteration of training, enabling continual self-improving. In Figure 2, a consistent gain is observed in Iteration 1 (M_1 vs M_0) and Iteration 2 (M_2 vs M_1) in all languages. Compared to Iteration 1, the gains for all training languages (except for English) in Iteration 2 become more consistent and convergent. This demonstrates that our approach are capable of iteratively aligning all languages until reaching saturation.

Findings 4: Multilingual optimization can generalize to unseen languages. For the unseen language, the gains (Δ**W-L**) in Chinese are 32.2% for Iteration 1 (M_1 vs M_0) and 22.4% for Iteration 2 (M_2 vs M_1), respectively. These results indicate that multilingual preference optimization facilitates cross-lingual transfer, which is consistent with observations in Dang et al. (2024).

Table 4: The X-AlpacaEval Leaderboard, which shows the win rate over GPT-4 Turbo evaluated by GPT-4.

Model	Win Rate					Avg
	en	es	ru	de	fr	
Language Imbalance Driven Rewarding						
Meta-Llama-3-8B-Instruct (M0)	24.90%	18.08%	7.81%	8.65%	14.18%	14.72%
Iteration 1 (M1)	30.11%	21.82%	18.01%	16.87%	17.51%	20.86%
Iteration 2 (M2)	34.09%	21.21%	19.25%	16.02%	20.34%	22.18%
Multilingual Alignment						
Meta-Llama-3-8B-Instruct (SFT)	21.88%	18.98%	15.90%	16.68%	18.15%	18.32%
SOTA Multilingual Models						
GPT-4o-mini	45.17%	44.63%	47.03%	44.2%	44.93%	45.19%
GPT-4-0613	15.61%	18.18%	16.82%	16.00%	15.23%	16.37%
GPT-3.5-turbo-0125	11.96%	14.42%	13.74%	12.41%	12.70%	13.05%
Qwen2-72B-Instruct	37.72%	24.73%	27.15%	23.93%	24.63%	27.63%
Meta-Llama-3-70B-Instruct	39.74%	32.58%	9.14%	9.48%	25.20%	23.23%
InternLM2.5-Chat-20B	31.77%	16.62%	11.10%	11.56%	13.61%	16.93%
Qwen1.5-14B-Instruct	22.15%	20.63%	12.02%	16.05%	18.55%	17.88%
Meta-Llama-2-13B-Instruct	8.84%	5.31%	0.93%	1.19%	1.36%	3.53%
PolyLM-Chat-13B	3.81%	3.61%	2.27%	2.79%	3.56%	3.21%
Aya-23-8B	15.26%	16.68%	17.95%	18.50%	14.70%	16.62%
Qwen2-7B-Instruct	24.39%	13.89%	14.33%	11.45%	15.97%	16.01%
Mistral-7B-Instruct-v0.3	21.46%	13.36%	13.75%	11.91%	13.28%	14.75%

4.3 X-ALPACAEVAL LEADERBOARD

The X-AlpacaEval leaderboard, as shown in Table 4, demonstrates a high degree of consistency with head-to-head evaluations. After two rounds of iteration, Llama-3-8B-Instruct achieves average improvements of 7.46% in win rates over GPT-4 Turbo across five languages. Additionally, we evaluate the performance of state-of-the-art multilingual models on X-AlpacaEval, including OpenAI's GPT-4o, GPT-4 (Achiam et al., 2023), along with Qwen series (Bai et al., 2023; Yang et al., 2024), Llama series (Touvron et al., 2023b; Meta, 2024), InternLM2 (Cai et al., 2024), Aya-23 (Üstün et al., 2024), Mistral (Jiang et al., 2023) and PolyLM (Wei et al., 2023). Our method based on Llama-3-8B-Instruct outperforms both 7B and 14B-level models, achieving comparable performance to the 70B-level models.

Moreover, a comparative experiment on *multilingual alignment* is conducted, which performed supervised fine-tuning by self-translating model responses from the dominant language to non-dominant languages under the same experimental conditions. Multilingual alignment utilizes the performance of the dominant language as an anchor to align the capabilities between dominant and non-dominant languages. While there is an improvement in performance on non-dominant languages, a significant gap remains compared to our method, with 18.32% vs 22.18% in Llama3. Notably, multilingual alignment places excessive focus on non-dominant languages during the SFT process, resulting in a degradation of performance in English (-3.02%). In contrast, our approach improves English performance ($+9.19\%$). This improvement is crucial for enabling iteration in our method, whereas the performance decline in English seen with multilingual alignment hinders further iteration.

4.4 PERFORMANCE ON MULTILINGUAL MT-BENCH

Table 5 reports the multilingual MT-Bench results on a scale of score 10. A significant performance improvement on MT-Bench in Llama3 is observed across the training iterations, increasing from 6.80 in M_0 to 7.51 in M_2. This is because Llama3 initially exhibits a strong reward signal in M_0; however, this signal weakens as iterations progress. A detailed analysis is provided in Section 4.6.

Table 5: The Multilingual MT-Bench Benchmark.

Model	Training Languages					Unseen	Avg
	en	es	ru	de	fr	zh	
Meta-Llama-3-8B-Instruct (M0)	8.20	7.51	5.86	6.36	7.21	5.64	6.80
Iteration 1 (M1)	8.22	7.55	7.12	7.46	7.56	5.87	7.30
Iteration 2 (M2)	8.30	7.59	7.37	7.62	7.93	6.22	7.51

4.5 Alignment Tax on Multilingual NLP benchmarks

Previous studies have shown that instruction tuning and RLHF can lead to forgetting, also known as the alignment tax (Ouyang et al., 2022). The changes in world knowledge and commonsense reasoning abilities are examined throughout the iterative process by evaluating its performance on multilingual NLP benchmarks.

Table 6 presents the average results across five training languages (English, Spanish, Russian, German, French) and one unseen language (Chinese) on four benchmarks, with more detailed results provided in the Appendix C.1. **Overall**, during the iteration process, the performance on the benchmarks not only exhibits no significant degradation compared to the base models but also shows a slight improvement. These results indicate that the multilingual preference optimization process did not introduce any alignment tax.

Table 6: The Multilingual NLP Benchmarks.

Model	*Multilingual MMLU*	*Multilingual HellaSwag*	*Multilingual ARC challenge*	*Multilingual TruthfulQA*	
				MC1	*MC2*
Meta-Llama-3-8B-Instruct (M0)	$0.5666_{\pm 0.0043}$	$0.4724_{\pm 0.0051}$	$0.4228_{\pm 0.0144}$	$0.3417_{\pm 0.0710}$	$0.5076_{\pm 0.0978}$
Iteration 1 (M1)	$0.5687_{\pm 0.0043}$	$0.4761_{\pm 0.0051}$	$0.4312_{\pm 0.0144}$	$0.3464_{\pm 0.0718}$	$0.5169_{\pm 0.0993}$
Iteration 2 (M2)	$0.5687_{\pm 0.0043}$	$0.4763_{\pm 0.0051}$	$0.4321_{\pm 0.0144}$	$0.3472_{\pm 0.0720}$	$0.5165_{\pm 0.0992}$

4.6 The reward signal changes over iterations, getting stronger or weaker?

The reward signal strength on pairwise data was analyzed at the beginning of each iteration, as outlined in Section 3.2. Figure 3 shows the change in reward accuracy on training languages *(en, es, ru, de, fr)* and unseen languages *(it, ja)* across iterations. For the training languages, high-reward languages, except English, gradually shift to lower-reward status after Iteration 1. As English capabilities improve through iterations, low-reward languages remain in the lower-reward range with some fluctuations, enabling the self-improving process to continue iteratively.



Figure 3: The reward accuracy over iterations.

For unseen languages, reward accuracy also steadily increases (*it*) as English capabilities improve continuously. However, during the DPO training, certain preferences, such as controlling off-target responses, are transferred to unseen languages (*ja*). This is evident from the sharp drop in Japanese reward accuracy after Iteration 1, which corresponds to a reduction in off-target responses.

5 ARITHMETIC REASONING

Although the proposed method is particularly suitable for instruction-following tasks, the language-based nature of *Language Imbalance Driven Rewarding* actually makes it applicable to more difficult arithmetic reasoning task. Arithmetic reasoning is a task where language models often struggle (Ahn et al., 2024), and while they are considered language-agnostic (Brannon, 2005), existing LLMs demonstrate inconsistent reasoning capabilities across different languages.

5.1 EXPERIMENTAL SETUP

Base Model and Datasets The arithmetic reasoning task is conducted on Llama-3-8B-Instruct, starting with multilingual GSM8K (Cobbe et al., 2021) prompts. The implementation details are described in Appendix B.2.

Evaluation and Metrics Multilingual Grade School Math (MGSM) benchmark (Shi et al., 2022), is constructed by manually translating 250 math problems from the GSM8K dataset (Cobbe et al., 2021) into ten diverse languages. The reasoning accuracy (**Acc**) on it across 5 training languages and 5 unseen languages is reported. Additionally, the off-target rate (**Off-tag**) of the reasoning responses is assessed using the LangDetect library[1].

Table 7: Model performances on MGSM benchmark on LLama-3-8B-Instruct as base model. The subscript values represent the relative change in performance compared to the base model M_0 for each language. Positive values (in red) indicate improvement, and negative values (in blue) indicate a decline.

Training Languages	en		es		ru		de		fr	
	Acc(↑)	Off-tag(↓)	Acc(↑)	Off-tag(↓)	Acc(↑)	Off-tag(↓)	Acc(↑)	Off-tag(↓)	Acc(↑)	Off-tag(↓)
M0	0.700	0	0.456	0.012	0.488	0.076	0.468	0.016	0.464	0.016
Multilingual Alignment	0.680 $_{-2.0\%}$	0	0.604 $_{+14.8\%}$	0	0.592 $_{+10.4\%}$	0	0.552 $_{+8.4\%}$	0.008	0.540 $_{+7.6\%}$	0
M1	0.712 $_{+1.2\%}$	0	0.616 $_{+16.0\%}$	0	0.604 $_{+11.6\%}$	0.004	0.564 $_{+9.6\%}$	0	0.596 $_{+13.2\%}$	0
M2	0.720 $_{+2.0\%}$	0	0.640 $_{+18.4\%}$	0	0.620 $_{+13.2\%}$	0.004	0.570 $_{+10.2\%}$	0	0.608 $_{+14.4\%}$	0
Unseen Languages	**ja**		**sw**		**th**		**zh**		**bn**	
	Acc(↑)	Off-tag(↓)	Acc(↑)	Off-tag(↓)	Acc(↑)	Off-tag(↓)	Acc(↑)	Off-tag(↓)	Acc(↑)	Off-tag(↓)
M0	0.284	0.280	0.192	0.204	0.324	0.124	0.464	0.336	0.328	0.024
Multilingual Alignment	0.356 $_{+7.2\%}$	0.020	0.216 $_{+2.4\%}$	0.032	0.436 $_{+11.2\%}$	0.004	0.520 $_{+5.6\%}$	0.124	0.308 $_{-2.0\%}$	0
M1	0.428 $_{+14.4\%}$	0.008	0.320 $_{+12.8\%}$	0.016	0.524 $_{+20.0\%}$	0	0.552 $_{+8.8\%}$	0.076	0.464 $_{+13.6\%}$	0
M2	0.476 $_{+19.2\%}$	0.004	0.328 $_{+13.6\%}$	0.002	0.536 $_{+21.2\%}$	0	0.592 $_{+12.8\%}$	0.064	0.472 $_{+14.4\%}$	0

5.2 RESULTS

The results are presented in Table 7. A comparative experiment on *multilingual alignment* is conducted, where English responses were self-translated into other languages for SFT training. In training languages, our approach outperforms multilingual alignment, with M_2 improving by 11.6% on average, compared to 7.8% for multilingual alignment. While multilingual alignment struggles to balance English and non-dominant languages, leading to a decline in English performance (-2.0%).

From the unseen languages, M_1 achieves an average 16.2% improvement, surpassing the 11.6% improvement on training languages. This demonstrates that our method leverages language imbalance as a reward to learn language-agnostic reasoning alignment, which results in better generalization on unseen languages. In contrast, traditional multilingual alignment tends to overemphasize training languages to align English capabilities, resulting in much poorer generalization on unseen languages compared to our method (average 4.9% vs 16.2%).

[1]https://pypi.org/project/langdetect/

6 Related Work

LLM Self-Improving The goal of LLM self-improvement is to enhance its capability by leveraging the knowledge embedded within the model itself. Self-improvement can be broadly divided into two categories: *self-synthetic* and *self-critical*. *Self-synthetic* involves generating synthetic training data using the model itself. For example, Self-Instruct (Bai et al., 2022; Wang et al., 2022) is a technique for generating prompts and responses independently, which can be utilized to enhance a base language model. Instruction backtranslation (Li et al., 2023c) similarly augments and curates training data by augmenting it through back-translation from web documents to generate instructions. *Self-critical* (Dubois et al., 2024; Li et al., 2023e; Fernandes et al., 2023; Bai et al., 2024; Saha et al., 2023) refers to using LLM-as-a-Judge to assess the quality of the data. Self-rewarding (Yuan et al., 2024) involves using the model itself, via LLM-as-a-Judge prompting, to provide its own reward mechanism. However, existing self-improvement methods focus solely on enhancing the overall capabilities of language models and do not explore self-improving across different languages within the model. This is precisely the insight of our work.

Multilingual LLMs Contemporary LLMs (Touvron et al., 2023a;b; Team et al., 2024; Bai et al., 2023; Achiam et al., 2023) are predominantly trained on multilingual corpora. However, the language distribution in the data primarily focuses on *English* and *Chinese*. The imbalanced data distribution above has led to significant limitations in the capabilities of LLMs across most languages. To enhance the multilingual capabilities, one straightforward approach is *multilingual training*, using multilingual data during the pre-training (Conneau & Lample, 2019; Le Scao et al., 2023), instruction-following (Li et al., 2023b; Muennighoff et al., 2022) and post training (Dang et al., 2024). However, high-quality multilingual data, particularly for low-resource languages, remains scarce and expensive. The second approach is *cross-lingual alignment*, which seeks to bridge the performance gap by aligning non-dominant and dominant languages. This approach utilizes techniques such as cross-lingual transfer (Etxaniz et al., 2023; Huang et al., 2023; Ranaldi & Pucci, 2023; Qin et al., 2023), cross-lingual instruction tuning (Schuster et al., 2019; Wen-Yi & Mimno, 2023) and self-distillation (Zhang et al., 2024).

The most similar work, MAPO (She et al., 2024), uses an off-the-shelf translation model as a reward model to assess cross-language consistency as the preference for optimization, focusing on aligning non-dominant languages with dominant ones in reasoning tasks. In contrast, our approach relies on the LLM itself for translation, constructs preference pairs directly based on language imbalance, and supports both dominant and non-dominant languages. Our work enables iterative self-improvement across all languages for general tasks.

7 Conclusion

This paper introduces *Language Imbalance Driven Rewarding*, which leverages the inherent imbalance between dominant and non-dominant languages in LLMs as a reward signal to bootstrap LLMs' multilingual capabilities in a self-improving manner. Starting from any instruction-following model with basic multilingual capabilities, this approach generates and self-translates the responses between dominant and non-dominant languages within LLMs, constructing preference ranking and adopting an Iterative DPO for training. This approach not only enhances LLM performance in non-dominant languages but also improves the dominant language's capacity. Experiments on Llama-3-8B-Instruct demonstrate significant improvements in instruction-following and arithmetic reasoning tasks. While much remains to be explored, this work paves the way for developing models capable of enhancing their multilingual abilities autonomously across all languages.

8 Limitations and Future Work

Our work has certain limitations. The reward signal is derived from the inherent language imbalance within LLMs, which provides a coarse-grained signal. Developing more refined and accurate reward signals for multilingual self-improvement is an area we plan to explore in future work. Additionally, our approach relies on the LLM to self-translate the multilingual responses. Although LLMs outperform traditional machine translation systems, the translated responses may still exhibit artifacts, which hinders the response quality.

REPRODUCIBILITY STATEMENT

Codes and model weights will be made public after review to advocate future research. For evaluation, we primarily use greedy decoding to ensure reproducibility, except where specific generation configurations are mandated by certain benchmark tools. Note that evaluations on instruction-following abilities (AlpacaEval and MT-Bench) rely on OpenAI's API. The randomness of API responses may have little impact on the reproducibility of these benchmarks.

REFERENCES

Josh Achiam, Steven Adler, Sandhini Agarwal, Lama Ahmad, Ilge Akkaya, Florencia Leoni Aleman, Diogo Almeida, Janko Altenschmidt, Sam Altman, Shyamal Anadkat, et al. Gpt-4 technical report. *arXiv preprint arXiv:2303.08774*, 2023.

Janice Ahn, Rishu Verma, Renze Lou, Di Liu, Rui Zhang, and Wenpeng Yin. Large language models for mathematical reasoning: Progresses and challenges. *arXiv preprint arXiv:2402.00157*, 2024.

Jinze Bai, Shuai Bai, Yunfei Chu, Zeyu Cui, Kai Dang, Xiaodong Deng, Yang Fan, Wenbin Ge, Yu Han, Fei Huang, et al. Qwen technical report. *arXiv preprint arXiv:2309.16609*, 2023.

Yuntao Bai, Saurav Kadavath, Sandipan Kundu, Amanda Askell, Jackson Kernion, Andy Jones, Anna Chen, Anna Goldie, Azalia Mirhoseini, Cameron McKinnon, et al. Constitutional ai: Harmlessness from ai feedback. *arXiv preprint arXiv:2212.08073*, 2022.

Yushi Bai, Jiahao Ying, Yixin Cao, Xin Lv, Yuze He, Xiaozhi Wang, Jifan Yu, Kaisheng Zeng, Yijia Xiao, Haozhe Lyu, et al. Benchmarking foundation models with language-model-as-an-examiner. *Advances in Neural Information Processing Systems*, 36, 2024.

Meriem Boubdir, Edward Kim, Beyza Ermis, Marzieh Fadaee, and Sara Hooker. Which prompts make the difference? data prioritization for efficient human llm evaluation. *arXiv preprint arXiv:2310.14424*, 2023.

Elizabeth M Brannon. The independence of language and mathematical reasoning. *Proceedings of the National Academy of Sciences*, 102(9):3177–3178, 2005.

Zheng Cai, Maosong Cao, Haojiong Chen, Kai Chen, Keyu Chen, Xin Chen, Xun Chen, Zehui Chen, Zhi Chen, Pei Chu, et al. Internlm2 technical report. *arXiv preprint arXiv:2403.17297*, 2024.

Linzheng Chai, Jian Yang, Tao Sun, Hongcheng Guo, Jiaheng Liu, Bing Wang, Xiannian Liang, Jiaqi Bai, Tongliang Li, Qiyao Peng, et al. xcot: Cross-lingual instruction tuning for cross-lingual chain-of-thought reasoning. *arXiv preprint arXiv:2401.07037*, 2024.

Shreyas Chaudhari, Pranjal Aggarwal, Vishvak Murahari, Tanmay Rajpurohit, Ashwin Kalyan, Karthik Narasimhan, Ameet Deshpande, and Bruno Castro da Silva. Rlhf deciphered: A critical analysis of reinforcement learning from human feedback for llms. *arXiv preprint arXiv:2404.08555*, 2024.

Lichang Chen, Shiyang Li, Jun Yan, Hai Wang, Kalpa Gunaratna, Vikas Yadav, Zheng Tang, Vijay Srinivasan, Tianyi Zhou, Heng Huang, et al. Alpagasus: Training a better alpaca with fewer data. *arXiv preprint arXiv:2307.08701*, 2023a.

Nuo Chen, Zinan Zheng, Ning Wu, Linjun Shou, Ming Gong, Yangqiu Song, Dongmei Zhang, and Jia Li. Breaking language barriers in multilingual mathematical reasoning: Insights and observations. *arXiv preprint arXiv:2310.20246*, 2023b.

Peter Clark, Isaac Cowhey, Oren Etzioni, Tushar Khot, Ashish Sabharwal, Carissa Schoenick, and Oyvind Tafjord. Think you have solved question answering? try arc, the ai2 reasoning challenge. *arXiv preprint arXiv:1803.05457*, 2018.

Karl Cobbe, Vineet Kosaraju, Mohammad Bavarian, Mark Chen, Heewoo Jun, Lukasz Kaiser, Matthias Plappert, Jerry Tworek, Jacob Hilton, Reiichiro Nakano, et al. Training verifiers to solve math word problems. *arXiv preprint arXiv:2110.14168*, 2021.

Alexis Conneau and Guillaume Lample. Cross-lingual language model pretraining. *Advances in neural information processing systems*, 32, 2019.

John Dang, Arash Ahmadian, Kelly Marchisio, Julia Kreutzer, Ahmet Üstün, and Sara Hooker. Rlhf can speak many languages: Unlocking multilingual preference optimization for llms. *arXiv preprint arXiv:2407.02552*, 2024.

Tri Dao. Flashattention-2: Faster attention with better parallelism and work partitioning. *arXiv preprint arXiv:2307.08691*, 2023.

Ameet Deshpande, Vishvak Murahari, Tanmay Rajpurohit, Ashwin Kalyan, and Karthik Narasimhan. Toxicity in chatgpt: Analyzing persona-assigned language models. *arXiv preprint arXiv:2304.05335*, 2023.

Yann Dubois, Chen Xuechen Li, Rohan Taori, Tianyi Zhang, Ishaan Gulrajani, Jimmy Ba, Carlos Guestrin, Percy S Liang, and Tatsunori B Hashimoto. Alpacafarm: A simulation framework for methods that learn from human feedback. *Advances in Neural Information Processing Systems*, 36, 2024.

Julen Etxaniz, Gorka Azkune, Aitor Soroa, Oier Lopez de Lacalle, and Mikel Artetxe. Do multilingual language models think better in english? *arXiv preprint arXiv:2308.01223*, 2023.

Patrick Fernandes, Daniel Deutsch, Mara Finkelstein, Parker Riley, André FT Martins, Graham Neubig, Ankush Garg, Jonathan H Clark, Markus Freitag, and Orhan Firat. The devil is in the errors: Leveraging large language models for fine-grained machine translation evaluation. *arXiv preprint arXiv:2308.07286*, 2023.

Leo Gao, Jonathan Tow, Baber Abbasi, Stella Biderman, Sid Black, Anthony DiPofi, Charles Foster, Laurence Golding, Jeffrey Hsu, Alain Le Noac'h, Haonan Li, Kyle McDonell, Niklas Muennighoff, Chris Ociepa, Jason Phang, Laria Reynolds, Hailey Schoelkopf, Aviya Skowron, Lintang Sutawika, Eric Tang, Anish Thite, Ben Wang, Kevin Wang, and Andy Zou. A framework for few-shot language model evaluation, 07 2024. URL https://zenodo.org/records/12608602.

Sylvain Gugger, Lysandre Debut, Thomas Wolf, Philipp Schmid, Zachary Mueller, Sourab Mangrulkar, Marc Sun, and Benjamin Bossan. Accelerate: Training and inference at scale made simple, efficient and adaptable. https://github.com/huggingface/accelerate, 2022.

Dan Hendrycks, Collin Burns, Steven Basart, Andy Zou, Mantas Mazeika, Dawn Song, and Jacob Steinhardt. Measuring massive multitask language understanding. *arXiv preprint arXiv:2009.03300*, 2020.

Haoyang Huang, Tianyi Tang, Dongdong Zhang, Wayne Xin Zhao, Ting Song, Yan Xia, and Furu Wei. Not all languages are created equal in llms: Improving multilingual capability by cross-lingual-thought prompting. *arXiv preprint arXiv:2305.07004*, 2023.

Albert Q Jiang, Alexandre Sablayrolles, Arthur Mensch, Chris Bamford, Devendra Singh Chaplot, Diego de las Casas, Florian Bressand, Gianna Lengyel, Guillaume Lample, Lucile Saulnier, et al. Mistral 7b. *arXiv preprint arXiv:2310.06825*, 2023.

Diederik P Kingma and Jimmy Ba. Adam: A method for stochastic optimization. *arXiv preprint arXiv:1412.6980*, 2014.

Woosuk Kwon, Zhuohan Li, Siyuan Zhuang, Ying Sheng, Lianmin Zheng, Cody Hao Yu, Joseph E. Gonzalez, Hao Zhang, and Ion Stoica. Efficient memory management for large language model serving with pagedattention. In *Proceedings of the ACM SIGOPS 29th Symposium on Operating Systems Principles*, 2023.

Viet Dac Lai, Chien Van Nguyen, Nghia Trung Ngo, Thuat Nguyen, Franck Dernoncourt, Ryan A Rossi, and Thien Huu Nguyen. Okapi: Instruction-tuned large language models in multiple languages with reinforcement learning from human feedback. *arXiv preprint arXiv:2307.16039*, 2023.

Teven Le Scao, Angela Fan, Christopher Akiki, Ellie Pavlick, Suzana Ilić, Daniel Hesslow, Roman Castagné, Alexandra Sasha Luccioni, François Yvon, Matthias Gallé, et al. Bloom: A 176b-parameter open-access multilingual language model. 2023.

Chong Li, Shaonan Wang, Jiajun Zhang, and Chengqing Zong. Align after pre-train: Improving multilingual generative models with cross-lingual alignment. *arXiv preprint arXiv:2311.08089*, 2023a.

Haonan Li, Fajri Koto, Minghao Wu, Alham Fikri Aji, and Timothy Baldwin. Bactrian-x: Multilingual replicable instruction-following models with low-rank adaptation. *arXiv preprint arXiv:2305.15011*, 2023b.

Xian Li, Ping Yu, Chunting Zhou, Timo Schick, Omer Levy, Luke Zettlemoyer, Jason Weston, and Mike Lewis. Self-alignment with instruction backtranslation. *arXiv preprint arXiv:2308.06259*, 2023c.

Xuechen Li, Tianyi Zhang, Yann Dubois, Rohan Taori, Ishaan Gulrajani, Carlos Guestrin, Percy Liang, and Tatsunori B. Hashimoto. Alpacaeval: An automatic evaluator of instruction-following models. `https://github.com/tatsu-lab/alpaca_eval`, 5 2023d.

Xuechen Li, Tianyi Zhang, Yann Dubois, Rohan Taori, Ishaan Gulrajani, Carlos Guestrin, Percy Liang, and Tatsunori B Hashimoto. Alpacaeval: An automatic evaluator of instruction-following models, 2023e.

Stephanie Lin, Jacob Hilton, and Owain Evans. Truthfulqa: Measuring how models mimic human falsehoods. *arXiv preprint arXiv:2109.07958*, 2021.

Yang Liu, Dan Iter, Yichong Xu, Shuohang Wang, Ruochen Xu, and Chenguang Zhu. G-eval: Nlg evaluation using gpt-4 with better human alignment. *arXiv preprint arXiv:2303.16634*, 2023.

AI Meta. Introducing meta llama 3: The most capable openly available llm to date. *Meta AI*, 2024.

Niklas Muennighoff, Thomas Wang, Lintang Sutawika, Adam Roberts, Stella Biderman, Teven Le Scao, M Saiful Bari, Sheng Shen, Zheng-Xin Yong, Hailey Schoelkopf, et al. Crosslingual generalization through multitask finetuning. *arXiv preprint arXiv:2211.01786*, 2022.

Long Ouyang, Jeffrey Wu, Xu Jiang, Diogo Almeida, Carroll Wainwright, Pamela Mishkin, Chong Zhang, Sandhini Agarwal, Katarina Slama, Alex Ray, et al. Training language models to follow instructions with human feedback. *Advances in neural information processing systems*, 35: 27730–27744, 2022.

Richard Yuanzhe Pang, Weizhe Yuan, Kyunghyun Cho, He He, Sainbayar Sukhbaatar, and Jason Weston. Iterative reasoning preference optimization. *arXiv preprint arXiv:2404.19733*, 2024.

Libo Qin, Qiguang Chen, Fuxuan Wei, Shijue Huang, and Wanxiang Che. Cross-lingual prompting: Improving zero-shot chain-of-thought reasoning across languages. *arXiv preprint arXiv:2310.14799*, 2023.

Libo Qin, Qiguang Chen, Yuhang Zhou, Zhi Chen, Yinghui Li, Lizi Liao, Min Li, Wanxiang Che, and Philip S Yu. Multilingual large language model: A survey of resources, taxonomy and frontiers. *arXiv preprint arXiv:2404.04925*, 2024.

Rafael Rafailov, Archit Sharma, Eric Mitchell, Christopher D Manning, Stefano Ermon, and Chelsea Finn. Direct preference optimization: Your language model is secretly a reward model. *Advances in Neural Information Processing Systems*, 36, 2024.

Samyam Rajbhandari, Olatunji Ruwase, Jeff Rasley, Shaden Smith, and Yuxiong He. Zero-infinity: Breaking the gpu memory wall for extreme scale deep learning. In *Proceedings of the international conference for high performance computing, networking, storage and analysis*, pp. 1–14, 2021.

Leonardo Ranaldi and Giulia Pucci. Does the english matter? elicit cross-lingual abilities of large language models. In *Proceedings of the 3rd Workshop on Multi-lingual Representation Learning (MRL)*, pp. 173–183, 2023.

Swarnadeep Saha, Omer Levy, Asli Celikyilmaz, Mohit Bansal, Jason Weston, and Xian Li. Branch-solve-merge improves large language model evaluation and generation. *arXiv preprint arXiv:2310.15123*, 2023.

Tal Schuster, Ori Ram, Regina Barzilay, and Amir Globerson. Cross-lingual alignment of contextual word embeddings, with applications to zero-shot dependency parsing. *arXiv preprint arXiv:1902.09492*, 2019.

Shuaijie She, Shujian Huang, Wei Zou, Wenhao Zhu, Xiang Liu, Xiang Geng, and Jiajun Chen. Mapo: Advancing multilingual reasoning through multilingual alignment-as-preference optimization. *arXiv preprint arXiv:2401.06838*, 2024.

Freda Shi, Mirac Suzgun, Markus Freitag, Xuezhi Wang, Suraj Srivats, Soroush Vosoughi, Hyung Won Chung, Yi Tay, Sebastian Ruder, Denny Zhou, et al. Language models are multilingual chain-of-thought reasoners. *arXiv preprint arXiv:2210.03057*, 2022.

Rohan Taori, Ishaan Gulrajani, Tianyi Zhang, Yann Dubois, Xuechen Li, Carlos Guestrin, Percy Liang, and Tatsunori B Hashimoto. Stanford alpaca: An instruction-following llama model, 2023.

Gemma Team, Thomas Mesnard, Cassidy Hardin, Robert Dadashi, Surya Bhupatiraju, Shreya Pathak, Laurent Sifre, Morgane Rivière, Mihir Sanjay Kale, Juliette Love, et al. Gemma: Open models based on gemini research and technology. *arXiv preprint arXiv:2403.08295*, 2024.

Hugo Touvron, Thibaut Lavril, Gautier Izacard, Xavier Martinet, Marie-Anne Lachaux, Timothée Lacroix, Baptiste Rozière, Naman Goyal, Eric Hambro, Faisal Azhar, et al. Llama: Open and efficient foundation language models. *arXiv preprint arXiv:2302.13971*, 2023a.

Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shruti Bhosale, et al. Llama 2: Open foundation and fine-tuned chat models. *arXiv preprint arXiv:2307.09288*, 2023b.

Ahmet Üstün, Viraat Aryabumi, Zheng-Xin Yong, Wei-Yin Ko, Daniel D'souza, Gbemileke Onilude, Neel Bhandari, Shivalika Singh, Hui-Lee Ooi, Amr Kayid, et al. Aya model: An instruction finetuned open-access multilingual language model. *arXiv preprint arXiv:2402.07827*, 2024.

Yizhong Wang, Yeganeh Kordi, Swaroop Mishra, Alisa Liu, Noah A Smith, Daniel Khashabi, and Hannaneh Hajishirzi. Self-instruct: Aligning language models with self-generated instructions. *arXiv preprint arXiv:2212.10560*, 2022.

Xiangpeng Wei, Haoran Wei, Huan Lin, Tianhao Li, Pei Zhang, Xingzhang Ren, Mei Li, Yu Wan, Zhiwei Cao, Binbin Xie, et al. Polylm: An open source polyglot large language model. *arXiv preprint arXiv:2307.06018*, 2023.

Andrea W Wen-Yi and David Mimno. Hyperpolyglot llms: Cross-lingual interpretability in token embeddings. *arXiv preprint arXiv:2311.18034*, 2023.

An Yang, Baosong Yang, Binyuan Hui, Bo Zheng, Bowen Yu, Chang Zhou, Chengpeng Li, Chengyuan Li, Dayiheng Liu, Fei Huang, et al. Qwen2 technical report. *arXiv preprint arXiv:2407.10671*, 2024.

Fei Yuan, Shuai Yuan, Zhiyong Wu, and Lei Li. How multilingual is multilingual llm? *arXiv preprint arXiv:2311.09071*, 2023.

Weizhe Yuan, Richard Yuanzhe Pang, Kyunghyun Cho, Sainbayar Sukhbaatar, Jing Xu, and Jason Weston. Self-rewarding language models. *arXiv preprint arXiv:2401.10020*, 2024.

Rowan Zellers, Ari Holtzman, Yonatan Bisk, Ali Farhadi, and Yejin Choi. Hellaswag: Can a machine really finish your sentence? *arXiv preprint arXiv:1905.07830*, 2019.

Yuanchi Zhang, Yile Wang, Zijun Liu, Shuo Wang, Xiaolong Wang, Peng Li, Maosong Sun, and Yang Liu. Enhancing multilingual capabilities of large language models through self-distillation from resource-rich languages. *arXiv preprint arXiv:2402.12204*, 2024.

Zhihan Zhang, Dong-Ho Lee, Yuwei Fang, Wenhao Yu, Mengzhao Jia, Meng Jiang, and Francesco Barbieri. Plug: Leveraging pivot language in cross-lingual instruction tuning. *arXiv preprint arXiv:2311.08711*, 2023.

Jun Zhao, Zhihao Zhang, Qi Zhang, Tao Gui, and Xuanjing Huang. Llama beyond english: An empirical study on language capability transfer. *arXiv preprint arXiv:2401.01055*, 2024.

Lianmin Zheng, Wei-Lin Chiang, Ying Sheng, Siyuan Zhuang, Zhanghao Wu, Yonghao Zhuang, Zi Lin, Zhuohan Li, Dacheng Li, Eric Xing, et al. Judging llm-as-a-judge with mt-bench and chatbot arena. *Advances in Neural Information Processing Systems*, 36, 2024a.

Yaowei Zheng, Richong Zhang, Junhao Zhang, Yanhan Ye, and Zheyan Luo. Llamafactory: Unified efficient fine-tuning of 100+ language models. *arXiv preprint arXiv:2403.13372*, 2024b.

APPENDIX

A Scaling to Qwen2 **17**
A.1 Head-to-head performance 17
A.2 X-AlpacaEval Leaderboard 17
A.3 Multilingual MT-Bench 18
A.4 Multilingual NLP Benchmarks 18

B Implementation Details **18**
B.1 Experimental Details on General Instruction-following 18
B.2 Experimental Details on Arithmetic Reasoning 19
B.3 Experiments Environments 19
B.4 Hyperparameters 19

C Detailed Results and Analysis **20**
C.1 Multilingual NLP Benchmarks 20

D Prompts Template **22**
D.1 GPT-4 Score Prompt 22
D.2 Head-to-head Comparison Prompt 22
D.3 X-AlpacaEval Prompt 23
D.4 Self Translation Prompt 23
D.5 Multilingual Reasoning Prompt 24

A SCALING TO QWEN2

Qwen2-7B-Instruct (Yang et al., 2024) exhibits stronger multilingual capabilities and seldom produces off-target responses. We believe scaling our experiments to a multilingual LLM enhances the comprehensiveness of the evaluation. Following the experimental setup outlined in Section 4, Qwen2-7B-Instruct was chosen as the base model to validate the generalizability of *Language Imbalance Driven Rewarding*.

A.1 HEAD-TO-HEAD PERFORMANCE



Figure 4: Multilingual Instruction following ability improves with *Language Imbalance Driven Rewarding* on Qwen2-7B-Instruct model.

Figure 4 illustrates Qwen2's head-to-head performance, which is highly consistent with the results from the Llama3 performance.

For the training languages, M_1 demonstrates a significant improvement, with Δ**W-L** ranging from 21.0% to 31.2% compared to the base model. It demonstrates that Language Imbalance Driven Rewarding is effective. For the dominant language, English in M_1 gains 23.5% Δ**W-L** compared with M_0, while English in M_2 gains 7.3% Δ**W-L** compared with M_1. These results indicate that the dominant language also benefits from the rejected responses translated from non-dominant languages.

Table 8: The X-AplacaEval Leaderboard On Qwen2-7B-Instruct, which shows the win rate over GPT-4 Turbo evaluated by GPT-4.

Model	**Win Rate**					**Avg**
	en	es	ru	de	fr	
Language Imbalance Driven Rewarding						
Qwen2-7B-Instruct (M0)	24.39%	13.89%	14.33%	11.45%	15.97%	16.01%
Iteration 1 (M1)	32.11%	18.40%	18.61%	14.36%	18.47%	20.39%
Iteration 2 (M2)	34.84%	18.99%	20.28%	14.11%	21.03%	21.85%
Multilingual Alignment						
Qwen2-7B-Instruct (SFT)	20.79%	18.27%	19.36%	12.61%	17.39%	17.68%

A.2 X-ALPACAEVAL LEADERBOARD

The X-AlpacaEval leaderboard on Qwen2 as the base model is shown in 8. After two rounds of iterations, Qwen2-7B-Instrct achieved average improvements of 5.84% in win rates over GPT-4 Turbo across five languages, demonstrating performance comparable to 70B-level models.

Compared to multilingual alignment, our approach shows significantly better performance, with metrics of 21.85% versus 17.68% for multilingual alignment. We analyze that multilingual alignment overemphasizes non-dominant languages during supervised fine-tuning, resulting in a 3.6% decline in English performance. In contrast, our method effectively utilizes language imbalance as a reward signal, capturing the partial order relationships among all languages, including the dominant one. This strategy results in a significant improvement in English performance, with an increase of 10.54%.

A.3 Multilingual MT-Bench

In Table 9, Qwen2-7B-Instruct initially achieved a high score of 8.05, reflecting its robust multilingual capabilities. Despite the strong performance reducing the effectiveness of the language imbalance-driven reward signal, Qwen2 improved its average score to 8.20 after two training iterations. This shows that even with high initial scores, our approach continues to improve performance through iterative refinement.

Table 9: The Multilingual MT-Bench Benchmark On Qwen2-7B-Instruct.

Model	**Training Languages**					**Unseen**	**Avg**
	en	es	ru	de	fr	zh	
Qwen2-7B-Instruct (M0)	8.35	7.87	7.81	7.99	7.92	8.39	8.05
Iteration 1 (M1)	8.39	8.00	7.90	8.03	7.99	8.42	8.12
Iteration 2 (M2)	8.46	8.10	7.94	8.00	8.19	8.54	8.20

A.4 Multilingual NLP Benchmarks

Table 10 shows average performance across five training languages and Chinese on four benchmarks based on Qwen2, detailed in Appendix C.1. Slight performance improvements are observed in multilingual optimization iterations compared to the base models, indicating that the multilingual alignment process does not incur any alignment tax.

Table 10: The Multilingual NLP Benchmark On Qwen2-7B-Instruct.

Model	*Multilingual MMLU*	*Multilingual HellaSwag*	*Multilingual ARC challenge*	*Multilingual TruthfulQA*	
				MC1	*MC2*
Qwen2-7B-Instruct (M0)	$0.6387_{\pm 0.0041}$	$0.5139_{\pm 0.0052}$	$0.4321_{\pm 0.0144}$	$0.3731_{\pm 0.0765}$	$0.5395_{\pm 0.1032}$
Iteration 1 (M1)	$0.6402_{\pm 0.0041}$	$0.5143_{\pm 0.0052}$	$0.4316_{\pm 0.0144}$	$0.3744_{\pm 0.0767}$	$0.5418_{\pm 0.1035}$
Iteration 2 (M2)	$0.6403_{\pm 0.0041}$	$0.5130_{\pm 0.0052}$	$0.4338_{\pm 0.0144}$	$0.3740_{\pm 0.0766}$	$0.5410_{\pm 0.1034}$

B Implementation Details

B.1 Experimental Details on General Instruction-following

Head-to-head Performance Considering the excellent multilingual understanding ability of GPT-4, we use GPT-4[2] as a judge to conduct the automatic evaluation. GPT-4 as an evaluator has a higher correlation with human judgements (Liu et al., 2023; Li et al., 2023e).

Specifically, we use pairwise evaluation, asking GPT-4 to determine the better response between (r_1, r_2) from different models, given instruction x_i. During the evaluation, GPT-4 assigns a score from 0 to 10 based on the prompt in Appendix D.2.

GPT-4 as an evaluator, exhibits a significant positional bias, showing a preference for responses that appear earlier (Zheng et al., 2024a). To mitigate this bias, we first request GPT-4 to evaluate

[2]We use "gpt-4-1106-preview" API during the head-to-head evaluation.

(r_1, r_2), then switch the position to (r_2, r_1) for the second evaluation. The better response is the one that wins twice or wins once and draws once.

X-AlpacaEval The X-AlpacaEval leaderboard lists the win rates of various models over GPT-4 Turbo (`gpt-4-turbo-2024-04-09`) evaluated against GPT-4. Based on the `weighted_alpaca_eval_gpt4_turbo` config used in AlpacaEval 2, we modified the prompt to enable the model to better evaluate multilingual responses. The modified prompt is provided in the Appendix D.3.

Multilingual NLP Benchmarks We examine the changes in world knowledge and commonsense reasoning abilities throughout the iterative process by evaluating it on the multilingual versions of the MMLU (Hendrycks et al., 2020), HellaSwag (Zellers et al., 2019), ARC Challenge (Clark et al., 2018) and TruthfulQA (Lin et al., 2021) benchmarks. We utilized the multilingual benchmarks provided by Okapi (Lai et al., 2023), which were translated from the original benchmarks using ChatGPT, and conducted evaluations under the `lm-evaluation-harness` (Gao et al., 2024) framework.

B.2 Experimental Details on Arithmetic Reasoning

Datasets We start from the GSM8K (Cobbe et al., 2021) dataset, which consists of 8.5K high-quality grade school math problems created by human problem writers in English. We utilize the instructions from the 7,473 training examples and translate them into multiple languages using the Google Translate API to construct the multilingual GSM8K instructions.

We input the multilingual GSM8K instructions into the model and explicitly constrain the model's response language in the prompt, as detailed in Appendix D.5, for both training and inference. We believe that by providing instructions in an explicit language and requiring the model to respond in that language, we can fully capture the model's reasoning abilities in that language. After obtaining the multilingual reasoning responses, we filter the responses with correct reasoning in English, followed by applying *Language Imbalance Driven Rewarding*.

B.3 Experiments Environments

All experiments were conducted on Ubuntu 22.04 equipped with 8 NVIDIA A100 GPUs. Our code mainly depends on Python 3.10 and PyTorch 2.3.0. we fine-tune all models using LLaMA-Factory (Zheng et al., 2024b) framework, and inference models with vLLM (Kwon et al., 2023) framework. Training for all models was launched with the accelerate (Gugger et al., 2022) in DeepSpeed ZeRO Stage2 (Rajbhandari et al., 2021) and Flash-Attention 2 (Dao, 2023) mechanism.

B.4 Hyperparameters

All models are optimized using AdamW (Kingma & Ba, 2014), with a cosine learning rate scheduler that includes a warm-up phase constituting 3% of the total training duration. DPO+NLL runs are trained with KL-penalty $\beta = 0.1$. The coefficient α is set to 1 for all experiments in the paper. The details of hyperparameters are shown in Table 11.

Table 11: The hyperparameters on various experiments.

Experiments	Learning Rate	Batch Size	Epoch
Language Imbalance Driven Rewarding			
General Instruction-following Task	5e-7	32	1
Arithmetic reasoning Task	5e-6	64	1
Multilingual Alignment			
All Tasks	1e-5	128	3

C DETAILED RESULTS AND ANALYSIS

C.1 MULTILINGUAL NLP BENCHMARKS

We list the detailed information of the benchmarks as follows:

- MMLU (Massive Multitask Language Understanding) (Hendrycks et al., 2020) is a benchmark designed to evaluate the knowledge acquired during pre-training, focusing on zero-shot and few-shot settings. This makes it more challenging and closer to how humans are evaluated. The benchmark spans 57 subjects, including STEM, the humanities, and the social sciences. We test it in a 5-shot setting.
- HellaSwag (Zellers et al., 2019) is a challenging dataset for evaluating commonsense NLI, which is particularly difficult for state-of-the-art models but trivial for humans. We test it in a zero-shot setting.
- The AI2 Reasoning Challenge (ARC) dataset (Clark et al., 2018) is a multiple-choice question-answering dataset based on science exams for grades 3 to 9. It is divided into two partitions: Easy and Challenge, with the latter containing more difficult questions requiring reasoning. We test the ARC Challenge in a zero-shot setting.
- TruthfulQA (Lin et al., 2021) is a benchmark designed to evaluate whether a language model generates truthful answers. It consists of 817 questions across 38 categories, including health, law, finance, and politics. Since evaluating generation tasks for truthfulness is challenging, the benchmark provides two multiple-choice formats: MC1 (Single-true) and MC2 (Multi-true), testing the ability to identify true statements. We test it in a zero-shot setting.

We report the detailed results in Table 12 of multilingual NLP benchmarks. Although the model contains only 1,000 Alpagasus instructions for each language, we find that the model still shows slight improvements on these benchmarks during the iterative process. The results across multiple benchmarks indicate that our method does not introduce alignment tax.

Table 12: The Multilingual NLP Benchmarks.

Model	Training Languages					Unseen	Avg
	en	es	ru	de	fr	zh	
Multilingual MMLU, 5-shot							
Meta-Llama-3-8B-Instruct (M0)	$0.6567_{\pm 0.0038}$	$0.5771_{\pm 0.0043}$	$0.5335_{\pm 0.0044}$	$0.5506_{\pm 0.0043}$	$0.5654_{\pm 0.0043}$	$0.5162_{\pm 0.0044}$	$0.5666_{\pm 0.0043}$
Iteration 1 (M1)	$0.6585_{\pm 0.0038}$	$0.5765_{\pm 0.0043}$	$0.5380_{\pm 0.0044}$	$0.5536_{\pm 0.0043}$	$0.5678_{\pm 0.0043}$	$0.5179_{\pm 0.0044}$	$0.5687_{\pm 0.0043}$
Iteration 2 (M2)	$0.6590_{\pm 0.0038}$	$0.5778_{\pm 0.0043}$	$0.5368_{\pm 0.0044}$	$0.5529_{\pm 0.0043}$	$0.5678_{\pm 0.0043}$	$0.5178_{\pm 0.0044}$	$0.5687_{\pm 0.0043}$
Qwen2-7B-Instruct (M0)	$0.7062_{\pm 0.0037}$	$0.6324_{\pm 0.0042}$	$0.6095_{\pm 0.0043}$	$0.6048_{\pm 0.0042}$	$0.6348_{\pm 0.0042}$	$0.6446_{\pm 0.0042}$	$0.6387_{\pm 0.0041}$
Iteration 1 (M1)	$0.7073_{\pm 0.0037}$	$0.6333_{\pm 0.0042}$	$0.6118_{\pm 0.0043}$	$0.6068_{\pm 0.0042}$	$0.6361_{\pm 0.0042}$	$0.6460_{\pm 0.0042}$	$0.6402_{\pm 0.0041}$
Iteration 2 (M2)	$0.7055_{\pm 0.0037}$	$0.6342_{\pm 0.0042}$	$0.6117_{\pm 0.0043}$	$0.6097_{\pm 0.0042}$	$0.6346_{\pm 0.0042}$	$0.6463_{\pm 0.0042}$	$0.6403_{\pm 0.0041}$
Multilingual HellaSwag, 0-shot							
Meta-Llama-3-8B-Instruct (M0)	$0.5764_{\pm 0.0049}$	$0.4877_{\pm 0.0052}$	$0.4326_{\pm 0.0051}$	$0.4483_{\pm 0.0051}$	$0.4715_{\pm 0.0052}$	$0.4181_{\pm 0.0051}$	$0.4724_{\pm 0.0051}$
Iteration 1 (M1)	$0.5777_{\pm 0.0049}$	$0.4919_{\pm 0.0052}$	$0.4372_{\pm 0.0052}$	$0.4511_{\pm 0.0051}$	$0.4782_{\pm 0.0052}$	$0.4204_{\pm 0.0051}$	$0.4761_{\pm 0.0051}$
Iteration 2 (M2)	$0.5791_{\pm 0.0049}$	$0.4921_{\pm 0.0052}$	$0.4376_{\pm 0.0052}$	$0.4512_{\pm 0.0051}$	$0.4768_{\pm 0.0052}$	$0.4209_{\pm 0.0051}$	$0.4763_{\pm 0.0051}$
Qwen2-7B-Instruct (M0)	$0.6116_{\pm 0.0049}$	$0.5272_{\pm 0.0052}$	$0.4730_{\pm 0.0052}$	$0.4659_{\pm 0.0052}$	$0.5124_{\pm 0.0052}$	$0.4932_{\pm 0.0052}$	$0.5139_{\pm 0.0052}$
Iteration 1 (M1)	$0.6124_{\pm 0.0049}$	$0.5261_{\pm 0.0052}$	$0.4753_{\pm 0.0052}$	$0.4654_{\pm 0.0052}$	$0.5129_{\pm 0.0052}$	$0.4936_{\pm 0.0052}$	$0.5143_{\pm 0.0052}$
Iteration 2 (M2)	$0.6110_{\pm 0.0049}$	$0.5255_{\pm 0.0052}$	$0.4734_{\pm 0.0052}$	$0.4640_{\pm 0.0052}$	$0.5114_{\pm 0.0052}$	$0.4929_{\pm 0.0052}$	$0.5130_{\pm 0.0052}$
Multilingual ARC challenge, 0-shot							
Meta-Llama-3-8B-Instruct (M0)	$0.5316_{\pm 0.0146}$	$0.4162_{\pm 0.0144}$	$0.3781_{\pm 0.0142}$	$0.3978_{\pm 0.0143}$	$0.4371_{\pm 0.0145}$	$0.3761_{\pm 0.0142}$	$0.4228_{\pm 0.0144}$
Iteration 1 (M1)	$0.5324_{\pm 0.0146}$	$0.4265_{\pm 0.0145}$	$0.3867_{\pm 0.0142}$	$0.4140_{\pm 0.0144}$	$0.4465_{\pm 0.0145}$	$0.3812_{\pm 0.0142}$	$0.4312_{\pm 0.0144}$
Iteration 2 (M2)	$0.5358_{\pm 0.0146}$	$0.4299_{\pm 0.0145}$	$0.3884_{\pm 0.0143}$	$0.4183_{\pm 0.0144}$	$0.4423_{\pm 0.0145}$	$0.3778_{\pm 0.0142}$	$0.4321_{\pm 0.0144}$
Qwen2-7B-Instruct (M0)	$0.5102_{\pm 0.0146}$	$0.4111_{\pm 0.0144}$	$0.4098_{\pm 0.0144}$	$0.3618_{\pm 0.0141}$	$0.4277_{\pm 0.0145}$	$0.4667_{\pm 0.0146}$	$0.4312_{\pm 0.0144}$
Iteration 1 (M1)	$0.5085_{\pm 0.0146}$	$0.4145_{\pm 0.0144}$	$0.4072_{\pm 0.0144}$	$0.3678_{\pm 0.0141}$	$0.4226_{\pm 0.0145}$	$0.4692_{\pm 0.0146}$	$0.4316_{\pm 0.0144}$
Iteration 2 (M2)	$0.5128_{\pm 0.0146}$	$0.4205_{\pm 0.0144}$	$0.4038_{\pm 0.0144}$	$0.3704_{\pm 0.0141}$	$0.4311_{\pm 0.0145}$	$0.4641_{\pm 0.0146}$	$0.4338_{\pm 0.0144}$
Multilingual TruthfulQA MC1, 0-shot							
Meta-Llama-3-8B-Instruct (M0)	$0.3611_{\pm 0.0168}$	$0.3333_{\pm 0.0168}$	$0.3541_{\pm 0.0170}$	$0.3173_{\pm 0.0166}$	$0.3355_{\pm 0.0168}$	$0.3490_{\pm 0.0170}$	$0.3417_{\pm 0.0710}$
Iteration 1 (M1)	$0.3611_{\pm 0.0168}$	$0.3257_{\pm 0.0167}$	$0.3617_{\pm 0.0171}$	$0.3135_{\pm 0.0165}$	$0.3532_{\pm 0.0170}$	$0.3629_{\pm 0.0171}$	$0.3464_{\pm 0.0718}$
Iteration 2 (M2)	$0.3599_{\pm 0.0168}$	$0.3321_{\pm 0.0168}$	$0.3604_{\pm 0.0171}$	$0.3160_{\pm 0.0166}$	$0.3532_{\pm 0.0170}$	$0.3617_{\pm 0.0171}$	$0.3472_{\pm 0.0720}$
Qwen2-7B-Instruct (M0)	$0.4064_{\pm 0.0172}$	$0.3676_{\pm 0.0172}$	$0.3756_{\pm 0.0173}$	$0.3439_{\pm 0.0169}$	$0.3787_{\pm 0.0173}$	$0.3668_{\pm 0.0172}$	$0.3731_{\pm 0.0765}$
Iteration 1 (M1)	$0.4064_{\pm 0.0172}$	$0.3688_{\pm 0.0172}$	$0.3756_{\pm 0.0173}$	$0.3414_{\pm 0.0169}$	$0.3825_{\pm 0.0173}$	$0.3718_{\pm 0.0172}$	$0.3744_{\pm 0.0767}$
Iteration 2 (M2)	$0.4076_{\pm 0.0172}$	$0.3663_{\pm 0.0172}$	$0.3731_{\pm 0.0172}$	$0.3376_{\pm 0.0169}$	$0.3863_{\pm 0.0174}$	$0.3731_{\pm 0.0172}$	$0.3740_{\pm 0.0766}$
Multilingual TruthfulQA MC2, 0-shot							
Meta-Llama-3-8B-Instruct (M0)	$0.5171_{\pm 0.0152}$	$0.4989_{\pm 0.0157}$	$0.5256_{\pm 0.0162}$	$0.4890_{\pm 0.0157}$	$0.5033_{\pm 0.0158}$	$0.5119_{\pm 0.0163}$	$0.5076_{\pm 0.0978}$
Iteration 1 (M1)	$0.5142_{\pm 0.0152}$	$0.5059_{\pm 0.0156}$	$0.5328_{\pm 0.0161}$	$0.5003_{\pm 0.0155}$	$0.5233_{\pm 0.0156}$	$0.5250_{\pm 0.0163}$	$0.5169_{\pm 0.0993}$
Iteration 2 (M2)	$0.5187_{\pm 0.0151}$	$0.5051_{\pm 0.0156}$	$0.5331_{\pm 0.0161}$	$0.4986_{\pm 0.0155}$	$0.5171_{\pm 0.0157}$	$0.5266_{\pm 0.0163}$	$0.5165_{\pm 0.0992}$
Qwen2-7B-Instruct (M0)	$0.5733_{\pm 0.0154}$	$0.5231_{\pm 0.0161}$	$0.5319_{\pm 0.0163}$	$0.5356_{\pm 0.0161}$	$0.5451_{\pm 0.0159}$	$0.5282_{\pm 0.0161}$	$0.5395_{\pm 0.1032}$
Iteration 1 (M1)	$0.5757_{\pm 0.0154}$	$0.5239_{\pm 0.0160}$	$0.5347_{\pm 0.0162}$	$0.5325_{\pm 0.0161}$	$0.5495_{\pm 0.0158}$	$0.5344_{\pm 0.0160}$	$0.5418_{\pm 0.1035}$
Iteration 2 (M2)	$0.5726_{\pm 0.0154}$	$0.5235_{\pm 0.0158}$	$0.5346_{\pm 0.0162}$	$0.5306_{\pm 0.0160}$	$0.5515_{\pm 0.0157}$	$0.5334_{\pm 0.0160}$	$0.5410_{\pm 0.1034}$

D PROMPTS TEMPLATE

D.1 GPT-4 SCORE PROMPT

Prompt in GPT-4 Score

You are a helpful assistant tasked with scoring answers for a given instruction in `[LANG]`.
Please evaluate the following answer based on the provided instruction in `[LANG]`. A good answer should adhere to these criteria:

1. It should be in `[LANG]`, unless the instruction explicitly requests a different language.
2. It should address the request made in the instruction.
3. It should be factually and semantically coherent.
4. It should be grammatically correct and fluent.
5. It should be helpful, relevant, detailed, and accurate.

```
<instruction>
[INSTRUCTION]
</instruction>
<answer>
[OUTPUT1]
</answer>
```

FIRST, provide a one-sentence explanation of your evaluation, detailing the reasoning behind your score.
SECOND, on a new line, state only the score on a scale from 0 to 10, where a higher score indicates better overall performance. Your response should follow this format:

```
Explanation: <one-sentence explanation>
Score: <a scale from 0 to 10>
```

D.2 HEAD-TO-HEAD COMPARISON PROMPT

Prompt in Head-to-head Comparison

Given the question in `[LANG]` language. You are a helpful and precise assistant for checking the quality of the answer.

```
<instruction>
[INSTRUCTION]
</instruction>
<answer1>
[OUTPUT1]
</answer1>
<answer2>
[OUTPUT2]
</answer2>
```

A good answer should follow these rules:

1. It should be in `[LANG]`, unless the instruction explicitly requests a different language.
2. It should be helpful, relevant, detailed and accurate.
3. It should answer the request in the instruction

Please evaluate both answers with your justification, and only provide a score ranging from 0 to 10 after your justifications, the score must be an integer. The score for answer 1 should be wrapped by `<score1>` and `</score1>`, and the score for answer 2 should be wrapped by `<score2>` and `</score2>`.

D.3 X-ALPACAEVAL PROMPT

Prompt modified with `weighted_alpaca_eval_gpt4_turbo` in AlpacaEval 2.

<|im_start|>system
You are a highly efficient assistant, who evaluates and selects the best large language model (LLMs) based on the quality of their responses to a given instruction. This process will be used to create a leaderboard reflecting the most accurate and human-preferred answers.
<|im_end|>
<|im_start|>user
I require a leaderboard for various large language models. I'll provide you with prompts given to these models and their corresponding outputs. Your task is to assess these responses, and select the model that produces the best output from a human perspective.

Instruction

```
{
    "instruction": """{instruction}""",
}
```

Model Outputs

Here are the unordered outputs from the models. Each output is associated with a specific model, identified by a unique model identifier.

```
{
    {
        "model_identifier": "m",
        "output": """{output_1}"""
    },
    {
        "model_identifier": "M",
        "output": """{output_2}"""
    }
}
```

Task

A good output should be in the same language as the instruction, except when the instruction explicitly requests the output in a different language. Evaluate the models based on the quality and relevance of their outputs, and select the model that generated the best output. Answer by providing the model identifier of the best model. We will use your output as the name of the best model, so make sure your output only contains one of the following model identifiers and nothing else (no quotes, no spaces, no new lines, ...): m or M.

Best Model Identifier
<|im_end|>

D.4 SELF TRANSLATION PROMPT

Prompt in Self Translation

Please translate the following sentences into `[LANGUAGE]`. The input sentences are wrapped by `<sentence>` and `</sentence>`:

```
<sentence>
[TEXT]
</sentence>
```

The translated result should be wrapped by `<translated>` and `</translated>`.

D.5 MULTILINGUAL REASONING PROMPT

Prompt in Multilingual Reasoning

Below is an instruction that describes a task. Write a response that appropriately completes the request in `[LANGUAGE]`. Please answer in `[LANGUAGE]`.

Instruction:
`[INSTRUCTION]`

Response: