Eliciting Requirements for the Design of a Self-Monitoring Intervention for Informal Learners

Category: Research

ABSTRACT

Informal learners of computational skills often find it difficult to self-direct their learning pursuits, which may be spread across different mediums and study sessions. Inspired by self-monitoring interventions from domains such as health and productivity, we investigate key requirements for helping informal learners better self-reflect on their learning experiences. We carried out two elicitation studies with paper-based and interactive probes to explore a range of manual, automatic, and semi-automatic design approaches for capturing and presenting a learner's data. We found that although automatically generated visual overviews of learning histories are initially promising for increasing awareness, learners prefer having controls to manipulate overviews through personally relevant filtering options to better reflect on their past, plan for future sessions, and communicate with others for feedback. Our findings have several implications for designing learner-centered self-monitoring interventions that can be both useful and engaging for informal learners.

Index Terms: Human-centered computing—Visualization—Visualization techniques;

1 INTRODUCTION

Millions of people around the world are turning to informal learning resources online to develop computational skills [1, 4] and to keep up with the demands of remote work and learning [47, 65]. Informal learners can access a variety of educational content in different formats (e.g., articles, videos, forums, e-books) and pursue their learning at their own pace. However, these learners can face a number of barriers in their informal learning pursuits [9, 12, 67], particularly in self-monitoring their progress [11].

One of the key challenges that informal learners face in self-directing [40] their learning is that they often lack awareness of their own strategies and potentially unhelpful behaviors. For example, they may end up relying on suboptimal trial and error [11, 20] and oscillate between different media and resources without a systematic strategy. Furthermore, the feedback that a learner receives organically in a social setting, such as a classroom, is missing in informal learning settings where the onus is on the learner to monitor their own progress and assess comprehension.

Since activities of self-reflection have long been shown to be useful in formal classroom-based educational contexts [40], we wondered how these activities could be designed for informal learners who largely rely on online resources and pursue their learning individually. For example, *what if learners could observe their learning patterns across different media and study sessions? What if learners could monitor their time spent and reflect on their trial-and-error behaviors to better self-directing their efforts?*

In our research, we are taking a learner-centered design-oriented approach to explore ways of allowing learners tap into their own learning experiences for self-reflection. To explore this design space, we take inspiration from prior work in self-monitoring and self-tracking in domains such as health, well-being, and productivity [14, 15, 18, 48], which has demonstrated several benefits of tracking progress using manual to automatic approaches. In the context of informal learning, recording and reflecting on learning activities could be helpful for raising self-awareness at various stages of learning and the overall success of the learner [24, 44, 59]. However, recent research suggests that the existing tracking tools offer little flexibility with data collection and presentation nor support scaffolding for goal-setting, which may limit the opportunities for user-driven self-reflection [13]. Thus, we explore the design space of self-monitoring interventions for informal learners with a key emphasis on goal-setting and reflection on progress.

In this paper, we use a two-part elicitation study to synthesize requirements for the design of self-monitoring tools and techniques for informal learners of computational skills. For our design probes, we adapted features from existing tracking tools [14–16, 18, 39, 45, 48] to explore a range of ideas between two extremes: completely manual methods where the user is deeply involved in both data collection and presentation [2, 23], and completely automated techniques where the user's involvement is minimal [16, 38]. Most of the ideas that we explored were in the space in between, which leverages *semi-automated* ways of self-monitoring [14].

In our first study, we showed 8 participants our design probes in the form of paper-based mock-ups to elicit their perceptions of what kind of data is useful to reflect on, and understand the extent to which learners may want to be involved with self-monitoring. We learned that visual overviews of learning histories can be insightful for learners and provide them with a way to meaningfully engage with their data. However, we were still unclear about how learners may use any of this information for reflecting on their learning and goal-setting as our paper-based mock-ups did not capture the dynamics of interaction for reflective activities and planning.

In our second study, we used the insights from our first study to design three interactive probes that varied the presentation of the overviews along three dimensions: temporal, resource, and topic. Our second elicitation study with 12 participants focused on understanding how learners would use the different interactive overviews to evaluate past efforts and plan the next steps. We found that semi-automatic approaches appealed to our participants the most, consistent with other studies [14]. Participants appreciated the at-a-glance summary provided by the broad categorizations of resources, and welcomed the granular breakdown of daily activities with an integrated to-do list (e.g., in the temporal overview) to reflect on multiple goal-pursuits. Most participants felt hesitant about the completely automatic generation of subtopic clusters in the topic-based overview for the lack of transparency and control it offered. Participants expressed eagerness to be involved in actions (e.g., tagging, annotating) that could serve to improve the utility of the overviews for planning and sharing.

The key results from both of our studies together provide an initial set of requirements for designing self-monitoring interventions for informal learners. We make several design recommendations for promoting self-reflections to help learners leverage their learning histories, and be more engaged and in control of their informal learning pursuits. In this paper, we make the following contributions:

1. Insights into the kinds of data learners consider meaningful for reflecting on their learning processes;

2. Initial low-fidelity and high-fidelity design probes that helped us gain insights into learners' perspectives on how data could be used for self-reflection and planning for future learning;

3. Implications for designing self-monitoring tools for informal learners that provide a balance between manual and automated tracking methods;

Figure 1: Three examples of paper-based visual overviews used in Study 1. Design idea #1: Muddy point approach is illustrated by Figure 1a. and 1b. Design idea #2 Goal-setting is shown in 2a. and 2b. The third column shows design idea #3 Vocabulary based filter.

2 RELATED WORK

Our work builds upon research on informal and self-directed learning of computation skills, techniques used in self-monitoring interventions in HCI, and data-driven approaches for supporting learning.

2.1 Informal and Self-directed Learning

Recent studies in HCI have brought to the forefront, the growing population of informal learners that is interested in learning programming and other advanced computational skills [11, 12, 28, 29, 67]. These studies have revealed that informal learners can face challenges due to different factors, such as the underlying programming environments [41], quality of lessons [28], and the learners' own assumptions and biases [11, 57]. A consistent theme that has been observed is that informal learners often engage in exploration and trial-and-error strategies during resource selection and implementation [11,19,20] and lack opportunities for reflective and critical thinking [46]. Although recent efforts are starting to design interventions for self-reflective practices in programming courses [42–44, 58, 59], there is limited understanding of how and whether these interventions could work in informal and less structured environments where learning is more sporadic and spread across various mediums [11]. We extend the literature by exploring how self-monitoring interventions could be designed to support informal learners and the types of data and interactions that these learners would find useful.

2.2 Self-monitoring Interventions in HCI

Prior research on self-monitoring interventions in areas such as health, well-being, and productivity, has shown that self-tracking practices can promote self-awareness and self-reflection [18, 34, 37]. However, researchers have noted that the burden of manual data collection could discourage people from engaging with the practice

on a long-term basis [14, 23, 45]. Attempts to tackle the challenge through automatic data capture techniques has revealed that lack of engagement with data collection significantly reduces users' sense of awareness, accountability, and involvement [14]. At the same time, the rise of non-digitized, manual styles of tracking has revealed how slow, physicalized and deliberate involvement with personal data may promote self-reflection and self-expression [2]. In response, researchers have started exploring semi-automated approaches that combine automatic and manual approaches to collect data, and have called to attention the need for understanding the users' motivation and context to maximize the benefits of each approach [14, 16, 39, 45]. In addition, simply viewing tracked data may be insufficient for insight and behavior change [13]. Persuasive strategies such as reminders, suggestion, incentives, and social roles have been combined with self-monitoring techniques to encourage behavior change [17, 52]. We take inspiration from these interventions to elicit requirements for helping informal learners self-monitor their progress and assess their perceptions of different data gathering and presentation techniques.

2.3 Data-Driven Approaches for Supporting Learning Reflections

Researchers in Education and Learning Sciences are increasingly looking at data-driven approaches to scale online learning and offer users more control of their learning. Common approaches to support self-direction [56] involve encouraging goal-setting through selection of skills, self-evaluation, and reflections through feedback on assessments [8, 30, 61, 68]. Increasingly, learning analytics are being explored to leverage key learning events (e.g., views, quizzes, discussion comments) for feedback. However, such events are confined within the same course or learning platform, and the feedback are

Table 1: Four design attributes that were considered in the design of the paper-based mock-ups, based on the literature review of self-tracking tool designs in productivity, and health and well-being domains.

1. Data recording: Automatic tracking through sensors or logs, may reduce the burden of capture [3, 16], whereas manual tracking allows users to be more aware and engaged with data [5]. Leveraging both forms of data-collection through semi-automated approaches provides the flexibility of shifting the control between the user and the system as appropriate [14]

2. Data presentation: The layout of the data should allow users to glean insights through exploration, and therefore should provide glanceable summaries, as well as allow the users to manipulate the visualization to discover details on demand. Such goals can be supported through interactions like selection, filtering, and zooming [22, 69]

3. Motivational components: Self-monitoring tools are often designed with behavior change as a target outcome. Such goals are often supported by persuasive techniques such as reminders, nudges and prompts, for goal-setting and goal-adherence [31, 49].

4. Material considerations: Physical materiality of tracking tools often allow for mindful, slow-paced explorations and self-reflection [2, 66]. On the other hand, digital tools can afford long term tracking, ease data collection overhead, and offer powerful interactions for exploring data [55].

analyses of student performance, based on fixed metrics, intended primarily to inform the instructors and the administrators of learner engagement [7, 25, 33, 63]. While learning analytics studies have addressed several aspects such as, the technical challenges of implementation [7, 25, 63], domain-specific challenges in learning (e.g., computer science, medicine) [21, 44, 59], as well as design challenges [25, 27], they have rarely considered the more sporadic nature of informal learning spread across different resources. Additionally, these prior works provide limited insight into how learners perceive and utilize such tools, extend little information of the design process and considerations, and tend to overlook the importance of offering learners ways of interacting with the data that arises from their learning events, for self-exploration and discovery. We distinguish our work, by taking a learner centered and an iterative design approach to first understand from the learners' perspective what kind of data [68] and interactions might be useful for reflections.

3 STUDY 1: ELICITING REQUIREMENTS USING PAPER-BASED MOCKUPS

Our overarching aim of this work was to gather requirements for a self-monitoring intervention for informal learnersthat could support self-reflections and foster self-directed learning across disparate mediums and diverse learning objectives. Since no specific self-monitoring tools exist for informal learners, we used a qualitative approach to elicit informal learners' perceptions of self-monitoring techniques. We borrowed and adapted key design attributes of self-monitoring interventions (see Table 1) that have already been explored in other domains, such health and productivity domains [14–16, 18, 39, 45, 48]. Our focus was on assessing learners' reactions and the strengths and weaknesses of manual, automatic and semi-automatic approaches of self-monitoring techniques in the context of informal learning.

In the first study, our key research questions were: *What kind of data would informal learners find useful for self-reflecting on their learning? To what extent are learners willing to be involved in data collection and presentation tasks for self-monitoring interventions?* We explored design interventions using paper-based mockups (simplified sketches of visual overviews) as they allowed us to illustrate a wider range of ideas and prompt participants to speculate on the

utility of seeing of their personal data and learning patterns.

3.1 Exploring Visual Overviews using Paper Mockups

To prepare the 6 paper-based mock-ups, we considered the methods of data recording, data presentation, the presence of motivational components such as goal-setting and materials for prototyping (Table 1. To explore the spectrum of automatic to manual forms of recording data, we included probes with automated tracking with limited user-control (design idea #3), as well as designs with manual recording methods (design idea #6). In terms of presentation, we used a weekly summary layout, with daily and hourly details [50, 53] and adapted them based on the learning scenarios. We also considered the use of pre-session goal-setting as well as in-session reflective prompts for goal-alignment (design idea #2). We probed about material preferences by using mockups that implied physical (design idea #6) tracking as well as digital tracking (design ideas #1 - #5).
Design idea #1 - Muddy Point: Learning sciences research shows that quizzing and self-explanations supports knowledge retention and comprehension, even when the questions are learner generated [32]. We explored the idea of externalizing and visualizing resolved and unresolved questions to facilitate reflections on muddy-points. We mocked up the interaction for annotating questions and answers within resources, and presented this information in a calendar-based overview, alongside the relevant resource (fig. 1.1a and 1.1b).
Design idea #2 - Goal Setting: Learners may have different goal-orientations, such as to master a skill, improve performance, or avoid failure or a combination of these [51]. We explored how learners might define and track their goals, through a Kanban [50] inspired board which is commonly used for software management. We introduced the idea of staying goal-oriented by mocking up pop-up interactions for manually associating priorly set goals with newly visited web-pages while studying (fig. **??**.2a). In the overview, we showed participants how resources could be grouped based on goal-associations to facilitate reflections on goal alignment at the end of the learning session (fig. 1.2b).
Design idea #3 - Vocabulary-based Filter: Since learners initially have a limited vocabulary in a new learning domain [26], we explored the idea of automatic generation of keywords based on content viewed and saved by learners (fig. 1.3a). The keywords were presented as a weekly collection, which could then be used as filters to scan for related saved resources in the overview itself (fig. 1.3b). This idea aimed to gather insights on completely automated support for collecting data regarding newly learned vocabulary, and how they could be used for reflecting on resources.
Design idea #4 - Predicting Usefulness: Informal learners often experience difficulty and uncertainties in making decisions regarding resources [54]. This may be a result of lower competency as learners familiarize themselves to new content. However, reflecting on the utility of a given resource may support learners in making more thoughtful choices [10]. We mocked up interactions to probe into how our participants' perceived making explicit judgements about visited webpages, to reflect on their usefulness. We showed them a simple browser-based form to insert notes, indicate emotions about the resource, view a count-down timer and indicate useful subsections within resources, through check-mark annotations.
Design idea #5 - Cross-Referencing: Informal learners often tend to assimilate information from multiple sources. Since establishing connections between diversified sources facilitates comprehension and reflection [62], we explored the idea of cross-referencing as an interaction while browsing, and a potential learning-activity data to be visualized. The mock-up showed a webpage where a link to an external page, that is bookmarked in a prior session, could be added. The calendar-based overview reflected which resources contained cross-references. It also included a chatbot for automatic analysis of visited webpages to gather insights on what learners feel about automatic summaries of their browsing activities.

Design idea #6 - Bullet Journals: This mock-up was meant to elicit perceptions on manual and physical ways of tracking learning. We presented mocked-up data using 2 pages of a pocket-sized diary. While the journal itself offered some degree of openness, the small size and bullet-point approach [6] created a bounded-ness. The data in the mock-up reflected dates, resource titles, and a comment or a question logged by the learner in the scenario we were using. We suggested flexibility in terms of using symbols to add more meaning to the bullet point entries, such as question marks to indicate points of confusion or difficulty, single arrows and double arrows to indicate the idea of scheduling tasks for a future date.

3.2 Study Procedure and Analysis

Participants first filled out a brief questionnaire that included demographic questions, their personal definition of progress in a learning context, and success in that context. We used each paper-based mockup as a conversation starter and introduced participants to an informal learning scenario to help them understand the context for each mockup. We next asked the participants to judge the pros and cons of each idea, based on its capacity to facilitate reflections on their learning, including judgment of quality of resources viewed, time spent, and extent of progress. The interviews were conducted in person and each session lasted approximately an hour. All participants were offered CAD 20 gift-cards for their participation.

Participants: Our goal was to recruit participants who were learning complex technical skills using informal online resources. We reached out to the contacts of the research team and to others using snowball sampling, and through the university mailing list. Eight participants (4M/4F) who were all students (6 graduate and 2 undergraduate students) between 19-35 years of age signed up for our study. Our participants reported self-learning technical skills such as machine learning (ML), web development and data visualization.

Analysis: The interviews were audio recorded with the participants' consent and later transcribed. Two researchers were involved with analyzing the qualitative data from the interviews. We used an inductive analysis approach [64], beginning with open coding to inspect each transcript. While coding, we considered how the responses were related to participants' perception of meaningful data for self-reflections, and their perceptions on data collection methods. We assigned multiple codes where necessary and had regular discussions with the research team to reconcile our final coding scheme. We performed axial coding to explore themes around our research questions and synthesized key insights as our results.

3.3 Key Findings from Paper-Based Elicitation

All participants found the idea of self-monitoring to be useful for gauging learning progress and leaned towards semi-automatic approaches of tracking. All but one (7/8) participant explained that while automatic methods could provide a convenient and systematic way to record their learning attempts, having manual control over certain aspects of data collection and presentation could improve the utility of visual overviews. Most participants (6/8) wanted to be able to indicate to the system what kind of information to record such as, the frequency of concepts marked as relevant, difficult, urgent or important. Additionally, participants wanted to be able to add, remove or edit data in the overviews to make them more accurate, specific or useful for planning and prioritizing. Lastly, participants shared some concerns regarding goal-setting and gauging progress.

3.3.1 Overviews create awareness of learning processes

Participants expressed that visual overviews could help them identify where they were spending time, and assess the extent of their progress during the period. Most of the participants (6/8) found the hourly breakdown of daily activities as a useful indicator of productivity and performance. The participants shared that the automatically generated overviews (fig. 1.1b, 1.2b, 1.3b) could additionally serve as a reminder of the topics within resources that they had viewed, and tasks they had accomplished during the week. Participants (7/8) acknowledged an overview could facilitate scanning and searching for resources they found useful, and could help them save time while resuming a subsequent study session that requires revisiting the same resources. 4/8 participants, who were in the habit of collecting useful links on note-taking apps for future access, mentioned that the overviews could serve as gateways to their personally curated collections of resources. P04 added that easier recognition of relevant resources could also facilitate recollection of helpful strategies for a future task: *"...because you are clearly grouping everything, it's easier to look back at later.. I do open up old projects if I am trying to remember how I did something before."*

While all participants agreed that the time-based overviews could help them filter information based on days and hours, they also imagined other ways to parse their learning histories. 3/8 participants cared less about the exact time spent on a resource or activity, and instead were more interested in gaining an overall idea about their engagement. Most participants (6/8) were interested in knowing how many novel concepts they had learned during a given study session (fig. 1.3b), or gleaning the topics they had been studying during the specified time (one week, in our study).

3.3.2 Semi-automatic data-recording for purposeful revisits

Most participants (7/8) indicated that they were slightly skeptical of completely automatic identification of topics from the visited links, and preferred to have some control over the topics that were presented in the overviews. While participants preferred minimal engagement with data collection processes during the study session, they were willing to fine-tune automatically detected topics to better indicate on the overviews which concepts they had studied and found relevant.

Many participants (5/8) were apprehensive about seeing every visited link (and search times) on the overview, as much of this effort could have been wasteful. They wanted the overviews to mostly serve as a way to look back on fruitful pursuits, and only wished to see resources with which they had meaningful interactions. These could be resources that they have accessed repeatedly, or annotated with highlights, comments and questions, or saved. In P01's view: *"[Progress] is not about the time we spend.. it is about having some sort of questions in mind. If [...] the questions are answered, then I made progress."*

Almost all participants (7/8) mentioned that overviews should present learning activities that could improve the value of a resource. As examples, participants mentioned activities like classifying resources into broad categories based on topics or content type (e.g., segregating code tutorials and conceptual content), identifying relevant segments within articles or videos, and associating tasks with resources. Participants also saw value in using visual overviews to indicate level of perceived difficulty and relevance of resources to current learning interests, and prioritize resources. P04 noted that despite being annotated and deemed useful by the learner, resources may still end up being difficult to revisit: *you need to take action on them later in order for [annotations] to have value..* Building on this notion, in the next subsection, we touch on the potential of using overviews for helping learners evaluate progress and identify actionable items.

3.3.3 In-context to-do lists for gauging learning progress

The majority of the participants (7/8) mentioned specific ways in which visual overviews could help them achieve a sense of progress. For example, 5/8 participants mentioned how an account of completed and pending tasks, along with the provision to strike out tasks off a to-do list, could help them assess their progress. However, 4

participants expressed concerns about using goal-oriented interventions (design idea #4) stating that initial goals may be *"super vague or sometimes incorrect"*(P07) and tend to evolve over time.

Participants expressed some hesitation in writing down goals before a learning session, as they usually figured it out "on the go". P03 shared how he tended to submit his code in *"one large commit on GitHub"* instead of thinking about it in chunks. However, he acknowledged that grouping resources based on the learners' areas of interest or projects could be helpful (fig. 1.2), because it could prime a learner to be more mindful about the resource:

> *It's almost like you're, you're giving this resource a metric, because you've already given a metric in your head, you come into this resource with a bias, which is a good thing. In that, you're able to reflect on yourself and on this resource, whether it's useful, or not.* (P03)

P06 also shared how the overviews could provide an objective measure of progress in terms of the number of novel topics covered (fig. 1.3), and could be useful for sharing for feedback, as it is *"relatable to others"*. For more personal measures of progress, participants indicated that they were interested in seeing the "extent" of progress in the direction of a larger goal (e.g., a summary of consumed content, or an account of answered questions). P05 mentioned that partial progress meant completing *"75% of the web page"* or trying out *"example codes from tutorials and copy[ing] line by line [to] see what happens."*

From our paper-based study, we learned that participants wanted to improve performance at certain repetitive tasks (e.g. refining output of a model), or determine if they had been successful in adapting existing examples to their specific needs. However, the paper-based mockups were limited in that they did not capture the dynamics of possible interactions learners may want to carry out while using overviews for reflections and planning. We wanted to probe more into what would make reflections more engaging and useful, while using different types of visual interactive overviews.

4 STUDY 2: REFINING REQUIREMENTS USING INTERACTIVE PROBES

The goal of our second study was to refine the requirements from Study 1 with a focus on how learners perceive interactive visual overviews to gauge progress and to reflect on their learning patterns. We used the findings from our paper based study to inform the design of three interactive probes (see fig. 2, fig. 3 and fig. 4) that highlighted different aspects, such as *time spent*, *resource-type* used, and *topics* covered in a learning session. We varied the data presentation in this way as learners tend to prefer at-a-glance weekly summaries [22] offering different types of insight of their learning endeavors. Our research question was: *How do learners make use of interactive learning overviews that vary in presentation format (e.g., time-based, topic-based, resource-based) to reflect on recent learning efforts and to plan the next steps?*

4.1 Key Considerations for Interactive Overviews

Our interactive probes were designed to illustrate some basic interactions with the same set of mocked-up data across all the probes. Based on the findings from Study 1, we designed all probes to maintain similar characteristics in terms of interaction. For example, each probe provided an at-a-glance summary of the past one week, showed learner-interactions with resources on the overview (e.g., presence of annotated questions, bookmarks), and contained a to-do list in the same context. We expanded our paper-based mockups and explored 3 new different summary designs in our interactive probes: 1) the **temporal overview** highlighted hourly resource access over the span of one week to help learners reflect on the time spent; 2) the **resource-based overview** highlighted the type of learning medium used (e.g., videos, articles, tutorials, forums, publications)

and emphasized reflection on preferences for learning content; and, 3) the **topic-based overview** grouped resources based on the type of topics they contained to allow learners to glance at keywords and concepts. (Each overview is described below in detail.)

All of our interactive probes were semi-automatic by design as they showed the potential to capture certain data automatically (e.g., the time of visit, titles, snapshots, and resource URLs), but included opportunities for users to manually provide additional details (e.g., assessment of resource usefulness, annotations, notes, and to-do items). The probes were implemented as high fidelity prototypes using a combination of JavaScript frameworks and libraries, such as React and JQuery, along with wireframing toolkits (Axure RP). Each probe included basic interactions, such as, filtering and selecting items for details, and navigating to an external link. The in-context to-do list, which afforded functionalities, such as, adding, deleting and striking out items, was designed simplistically to invite participants' perspectives on further actions they might find useful for reflecting and planning ahead. The interactive overviews also included some capacity for edits (e.g., removing or adding notes and resources) which we used to explore perspectives on editing for personal use versus sharing with one other person for feedback.

Figure 2: An example *Temporal Overview* that represents visited and annotated resources in a calendar-based layout and a basic to-do list.

1. Temporal Overview: Our first study showed that participants found the temporal aspect of monitoring their progress to be useful and favored the familiar calendar-based layout. We retained this design in one of our interactive probes, the temporal overview, as a weekly spread showing the duration (based on hours) spent on each resource as timeboxes [53]. The adjustments we made included the time-boxes having either of the two colors, red or blue, based on presence (red) or absence (blue) of annotated questions. Additionally, the timeboxes displayed a yellow dog-ear bookmark when a resource was marked as important by the learner. This decision was based on the finding that participants preferred to see their own markers of resource judgment in the overviews (fig. 1.2). We also found that an account of new concepts learned might also be of interest to learners. To explore this idea, we included keyword-based filtering. We included 9 most relevant keywords from the contents of these selected webpages and suggested to the participants that the keywords were generated automatically. For each timebox, we also made provision to display details on click, such as a snapshot, a short note, and usefulness judgment (using a thumbs-up icon).

2. Resource-based Overview: Our first study revealed that participants first sought out broad and relatable categories in an overview. Therefore, we designed the visual overview to provide a

Figure 3: An example *Resource-based Overview* that represents resources grouped by medium-type (e.g., videos, tutorials). The arrows represent cumulative movements from one medium-type to another, with more frequent movements shown in a darker shade. To-do list is not shown in this figure.

Figure 4: An example *Topic-based Overview* that clusters resources based on similarity of topics; word clusters show relevant keywords from each collection.

summary of learners' activities on different kinds of media such as, articles, code tutorials, research papers and videos, and grouped the resources based on the medium type within circular clusters (Fig 3). To probe whether an awareness of sequence of resource-access might provoke reflective thought [36], we also included an overview of learners' cumulative movement between resources through the use of arrows. The shade of the arrows varied on three levels, with darker shades of blue indicating a higher frequency of movement between resource types. Next, we wanted to probe how important the title of a resource was for supporting interpretation of overviews. Within each group, each resource was represented using circles displaying a logo of the source, while the title was made available on hovering the pointer. Similarly, to probe about the granularity of time information, we represented each resource in circles with three different sizes, to provide a relative sense of time-spent per resource. To maintain consistency between the probes and mark webpages annotated with questions and, we used red borders around the respective resource circles. We repeated the idea of details-on-demand using a details-card per resource approach (fig. 3), similar to Temporal Overview and also included the in-context to-do list.

3. Topic-based Overview: Our paper-based study showed that an account of new keywords and concepts encountered during learning, may provide a sense of progress and provoke self-reflection. Given that participants desired a semi-automatic approach, we combined the idea of automatic word-cluster generation based on relevant words, with user-control to edit the attributes of the captured data or remove them (fig. 4). The word clusters coalesced relevant keywords, within saved or annotated web-pages based on similarity of topics. For example, general overviews of algorithms, introductory statistical concepts, advanced training and tuning related concepts, and resources on toolkits were separated out into different clusters. However, the criteria for grouping was left to the participants to interpret from the words. (fig. 4). Some words were highlighted in red to suggest the presence of outstanding questions related to it. The size of each word implied the amount of time spent to provide a relative sense of time spent on the underlying resource and topic. The source webpages for each group was made available on demand, as a list, which included personal notes and personal judgments of usefulness. Consistent

with the other probes, the user had an in-context to-do list interface.

4.2 Study Procedure and Analysis

We designed an observational study where participants were first introduced to a scenario where a learner, Jay, uses online informal resources online to learn ML for the first time. Jay's learning activities online (e.g., visited websites, annotations, highlights, time) were illustrated in our probes as visual overviews over a period of one-week. The data used to create the overviews were mocked-up by the researchers. We asked our participants to assume that such overviews could be generated automatically in real-time as they proceeded through their learning. We reminded them that the current overviews were only partial representations of the learning activities for one week. We asked our participants to play around with each interactive probe and share with us how they may use such visual overviews to reflect on their past learning sessions, plan ahead for future sessions, and how they perceived the pros and cons of each presentation style. We also asked them for their thoughts on how they may use such overviews to ask for further feedback. The interviews were conducted in person when possible. When a participant requested for a remote session, it was carried out over Zoom where the researcher shared the probes through screen-share and audio-recorded the interview. Each session lasted approximately an hour and all participants were offered CAD 20 gift-cards.

Participants: We recruited 12 new participants, P09 to P20, (8F/4M) through personal contacts of the researchers and through word-of-mouth. Our participants' age ranged from 18-44, and they were a mix of university students (undergraduate and graduate) as well as professionals from the software industry, engineering and art, with several years of experience. The 4 students came from different departments, including CS and biology. Each participant had experienced informal learning in their academic or professional careers for learning technical skills.

Data Analysis: The interviews were audio recorded with the participants' consent and later transcribed. Two researchers were involved with analyzing the qualitative data from the interviews using an inductive analysis approach, similar to the first study. We began with open coding [64] as transcripts became available, and iterated with the team to arrive at a final coding scheme. While coding, we considered participants' perceptions about more nuanced aspects related to reflections and planning, using temporal, topic based and

resource-type based presentation in the three overviews. Following this, we performed axial coding and diagramming to explore themes around our research question. The key insights are synthesized into 3 main themes presented below.

4.3 Learners' Perceptions of the Interactive Overviews

Overall, participants expressed that the Temporal Overview and Resource-based Overview were "visually pleasing" and easier to interpret. Participants usually began by scanning for the overarching topics followed by sub-topics. Next, they focused their attention on their own knowledge and areas of weakness, or pending action items. Finally, participants desired the ability to edit the overviews to make them more suitable for seeking or offering feedback.

4.3.1 Useful to evaluate the quality of time spent learning

The weekly overviews were generally considered by participants as helpful, serving as a reminder of the recent learning activities. Most participants (8/12) ranked the Temporal Overview (fig. 2) as their first preference as it gave them a quick view of recent efforts and they could look up concepts within resources using date as a cue, without necessarily having to recall terminologies. Participants expressed that they could use granular time-based information to consider how well how they are able to pursue different goals within their day, week, or month. P10 shared how time-based overview could help self-learners plan their time better, especially if it offered them the flexibility to change the duration of the overviews: *"If I were to learn something over a month, I would first create weekly to-dos. After completing 4 weeks and before starting a new month, I would need a monthly picture [of things I have done]."*

Similarly, P15 added that a time-based overview over a larger span, such as several months, could also be helpful in assessing resources they *"have been visiting, but switched up later"*, and they could re-evaluate and reconsider their choices. P13 further shared how the temporal overview could reveal how effectively one engages with a resource. For example, *"visiting YouTube to watch one video but spending next half-hour watching cat videos"* would show up as a gap in learning and wasted time. P13 added that *"there isn't necessarily a correlation between time and what I learned"* without also considering, *"did I encounter a ton of problems and do I have to adjust my expectation when I can finish it?"*

Five other participants also voiced similar concerns about having a time-based overview as it could downplay the activities undertaken during a specific span of time and lead to ambiguity in interpretation (e.g., was the resource helpful or was it difficult?). Additionally, the granular hourly information could also become tedious to analyze for those who only wished to see a cumulative account of time (e.g., total time spent on a topic). Four participants mentioned that the time-based overview combined with or used in a sequence with resource-type overviews could better cater to their needs.

4.3.2 Helpful to reflect on resources and evolving objectives

Among the three probes, two were designed to highlight different aspects of resources used: while Resource-based Overview showed a high level classification of the medium-type, Topic-based Overview highlighted keywords and concepts from within collections of resources. We found that 5/12 participants ranked Resource-based as their first choice for overviews, while 7 others ranked it as their second preference, next to the Temporal Overview.

Half of the participants (6/12) preferred to first identify broad topics that they had learned about, followed by sub-categories. As the groups were distinct and labelled in the Resource-based Overview, participants found it easier to understand and interpret, and helpful for identifying the broad categories: *"I feel like it is important for me to know generally what topics I have been looking into, and their subtopics possibly." P11.* Additionally, participants' comments revealed that they wanted to have control over the topics appearing

in the overviews. They expressed reluctance over automatically generated sub-topics in Topic-based Overview, stressing that an indicator of the fraction of content they had consumed or found relevant would be more useful. A summary of all the content within visited webpages which they may not have read entirely or found entirely helpful would be less desirable. P18 said that learners needed to be more in control of identifying topics and their relevance, adding *"how [the topics] show up can be automated, but I want to decide what [content] is being shown [in the overview]."*

The majority of participants (9/12) wanted to focus their attention to specific parts of the overview to identify areas of weakness. We had used the color red to represent items that required attention, which the participants found particularly helpful. As an improvement, 5 participants shared that *"it would be great to have a way to see outstanding questions"* (P13), short-notes to guide their attention to resources that need to be revisited. Participants added that resources that deal with the same category or subcategory of themes needed to be distinguishable from one another, such as, through the use of indicators of the required action (e.g., to read, to code, etc). Along the same lines, 7 participants desired to see a better connection between learning objectives and resources to better plan their next session. In the context of project-driven learning, participants expressed a desire to see the relevance of resources with respect to the problems they were pursuing: *"I would look for a relation between the to-do list and what I have done [based on] the resources [in the overview]. It would be helpful to check if I am missing any items from my list."(P16)*

Although all of our participants found the idea of an integrated to-do list to be helpful, they said that feedback from mentors or peers would give them most clarity on their learning approach. Next, we describe how the participants speculated on using the different learning overviews to obtain feedback.

4.3.3 Desire to share learning histories for feedback

We know from previous research that even if learners rely on others to ask for help, they may still struggle to describe their question, or may not be able to articulate it using an accurate vocabulary [26]. We asked participants if they would be willing to share the learning history overviews with others to seek feedback, and the kind of information they would share or hide. All participants expressed that they would be strongly willing to share their learning histories with a more knowledgeable peer or mentor that they trusted and who could offer advice on their learning approach. They primarily wanted a validation of the resources they had selected and be able to *"write down a question, then move on to learning something else, then come back to it or ask a colleague or an expert"* (P13).

Most participants (9/12) described different ways in which they would alter the overviews to make them more suitable for seeking feedback. For example, P09 shared how she would add annotations to the overview: *"I want to be able to send this [overview] to my peer and have them check out my bookmarks - I might add a note to let them know how the resource helped me."* P10 and P12 both mentioned that in technical subject areas, they would also add references to their implementation attempts, or any example questions they may have resolved: *"[For an applied skill] I would like to see a separate category [in Resource-based Overview] for practice sessions [arranged] by topics."* P18 added that while implementation could be an important detail to add for useful feedback, learners should have a choice to share it optionally, on request.

Some others (P16, P19, P20) also mentioned removing extra items from their learning histories. P20 shared how she was *"not comfortable sharing how [she] learned something, but if there was a way to filter out specific details [...] then that would be good."*. She preferred to abstract the information down to essentials, such as themes, titles, links, and sequence of visits. Overall, participants considered overviews to be helpful for "show and tell" and wanted

to have editing controls to make them more suitable for feedback.

5 DISCUSSION

We now reflect on the key insights from the elicitation studies and formulate the requirements for the design of self-monitoring interventions for informal learners.

5.1 Summary of Key Takeaways

Past studies have shown how informal learners may struggle to effectively self-direct their efforts [9, 11] and have an inordinate reliance on spontaneous, often suboptimal, trial-and-error approaches [11,20]. By adopting the ideas of self-monitoring interventions in domains such as productivity, health and wellness, we investigated different self-tracking dimensions and visual overviews in the context of informal learning using paper-based mockups and interactive probes. Our participants across both studies overall had a positive reaction to the idea of self-monitoring progress and mainly leaned towards semi-automatic approaches and their interactive visual representations for future perusal, consistent with insights from other tracking domains [14]. The key takeaways from our studies are:

1. **Interactive visual overviews could provide useful insight** for informal learners and create opportunities for reflections on various aspects of learning. For example, evaluation of the time utilized for different goal pursuits and reconsideration of choices made in terms of resources and learning strategies.

2. **Semi-automated data-collection could encourage a learner** to be more engaged in self-monitoring behaviors. Automatic recording provides learners with an baseline of personal data which can then be refined with personally meaningful information, such as evolving goals, or nuances between resources.

3. **Overviews of learning data could be shared for feedback** with a trusted other, when the learner has the controls to refine the presented data to add supplemental information, as well as remove data which is irrelevant for feedback purposes.

5.2 Key Requirements for Designing Self-Monitoring Interventions for Informal Learning

Based on the key findings from our study, we synthesized several implications for the design of self-monitoring interventions for informal learners of computational skills.

5.2.1 Support automatic generation of visual overviews

The visual overviews in our study were considered helpful because they served as a quick at-a-glace summary [22] of learning efforts undertaken over a period, which would have otherwise gone unnoticed. Therefore, it is important that learners have access to visual summaries they can easily interpret and understand. Familiar and interactive visualizations would be more useful in drawing and guiding learners' attention. We learned that broad topics tend to serve as guides, therefore visualizations could show data in categories that are relatable to learners. Labelling achieved through automation should clearly communicate how they were generated. Finally, learners may be interested in obtaining different kinds of insights from their data, and thus should be allowed to manipulate (e.g., select, filter, zoom) the presentation of the overviews in different ways [60].

5.2.2 Provide filters that are personally meaningful

Participants in our study stressed the importance of viewing data that they could relate to or considered important or relevant to their interests. Learners should be offered ways of marking up and filtering the resources according to metrics such as, perceived usefulness, level of difficulty, relevance to goals. Our participants also cared for resource-specific indicators to help them decide which resources to revisit which could show the extent to which learners have consumed a resource (or where they have left off), outstanding questions,

or action-items (e.g., "to read", "to code", "to watch") associated with specific resources. Learners should be offered semi-automatic support in marking the resources they have engaged with, such as through automatically suggested tags, along with the flexibility to specify their own tags. Additionally, for learners who are able to identify nuances in topics and resources, should be allowed to indicate the variations (such as, through lower level categorizations) to help them distinguish between related content.

5.2.3 Reserve goal tracking for advanced stages of learning

While goal-tracking and checking for goal-alignment was unanimously considered a useful activity by all the participants in our study, there were apprehensions that such interventions may not be feasible for beginners. Learners may begin with broad goals, which may become more specific over time. Goal-tracking, therefore, should be adaptive, and suited to the stage of learning [42]. For example, learners could be given access to simple goal-trackers and reminders in the early stages of their learning. More sophisticated goal-tracking such as fine-tuned task identification, should be reserved for more advanced learners who may be at the application or implementation stage of their learning.

5.2.4 Allow tailoring of overviews for feedback

Self-monitoring can be made more effective with occasional feedback from an experts or knowledgeable peers [35]. We learned that visual overviews can be used to solicit feedback on learning strategies as they reveal the learner's pathways and attempts. However, our participants wished to tailor their overviews based on the type of feedback they wanted. This suggests that learners would benefit from the flexibility in determining the extent of detail to share for feedback. Interactive overviews should include ways to allow learners to add more context with further annotations, or remove details they consider redundant or irrelevant for the desired feedback.

5.2.5 Limitations and Future work

Although we recruited participants from different backgrounds and professions, there is a need for more studies with a more diverse set of participants and learning styles. We carried out a qualitative study, instead of a controlled experimental study, therefore, generalizability to other informal learners will be limited. The context we used in our scenarios, was limited to online mediums only and our questions were focussed on learning technical skills. Moreover, the data we showed in the probes were curated by the researchers. More qualitative studies are required to uncover the nuances self-monitoring in domain-specific informal learning, through the use of domain specific content, and ethical ways of using participants' own data. Future studies could also expand the informal learning context to physical resources and artifacts, and explore how physical tracking could be augmented by digital methods. Lastly, the focus of our conversations was based on eliciting perceptions through speculations. Future studies could use observational methods or in-situ data collection methods such as experience sampling, design probes or journaling to collect more accurate responses.

6 CONCLUSION

We have contributed insights on informal learners' perceptions of self-monitoring through an iterative design approach. Our synthesis reveals that learners in our study favored automatically generated interactive visual overviews of learning activities for its ability to facilitate awareness of their learning processes, but also expressed willingness to be involved with data collection for making them more suitable for reflections and planning. Our work opens up several opportunities for future research to use learner-centered approaches to understand and cater to informal and self-directed learners' needs.

7 ACKNOWLEDGMENTS

intentionally left blank.

REFERENCES

[1] By The Numbers: MOOCs in 2020 - Class Central. *https://www.classcentral.com/report/mooc-stats-2020/*, Dec 2020.

[2] P. Abtahi, V. Ding, A. C. Yang, T. Bruzzese, A. B. Romanos, E. L. Murnane, S. Follmer, and J. A. Landay. Understanding Physical Practices and the Role of Technology in Manual Self-Tracking. *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies*, 4(4):1–24, Dec. 2020. doi: 10.1145/3432236

[3] P. Adams, M. Rabbi, T. Rahman, M. Matthews, A. Voida, G. Gay, T. Choudhury, and S. Voida. Towards personal stress informatics: comparing minimally invasive techniques for measuring daily stress in the wild. In *Proceedings of the 8th International Conference on Pervasive Computing Technologies for Healthcare*, pp. 72–79, 2014.

[4] A. Agrahri. Index of Best AI/Machine Learning Resources. *https://medium.com/hackernoon/index-of-best-ai-machine-learning-resources-71ba0c73e34d*, May 2019.

[5] A. Ayobi, P. Marshall, and A. L. Cox. Reflections on 5 Years of Personal Informatics: Rising Concerns and Emerging Directions. In *Proceedings of the 2016 CHI Conference Extended Abstracts on Human Factors in Computing Systems - CHI EA '16*, pp. 2774–2781. ACM Press, San Jose, California, USA, 2016. doi: 10.1145/2851581.2892406

[6] A. Ayobi, T. Sonne, P. Marshall, and A. L. Cox. Flexible and mindful self-tracking: Design implications from paper bullet journals. In *Proceedings of the 2018 CHI conference on human factors in computing systems*, pp. 1–14, 2018.

[7] A. Bakharia, K. Kitto, A. Pardo, D. Gašević, and S. Dawson. Recipe for success: lessons learnt from using xAPI within the connected learning analytics toolkit. In *Proceedings of the Sixth International Conference on Learning Analytics & Knowledge - LAK '16*, pp. 378–382. ACM Press, Edinburgh, United Kingdom, 2016. doi: 10.1145/2883851.2883882

[8] D. L. Butler. The roles of goal setting and self-monitoring in students' self-regulated engagement in tasks. 1997.

[9] C. J. Cai and P. J. Guo. Software developers learning machine learning: Motivations, hurdles, and desires. In *2019 IEEE Symposium on Visual Languages and Human-Centric Computing (VL/HCC)*, pp. 25–34. IEEE, 2019.

[10] E. A. Canning and J. M. Harackiewicz. Utility value and intervention framing. 2019.

[11] R. Chaudhury, P. J. Guo, and P. K. Chilana. "there's no way to keep up!": Diverse motivations and challenges faced by informal learners of ml. In *2022 IEEE Symposium on Visual Languages and Human-Centric Computing (VL/HCC)*, pp. 1–11. IEEE, 2022.

[12] P. K. Chilana, R. Singh, and P. J. Guo. Understanding Conversational Programmers: A Perspective from the Software Industry. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems*, pp. 1462–1472. ACM, San Jose California USA, May 2016. doi: 10.1145/2858036.2858323

[13] J. Cho, T. Xu, A. Zimmermann-Niefield, and S. Voida. Reflection in Theory and Reflection in Practice: An Exploration of the Gaps in Reflection Support among Personal Informatics Apps. In *CHI Conference on Human Factors in Computing Systems*, CHI '22, pp. 1–23. Association for Computing Machinery, New York, NY, USA, Apr. 2022. doi: 10.1145/3491102.3501991

[14] E. K. Choe, S. Abdullah, M. Rabbi, E. Thomaz, D. A. Epstein, F. Cordeiro, M. Kay, G. D. Abowd, T. Choudhury, J. Fogarty, B. Lee, M. Matthews, and J. A. Kientz. Semi-Automated Tracking: A Balanced Approach for Self-Monitoring Applications. *IEEE Pervasive Computing*, 16(1):74–84, Jan. 2017. doi: 10.1109/MPRV.2017.18

[15] E. K. Choe, B. Lee, T. O. Andersen, L. Wilcox, and G. Fitzpatrick. Harnessing the Power of Patient-Generated Data. *Pervasive Computing*, 17, Aug. 2018.

[16] E. K. Choe, B. Lee, M. Kay, W. Pratt, and J. A. Kientz. SleepTight: low-burden, self-monitoring technology for capturing and reflecting on sleep behaviors. In *Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing - UbiComp '15*, pp. 121–132. ACM Press, Osaka, Japan, 2015. doi: 10.1145/2750858.2804266

[17] E. K. Choe, B. Lee, S. Munson, W. Pratt, and J. A. Kientz. Persuasive Performance Feedback: The Effect of Framing on Self-Efficacy. *AMIA Annual Symposium Proceedings*, 2013:825–833, Nov. 2013.

[18] E. K. Choe, N. B. Lee, B. Lee, W. Pratt, and J. A. Kientz. Understanding quantified-selfers' practices in collecting and exploring personal data. Dec. 2016.

[19] B. Dorn and M. Guzdial. Graphic designers who program as informal computer science learners. In *Proceedings of the 2006 international workshop on Computing education research - ICER '06*, p. 127. ACM Press, Canterbury, United Kingdom, 2006. doi: 10.1145/1151588.1151608

[20] B. Dorn and M. Guzdial. Learning on the job: characterizing the programming knowledge and learning strategies of web designers. In *Proceedings of the 28th international conference on Human factors in computing systems - CHI '10*, p. 703. ACM Press, Atlanta, Georgia, USA, 2010. doi: 10.1145/1753326.1753430

[21] T. Dornan, J. Hadfield, M. Brown, H. Boshuizen, and A. Scherpbier. How can medical students learn in a self-directed way in the clinical environment? design-based research. *Medical education*, 39(4):356–364, 2005.

[22] D. A. Epstein, T. Blascheck, S. Carpendale, R. Dachselt, and J. Vermeulen. Challenges in everyday use of mobile visualizations. In *Mobile Data Visualization*, pp. 209–240. Chapman and Hall/CRC, 2021.

[23] D. A. Epstein, A. Ping, J. Fogarty, and S. A. Munson. A lived informatics model of personal informatics. In *Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing - UbiComp '15*, pp. 731–742. ACM Press, Osaka, Japan, 2015. doi: 10.1145/2750858.2804250

[24] P. A. Ertmer and T. J. Newby. The expert learner: Strategic, self-regulated, and reflective. *Instructional Science*, 24(1):1–24, Jan. 1996. doi: 10.1007/BF00156001

[25] C. Feustel, S. Aggarwal, B. Lee, and L. Wilcox. People Like Me: Designing for Reflection on Aggregate Cohort Data in Personal Informatics Systems. *IMWUT*, Aug. 2018.

[26] G. W. Furnas, T. K. Landauer, L. M. Gomez, and S. T. Dumais. The vocabulary problem in human-system communication. *Communications of the ACM*, 30(11):964–971, 1987.

[27] S. Govaerts, K. Verbert, E. Duval, and A. Pardo. The student activity meter for awareness and self-reflection. In *CHI '12 Extended Abstracts on Human Factors in Computing Systems*, pp. 869–884. ACM, Austin Texas USA, May 2012. doi: 10.1145/2212776.2212860

[28] P. J. Guo. Older Adults Learning Computer Programming: Motivations, Frustrations, and Design Opportunities. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems*, pp. 7070–7083. Association for Computing Machinery, New York, NY, USA, May 2017.

[29] P. J. Guo. Non-Native English Speakers Learning Computer Programming: Barriers, Desires, and Design Opportunities. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems*, pp. 1–14. Association for Computing Machinery, New York, NY, USA, Apr. 2018.

[30] J. D. Hansen and J. Reich. Democratizing education? examining access and usage patterns in massive open online courses. *Science*, 350(6265):1245–1248, 2015.

[31] J. Jones, Y. Yuan, and S. Yarosh. Be consistent, work the program, be present every day: Exploring technologies for self-tracking in early recovery. *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies*, 5(4):1–26, 2021.

[32] J. A. Jones. Scaffolding self-regulated learning through student-generated quizzes. *Active Learning in Higher Education*, 20(2):115–126, 2019.

[33] S. Karkalas, C. Bokhove, P. Charlton, and M. Mavrikis. Towards Configurable Learning Analytics for Constructionist Mathematical e-Books. 2:8, 2015.

[34] C. Kelly, B. Lee, and L. Wilcox. Self-tracking for Mental Wellness: Understanding Expert Perspectives and Student Experiences. Feb. 2017.

[35] C. P. K. B. A. G. T. . F. G. Kiani, K. "i would just ask someone": Learning feature-rich design software in the modern workplace. In *In 2020 IEEE Symposium on Visual Languages and Human-Centric Computing (VL/HCC)*, pp. 1–10, 2020.

[36] K. Kiani, G. Cui, A. Bunt, J. McGrenere, and P. K. Chilana. Beyond "One-Size-Fits-All": Understanding the Diversity in How Software Newcomers Discover and Make Use of Help Resources. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems - CHI '19*, pp. 1–14. ACM Press, Glasgow, Scotland Uk, 2019. doi: 10.1145/3290605.3300570

[37] Y.-H. Kim, E. K. Choe, B. Lee, and J. Seo. Understanding Personal Productivity: How Knowledge Workers Define, Evaluate, and Reflect on Their Productivity. Apr. 2019.

[38] Y.-H. Kim, J. H. Jeon, E. K. Choe, B. Lee, K. Kim, and J. Seo. TimeAware: Leveraging Framing Effects to Enhance Personal Productivity. Dec. 2016.

[39] Y.-H. Kim, J. H. Jeon, B. Lee, E. K. Choe, and J. Seo. OmniTrack: A Flexible Self-Tracking Approach Leveraging Semi-Automated Tracking. July 2017.

[40] M. S. Knowles. Self-directed learning: a guide for learners and teachers. 1975.

[41] A. J. Ko, B. A. Myers, and H. H. Aung. Six Learning Barriers in End-User Programming Systems. In *2004 IEEE Symposium on Visual Languages - Human Centric Computing*, pp. 199–206, Sept. 2004. doi: 10.1109/VLHCC.2004.47

[42] D. Loksa and A. J. Ko. The role of self-regulation in programming problem solving process and success. In *Proceedings of the 2016 ACM conference on international computing education research*, pp. 83–91, 2016.

[43] D. Loksa, A. J. Ko, W. Jernigan, A. Oleson, C. J. Mendez, and M. M. Burnett. Programming, problem solving, and self-awareness: Effects of explicit guidance. In *Proceedings of the 2016 CHI conference on human factors in computing systems*, pp. 1449–1461, 2016.

[44] D. Loksa, L. Margulieux, B. A. Becker, M. Craig, P. Denny, R. Pettit, and J. Prather. Metacognition and Self-Regulation in Programming Education: Theories and Exemplars of Use. *ACM Transactions on Computing Education*, p. 3487050, Feb. 2022. doi: 10.1145/3487050

[45] Y. Luo, Y.-H. Kim, B. Lee, N. Hassan, and E. K. Choe. FoodScrap: Promoting Rich Data Capture and Reflective Food Journaling Through Speech Input. May 2021.

[46] L. A. Lyon, C. Clayton, and E. Green. Tinkering in the Wild: What Leads to Success for Female End-User Programmers? In *2018 IEEE Symposium on Visual Languages and Human-Centric Computing (VL/HCC)*, pp. 125–129, Oct. 2018. ISSN: 1943-6106. doi: 10.1109/VLHCC.2018.8506561

[47] M. C. Maphalala, R. G. Mkhasibe, and D. W. Mncube. Online learning as a catalyst for self-directed learning in universities during the covid-19 pandemic. *Research in Social Sciences and Technology*, 6(2):233–248, 2021.

[48] A. N. Meyer, G. C. Murphy, T. Zimmermann, and T. Fritz. Design Recommendations for Self-Monitoring in the Workplace: Studies in Software Development. *Proceedings of the ACM on Human-Computer Interaction*, 1(CSCW):1–24, Dec. 2017. doi: 10.1145/3134714

[49] A. N. Meyer, G. C. Murphy, T. Zimmermann, and T. Fritz. Enabling good work habits in software developers through reflective goal-setting. *IEEE Transactions on Software Engineering*, 47(9):1872–1885, 2019.

[50] S. Nakazawa and T. Tanaka. Prototype of kanban tool and preliminary evaluation of visualizing method for task assignment. In *2015 International Conference on Computer Application Technologies*, pp. 48–49. IEEE, 2015.

[51] S. B. Nolen. Conceptualizing goals in motivation and engagement. 2019.

[52] O. Oyebode, C. Ndulue, D. Mulchandani, A. A. Zamil Adib, M. Al-hasani, and R. Orji. Tailoring Persuasive and Behaviour Change Systems Based on Stages of Change and Motivation. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*, pp. 1–19. ACM, Yokohama Japan, May 2021. doi: 10.1145/3411764.3445619

[53] J. Park, H. Lee, S. Park, K.-M. Chung, and U. Lee. Goldentime: Exploring system-driven timeboxing and micro-financial incentives for self-regulated phone use. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*, pp. 1–17, 2021.

[54] E. A. Patall and S. Y. Hooper. The promise and peril of choosing for motivation and learning. 2019.

[55] M. S. Patel, D. A. Asch, and K. G. Volpp. Wearable devices as facilitators, not drivers, of health behavior change. *Jama*, 313(5):459–460, 2015.

[56] R. Pérez-Álvarez, J. Maldonado-Mahauad, and M. Pérez-Sanagustín. Tools to support self-regulated learning in online environments: Literature review. In *European conference on technology enhanced learning*, pp. 16–30. Springer, 2018.

[57] D. Piorkowski, S. D. Fleming, C. Scaffidi, M. Burnett, I. Kwan, A. Z. Henley, J. Macbeth, C. Hill, and A. Horvath. To fix or to learn? How production bias affects developers' information foraging during debugging. In *2015 IEEE International Conference on Software Maintenance and Evolution (ICSME)*, pp. 11–20, Sept. 2015. doi: 10.1109/ICSM.2015.7332447

[58] J. Prather, B. A. Becker, M. Craig, P. Denny, D. Loksa, and L. Margulieux. What do we think we think we are doing? metacognition and self-regulation in programming. In *Proceedings of the 2020 ACM conference on international computing education research*, pp. 2–13, 2020.

[59] J. Prather, R. Pettit, B. A. Becker, P. Denny, D. Loksa, A. Peters, Z. Albrecht, and K. Masci. First Things First: Providing Metacognitive Scaffolding for Interpreting Problem Prompts. In *Proceedings of the 50th ACM Technical Symposium on Computer Science Education*, pp. 531–537. ACM, Minneapolis MN USA, Feb. 2019. doi: 10.1145/3287324.3287374

[60] A. Rizk and A. Rodriguez. A Framework for Informal Learning Analytics - Evidence from the Literacy Domain. p. 10.

[61] T. Rohloff, D. Sauer, and C. Meinel. Students' Achievement of Personalized Learning Objectives in MOOCs. In *Proceedings of the Seventh ACM Conference on Learning @ Scale*, pp. 147–156. ACM, Virtual Event USA, Aug. 2020. doi: 10.1145/3386527.3405918

[62] J.-F. Rouet, M. A. Britt, and A. Potocki. Multiple-text comprehension. *The Cambridge handbook of cognition and education*, pp. 356–380, 2019.

[63] M. Siadaty, D. Gašević, J. Jovanović, N. Milikić, Z. Jeremić, L. Ali, A. Giljanović, and M. Hatala. Learn-B: a social analytics-enabled tool for self-regulated workplace learning. In *Proceedings of the 2nd International Conference on Learning Analytics and Knowledge - LAK '12*, p. 115. ACM Press, Vancouver, British Columbia, Canada, 2012. doi: 10.1145/2330601.2330632

[64] A. Strauss and J. Corbin. Grounded theory methodology: An overview. 1994.

[65] C. Tan. Mindful education for a post-pandemic world. In *Mindful education*, pp. 179–197. Springer, 2021.

[66] A. Thudt, U. Hinrichs, S. Huron, and S. Carpendale. Self-reflection and personal physicalization construction. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems*, pp. 1–13, 2018.

[67] A. Y. Wang, R. Mitts, P. J. Guo, and P. K. Chilana. Mismatch of Expectations: How Modern Learning Resources Fail Conversational Programmers. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems*, pp. 1–13. ACM, Montreal QC Canada, Apr. 2018. doi: 10.1145/3173574.3174085

[68] P. H. Winne. Improving Measurements of Self-Regulated Learning. *Educational Psychologist*, 45(4):267–276, Oct. 2010. doi: 10.1080/00461520.2010.517150

[69] J. S. Yi, Y. ah Kang, J. Stasko, and J. A. Jacko. Toward a deeper understanding of the role of interaction in information visualization. *IEEE transactions on visualization and computer graphics*, 13(6):1224–1231, 2007.