Proverbs or Pythian Oracles? Sentiments and Emotions in Greek Sayings

Abstract

Proverbs are among the most fascinating language phenomena that transcend cultural and linguistic boundaries. Yet, much of the global landscape of proverbs remains underexplored, as many cultures preserve their traditional wisdom within their own communities due to the oral tradition of the phenomenon. Taking advantage of the current advances in Natural Language Processing, we focus on Greek proverbs, analyzing their sentiment and emotion. Departing from an annotated dataset of Greek proverbs, (1) we propose a multi-label annotation framework and dataset that captures the emotional variability of the proverbs, (2) we up-scale to local varieties (ντοπιολαλιές), (3) we sketch a map of Greece that provides an overview of the distribution of emotions. Our findings show that the interpretation of proverbs is multidimensional, a property manifested through both multi-labeling and instance-level polarity. Large language models can capture and reproduce this complexity, and can therefore help us better understand the proverbial landscape of a place, as in the case of Greece, where surprise and anger compete and coexist within proverbs.

1 Introduction

Proverbs are a unique linguistic phenomenon that carries cultural significance, metaphorical wisdom, and timeless relevance. Apart from their admonitory nature, they can be sentimentally and/or emotionally loaded, such as in the case of *the apple of my eye* that conveys affection (Nugraha, 2023).[1] Yet, their aforementioned timelessness can be seen as the symptom of the subjectivity of interpretation of their sentiment or emotion. Marti Solano and Rondinelli (2021) discuss how relevance is timeless while meaning can change, with one of their use cases being *a rolling stone gathers no moss*. While the metaphoric *moss* once symbolized remaining in one place and building a steady future, indicating a positive sentiment, it has more recently taken on a negative meaning, suggesting something that holds you back from exploring new opportunities.

Studies like this are parts of two 'sibling subfields' that are part of broader fields like linguistics, philology, and folkloristics, called *paremiology* and *paremiography*, and which are mainly concerned with the study, collection and classification of proverbs (Mieder, 2004).

The collaboration of paremiology (and/or paremiography) and Natural Language Processing (NLP) is still quite sparse. Most paremiology studies focus on a handful of use cases of proverbs with a very narrowed-down focus such as pragmatical or social aspects, as in the case of Lomotey and Csajbok-Twerefou (2021), while NLP studies in most cases utilize proverbs for their metaphorical aspect to help in broader tasks, such as metaphor detection or translation (Özbal et al., 2016; Romaniuk-Cholewska, 2024; Goren and Strapparava, 2024; Wang et al., 2025). The limited overlap is also driven by a major obstacle: proverbs, being rooted in oral tradition, are difficult to date, making it challenging to determine when they first got established (Khanaifsawy, 2023). This, in turn, complicates the task of compiling data for large-scale paremiological analysis. Another inhibiting factor is the 'tautological' tendency of technology—developing technology for its own sake—often at the expense of applying it to the digital humanities or to more traditional linguistic research.

Recognizing the importance of cultural heritage and the opportunities afforded by recent advances in NLP, we focus on the sentiment and emotion of Greek proverbs. Our motivation lies on two axes: First, on the idiosyncratic yet culturally and socially relevant nature of proverbs: although they may be structurally fixed, they are not semantically fixed. This semantic variability (and, consequently,

---

[1] More examples of emotionally loaded proverbs can be found in Appendix A.

variability in sentiment and emotion) indicates that meaning, sentiment, and emotion depend on time, location, and personal experience. As noted by Gwóźdź (2016), "proverbs are emotionally saturated . . . and a close examination of the valency of paremic context may provide an insight into the usage of particular adages". At the time that chapter was written, the author acknowledged that the state of AI was not advanced enough to achieve satisfactory accuracy. Here, we revisit the task in light of the progress brought by the large language models (LLMs). The second axis is concerned with approximating and visualizing the emotion of different regions of Greece. In this way, we provide a basis for a meaningful analysis of regional tendencies in social values and cultural expression. Our hypothesis is that proverbs associated with different cultural regions emphasize different moral-emotional registers, which could produce geographically clustered emotional profiles (See also Appendix B).

Our study is guided by one main research question (RQ_m) and three supporting sub-questions ($RQ_{s1–3}$):

RQ_m: What is the sentimental and emotional interpretation of different proverbs associated with different Greek regions?

   RQ_{s1}: What differentiates proverbs where annotated sentiment and emotion are aligned from ones where they diverge, allowing for multiple possible affective interpretations?

   RQ_{s2}: Can we aggregate and map the emotion of proverbs to specific geographical locations?

   RQ_{s3}: To what extent can LLMs capture and reflect the sentimental variance observed in different proverbs?

Our findings show that (1) proverbs are multi-dimensional. We define *multi-dimensional* proverbs as those which evoke multiple, potentially coexisting or competing sentiments and emotions depending on the reader's interpretation, whereas those that convey a dominant and relatively unambiguous sentiment or emotion, or just admonition, we call *unidimensional* proverbs. (2) LLMs are able to capture multi-dimensionality but can overpredict some classes such as neutral for sentiment and surprise for emotion. (3) Aggregating data over large geographic regions can lead to a significant loss of information by obscuring meaningful local variation and should be done with caution.

2 Related Work

Proverbs have been studied across many disciplines. From folklorists who view them as carriers of folk wisdom and traditional lore, to linguists and lexicographers who analyze their linguistic features and document their usage (Norrick, 2015). In this paper, we integrate these perspectives through computational methods to explore how different proverb interpretations express sentiment and emotion. This section is mainly informed by literature in NLP and computational linguistics.

2.1 Proverbs in NLP

Proverbs have been used to evaluate LLMs across diverse tasks in low-resource language settings. For example, Azime et al. (2025) evaluated LLMs by prompting them both in the proverbs' native languages and in English to assess their understanding of proverb meanings. The evaluation spanned multiple formats, including multiple-choice questions, fill-in-the-blank tasks, and a generation task in which models were required to produce the proverb that best matched a given description. The results showed that LLMs underperformed in the non-English settings. This gap in cultural and metaphorical understanding on the part of LLMs was also demonstrated in the work of Liu et al. (2024), who introduced the MAPS dataset and evaluated various multilingal LLMs on them. Another proverb-based dataset is ePIC by Ghosh and Srivastava (2022) who paired narrative and proverbs and showed that LLMs lack on proverb reasoning to a great degree compared to human annotators. With regard to dialects, Magdy et al. (2025) compiled a dataset of proverbs in Arabic varieties showing that although LLMs can produce relatively accurate translations, their cultural understanding is still limited.

2.2 Proverbial sentiment

Proverbs and sentiment analysis are often seen as complementary tasks, but with the main target being the improvement of sentiment analysis. One exception is Ghosh and Srivastava (2022) who apart from narrative construction around proverbs, they also perform a small scale sentiment analysis to ensure the diversity of the narrative. Comparatively, more work has been conducted on idioms and sentiment rather than proverbs and sentiment, as in the cases of Williams et al. (2015), Jochim

et al. (2018), Tahayna et al. (2022), and Hwang and Hidey (2019). Despite all efforts, the sentiment and emotion of proverbs for cultural, linguistic, and ethnographic reasons remains much unexplored, with even less room left for non-English proverbs.

2.3 What about Greek proverbs?

NLP studies on Greek proverbs are quite rare. Pavlopoulos et al. (2024) introduce a publicly-available dataset with more than one hundred thousand Greek proverb variants. They also proceed to attribute classification, showing that specific locations are classified with higher accuracy than others, while also attributing more than 3k unregistered Greek proverbs using conformal prediction to estimate their most likely origins. At the low-resource language frontier, Dimakis et al. (2025) use a combination of a rule-based approach and LLM prompting for dialect normalization, achieving results very close to an ideal human and showing that when trained on normalized data, models focus on semantics, whereas with non-normalized data they rely more on surface spelling variations (like dialect-based transcriptions).

2.4 Why can't we treat proverbial sentiment and emotion as a conventional task?

As mentioned in the introduction, a single proverb can span a very broad spectrum of sentiments and emotions, often encompassing both polarities (typically positive and negative). This stands in contrast to most conventional sentiment and emotion detection tasks, where ambiguity usually remains close to a single dominant label of a single polarity (Wu et al., 2020). In the case of a sentence with more than one polarity, it is usually attributed to different aspects of the sentence, like in the review sentence "the food quality is decent, but the price is very steep", which contains a two aspect sentiment (Tao and Fang, 2020). This analysis cannot be applied to proverbs as when a proverb evokes both positive and negative sentiments (or a multitude of emotions), these are not necessarily tied to separable aspects, but instead emerge from the proverb's overall interpretation, cultural grounding, and pragmatic context. For example, one annotated sentence in this study contains the equivalent Greek proverb to *out of sight, out of mind* [2]. The sentence can convey a negative sentiment—suggesting that people are forgotten when they are no longer seen—but it

---

[2]Original: 'Μάτια που δεν βλέπονται, γρήγορα λησμονούνται'.

Figure 1: Methodology Pipeline.

can also express a positive sentiment, implying that distance helps one forget someone who has caused harm. In this case, the co-presence of sentiments arises from the interpretation of the entire sentence, rather than from different sentence components as in aspect-based analysis. Thus, attempting to decompose a proverb into aspect-level sentiments is often ill-defined.

3 Method

Proverbs may have multiple possible interpretations arising from personal, cultural, or contextual readings. As with similar subjective tasks, this setting is better suited to perspectivist or descriptivist annotation paradigms (Röttger et al., 2022; Lo et al., 2025), where subjectivity is encouraged and datasets are treated more as 'granular surveys'. We adopt a variation of those paradigms by analyzing sentiment and emotion to uni- or multi-dimensional expressions. We then move on to a larger scale regional application, analyzing the emotion of the proverbs per associated location.

Our methodology consists of five phases (see Figure 1). The first phase concerns the collection of proverbs, while the second involves a multi-label annotation of sentiment and emotion. In the third phase, we analyze inter-annotator agreement and the distribution of labels as a more effective and honest way of representing the sentimental and emotional properties of the dataset. The fourth phase employs zero-shot and in-context learning techniques with LLMs to predict sentiment and emotion in our new dataset and to evaluate different types of prompting settings and models. The final phase involves an up-scaled inference setting for the geographical examination and visualization of the proverbial map of Greek varieties.

3.1 Dataset Development

Data. The proverbs that we use for this study contain dialectal attributes or 'locality', therefore we refer to these proverbs as *localized* proverbs. A presentation on the main differences between standard Greek and dialect can be found in Appendix C. The localized proverbs were the ones compiled by Pavlopoulos et al. (2024), which come from the Hellenic Folklore Research Centre.[3] The dataset includes 18 major areas, with roughly half containing about 500 proverbs, while the other half around 1,000. Some proverbs appeared more than once (568 out of 11k); these near-duplicates were removed during evaluation. We would still like to note that a proverb recorded in one area may also exist elsewhere but be absent from the dataset, so our analysis does not assume a single geographic origin. Proverbs, like other linguistic elements, can circulate across regions so we consider the labeled location as the region *associated* with the proverb, not necessarily the origin.

Annotator profiles. We employ 12 full-time expert annotators (7 female, 5 male) that are native Greek speakers, possessing advanced knowledge in language technology and with prior annotation experience. We opted for paid, high-quality annotators who went through interviews to assess their background in the humanities, linguistics, and annotation work, and who have been able to cope with the subtleties of the meaning of proverbs and dialect features.

Annotation procedure. We begin with a pilot annotation of 20 examples of proverbs. Annotators were asked to label sentiment (positive, negative, neutral) and emotion, using the outer ring of the Willcox (1982) 'wheel of emotions'. This allows us to proceed from a finer- to a coarser-grained analysis by later mapping emotions from the outer to the inner ring. For the guidelines and the wheel, see Appendix D. The annotation setup is multi-label (§2.4), allowing more than one sentiment or emotion to be assigned to a single proverb. In the case of more than one sentiment/emotion, the annotators had to use a separate field by justifying their answer and providing the corresponding interpretations. Moreover, in cases where the emotion list could not satisfy the annotators, they were instructed to select the closest available emotion and then use an additional field to specify an alternative emotion they considered more appropriate. Annotators provided also a confidence score (see Appendix E) and optional comments. Both in the pilot and in the main round, there were continuous conversations with the annotators about the task in order to improve the guideline, and in total the task, and to justify their thinking.

The main annotation round concluded with 345 proverbs ($345 \times 12 = 4140$ annotations). We selected proverbs unique to each region. Given the dialectal nature of the dataset, annotators were also provided with a normalized version of each proverb in standard Greek, which could flag in case of bad quality of normalization. The agreement analysis is discussed in §4.1.

Creating a ground-truth. To filter infrequent annotations, only sentiment labels selected by at least 20% of annotators were retained.[4] The remaining annotations were then aggregated at the proverb level: all sentiment labels associated with a proverb were combined using a set union operation to produce the final gold label set. As a result, each proverb may be associated with one or multiple gold sentiment labels, reflecting cases where multiple sentiments were selected by a sufficient proportion of annotators. These gold label sets constitute the ground truth used for evaluation.

3.2 Model Evaluation and Experiments.

LLM evaluation We evaluate LLMs on the annotated dataset using the same multi-label sentiment and emotion schema as in human annotation through prompting. The prompts can be found in Tables 10 and 11 in Appendix G.[5] Model predictions are compared against the gold labels using macro-averaged F1 scores, computed per emotion and sentiment category. In addition to overall performance, we analyze the number of emotions and sentiments predicted per proverb and the probability for each sentiment or emotion.

Regional application. To study model behavior beyond the limits of manual annotation, we conduct a second, exploratory phase using approximately 11k unannotated localized proverbs. These instances are automatically labeled by an LLM us-

---

[3] https://kentrolaografias.gr/ The data are under a CC BY-NC-ND 4.0 licence.

[4] This threshold was decided upon examining the annotations manually.

[5] For the emotions, we used directly the inner ring list of emotions as early experiments showed that the models have to choose from too many labels.

ing in-context learning methods. We explicitly do not treat these automatically generated labels as ground truth but as a way to assess whether large-scale automatic annotation preserves the properties observed in the gold dataset. We also perform a small-scale quality analysis in Appendix F to verify if the silver labels maintain gold properties.

In-Context Learning Methods. We perform zero-shot and few-shot learning, using both open-source and close-source models, including two specifically designed for Greek language tasks. Aiming for variety, we chose relatively small LLMs (Krikri-8B and Mistral-7B) as well as two larger ones (GPT-5mini and Llama-70B). The settings are summarized as follows:

- **Simple Zero-shot** (Z_0)**:** Given an input instance x, the model is prompted to directly predict the label $\hat{y}$ without being provided with any labeled examples.

- **Simple Few-shot** (Z_f): Instead of predicting a single label per text x, the model is instructed to output a probability distribution $\hat{p}(y \mid x)$ over all sentiment and emotion classes y. Each class is provided with examples covering all possible sentiments and emotions.

- **Probabilistic Prediction Prompting** (Z_p)**:** Instead of predicting a single label per text x, the model is instructed to output a probability distribution $\hat{p}(y \mid x)$ over all sentiment and emotion classes y. Each class is provided with examples, where the examples include percentage-based annotations designed to cover all possible sentiments and emotions by explicitly varying their intensity. This formulation captures model uncertainty and allows for more flexible evaluation.

4 Results

4.1 It is also multi-dimensionality

We analyze the dimensionality of the annotations for sentiment in three different ways: **unimodal**, **polarity disagreement**, and **multi-label conflict**. The reasoning behind this categorization is that multi-dimensionality can arise either from polarization, when some annotators label the same instance as positive while others label it as negative; or from multi-labeling, when annotators assign both positive and negative labels to the same instance. Unimodal items are labeled with complete agreement.

Group	#Items	Pos	Neg
Semantic Grouping			
Pos + Neutral (pos_neu)	32	0.38	-
Neg + Neutral (neg_neu)	145	-	0.37
Variance Types			
Polarity disagreement	248	0.31	0.39
Multi-label conflict	67	0.25	0.28
Unimodal Items	30	1.00	1.00
Overall α per Label		0.38	0.36
Global α		0.31	

Table 1: Krippendorff's α for Sentiment Annotations: Semantic Groups, Item Types, and Overall

Type	Greek Proverb	English Translation	Label
Uni	Θηβαίοι χι Αθηναίοι χαι χαχοί Μυτιληναίοι άλλα λένε το βράδι χι άλλα χάνουν το πρωΐ	Thebans and Athenians and wicked Mytileneans say one thing in the evening and do another in the morning.	Negative
PD	Τσείνες π' μ' αγαπά, με χάνει τσαι χλαίου, τσαι τσείνες π' με μ'σά, με χάν' τσαι γελού	The one who loves me makes me cry and the one who hates me makes me laugh.	Positive, Negative
MC	Δούλευε χαι δουλειά να μη σε λείπ'	Work hard and don't miss work.	Positive, Negative

Table 2: Examples of different types of annotator agreement: unimodal (Uni), polarity disagreement (PD), and multi-label conflict (MC).

We use this method as a diagnostic to characterize and better analyze types of ambiguity in proverbs (§2.4). In addition to the overall Krippendorff's α scores, we group the annotations into semantic clusters (pos_neu, neg_neu, and neutral), where neutral labels are counted in both polarity clusters and thus contribute to both positive and negative groupings, apart from functioning as only as an independent category. The results and distributions are shown in Table 1. Agreement was moderate for the polarity-related groups, with pos_neu reaching $\alpha = 0.38$ and neg_neu $\alpha = 0.37$. For polarizing items, where annotators selected opposite single-label polarities, we observe moderate agreement with $\alpha = 0.31$ for positive and $\alpha = 0.39$ for negative labels. Items with multiple labels show slightly lower agreement for both positive labels ($\alpha = 0.25$) and negative labels ($\alpha = 0.28$).

These results are also reflected in the examples of Table 2. Here, we examine sentiment as a realization of emotion. For the unimodal proverb, the majority of annotators agreed it conveyed a negative sentiment, with fine-grained emotions such as betrayal and resentment identified. In the example with polarity disagreement the negative sentiment was supported by emotions such as perplexity, disillusionment, and hostility, while the positive sentiment was interpreted through emotions such as

loveliness and sensitivity. This can be seen as a result of the two-part structure of the proverb, which reflects a known challenge in sentiment analysis: concepts that contradict each other (e.g., love and hate, joy and sorrow) can co-exist within a single sentence adding to the multi-dimensionality of the proverb. The multi-label conflict example shows a more personal interpretation. While the majority of annotators labeled the instances as positive, with emotions such as inspired, energetic, hopeful, and thankful, there were also instances where it was viewed as negative (pressured). This highlights the very intimate relationship between a proverb and its receiver.

To examine the multi-dimensionality of proverbs with regard to emotions, we first map the fine-grained emotions into the seven more coarse-grained emotions in the Willcox (1982) wheel of emotions. The agreement for each emotion can be found in Table 3. With a first glance, we see that higher agreement is aggregated in the emotion of happiness. For the rest of the emotions that showed lower agreement, we wanted to see each low-agreement emotion with which emotion co-exists. We define a fair-agreement threshold of 0.2, which will include all emotions except happy. For each low-agreement emotion, we (1) count how often it co-occurs with every other emotion in the same proverb across all annotators, (2) normalize by row sums so each row sums to 1 (proportion of co-occurrences). The results can be found in Figure 2. Each row represents a reference emotion, and the values indicate the proportion of proverbs in which other emotions co-occur with it. Angry presents minor overlaps with fearful (0.11) and sad (0.11), while sad co-occurs with with fearful and angry (both 0.11). Disgusted shows a co-occurrence with angry (0.21) and surprised largely appears independently (0.79), with minimal co-occurrence with other emotions. These patterns show that semantically related emotions (positive, negative) have a natural tendency to co-occur, and which reinforces that sometimes disagreements among annotators are often due to the subtle differences of the perception of the proverb (e.g., fear vs sadness) and which supports that *many proverbs express multiple emotions simultaneously*.

4.2 LLM-based evaluation

We use the 345 annotated proverbs to examine the potential of LLMs to capturing the multi-dimensional nature of proverbs. For the proba-

Emotion	Krippendorff's α
happy	0.326
angry	0.127
bad	0.105
fearful	0.103
sad	0.091
disgusted	0.079
surprised	0.074

Table 3: Krippendorff's α for inner-ring mapped emotions.

Figure 2: Relative co-occurence in annotations for low-agreement emotions.

bilistic few-shot evaluation, predicted sentiment and emotion percentages are converted to a 0–1 scale and transformed into discrete predicted labels using a probability threshold, with a fallback to the highest-scoring sentiment or emotion if none exceed the threshold. Gold and predicted labels are then aligned per proverb, encoded as multi-hot vectors. All the results are presented in Table 4. We also report a leave-one-out human baseline. For each annotator, we reconstruct the gold labels from the remaining annotators using the same agreement-thresholding and proverb-level aggregation procedure as in the model evaluation, and then compute mean F1 against that reference. It is very often the case that LLMs perform equally or better than this baseline. For sentiment classification, GPT-5mini generally achieves the highest F1 scores in both zero-shot (micro F1 = 0.76) and probabilistic settings (micro F1 = 0.74). We notice that that the probabilistic method improves the recall for some models but not consistently for all of them, in particular it helps the small models in the zero-shot setting. For emotion classification, the scores are overall lower than sentiment classification, with GPT-5mini achieving the highest scores. We also observe that the probabilistic settings improve performance significantly for GPT-5mini for micro

Model	Setting	Sentiment						Emotion					
		Micro			Macro			Micro			Macro		
		P	R	F1	P	R	F1	P	R	F1	P	R	F1
KriKri-8B	Z_0	0.61	0.53	0.57	0.48	0.53	0.47	0.28	0.63	0.39	0.33	0.65	0.41
Mistral-7B	Z_0	0.64	0.61	0.62	0.65	0.62	0.60	0.27	0.38	0.32	0.27	0.39	0.31
GPT-5mini	Z_0	0.78	0.74	0.76	0.79	0.77	0.75	0.23	0.38	0.28	0.22	0.40	0.27
Llama3-70B	Z_0	0.61	0.75	0.67	0.61	0.78	0.66	0.25	0.46	0.32	0.24	0.47	0.31
KriKri-8B	Z_f	0.51	0.35	0.42	0.52	0.37	0.40	0.42	0.33	0.37	0.42	0.36	0.37
Mistral-7B	Z_f	0.53	0.45	0.52	0.46	0.46	0.62	0.23	0.22	0.23	0.23	0.24	0.22
GPT-5mini	Z_f	0.74	0.75	0.75	0.76	0.77	0.73	0.32	0.29	0.31	0.33	0.31	0.30
Llama3-70B	Z_f	0.69	0.51	0.59	0.69	0.54	0.58	0.44	0.38	0.41	0.47	0.41	0.42
KriKri-8B	Z_p	0.79	0.52	0.62	0.80	0.57	0.64	0.34	0.27	0.30	0.34	0.28	0.30
Mistral-7B	Z_p	0.76	0.54	0.63	0.76	0.57	0.62	0.22	0.20	0.21	0.21	0.20	0.20
GPT-5mini	Z_p	0.74	0.73	0.74	0.76	0.77	0.73	0.54	0.40	0.46	0.54	0.43	0.47
Llama3-70B	Z_p	0.72	0.63	0.67	0.76	0.67	0.68	0.44	0.41	0.42	0.47	0.45	0.44
Human-baseline	–	0.77	0.49	0.60	0.75	0.48	0.57	0.32	0.49	0.39	0.29	0.43	0.33

Table 4: Evaluation of multi-label emotion and sentiment classification for Greek proverbs across models and prompting settings (Z_0: zero-shot, Z_f: few-shot, Z_p: probabilistic).

	neg	neu	pos
neg	190	172	44
neu	108	162	78
pos	18	68	57

Table 5: Co-occurrence matrix on sentiment for probabilistic few-shot classification.

Gold / Pred	happy	angry	fearful	sad	disgusted	surprised	bad
happy	36	14	1	1	0	65	2
angry	20	50	0	1	0	73	3
fearful	5	16	1	0	0	25	2
sad	6	12	0	2	0	11	0
disgusted	3	9	0	0	0	9	2
surprised	8	4	0	0	0	20	0
bad	4	5	0	0	0	19	0

Figure 3: Emotion co-occurrence matrix for probabilistic few-shot classification.

and macro F1 score and Llama3-70B for macro F1.

4.2.1 Error Analysis

We also perform an error analysis on the best-performing large and small models (GPT-5mini and Krikri-8B) examining the co-occurrences of the labels. Here, we only discuss the probabilistic setting that we also use later in the up-scaling. The rest of the co-occurence matrices can be found in the Appendix H, along with metrics per label and Mean Squared Error. For sentiment detection in the probabilistic setting, Neutral is overpredicted, as we see that many negatives and positives are misclassified as neutral. Positive, on the other hand is underpredicted again. Negative is predicted relatively better, but still often confused with neutral.

For emotion, happy and angry remain frequently confused, with several happy instances predicted as angry (14) and angry instances predicted as happy (20). However, the largest source of errors involves the surprised class, which absorbs many predictions from different gold labels: for example, happy is often predicted as surprised (65), angry as surprised (73), fearful as surprised (25), sad as surprised (11), disgusted as surprised (9), and bad as surprised (19). Fearful is also sometimes predicted as angry (16)

or happy (5), while sad is frequently misclassified as angry (12) or happy (6). Overall, the model tends to overpredict surprised and, to a lesser extent, angry and happy, often at the expense of fearful, disgusted, sad, and bad.

We also run a correlation analysis across the 345 proverbs for Krikri-8B, The model shows a very strong correlation with the annotation with an average Pearson of 0.73 in sentiment analysis, proving its reliability in decoding general polarity. While fine-grained emotion recognition is more challenging due its the more fine-grained nature, the model still maintains a fair average pearson of 0.30, with high-signal categories like happy (0.59) and angry (0.37) showing stronger alignment with the human intuition.

5 Emotional Greek Proverbial Landscape

Using Krikri-8B, the best open source model (see Section 4),[6] we up-scale on the dataset of 11k geographically attributed proverbs by Pavlopoulos et al. (2024). We then visualize our findings on a proverbial map of Greece (Figure 4), illustrating the dominant emotions. At the same time, we capture the multi-dimensional nature of proverbs

---

[6]We use the same prompts as in our model experiments.

Figure 4: Emotion map of Greek proverbial landscape. Different colors represent the most dominant emotion. In gray are regions without any geolocated proverbs.

Figure 5: Proverbial emotions per major Greek areas.

by providing the distribution of emotions across regions (Figure 5). We observe that the two dominant emotions are anger and surprise, which effectively split the country in two, with very few exceptions (Kefalonia, Rhodes, Naxos). The 'surprise' labeling should be taking into account with some reservation as we saw that in many cases that it can contain misclassifications (§4.2.1). The regional exceptions carry significant meaning because, as we see in the map, aggregating emotions at larger spatial scales causes local emotional variations to disappear, as in the case of Kefalonia where the emotion is 'happy' while the emotion for the greater area of Ionian Islands is 'anger'. The distributions also show that these two emotions, along with happiness, coexist in most regions, while the remaining emotions play a less prominent role.

6 Discussion and conclusions

On the Research Questions RQ_{s1} The sentiment and emotion of proverbs are neither homogeneous nor always unidimensional. A single proverb can be interpreted differently in terms of sentiment, which may manifest both as annotators assigning multiple labels or as variations in polarity. In the

study, we saw that unimodal cases usually express sentiment in very straightforward manner or they present admonition. Ambiguous cases (polarity and multi-labeling) can be the result of a proverb that has two aspects in different parts of the sentence, or expresses different sentiments and emotions depending on personal interpretation, experiences, and context. These 'conflicts' usually stem from personal interpretations, which challenge the notion of proverbs as fixed entities and demonstrate how, over time, individual interpretations can gradually become consolidated at a social level.

RQ_{s2} We can aggregate the emotion of proverbs on a regional level to some extend. Some labels are more confidently used both by annotators and by the models, often with high correlation. Another consideration is how finely the regions are labeled. Regionally, differences can appear on a large scale, as shown in Figure 4, where the landscape seems split in two. However, a closer look reveals more subtle variations. For example, in the Ionian Islands, the dominant sentiment is anger, except on the island of Kefalonia. Simple averaging across the region would obscure important information about this area.

RQ_{s2} Variance in proverbs is more effectively captured in sentiment scenarios and shows high correlations for some emotions. Additional schema configurations should be explored to identify the optimal setup for emotion analysis, including the emotional framework, number of labels, and prompting guidelines.

Conclusion   In this paper, we employed NLP methods to address the task of sentiment and emotion analysis in Greek proverbs. Our approach examines the multi-dimensionality of proverbs, despite their seemingly 'fixed' nature. To this end, we propose treating sentiment and emotion analysis not only as a multi-label task, but also explicitly accounting for polarity, and adapting LLM-based pipelines to support this more inclusive aspect. Finally, when conducting region-based analyses, fine-grained geographic units should not be overlooked, as they may capture important local variation. Future work will take a deeper look at the probabilistic approach and examine threshold sensitivity to achieve optimal results. In addition, a more geographically fine-grained analysis of proverbs, combined with larger-scale annotation enriched with additional metadata, would allow for a more complete picture.

Limitations

This study is not without limitations. The presence of the same proverbs across different localities does not mean necessarily that sentiment and emotion are perceived in the same way. On the contrary, it suggests that sentiment and emotion may vary depending on the place, the background and the experiences of the peoples. This highlights, once again, the inherently multi-dimensional nature of interpreting proverbs. Additionally, while some proverbs can be considered 'gold' and be very similar in all the different varieties, others can be similar in meaning but different in form; yet both types reflect the oracle-like nature of these sayings. Their evaluation, however, is necessarily filtered through our own subjectivity, since no objective truth can be applied in this context. Another limitation concerns the geolocation of proverbs, because the 11K proverbs that are currently geolocated by Pavlopoulos et al. (2024), leave areas without any proverb for analysis (the gray regions in Figure 5). Future research however, could expand their list of geolocated proverbs, to include more areas. It is also important to note that we do not know the extent to which these proverbs are actively used today, leaving their current relevance somewhat uncertain. Finally, during groundtruth, polarity conflicts are treated here as a multi-label phenomenon, although in our methodology we note that they ideally should be handled differently. Current NLP studies rarely account for this type of subtle variation across categories, and while detection has been addressed individually, integrating it into evaluation remains an open challenge.

Ethics Statement

Participation was compensated adequately in accordance with applicable Greek legislation. All proverbs used in this study were collected from publicly available sources and existing corpora. No private or sensitive data was used. We acknowledge that annotators' interpretations of sentiment in proverbs may reflect cultural or regional biases. This research is intended for academic purposes and cultural understanding, therefore, we acknowledge that automated sentiment and emotion predictions should be used carefully and with respect to the local (proverbial communities) and definitely not in order to stereotype one community as positive and another as negative.

References

Israel Abebe Azime, Atnafu Lambebo Tonja, Tadesse Destaw Belay, Yonas Chanie, Bontu Fufa Balcha, Negasi Haile Abadi, Henok Biadglign Ademtew, Mulubrhan Abebe Nerea, Debela Desalegn Yadeta, Derartu Dagne Geremew, Assefa Atsbiha Tesfu, Philipp Slusallek, Thamar Solorio, and Dietrich Klakow. 2025. ProverbEval: Exploring LLM evaluation challenges for low-resource language understanding. In *Findings of the Association for Computational Linguistics: NAACL 2025*, pages 6250–6266, Albuquerque, New Mexico. Association for Computational Linguistics.

Robert Browning. 1983. *Medieval and Modern Greek*. Cambridge University Press.

Antonios Dimakis, John Pavlopoulos, and Antonios Anastasopoulos. 2025. Dialect normalization using large language models and morphological rules. In *Findings of the Association for Computational Linguistics: ACL 2025*, pages 23696–23714, Vienna, Austria. Association for Computational Linguistics.

Vivian A. Dzokoto, Annabella Osei-Tutu, Jane J. Kyei, Maxwell Twum-Asante, Dzifa A. Attah, and Daniel K. Ahorsu. 2018. Emotion norms, display rules, and regulation in the akan society of ghana: An exploration using proverbs. *Frontiers in Psychology*, 9:1916.

Sayan Ghosh and Shashank Srivastava. 2022. ePiC: Employing proverbs in context as a benchmark for abstract language understanding. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 3989–4004, Dublin, Ireland. Association for Computational Linguistics.

Gamze Goren and Carlo Strapparava. 2024. Context matters: Enhancing metaphor recognition in proverbs. In *Proceedings of the 2024 Joint International Conference on Computational Linguistics, Language Resources and Evaluation (LREC-COLING 2024)*, pages 3825–3830, Torino, Italia. ELRA and ICCL.

Maja Gwóźdź. 2016. Sentiment analysis of proverbs in american discourse: A corpus-based study. In *From Motion to Emotion: Aspects of Physical and Cultural Embodiment in Language*, pages —. —.

Geoffrey Horrocks. 2014. Greek: A history of the language and its speakers (2nd edn.). wiley-blackwell, chichester, 2010. pp. xx + 505. *Journal of Greek Linguistics*, 14(1):127–135.

Alyssa Hwang and Christopher Hidey. 2019. Confirming the non-compositionality of idioms for sentiment analysis. In *Proceedings of the Joint Workshop on Multiword Expressions and WordNet (MWE-WN 2019)*, pages 125–129, Florence, Italy. Association for Computational Linguistics.

Charles Jochim, Francesca Bonin, Roy Bar-Haim, and Noam Slonim. 2018. SLIDE - a sentiment lexicon of

common idioms. In *Proceedings of the Eleventh International Conference on Language Resources and Evaluation (LREC 2018)*, Miyazaki, Japan. European Language Resources Association (ELRA).

Abdullah Najim Abd Al Khanaifsawy. 2023. A pragmatic study of proverbs: Sociocultural perspective. *International Journal of Research in Social Sciences and Humanities*, 13(II). P-ISSN: 2454-4671.

Chen Liu, Fajri Koto, Timothy Baldwin, and Iryna Gurevych. 2024. Are multilingual llms culturally-diverse reasoners? an investigation into multicultural proverbs and sayings. In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pages 2016–2039. Association for Computational Linguistics.

Soda Marem Lo, Silvia Casola, Erhan Sezerer, Valerio Basile, Franco Sansonetti, Antonio Uva, and Davide Bernardi. 2025. PERSEVAL: A framework for perspectivist classification evaluation. In *Proceedings of the 2025 Conference on Empirical Methods in Natural Language Processing*, pages 22334–22359, Suzhou, China. Association for Computational Linguistics.

Benedicta Adokarley Lomotey and Ildiko Csajbok-Twerefou. 2021. A pragmatic and sociolinguistic analysis of proverbs across languages and cultures. *Journal of Pragmatics*, 182:86–91.

Samar Mohamed Magdy, Sang Yun Kwon, Fakhraddin Alwajih, Safaa Taher Abdelfadil, Shady Shehata, and Muhammad Abdul-Mageed. 2025. JAWAHER: A multidialectal dataset of Arabic proverbs for LLM benchmarking. In *Proceedings of the 2025 Conference of the Nations of the Americas Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pages 12320–12341, Albuquerque, New Mexico. Association for Computational Linguistics.

Ramon Marti Solano and Paolo Rondinelli. 2021. 'Comparisons are odious': how comparable are equivalent proverbs across languages? *Proceedings of the 14th Interdisciplinary Colloquium on Proverbs*.

Wolfgang Mieder. 2004. *Proverbs: A Handbook*. Greenwood Folklore Handbooks. Bloomsbury Academic.

Neal R. Norrick. 2015. 1 subject area, terminology, proverb definitions, proverb features. In Hrisztalina Hrisztova-Gotthardt and Melita Aleksa Varga, editors, *Introduction to Paremiology*, pages 7–27. De Gruyter Open Poland, Warsaw, Poland.

D. S. Nugraha. 2023. The apple of my eye: Exploring the affection expressed in english proverbs. *International Journal of Social Science and Human Research*, 6(9):5365–5373.

John Pavlopoulos, Panos Louridas, and Panagiotis Filos. 2024. Towards a greek proverb atlas: Computational spatial exploration and attribution of greek proverbs. In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pages 11842–11854. Association for Computational Linguistics.

Dominika Romaniuk-Cholewska. 2024. The machine translation (mt) of proverbs in the eng-pl language pair. *Studies in Logic, Grammar and Rhetoric*, 69:553–570.

Paul Röttger, Bertie Vidgen, Dirk Hovy, and Janet Pierrehumbert. 2022. Two contrasting data annotation paradigms for subjective NLP tasks. In *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 175–190, Seattle, United States. Association for Computational Linguistics.

Bashar M. A. Tahayna, Ramesh Kumar Ayyasamy, and Rehan Akbar. 2022. Automatic sentiment annotation of idiomatic expressions for sentiment analysis task. *IEEE Access*, 10:122234–122242.

Jie Tao and Xing Fang. 2020. Toward multi-label sentiment analysis: a transfer learning based approach. *Journal of Big Data*, 7(1):1.

Maria Theodoropoulou. 2024. *Chapter 7. Emotion in Greek proverbs: The case of (romantic) love*, pages 174–201. John Benjamins Publishing Company.

Peter Trudgill. 2003. Modern greek dialects: A preliminary classification. *Journal of Greek Linguistics*, 4(1):45–63.

Minghan Wang, Viet Thanh Pham, Farhad Moghimifar, and Thuy-Trang Vu. 2025. Proverbs run in pairs: Evaluating proverb translation capability of large language model. In *Findings of the Association for Computational Linguistics: ACL 2025*, pages 1646–1662, Vienna, Austria. Association for Computational Linguistics.

G. Willcox. 1982. The feeling wheel: A tool for expanding awareness of emotions and increasing spontaneity and intimacy. *Transactional Analysis Journal*, 12(4):274–276.

Lowri Williams, Christian Bannister, Michael Arribas-Ayllon, Alun Preece, and Irena Spasić. 2015. The role of idioms in sentiment analysis. *Expert Systems with Applications*, 42(21):7375–7385.

Zhen Wu, Chengcan Ying, Xinyu Dai, Shujian Huang, and Jiajun Chen. 2020. Transformer-based multi-aspect modeling for multi-aspect multi-sentiment analysis. In *Natural Language Processing and Chinese Computing*, pages 546–557, Cham. Springer International Publishing.

Gözde Özbal, Carlo Strapparava, and Serra Sinem Tekiroğlu. 2016. Prometheus: A corpus of proverbs annotated with metaphors. In *Proceedings of the Tenth International Conference on Language Resources and Evaluation (LREC'16)*, pages 3787–3793. European Language Resources Association (ELRA).

A The affective nature of proverbs

Not all proverbs convey emotions but many of them do. There are studies that have been occupied with this topic in the fields of cultural studies and cognitive linguistics. These studies collectively highlight how proverbs function as important cultural tools for expressing and shaping emotions, social norms, and cognitive processes. Theodoropoulou (2024) examines Greek proverbs related to romantic love and shows how emotional experiences such as affection, longing, and desire are encoded metaphorically within traditional sayings, reflecting cultural views on relationships. Similarly, Dzokoto et al. (2018) analyze Akan proverbs from Ghana to demonstrate how proverbs regulate emotional expression by establishing social norms and display rules that guide when and how emotions should be shown in society. Finally, Nugraha (2023) explores English proverbs that convey affection, revealing how metaphorical language such as "the apple of my eye" communicates deep emotional attachment and values in interpersonal relationships. Together, these works demonstrate that emotion plays a crucial role in proverbs: proverbs do not merely convey practical wisdom but also encode cultural attitudes toward feelings, guide emotional behavior, and help individuals understand and communicate complex emotional experiences through metaphor and shared cultural knowledge.

In our dataset, we encounter proverbs that are both emotionally and culturally driven. Some examples are "Ο Μάης φτιάχνει τα σπαρτά κι ο Μάης τα χαλάει" which means that "may makes the crops, and May can also ruin them" expressing powerless against nature and against the instable spring weather. A more positive instance is "Και οι κακοί καιροί θα να καλοσυνείζουν" which means "and the bad times will eventually turn kind" which conveys hope for the future. Of course, there are cases where the interpretation of emotion is more subjective and more context-dependent, such in the case of "Κατά μάνα, κατά κύρι, κατά γυιο καραβοκύρι". This proverb can be loosely translated as "the apple doesn't fall far from the tree". Adding a dash of irony, the emotions of this proverb can be mostly negative, such as sadness, disappointment, and even anger. On the other hand, relating to an potential achievement of a person, it could express hapinesss or pride. Part of what we examine in this study is this potential duality.

Standard	Localized	Location	Type
της νύχτας τη δουλειά τη βλέπει η μέρα και γελά	τση νύχτας τσοί δουλειές τσοί βλέπεις μέρα και γελάς	Naxos	Palatalization →
Καρδιά καθαρή θέλει ο θεός	Καρδίαν καθαράν θέλ' ο Θεός	Ipirus	Final-/n/ retention →
Τι θα ρίξει ο ουρανός που να μη το δεχτεί η γη·	Ίντα δα ρίξ' ο ορανός να μη το δεχτή η γης·	Crete	ti → ίnta

Table 6: Comparison of Standard Greek proverbs with dialectal variants.

B On the origin of Greek proverbs

An analysis such as the one presented in this paper cannot give us any information about the genesis of a specific proverb, but rather its spreading. An attempt on the origin of any proverb is futile, as described in much of the paremiological literature (Norrick, 2015). This is because it is most likely that proverbs are coined by a single individual, who managed to grasp a universal truth in a metaphorical yet adequately expressive manner that it was adopted and used by the folk. This however and as discussed in previous sections implicates that the way the proverbs are used has led to variation. Here, although we map the proverbs and their emotion to specific regions in Greece, the only indication that we have that these proverbs 'belong to' the specific regions are the dialectal properties of the proverbs. This however does not mean that one region 'owns' a proverb, but rather it owns its specific variety.

C Differences between standard Greek and dialects

The Greek language, although it has remained unified from antiquity to the present day, has never been spoken uniformly throughout the homolingual geographical area, thus forming local dialectal variations. [7] The same differences that reported in the language are also observed in the production and use of proverbs. We report some of the most seminal differences here, borrowing from the works of Horrocks (2014), Trudgill (2003), and Browning (1983). In many northern varieties of Greek, we encounter the feature of *Northern vowel reduction*. In these varieties, the unstressed high vowels /i/ and /u/ are frequently deleted, while unstressed mid vowels /e/ and /o/ are raised to [i]

---

[7]https://kendi.academyofathens.gr/pages/what-is-dialect

and [u]. One example is the standard pronunciation of [ˈskoni] (dust, powder) may be pronounced as [skon], and [peˈði] (child) may be pronounced as [piˈði].

Another frequent phonological process is palatalization. In Standard Modern Greek, the velar consonants [k g x ɣ] are palatalized when they appear before the front vowels /i/ and /e/, resulting in the palatal sounds [c ɟ ç j]. In some southern dialects, this process is more pronounced and can develop into affricates such as [tʃ]. An proverbial example can be found in Table 6. There is also notable regional variation: Cypriot Greek commonly produces postalveolar sounds like [tʃ dʒ ʃ ʒ], while Cretan dialects may exhibit alveolo-palatal realizations such as [tɕdʑɕ]. A variation to palatalization is *tsitakism*, where the palatalized consonant /k/ shifts further forward and becomes the affricate [ts], merging with the original phoneme /ts/.

Northern spoken varieties, particularly those in Macedonia, are also notable for the use of a velarized or dark /l/, realized as [ɫ]. Furthermore, certain dialects of the Aegean islands, especially those spoken in the Dodecanese, show intervocalic fricative deletion. In these varieties, voiced fricatives such as /v/, /ð/, and /ɣ/ may disappear when they occur between vowels, leading to pronunciations like [meˈalo] (big) instead of [meˈɣalo].

Alongside phonological differences, Greek dialects also display a number of grammatical variations. One notable feature concerns the retention or loss of final /n/. Although most varieties of Modern Greek have dropped the historical final /n/ that appeared in Ancient and Medieval Greek endings, dialects of the southeastern islands frequently preserve it, resulting in forms such as [ˈkardian] ('heart') rather than [ˈkardia], as in the second proverb in Table 6.

Another grammatical feature is the use of the interrogative form ínta in place of the Standard Greek ti ("what") in many dialects of the Aegean islands and in particular in Crete (see last proverb in Table 6). In addition, dialects differ in how they mark indirect objects. After the historical disappearance of the dative case, Standard Greek and most southern dialects generally employ genitive pronouns, as in sou dino to vivlio ("I give you the book"), while several northern dialects instead use accusative pronouns, resulting in forms such as se dino to vivlio.

Figure 6: Wheel of emotions by Willcox (1982).

Category	Label	Krippendorff's α
Sentiment	Negative	0.317
	Neutral	0.180
	Positive	0.586
Emotion (Inner Ring)	Happy	0.451
	Bad	0.283
	Sad	0.281
	Surprised	0.241
	Angry	0.191
	Fearful	0.121
	Disgusted	0.085

Table 7: Krippendorff's alpha for pilot annotation for sentiment labels and inner-ring emotion categories

D Annotation guidelines and pilot results

In this section, you can find the pilot results (Table 7 shows the Krippendorff's α for the pilot annotation), the annotation guidelines used for the pilot and main annotation experiments (Table 8), as well as the feelings wheel (Figure 6). Inter-annotator agreement was low, (Table 7), although the annotators justified fairly their decisions, leaving no room for resolution. In other words, a single proverb could convey multiple emotions (or sentiment) labels, depending on the annotator. Hence, we keep the same settings for the main annotation round.

E Annotator confidence

We also examine the confidence levels of the annotators per label for both sentiment and emotion task. The scale for confidence was from 1 to 5. The average confidence scores show that annotators were generally less confident when labeling neutral and negative sentiments, with 'neutral' scor-

Category	Guidelines
Task Overview	Label Greek proverbs with their overall sentiment (Positive, Neutral, Negative) and the emotion(s) expressed using the predefined list. Focus on the figurative meaning, provide consistent, evidence-based labels, record confidence, and note any normalization issues.
Data Privacy	All data collected will be used solely for research and analysis. Personal information will not be collected or shared, ensuring compliance with data protection regulations (e.g., GDPR).
Sentiment Labeling	Determine the overall sentiment expressed in the proverb. Multiple sentiments may be labeled if they co-occur or depending on interpretation.
Emotion Labeling	Identify the strongest emotion(s) expressed. Multiple emotions can be labeled if they co-occur or depending on interpretation.
Multiple Interpretations	If the proverb allows different interpretations leading to opposing emotions or sentiments, note these in the comments.
Confidence Score	Record confidence (1–5) for both sentiment and emotion labeling (1 = very unsure, 5 = very confident).
Missing Emotions	If the provided emotions do not fully capture the proverb's feeling, select the closest matching emotion and also note any new emotion in the "Other Emotion" field.
Normalization Flag	If the normalized form of the proverb is incorrect, explain the issue in the normalization flag field.
Sentiment Definitions	
Positive	Encouraging, motivating, or uplifting. Example: « (Στη βράση κολλάει το σίδερο.» → Urges action and initiative.
Neutral	Balanced, realistic, or advisory without strong praise or criticism. Example: « (Αγάπα το φίλο σου με τα ελαττώματά του.» → Advises acceptance without judgment.
Negative	Critical, pessimistic, or warning of harm or wrongdoing. Example: « (Κακό σκυλί ψόφο δεν έχει.» → Observes persistent harmful behavior.
Rule	Assign sentiment based on the overall metaphorical message or attitude, not individual literal words.
Emotion Guidelines	
Rule	Select emotion(s) only from the approved list. Label based on overall feeling, not individual words. Multiple emotions may co-occur. Note opposing emotions in comments if interpretations differ.
Missing Emotion Handling	If an emotion is present but not listed, choose the closest match and record the new emotion in "Other Emotion".
Confidence Score	Record confidence (1–5) for emotion labeling.
Approved Emotion List	Out of control, Overwhelmed, Rushed, Pressured, Apathetic, Indifferent, Helpless, Frightened, Worried, Inadequate, Inferior, Worthless, Insignificant, Excluded, Persecuted, Nervous, Exposed, Betrayed, Resentful, Disrespected, Ridiculed, Indignant, Violated, Furious, Jealous, Provoked, Hostile, Infuriated, Annoyed, Withdrawn, Numb, Sceptical, Dismissive, Judgmental, Embarrassed, Appalled, Revolted, Detestable, Horrified, Hesitant, Disappointed, Empty, Remorseful, Ashamed, Powerless, Grief, Fragile, Victimised, Abandoned, Isolated, Inspired, Hopeful, Intimate, Sensitive, Thankful, Loving, Creative, Courageous, Valued, Respected, Confident, Successful, Inquisitive, Curious, Joyful, Free, Cheeky, Aroused, Energetic, Eager, Awe, Astonished, Perplexed, Disillusioned, Dismayed, Shocked.

Table 8: Annotation guidelines for sentiment and emotion in Greek proverbs.

ing 3.15 and 'negative' 3.40, while 'positive' labels received slightly higher confidence at 3.66. Looking at the more granular emotion labels, confidence was lowest for labels such as 'empty' (2.09), 'withdrawn' (2.61), and 'fragile' (2.68), suggesting these emotions were more ambiguous or harder for annotators to assess. In contrast, annotators felt most confident about intense or clear-cut emotions such as 'furious' (4.28), 'revolted' (4.06), and 'frightened' (4.00). Overall, this pattern indicates that subtle or internalized emotions tend to receive lower confidence, while strong or externally expressed emotions are easier to identify consistently.

F   Silver-labeling evaluation

To examine the quality of the silver labeling in terms of sentiment and emotion, we sampled 50 proverbs and we evaluated them manually. We include some examples in Table 9. In the majority of the cases the sentiment and emotion labels produced by the model were aligned to the content of the proverb. The cases were the labels were considered wrong were mostly due to the fact that the proverbs had the sole purpose of admonition and the recognition of the emotion was too much of a subtle task like in the case of Όπως γνοιάζεσαι για το παιδί σου, έτσι θα να γνοιάζεσαι και για το δουλευτή σου (You should care about your employee the same way you care about your child). The dialectal element does not seem to deter much the model performance.

G   Prompts

The prompts used for the model evaluation can be found in this section. Table 10 shows the prompts for the zero-shot and probabilistic setting for sentiment, while Table 11 shows the one for emotion.

H   More on error analysis

We delve further into examining the trustworthiness of the models used in this study by calculating Precision, Recall, and F1 score per label for both sentiment and emotion. The results can be found in Tables 13, 14, 15, 16. In addition, we examine use the probabilistic setting as an additional error analysis setting by calculating the Mean Squared Error (MSE) for the two tasks. The results can be found in Tables 17 and 18.

Looking at sentiment, the MSE values confirms our main result analysis. When it comes to overall performance, GPT-5mini (0.23) and Llama3-70B (0.25) are the best overall, while Krikri-8B (0.31) and Mistral-7B (0.33) have higher overall errors, so their predictions are less accurate. The pattern is the same for the positive label, however, for negative sentiment Krikri-8B exceeds (0.13) the other models but struggles with the neutral label (0.54) compared to the others. All in all, GPT-5mini is the most balanced overall as it has the lowest overall MSE and handles all sentiment types reasonably well. Llama3-70B is close in performance to GPT-5mini but slightly worse overall. Krikri-8B is good at negative sentiment but poor at neutral, while Mistral-7B has relatively high errors across the board, especially for positive sentiment.

For emotion, Krikri-8B has a global MSE of 0.22, which is slightly higher than Mistral-B (0.21) and much higher than GPT-5mini (0.15) and Llama3-70B (0.14), which indicates that the high F1 scores of the first two models can be misleading. We observe quite the variation when it comes to label-wise errors per model. Mistral-7B predicts 'Happy' best (0.32), while GPT-5mini is worse (0.25). With 'Surprised', GPT-5mini has the lowest error (0.09), and Krikri-8B the highest (0.46). The best model predicting 'Angry' is Llama3-70B.

I   Models and budget

The open-sourced models were used in their quantized forms through hugging face, with only prompt configurations adjusted to optimize task performance. Llama 70B and GPT-4o were accessed respectively through AWS Bedrock and the OpenAI API. We used fixed inference settings, such as, temperature=0.7, topP=0.9. The budget reflected the usage costs of the APIs charged by each provider (AWS and OpenAI), with no additional expenses for model training or fine-tuning.

Proverb (Greek)	Translation	Label	Explanation
Από κάτου απ᾽ το γαμπα φασκελώνουν τον παππά	From beneath the calf they mock the priest	angry (80%), bad (20%)	The act of φασκέλωμα does indeed show anger and annoyance.
Ο γέροντας τα νειάτου, χτεσινά του φαίνονται	To an old man, his youth seems like yesterday	happy (12%), angry (7%), fearful (10%), sad (43%), disgusted (6%), surprised (14%), bad (8%)	The highest rated emotion is sadness which is related to the nostalgia expressed in the proverb.
Αξίζει ο χειρότερος νοικοκύρης για τον καλύτερον παραμπάτη	The best geoman that steals animals deserves the worst landlord	angry (30%), sad (20%), bad (50%)	The proverb conveys emotions of disappointment, anger, and also a need for revenge which are all enclosed in the negative feelings selected by the model.

Table 9: Greek Proverbs with Translation

Sentiment Analysis Prompts for Greek Proverbs

Zero-shot Multi-label Sentiment Prompt. You are a sentiment analyst. Analyze the proverb "{proverb}". Identify all applicable sentiments (positive, negative, neutral). Multiple labels are allowed; briefly justify each.
Output: `Sentiments: <labels>, Justification: <text>`

Probabilistic Few-shot Sentiment Prompt. Assign sentiment percentages (0–100) summing to exactly 100.
Examples: E1: Θηβαίοι κι Αθηναίοι και κακοί Μυτιληναίοι
        άλλα λένε το βράδι κι άλλα κάνουν το πρωί. → `Pos 0%, Neg 100%, Neu 0%`
        E2: Τσείνες π᾽ μ᾽ αγαπά, με κάνει τσαι κλαίου,
        τσαι τσείνες π᾽ με μ᾽σά, με κάν᾽ τσαι γελού → `Pos 16.67%, Neg 25%, Neu 58.33%`
        E3: Δούλευε και δουλειά να μη σε λείπ᾽ → `Pos 41.67%, Neg 16.67%, Neu 41.67%`
Now analyze the proverb "{proverb}" and assign percentages to each sentiment.
Output: `Positive, Negative, Neutral (%) + Justification`

Table 10: Sentiment annotation prompts.

Emotion Analysis Prompts for Greek Proverbs

Zero-shot Multi-label Emotion Prompt. You are an emotion analyst. Analyze the proverb "{proverb}". Identify all applicable emotions (happy, angry, bad, fearful, sad, disgusted, surprise). Multiple labels are allowed; briefly justify each.
Output: `Emotions: <labels>, Justification: <text>`

Probabilistic Few-shot Emotion Prompt. Assign emotion percentages (0–100) summing to exactly 100.
Examples: E1: Άε να χορεύεσαι → `angry 73%, disgusted 18%`
        E2: Άμον ντ εγόρασα πουλώ σ᾽ άτο → `happy 36%, bad 27%, angry 18%`
        E3: Άνοιξε τα μάτια σ᾽ τέσσερα → `fearful 27%`
        E4: Έμαθε και γένεται, τώρα δεν ξεγένεται → `sad 36%`
        E5: Είπε ν᾽ αγιάση κι᾽ εξεπάγιασε → `surprise 27%`
Now analyze the proverb "{proverb}" and assign percentages to each emotion.
Output: `happy, angry, bad, fearful, sad, disgusted, surprised (%)`

Table 11: Emotion prompts.

---

	neg	neu	pos
neg	235	120	25
neu	120	222	52
pos	25	52	78

(a) Zero-shot

	neg	neu	pos
neg	190	172	44
neu	108	162	78
pos	18	68	57

(b) Probabilistic

	neg	neu	pos
neg	103	5	152
neu	74	5	131
pos	16	1	70

(c) Few-shot

Table 12: Co-occurence matrices on sentiment for (a) zero-shot, (b) probabilistic, and (c) few-shot classification.

Label	Krikri-8B			Mistral-7B			GPT-5mini			Llama3-70B		
	P	R	F1	P	R	F1	P	R	F1	P	R	F1
Negative	0.80	0.51	0.62	0.81	0.57	0.66	0.88	0.80	0.84	0.84	0.88	0.86
Neutral	0.63	0.55	0.59	0.66	0.67	0.66	0.69	0.73	0.71	0.68	0.72	0.70
Positive	0.36	0.55	0.43	0.39	0.55	0.45	0.69	0.62	0.65	0.64	0.45	0.52

Table 13: Zero-shot sentiment per-label performance across models (P = Precision, R = Recall, F1 = F1 score).

	Krikri-8B			Mistral-7B			GPT-5mini			Llama3-70B		
Label	P	R	F1	P	R	F1	P	R	F1	P	R	F1
Negative	0.85	0.86	0.86	0.85	0.68	0.75	0.91	0.73	0.81	0.95	0.55	0.69
Neutral	0.61	0.56	0.59	0.68	0.31	0.43	0.67	0.77	0.72	0.64	0.57	0.61
Positive	1.00	0.01	0.03	0.46	0.22	0.30	0.55	0.66	0.60	0.79	0.44	0.57

Table 14: Probabilistic few-shot sentiment per-label performance across models (P = Precision, R = Recall, F1 = F1 score).

	Krikri-8B			Mistral-7B			GPT-5mini			Llama3-70B		
Label	P	R	F1	P	R	F1	P	R	F1	P	R	F1
Angry	0.59	0.69	0.63	0.60	0.37	0.46	0.77	0.35	0.48	0.58	0.78	0.66
Happy	0.41	0.94	0.57	0.52	0.50	0.51	0.77	0.40	0.53	0.72	0.19	0.30
Sad	0.14	0.90	0.24	0.11	0.57	0.19	0.20	0.63	0.30	0.12	0.80	0.21
Fearful	0.25	0.21	0.23	0.20	0.34	0.25	0.24	0.30	0.26	0.17	0.15	0.15
Bad	0.09	0.41	0.15	0.20	0.03	0.06	0.12	0.48	0.19	0.07	0.07	0.07
Surprised	0.12	0.17	0.14	0.18	0.47	0.26	0.20	0.10	0.13	0.24	0.13	0.17
Disgusted	0.05	0.09	0.06	0.50	0.04	0.08	0.10	0.50	0.17	0.08	0.77	0.15

Table 15: Zero-shot emotion per-label performance across models (P = Precision, R = Recall, F1 = F1-score).

	Krikri-8B			Mistral-7B			GPT-5mini			Llama3-70B		
Label	P	R	F1	P	R	F1	P	R	F1	P	R	F1
Angry	0.59	0.35	0.44	0.48	0.22	0.30	0.67	0.37	0.47	0.54	0.97	0.70
Happy	0.56	0.33	0.42	0.46	0.24	0.32	0.64	0.54	0.59	0.86	0.18	0.30
Sad	1.00	0.07	0.12	0.11	0.10	0.10	0.27	0.36	0.31	0.27	0.10	0.14
Fearful	1.00	0.02	0.04	0.33	0.09	0.14	0.27	0.17	0.20	0.40	0.04	0.07
Bad	0.00	0.00	0.00	0.06	0.19	0.09	0.11	0.33	0.16	0.02	0.07	0.03
Surprised	0.12	0.66	0.20	0.09	0.36	0.15	0.36	0.13	0.20	0.15	0.06	0.09
Disgusted	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.23	0.16	0.50	0.05	0.08

Table 16: Probabilistic emotion per-label performance across models (P = Precision, R = Recall, F1 = F1-score).

Model	MSE	$\mathbf{MSE}_{pos}$	$\mathbf{MSE}_{neg}$	$\mathbf{MSE}_{neu}$
Krikri-8B	0.31	0.17	0.21	0.54
Mistral-7B	0.33	0.26	0.32	0.41
GPT-5mini	0.23	0.13	0.28	0.28
Llama3-70B	0.25	0.16	0.29	0.31

Table 17: Mean Squared Error (MSE) between predicted sentiment probabilities and gold labels. Lower is better.

Model	Global	Disgusted	Sad	Bad	Fearful	Happy	Angry	Surprised
Krikri-8B	0.22	0.07	0.09	0.10	0.15	0.29	0.40	0.46
Mistral-7B	0.21	0.07	0.12	0.15	0.15	0.32	0.38	0.32
GPT-5mini	0.15	0.08	0.09	0.11	0.14	0.25	0.32	0.09
Llama3-70B	0.14	0.07	0.09	0.10	0.14	0.23	0.30	0.10

Table 18: Mean Squared Error (MSE) between gold emotion labels and predicted probabilities for multiple models. Lower is better.