LARGE LANGUAGE MODELS OFTEN SAY ONE THING AND DO ANOTHER

Anonymous authors
Paper under double-blind review

ABSTRACT

As large language models (LLMs) increasingly become central to various applications and interact with diverse user populations, ensuring their reliable and consistent performance is becoming more important. This paper explores a critical issue in assessing the reliability of LLMs: the consistency between their words and deeds. To quantitatively explore this consistency, we developed a novel evaluation benchmark called the Words and Deeds Consistency Test (WDCT). The benchmark establishes a strict correspondence between word-based and deed-based questions across different domains, including opinion vs. action, non-ethical value vs. action, ethical value vs. action, and theory vs. application. The evaluation results reveal a widespread inconsistency between words and deeds across different LLMs and domains. Subsequently, we conducted experiments with either word alignment or deed alignment to observe their impact on the other aspect. The experiment results indicate that alignment only on words or deeds poorly and unpredictably influences the other aspect. This supports our hypothesis that the underlying knowledge guiding LLMs' word or deed choices is not contained within a unified space.

1 INTRODUCTION

In recent years, large language models (LLMs) have become more prevalent in various practical applications, such as grounded planning (Dagan et al., 2023; Song et al., 2023). In such contexts, it is important for LLMs to not only speak in alignment with specified rules, but also make consistent behavioral choices in specific scenarios. The inconsistency between models' words and deeds can lead to diminished user trust, misguidance, and limited applicability in practical scenarios (Manzini et al., 2024).

Existing research has begun investigating the consistency of responses in LLMs (Wang et al., 2024; Clymer et al., 2024). These studies mainly focus on formal variations, such as different answer settings (Röttger et al., 2024) or languages (Moore et al., 2024; Hofmann et al., 2024), and typically on single domains, notably values (Moore et al., 2024; Röttger et al., 2024) or biases (Hofmann et al., 2024; Bai et al., 2024). However, the consistency between words and deeds within LLMs across diverse domains has yet to be explored: Are LLMs consistent in words and deeds? (§ 4.1) If not, what role does alignment play in the inconsistency? (§ 4.2) Furthermore, can common knowledge generalization methods facilitate consistency between LLMs' words and deeds? (§ 4.3)

To answer these questions, we carefully designed an evaluation benchmark, the Words and Deeds Consistency Test (WDCT), which establishes a strict correspondence between direct words and grounded deeds across four domains, including opinion, (non-)ethical value and theory. As shown in Figure 1, each test item in WDCT includes a word question that directly asks about models' opinions, values or other beliefs, and a deed question that grounds the examination of belief into specific situations and actions. This dual-question framework allows us to quantitatively analyze whether LLMs exhibit inconsistency between what they say and what they do by comparing their responses to these two types of questions.

Based on our proposed benchmark WDCT, we evaluated 13 popular LLMs across various series, model sizes, and training methods for their consistency between words and deeds. The evaluation results revealed common and significant inconsistencies between words and deeds across LLMs and domains, which amplified after LLM alignment.



Figure 1: Illustrations of consistency (left) and inconsistency (right) between LLMs' words and deeds. In this paper, the term "word" refers specifically to the stated opinions, values, or other beliefs of LLMs, while "deed" refers to their actions in specific situations. It is common for LLMs to say one thing and do another.

To further investigate the influence of alignment on the consistency between LLMs' words and deeds, we conducted experiments to assess how aligning words or deeds separately affects the other. Specifically, we performed alignments on the LLMs' words or deeds in directions contrasting their initial choices and observed how the alignment in one aspect influences the other. The results indicated that separate alignment on words or deeds results in poor and unpredictable effects on the other aspect, supporting our hypothesis that the knowledge steering LLMs' choices regarding words or deeds is not located within a unified space.

Finally, we investigated whether common knowledge generalization methods can facilitate consistency between LLMs' words and deeds. Specifically, we explored explicit reasoning and data augmentation. Explicit reasoning involves prompting LLMs to reflect on the beliefs guiding their choices in action-related questions before responding. Data augmentation enhances beliefs through paraphrasing or automatically generating aligned situations. However, the findings suggest that these strategies do not fundamentally align LLMs' internal words and deeds, highlighting the systemic risks and challenges of the problem.

We also conducted a series of critical analyses to eliminate the influence of factors unrelated to differences between words and deeds, such as temperature settings, specific situations, and phrasing of questions. These analyses ensure the reliability of our findings.

To summarize, we make the following contributions:

- We have introduced the Words and Deeds Consistency Test (WDCT), a novel evaluation benchmark designed to quantitatively measure the consistency between what models say and do. It also serves as a typical scenario for testing rule generalization.
- We have identified and quantified the inconsistency between words and deeds in LLMs, a widespread and significant problem across various models and domains.
- We discovered that alignment exacerbates the inconsistency between LLM's words and deeds, due to the difficulty in generalizing separate alignment of either words or deeds to the other. This issue is difficult to address with common knowledge generalization methods.

2 Words and Deeds Consistency Test

2.1 Overview

In this section, we introduce the Words and Deeds Consistency Test (WDCT), which is specifically designed to assess whether models act as they speak. As shown in Table 1, each test item in the benchmark consists of a *word question* that probes models' opinions, values and other aspects through direct queries, and a paired *deed question* that discloses models' actions in grounded situations. Each pair of word and deed questions is aligned such that the corresponding options (e.g., option A for both questions) are consistent in words and deeds. Therefore, by calculating the proportion of mismatched responses across these pairs, we can quantitatively measure the inconsistency between words and deeds of models.

Table 1: Examples from WDCT. Each test item contains an aligned pair of a word question (left) and a deed question (right), which serves as a tool to test whether models can hold the same belief across their words and deeds.

	Word question	Deed question
Opinion	What's your opinion on teaching children to compete versus teaching them to co-operate? A. Children should be taught to compete. B. Children should be taught to co-operate.	... a summer camp counselor and are planning activities for a group of children... Which action will you take? A. You organize a competition-based obstacle course for the children to test their skills individually. B. You plan team-building outdoor challenges for the children to work together and rely on each other.
Non-ethical Value	Has one of your main goals in life been to make your parents proud? A. Yes B. No	...a young professional who has just received a job offer from a prestigious company. Your parents have always dreamed of you working in such a company... Which action will you take? A. You decide to accept the job offer from the prestigious company to make your parents proud. B. You decide to accept the job offer from the smaller company that aligns with your personal interests and career goals.
Theory	GDP represents the market value of all () goods and services produced within an economy in a given period. A. Final B. Intermediate	Assume a tire company sells four tires to a car company for $400, and another company sells a CD player for $500. The car company installs both the tires and the player into a car that is sold for $20,000. In this case, the amount that should be included in the GDP from these transactions is: A. $20,000 B. $20,900

2.2 Design Principles

To ensure the benchmark's utility, we follow these design principles:

- The questions and options don't contain information that induces a particular choice. Specifically, the questions are designed so that any choices made by characters do not directly affect the realization of their motivations. The options focus only on principles or actions without detailed explanations, as shown in Figure 1. By doing this, we can minimize interference from factors other than differences in word and deed forms.
- The choice of word and deed options depends on only one principle. Specifically, we exclude complex situations in which it is necessary to make choices based on multiple conflicting principles. By focusing on a single guiding principle, the assessment of alignment between words and deeds is streamlined, enabling clearer judgments of consistency.

2.3 Construction Pipeline

2.3.1 Topic Collection

We have collected topics from various domains to ensure the generalizability of the results.

Opinion For this domain, we collect topics from debate datasets, where both pro and con opinions hold certain validity. Since opinions on some certain topics do not always result in corresponding actions, we only retain topics that include "should do" grammatical structure[1]. Specifically, from

[1]For example, we'll throw out the topic "Whether international tourism is now more common than ever before is a positive trend", and retain topic "Whether children should be taught to compete or co-operate".

the Argument Annotated Essays (Stab & Gurevych, 2014) dataset, we filter 134 topics out of 402 debate topics. Similarly, we obtain 276 topics from the Recorded Debating (Ein-Dor et al., 2020) dataset and 118 topics from the Evidences Sentences (Orbach et al., 2020) dataset.

Non-ethical Value For this domain, we collect topics from universal values theories, where different demographic groups prefer different value-based solutions. Specifically, we get 9 topics from Kluckhohn and Strodtbeck's values orientation theory (Hills, 2002) and 111 topics from World Values Survey Wave 7 (Haerpfer et al., 2020).

Ethical Value For this domain, we collect topics from established moral datasets. Specifically, we randomly sample 500 fine-grained value principles from Moral Story dataset (Emelin et al., 2021).

Theory For this domain, we collect topics from textbooks. Specifically, we collected 188 topics from the KEY CONCEPTS section at the end of each chapter in Mankiw's Principles of Macroeconomics (Mankiw et al., 2007).

2.3.2 Word Question Construction

Word questions are constructed by directly inquiring about models' views on specific topics, with opposing views serving as answer options. Specifically, for the opinion and ethical value domain, questions are formulated by asking, "What is your opinion on {the topic}?", with options consisting of two opposing opinions on the topic. For the non-ethical value domain, questions and options are derived from the established theory-based questionnaires[2]. For the theory segment, we use GPT-4[3] to identify multiple-choice questions that test basic understanding of key concepts from exercises in the textbook. These questions are subsequently double-checked by two graduate students with Bachelor's degrees in Finance, ensuring accuracy and relevance[4].



Figure 2: The construction pipeline of Deed questions, which involves three main components: the situation, a fixed question and action options. Each element of the Deed questions is generated by GPT-4. Arrows between these elements indicate the flow of input and output within the model.

2.3.3 Deed Question Construction

To construct corresponding deed questions, we use the powerful LLM, GPT-4, to incorporate vivid characters, craft real-world scenarios and generate corresponding actions as options. The construction pipeline for these questions is delineated in Figure 2. In each social event, the main character is required to take topic-related actions, which can implicitly reveal the model's opinions, values, or theoretical understanding.

2.3.4 Question Validation

To ensure alignment between the generated deed questions and word questions, and to adhere to the design principles in section 2.2, two NLP graduate students manually reviewed the deed questions[4]. Approximately 15% of these questions were rewritten by hand to ensure consistency and accuracy.

[2] https://www.worldvaluessurvey.org/WVSDocumentationWV7.jsp

[3] We used gpt-4-0613 in word and deed question construction.

[4] Before formal annotation, annotators were asked to annotate 20 samples randomly extracted from the dataset, and based on average annotation time we set a fair salary (i.e., 35 dollars per hour) for them. During their training annotation process, they were paid as well.

2.4 DATASET STATISTICS

Table 2 shows the statistics of WDCT, which comprises 1325 test items. Each item in the WDCT consists of an aligned pair of a word question and a deed question. We can observe that: 1) the deed questions are typically longer than word questions, as they provide more detailed context. 2) Not all questions in WDCT have definitively correct answers. This open-ended nature may more clearly reveal any inconsistencies between models' words and deeds.

Table 2: Statistics of WDCT dataset. W.L. and D.L. respectively refer to the average length of word questions and deed questions in terms of the number of words. Def.Ans. refers to whether the questions have definitively correct answers.

	#Num	W.L.	D.L.	Def.Ans.
Opinion	517	39.0	69.4	✗
Non-ethical Value	120	18.7	76.3	✗
Ethical Value	500	17.0	60.7	✓
Theory	188	22.5	30.6	✓
Overall	1325	26.5	61.2	

3 EXPERIMENT SETTINGS

3.1 LARGE LANGUAGE MODELS

We evaluated several mainstream and popular LLMs, including OpenAI GPT series (GPT-4, GPT-3.5), Vicuna (Chiang et al., 2023) (Vicuna-7B, Vicuna-13B, Vicuna-33B), LLaMA 2 (Touvron et al., 2023) (LLaMA-2-7B, LLaMA-2-7B-chat, LLaMA-2-13B, LLaMA-2-13B-chat), LLaMA 3 (Grattafiori et al., 2024) (LLaMA-3-8B, LLaMA-3-8B-Instruct), Mixtral (Jiang et al., 2023) (Mistral-7B, Mistral-7B-Instruct) and Chatglm3 (Du et al., 2022) (Chatglm3-6B-Base, Chatglm3-6B). If you'd like to learn more about the details of their versions, please refer to Appendix Table 5.

3.2 EVALUATION

3.2.1 PROMPT

We evaluate LLMs under two distinct experimental conditions: Direct Prompting and CoT Prompting. The specific prompts used can be found in Appendix A.2.

3.2.2 METRICS

Consistency Score. We adopt a black-box evaluation method throughout all evaluations to ensure fairness, considering that closed-source LLMs typically don't provide per-token likelihood. Specifically, when given the test prompt, LLM first generates a free-form response, which is then parsed into the selected option using regular expressions for metric computation.

Due to the strict correspondence between the word question and deed question in one test item, as well as their options, we compute the Consistency Score (CS) as follows:

$$CS = P_{(Q_w,Q_d)\sim D}(LLM(Q_w) = LLM(Q_d)), \tag{1}$$

where (Q_w, Q_d) is a test item from WDCT dataset D, and $LLM(Q)$ is the parsed answer of LLMs when prompted question Q.

Probability Consistency Score. To validate whether the conclusions remain valid under a more relaxed comparison, we propose the Probability Consistency Score (PCS) as:

$$PCS = P_{(Q_w,Q_d)\sim D}(1 - JSD(P(Q_w||P(Q_d)))), \tag{2}$$

where (Q_w, Q_d) is a test item from WDCT dataset D, $P(Q_w)$ and $P(Q_d)$ are the probability distributions of the first token output by LLMs over the options when prompted with a word question Q_w or a deed question Q_d respectively. JSD denotes the Jensen-Shannon Divergence, a metric used to measure the difference between two probability distributions[5].

[5]To ensure that the results remain within the range of 0 to 1, we scale the JSD by a factor of $\frac{1}{log2}$.

Table 3: The consistency score of LLMs' words and deeds. IFT and RLHF respectively refer to Instruction Fine-Tuning and Reinforcement Learning from Human Feedback. NonEthV and EthV respectively refer to Non-ethical Value and Ethical Value domain. From the table, we can see that inconsistencies between words and deeds, comparable to those observed with random selection, exist across various LLMs and domains. To enhance the robustness of our results, we performed three runs, computing the average of their results, and randomly shuffled options A and B to mitigate any biases associated with their order.

Model	IFT	RLHF	Opinion	NonEthV	EthV	Theory	Avg CS	Avg PCS
Random	-	-	0.50	0.50	0.50	0.50	0.50	0.50
GPT-4-Turbo	-	-	**0.83**	0.66	**0.87**	**0.87**	**0.81**	-
GPT-3.5-Turbo	-	-	0.68	0.62	0.81	0.77	0.72	-
Vicuna-7B	✓		0.44	0.64	0.55	0.63	0.57	0.60
Vicuna-13B	✓		0.51	0.54	0.55	0.67	0.57	0.79
Vicuna-33B	✓		0.69	0.62	0.70	0.53	0.64	0.90
Llama-2-7B			0.42	0.46	0.53	0.34	0.44	**0.97**
Llama-2-13B			0.66	0.46	0.51	0.50	0.53	0.95
Llama-2-7B-Chat	✓	✓	0.49	0.55	0.55	0.57	0.54	0.60
Llama-2-13B-Chat	✓	✓	0.60	0.62	0.55	0.33	0.53	0.81
Llama-3-8B			0.58	0.62	0.73	0.77	0.68	0.96
Llama-3-8B-Instruct	✓	✓	0.52	0.65	0.63	0.78	0.65	0.80
Mistral-7B			0.70	0.57	0.66	0.50	0.61	0.96
Mistral-7B-Instruct	✓		0.66	0.68	0.58	0.60	0.63	0.76
Chatglm3-6B-Base			0.58	**0.70**	0.80	0.63	0.68	0.82
Chatglm3-6B	✓	✓	0.56	0.54	0.49	0.47	0.52	0.74

3.3 Training Details

In this study, we implemented both Supervised Fine-Tuning (SFT) and Direct Preference Optimization (DPO) (Rafailov et al., 2024) to conduct separate word or deed alignment. To ensure the stability and generalization of the results, we train together with Alpaca dataset (Taori et al., 2023), with a mixing ratio of 1:9. Specifically, during the SFT phase, the models were fine-tuned using contexts provided by questions and answers that contrasted with their pre-training selections. We experimented with learning rates of [1e-6, 5e-6, 1e-5, 5e-7, 1e-7], presenting the results using the best-performing learning rate of 1e-5, except for Mistral-7B-Instruct, which used 1e-6, and Llama-2-7B, which used 1e-7. In the DPO phase, multiple-choice questions were transformed into preference data pairs, with answers contrary to those selected during pre-training designated as preferred, and those aligned with pre-training choices marked as inpreferred. Similarly, we set a learning rate of 5e-6, except for Mistral-7B and Mistral-7B-Instruct, which used 5e-7. β of 0.1 was set. Four rounds of SFT and DPO were completed. The models underwent separate training on three A100 80GB GPUs for three hours each. If you'd like to further review the results for the other learning rates, you can refer to Appendix A.3.

4 Findings

4.1 Are LLMs consistent in words and deeds?

Conclusion 1. *There exists a common inconsistency between words and deeds across various LLMs and domains. The underlying reasons for this inconsistency may be a lack of strong beliefs in the base models and unsynchronized alignment of words and deeds in the aligned models.*



Figure 3: The effects of separate word alignment (the first row) or deed alignment (the second row) on another. Two metrics are assessed: direct change rate, the proportion of responses that change following direct alignment and indirect change rate, the proportion of responses that change due to indirect influences, categorized as consistent or inconsistent before alignment. The axes Si and Di represent the ith epoch in SFT and DPO training, respectively.

4.1.1 Inconsistency between LLMs' words and deeds

Finding 1. *Most LLMs exhibit significant inconsistency between words and deeds across domains.*

We select 13 recent LLMs across diverse series, model sizes from 6B to 175B, training methods from pretrained LLMs to the aligned ones, and then assess their consistency between words and deeds with the WDCT dataset. The evaluation results are shown in Table 3, with complete consistency scores provided here and probability consistency scores in Appendix Table 8.

Each question typically offers two alternative responses, with a randomized answer selection mechanism resulting in a 50% baseline consistency rate. In comparison, most LLMs exhibit average inconsistency exceeding 30%. This pattern underscores a significant challenge in achieving consistent alignment in LLMs. Despite potentially aligning with desired norms in either word or deed individually, these models frequently display contradictory tendencies when both aspects are considered. This suggests a broader alignment issue within LLMs, which affects their reliability and predictability in practical applications.

4.1.2 Underlying reasons for inconsistency between LLMs' words and deeds

Finding 2. *The inconsistency between words and deeds in pretrained LLMs is due to their lack of strong beliefs, while in aligned models, it arises from a larger disparity in the probability distribution over word and deed options.*

This becomes more evident when comparing the probability consistency scores of pretrained and aligned LLMs, as shown in Table 3. Before alignment, pretrained LLMs typically have a consistency score around 0.5 and a probability consistency score around 0.9, indicating that the lack of strong beliefs is the main reason for their near-random consistency between words and deeds. After alignment, the probability consistency score drops by around 0.2, that is, the probability distribution over word and deed options diverges further. We hypothesize this happens because, during alignment, words and deeds are aligned independently, rather than synchronously.

4.2 How do separate alignment on words or deeds influence another?

Conclusion 2. *The separate alignment on words or deeds leads to a poor and even unpredictable influence on the other aspect, especially with beliefs that are difficult to align.*

4.2.1 UNPREDICTABLE EFFECT OF SEPARATE ALIGNMENT ON ANOTHER

Finding 3. *Separate alignment on words or deeds results in poor and even unpredictable influence on the other aspect.*

We hypothesize that the underlying knowledge guiding LLMs' responses to word or deed questions is not located in a unified space, which may explain the inconsistency observed in aligned LLMs. To examine this, we conducted experiments by separately aligning LLMs' words or deeds in opposite directions to their initial answers and observed how aligning in one direction affects the alignment in the other. The experiments were conducted on opinion and non-ethical value datasets, as the questions in these datasets do not have definitive answers. From Figure 3, we can clearly see that: 1) the change rates for direct alignment are significantly higher than those for indirect alignment, and 2) a substantial portion of responses on the untargeted aspect shift away from the aligned direction. These observations indicate that separate alignment may work well for the targeted aspect, but leads to poor and inconsistent results in the other aspect, making it insufficient for achieving desirable effects across aspects.

4.2.2 EFFECT OF ALIGNMENT DIFFICULTY ON GENERALIZATION

Finding 4. *The beliefs aligned during the initial stages of each alignment phase (SFT, DPO) are more likely to generalize to untargeted aspects.*

To investigate this issue, we repeated the alignment experiment three times, calculating the final consistency rate between the newly aligned words and their corresponding deeds after each alignment epoch. The results, as illustrated in Figure 4, reveal that the beliefs aligned during the initial stages of each alignment phase (SFT, DPO) are more likely to generalize to untargeted aspects.



Figure 4: The effect of alignment difficulty on generalization.

4.3 CAN COMMON KNOWLEDGE GENERALIZATION METHODS FACILITATE CONSISTENCY BETWEEN LLMS' WORDS AND DEEDS?

Conclusion 3. *Common knowledge generalization methods, such as explicit reasoning and data augmentation, may not fundamentally align the internal words and deeds of models.*

4.3.1 EXPLICIT REASON

Finding 5. *Simple explicit reasoning cannot effectively align LLMs' internal words and deeds.*

We experimented with the effective chain-of-thought strategy (Wei et al., 2022), attempting to elicit LLMs' beliefs during actions to align its words and deeds. However, as shown in Table 4, CoT prompting did not significantly improve the consistency between LLMs' words and deeds, and in some cases, even led to a decrease in consistency. This suggests that simple explicit reasoning is insufficient to align LLMs' internal words and deeds. We observed that CoT can lead the model to generate reasonable explanations for choices, but rather those that don't align with its words.

4.3.2 DATA AUGMENTATION

Finding 6. *Data augmentation can improve models' consistency between words and deeds, but cannot fully address the underlying issue.*

We conducted data augmentation experiments using three different settings: 1) a baseline that simply repeated each question four times (Non-Aug) 2) paraphrasing each question four times (Para-Aug), drawing inspiration from Allen-Zhu & Li (2023) 3) automatically generating four groups of aligned data by Qwen2.5-72B-Instruct based on the pipeline detailed in section 2.3.3 (Dual-Aug). The results in Table 4 show that data augmentation, particularly automatically generating aligned data, can be beneficial in improving consistency between models' words and deeds. However, it does not solve the fundamental problem, which we believe requires solutions at the model architecture level and further exploration.

Table 4: The consistency score of LLMs under common knowledge generalization methods. Left: Comparison of consistency score under direct prompting versus cot prompting. Right: Consistency scores after alignment on non-augmented data (Non-Aug), augmented data by paraphrasing (Para-Aug) and augmented data by automatically generating aligned data (Dual-Aug).

Model	Explict Reason		Data Augmentation		
	Direct Prompting	CoT Prompting	Non-Aug	Para-Aug	Dual-Aug
GPT-4	0.81	**0.83**	-	-	-
GPT-3.5-Turbo	0.72	0.72	-	-	-
Llama-2-7B-Chat	**0.54**	0.51	0.53	0.55	**0.63**
Mistral-7B-Instruct	**0.63**	0.55	0.71	0.74	**0.86**
Chatglm3-6B	**0.52**	0.46	0.62	0.64	**0.69**

5 DISCUSSION

In this section, we conduct critical analysis to enhance the reliability of the experimental assessments in section 4.

Does LLMs make consistent choices? We randomly selected 50 word and 50 deed questions from the dataset and prompted the model to respond to each question five times under varying temperature settings. The results, as depicted in Figure 5, show the proportion of instances where the model maintained a consistent stance across all five responses. The data clearly demonstrated that at a lower temperature setting (temperature = 0), the model generally maintained consistency in its responses across the five trials. In contrast, as the temperature increased, the stability of the responses provided by the open-source model decreased notably. In our experiments, we adjusted the temperature parameter to 0 in an effort to minimize inconsistencies in the model's responses.



Figure 5: The proportion of instances where LLMs maintained a consistent stance across five trials at different temperature settings.

Does the inconsistency of LLMs' words and deeds exist across different situations? To validate the robustness of the experiment results, we randomly selected 50 test items, each comprising a word question and a deed question. We regenerated three different aligned deed questions for each word question, using the method described in section 2. These deed questions were manually checked to ensure alignment with the corresponding word question and were designed to reflect various situations. We evaluated LLMs' consistency between words and deeds based on the three newly generated datasets, and the results are illustrated in Figure 6. As illustrated in the results, the inconsistency between the model's words and deeds remains stable across different situations. This indicates that our experimental results are robust and generalized, not restricted to specific situations.



Figure 6: The consistency of LLMs' words and deeds across three different situations.

How robust are LLM choices to different prompts? To assess the impact of linguistic expression on the stability of responses generated by LLMs, we randomly selected 50 word and 50 deed questions from the dataset. Each question was rephrased five times using different lexical choices and syntactic structures via GPT-4, and then LLMs were prompted to answer these questions. The results, as illustrated in Figure 7, indicate the proportion of instances where the model maintained a consistent stance across all responses. Two observations were made: 1) Despite variations in linguistic expression, the model generally provided consistent answers to the test questions. 2) The model's responses were more stable in deeds than in words, indicating greater reliability in deed over word responses.



Figure 7: The proportion of instances where LLMs maintained a consistent stance across five paraphrased prompts.

6 Related Work

Consistency of LLMs With LLMs demonstrating powerful capabilities in various tasks and gradually being deployed in real-world LLM applications, the consistency of LLM outputs has become a critical research direction. Generally, the consistency analysis falls into four categories: 1) Formal consistency, which analyzes the consistency of LLM outputs under different evaluation paradigms, such as multiple-choice questions and open-ended questions (Wang et al., 2024; Röttger et al., 2024; Li et al., 2024; Moore et al., 2024), different order of options in multiple-choice questions (Tjuatja et al., 2024; Pezeshkpour & Hruschka, 2024; Zheng et al., 2023), etc.; 2) Semantic consistency, which measures the consistency of the model's responses under prompt variations, such as paraphrases (Bonagiri et al., 2024; Shu et al., 2024); 3) Logical consistency, which measures models' ability to make decisions without logical contradiction, including negational, symmetric, transitive, and additive consistency (Jang & Lukasiewicz, 2023); 4) Factual consistency, measures models' ability to generate outputs not contradictory to the common facts and given context (Jang et al., 2022). However, these studies mainly focus on the consistency of LLM's beliefs or facts in different application forms, but lack analysis of the consistency of LLM's beliefs at different application depths. These two are different and even orthogonal research directions. To fill this gap, we propose a formal, multidomain consistency benchmark to quantitatively evaluate the model's inconsistency in words and deeds.

Implicit and explicit behavior of LLMs The distinction between the implicit and explicit behavior of LLMs has attracted much attention in navigating the ethics of AI, but most of them only focus on specific ethical issues, e.g., social bias and toxic language (Hofmann et al., 2024; Bai et al., 2024). Instead, the benchmark we propose investigates inconsistencies across multiple domains, including opinion versus action, non-ethical value versus action, ethical value versus action, and theory versus application. Of these, two have definite correct answers while the other two do not. This open-ended nature can more clearly reveal any inconsistencies between models' words and deeds.

7 Conclusion

Our research introduces a novel evaluation benchmark, Words and Deeds Consistency Test (WDCT), to evaluate the consistency between the words and the deeds of LLMs across four different domains. Evaluation results reveal a significant inconsistency between words and deeds across LLMs, especially in non-ethical contexts without definite answers, highlighting a critical gap in the reliability of these models. Furthermore, we conduct separate alignment on words or deeds by SFT and DPO. Experiment results show that aligning LLMs from a single aspect — either word or deed — has poor and unpredictable effects on the other aspect. This supports our hypothesis that the underlying knowledge guiding LLMs' choices of words or deeds is not contained within a unified space.

REFERENCES

Zeyuan Allen-Zhu and Yuanzhi Li. Physics of language models: Part 3.1, knowledge storage and extraction. *arXiv preprint arXiv:2309.14316*, 2023.

Xuechunzi Bai, Angelina Wang, Ilia Sucholutsky, and Thomas L Griffiths. Measuring implicit bias in explicitly unbiased large language models. *arXiv preprint arXiv:2402.04105*, 2024.

Vamshi Krishna Bonagiri, Sreeram Vennam, Priyanshul Govil, Ponnurangam Kumaraguru, and Manas Gaur. Sage: Evaluating moral consistency in large language models. In *Proceedings of the 2024 Joint International Conference on Computational Linguistics, Language Resources and Evaluation (LREC-COLING 2024)*, pp. 14272–14284, 2024.

Wei-Lin Chiang, Zhuohan Li, Zi Lin, Ying Sheng, Zhanghao Wu, Hao Zhang, Lianmin Zheng, Siyuan Zhuang, Yonghao Zhuang, Joseph E Gonzalez, et al. Vicuna: An open-source chatbot impressing gpt-4 with 90%* chatgpt quality. *See https://vicuna. lmsys. org (accessed 14 April 2023)*, 2023.

Joshua Clymer, Caden Juang, and Severin Field. Poser: Unmasking alignment faking llms by manipulating their internals. *arXiv preprint arXiv:2405.05466*, 2024.

Gautier Dagan, Frank Keller, and Alex Lascarides. Dynamic planning with a llm. *arXiv preprint arXiv:2308.06391*, 2023.

Zhengxiao Du, Yujie Qian, Xiao Liu, Ming Ding, Jiezhong Qiu, Zhilin Yang, and Jie Tang. Glm: General language model pretraining with autoregressive blank infilling. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pp. 320–335, 2022.

Liat Ein-Dor, Eyal Shnarch, Lena Dankin, Alon Halfon, Benjamin Sznajder, Ariel Gera, Carlos Alzate, Martin Gleize, Leshem Choshen, Yufang Hou, et al. Corpus wide argument mining—a working solution. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 34, pp. 7683–7691, 2020.

Denis Emelin, Ronan Le Bras, Jena D Hwang, Maxwell Forbes, and Yejin Choi. Moral stories: Situated reasoning about norms, intents, actions, and their consequences. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pp. 698–718, 2021.

Aaron Grattafiori, Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-Dahle, Aiesha Letman, Akhil Mathur, Alan Schelten, Alex Vaughan, Amy Yang, Angela Fan, Anirudh Goyal, Anthony Hartshorn, Aobo Yang, Archi Mitra, Archie Sravankumar, Artem Korenev, Arthur Hinsvark, Arun Rao, Aston Zhang, Aurelien Rodriguez, Austen Gregerson, Ava Spataru, Baptiste Roziere, Bethany Biron, Binh Tang, Bobbie Chern, Charlotte Caucheteux, Chaya Nayak, Chloe Bi, Chris Marra, Chris McConnell, Christian Keller, Christophe Touret, Chunyang Wu, Corinne Wong, Cristian Canton Ferrer, Cyrus Nikolaidis, Damien Allonsius, Daniel Song, Danielle Pintz, Danny Livshits, Danny Wyatt, David Esiobu, Dhruv Choudhary, Dhruv Mahajan, Diego Garcia-Olano, Diego Perino, Dieuwke Hupkes, Egor Lakomkin, Ehab AlBadawy, Elina Lobanova, Emily Dinan, Eric Michael Smith, Filip Radenovic, Francisco Guzmán, Frank Zhang, Gabriel Synnaeve, Gabrielle Lee, Georgia Lewis Anderson, Govind Thattai, Graeme Nail, Gregoire Mialon, Guan Pang, Guillem Cucurell, Hailey Nguyen, Hannah Korevaar, Hu Xu, Hugo Touvron, Iliyan Zarov, Imanol Arrieta Ibarra, Isabel Kloumann, Ishan Misra, Ivan Evtimov, Jack Zhang, Jade Copet, Jaewon Lee, Jan Geffert, Jana Vranes, Jason Park, Jay Mahadeokar, Jeet Shah, Jelmer van der Linde, Jennifer Billock, Jenny Hong, Jenya Lee, Jeremy Fu, Jianfeng Chi, Jianyu Huang, Jiawen Liu, Jie Wang, Jiecao Yu, Joanna Bitton, Joe Spisak, Jongsoo Park, Joseph Rocca, Joshua Johnstun, Joshua Saxe, Junteng Jia, Kalyan Vasuden Alwala, Karthik Prasad, Kartikeya Upasani, Kate Plawiak, Ke Li, Kenneth Heafield, Kevin Stone, Khalid El-Arini, Krithika Iyer, Kshitiz Malik, Kuenley Chiu, Kunal Bhalla, Kushal Lakhotia, Lauren Rantala-Yeary, Laurens van der Maaten, Lawrence Chen, Liang Tan, Liz Jenkins, Louis Martin, Lovish Madaan, Lubo Malo, Lukas Blecher, Lukas Landzaat, Luke de Oliveira, Madeline Muzzi, Mahesh Pasupuleti, Mannat Singh, Manohar Paluri, Marcin Kardas, Maria Tsimpoukelli, Mathew Oldham, Mathieu Rita, Maya Pavlova, Melanie Kambadur, Mike Lewis, Min Si, Mitesh Kumar Singh, Mona Hassan, Naman Goyal, Narjes Torabi, Nikolay Bashlykov, Nikolay Bogoychev, Niladri Chatterji, Ning Zhang, Olivier Duchenne, Onur Çelebi, Patrick Alrassy, Pengchuan

Zhang, Pengwei Li, Petar Vasic, Peter Weng, Prajjwal Bhargava, Pratik Dubal, Praveen Krishnan, Punit Singh Koura, Puxin Xu, Qing He, Qingxiao Dong, Ragavan Srinivasan, Raj Ganapathy, Ramon Calderer, Ricardo Silveira Cabral, Robert Stojnic, Roberta Raileanu, Rohan Maheswari, Rohit Girdhar, Rohit Patel, Romain Sauvestre, Ronnie Polidoro, Roshan Sumbaly, Ross Taylor, Ruan Silva, Rui Hou, Rui Wang, Saghar Hosseini, Sahana Chennabasappa, Sanjay Singh, Sean Bell, Seohyun Sonia Kim, Sergey Edunov, Shaoliang Nie, Sharan Narang, Sharath Raparthy, Sheng Shen, Shengye Wan, Shruti Bhosale, Shun Zhang, Simon Vandenhende, Soumya Batra, Spencer Whitman, Sten Sootla, Stephane Collot, Suchin Gururangan, Sydney Borodinsky, Tamar Herman, Tara Fowler, Tarek Sheasha, Thomas Georgiou, Thomas Scialom, Tobias Speckbacher, Todor Mihaylov, Tong Xiao, Ujjwal Karn, Vedanuj Goswami, Vibhor Gupta, Vignesh Ramanathan, Viktor Kerkez, Vincent Gonguet, Virginie Do, Vish Vogeti, Vítor Albiero, Vladan Petrovic, Weiwei Chu, Wenhan Xiong, Wenyin Fu, Whitney Meers, Xavier Martinet, Xiaodong Wang, Xiaofang Wang, Xiaoqing Ellen Tan, Xide Xia, Xinfeng Xie, Xuchao Jia, Xuewei Wang, Yaelle Goldschlag, Yashesh Gaur, Yasmine Babaei, Yi Wen, Yiwen Song, Yuchen Zhang, Yue Li, Yuning Mao, Zacharie Delpierre Coudert, Zheng Yan, Zhengxing Chen, Zoe Papakipos, Aaditya Singh, Aayushi Srivastava, Abha Jain, Adam Kelsey, Adam Shajnfeld, Adithya Gangidi, Adolfo Victoria, Ahuva Goldstand, Ajay Menon, Ajay Sharma, Alex Boesenberg, Alexei Baevski, Allie Feinstein, Amanda Kallet, Amit Sangani, Amos Teo, Anam Yunus, Andrei Lupu, Andres Alvarado, Andrew Caples, Andrew Gu, Andrew Ho, Andrew Poulton, Andrew Ryan, Ankit Ramchandani, Annie Dong, Annie Franco, Anuj Goyal, Aparajita Saraf, Arkabandhu Chowdhury, Ashley Gabriel, Ashwin Bharambe, Assaf Eisenman, Azadeh Yazdan, Beau James, Ben Maurer, Benjamin Leonhardi, Bernie Huang, Beth Loyd, Beto De Paola, Bhargavi Paranjape, Bing Liu, Bo Wu, Boyu Ni, Braden Hancock, Bram Wasti, Brandon Spence, Brani Stojkovic, Brian Gamido, Britt Montalvo, Carl Parker, Carly Burton, Catalina Mejia, Ce Liu, Changhan Wang, Changkyu Kim, Chao Zhou, Chester Hu, Ching-Hsiang Chu, Chris Cai, Chris Tindal, Christoph Feichtenhofer, Cynthia Gao, Damon Civin, Dana Beaty, Daniel Kreymer, Daniel Li, David Adkins, David Xu, Davide Testuggine, Delia David, Devi Parikh, Diana Liskovich, Didem Foss, Dingkang Wang, Duc Le, Dustin Holland, Edward Dowling, Eissa Jamil, Elaine Montgomery, Eleonora Presani, Emily Hahn, Emily Wood, Eric-Tuan Le, Erik Brinkman, Esteban Arcaute, Evan Dunbar, Evan Smothers, Fei Sun, Felix Kreuk, Feng Tian, Filippos Kokkinos, Firat Ozgenel, Francesco Caggioni, Frank Kanayet, Frank Seide, Gabriela Medina Florez, Gabriella Schwarz, Gada Badeer, Georgia Swee, Gil Halpern, Grant Herman, Grigory Sizov, Guangyi, Zhang, Guna Lakshminarayanan, Hakan Inan, Hamid Shojanazeri, Han Zou, Hannah Wang, Hanwen Zha, Haroun Habeeb, Harrison Rudolph, Helen Suk, Henry Aspegren, Hunter Goldman, Hongyuan Zhan, Ibrahim Damlaj, Igor Molybog, Igor Tufanov, Ilias Leontiadis, Irina-Elena Veliche, Itai Gat, Jake Weissman, James Geboski, James Kohli, Janice Lam, Japhet Asher, Jean-Baptiste Gaya, Jeff Marcus, Jeff Tang, Jennifer Chan, Jenny Zhen, Jeremy Reizenstein, Jeremy Teboul, Jessica Zhong, Jian Jin, Jingyi Yang, Joe Cummings, Jon Carvill, Jon Shepard, Jonathan McPhie, Jonathan Torres, Josh Ginsburg, Junjie Wang, Kai Wu, Kam Hou U, Karan Saxena, Kartikay Khandelwal, Katayoun Zand, Kathy Matosich, Kaushik Veeraraghavan, Kelly Michelena, Keqian Li, Kiran Jagadeesh, Kun Huang, Kunal Chawla, Kyle Huang, Lailin Chen, Lakshya Garg, Lavender A, Leandro Silva, Lee Bell, Lei Zhang, Liangpeng Guo, Licheng Yu, Liron Moshkovich, Luca Wehrstedt, Madian Khabsa, Manav Avalani, Manish Bhatt, Martynas Mankus, Matan Hasson, Matthew Lennie, Matthias Reso, Maxim Groshev, Maxim Naumov, Maya Lathi, Meghan Keneally, Miao Liu, Michael L. Seltzer, Michal Valko, Michelle Restrepo, Mihir Patel, Mik Vyatskov, Mikayel Samvelyan, Mike Clark, Mike Macey, Mike Wang, Miquel Jubert Hermoso, Mo Metanat, Mohammad Rastegari, Munish Bansal, Nandhini Santhanam, Natascha Parks, Natasha White, Navyata Bawa, Nayan Singhal, Nick Egebo, Nicolas Usunier, Nikhil Mehta, Nikolay Pavlovich Laptev, Ning Dong, Norman Cheng, Oleg Chernoguz, Olivia Hart, Omkar Salpekar, Ozlem Kalinli, Parkin Kent, Parth Parekh, Paul Saab, Pavan Balaji, Pedro Rittner, Philip Bontrager, Pierre Roux, Piotr Dollar, Polina Zvyagina, Prashant Ratanchandani, Pritish Yuvraj, Qian Liang, Rachad Alao, Rachel Rodriguez, Rafi Ayub, Raghotham Murthy, Raghu Nayani, Rahul Mitra, Rangaprabhu Parthasarathy, Raymond Li, Rebekkah Hogan, Robin Battey, Rocky Wang, Russ Howes, Ruty Rinott, Sachin Mehta, Sachin Siby, Sai Jayesh Bondu, Samyak Datta, Sara Chugh, Sara Hunt, Sargun Dhillon, Sasha Sidorov, Satadru Pan, Saurabh Mahajan, Saurabh Verma, Seiji Yamamoto, Sharadh Ramaswamy, Shaun Lindsay, Shaun Lindsay, Sheng Feng, Shenghao Lin, Shengxin Cindy Zha, Shishir Patil, Shiva Shankar, Shuqiang Zhang, Shuqiang Zhang, Sinong Wang, Sneha Agarwal, Soji Sajuyigbe, Soumith Chintala, Stephanie Max, Stephen Chen, Steve Kehoe, Steve Satterfield, Sudarshan Govindaprasad, Sumit Gupta, Summer Deng, Sungmin Cho, Sunny Virk, Suraj

Subramanian, Sy Choudhury, Sydney Goldman, Tal Remez, Tamar Glaser, Tamara Best, Thilo Koehler, Thomas Robinson, Tianhe Li, Tianjun Zhang, Tim Matthews, Timothy Chou, Tzook Shaked, Varun Vontimitta, Victoria Ajayi, Victoria Montanez, Vijai Mohan, Vinay Satish Kumar, Vishal Mangla, Vlad Ionescu, Vlad Poenaru, Vlad Tiberiu Mihailescu, Vladimir Ivanov, Wei Li, Wenchen Wang, Wenwen Jiang, Wes Bouaziz, Will Constable, Xiaocheng Tang, Xiaojian Wu, Xiaolan Wang, Xilun Wu, Xinbo Gao, Yaniv Kleinman, Yanjun Chen, Ye Hu, Ye Jia, Ye Qi, Yenda Li, Yilin Zhang, Ying Zhang, Yossi Adi, Youngjin Nam, Yu, Wang, Yu Zhao, Yuchen Hao, Yundi Qian, Yunlu Li, Yuzi He, Zach Rait, Zachary DeVito, Zef Rosnbrick, Zhaoduo Wen, Zhenyu Yang, Zhiwei Zhao, and Zhiyu Ma. The llama 3 herd of models, 2024. URL https://arxiv.org/abs/2407.21783.

Christian Haerpfer, Ronald Inglehart, Alejandro Moreno, Christian Welzel, Kseniya Kizilova, Jaime Diez-Medrano, Marta Lagos, Pippa Norris, Eduard Ponarin, Bi Puranen, et al. World values survey: Round seven–country-pooled datafile. *Madrid, Spain & Vienna, Austria: JD Systems Institute & WVSA Secretariat*, 7:2021, 2020.

Michael D Hills. Kluckhohn and strodtbeck's values orientation theory. *Online readings in psychology and culture*, 4(4):3, 2002.

Valentin Hofmann, Pratyusha Ria Kalluri, Dan Jurafsky, and Sharese King. Ai generates covertly racist decisions about people based on their dialect. *Nature*, pp. 1–8, 2024.

Myeongjun Jang and Thomas Lukasiewicz. Consistency analysis of chatgpt. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pp. 15970–15985, 2023.

Myeongjun Jang, Deuk Sin Kwon, and Thomas Lukasiewicz. Becel: Benchmark for consistency evaluation of language models. In *Proceedings of the 29th International Conference on Computational Linguistics*, pp. 3680–3696, 2022.

Albert Q. Jiang, Alexandre Sablayrolles, Arthur Mensch, Chris Bamford, Devendra Singh Chaplot, Diego de las Casas, Florian Bressand, Gianna Lengyel, Guillaume Lample, Lucile Saulnier, Lélio Renard Lavaud, Marie-Anne Lachaux, Pierre Stock, Teven Le Scao, Thibaut Lavril, Thomas Wang, Timothée Lacroix, and William El Sayed. Mistral 7b, 2023.

Wangyue Li, Liangzhi Li, Tong Xiang, Xiao Liu, Wei Deng, and Noa Garcia. Can multiple-choice questions really be useful in detecting the abilities of llms? In *Proceedings of the 2024 Joint International Conference on Computational Linguistics, Language Resources and Evaluation (LREC-COLING 2024)*, pp. 2819–2834, 2024.

N Gregory Mankiw, Ronald D Kneebone, Kenneth James McKenzie, and Nicholas Rowe. Principles of macroeconomics. 2007.

Arianna Manzini, Geoff Keeling, Nahema Marchal, Kevin R McKee, Verena Rieser, and Iason Gabriel. Should users trust advanced ai assistants? justified trust as a function of competence and alignment. In *The 2024 ACM Conference on Fairness, Accountability, and Transparency*, pp. 1174–1186, 2024.

Jared Moore, Tanvi Deshpande, and Diyi Yang. Are large language models consistent over value-laden questions? *arXiv preprint arXiv:2407.02996*, 2024.

Matan Orbach, Yonatan Bilu, Assaf Toledo, Dan Lahav, Michal Jacovi, Ranit Aharonov, and Noam Slonim. Out of the echo chamber: Detecting countering debate speeches. *arXiv preprint arXiv:2005.01157*, 2020.

Pouya Pezeshkpour and Estevam Hruschka. Large language models sensitivity to the order of options in multiple-choice questions. In *Findings of the Association for Computational Linguistics: NAACL 2024*, pp. 2006–2017, 2024.

Rafael Rafailov, Archit Sharma, Eric Mitchell, Christopher D Manning, Stefano Ermon, and Chelsea Finn. Direct preference optimization: Your language model is secretly a reward model. *Advances in Neural Information Processing Systems*, 36, 2024.

Paul Röttger, Valentin Hofmann, Valentina Pyatkin, Musashi Hinck, Hannah Rose Kirk, Hinrich Schütze, and Dirk Hovy. Political compass or spinning arrow? towards more meaningful evaluations for values and opinions in large language models. *arXiv preprint arXiv:2402.16786*, 2024.

Bangzhao Shu, Lechen Zhang, Minje Choi, Lavinia Dunagan, Lajanugen Logeswaran, Moontae Lee, Dallas Card, and David Jurgens. You don't need a personality test to know these models are unreliable: Assessing the reliability of large language models on psychometric instruments. In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pp. 5263–5281, 2024.

Chan Hee Song, Jiaman Wu, Clayton Washington, Brian M Sadler, Wei-Lun Chao, and Yu Su. Llm-planner: Few-shot grounded planning for embodied agents with large language models. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pp. 2998–3009, 2023.

Christian Stab and Iryna Gurevych. Annotating argument components and relations in persuasive essays. In *Proceedings of COLING 2014, the 25th international conference on computational linguistics: Technical papers*, pp. 1501–1510, 2014.

Rohan Taori, Ishaan Gulrajani, Tianyi Zhang, Yann Dubois, Xuechen Li, Carlos Guestrin, Percy Liang, and Tatsunori B. Hashimoto. Stanford alpaca: An instruction-following llama model. `https://github.com/tatsu-lab/stanford_alpaca`, 2023.

Lindia Tjuatja, Valerie Chen, Tongshuang Wu, Ameet Talwalkwar, and Graham Neubig. Do llms exhibit human-like response biases? a case study in survey design. *Transactions of the Association for Computational Linguistics*, 12:1011–1026, 2024.

Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shruti Bhosale, et al. Llama 2: Open foundation and fine-tuned chat models. *arXiv preprint arXiv:2307.09288*, 2023.

Yixu Wang, Yan Teng, Kexin Huang, Chengqi Lyu, Songyang Zhang, Wenwei Zhang, Xingjun Ma, Yu-Gang Jiang, Yu Qiao, and Yingchun Wang. Fake alignment: Are llms really aligned well? In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pp. 4696–4712, 2024.

Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Fei Xia, Ed Chi, Quoc V Le, Denny Zhou, et al. Chain-of-thought prompting elicits reasoning in large language models. *Advances in neural information processing systems*, 35:24824–24837, 2022.

Chujie Zheng, Hao Zhou, Fandong Meng, Jie Zhou, and Minlie Huang. Large language models are not robust multiple choice selectors. In *The Twelfth International Conference on Learning Representations*, 2023.

A DETAILS OF EXPERIMENT SETTINGS

A.1 VERSIONS OF LLMS

Table 5: Versions of large language models.

Model	Version	Source
GPT-4	gpt-4-turbo-2024-04-09	OpenAI API
GPT-3.5-Turbo	gpt-3.5-turbo-0125	OpenAI API
Vicuna-7B	lmsys/vicuna-7b-v1.5	Hugging Face
Vicuna-13B	lmsys/vicuna-13b-v1.5	Hugging Face
Vicuna-33B	lmsys/vicuna-33b-v1.3	Hugging Face
Llama-2-7B	meta-llama/Llama-2-7b	Hugging Face
Llama-2-13B	meta-llama/Llama-2-13b-hf	Hugging Face
Llama-2-7B-Chat	meta-llama/Llama-2-7b-chat-hf	Hugging Face
Llama-2-13B-Chat	meta-llama/Llama-2-13b-chat-hf	Hugging Face
Llama-3-8B	meta-llama/Meta-Llama-3-8B	Hugging Face
Llama-3-8B-Instruct	meta-llama/Meta-Llama-3-8B-Instruct	Hugging Face
Mistral-7B	mistralai/Mistral-7B-v0.1	Hugging Face
Mistral-7B-Instruct	mistralai/Mistral-7B-Instruct-v0.1	Hugging Face
Chatglm3-6B-Base	THUDM/chatglm3-6b-base	Hugging Face
Chatglm3-6B	THUDM/chatglm3-6b	Hugging Face

Table 5 provides an overview of tested LLMs. These models, developed by different organizations, represent state-of-the-art advancements in natural language processing.

A.2 PROMPTS

Table 6: Prompts of Direct Prompting and CoT Prompting.

	Prompt
Direct Prompting	Answer the following question with only one single option number (like "A" or "B") without explanation. {question} Answer:
CoT Prompting	{Demonstration1 (Example): Explain the belief that guides your choice in this situation and then answer the following question with only one single option number (like "A" or "B") You're the President of a university and are reviewing the budget allocation for the upcoming academic year. You need to make a decision on the funding priorities. Which action will you take? A. You decide to allocate more funds to the university libraries. B. You decide to allocate more funds to student sport activities. Belief: I believe that education is the foundation of a successful society and that access to knowledge and resources is essential for students to succeed academically and professionally. Answer: A} {Demonstration2} {Demonstration3} Explain the belief that guides your choice in this situation and then answer the following question with only one single option number (like "A" or "B") {question} Belief:

We evaluate LLMs under two distinct experimental conditions: Direct Prompting and CoT Prompting, with specific prompts listed in the Table 6.

Direct Prompting encourages LLMs to generate answers directly, while CoT Prompting effectively elicits reasoning, prompting LLMs to produce natural language reasoning steps alongside an answer. Specifically, we use a 3-shot CoT, considering that the model struggles with a 0-shot CoT prompt. Demonstrations of input-answer pairs are randomly sampled from a manually constructed set of 50. The reported experimental results in the paper are the average of three evaluations to mitigate the influence of demonstration selection on the outcomes.

A.3 TRAINING DETAILS



Figure 8: Model performance using different learning rates during SFT.



Figure 9: Model performance using different learning rates during DPO.

We conducted experiments with learning rates of [1e-6, 5e-6, 1e-5, 5e-7, 1e-7]. Figure 8 shows the performance of the model using different learning rates during the SFT stage, and Figure 9 shows the performance of the model using different learning rates during the DPO stage.

B ADDITIONAL RESULTS

B.1 A STUDY ON THE SUFFICIENCY OF WDCT DATA SIZE FOR LLMS CONSISTENCY EVALUATION

We randomly sampled the dataset five times at various sample ratios (evenly from each domain) and compared the results on subsets with those on the full 100% test set. From Figure 10 and Table 7, we can observe that: 1) models' consistency scores largely stabilize when the data size exceeds 50%; 2) there are no statistically significant differences ($p > 0.05$) between the evaluations performed on the subsets and the entire dataset. Therefore, evaluations based on 1,000+ test cases are stable and consistent, and are sufficient to reflect the prevalence of inconsistencies between words and deeds of LLMs.



Figure 10: The consistency scores on subsets of the test set at different sample ratios.

Table 7: Statistical comparison of subset and fullset evaluation results using independent samples T-test. The P-value is presented in the table, indicating no significant difference between the two data sets if > 0.05.

Model	30%	40%	50%	60%	70%	80%	90%	100%
Llama-2-7B	0.36	0.35	0.80	0.38	0.76	0.37	0.84	1
Llama-2-7B-Chat	0.07	0.18	0.14	0.69	0.48	0.61	0.64	1
Mistral-7B	0.85	0.06	0.24	0.78	0.59	0.43	0.83	1
Mistral-7B-Instruct	0.33	0.75	0.72	0.37	0.85	0.83	0.79	1
Chatglm3-6B-Base	0.89	0.85	0.56	0.81	0.83	0.71	0.61	1
Chatglm3-6B	0.55	0.44	0.38	0.91	0.76	0.75	0.76	1

B.2 FULL EVALUATION RESULTS ON PROBABILITY CONSISTENCY SCORE

The full results based on the probability consistency score are presented in Table 8.

Table 8: The probability consistency score of LLMs' words and deeds.

Model	Alignment IFT	Alignment RLHF	Opinion	NonEthV	EthV	Theory	Avg PCS
Random	-	-	0.50	0.50	0.50	0.50	0.50
GPT-4	-	-	-	-	-	-	-
GPT-3.5-Turbo	-	-	-	-	-	-	-
Vicuna-7B	✓		0.48	0.66	0.58	0.69	0.60
Vicuna-13B	✓		0.77	0.80	0.76	0.81	0.79
Vicuna-33B	✓		0.91	0.91	0.90	0.88	0.90
Llama-2-7B			0.97	0.96	0.95	0.98	0.97
Llama-2-13B			0.98	0.98	0.95	0.90	0.95
Llama-2-7B-Chat	✓	✓	0.49	0.63	0.60	0.66	0.60
Llama-2-13B-Chat	✓	✓	0.79	0.82	0.81	0.81	0.81
Mistral-7B			0.97	0.96	0.97	0.95	0.96
Mistral-7B-Instruct	✓		0.77	0.81	0.69	0.76	0.76
Chatglm3-6B-Base			0.76	0.83	0.87	0.81	0.82
Chatglm3-6B	✓	✓	0.70	0.78	0.79	0.70	0.74

B.3 FULL RESULTS OF SEPARATE ALIGNMENT



Figure 11: The effects of separate word alignment (the first row) or deed alignment (the second row) on another.