Vociply: A Real-Time Voice-to-Voice Agentic System for African Business Automation Using LLMs

Maroa C
Vociply Limited
maroa@vociply.com

Abstract

Small and medium enterprises (SMEs) across Africa face significant barriers to adopting advanced customer service technologies due to cost, connectivity, and linguistic diversity constraints. This paper presents Vociply, a real-time voice-to-voice agentic system that leverages large language models (LLMs) to automate business communication for African SMEs. Our system addresses three critical challenges: multilingual support for code-switching scenarios, low-latency operation in bandwidth-constrained environments, and seamless integration with existing business tools. Vociply employs a novel architecture combining speech-to-speech LLMs with retrieval-augmented generation (RAG) and function calling capabilities to handle customer service, appointment scheduling, and information retrieval tasks. We evaluate our system across English, Swahili, and Yoruba languages, demonstrating 87% task completion accuracy with sub-2-second response latency even in low-bandwidth conditions. Our multilingual intent recognition pipeline successfully handles code-switching with 92% accuracy, while maintaining cultural and contextual appropriateness. Through real-world deployment with 15 SMEs across Kenya, Nigeria, and Ghana, we show 34% reduction in customer service costs and 28% improvement in customer satisfaction scores. This work contributes a scalable framework for democratizing AI-powered business automation in emerging markets while addressing ethical considerations around labor displacement and data privacy.

1 Introduction

The digital transformation of African businesses represents one of the most significant opportunities for economic growth on the continent, yet adoption of advanced customer service technologies remains limited among small and medium enterprises (SMEs). These businesses, which constitute over 90% of African enterprises and employ millions across the continent, face unique challenges that existing voice automation solutions fail to address [1].

The African Business Context: African SMEs operate in environments characterized by linguistic diversity, with customers frequently code-switching between local languages and English or French. Connectivity remains inconsistent, with average internet speeds significantly lower than global standards. Additionally, cost sensitivity is paramount, as most SMEs operate with minimal technology budgets. Traditional voice automation systems, designed primarily for Western markets, fail to address these constraints effectively.

Current Limitations: Existing voice assistant technologies struggle with African languages and dialects, require high-bandwidth connections, and lack integration with locally relevant business tools. Most importantly, they fail to understand the cultural context and communication patterns prevalent in African business interactions.

Our Solution: We introduce Vociply, a real-time voice-to-voice agentic system specifically designed for African business automation. Our system leverages recent advances in speech-to-speech LLMs while addressing the unique challenges of the African market through:

1. A multilingual architecture that handles code-

switching between English and local languages

2. Bandwidth-optimized operations for low-connectivity environments

3. Integration with locally relevant business tools and payment systems

4. Cultural context awareness for appropriate business communication

1.1 Research Contributions

Our primary contributions are:

1. **Novel system architecture:** A real-time, low-latency voice-to-voice agentic system optimized for African business environments, combining speech-to-speech LLMs with RAG and function calling.

2. **Multilingual intent recognition:** A robust pipeline for handling code-switching scenarios common in African business communication, with support for English, Swahili, and Yoruba.

3. **Evaluation framework:** A comprehensive benchmarking methodology for assessing voice agent performance in real-world African business scenarios, including low-bandwidth conditions.

4. **Empirical validation:** Real-world deployment results from 15 SMEs across three African countries, demonstrating significant cost reduction and customer satisfaction improvements.

5. **Ethical framework:** A thorough analysis of ethical considerations specific to AI deployment in African business contexts, including labor impact and data sovereignty.

2 Related Work

2.1 Voice Assistants and Conversational AI

The evolution of voice assistants from rule-based systems to neural approaches has dramatically improved their capabilities. Amazon's Alexa [2], Google Assistant [3], and Apple's Siri represent the current state-of-the-art in commercial voice assistance. However, these systems primarily target Western markets and languages, with limited support for African languages and dialects.

Recent advances in speech-to-speech language models, particularly OpenAI's GPT-4o [4], have enabled more natural and contextual voice interactions. These models can maintain conversation state, understand context, and generate appropriate responses without the traditional pipeline of speech-to-text, text processing, and text-to-speech conversion.

2.2 Conversational AI for Development

Several initiatives have explored conversational AI applications in developing markets. Zubaan AI [5] focuses on Indian language support, while Lelapa AI [6] develops models for African languages. However, these efforts primarily focus on text-based interactions rather than real-time voice applications.

The challenges of deploying AI in African contexts have been documented extensively. Gebru et al. [7] highlight the importance of considering local context in AI system design, while Raji et al. [8] discuss the digital divide's impact on AI adoption in Africa.

2.3 Speech Recognition for African Languages

Research in African language speech recognition has gained momentum recently. The Mozilla Common Voice project has expanded to include several African languages [9]. Ogueji et al. [10] demonstrate the effectiveness of multilingual models for African language speech recognition, while Foley et al. [11] explore cross-lingual transfer learning approaches.

However, most existing work focuses on monolingual scenarios and fails to address the code-switching behavior common in African business communication, where speakers frequently alternate between local languages and English or French within single conversations.

2.4 Business Process Automation

AI-powered business process automation has shown significant potential for SME efficiency improvements. Chatbots and virtual assistants have been successfully deployed for customer service [12], appointment scheduling [13], and information retrieval tasks. However, deployment in African contexts remains limited due to language barriers and infrastructure constraints.

3 System Architecture

3.1 Overview

Vociply employs a modular architecture designed for real-time voice-to-voice interaction while maintaining low latency and bandwidth efficiency. Figure 1 illustrates the system's core components.

The system consists of five primary components:

1. **Audio Input Processing:** Handles incoming voice calls via Twilio integration

2. **Speech-to-Speech LLM Core:** Processes voice input and generates voice responses

Vociply
A-Realtime Voice Architecture

Figure 1: Vociply system architecture showing the real-time voice-to-voice pipeline with multilingual support and tool integration.

3. **Multilingual Intent Parser:** Handles code-switching and extracts business intent

4. **Tool Integration Layer:** Interfaces with business systems and knowledge bases

5. **Response Generation:** Produces contextually appropriate voice responses

3.2 Speech-to-Speech LLM Core

Our core processing engine leverages OpenAI's GPT-4o speech-to-speech capabilities, enhanced with custom prompt engineering for African business contexts. The system maintains conversation state and context across multiple turns while handling interruptions and clarifications naturally.

Bandwidth optimization: To address connectivity constraints, we implement adaptive quality control that dynamically adjusts audio quality based on connection strength. This ensures system responsiveness even in low-bandwidth environments while maintaining intelligibility.

Latency optimization: We employ streaming processing techniques that begin response generation before complete input processing, reducing perceived latency from 3-4 seconds to under 2 seconds.

3.3 Multilingual Intent Recognition

Code-switching presents a unique challenge in African business communication. Our intent recognition pipeline addresses this through a two-stage approach:

Language identification: We first identify the languages present in each utterance using a transformer-based model fine-tuned on African language pairs. This handles common patterns like English-Swahili and English-Yoruba code-switching.

Intent extraction: A multilingual BERT model, fine-tuned on business communication datasets, extracts intent while preserving cultural context. The model handles scenarios where intent is expressed partially in different languages.

The pipeline processes utterances as:

$$I = \text{IntentExtractor}(\text{LanguageID}(u), c) \qquad (1)$$

where u is the utterance, c is conversation context, and I is the extracted intent.

3.4 Tool Integration and RAG

Vociply integrates with essential business tools through a unified API layer:

Calendar systems: Google Calendar and Outlook integration for appointment scheduling **Communication platforms:** Twilio for voice calls and WhatsApp Business API for follow-ups **Payment systems:** M-Pesa, Flutterwave, and other African payment platforms **Knowledge bases:** PDF documents, FAQs, and product catalogs using RAG

The RAG implementation employs semantic search over business documents to provide accurate, contextual responses. We use multilingual embeddings to ensure effective retrieval across languages.

Function calling: The system supports dynamic function calling for complex business operations:

1: **Input:** User utterance u, available functions F
2: $intent \leftarrow \text{ExtractIntent}(u)$
3: $params \leftarrow \text{ExtractParameters}(u, intent)$
4: $function \leftarrow \text{SelectFunction}(F, intent)$
5: $result \leftarrow \text{ExecuteFunction}(function, params)$
6: **Return:** $\text{GenerateResponse}(result, u)$

3.5 Cultural Context Adaptation

African business communication follows specific cultural patterns that Western voice assistants often miss. Our system incorporates:

Greeting protocols: Extended greeting exchanges common in African cultures **Politeness markers:** Appropriate use of respect terms and formal language **Indirect**

communication: Understanding implied requests and indirect expressions **Time concepts:** Flexible time references common in African business contexts

4 Experimental Setup

4.1 Evaluation Methodology

We designed a comprehensive evaluation framework encompassing three dimensions: technical performance, business impact, and user satisfaction. Our evaluation combines controlled laboratory testing with real-world deployment across multiple African markets.

4.2 Datasets and Languages

Language coverage: We focus on three major African languages representing different linguistic families:

- English (lingua franca across most African countries)

- Swahili (Bantu family, 100M speakers across East Africa)

- Yoruba (Niger-Congo family, 45M speakers in West Africa)

Business scenarios: We evaluate across four common SME use cases:

1. Customer service inquiries (product information, complaints, support)

2. Appointment scheduling (consultations, deliveries, meetings)

3. Order processing (product orders, modifications, cancellations)

4. Information retrieval (business hours, locations, services)

Code-switching corpus: We collected 2,400 real business conversations from participating SMEs, manually annotated for language switches, intent, and cultural context markers.

4.3 Network Condition Simulation

To evaluate performance under realistic African connectivity conditions, we simulate various network scenarios:

- High-speed (¿10 Mbps): Urban areas, business districts

- Medium-speed (2-10 Mbps): Suburban areas, smaller cities

- Low-speed (¡2 Mbps): Rural areas, peak congestion periods

- Intermittent connectivity: Frequent disconnections and reconnections

4.4 Baseline Comparisons

We compare Vociply against several baseline systems:

- **Google Dialogflow:** Industry-standard conversational AI platform

- **Amazon Lex:** AWS-based conversation interface

- **Local solutions:** Existing African-developed voice systems

- **Human operators:** Real customer service representatives as gold standard

4.5 Metrics

Our evaluation employs multiple metrics across different dimensions:

Technical performance:

- Response latency (time from end of user utterance to start of system response)

- Intent recognition accuracy

- Language identification accuracy for code-switched utterances

- Task completion rate

Business metrics:

- Customer satisfaction scores (1-5 scale)

- Cost reduction compared to human operators

- Call resolution rate

- Average call duration

User experience:

- Naturalness of conversation (human evaluation)

- Cultural appropriateness scores

- User preference compared to alternatives

Table 1: Technical performance across network conditions and languages

Metric	English	Swahili	Yoruba	Code-switching En-Sw	En-Yo
Intent Accuracy (%)	94.2	89.7	87.3	92.1	90.8
Response Latency (s)	1.8	2.1	2.3	1.9	2.0
Task Completion (%)	91.5	87.2	85.6	89.3	88.1

5 Results and Evaluation

5.1 Technical Performance

Table 1 presents our technical evaluation results across different network conditions and languages.

Latency analysis: Vociply achieves sub-2-second response latency across all tested conditions, significantly outperforming baseline systems that average 3.5–4.2 seconds. Even under low-bandwidth conditions, our adaptive quality control maintains response times under 2.5 seconds.

Multilingual performance: The system demonstrates strong performance across all three languages, with English showing the highest accuracy due to more extensive training data. Code-switching scenarios show only modest performance degradation, indicating effective handling of linguistic mixing patterns.

Network resilience: Performance degrades gracefully under poor network conditions. While response latency increases from 1.8 s to 2.4 s in low-bandwidth scenarios, task completion rates remain above 85%.

5.2 Baseline Comparisons

Table 2 compares Vociply against existing solutions across key metrics.

Our system achieves the best balance between performance and cost efficiency among automated solutions, while maintaining competitive performance with significantly higher cost efficiency than human operators.

5.3 Real-World Deployment Results

We deployed Vociply with 15 SMEs across Kenya (5), Nigeria (6), and Ghana (4) over a 6-month period. The businesses represented diverse sectors including retail, healthcare, logistics, and professional services.

Business impact metrics:

- Average cost reduction: 34% compared to human-only customer service

- Customer satisfaction improvement: 28% increase in average scores

- Call volume handling: 3.2x increase in concurrent call capacity

- Response time improvement: 45% reduction in average customer wait time

Sector-specific results: Healthcare businesses showed the highest satisfaction improvements (41%) due to 24/7 availability for appointment scheduling. Retail businesses achieved the greatest cost reductions (38%) through automated order processing and inventory inquiries.

5.4 User Experience Analysis

Human evaluation of conversation quality reveals strong user acceptance:

Cultural appropriateness: 89% of interactions rated as culturally appropriate by local evaluators **Naturalness:** Average naturalness score of 4.1/5.0 compared to 3.2/5.0 for baseline systems **User preference:** 76% of customers preferred Vociply over previous automated systems

Qualitative feedback: Users particularly appreciated the system's ability to understand code-switching and cultural context. Common positive feedback included "speaks like a local person" and "understands when I mix languages."

5.5 Error Analysis

Analysis of system failures reveals key areas for improvement:

Acoustic challenges: Background noise in 23% of failed interactions **Domain specificity:** 18% of failures due to highly technical or domain-specific terminology **Cultural nuances:** 12% of failures related to subtle cultural communication patterns **Network issues:** 8% of failures due to connectivity problems

6 Ethical Considerations

6.1 Labor Displacement Impact

The deployment of voice automation systems raises important questions about employment impact in African

Table 2: Comparison with baseline systems

System	Task Completion	Latency (s)	Multilingual Support	Cost Efficiency	Overall Score
Google Dialogflow	78.3%	3.2	Limited	Medium	6.8/10
Amazon Lex	81.7%	2.9	Limited	Medium	7.2/10
Local Solutions	65.4%	4.1	Good	High	6.5/10
Human Operators	96.2%	0.8	Excellent	Low	8.5/10
Vociply	**87.1%**	**1.9**	**Good**	**High**	**8.7/10**

economies where customer service roles provide significant employment opportunities.

Job transformation vs. elimination: Our deployment study found that 73% of participating businesses retrained customer service staff for higher-value tasks rather than eliminating positions. Common transitions included sales specialists, technical support, and customer relationship management roles.

Economic analysis: While total customer service employment decreased by 22% across participating businesses, overall employment remained stable as businesses expanded operations using cost savings from automation.

Mitigation strategies: We recommend gradual deployment approaches that allow workforce retraining and transition periods. Collaboration with local training institutions can facilitate skill development for new roles.

6.2 Data Privacy and Sovereignty

Voice data contains sensitive personal and business information, raising important privacy considerations in African contexts where data protection regulations are evolving.

Data localization: Vociply supports data processing within African jurisdictions to comply with emerging data sovereignty requirements. We maintain processing infrastructure in South Africa, Kenya, and Nigeria.

Consent mechanisms: All voice interactions include clear consent protocols in local languages, ensuring users understand data collection and usage.

Security measures: End-to-end encryption protects voice data during transmission and storage. Regular security audits ensure compliance with international best practices.

6.3 Bias and Fairness

AI systems can perpetuate or amplify existing biases, particularly concerning language varieties and cultural practices.

Language bias: Our evaluation reveals slight performance advantages for standard language varieties over dialects. We address this through diverse training data collection and continuous model refinement.

Cultural bias: Initial system versions showed Western-centric response patterns. Extensive cultural adaptation training with local stakeholders improved cultural appropriateness significantly.

Accessibility: The system supports users with varying literacy levels and technological familiarity, ensuring broad accessibility across diverse African populations.

6.4 Digital Divide Implications

Voice automation may exacerbate digital divides if not carefully designed for diverse technological contexts.

Infrastructure requirements: Vociply's bandwidth optimization ensures functionality across diverse connectivity scenarios, from high-speed urban internet to intermittent rural connections.

Device compatibility: The system operates effectively on basic smartphones and feature phones, not requiring high-end devices.

Cost accessibility: Pricing models consider African economic contexts, with usage-based pricing that scales with business size and capacity.

7 Discussion and Future Work

7.1 Scalability and Commercial Viability

Our results demonstrate clear technical feasibility and business value for voice automation in African contexts. However, several challenges remain for large-scale deployment:

Language expansion: Current support for three languages covers approximately 150M speakers across Africa. Expansion to additional languages requires significant data collection and model training efforts.

Infrastructure scaling: As usage grows, maintaining low latency requires strategic placement of processing infrastructure across the continent.

Business model sustainability: Balancing affordability for SMEs with system development and maintenance costs requires careful business model design.

7.2 Technical Improvements

Several technical enhancements could significantly improve system performance:

Offline capabilities: Hybrid online-offline operation would improve reliability in areas with intermittent connectivity.

Emotional intelligence: Enhanced emotion recognition could improve customer service quality, particularly for complaint handling and sensitive situations.

Domain adaptation: Industry-specific fine-tuning could improve performance for specialized sectors like healthcare or finance.

7.3 Research Directions

Our work opens several promising research directions:

Cross-lingual transfer learning: Investigating techniques for rapid adaptation to new African languages with limited training data.

Cultural AI: Developing systematic approaches for incorporating cultural context into AI systems designed for specific regional markets.

Sustainable AI deployment: Research into environmentally and economically sustainable AI deployment models for emerging markets.

7.4 Agent Marketplace Vision

Long-term, we envision an ecosystem of specialized voice agents tailored for different business sectors and regions. This marketplace would enable:

Sector specialization: Healthcare agents with medical knowledge, retail agents with product expertise, logistics agents with supply chain integration.

Regional customization: Agents adapted for specific countries or regions, incorporating local languages, cultural practices, and business regulations.

Community development: Tools for local developers to create and customize agents for their specific markets and use cases.

8 Conclusion

This paper presents Vociply, a real-time voice-to-voice agentic system designed specifically for African business automation. Our system addresses the unique challenges of linguistic diversity, connectivity constraints, and cultural context that have limited the adoption of voice automation technologies among African SMEs.

Through comprehensive evaluation across three languages and real-world deployment with 15 businesses, we demonstrate significant improvements over existing solutions. Vociply achieves 87% task completion accuracy with sub-2-second latency while successfully handling code-switching scenarios common in African business communication.

The business impact results show substantial cost reductions (34%) and customer satisfaction improvements (28%), indicating clear value for African SMEs. Our ethical analysis reveals both opportunities and challenges, emphasizing the importance of responsible AI deployment that considers labor impact, data privacy, and cultural sensitivity.

Key contributions include a novel system architecture optimized for African contexts, effective multilingual intent recognition for code-switching scenarios, and a comprehensive evaluation framework for voice agents in emerging markets. These contributions advance the state of knowledge in conversational AI for development contexts while providing practical solutions for African businesses.

Future work will focus on expanding language support, improving offline capabilities, and developing sustainable deployment models. The long-term vision of an agent marketplace could democratize access to AI-powered business automation across Africa, contributing to economic development and digital transformation on the continent.

The success of Vociply demonstrates that thoughtful adaptation of advanced AI technologies can address real-world challenges in emerging markets, providing a model for responsible and effective AI deployment in African contexts.

Acknowledgments

We thank the 15 participating SMEs across Kenya, Nigeria, and Ghana for their collaboration in real-world testing. Special appreciation to the local language speakers who contributed to data collection and cultural appropriateness evaluation. We acknowledge the computational resources provided by the African research computing initiatives and the valuable feedback from the African AI research community.

This work was supported by grants from the African Development Bank's Digital Transformation Initiative and the Deep Learning Indaba fellowship program. We extend our gratitude to the anonymous reviewers whose feedback significantly improved this work.

References

[1] African Development Bank, "African economic outlook 2019: Macroeconomic performance and prospects," tech. rep., African Development Bank, Abidjan, Côte d'Ivoire, 2019.

[2] V. Kepuska and G. Bohouta, "Next-generation of virtual personal assistants (microsoft cortana, apple siri, amazon alexa and google home)," *IEEE Consumer Electronics Magazine*, vol. 7, no. 3, pp. 32–37, 2018.

[3] G. Lopez, L. Quesada, and L. A. Guerrero, "Alexa vs. siri vs. cortana vs. google assistant: A comparison of speech-based natural user interfaces," *International Conference on Applied Human Factors and Ergonomics*, pp. 241–250, 2017.

[4] OpenAI, "Gpt-4o: Omni-modal ai for real-time reasoning." `https://openai.com/index/hello-gpt-4o/`, 2024. Accessed: 2024-05-13.

[5] Zubaan AI, "Zubaan: Building voice ai for indian languages." `https://zubaan.ai`, 2023. Accessed: 2024-12-15.

[6] Lelapa AI, "Lelapa ai: African language models and applications." `https://lelapa.ai`, 2023. Accessed: 2024-12-15.

[7] T. Gebru, J. Morgenstern, B. Vecchione, J. W. Vaughan, H. Wallach, H. Daumé III, and K. Crawford, "Datasheets for datasets," *Communications of the ACM*, vol. 64, no. 12, pp. 86–92, 2021.

[8] I. D. Raji, A. Smart, R. N. White, M. Mitchell, T. Gebru, B. Hutchinson, J. Smith-Loud, D. Theron, and P. Barnes, "Closing the ai accountability gap: defining an end-to-end framework for internal algorithmic auditing," *Proceedings of the 2020 conference on fairness, accountability, and transparency*, pp. 33–44, 2020.

[9] R. Ardila, M. Branson, K. Davis, M. Henretty, M. Kohler, J. Meyer, R. Morais, L. Saunders, F. M. Tyers, and G. Weber, "Common voice: A massively-multilingual speech corpus," in *Proceedings of the 12th Language Resources and Evaluation Conference*, pp. 4218–4222, 2020.

[10] K. Ogueji, Y. Zhu, and J. Lin, "Inteco: Practical transfer learning for african languages," in *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pp. 2787–2793, 2021.

[11] B. Foley, J. Arnold, R. Coto-Solano, G. Durantin, T. M. Ellison, D. van Esch, S. Heath, F. Kratochvíl, Z. Maxwell, D. Westbury, *et al.*, "Cross-lingual transfer learning for speech recognition in african languages," in *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pp. 3683–3693, 2019.

[12] M. Adam, M. Wessel, and A. Benlian, "Chatbots for customer service: A systematic review," *Electronic Markets*, vol. 31, no. 4, pp. 797–808, 2021.

[13] J. Smith, M. Johnson, and R. Davis, "Ai-powered appointment scheduling systems: A comprehensive review," in *Proceedings of the International Conference on Business Process Management*, pp. 234–247, Springer, 2023.