The Optimal GAN Discriminators are High-dimensional Interpolators

Anonymous authors
Paper under double-blind review

Abstract

We consider the problem of optimizing the discriminator in generative adversarial networks (GANs) subject to higher-order gradient regularization. We show analytically, via the least-squares (LSGAN) and Wasserstein (WGAN) GAN variants, that the discriminator optimization problem is one of high-dimensional interpolation. The optimal discriminator, derived using variational calculus, turns out to be the solution to a partial differential equation involving the iterated Laplacian or the polyharmonic operator. The solution is implementable in closed-form via polyharmonic radial basis function (RBF) interpolation. In view of the polyharmonic connection, we refer to the corresponding GANs as Poly-LSGAN and Poly-WGAN. As a proof of concept, the analysis is supported by experimental validation on multivariate Gaussians. While the closed-form RBF does not scale favorably with the dimensionality of data for image-space generation, we employ the Poly-WGAN discriminator to transform the latent space distribution of the data to match a Gaussian in a Wasserstein autoencoder (WAE). The closed-form discriminator, motivated by the polyharmonic RBF, results in up to 20% improvement in terms of Fréchet and kernel inception distances over comparable baselines that employ trainable or kernel-based discriminators. The experiments are carried out on standard image datasets such as MNIST, CIFAR-10, CelebA, and LSUN-Churches. The training time in Poly-WGAN is comparable to those of kernel-based methods, while being about two orders faster than GANs with a trainable discriminator.

1 Introduction

Generative adversarial networks (GANs) (Goodfellow et al., 2014) constitute a two players game between a generator G and a discriminator D. The generator G accepts high-dimensional Gaussian noise as input and learns a transformation (by means of a network), whose output follows the distribution p_g. The generator is tasked with learning p_d, the distribution of the target dataset. The discriminator learns a classifier between the samples of p_d and p_g. The optimization in the standard GAN (SGAN) formulation of Goodfellow et al. (2014), and subsequent variants such as the least-squares GAN (LSGAN) (Mao et al., 2017) or the f-GAN (Nowozin et al., 2016) corresponds to learning a discriminator that mimics a chosen divergence metric between p_d and p_g (such as the Jensen-Shannon divergence in SGAN) and a generator that minimizes the divergence.

Integral Probability Metrics, Gradient Penalties and GANs: The divergence metric approaches fail if p_d and p_g are of disjoint support (Arjovsky & Bottou, 2017), which shifted focus to *integral probability metrics* (IPMs), where a *critic* function is chosen to approximate a chosen IPM between the distributions (Arjovsky et al., 2017; Mroueh & Sercu, 2017; Bunne et al., 2019). Choosing the distance metric is equivalent to constraining the class of functions from which the critic is drawn. The most popular variant, inspired by optimal transport, is the Wasserstein GAN (WGAN) (Arjovsky et al., 2017), in which the objective is to minimize the Wasserstein-1 or *earth mover's* distance between p_d and p_g, and the critic is constrained to be Lipschitz-1. Gulrajani et al. (2017) enforced a first-order gradient penalty on the discriminator network to approximate the Lipschitz constraint. Roth et al. (2017); Kodali et al. (2017); Fedus et al. (2018) and Mescheder et al. (2018) showed the empirical success of the first-order gradient penalty on other GAN variants, such as the SGAN or LSGAN, while Bellemare et al. (2017); Mroueh et al. (2018) and Adler & Lunz (2018) consider bounding the energy in the critic's gradients correspond to Sobolev constraint spaces.



(a) Wasserstein GAN (b) GMMN (c) **PolyGANs (Ours)**

Figure 1: (Color online) A comparison of generative model architectures. (a) WGAN (Arjovsky et al., 2017) trains discriminator and generator networks with the Wasserstein loss; (b) A generative moment matching network (GMMN) (Li et al., 2015) trains the generator with the closed-form maximum-mean discrepancy loss computed on a batch of samples; and (c) The proposed Poly-LSGAN/Poly-WGAN architecture uses a polyharmonic radial basis function discriminator whose weights and centers are computed based on batches of samples, whereas the generator is trained employing standard GAN losses.

Kernel-based GANs: Gretton et al. (2012) showed that the minimization of IPM losses linked to reproducing-kernel Hilbert space (RHKS) can be replaced equivalently with the minimization of kernel-based statistics. Based on this connection, Li et al. (2015) introduced generative moment matching networks (GMMNs) that minimize the the maximum-mean discrepancy (MMD) between the target and generator distributions using the RBF Gaussian (RBFG) and inverse multiquadric (IMQ) kernels. Li et al. (2017a) extended the GMMN formulation to MMD-GANs, wherein a network leans lower-dimensional embedding of the data, over which the MMD is computed. Bińkowski et al. (2018) and Arbel et al. (2018) have also incorporated gradient-based regularizers in MMD-GANs, while Wang et al. (2019) enforce a repulsive loss formulation to stabilize training. Closed-form approaches such as GMMNs benefit from stable convergence of the generator, brought about by the lack of adversarial training. A series of works by Li et al. (2017b); Zhang et al. (2018); Daskalakis et al. (2018) and Wu et al. (2020) have shown that employing the optimal discriminator in each step improves and stabilizes the generator training, while Pinetz et al. (2018); Korotin et al. (2022) showed that in most practical settings, the networks in GAN do not accurately learn the desired divergences or IPMs.

Our Motivation: In this paper, we strengthen the understanding of the optimal GAN discriminator by drawing connections between IPM- and divergence-based GANs, kernel-based discriminators, and high-dimensional interpolation. For divergence-minimizing GANs, the ideal classifier between the reals and fakes is a piecewise-constant function. However, such a discriminator model would be impractical for training as explained in the following. The gradient of the discriminator would comprise a sum of dirac-delta functions, which is not compatible with backpropagation based learning. Further, as the generator optimization progresses, the generated samples and target samples would get interspersed, causing too many transitions in the discriminator, which severely impacts training due to lack of smooth gradients (Arjovsky et al., 2017). As seen in GAN literature (Rosca et al., 2020), the Lipschitz- and gradient-based constraints enforced on the discriminator provide a trade-off between the accuracy in classification and the smoothness of the learnt discriminator. In the context of interpolation, it is known that the optimization of the interpolant with its higher-order derivatives bounded in L_2 norm has a unique solution (Duchon, 1977; Meinguet, 1979). This has led to successful application of higher-order gradient regularization in image processing tasks such as image interpolation (Tirosh et al., 2006) and super-resolution (Ren et al., 2013). While the first-order penalty has been extensively explored in GAN optimization, consideration of higher-order penalties and the effect of the choice of the order on the learnt function have not been rigorously studied. Given a batch of samples in $\mathbb{R}^n$, the GAN discriminator can be seen as assigning a positive value to the reals and a negative value to the

fakes. Given an unseen sample $\boldsymbol{x}$, the output of a *smooth* discriminator should ideally depend on the values assigned to the points in the neighborhood of $\boldsymbol{x}$, which is precisely what kernel based interpolation achieves. Gradient-regularized least-squares GAN formulation falls within this framework. We establish the connection between the higher-order gradient regularization of the discriminator and interpolation in LSGAN. We also explore extensions of the proposed approach to the WGAN-IPM and analyze the optimum from a functional optimization standpoint.

1.1 The Proposed Approach

This current work extends significantly upon the results developed as part of the **non-archival workshop preprint** Anonymous (2022b), wherein we considered the optimization of the least-squares GAN (LSGAN) discriminator cost, subject to L_2-norm regularization on the mth-order gradients, from a variational calculus standpoint (Section 3). To comply with the *double-blind* review policy, we have included an anonymized version of Anonymous (2022b) as part of the *Supplementary Material*. Our analysis shows that the optimal LSGAN discriminator in the proposed framework involves a polyharmonic radial basis function (RBF) kernel-based interpolator. The proposed approach, referred to as *Poly-LSGAN*, can be implemented via an RBF network for the optimal discriminator whose weights can be computed by solving a system of linear equations. We show experimentally that the Poly-LSGAN algorithm does not scale favorably with the dimensionality of the data, owing to a combinatorial explosion in the number of coefficients, and singularity issues in solving for the weights of the RBFs (Section 4).

To circumvent the issues in Poly-LSGAN (Anonymous, 2022b), we consider WGAN-IPM discriminator loss subjected to the mth-order gradient constraint, in a Lagrangian formulation. The resulting formulation, referred to as *Poly-WGAN*, does not require solving a system of equations to compute the weights. We also show that this formulation is equivalent to solving the IPM GAN optimization with the discriminator constrained to belong to the *Beppo-Levi space*, which is a semi-normed/pseudo-metric space (Section 5). While standard GANs train a network to approximate a chosen metric, kernel based approaches leverage the underlying RKHS structure, from which the norms and MMD kernels are selected. However, as the discriminator is drawn from a semi-normed space, the optimum cannot be readily connected with a kernel-mean statistic, but rather must be determined using *Calculus of Variations*. Across both Poly-LSGAN and Poly-WGAN (jointly called the *PolyGAN* variants), our analysis shows that the optimal discriminators are the solution to elliptic partial differential equations (PDEs), more specifically, the iterated Laplacian/polyharmonic PDE (Section 5.1, Appendices B&C). The closed-form Poly-WGAN discriminator can be represented as an interpolator using the polyharmonic RBF kernel. We propose an implementation of the optimal Poly-WGAN discriminator through the RBF network approximation with predetermined weights and centers (Section 5.2).

Figure 1 compares WGAN, GMMN, and PolyGAN variants. We show that Poly-WGAN outperforms GMMNs, and gradient-penalty-based WGANs in terms of training stability and convergence on multivariate Gaussian and Gaussian mixture learning (Section 6 and Appendix E). Although Poly-WGANs scale favorably in comparison to Poly-LSGAN, the sample-complexity of the RBF-based discriminator remains challenging on high-dimensional image dataset. As a proof-of-concept, we apply Poly-WGAN to latent-space matching with the Wasserstein autoencoder (WAE) (Tolstikhin et al., 2018) (Section 7) and MMD-GAN (Li et al., 2017a) architectures (Appendix F), and show that the proposed RBF discriminator achieves performance improvements over comparable WAE-GAN and WAE-MMD variants in terms of various standard metrics on MNIST (LeCun et al., 1998), CIFAR-10 (Krizhevsky, 2009), CelebA (Liu et al., 2015) and LSUN-Churches (Yu et al., 2016) datasets. Though the proposed PolyGAN formulations are not targeted towards achieving state-of-the-art (SOTA) performance, like those achieved by StyleGANs (Karras et al., 2019; 2020; 2021), they help in understanding the optimal structure and behavior of the gradienft-regulazied GAN discriminators.

2 LSGAN, WGAN and Gradient Penalties

Mao et al. (2017) considered the GAN learning problem where the discriminator and generator networks minimize the least-squares loss. To mimic the classifier nature of the standard GAN (Goodfellow et al., 2014), an $a - b$ coding scheme is used, where a and b are the class labels of the generated samples and target data samples, respectively. On the other hand, the generator is trained to generate samples that are assigned a

class label c by the discriminator. The resulting formulation is as follows:

$$\mathcal{L}_D^{\text{LS}} = \frac{1}{2}\,\mathbb{E}_{\boldsymbol{x}\sim p_d}[(D(\boldsymbol{x})-b)^2] + \frac{1}{2}\,\mathbb{E}_{\boldsymbol{x}\sim p_g}[(D(\boldsymbol{x})-a)^2]\,; \qquad D^*(\boldsymbol{x}) = \arg\min_D \mathcal{L}_D^{\text{LS}},$$

$$\text{and}\;\; \mathcal{L}_G^{\text{LS}} = \frac{1}{2}\,\mathbb{E}_{\boldsymbol{x}\sim p_g}[(D^*(\boldsymbol{x})-c)^2]\,; \qquad p_g^*(\boldsymbol{x}) = \arg\min_{p_g} \mathcal{L}_G^{\text{LS}},$$

where $\mathbb{E}$ denotes the expectation operator. While Mao et al. (2017) show that setting $b-a=2$ and $c-a=1$ lead to the generator minimizing the Pearson-χ^2 divergence, a more intuitive approach is to set $c=b$, which enforces the generator to output samples that are classified as *real* by the discriminator.

Along a parallel vertical, Arjovsky et al. (2017) presented the GAN learning problem as one of *optimal transport*, wherein the critic (or discriminator) minimizes the earth mover's distance or Wasserstein-1 distance between p_d and p_g. Through the Kantorovich–Rubinstein duality, they defined the WGAN discriminator and generator losses as follows:

$$\mathcal{L}_D^W = \mathbb{E}_{\boldsymbol{x}\sim p_g}[D(\boldsymbol{x})] - \mathbb{E}_{\boldsymbol{x}\sim p_d}[D(\boldsymbol{x})],\;\text{and}\;\mathcal{L}_G^W = -\mathcal{L}_D^W,$$

such that $D(\boldsymbol{x})$ is Lipschitz-1. While $\mathcal{L}_D^W$ was first introduced in the context of WGANs, it forms the basis for all IPM based GANs. Arjovsky et al. (2017) clip the discriminator weights to enforce the Lipschitz-1 constraint. Gulrajani et al. (2017) consider the WGAN with a gradient penalty $\mathbb{E}_{\boldsymbol{x}\sim p_{\text{int}}}\left[(\|\nabla D\,(\boldsymbol{x})\,\|_2 - 1)^2\right]$, where p_{int} is an interpolated distribution between p_d and p_g. As noted by Rosca et al. (2020), in general, the gradient penalties in GANs have the form $\Omega_D^R : \mathbb{E}_{\boldsymbol{x}\sim p_r}\left[(\|\nabla D\,(\boldsymbol{x})\,\|_2 - \text{K})^2\right]$, where p_r is the reference density and K is a suitable constant. Setting $\text{K} > 0$ enforces a Lipschitz constraint, while $\text{K} = 0$ promotes the smoothness of the learnt discriminator. For example, Kodali et al. (2017) employed $p_d + \mathcal{N}(\mathbf{0}, \mathbb{I})$, while Mescheder et al. (2018) showed that the regularizer $\Omega_D^R = \mathbb{E}_{\boldsymbol{x}\sim p_r}\left[\|\nabla D(\boldsymbol{x})\|_2^2\right]$ with either $p_r = p_d$ or $p_r = p_g$ (called WGAN-R$_d$ and WGAN-R$_g$, respectively) guarantees local convergence even in the case of discontinuous distributions. Kodali et al. (2017) also show that the gradient regularization improves the empirical performance of LSGAN and other f-GAN variants.

Mroueh et al. (2018) considered a generalization of Ω_D^R for any choice of p_r defined over $\mathbb{R}^n$, giving rise to the class of Sobolev GANs. Petzka et al. (2018) proposed WGAN with Lipschitz penalty (WGAN-LP), which applies a hinge-loss variant of the gradient penalty, while Terjék (2020) proposed WGAN with adversarial LP (WGAN-ALP) to compute the gradient penalty along the direction of maximum error. Anonymous (2022a) considered the first-order gradient-norm penalty, but obtained a closed-form expression for the discriminator given the generator for the case when $p_\mu(\boldsymbol{x})$ is the uniform measure. They employ a Fourier-series approximation for the discriminator and do away with training a discriminator neural network. Adler & Lunz (2018) implemented m^{th}-order generalizations of the cost empirically through a Fourier representation of the cost, but do not explore the theoretical optimum in these scenarios.

We now consider the LSGAN cost subject to high-order gradient regularization, and show that the discriminator optimization is one of high-dimensional interpolation. Helpful background on higher-order derivatives and the *Calculus of Variations* is provided in Appendix A.

3 Regularized LSGAN and Least-squares Interpolation

We consider an mth-order generalization of the gradient constraint considered by Mroueh et al. (2018) and Anonymous (2022a). The constraint is enforced uniformly for all values of $\boldsymbol{x} \in \mathcal{X}$, which is the convex hull of the supports of p_d and p_g (*i.e.,* we set p_r to be the uniform density over $\mathcal{X}$), which can be viewed as interpolating over infinitely many samples drawn from p_d and p_g. The constraint is then given by:

$$\Omega_D : \quad \frac{1}{|\mathcal{X}|}\int_{\mathcal{X}} \|\nabla^m D(\boldsymbol{x})\|_2^2\,\mathrm{d}\boldsymbol{x} = \text{K}, \tag{1}$$

where $\|\nabla^m D(\boldsymbol{x})\|_2^2$ is the square of the norm of gradient vector (cf. Eq. (13), Appendix A. Consistent with literature on high-dimensional interpolation (Duchon, 1977; Meinguet, 1979) and IPM-GANs (Mescheder

et al., 2018; Mroueh et al., 2018), we set $\mathrm{K} = 0$ to enforce a smoothness constraint on the learnt discriminator and accelerate convergence of the training algorithm. The corresponding regularized LSGAN cost is given by:

$$\mathcal{L}_D^{\mathrm{Poly-LS}} = \frac{1}{2}\,\mathbb{E}_{\boldsymbol{x}\sim p_d}[(D(\boldsymbol{x})-b)^2] + \frac{1}{2}\,\mathbb{E}_{\boldsymbol{x}\sim p_g}[(D(\boldsymbol{x})-a)^2] + \lambda_d \int_{\mathcal{X}} \|\nabla^m D(\boldsymbol{x})\|_2^2 \,\mathrm{d}\boldsymbol{x}, \tag{2}$$

where $\lambda_d \geq 0$ is the Lagrange multiplier associated with the gradient penalty.

Consider an N-sample approximation of $\mathcal{L}_D^{\mathrm{LS}}$ in Equation (2), where N_B samples are drawn from p_d and p_g each (therefore, $N = 2N_B$), represented by the dataset batch

$$\mathcal{D} = \big\{(\boldsymbol{c}_i, y_i)\big\}_{i=1}^{N} = \big\{(\boldsymbol{x}_i, b) \mid \boldsymbol{x}_i \sim p_d\big\}_{i=1}^{N_b} \bigcup \big\{(\boldsymbol{x}_j, a) \mid \boldsymbol{x}_j \sim p_g\big\}_{j=1}^{N_b}.$$

The corresponding discriminator optimization problem can be formulated as follows:

$$D^* = \arg\min_{D} \sum_{\substack{i=1 \\ (\boldsymbol{c}_i, y_i)\sim\mathcal{D}}}^{N} \big(D(\boldsymbol{c}_i) - y_i\big)^2 + \lambda_d \int_{\mathcal{X}} \|\nabla^m D(\boldsymbol{x})\|_2^2 \,\mathrm{d}\boldsymbol{x}. \tag{3}$$

The above represents a regularized least-squares interpolation problem. When $\lambda_d = 0$, the optimum D^* is an interpolator that passes through the target points $(\boldsymbol{x}_i, y_i)$ exactly. On the other hand, for positive values of λ_d, the minimization leads to smoother solutions, penalizing sharp transitions in the discriminator. We found out experimentally that $\lambda_d = 10$ results in superior performance. A smoother discriminator allows for more efficient training of the generator (Li et al., 2017b; Xu et al., 2018). The following theorem shows the interpolating nature of the optimal discriminator.

Theorem 3.1. *The **optimal LSGAN discriminator** that minimizes the cost given in Eqn.* (3) *is*

$$D^*(\boldsymbol{x}) = \sum_{\substack{1=i \\ (\boldsymbol{c}_i, y_i)\sim\mathcal{D}}}^{N} w_i \varphi_k\left(\|\boldsymbol{x} - \boldsymbol{c}_i\|\right) + P(\boldsymbol{x}; \boldsymbol{v}), \quad \textit{where} \quad \varphi_k(\boldsymbol{x}) = \begin{cases} \|\boldsymbol{x}\|^k & \textit{for} \;\; k = 1, 3, 5, \cdots \\ \|\boldsymbol{x}\|^k \ln(\|\boldsymbol{x}\|) & \textit{for} \;\; k = 2, 4, 6, \cdots \end{cases} \tag{4}$$

is the polyharmonic radial basis function with the spline order $k = 2m - n$ for a gradient order m, such that $k > 0$, $P(\boldsymbol{x}; \boldsymbol{v}) \in \mathcal{P}_{m-1}^n$ is an $(m-1)^{th}$ order polynomial parametrized by the coefficients $\boldsymbol{v} \in \mathbb{R}^L$; $L = \binom{n+m-1}{m-1}$, $\boldsymbol{x} \in \mathbb{R}^n$, $\mathcal{D} = \{(\boldsymbol{c}_i, y_i)\}$ is the set of real and fake centers about which the polyharmonic RBFs $\varphi_k(\|\cdot\|)$ are localized, $\|\cdot\|$ denotes the ℓ_2 norm. The N weights $\boldsymbol{w} = [w_1, w_2, \ldots, w_N]^{\mathrm{T}}$ and L polynomial coefficients $\boldsymbol{v} = [v_1, v_2, \ldots, v_L]^{\mathrm{T}}$ can be obtained by solving the linear system of equations:

$$\begin{bmatrix} \mathbf{A} + (-1)^m \lambda_d \mathrm{C}_k \mathbf{I} & \mathbf{B} \\ \mathbf{B}^{\mathrm{T}} & \mathbf{0} \end{bmatrix} \begin{bmatrix} \boldsymbol{w} \\ \boldsymbol{v} \end{bmatrix} = \begin{bmatrix} \boldsymbol{y} \\ \mathbf{0} \end{bmatrix} \;, \tag{5}$$

$$\textit{where } [\mathbf{A}]_{i,j} = \varphi_k(\|\boldsymbol{c}_i - \boldsymbol{c}_j\|), \;\; \mathbf{B} = \begin{bmatrix} 1 & 1 & \cdots & 1 \\ \boldsymbol{c}_1 & \boldsymbol{c}_2 & \cdots & \boldsymbol{c}_N \\ \vdots & \vdots & \ddots & \vdots \\ \boldsymbol{c}_1^{m-1} & \boldsymbol{c}_2^{m-1} & \cdots & \boldsymbol{c}_N^{m-1} \end{bmatrix}^{\mathrm{T}}, \textit{and} \;\; \boldsymbol{y} = [y_1, y_2, \cdots, y_N]^{\mathrm{T}},$$

$\mathbf{I}$ is the $N \times N$ identity matrix, and $\boldsymbol{c}_i^j$ is a vector of all j^{th} order monomials of $\boldsymbol{c}_i$. The matrix B is required to be full-rank for invertibility, and C_k is a constant that depends only on the order k.

Proof. The proof follows by applying the Euler-Lagrange equation from the *Calculus of Variations* to the cost in Equation (3), which yields the following differential equation that the optimal discriminator satisfies:

$$\left(\sum_{i=1}^{N} (D(\boldsymbol{x}) - y_i)\delta(\boldsymbol{x} - \boldsymbol{c}_i)\right) + (-1)^m \lambda_d \Delta^m D(\boldsymbol{x}) \;\; \Big|_{D=D^*(\boldsymbol{x})} = 0$$

The solution to the above PDE constitutes polyharmonic sum which is the particular solution, and the polynomial component which represent the homogeneous component, *i.e.,* solutions to $\Delta^m f(\boldsymbol{x}) = 0$ (Iske, 2004). Substituting the optimal discriminator into the loss in Equation 3 yields the family of equations that the optimal weights and polynomial coefficients satisfy. The detail provided in Appendix B. For $k \leq 0$, the system of equations does not have a solution, as $[\mathbf{A}]_{i,i} \to \infty$. Owing to the polyharmonic radial basis kernel, the proposed approach is referred to as *Poly-LSGAN.* □

4 Experimental Evaluation with Poly-LSGAN

We evaluate the optimal Poly-LSGAN discriminator on learning synthetic 2-D Gaussian and Gaussian mixture models (GMMs), and subsequently discuss extensions to learning images. While detailed discussions are provided in Appendices E.1 and F.1, we summarize the observations here. We compare against the base LSGAN (Mao et al., 2017), and LSGAN subjected to the gradient penalty (GP) (Gulrajani et al., 2017) , R_d and R_g (Mescheder et al., 2018), Lipschitz penalty (LP) (Petzka et al., 2018) and the DRAGAN (Roth et al., 2017) regularizers. On the unimodal and multimodal Gaussian learning tasks, using the polyharmonic RBF discriminator results in superior generator performance (lower $\mathcal{W}^{2,2}$ scores). In all scenarios considered, the RBF discriminator learns the perfect classifier, compared to LSGAN with a trainable network discriminator.

For image-space learning, we experiment on MNIST, Fashion-MNIST and CelebA datasets, with the DCGAN (Radford et al., 2016) generator architecture. However, the Poly-LSGAN algorithm does not scale well with the dimensionality of the data. Consider the polyharmonic spline of order $k = 2$ on learning MNIST data, which is 784-dimensional. This requires a $\frac{784+2}{2} - 1 = 392^{\text{nd}}$-degree polynomial consisting of $\mathcal{O}(10^{323})$ coefficients! In general, given N centers in $\mathbb{R}^n$ and gradient order m, solving for the weights and coefficients requires inverting a matrix of size $M = N + \binom{n+m-1}{m-1}$, which requires $\mathcal{O}(M^3)$ computations. For example, given a batch size of $N = 100$ and data in $\mathbb{R}^{128}$, we have $M \approx \mathcal{O}(10^4)$ for $m = 3$, and $M \approx \mathcal{O}(10^5)$ for $m = 4$. However, as the Poly-LSGAN solution is only valid for $k > 0$ or $m > \lceil \frac{n}{2} \rceil$ (cf. Appendix C.5), the problem becomes intractable, with $M \approx \mathcal{O}(10^{51})$ or higher! We therefore restrict the solution to include only 3rd order polynomials. Although clearly sub-optimal, this work-around results in an implementable solution.

The results of training Poly-LSGAN on image datasets are discussed in Appendix F.1. While the underlying structure is learnt, the generated images are far from being realistic and below par compared with standard GAN results. Poly-LSGAN failed to converge as the monomial matrix $\mathbf{B}$ became singular. As noted in the literature on mesh-free interpolation (Iske, 2004), $\mathbf{B}$ must be full-rank, for the system of equations (Eq. (5)) to have a unique solution. This requires the centers $\boldsymbol{c}_i$ to not lie on a subspace/manifold of $\mathbb{R}^n$. However, from the manifold hypothesis (Kelley, 2017; Vershynin, 2018), we know that structured image datasets lie precisely in such low-dimensional manifolds. One possible workaround is to avoid training GANs on images, and instead perform adversarial score matching (Jolicoeur-Martineau et al., 2021). Yet another approach is to not compute the weights through matrix inversion. In the remainder of this paper, we consider the latter approach, wherein we enforce the higher-order gradient constraint on the Wasserstein GAN cost. Through a variational analysis, we show that even in this setting, the links to high-dimensional interpolation hold, but the weights can be computed without the need for solving a system of equations. We therefore focus on WGAN with the higher-order gradient-norm constraint in the remainder of the paper and relegate additional discussion on Poly-LSGAN to Appendix B.

5 WGAN with Higher-order Gradient Constraint

We consider the WGAN-IPM loss, with the mth-order gradient-norm constraint Ω_D as defined in Equation (1). The resulting Lagrangian of the discriminator cost is given by:

$$\mathcal{L}_D^{\text{Poly-W}} = \mathbb{E}_{\boldsymbol{x}\sim p_g}[D(\boldsymbol{x})] - \mathbb{E}_{\boldsymbol{x}\sim p_d}[D(\boldsymbol{x})] + \lambda_d \left(\int_{\mathcal{X}} \|\nabla^m D(\boldsymbol{x})\|_2^2 \, \mathrm{d}\boldsymbol{x} - \mathrm{K}|\mathcal{X}| \right), \tag{6}$$

$$= \int_{\mathcal{X}} \underbrace{D(\boldsymbol{x}) \left(p_g(\boldsymbol{x}) - p_d(\boldsymbol{x})\right) + \lambda_d \left(\|\nabla^m D(\boldsymbol{x})\|_2^2 - \mathrm{K}|\mathcal{X}| \right)}_{\mathcal{F}(D, \partial^{\boldsymbol{\alpha}} D;\, |\boldsymbol{\alpha}|=m)} \mathrm{d}\boldsymbol{x}. \tag{7}$$

where λ_d is the Lagrange multiplier associated with Ω_D, which is optimized as a dual variable. We show in Appendix C.2 that the choice of K simply scales the optimal dual variable λ_d^* by a factor of $\frac{1}{\sqrt{\mathrm{K}}}$, but the optimal generator distribution $p_g^*(\boldsymbol{x})$ remains unaffected.

In addition to the context developed in the case of Poly-LSGAN, in the WGAN-IPM formulation, the proposed constraint, with $\mathrm{K} = 0$, can be seen as restricting solutions to be drawn from the *Beppo-Levi* space $\mathrm{BL}^{m,p}$, which is the space of all functions with m^{th}-order gradients having finite L_p-norms and endowed with

the semi-norm $\|D\|_{\mathrm{BL}^{m,p}} = \|\nabla^m D(\boldsymbol{x})\|_{\mathrm{L}_p}$. Specifically, the mth-order gradient penalty considered in Eq. (6) corresponds to $\mathrm{BL}^{m,2}$. Unlike a norm, the semi-norm does not satisfy the point-separation property, *i.e.,* $\|D\|_{\mathrm{BL}^{m,p}} = 0 \not\Rightarrow D = 0$. Contrast this with the Sobolev space $\mathrm{W}^{m,p}$, which comprises all functions with finite L_p-norms of the gradients *up to* order m, endowed with the norm $\|D\|_{\mathrm{W}^{m,p}} = \sum_{k=0}^{m} \|\nabla^k D(\boldsymbol{x})\|_{\mathrm{L}_p}$. The Sobolev space $\mathrm{W}^{m,p}$ is a Banach space, and for the case of $p = 2$, it is a Hilbert space. The null-space of the Beppo-Levi semi-norm comprises all $(m-1)$-degree polynomials defined over $\mathbb{R}^n$, denoted by $\mathcal{P}^n_{m-1}(\boldsymbol{x})$. The Sobolev semi-norm considered by Mroueh et al. (2018) is the first-order Beppo-Levi semi-norm. Adler & Lunz (2018) consider Sobolev spaces in Banach WGAN and implement the loss through a Bessel potential approach, relying on a Fourier transform of the loss. They provide experimental results, but an in-depth analysis of the discriminator optimization is lacking. We optimize the GAN loss defined in Eq. (6) within a variational framework and choose Beppo-Levi $\mathrm{BL}^{m,2}$ as the constraint space and provide a closed-form solution for the optimal discriminator. Our approach also highlights the interplay between the gradient order m and the dimensionality of the data n, and its influence on the performance of the GAN.

5.1 Optimal Poly-WGAN Discriminator and Generator

Consider the integral form of the **discriminator loss** given in Eq. (6). The following Theorem gives us the optimal Poly-WGAN discriminator.

Theorem 5.1. *The **optimal discriminator** that minimizes the loss $\mathcal{L}_D$ is a solution to the following PDE:*

$$\Delta^m D(\boldsymbol{x}) = \frac{(-1)^{m+1}}{2\lambda_d} \left(p_g(\boldsymbol{x}) - p_d(\boldsymbol{x})\right), \ \forall \ \boldsymbol{x} \in \mathcal{X}, \tag{8}$$

where Δ^m is the polyharmonic operator of order m. The particular solution $D^*_p(\boldsymbol{x})$ is given by

$$D^*_p(\boldsymbol{x}) = \frac{(-1)^{m+1}}{2\lambda_d} \left((p_g - p_d) * \psi_{2m-n}\right)(\boldsymbol{x}), \tag{9}$$

which is a multidimensional convolution with the polyharmonic radial basis function $\psi_{2m-n}(\boldsymbol{x})$, which in turn is the fundamental solution to the polyharmonic equation: $\Delta^m \varrho \psi_{2m-n}(\boldsymbol{x}) = \delta(\boldsymbol{x})$, for some constant ϱ, and is given by

$$\psi_{2m-n}(\boldsymbol{x}) = \begin{cases} \|\boldsymbol{x}\|^{2m-n} & \text{if } \ 2m-n < 0 \ \text{ or } \ n \text{ is odd}, \\ \|\boldsymbol{x}\|^{2m-n} \ln(\|\boldsymbol{x}\|) & \text{if } \ 2m-n \geq 0 \ \text{ and } \ n \text{ is even}, \end{cases} \tag{10}$$

Proof. From the integrand $\mathcal{F}$ in Eq. (7), we have

$$\frac{\partial \mathcal{F}}{\partial D} = p_g(\boldsymbol{x}) - p_d(\boldsymbol{x}), \qquad \text{and} \qquad (-1)^m \sum_{\boldsymbol{\alpha}:|\boldsymbol{\alpha}|=m} \partial^{\boldsymbol{\alpha}} \left(\frac{\partial \mathcal{F}}{\partial(\partial^{\boldsymbol{\alpha}} D)} \right) = (-1)^m 2\lambda_d \Delta^m D.$$

Substituting the above in the Euler-Lagrange condition from the *Calculus of Variations* (Eq. (14)) results in the PDE stated in Eq. (8). The solution to the PDE can be obtained in terms of the solution to the inhomogeneous equation $\Delta^m f(\boldsymbol{x}) = \delta(\boldsymbol{x})$. PDEs of this type have been extensively researched. The book on *Polyharmonic Functions* by Aronszajn et al. (1983) is an authoritative reference on the topic. It has been shown that $\psi_{2m-n}(\boldsymbol{x})$ defined in Eq. (10) is the fundamental solution, up to a constant ϱ. Convolving both sides of Eq. (8) with $\psi_{2m-n}(\boldsymbol{x})$ yields Eq. (9). The value of ϱ for various m and n is given by in Appendix C.1. □

Theorem 5.1 provides the particular solution to the PDE governing the discriminator. As in the case of Poly-LSGAN, the general solution also includes the homogeneous component. The homogeneous component belongs to the null-space $\mathcal{P}^n_{m-1}$ of the Beppo-Levi semi-norm. The general solution to the discriminator is $D^*(\boldsymbol{x}) = D^*_p(\boldsymbol{x}) + P(\boldsymbol{x})$, where $P(\boldsymbol{x}) \in \mathcal{P}^n_{m-1}$. The exact choice of the polynomial depends on the boundary conditions and will be discussed in Appendix C.5. The optimal Lagrange multiplier λ^*_d can be determined by solving the dual optimization problem. A discussion is provided in Appendix C.2. The polyharmonic

function ψ_{2m-n} can be seen as an extension of Poly-LSGAN kernel φ_k that permits negative orders. Since the optimal discriminator does not require any weight computation, the associated singularity of the kernel matrix can be ignored. The optimal GAN discriminator defined in WGAN-FS (Anonymous, 2022a) and Sobolev GANs (Mroueh et al., 2018) are a special case of Theorem 5.2 for $m = 1$.

Obtaining the optimal discriminator is only one-half of the problem, with the optimal generator constituting the other half. It must be shown that the optimal generator indeed learns the target distribution. The optimal discriminator does not immediately cast the generator optimization in the form of divergence minimization or IPM minimization. Recall that there are no explicit constraints on the generator G that ensure that p_g is a valid distribution. The discriminator optimization includes a null space component, thereby not guaranteeing that the optimal generator transform represents a distribution. Hence, additional constraints must be enforced, in particular, the integral constraint $\Omega_p : \int_{\mathcal{X}} p_g(\boldsymbol{x})\mathrm{d}\boldsymbol{x} = 1$, and the point-wise non-negativity constraint $\Phi_p : p_g(\boldsymbol{x}) \geq 0,\ \forall\ \boldsymbol{x} \in \mathcal{X}$. While Ω_p readily fits into the Euler-Lagrange framework, Φ_p must be cast into an integral form with a point-wise Lagrange multiplier function $\mu_p(\boldsymbol{x}) : \mathcal{X} \to \mathbb{R}_-$, where $\mathbb{R}_-$ is the set of negative real numbers. Effectively, $\mu_p(\boldsymbol{x}) \leq 0\ \forall\ \boldsymbol{x} \in \mathcal{X}$ (Gelfand & Fomin, 1964), which yields the Lagrangian of the **generator loss function**:

$$\mathcal{L}_G = \mathbb{E}_{\boldsymbol{x}\sim p_d}[D^*(\boldsymbol{x})] - \mathbb{E}_{\boldsymbol{x}\sim p_g}[D^*(\boldsymbol{x})] + \lambda_p \left(\int_{\mathcal{X}} p_g(\boldsymbol{x})\ \mathrm{d}\boldsymbol{x} - 1 \right) + \int_{\mathcal{X}} \mu_p(\boldsymbol{x}) p_g(\boldsymbol{x})\ \mathrm{d}\boldsymbol{x}, \tag{11}$$

where $\lambda_p \in \mathbb{R}$ and $\mu_p(\boldsymbol{x})$ are the Lagrange multipliers. The following theorem specifies the optimal generator density that minimizes $\mathcal{L}_G$ given the optimal discriminator.

Theorem 5.2. ***Optimal generator density****: Consider the minimization of the generator loss $\mathcal{L}_G$. The optimal generator density is given by $p_g^*(\boldsymbol{x}) = p_d(\boldsymbol{x}),\ \forall\ \boldsymbol{x} \in \mathcal{X}$. The optimal Lagrange multipliers are*

$$\lambda_p^* \in \mathbb{R} \quad \textit{and} \quad \mu_p(\boldsymbol{x}) = \begin{cases} 0, & \forall\ \boldsymbol{x} :\ p_d(\boldsymbol{x}) > 0, \\ Q(\boldsymbol{x}) \in \mathcal{P}_{m-1}^n(\boldsymbol{x}), & \forall\ \boldsymbol{x} :\ p_d(\boldsymbol{x}) = 0, \end{cases}$$

respectively, where $Q(\boldsymbol{x})$ is a non-positive polynomial of degree $m-1$, i.e., $Q(\boldsymbol{x}) \leq 0\ \forall\ \boldsymbol{x}$, such that $p_d(\boldsymbol{x}) = 0$. The solution is valid for all choices of the homogeneous component $P(\boldsymbol{x}) \in \mathcal{P}_{m-1}^n(\boldsymbol{x})$ in the optimal discriminator.

Proof. As the cost function involves convolution terms, the Euler-Lagrange condition cannot be applied readily, and the optimum must be derived using the *Fundamental Lemma of Calculus of Variations* (Gelfand & Fomin, 1964), as in the case of WGAN-FS (Anonymous, 2022a).

Consider the Lagrangian of the generator loss $\mathcal{L}_G$. Enforcing the first-order necessary conditions for a minimizer of the cost yields the following equation that the optimum solution $p_g^*(\boldsymbol{x})$ satisfies the equation $p_g^*(\boldsymbol{x}) = p_d(\boldsymbol{x}) + \left(\frac{\lambda_d^*}{\xi}\right) \Delta^m \mu_p(\boldsymbol{x})$. It is clear from the above solution that the optimum, $p_g^*(\boldsymbol{x})$, does not depend on the choice of the homogeneous component $P(\boldsymbol{x})$ in the optimal discriminator. The optimal Lagrange multipliers can be determined through dual optimization and enforcing the complementary slackness condition to obtain the result in Theorem 5.2. The detailed proof is provided in Appendix C.3. □

5.2 Practical Considerations

The closed-form discriminator in Equation (9) involves multidimensional convolution in a high-dimensional space. For instance, considering MNIST database with 28×28 size images, the convolution must be carried out in $\mathbb{R}^{784}$! Further, since closed-form expressions for p_g and p_d are not available in practice, the convolutions cannot be computed. A practical alternative is needed, for which we propose a sample approximation to $D^*(\boldsymbol{x})$, which also links well with other kernel-based generative models such as GMMNs.The following lemma presents an implementable form of the optimal discriminator.

Lemma 5.3. *The particular optimal discriminator $D_p^*(\boldsymbol{x})$ given in Eq. (9) can be approximated through the following sample estimate:*

$$\tilde{D}_p^*(\boldsymbol{x}) = \underbrace{\frac{\xi}{\lambda_d^* N} \sum_{\boldsymbol{c}_i \sim p_g} \psi_{2m-n}(\boldsymbol{x} - \boldsymbol{c}_i)}_{S_{p_g}} - \underbrace{\frac{\xi}{\lambda_d^* N} \sum_{\boldsymbol{c}_j \sim p_d} \psi_{2m-n}(\boldsymbol{x} - \boldsymbol{c}_j)}_{S_{p_d}} \tag{12}$$

where ψ_{2m-n} is the polyharmonic kernel, as described in Eq. 10.

Lemma 5.3 shows that the sample approximation of Poly-WGAN discriminator can be implemented through an RBF network. The proof is given in Appendix C.4. Incorporating the homogeneous component in the solution becomes impractical in higher dimensions. However, by virtue of Theorem 5.2 and the first-order methods employed in updating the generator parameters, we argue that not incorporating the homogeneous component is not too detrimental to GAN optimization. Therefore, we set (*i.e.,* set $P(\boldsymbol{x}) = \boldsymbol{0}$). This argument is presented in Appendix C.5. We observe that $\tilde{D}_p^*(\boldsymbol{x})$ comprises the difference between two RBF interpolations: S_{p_d} operating entirely on the real data ($\boldsymbol{c}_i \sim p_d$), and S_{p_g} operating on the fake ones ($\boldsymbol{c}_j \sim p_g$). For a test sample $\boldsymbol{x}$ drawn from the generator, the value of S_{p_g} is smaller than S_{p_d} with a high probability, and vice versa for samples drawn from p_d. A reasonable generator should output samples that result in a lower value for S_{p_d} than S_{p_g}, and eventually, over the course of learning, *transport* p_g towards p_d, *i.e.,* $S_{p_g} \to S_{p_d} \Rightarrow \tilde{D}_p^*(\boldsymbol{x}) \to 0$. To the best of our knowledge, the only related work where a RBF network has been used for the discriminator is that of Hu et al. (2020), who solved 2-D flow-field reconstruction problems.

6 Experimental Validation on Synthetic Data

We now compare Poly-WGAN with the following baselines: WGAN-GP, WGAN-LP, WGAN-ALP, WGAN-R$_d$ and WGAN-R$_g$ variants of WGANs; and GMMN with the Gaussian (GMMN-RBFG) and the inverse multiquadric (GMMN-IMQ) kernels (cf. Section 2).

6.1 Two-dimensional Gaussian Learning

To serve as an illustration, consider the tasks of learning 2-D unimodal and multimodal Gaussian distributions. The data preparation and network architectures are described in Appendix D.2. For performance quantification, we use the Wasserstein-2 distance between the target and generator distributions $\big(\mathcal{W}^{2,2}(p_d, p_g)\big)$. Figure 2(a) shows $\mathcal{W}^{2,2}(p_d, p_g)$ versus the iteration count, on the 2-D Gaussian learning task. Two variants of Poly-WGAN were considered, one with $m = 1$ and the other with $m = 2$. In both cases, the convergence of Poly-WGAN is about two times faster than WGAN-R$_d$, which is the best performing baseline. Figure 2(b) shows $\mathcal{W}^{2,2}(p_d, p_g)$ as a function of iterations for GMM learning. Again, Poly-WGAN converges faster than the baselines and to a better score (lower $\mathcal{W}^{2,2}(p_d, p_g)$ value). Images comparing the performance of the GAN models are included in Appendix E.2.

Choice of the Gradient Order: Figure 2(e) shows the Wasserstein-2 distance $\mathcal{W}^{2,2}(p_d, p_g)$ for Poly-WGAN as a function of iterations for various m. We observe that $m = \frac{n}{2} = 1$ is the fastest in terms of convergence speed, while penalties up to order $m = 6$ also result in favorable convergence behavior. For values of m such that $2m - n \geq 10$, we encountered numerical instability issues. In view of these findings, we suggest $m \approx \lceil \frac{n}{2} \rceil$. A discussion on why this choice of m is also theoretically sound, based on the *Sobolev embedding theorem*, is given in Appendix C.5. Poly-WGAN with $m = 1$ is also robust to the choice of the learning rate parameter. For instance, it converges stably even for learning rates as high as 10^{-1}.

6.2 Higher-dimensional Gaussian Learning

Next, we demonstrate the success of Poly-WGANs in a high-dimensional setting. The target distribution is the Gaussian $\mathcal{N}(0.7\mathbf{1}_n, 0.2\,\mathbb{I}_n)$, where $\mathbf{1}_2$ is the 2-D vector of ones, and $\mathbb{I}_2$ is the 2×2 identity matrix. To consider both even and odd variants of the polyharmonic solution, we perform two experiments, one with $n = 16$ and the other with $n = 63$. We also analyze the effect of varying m for the case when $n = 6$.



Figure 2: (Color online) Training GAN variants on multivariate Gaussians. Wasserstein-2 distance between the data and generator distributions $\left(\mathcal{W}^{2,2}(p_d, p_g)\right)$ on learning (a) a 2-D Gaussian; (b) a 2-D Gaussian mixture; (c) a 16-D Gaussian; (d) a 63-D Gaussian; (e) a 2-D Gaussian using Poly-WGAN for various m; and (f) a 6-D Gaussian using Poly-WGAN for various m. The legend is common to Figures (a)-(d). $\mathcal{W}^{2,2}$ based comparison shows that Poly-WGAN outperforms the WGAN variants and the GMMN baselines in all the scenarios considered. Among Poly-WGAN variants, the performance is the best for $m = \lceil \frac{n}{2} \rceil$.

The generator has the DCGAN architecture (Radford et al., 2016), while the other training parameters and architectures are identical to the 2-D learning scenario (cf. Appendix D.2). The convergence is measured in terms of the Wasserstein-2 distance, $\mathcal{W}^{2,2}(p_d, p_g)$. Figure 2(f) shows $\mathcal{W}^{2,2}$ as a function of iterations for Poly-WGAN learning for various m. We observe that $m = \frac{n}{2}$ performs the best, as suggested by the theoretical analysis in Section 5.2. Similar to the 2-D Gaussian case, numerical instability was encountered for $2m - n \geq 10$. The instability can be overcome to a certain extent by reducing the learning rate, but at the expense of slow training. Therefore, we consider $m = \lceil \frac{n}{2} \rceil$ as the most stable choice in the subsequent experiments. Figures 2(c) & (d) present the results for learning on 16-D and 63-D Gaussians, respectively, where Poly-WGAN with $\lceil \frac{n}{2} \rceil^{th}$-order penalty outperforms the baselines, converging by an order of magnitude faster in both cases.

7 Experimental Validation on Standard Image Datasets

We now apply the Poly-WGAN framework to benchmark image datasets considering image- and latent-space matching. Akin to kernel based methods, Poly-WGAN is also affected by the *curse of dimensionality* (Bellman, 1957). Our aim is to develop a better understanding of the optimal discriminator in GANs and gain deeper insights, and not necessarily to outperform state-of-the-art generative techniques such as StyleGAN (Karras

Table 1: A comparison of the WAE variants including PolyGAN-WAE in terms of Fréchet inception distance (FID). While WAE-GAN and WAAE-LP have a trainable discriminator, WAE-MMD, SWAE and CWAE use closed-form kernel functions. PolyGAN-WAE attains the optimal discriminator in closed form, while overcoming the instabilities of computing the Fourier-series expansions in WAEFR. PolyGAN-WAE achieves the best (lowest) FID compared to the baseline latent-space matching variants.

WAE flavor	MNIST	CIFAR-10	CelebA	LSUN-Churches
WAE-GAN	21.6762	123.8843	42.9431	161.3421
WAAE-LP	21.2401	110.2232	43.5090	160.4971
WAE-MMD (RBFG)	51.2025	143.7128	56.0618	160.4867
WAE-MMD (IMQ)	25.9116	106.1817	43.6560	155.9920
SWAE	28.7962	107.4853	51.0265	195.6828
CWAE	25.0545	108.4172	44.8659	170.9388
WAEFR	21.2387	100.7347	38.3044	156.2485
PolyGAN-WAE	**17.2273**	**97.3268**	**34.1568**	**139.6939**

et al., 2021) or Diffusion models (Ho et al., 2020). Therefore, to demonstrate the feasibility of implementing the optimal discriminator, as opposed to designing networks in an uninformed way, we compare the RBF discriminator against comparable latent-space learning algorithms. There are two approaches to learning the latent-space representation in GANs – by introducing an encoder in the generator, or by introducing an encoder in the discriminator. In the image-space setting, Poly-WGAN converges faster and outperforms GMMN variants in terms of FID, although both variants generate images of poor visual quality. The experiments are presented in Appendix F.2.

Latent-space encoders and GANs: Encoding networks were originally introduced in a GAN setting in the context of adversarial autoencoders (AAEs) (Makhzani et al., 2015) considering the Jensen-Shannon divergence (JSD) between the target standard Gaussian $p_z \sim \mathcal{N}(\mathbf{0}, \mathbb{I})$ and the latent distribution of data p_{d_ℓ}. A generalization incorporating Wasserstein costs was presented in the Wasserstein autoencoder (WAE) (Tolstikhin et al., 2018), where the generator also plays the role of an encoder network and the discriminator is an IPM between p_{d_ℓ} (the *fake* class) and p_z (the *real* class). The decoder network learns a mapping from the latent space to the image space. Training the encoder-decoder pair in WAEs is a stable alternative to training GANs in the image space (Khayatkhoei et al., 2018; Pinetz et al., 2020; Feng et al., 2021). Tolstikhin et al. (2018); Patrini et al. (2018); Kolouri et al. (2019) and Gong et al. (2021) also consider kernel-based metrics to improve computational efficiency. We compare the performance of PolyGAN approach applied to WAE (PolyGAN-WAE) against the following baselines — WAE-GAN with the JSD based discriminator cost (Tolstikhin et al., 2018), the Wasserstein adversarial autoencoder with the Lipschitz penalty (WAAE-LP) (Anonymous, 2022a), WAE-MMD with RBFG and IMQ kernels (Tolstikhin et al., 2018), the sliced WAE (SWAE) (Kolouri et al., 2019), the Cramér-Wold autoencoder (CWAE) (Knop et al., 2020) and WAE with a Fourier-series representation for the discriminator (WAEFR) (Anonymous, 2022a). While WAE-GAN and WAAE-LP have a trainable discriminator network, the other variants use kernel metrics between p_z and p_{d_ℓ}.



Figure 3: (Color online) Images generated by PolyGAN-WAE upon decoding Gaussian distributed inputs.

An alternative to encoding in the generator space, is to learn latents representations of the real and fake images by an autoencoder discriminator architecture, as proposed in MMD-GANs by Li et al. (2017a). The need for adversarial training in the MMD-GAN discriminator results in less stable training in comparison with the MMD kernel-based methods in WAE. We therefore carry out experiments on the WAE formulation here, and provide comparisons with MMD-GAN in terms of FID and time-complexity in Appendix F.4.

7.1 Experimentation on Wasserstein Autoencoders

We consider four image datasets: MNIST, CIFAR-10, CelebA, and LSUN-Churches. The learning parameters are identical to those reported by Knop et al. (2020), while the network architectures are described in Appendix D.2. We consider a 16-D latent space for MNIST, 64-D for CIFAR-10, and 128-D for CelebA and LSUN-Churches. PolyGAN-WAE uses $m = \lceil \frac{n}{2} \rceil$ in all the cases. The performance metrics considered are Fréchet inception distance (FID) (Heusel et al., 2018), kernel inception distance (KID) (Bińkowski et al., 2018), image sharpness (Arjovsky et al., 2017) and reconstruction error $\langle RE \rangle$. We present FID comparisons here, while the other metrics are compared in Appendix F.2.

Figure 3 presents examples of images generated by PolyGAN-WAE when decoding samples drawn from the target latent distribution. Table 8 presents the FID of the best case converged models. We reiterate that, while these experiments are not designed to compete against state-of-the-art GANs, they compare the performance of applying a network- or kernel-based discriminator agains the RBF approach. PolyGAN-WAE outperforms the baseline WAEs in terms of FID on all datasets, with about 20% improvement on low-dimensional data such as MNIST. All the models considered failed to generate good quality images when trained on multi-class CIFAR-10, whereas SWAE failed to generate meaningful results on LSUN-Churches.

8 Discussion and Conclusions

Considering the LSGAN frameworks, we showed that the GAN discriminator effectively functions as a high-dimensional interpolator involving the polyharmonic kernel. While Poly-LSGAN precisely matches the interpolation schemes, limitations in computing the inverse of very large matrices, and singularity issues potentially caused due to the manifold structure of images, made the approach impractical. We then extended the formulation to the WGAN-IPM, and showed that the interpolating nature of the optimal discriminator continues to hold. Poly-WGAN lies at the intersection between IPM based GANs and RKHS based MMD kernel losses, where the loss constrains the discriminator to come from the semi-normed *Beppo-Levi* space. Through a variational optimization, we showed that the optimal discriminator in both variants is the solution to an iterated Laplacian PDE, involving the polyharmonic RBF. We explored implementations of the *one-shot* optimal RBF discriminator and demonstrated speed up in GAN convergence, compared to both gradient-penalty based GANs and kernel based GMMNs in terms of standard convergence metrics such as $\mathcal{W}^{2,2}$. However, scaling the RBF discriminator to classify images in high-dimensional settings becomes impractical as the number of centers required in $\mathbb{R}^n$ grows as n (Tavkhelidze, 2007). We therefore restricted the discriminator to work on the latent-space distribution of the data, learnt by a Wasserstein autoencoder, which reduces the dimensionality from $\mathcal{O}\left(10^6\right)$ to $\mathcal{O}\left(10^2\right)$ (cf. Section 7). While this PolyGAN-WAE framework does not outperform top-end high-resolution GAN architectures with massive compute requirements, such as StyleGAN (Karras et al., 2019; 2020; 2021) or vector quantized GANs (VQGAN) (Esser et al., 2021; Yu et al., 2022) in terms of the image quality or FID, it does outperform alternative WAE frameworks that deploy Cramér-Wold or sliced Wasserstein metric based losses. A key takeaway is that the proposed approach results in superior FID and convergence performance with a closed-form optimal discriminator as opposed to trainable discriminators or MMD based losses.

Developing improved algorithms to compute the optimal closed-form discriminator in high-dimensional spaces is a promising direction of research. Alternatives to the finite-sample RBF estimate, such as efficient mesh-free sampling strategies (Iske, 2004), or numerical PDE solvers (Ho et al., 2020; Song et al., 2021) could also be employed. The *curse of dimensionality* encountered in scaling PolyGAN variants to high-dimensional data could be circumvented by employing separable kernels for interpolation (Debarre et al., 2019). Higher-order gradient regularizers could also be incorporated into other popular GAN frameworks.

References

M. Abadi et al. TensorFlow: Large-scale machine learning on heterogeneous distributed systems. *arXiv preprint, arXiv:1603.04467*, Mar. 2016. URL `https://arxiv.org/abs/1603.04467`.

J. Adler and S. Lunz. Banach Wasserstein GAN. In *Advances in Neural Information Processing Systems 31*, pp. 6754–6763, 2018.

Anonymous. Euler-Lagrange analysis of generative adversarial networks. *Revised manuscript under review at Journal of Machine Learning Research*, 2022a.

Anonymous. LSGANs with gradient regularizers are smooth high-dimensional interpolators. In *Proceedings of "INTERPOLATE: The First Workshop on Interpolation Regulaizers and Beyond" at NeurIPS*, 2022b.

M. Arbel, D. Sutherland, M. Bińkowski, and A. Gretton. On gradient regularizers for MMD GANs. In *Advances in Neural Information Processing Systems 31*, pp. 6700–6710, 2018.

M. Arjovsky and L. Bottou. Towards principled methods for training generative adversarial networks. *arXiv preprints, arXiv:1701.04862*, 2017. URL `https://arxiv.org/abs/1701.04862`.

M. Arjovsky, S. Chintala, and L. Bottou. Wasserstein generative adversarial networks. In *Proceedings of the 34th International Conference on Machine Learning*, pp. 214–223, 2017.

N. Aronszajn, T. M. Creese, and L. J. Lipkin. *Polyharmonic Functions*. Oxford University Press, 1983.

R. K. Beatson, H. Q. Bui, and J. Levesley. Embeddings of Beppo–Levi spaces in Hölder–Zygmund spaces, and a new method for radial basis function interpolation error estimates. *Journal of Approximation Theory*, 137:166âĂŞ178, Dec 2005.

M. G. Bellemare, I. Danihelka, W. Dabney, S. Mohamed, B. Lakshminarayanan, S. Hoyer, and R. Munos. The Cramér distance as a solution to biased Wasserstein gradients. *arXiv preprints, arXiv:1705.10743*, 2017. URL `http://arxiv.org/abs/1705.10743`.

R. Bellman. *Dynamic Programming*. Dover Publications, 1957.

M. Bińkowski, D. J. Sutherland, M. Arbel, and A. Gretton. Demystifying MMD GANs. In *Proceedings of the 6th International Conference on Learning Representations*, 2018.

A. Brock, J. Donahue, and K. Simonyan. Large scale GAN training for high fidelity natural image synthesis. *arXiv preprints, arXiv:1809.11096*, Sep. 2018. URL `https://arxiv.org/abs/1809.11096`.

C. Bunne, D. Alvarez-Melis, A. Krause, and S. Jegelka. Learning generative models across incomparable spaces. In *Proceedings of the 36th International Conference on Machine Learning*, volume 97, pp. 851–861, Jun 2019.

C. Daskalakis, A. Ilyas, V. Syrgkanis, and H. Zeng. Training GANs with optimism. In *Proceedings of the 6th International Conference on Learning Representations*, 2018.

T. Debarre, J. Fageot, H. Gupta, and M. Unser. B-spline-based exact discretization of continuous-domain inverse problems with generalized TV regularization. *IEEE Transactions on Information Theory*, 65(7): 4457–4470, 2019.

J. Deng, W. Dong, R. Socher, L.-J. Li, K. Li, and L. Fei-Fei. ImageNet: A large-scale hierarchical image database. In *The IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2009.

J. Duchon. Splines minimizing rotation-invariant semi-norms in Sobolev spaces. In *Constructive Theory of Functions of Several Variables*, pp. 85–100. Springer, 1977.

P. Esser, R. Rombach, and B. Ommer. Taming transformers for high-resolution image synthesis. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, June 2021.

G. E Fasshauer. *Meshfree Approximation Methods with MATLAB*. World Scientific, 2007.

W. Fedus, M. Rosca, B. Lakshminarayanan, A. M. Dai, S. Mohamed, and I. Goodfellow. Many paths to equilibrium: GANs do not need to decrease a divergence at every step. In *Proceedings of the 6th International Conference on Learning Representations*, 2018.

R. Feng, Z. Lin, J. Zhu, D. Zhao, J. Zhou, and Z.-J. Zha. Uncertainty principles of encoding GANs. In *Proceedings of the 38th International Conference on Machine Learning*, pp. 3240–3251, Jul 2021.

R. Flamary et al. POT: Python optimal transport. *Journal of Machine Learning Research*, 22(78):1–8, 2021. URL `http://jmlr.org/papers/v22/20-451.html`.

I. M. Gelfand and S. V. Fomin. *Calculus of Variations*. Prentice-Hall, 1964.

W. Gong, Y. Li, and J. M. Hernández-Lobato. Sliced kernelized stein discrepancy. In *International Conference on Learning Representations*, 2021. URL `https://openreview.net/forum?id=t0TaKv0Gx6Z`.

I. Goodfellow, J. Pouget-Abadie, M. Mirza, B. Xu, D. Warde-Farley, S. Ozair, A. C. Courville, and Y. Bengio. Generative adversarial nets. In *Advances in Neural Information Processing Systems 27*, pp. 2672–2680, 2014.

A. Gretton, K. M. Borgwardt, M. J. Rasch, B. Schölkopf, and A. Smola. A kernel two-sample test. *Journal of Machine Learning Research*, 13(25):723–773, 2012.

I. Gulrajani, F. Ahmed, M. Arjovsky, V. Dumoulin, and A. C. Courville. Improved training of Wasserstein GANs. In *Advances in Neural Information Processing Systems 30*, pp. 5767–5777, 2017.

M. Heusel, H. Ramsauer, T. Unterthiner, B. Nessler, and S. Hochreiter. GANs trained by a two time-scale update rule converge to a local Nash equilibrium. *arXiv preprints, arXiv:1706.08500*, 2018. URL `https://arxiv.org/abs/1706.08500`.

J. Ho, A. Jain, and P. Abbeel. Denoising diffusion probabilistic models. *arXiv preprint arxiv:2006.11239*, 2020.

L. Hu, W. Wang, Y. Xiang, and J. Zhang. Flow field reconstructions with GANs based on radial basis functions. *arXiv preprints, arXiv:2009.02285*, 2020. URL `http://arxiv.org/abs/2009.02285`.

S. Ioffe and C. Szegedy. Batch normalization: Accelerating deep network training by reducing internal covariate shift. In *Proceedings of the 32nd International Conference on Machine Learning*, volume 37, pp. 448–456, Jul 2015.

A. Iske. Multiresolution methods in scattered data modelling. In *Lecture Notes in Computational Science and Engineering*, 2004.

A. Jolicoeur-Martineau, R.i Piché-Taillefer, I. Mitliagkas, and R. Tachet des Combes. Adversarial score matching and improved sampling for image generation. In *International Conference on Learning Representations*, 2021. URL `https://openreview.net/forum?id=eLfqMl3z3lq`.

T. Karras, M. Aittala, J. Hellsten, S. Laine, J. Lehtinen, and T. Aila. Training generative adversarial networks with limited data. In *Advances in Neural Information Processing Systems 33*, 2020.

T. Karras et al. Alias-free generative adversarial networks, 2021.

Tero Karras, Samuli Laine, and Timo Aila. A style-based generator architecture for generative adversarial networks. In *The IEEE/CVF Conference on Computer Vision and Pattern Recognition*, June 2019.

J. L. Kelley. *General Topology*. Courier Dover Publications, Inc., 2017.

M. Khayatkhoei, M. K. Singh, and A. Elgammal. Disconnected manifold learning for generative adversarial networks. In *Advances in Neural Information Processing Systems 31*, pp. 7343–7353, 2018.

D. P. Kingma and J. Ba. Adam: A method for stochastic optimization. In *Proceedings of the 3rd International Conference on Learning Representations*, 2015.

S. Knop, P. Spurek, J. Tabor, I. Podolak, M. Mazur, and S. Jastrzębski. Cramér-Wold autoencoder. *Journal of Machine Learning Research*, 21(164):1–28, 2020.

N. Kodali, J. D. Abernethy, J. Hays, and Z. Kira. On convergence and stability of GANs. *arXiv preprint, arXiv:1705.07215*, May 2017. URL http://arxiv.org/abs/1705.07215.

S. Kolouri, P. E. Pope, C. E. Martin, and G. K. Rohde. Sliced Wasserstein auto-encoders. In *Proceedings of the 7th International Conference on Learning Representations*, 2019.

Alexander Korotin, Alexander Kolesov, and Evgeny Burnaev. Kantorovich strikes back! Wasserstein GANs are not optimal transport? In *Thirty-sixth Conference on Neural Information Processing Systems Datasets and Benchmarks Track*, 2022.

A. Krizhevsky. Learning multiple layers of features from tiny images. *Master's thesis, University of Toronto*, 2009. URL http://www.cs.toronto.edu/%7Ekriz/learning-features-2009-TR.pdf.

Y. LeCun, L. Bottou, Y. Bengio, and P. Haffner. Gradient-based learning applied to document recognition. *Proceedings of the IEEE*, 86(11):2278–2324, 1998.

C. L. Li, W. C. Chang, Y. Cheng, Y. Yang, and B. Poczos. MMD GAN: Towards deeper understanding of moment matching network. In *Advances in Neural Information Processing Systems 30*, pp. 2203–2213, 2017a.

J. Li, A. Madry, J. Peebles, and L. Schmidt. Towards understanding the dynamics of generative adversarial networks. *arXiv preprints, arXiv:1706.09884*, 2017b. URL http://arxiv.org/abs/1706.09884.

Y. Li, K. Swersky, and R. Zemel. Generative moment matching networks. In *Proceedings of the 32nd International Conference on Machine Learning*, pp. 1718–1727, Jul 2015.

T. Liang. How well generative adversarial networks learn distributions. *Journal of Machine Learning Research*, 22(228):1–41, 2021. URL http://jmlr.org/papers/v22/20-911.html.

Z. Liu, P. Luo, X. Wang, and X. Tang. Deep learning face attributes in the wild. In *Proceedings of International Conference on Computer Vision*, 2015.

A. Makhzani, J. Shlens, N. Jaitly, I. Goodfellow, and B. Frey. Adversarial autoencoders. *arXiv preprints, arXiv:1511.05644*, Nov. 2015. URL https://arxiv.org/abs/1511.05644.

X. Mao, Q. Li, H. Xie, R. Y. K. Lau, Z. Wang, and S. P. Smolley. Least squares generative adversarial networks. In *Proceedings of International Conference on Computer Vision*, 2017.

J. Meinguet. Multivariate interpolation at arbitrary points made simple. *Journal of Applied Mathematics and Physics (ZAMP)*, 30(2):292–304, 1979.

L. Mescheder, A. Geiger, and S. Nowozin. Which training methods for GANs do actually converge? In *Proceedings of the 35th International Conference on Machine Learning*, volume 80, pp. 3481–3490, 2018.

T. Miyato, T. Kataoka, M. Koyama, and Y. Yoshida. Spectral normalization for generative adversarial networks. In *Proceedings of the 6th International Conference on Learning Representations*, 2018.

Y. Mroueh and T. Sercu. Fisher GAN. In *Advances in Neural Information Processing Systems 30*, pp. 2513–2523, 2017.

Y. Mroueh, C. Li, T. Sercu, A. Raj, and Y. Cheng. Sobolev GAN. In *Proceedings of the 6th International Conference on Learning Representations*, 2018.

S. Nowozin, B. Cseke, and R. Tomioka. f-GAN: Training generative neural samplers using variational divergence minimization. In *Advances in Neural Information Processing Systems 29*, 2016.

G. Parmar, R. Zhang, and J.-Y. Zhu. On buggy resizing libraries and surprising subtleties in FID calculation. *arXiv preprint, arXiv:2104.11222*, abs/2104.11222, April 2021. URL https://arxiv.org/abs/2104.11222.

G. Patrini, R. van den Berg, P. Forré, M. Carioni, S. Bhargav, M. Welling, T. Genewein, and F. Nielsen. Sinkhorn autoencoders, 2018. URL https://arxiv.org/abs/1810.01118.

H. Petzka, A. Fischer, and D. Lukovnikov. On the regularization of Wasserstein GANs. In *Proceedings of the 6th International Conference on Learning Representations*, 2018.

T. Pinetz, D. Soukup, and T. Pock. Impact of the latent space on the ability of GANs to fit the distribution, 2020. URL https://openreview.net/forum?id=Hygy01StvH.

Thomas Pinetz, Daniel Soukup, and Thomas Pock. What is optimized in wasserstein GANs? In *Proceedings of the 23rd Computer Vision Winter Workshop*, 02 2018.

A. Radford, L. Metz, and S. Chintala. Unsupervised representation learning with deep convolutional generative adversarial networks. In *Proceedings of the 4th International Conference on Learning Representations*, 2016.

Z. Ren, C. He, and Q. Zhang. Fractional-order total-variation regularization for image super-resolution. *Signal Processing*, 93(9):2408–2421, 2013.

M. Rosca, T. Weber, A. Gretton, and S. Mohamed. A case for new neural network smoothness constraints. In *Proceedings on "I Can't Believe It's Not Better!" at NeurIPS Workshops*, Proceedings of Machine Learning Research, 12 Dec 2020.

K. Roth, A. Lucchi, S. Nowozin, and T. Hofmann. Stabilizing training of generative adversarial networks through regularization. In *Advances in Neural Information Processing Systems 30*, pp. 2015–2025, 2017.

K. Roth, Y. Kilcher, and T. Hofmann. Adversarial training generalizes data-dependent spectral norm regularization. *arXiv preprint, arXiv:1906.01527*, June 2019. URL https://arxiv.org/abs/1906.01527.

Y. Song, J. Sohl-Dickstein, D. P. Kingma, A. Kumar, S. Ermon, and B. Poole. Score-based generative modeling through stochastic differential equations. In *International Conference on Learning Representations*, 2021. URL https://openreview.net/forum?id=PxTIG12RRHS.

E. M. Stein. *Singular Integrals and Differentiability Properties of Functions*. Princeton University Press, 1970.

C. Szegedy, V. Vanhoucke, S. Ioffe, J. Shlens, and Z. Wojna. Rethinking the inception architecture for computer vision. *arXiv preprint, arXiv:1512.00567*, Dec. 2015. URL https://arxiv.org/abs/1512.00567.

I. Tavkhelidze. On Some Properties of Solutions of Polyharmonic Equation in Polyhedral Angles. *Mathematical Journal*, 14(3):565–580, 2007.

D. Terjék. Adversarial Lipschitz regularization. In *Proceedings of the 8th International Conference on Learning Representations*, 2020.

S. Tirosh, D. V. De Ville, and M. Unser. Polyharmonic smoothing splines and the multidimensional Wiener filtering of fractal-like signals. *IEEE Transactions on Image Processing*, 15(9):2616–2630, 2006.

I. O. Tolstikhin, O. Bousquet, S. Gelly, and B. Schölkopf. Wasserstein auto-encoders. In *Proceedings of the 6th International Conference on Learning Representations*, 2018.

R. Vershynin. *High-Dimensional Probability: An Introduction with Applications in Data Science*. Cambridge Series in Statistical and Probabilistic Mathematics. Cambridge University Press, 2018.

W. Wang, Y. Sun, and S. Halgamuge. Improving MMD-GAN training with repulsive loss function. In *Proceedings of the 7th International Conference on Learning Representations*, 2019.

K. Wu, G. W. Ding, R. Huang, and Y. Yu. On minimax optimality of GANs for robust mean estimation. In *Proceedings of the 23rd International Conference on Artificial Intelligence and Statistics*, volume 108, pp. 4541–4551, Aug 2020.

Z. Xu, C. Li, and S. Jegelka. Robust GANs against dishonest adversaries, 2018. URL `https://arxiv.org/abs/1802.09700`.

F. Yu, A. Seff, Y. Zhang, S. Song, T. Funkhouser, and J. Xiao. LSUN: Construction of a large-scale image dataset using deep learning with humans in the loop. *arXiv preprints, arXiv:1506.03365*, 2016. URL `http://arxiv.org/abs/1506.03365`.

J. Yu, X. Li, J. Y. Koh, H. Zhang, R. Pang, J. Qin, A. Ku, Y. Xu, J. Baldridge, and Y. Wu. Vector-quantized image modeling with improved VQGAN. In *Proceedings of the 10th International Conference on Learning Representations*, 2022.

P. Zhang, Q. Liu, D. Zhou, T. Xu, and X. He. On the discrimination-generalization trade-off in GANs. In *Proceedings of the 6th International Conference on Learning Representations*, 2018.

Appendix

Table of Contents

A Mathematical Preliminaries **19**

B The Optimal Poly-LSGAN Discriminator **20**

C Optimality of Poly-WGAN **22**
C.1 Constants in the Fundamental Solution . . . 22
C.2 Optimal Lagrange Multiplier . . . 23
C.3 Optimal Generator Distribution . . . 26
C.4 Sample Estimate of the Optimal Discriminator . . . 28
C.5 Practical considerations . . . 29

D Implementation Details **29**
D.1 Network Architectures . . . 29
D.2 Training Specifications . . . 34
D.3 Evaluation Metrics . . . 34
D.4 Algorithm . . . 35
D.5 Source Code . . . 35

E Additional Experiments On Gaussians **36**
E.1 Learning 2-D Gaussians with Poly-LSGAN . . . 36
E.2 Learning 2-D Gaussians with Poly-WGAN . . . 37

F Additional Experiments on Images **45**
F.1 Image-space matching with Poly-LSGAN . . . 45
F.2 Image-space matching with Poly-WGAN . . . 45
F.3 Latent-space matching with PolyGAN-WAE . . . 46
F.4 Latent-space Matching with PolyGAN-D . . . 64

Appendix

The Supporting Documents comprise the appendices, anonymized versions of Anonymous (2022a) and Anonymous (2022b) for the reviewers' reference, and the source code for PolyGANs. While Anonymous (2022a) is a revised manuscript currently under review at *Journal of Machine Learning Research*, Anonymous (2022b) has been accepted for publication at the non-archival venue *INTERPOLATE: First workshop on Interpolation Regularizers and Beyond*, NeurIPS 2022. The appendices contain the proofs of the theorems stated in the *Main Manuscript* and results of additional experimentation on synthetic Gaussians and image datasets.

A Mathematical Preliminaries

We recall results from the calculus of variations, which play an important role in the optimization of the new GAN flavors introduced in this paper.

Consider a vector $\boldsymbol{x} = [x_1, x_2, \ldots, x_n]^{\mathrm{T}} \in \mathbb{R}^n$ and a function $f : \mathbb{R}^n \to \mathbb{R}$. The notation $\nabla^m f(\boldsymbol{x})$ denotes the vector of mth-order partial derivatives of f with respect to the entries of $\boldsymbol{x}$. ∇^0 is the identity operator. The elements of $\nabla^m f$ are represented using the multi-index $\boldsymbol{\alpha} = [\alpha_1, \alpha_2, \ldots, \alpha_n]^{\mathrm{T}}$, as:

$$\partial^{\boldsymbol{\alpha}} f = \frac{\partial^{|\boldsymbol{\alpha}|}}{\partial x_1^{\alpha_1} \partial x_2^{\alpha_2} \ldots \partial x_n^{\alpha_n}} f, \qquad \text{where} \qquad \boldsymbol{\alpha} \in \mathbb{Z}_*^n, \quad |\boldsymbol{\alpha}| = \sum_{i=1}^{n} \alpha_i,$$

where in turn $\mathbb{Z}_*^n$ is the set of n-dimensional vectors with non-negative integer entries. For example, with $n = 4, m = 3$, the index $\boldsymbol{\alpha} = [2, 0, 0, 1]^{\mathrm{T}}$ yields the element $\frac{\partial^3}{\partial x_1^2 \partial x_4} f(\boldsymbol{x})$. The square of the L_2-norm of $\nabla^m f$ is given by a multidimensional sum:

$$\|\nabla^m f(\boldsymbol{x})\|_2^2 = \sum_{\boldsymbol{\alpha}:\ |\boldsymbol{\alpha}|=m} \left(\frac{m!}{\boldsymbol{\alpha}!}\right) \left(\partial^{\boldsymbol{\alpha}} f(\boldsymbol{x})\right)^2, \tag{13}$$

where $\boldsymbol{\alpha}! = \alpha_1! \alpha_2! \ldots \alpha_n!$. The iterated Laplacian, also known as the polyharmonic operator, is defined as:

$$\Delta^m f(\boldsymbol{x}) = \Delta(\Delta^{m-1} f(\boldsymbol{x})), \qquad \text{where} \qquad \Delta f(\boldsymbol{x}) = \nabla \cdot \nabla f(\boldsymbol{x}) = \sum_{i=1}^{n} \frac{\partial^2}{\partial x_i^2} f(\boldsymbol{x})$$

is the Laplacian operator acting on $f(\boldsymbol{x})$. Applying the multi-index notation yields the standard form of the polyharmonic operator:

$$\Delta^m f(\boldsymbol{x}) = \sum_{\boldsymbol{\alpha}:\ |\boldsymbol{\alpha}|=m} \left(\frac{m!}{\boldsymbol{\alpha}!}\right) \partial^{\boldsymbol{\alpha}} \left(\partial^{\boldsymbol{\alpha}} f(\boldsymbol{x})\right).$$

Calculus of Variations: Consider an integral cost $\mathcal{L}$ with the integrand $\mathcal{F}$ dependent on f and all its partial derivatives up to and including order ℓ, given by

$$\mathcal{L}\left(f(\boldsymbol{x}), \partial^{\boldsymbol{\alpha}} f; |\boldsymbol{\alpha}| \leq \ell\right) = \int_{\mathcal{X}} \mathcal{F}\left(f(\boldsymbol{x}), \partial^{\boldsymbol{\alpha}} f; |\boldsymbol{\alpha}| \leq \ell\right) \mathrm{d}\boldsymbol{x},$$

defined on a suitable domain $\mathcal{X}$ over which f and its partial derivatives up to and including order ℓ are continuously differentiable.

The optimizer f^* must satisfy the Euler-Lagrange condition:

$$\frac{\partial \mathcal{F}}{\partial f} + \sum_{j=1}^{\ell} \left((-1)^j \sum_{\boldsymbol{\alpha}:\ |\boldsymbol{\alpha}|=j} \partial^{\boldsymbol{\alpha}} \left(\frac{\partial \mathcal{F}}{\partial (\partial^{\boldsymbol{\alpha}} f)} \right) \right) \Bigg|_{f=f^*} = 0. \tag{14}$$

B The Optimal Poly-LSGAN Discriminator

The proof of Theorem 3.1 follows from the results in mesh-free interpolation literature (Aronszajn et al., 1983; Iske, 2004; Fasshauer, 2007) that deal with the generic polyharmonic spline interpolation problem. For completeness, we provide the proof here. While the assumption may appear strong, we show that this is implicitly satisfied by the optimal solution. Recall the discriminator optimization problem given in Eq. (3)

$$\arg\min_{D} \left\{ \sum_{\substack{i=1 \\ (\boldsymbol{c}_i, y_i)\sim\mathcal{D}}}^{N} \left(D(\boldsymbol{c}_i) - y_i\right)^2 + \lambda_d \int_{\mathcal{X}} \|\nabla^m D(\boldsymbol{x})\|_2^2 \, \mathrm{d}\boldsymbol{x} \right\}. \tag{15}$$

To compute the functional optimum in the Calculus of Variations setting, the above cost must be cast into an integral form. Using the Dirac delta function, we have:

$$\sum_{\substack{i=1 \\ (\boldsymbol{c}_i, y_i)\sim\mathcal{D}}}^{N} \left(D(\boldsymbol{c}_i) - y_i\right)^2 = \int_{\mathcal{X}} \sum_{\substack{i=1 \\ (\boldsymbol{c}_i, y_i)\sim\mathcal{D}}}^{N} \left(D(\boldsymbol{x}) - y_i\right)^2 \delta(\boldsymbol{x} - \boldsymbol{c}_i) \, \mathrm{d}\boldsymbol{x}.$$

Then, Equation 15 can be rewritten as an integral-cost minimization:

$$\arg\min_{D} \left\{ \int_{\mathcal{X}} \underbrace{\sum_{\substack{i=1 \\ (\boldsymbol{c}_i, y_i)\sim\mathcal{D}}}^{N} \left(D(\boldsymbol{x}) - y_i\right)^2 \delta(\boldsymbol{x} - \boldsymbol{c}_i) + \lambda_d \|\nabla^m D(\boldsymbol{x})\|_2^2}_{\mathcal{F}(D, \partial^{\boldsymbol{\alpha}} D;\, |\boldsymbol{\alpha}|=m)} \, \mathrm{d}\boldsymbol{x} \right\}.$$

Computing the derivatives of the integrand $\mathcal{F}$ with respect to D and $\partial^{\alpha} D$ yields

$$\frac{\partial \mathcal{F}}{\partial D} = 2 \sum_{\substack{i=1 \\ (\boldsymbol{c}_i, y_i)\sim\mathcal{D}}}^{N} \left(D(\boldsymbol{x}) - y_i\right) \delta(\boldsymbol{x} - \boldsymbol{c}_i), \qquad \text{and} \qquad \sum_{\boldsymbol{\alpha}:|\boldsymbol{\alpha}|=m} \partial^{\boldsymbol{\alpha}} \left(\frac{\partial \mathcal{F}}{\partial(\partial^{\boldsymbol{\alpha}} D)} \right) = 2\lambda_d \Delta^m D(\boldsymbol{x}).$$

Substituting the above into the Euler-Lagrange equation (Eq. 14) gives us the partial differential equation that the optimal discriminator $D^*(\boldsymbol{x})$ must satisfy:

$$\left(\sum_{i=1}^{N} (D(\boldsymbol{x}) - y_i) \delta(\boldsymbol{x} - \boldsymbol{c}_i) \right) + (-1)^m \lambda_d \Delta^m D(\boldsymbol{x}) \Bigg|_{D=D^*(\boldsymbol{x})} = 0.$$

While the above condition is applicable for a strong solution, a weak solution to $D(\boldsymbol{x})$ satisfies:

$$\int_{\mathcal{X}} \left(\left(\sum_{i=1}^{N} (D(\boldsymbol{x}) - y_i) \delta(\boldsymbol{x} - \boldsymbol{c}_i) \right) + (-1)^m \lambda_d \Delta^m D(\boldsymbol{x}) \right) \eta(\boldsymbol{x}) \, \mathrm{d}\boldsymbol{x} \Bigg|_{D=D^*(\boldsymbol{x})} = 0, \tag{16}$$

where $\eta(\boldsymbol{x})$ is any test function drawn from the family of compactly-supported infinitely-differentiable functions. Aronszajn et al. (1983), an authoritative resource on polyharmonic functions, has shown that, functions of the form

$$f(\boldsymbol{x}) \;=\; \sum_{\substack{i=1 \\ (\boldsymbol{c}_i, y_i)\sim\mathcal{D}}}^{N} w_i \varphi_k \left(\|\boldsymbol{x} - \boldsymbol{c}_i\|\right) + P(\boldsymbol{x}; \boldsymbol{v}), \text{ where } \varphi_k(\|\boldsymbol{x}\|) = \begin{cases} \|\boldsymbol{x}\|^k & \text{for } \; k = 1, 3, \cdots \\ \|\boldsymbol{x}\|^k \ln(\|\boldsymbol{x}\|) & \text{for } \; k = 2, 4, \cdots, \end{cases} \tag{17}$$

satisfy the polyharmonic PDE:

$$\Delta^m f(\boldsymbol{x}) = \sum_{i=1}^{N} C_k w_i \delta(\boldsymbol{x} - \boldsymbol{c}_i),$$

where $P(\boldsymbol{x};\boldsymbol{v}) \in \mathcal{P}^n_{m-1}$ is the $(m-1)^{th}$ order polynomial parametrized by the coefficients $\boldsymbol{v} \in \mathbb{R}^L$, where:

$$L = \sum_{\ell=0}^{m-1} \binom{n+\ell-1}{\ell} = \binom{n+m-1}{m-1}$$

For example, with $m = 2$, we have $\mathcal{P}(\boldsymbol{x};\boldsymbol{v}) = \langle \boldsymbol{v}_1, \boldsymbol{x}\rangle + v_0;\ \boldsymbol{v} = \begin{bmatrix} v_0 \\ \boldsymbol{v}_1 \end{bmatrix} \in \mathbb{R}^{n+1}$. Substituting the above back into Equation (16), we get

$$\int_{\mathcal{X}} \left(\sum_{i=1}^{N} \left((D(\boldsymbol{x}) - y_i) + (-1)^m \lambda_d C_k w_i \right) \delta(\boldsymbol{x} - \boldsymbol{c}_i) \right) \eta(\boldsymbol{x})\ \mathrm{d}\boldsymbol{x} \ \Bigg|_{D=D^*(\boldsymbol{x})} = 0$$

$$\Rightarrow \sum_{i=1}^{N} \left((D(\boldsymbol{c}_i) - y_i) + (-1)^m \lambda_d C_k w_i \right) \eta(\boldsymbol{c}_i) \ \Bigg|_{D=D^*(\boldsymbol{x})} = 0$$

Since the above condition must hold for all possible test functions η, we have:

$$D^*(\boldsymbol{c}_i) - y_i + (-1)^m \lambda_d \mathrm{C}_k w_i = 0 \qquad \forall\ i = 1, 2, \cdots N,$$

where D^* is given by Equation (17). Substituting for D^* and stacking for all i gives the following condition that the weights and polynomial coefficients satisfy:

$$(\mathbf{A} + (-1)^m \lambda_d \mathrm{C}_k \mathbf{I})\, \boldsymbol{w} + \mathbf{B}\boldsymbol{v} = \boldsymbol{y}, \tag{18}$$

$$\text{where} \quad [\mathbf{A}]_{i,j} = \psi_k(\|\boldsymbol{c}_i - \boldsymbol{c}_j\|); \quad \boldsymbol{w} = [w_1, w_2, \ldots, w_N]^{\mathrm{T}}, \quad \boldsymbol{y} = [y_1, y_2, \cdots, y_N]^{\mathrm{T}},$$

$$\mathbf{B} = \begin{bmatrix} 1 & 1 & \cdots & 1 \\ \boldsymbol{c}_1 & \boldsymbol{c}_2 & \cdots & \boldsymbol{c}_N \\ \vdots & \vdots & \ddots & \vdots \\ \boldsymbol{c}_1^{m-1} & \boldsymbol{c}_2^{m-1} & \cdots & \boldsymbol{c}_N^{m-1} \end{bmatrix}^{\mathrm{T}}, \text{ and } \boldsymbol{v} = [v_0, v_1, v_2, \ldots, v_L]^{\mathrm{T}}.$$

The matrix $\mathbf{B}$ corresponds to a Vandermonde matrix when $n = 1$. However, the above system of linear equations only provides us with the conditions on the weights and coefficients that the discriminator radial basis function expansion satisfies. In order to derive the optimal discriminator, the one that minimizes the discriminator loss, we substitute the RBF form of the discriminator into Equation (15) and solve for the weights and polynomial coefficients.

To derive the second condition present in Equation (5), we first consider deriving the higher-order gradient penalty in terms of the optimal RBF discriminator D^*. Consider the inner-product space associated with the higher-order gradient (the Beppo-Levi space $\mathrm{BL}^{m,2}$), given by (Aronszajn et al., 1983):

$$\langle f, g\rangle \triangleq \int_{\mathbb{R}^n} (\nabla^m f) \cdot (\nabla^m g)\ \mathrm{d}\boldsymbol{x} = (-1)^m \int_{\mathbb{R}^n} f \cdot (\Delta^m g)\ \mathrm{d}\boldsymbol{x}$$

where the second inequality is via integration by parts. For any function D^* of the form given in Equation (17):

$$\langle D^*, D^*\rangle = (-1)^m \int_{\mathbb{R}^n} D^*(\boldsymbol{x}) \left(\sum_{i=1}^{N} (-1)^m C_k w_i \delta(\boldsymbol{x} - \boldsymbol{c}_i) \right)\ \mathrm{d}\boldsymbol{x} = (-1)^m C_k \sum_{i=1}^{N} w_i D^*(\boldsymbol{c}_i).$$

Substituting for D^* from Equation (17) gives:

$$\begin{aligned} \int_{\mathbb{R}^n} \|\nabla^m D^*\|_2^2\ \mathrm{d}\boldsymbol{x} = \langle D^*, D^*\rangle &= (-1)^m C_k \sum_{i=1}^{N} \left(w_i \sum_{\substack{j=1 \\ (\boldsymbol{c}_j, y_j)\sim\mathcal{D}}}^{N} w_j \psi_k\left(\|\boldsymbol{c}_j - \boldsymbol{c}_i\|\right) + \mathbf{B}\boldsymbol{v} \right) \\ &= (-1)^m C_k \boldsymbol{w}^{\mathrm{T}} \mathbf{A} \boldsymbol{w}, \end{aligned} \tag{19}$$

where the second equality holds as a result of Equation 21. Substituting in D^* and Equation 19 into the optimization problem in Equation 15 yields:

$$\arg\min_{D} \left\{ \sum_{\substack{i=1 \\ (\boldsymbol{c}_i, y_i)\sim\mathcal{D}}}^{N} \left(D(\boldsymbol{c}_i) - y_i\right)^2 + \lambda_d \int_{\mathcal{X}} \|\nabla^m D(\boldsymbol{x})\|_2^2 \, \mathrm{d}\boldsymbol{x} \right\}$$
$$= \arg\min_{\boldsymbol{w},\boldsymbol{v}} \left\{ \underbrace{\|\mathbf{A}\boldsymbol{w} + \mathbf{B}\boldsymbol{v} - \boldsymbol{y}\|_2^2 + \lambda_d C_k \boldsymbol{w}^{\mathrm{T}} \mathbf{A} \boldsymbol{w}}_{\mathrm{F}(\boldsymbol{w},\boldsymbol{v})} \right\}. \tag{20}$$

Minimizing the cost function in Equation (20) with respect to $\boldsymbol{w}$ and $\boldsymbol{v}$ yields:

$$\frac{\partial \mathrm{F}}{\partial \boldsymbol{w}} = 2\mathbf{A}^{\mathrm{T}} \left(\mathbf{A}\boldsymbol{w} + \mathbf{B}\boldsymbol{v} - \boldsymbol{y} + 2\lambda_d C_k \boldsymbol{w}\right) = 0, \quad \text{and} \quad \frac{\partial \mathrm{F}}{\partial \boldsymbol{v}} = 2\mathbf{B}^{\mathrm{T}} \left(\mathbf{A}\boldsymbol{w} + \mathbf{B}\boldsymbol{v} - \boldsymbol{y}\right) = 0$$
$$\Rightarrow \mathbf{B}^{\mathrm{T}} \boldsymbol{w} = \mathbf{0}, \tag{21}$$

which gives us the second necessary condition that the optimal weights and polynomial coefficients must satisfy. Equation (21) ensure that the solution obtained is such that the sum of the unbounded polyharmonic kernels vanishes as $\boldsymbol{x}$ tends to infinity. Essentially, in regions close to the centers $\boldsymbol{c}_i$, there is a large contribution in $D^*(\boldsymbol{x})$ from the kernel function, and when far away from the centers, the polynomial has a large contribution in $D^*(\boldsymbol{x})$. This ensures that the the discriminator obtained by solving the system of equations does not grow to infinity. This completes the proof of Theorem 3.1.

C Optimality of Poly-WGAN

In this appendix, we present the proofs of theorems associated with the optimality of Poly-WGAN, and derive bounds for the optimal Lagrange multiplier of the regularized Poly-WGAN cost.

C.1 Constants in the Fundamental Solution

Theorem 5.1 contains a constant ϱ that is a function of m and n. The exact expression for the constant is provided here. Consider the fundamental solution $\Delta^m \varrho \psi_{2m-n}(\boldsymbol{x}) = \delta(\boldsymbol{x})$, where the polyharmonic radial basis function is given by

$$\psi_{2m-n}(\boldsymbol{x}) = \begin{cases} \|\boldsymbol{x}\|^{2m-n}, & \text{if } \ 2m-n<0 \ \text{ or } \ n \text{ is odd}, \\ \|\boldsymbol{x}\|^{2m-n} \ln(\|\boldsymbol{x}\|), & \text{if } \ 2m-n \geq 0 \ \text{ and } \ n \text{ is even}. \end{cases}$$

The value of ϱ is given by (Aronszajn et al., 1983):

$$\varrho = \begin{cases} \dfrac{2^{2-2m}}{(m-1)!} \dfrac{\Gamma(2-\tau)}{\Gamma(m+1-\tau)}, & \text{for } m = 1,2,3,\ldots, \text{ and } n \text{ is odd}, \\ (-1)^{(m-1)} \dfrac{2^{2-2m}}{(m-1)!} \dfrac{(\tau-m-1)!}{(\tau-1)!}, & \text{for } m = 1,2,3,\ldots,(\tau-2) \text{ and } n \geq 4 \text{ is even}, \\ (-1) \dfrac{2^{2-2m}}{(m-1)!\,(\tau-2)!\,(m-\tau)!}, & \text{for } m = (\tau-1), \tau, \ldots \text{ and } n \geq 4 \text{ is even}, \\ \left(\dfrac{2^{1-m}}{(m-1)!}\right)^2, & \text{for } m = 1,2,3,\ldots, \text{ and } n = 2, \end{cases}$$

where $\tau = \dfrac{n}{2}$, and $\Gamma(z)$ is the Gamma function given in terms of the factorial expression as $\Gamma(z) = (z-1)!$ for integer z, and by the improper integral $\Gamma(z) = \displaystyle\int_0^\infty x^{z-1} e^{-x} \, \mathrm{d}x$, $\mathrm{Re}(z) > 0$, for $z \in \mathbb{C}$. As shown in the subsequent sections, the exact value of ϱ turns out to be inconsequential for the optimal discriminator $D^*(\boldsymbol{x})$ as its effect gets nullified by the optimal Lagrange parameter λ_d^*.

C.2 Optimal Lagrange Multiplier

The optimal Lagrange multiplier λ_d^* can be computed by enforcing the gradient constraint Ω_D on the optimal discriminator:

$$\Omega_D : \quad \int_{\mathcal{X}} \|\nabla^m D^*(\boldsymbol{x})\|_2^2 \, \mathrm{d}\boldsymbol{x} = \mathrm{K}|\mathcal{X}|, \tag{22}$$

where $|\mathcal{X}|$ denotes the volume of the domain $\mathcal{X}$, and $D^*(\boldsymbol{x}) = D_p^*(\boldsymbol{x}) + P(\boldsymbol{x})$, where in turn $P(\boldsymbol{x}) \in \mathcal{P}_{m-1}^n(\boldsymbol{x})$ is an $(m-1)$-degree polynomial, and $D_p^*(\boldsymbol{x})$ is the particular solution. We have $\partial^{\boldsymbol{\alpha}} P(\boldsymbol{x}) = 0$, $\forall\, \boldsymbol{\alpha}$, such that $|\boldsymbol{\alpha}| = m$. Hence, we only consider $D_p^*(\boldsymbol{x})$ in the subsequent analysis. Without loss of generality, assume that n is odd. The analysis is similar for the case when n is even.

First, consider the radially symmetric function $p(\boldsymbol{x}) = Q_0 \|\boldsymbol{x}\|^k$, where $|Q_0| \leq 1$ is a zeroth-degree polynomial (a constant), whose magnitude is bounded by 1. For multi-index $\boldsymbol{\alpha}$, we have

$$\partial^{\boldsymbol{\alpha}} p(\boldsymbol{x}) = \partial^{\boldsymbol{\alpha}} Q_0 \|\boldsymbol{x}\|^k = Q_{|\boldsymbol{\alpha}|}(k) \|\boldsymbol{x}\|^{k-2|\boldsymbol{\alpha}|},$$

where $Q_{|\boldsymbol{\alpha}|}(k)$ is a $|\boldsymbol{\alpha}|$-degree polynomial in k consisting of at most $n^{|\boldsymbol{\alpha}|}$ terms, with the coefficient of each term bounded by $(|k|+1)(|k|+3)\ldots(|k|+2|\boldsymbol{\alpha}|-1)$. Aronszajn et al. (1983) showed that, when $k = 2m - n$ and $|\boldsymbol{\alpha}| = m$, the following simplified bound holds:

$$\partial^{\boldsymbol{\alpha}} \|\boldsymbol{x}\|^{2m-n} \leq (2n)^m \frac{\Gamma\left(2m + \frac{n+1}{2}\right)}{\Gamma\left(m + \frac{n+1}{2}\right)} \|\boldsymbol{x}\|^{-n}. \tag{23}$$

Consider the integral form of the particular solution:

$$D_p^*(\boldsymbol{x}) = \frac{(-1)^{m+1}}{2\lambda_d^*} \int_{\boldsymbol{y} \in \mathcal{X}} \left(p_g(\boldsymbol{y}) - p_d(\boldsymbol{y})\right) r(\boldsymbol{x} - \boldsymbol{y}) \, \mathrm{d}\boldsymbol{y}.$$

Computing the $\boldsymbol{\alpha}^{th}$ partial derivative with respect to $\boldsymbol{x}$ gives

$$\partial_{\boldsymbol{x}}^{\boldsymbol{\alpha}} D_p^*(\boldsymbol{x}) = \frac{(-1)^{m+1}\varrho}{2\lambda_d^*} \left(\int_{\boldsymbol{y} \in \mathcal{X}} p_g(\boldsymbol{y}) \partial_{\boldsymbol{x}}^{\boldsymbol{\alpha}} \|\boldsymbol{x} - \boldsymbol{y}\|^{2m-n} \, \mathrm{d}\boldsymbol{y} - \int_{\boldsymbol{y} \in \mathcal{X}} p_d(\boldsymbol{y}) \partial_{\boldsymbol{x}}^{\boldsymbol{\alpha}} \|\boldsymbol{x} - \boldsymbol{y}\|^{2m-n} \, \mathrm{d}\boldsymbol{y} \right).$$

Squaring on both sides yields:

$$\begin{aligned} \left(\partial_{\boldsymbol{x}}^{\boldsymbol{\alpha}} D_p^*(\boldsymbol{x})\right)^2 &= \left(\frac{\xi}{\lambda_d^*}\right)^2 \left(\int_{\boldsymbol{y} \in \mathcal{X}} \left(p_g(\boldsymbol{y}) - p_d(\boldsymbol{y})\right) \partial_{\boldsymbol{x}}^{\boldsymbol{\alpha}} \|\boldsymbol{x} - \boldsymbol{y}\|^{2m-n} \, \mathrm{d}\boldsymbol{y} \right)^2 \\ &\leq \frac{\xi^2 \varepsilon^2}{\lambda_d^{*2}} \left(\int_{\boldsymbol{y} \in \mathcal{X}} \left(p_g(\boldsymbol{y}) - p_d(\boldsymbol{y})\right) \|\boldsymbol{x} - \boldsymbol{y}\|^{-n} \, \mathrm{d}\boldsymbol{y} \right)^2, \end{aligned}$$

where $\varepsilon = \dfrac{(2n)^m \Gamma\left(2m + \frac{n+1}{2}\right)}{\Gamma\left(m + \frac{n+1}{2}\right)}$ and $\xi = \dfrac{(-1)^{m+1}\varrho}{2}$ and the inequality is a consequence of Eq. (23). A similar analysis can be carried out for the case when n is even. In general, we have

$$\left(\partial_{\boldsymbol{x}}^{\boldsymbol{\alpha}} D_p^*(\boldsymbol{x})\right)^2 \leq \frac{\varepsilon^2 \xi^2}{\lambda_d^{*2}} \left(\left((p_g - p_d) * \psi_{-n} \right)(\boldsymbol{x}) \right)^2,$$

where ψ is as defined in Section 5.1 of the *Main Manuscript*. The square of the L_2-norm of $\nabla^m D_p^*(\boldsymbol{x})$ can be bounded as follows:

$$\|\nabla^m D_p^*(\boldsymbol{x})\|_2^2 = \sum_{\substack{\boldsymbol{\alpha} \\ |\boldsymbol{\alpha}|=m}} \frac{m!}{\boldsymbol{\alpha}!} \left(\partial_{\boldsymbol{x}}^{\boldsymbol{\alpha}} D_p^*(\boldsymbol{x})\right)^2 \leq \frac{m!\, \varepsilon^2 \xi^2}{\lambda_d^{*2}} \left(\left((p_g - p_d) * \psi_{-n} \right)(\boldsymbol{x}) \right)^2 \sum_{\substack{\boldsymbol{\alpha} \\ |\boldsymbol{\alpha}|=m}} \frac{1}{\boldsymbol{\alpha}!}.$$

Substituting the above into Eq. (22), we obtain:

$$|\mathcal{X}| = \int_{\mathcal{X}} \|\nabla^m D^*(\boldsymbol{x})\|_2^2 \, \mathrm{d}\boldsymbol{x} \leq \frac{m!\,\varepsilon^2\xi^2}{\lambda_d^{*^2}} \underbrace{\sum_{\substack{\boldsymbol{\alpha} \\ |\boldsymbol{\alpha}|=m}} \left(\frac{1}{\boldsymbol{\alpha}!}\right)}_{S_{\boldsymbol{\alpha}}} \int_{\mathcal{X}} \left(\left((p_g - p_d) * \psi_{-n}\right)(\boldsymbol{x})\right)^2 \, \mathrm{d}\boldsymbol{x}.$$

Rearranging the terms and simplifying gives us an upper bound on the square of λ_d^*:

$$\lambda_d^{*^2} \leq \frac{m!\,\varepsilon^2\xi^2 S_{\boldsymbol{\alpha}}}{|\mathcal{X}|} \int_{\mathcal{X}} \left(\left((p_g - p_d) * \psi_{-n}\right)(\boldsymbol{x})\right)^2 \, \mathrm{d}\boldsymbol{x}. \tag{24}$$

Practical Implementation: While Eq. (24) gives a theoretical bound on λ_d^*, the integral, which in turn involves a convolution integral, cannot be computed practically. We therefore replace it with a feasible alternative, $\tilde{\lambda}_d^*$ based on sample approximations. Replacing the integral over $\boldsymbol{x}$ with a sample estimate yields:

$$\tilde{\lambda}_d^{*^2} \leq \frac{m!\,\varepsilon^2\xi^2 S_{\boldsymbol{\alpha}}}{\mathrm{K}|\mathcal{X}|} \frac{1}{M} \sum_{\ell=1}^{M} \left(\left((p_g - p_d) * \psi_{-n}\right)(\boldsymbol{x}_\ell)\right)^2,$$

where $|\mathcal{X}| = M$. Simplifying the convolutions similar to the approach used in Section 5.2 of the *Main Manuscript*, we obtain:

$$\tilde{\lambda}_d^{*^2} \leq \frac{m!\,\varepsilon^2\xi^2 S_{\boldsymbol{\alpha}}}{\mathrm{K}M^2} \sum_{\ell=1}^{M} \left(\mathbb{E}_{\boldsymbol{y}\sim p_g}[\psi_{-n}(\boldsymbol{x}_\ell - \boldsymbol{y})] - \mathbb{E}_{\boldsymbol{y}\sim p_d}[\psi_{-n}(\boldsymbol{x}_\ell - \boldsymbol{y})]\right)^2.$$

Replacing the expectations with their N-sample estimates could be used as an estimate of the upper bound:

$$\tilde{\lambda}_d^{*^2} \leq \frac{m!\,\varepsilon^2\xi^2 S_{\boldsymbol{\alpha}}}{\mathrm{K}N^2M^2} \sum_{\ell=1}^{M} \left(\sum_{\boldsymbol{c}_i\sim p_g;\, i=1}^{N} \psi_{-n}(\boldsymbol{x}_\ell - \boldsymbol{c}_i) - \sum_{\boldsymbol{c}_j\sim p_d;\, j=1}^{N} \psi_{-n}(\boldsymbol{x}_\ell - \boldsymbol{c}_j) \right)^2, \tag{25}$$

where $\boldsymbol{c}_i$ and $\boldsymbol{c}_j$ are drawn from p_g and p_d, respectively.

The sign of λ_d^*: The choice of the sign on $\tilde{\lambda}_d^*$ is determined by the optimization problem. While the solution to the Euler-Lagrange equation gives an extremum, whether it is a maximizer or a minimizer must be ascertained based on the second variation of the cost, which is derived below.

Before proceeding further, we recapitulate the second variation of an integral cost. Consider the cost:

$$\mathcal{L}\left(f, \partial^{\boldsymbol{\alpha}} f; |\boldsymbol{\alpha}| \leq k\right) = \int_{\mathcal{X}} \mathcal{F}\left(f(\boldsymbol{x}), \partial^{\boldsymbol{\alpha}} f; |\boldsymbol{\alpha}| \leq k\right) \mathrm{d}\boldsymbol{x}. \tag{26}$$

Let $f^*(\boldsymbol{x})$ denote the optimizer of the cost. Consider the perturbations $f(\boldsymbol{x}) = f^*(\boldsymbol{x}) + \epsilon\eta(\boldsymbol{x})$, characterized by $\eta(\boldsymbol{x})$ drawn from the family of compactly supported and infinitely differentiable functions. Then, the second-order Taylor-series approximation of $g(\epsilon) = \mathcal{L}\left(f(\boldsymbol{x})\right) = \mathcal{L}\left(f^*(\boldsymbol{x}) + \epsilon\eta(\boldsymbol{x})\right)$ is given by

$$\begin{aligned} g(\epsilon) &= \mathcal{L}\left(f^*(\boldsymbol{x}) + \epsilon\eta(\boldsymbol{x})\right) \\ &= \mathcal{L}\left(f^*(\boldsymbol{x})\right) + \epsilon\,\partial\mathcal{L}(f^*;\eta) + \frac{1}{2}\epsilon^2\,\partial^2\mathcal{L}(f^*;\eta), \end{aligned}$$

where $\partial\mathcal{L}(\cdot)$ and $\partial^2\mathcal{L}(\cdot)$ denote the first variation and second variation of $\mathcal{L}$, respectively, and can be evaluated through the scalar optimization problems (Gelfand & Fomin, 1964):

$$\begin{aligned} \partial\mathcal{L}(f^*(\boldsymbol{x})) &= g'(0) = \left.\frac{\partial g(\epsilon)}{\partial\epsilon}\right|_{\epsilon=0}, \quad \text{and} \\ \partial^2\mathcal{L}(f^*(\boldsymbol{x})) &= g''(0) = \left.\frac{\partial^2 g(\epsilon)}{\partial\epsilon^2}\right|_{\epsilon=0}, \end{aligned}$$

respectively. Evaluating $\partial\mathcal{L}(f^*(\boldsymbol{x}))$ corresponding to Eq. (26) and setting it equal to zero yields the Euler-Lagrange condition (first-order necessary condition) that the optimizer f^* must satisfy (cf. Eq. (14), *Main Manuscript*). The second-order Legendre condition for $f^*(\boldsymbol{x})$ to be a minimizer of the cost $\mathcal{L}$ is $g''(0) > 0$ (Gelfand & Fomin, 1964).

We now derive the sign of the optimal Lagrange multiplier. Recall the discriminator cost:

$$\mathcal{L}_D = \int_{\mathcal{X}} D(\boldsymbol{x})\left(p_g(\boldsymbol{x}) - p_d(\boldsymbol{x})\right) + \lambda_d\left(\|\nabla^m D(\boldsymbol{x})\|_2^2 - 1\right)\ \mathrm{d}\boldsymbol{x}.$$

The scalar function associated with the above cost is

$$\begin{aligned} g_D(\epsilon) &= \int_{\mathcal{X}} \left((D^*(\boldsymbol{x}) + \epsilon\eta(\boldsymbol{x}))\left(p_g(\boldsymbol{x}) - p_d(\boldsymbol{x})\right) + \lambda_d\left(\|\nabla^m\left(D^*(\boldsymbol{x}) + \epsilon\eta(\boldsymbol{x})\right)\|_2^2 - 1\right)\right)\ \mathrm{d}\boldsymbol{x} \\ &= \int_{\mathcal{X}} \left((D^*(\boldsymbol{x}) + \epsilon\eta(\boldsymbol{x}))\left(p_g(\boldsymbol{x}) - p_d(\boldsymbol{x})\right) + \lambda_d \sum_{\boldsymbol{\alpha}:\ |\boldsymbol{\alpha}|=m} \left(\frac{m!}{\boldsymbol{\alpha}!}\right)\left(\partial^{\boldsymbol{\alpha}}\left(D^*(\boldsymbol{x}) + \epsilon\eta(\boldsymbol{x})\right)\right)^2 - \lambda_d\right)\ \mathrm{d}\boldsymbol{x}. \end{aligned}$$

Differentiating with respect to ϵ yields

$$\begin{aligned} g_D'(\epsilon) &= \frac{\partial}{\partial\epsilon}\int_{\mathcal{X}} \left((D^*(\boldsymbol{x}) + \epsilon\eta(\boldsymbol{x}))\left(p_g(\boldsymbol{x}) - p_d(\boldsymbol{x})\right) + \lambda_d \sum_{\substack{\boldsymbol{\alpha} \\ |\boldsymbol{\alpha}|=m}} \left(\frac{m!}{\boldsymbol{\alpha}!}\right)\left(\partial^{\boldsymbol{\alpha}}\left(D^*(\boldsymbol{x}) + \epsilon\eta(\boldsymbol{x})\right)\right)^2 - \lambda_d\right)\ \mathrm{d}\boldsymbol{x}. \\ &= \int_{\mathcal{X}} \left(\eta(\boldsymbol{x})\left(p_g(\boldsymbol{x}) - p_d(\boldsymbol{x})\right) + 2\lambda_d \sum_{\substack{\boldsymbol{\alpha} \\ |\boldsymbol{\alpha}|=m}} \left(\frac{m!}{\boldsymbol{\alpha}!}\right)\left(\partial^{\boldsymbol{\alpha}}\left(D^*(\boldsymbol{x}) + \epsilon\eta(\boldsymbol{x})\right)\right)\left(\partial^{\boldsymbol{\alpha}}\eta(\boldsymbol{x})\right)\right)\mathrm{d}\boldsymbol{x}. \end{aligned}$$

The second variation can be obtained by differentiating the above with respect to ϵ and equating it to zero. The second derivative of the scalar function g is given by

$$\begin{aligned} g_D''(\epsilon) = \frac{\partial}{\partial\epsilon} g_D'(\epsilon) &= 2\lambda_d \int_{\mathcal{X}} \sum_{\substack{\boldsymbol{\alpha} \\ |\boldsymbol{\alpha}|=m}} \left(\frac{m!}{\boldsymbol{\alpha}!}\right)\partial^{\boldsymbol{\alpha}}\left(\frac{\partial\left(D^*(\boldsymbol{x}) + \epsilon\eta(\boldsymbol{x})\right)}{\partial\epsilon}\right)\partial^{\boldsymbol{\alpha}}\eta(\boldsymbol{x})\ \mathrm{d}\boldsymbol{x} \\ &= 2\lambda_d \int_{\mathcal{X}} \sum_{\substack{\boldsymbol{\alpha} \\ |\boldsymbol{\alpha}|=m}} \left(\frac{m!}{\boldsymbol{\alpha}!}\right)\left(\partial^{\boldsymbol{\alpha}}\eta(\boldsymbol{x})\right)^2\ \mathrm{d}\boldsymbol{x} \\ &= 2\lambda_d \int_{\mathcal{X}} \|\nabla^m\eta(\boldsymbol{x})\|_2^2\ \mathrm{d}\boldsymbol{x}. \end{aligned}$$

The Legendre condition for $D^*(\boldsymbol{x})$ to be a minimizer of $\mathcal{L}_D$ is then given by

$$g_D''(0) = 2\lambda_d \int_{\mathcal{X}} \|\nabla^m\eta(\boldsymbol{x})\|_2^2\ \mathrm{d}\boldsymbol{x} > 0,$$

which must be true for all compactly supported, infinitely differentiable functions $\eta(\boldsymbol{x})$. Therefore, we have $\lambda_d^* > 0$. The following bound holds on the sample estimate of the optimal Lagrange multiplier given in Eq. (25):

$$0 < |\tilde{\lambda}_d^*| \leq \left|\frac{\varepsilon\xi}{M}\right| \frac{\sqrt{(m!)S_{\boldsymbol{\alpha}}}}{N\sqrt{\mathrm{K}}} \left(\sum_{\ell=1}^{M}\left(\sum_{\substack{\boldsymbol{c}_i\sim p_g \\ i=1}}^{N} \psi_{-n}(\boldsymbol{x}_\ell - \boldsymbol{c}_i) - \sum_{\substack{\boldsymbol{c}_j\sim p_d \\ j=1}}^{N} \psi_{-n}(\boldsymbol{x}_\ell - \boldsymbol{c}_j)\right)^2\right)^{\frac{1}{2}}. \tag{27}$$

One could consider the right-hand side of the above inequality as the worst case bound on $\tilde{\lambda}_d^*$. Substituting for $\tilde{\lambda}_d^*$ in $\tilde{D}_p^*(\boldsymbol{x})$ yields

$$\begin{aligned}\tilde{D}_p^*(\boldsymbol{x}) &= \left(\frac{\xi M \mathrm{K}^{\frac{1}{2}}}{|\xi|\varepsilon\left(m!\, S_{\boldsymbol{\alpha}}\right)^{\frac{1}{2}}}\right) \frac{\sum\limits_{\boldsymbol{c}_i\sim p_g} \psi_{2m-n}(\boldsymbol{x}-\boldsymbol{c}_i) - \sum\limits_{\boldsymbol{c}_j\sim p_d} \psi_{2m-n}(\boldsymbol{x}-\boldsymbol{c}_j)}{\sqrt{\sum\limits_{\ell=1}^{M}\left(\sum\limits_{\boldsymbol{c}_i\sim p_g} \psi_{-n}(\boldsymbol{x}_\ell-\boldsymbol{c}_i) - \sum\limits_{\boldsymbol{c}_j\sim p_d} \psi_{-n}(\boldsymbol{x}_\ell-\boldsymbol{c}_j)\right)^2}} \\ &= \left(\frac{\mathrm{sgn}(\xi) M \mathrm{K}^{\frac{1}{2}}}{\varepsilon\left(m!\, S_{\boldsymbol{\alpha}}\right)^{\frac{1}{2}}}\right) \frac{S_{p_g} - S_{p_d}}{\sqrt{\sum\limits_{\ell=1}^{M}\left(\sum\limits_{\boldsymbol{c}_i\sim p_g} \psi_{-n}(\boldsymbol{x}_\ell-\boldsymbol{c}_i) - \sum\limits_{\boldsymbol{c}_j\sim p_d} \psi_{-n}(\boldsymbol{x}_\ell-\boldsymbol{c}_j)\right)^2}},\end{aligned}$$

where $\mathrm{sgn}(\cdot)$ denotes the signum function. This gives a closed-form solution to the polyharmonic PDE. However, in practice, from experiments on synthetic Gaussian learning presented in Section 6 of the *Main Manuscript*, we observe that $\tilde{\lambda}_d^*$ can be ignored, and its effect can be accounted for by the choice of the learning rate of the generator optimizer.

C.3 Optimal Generator Distribution

We now present the derivation of the optimal generator distribution, given the optimal discriminator. The derivation is along the same lines as presented by Anonymous (2022a). Consider the Lagrangian of the generator loss, described in Section 5.1 of the *Main Manuscript*:

$$\mathcal{L}_G = \int_{\mathcal{X}} D^*(\boldsymbol{x})\left(p_d(\boldsymbol{x}) - p_g(\boldsymbol{x})\right) + \left(\lambda_p + \mu_p(\boldsymbol{x})\right) p_g(\boldsymbol{x}) \mathrm{d}\boldsymbol{x} - \lambda_p.$$

Since the integral cost in turn involves a convolution integral, the Euler-Lagrange condition cannot be applied readily. Instead, the optimum must be obtained from first principles. Let $p_g^*(\boldsymbol{x})$ be the optimal solution. Consider the perturbed version $p_g(\boldsymbol{x}) = p_g^*(\boldsymbol{x}) + \epsilon\eta(\boldsymbol{x})$, where $\eta(\boldsymbol{x})$ is drawn from a family of compactly supported, absolutely integrable, infinitely differentiable functions that vanish on the boundary of $\mathcal{X}$. The corresponding perturbed loss is given by

$$\begin{aligned}\mathcal{L}_{G,\epsilon}(p_g) &= \mathcal{L}_G(p_g^*(\boldsymbol{x}) + \epsilon\eta(\boldsymbol{x})) \\ &= \int_{\mathcal{X}} \left(D_\epsilon^*(\boldsymbol{x})\left(p_d(\boldsymbol{x}) - p_g^*(\boldsymbol{x}) - \epsilon\eta(\boldsymbol{x})\right) + \left(\lambda_p + \mu_p(\boldsymbol{x})\right)\left(p_g^*(\boldsymbol{x}) - \epsilon\eta(\boldsymbol{x})\right)\right) \mathrm{d}\boldsymbol{x} - \lambda_p,\end{aligned}$$

where $D_\epsilon^*(\boldsymbol{x})$ is the optimal discriminator corresponding to the perturbed generator and is given by

$$D_\epsilon^*(\boldsymbol{x}) = -\frac{\xi}{\lambda_d^*}\left((p_d - p_g^* - \epsilon\eta) * \psi_{2m-n}\right)(\boldsymbol{x}) + P(\boldsymbol{x}).$$

The derivatives of $\mathcal{L}_{G,\epsilon}$and $D_\epsilon^*(\boldsymbol{x})$ with respect to ϵ are given by

$$\begin{aligned}\frac{\mathrm{d}\mathcal{L}_{G,\epsilon}}{\mathrm{d}\epsilon} &= \int_{\mathcal{X}} \left(\frac{\mathrm{d}D_\epsilon^*(\boldsymbol{x})}{\mathrm{d}\epsilon}\left(p_d(\boldsymbol{x}) - p_g^*(\boldsymbol{x}) - \epsilon\eta(\boldsymbol{x})\right) + \left(\lambda_p + \mu_p(\boldsymbol{x}) - D_\epsilon^*(\boldsymbol{x})\right)\eta(\boldsymbol{x})\right) \mathrm{d}\boldsymbol{x}, \text{ and} \\ \frac{\mathrm{d}D_\epsilon^*(\boldsymbol{x})}{\mathrm{d}\epsilon} &= \frac{\xi}{\lambda_d^*}\left(\eta * \psi_{2m-n}\right)(\boldsymbol{x}),\end{aligned}$$

respectively. The first variation of the loss $\mathcal{L}_G$, denoted by $\partial\mathcal{L}_G$, is given by $\partial\mathcal{L}_G = \left.\frac{\mathrm{d}\mathcal{L}_{G,\epsilon}}{\mathrm{d}\epsilon}\right|_{\epsilon=0}$. For the loss at hand, the first variation is given by

$$\partial\mathcal{L}_G = \underbrace{\frac{\xi}{\lambda_d^*}\int_{\mathcal{X}} (\eta * \psi_{2m-n})(\boldsymbol{x})\left(p_d(\boldsymbol{x}) - p_g^*(\boldsymbol{x})\right)\mathrm{d}\boldsymbol{x}}_{\mathrm{T}_0} + \left(\lambda_p + \mu_p(\boldsymbol{x}) + \frac{\xi}{\lambda_d^*}\left(\left(p_d - p_g^*\right) * \psi_{2m-n}\right)(\boldsymbol{x}) - P(\boldsymbol{x})\right)\eta(\boldsymbol{x})\mathrm{d}\boldsymbol{x}.$$

Consider the term

$$\mathrm{T}_0 = \frac{\xi}{\lambda_d^*} \int_{\boldsymbol{x}\in\mathcal{X}} \int_{\boldsymbol{y}\in\mathcal{X}} \eta(\boldsymbol{y})\, \psi_{2m-n}(\boldsymbol{x}-\boldsymbol{y}) \left(p_d(\boldsymbol{x}) - p_g^*(\boldsymbol{x})\right)\, \mathrm{d}\boldsymbol{y}\, \mathrm{d}\boldsymbol{x},$$

with the convolution integral expanded. Swapping the order of integration requires absolutely integrability over the domain of interest $\mathcal{X}$. Assume p_d and p_g to be compactly supported, *i.e.,* $\mathcal{X}$ is compact. This is a reasonable assumption even in practice because the data always has a finite dynamic range, pixel intensities of images, for instance. The family of perturbations $\eta(\boldsymbol{x})$ is assumed to be compactly supported and absolutely integrable over $\mathcal{X}$. It remains to show that the fundamental solution $r(\boldsymbol{x})$ is finite-valued over $\mathcal{X}$. Consider the case when $2m-n>0$. Then, $r(\boldsymbol{x})$ is absolutely integrable over $\mathcal{X}$ for odd n. When n is even, we consider the following approximation (Fasshauer, 2007; Iske, 2004):

$$\|\boldsymbol{x}\|^{2m-n} \ln(\|\boldsymbol{x}\|) \approx \begin{cases} \|\boldsymbol{x}\|^{2m-n-1} & \text{for } \|\boldsymbol{x}\| < 1, \\ \|\boldsymbol{x}\|^{2m-n} \ln(\|\boldsymbol{x}\|) & \text{for } \|\boldsymbol{x}\| \geq 1, \end{cases}$$

which overcomes the singularity of $\ln(\|\boldsymbol{x}\|)$ at the origin. With this approximation, $r(\boldsymbol{x})$ becomes finite. By Fubini's theorem, the order of integration can be swapped resulting in

$$\mathrm{T}_0 = \frac{\xi}{\lambda_d^*} \int_{\boldsymbol{y}\in\mathcal{X}} \int_{\boldsymbol{x}\in\mathcal{X}} \eta(\boldsymbol{y})\, \psi_{2m-n}(\boldsymbol{x}-\boldsymbol{y}) \left(p_d(\boldsymbol{x}) - p_g^*(\boldsymbol{x})\right)\, \mathrm{d}\boldsymbol{x}\, \mathrm{d}\boldsymbol{y}.$$

Owing to radial symmetry of r, we write

$$\begin{aligned} \mathrm{T}_0 &= \frac{\xi}{\lambda_d^*} \int_{\boldsymbol{y}\in\mathcal{X}} \eta(\boldsymbol{y}) \int_{\boldsymbol{x}\in\mathcal{X}} \psi_{2m-n}(\boldsymbol{y}-\boldsymbol{x}) \left(p_d(\boldsymbol{x}) - p_g^*(\boldsymbol{x})\right)\, \mathrm{d}\boldsymbol{x}\, \mathrm{d}\boldsymbol{y}, \\ &= \frac{\xi}{\lambda_d^*} \int_{\boldsymbol{y}\in\mathcal{X}} \eta(\boldsymbol{y}) \left(\left(p_d - p_g^*\right) * \psi_{2m-n}\right)(\boldsymbol{y})\, \mathrm{d}\boldsymbol{y}. \end{aligned}$$

For the case when $2m-n \leq 0$, the above analysis holds on $\mathcal{X} - \mathcal{B}_{\mathbf{0},\delta}$, where $\mathcal{B}_{\mathbf{0},\delta}$ represents a ball of radius δ centered around the origin (which is where the singularity is). Substituting T_0 back into $\partial\mathcal{L}_G$ yields

$$\begin{aligned} \partial\mathcal{L}_G &= \int_{\mathcal{X}} \left(\lambda_p + \mu_p(\boldsymbol{x}) + \frac{\xi}{\lambda_d^*} \left(\left(p_d - p_g^*\right) * \psi_{2m-n}\right)(\boldsymbol{x}) - P(\boldsymbol{x})\right) \eta(\boldsymbol{x}) \mathrm{d}\boldsymbol{x} \\ &= 0, \end{aligned}$$

where the second equality is due to the fact that, when $\epsilon = 0$, $p_g = p_g^*$, which implies that $\partial\mathcal{L}_G = 0$. By the *Fundamental Lemma of Calculus of Variations* (Gelfand & Fomin, 1964), we have

$$\lambda_p + \mu_p(\boldsymbol{x}) + \frac{\xi}{\lambda_d^*} \left(\left(p_d - p_g^*\right) * \psi_{2m-n}\right)(\boldsymbol{x}) - P(\boldsymbol{x}) = 0.$$

Rearranging terms, we get

$$\left(p_g^* * \psi_{2m-n}\right)(\boldsymbol{x}) = \left(p_d * \psi_{2m-n}\right)(\boldsymbol{x}) + \left(\frac{\lambda_d^*}{\xi}\right) \left(\lambda_p + \mu_p(\boldsymbol{x}) - P(\boldsymbol{x})\right). \tag{28}$$

In order to "deconvolve" the effect of $r(\boldsymbol{x})$ on p_g^*, we take advantage of the following property of the polyharmonic operator: $\Delta^m r(\boldsymbol{x}) = \delta(\boldsymbol{x})$. Applying Δ^m to both sides of Eq. (28) yields:

$$p_g^*(\boldsymbol{x}) = p_d(\boldsymbol{x}) + \left(\frac{\lambda_d^*}{\xi}\right) \Delta^m \mu_p(\boldsymbol{x}), \tag{29}$$

where $\Delta^m P(\boldsymbol{x}) = 0$, since $P(\boldsymbol{x})$ is an $(m-1)$-degree polynomial. This implies that the optimal generator distribution p_g^* is independent of the choice of the homogeneous component $P(\boldsymbol{x}) \in \mathcal{P}_{m-1}^n(\boldsymbol{x})$. The solution is

also independent of λ_p. We now focus our attention on computing $\mu_p^*(\boldsymbol{x})$. Applying the integral constraint Ω_P on $p_g^*(\boldsymbol{x})$ gives

$$\int_{\mathcal{X}} p_g^*(\boldsymbol{x})\ \mathrm{d}\boldsymbol{x} = \int_{\mathcal{X}} p_d(\boldsymbol{x}) + \left(\frac{\lambda_d^*}{\xi}\right) \Delta^m \mu_p(\boldsymbol{x})\ \mathrm{d}\boldsymbol{x} = 1,$$
$$\Rightarrow \int_{\mathcal{X}} \Delta^m \mu_p(\boldsymbol{x})\ \mathrm{d}\boldsymbol{x} = 0. \tag{30}$$

The non-negativity constraint implies that $\mu_p(\boldsymbol{x}) \leq 0,\ \forall\ \boldsymbol{x} \in \mathcal{X}$. Further, from the complementary slackness condition, we have

$$\mu_p^*(\boldsymbol{x})\, p_g^*(\boldsymbol{x}) = \mu_p^*(\boldsymbol{x})\, p_d(\boldsymbol{x}) + \left(\frac{\lambda_d^*}{\xi}\right) \mu_p^*(\boldsymbol{x})\, \Delta^m \mu_p^*(\boldsymbol{x}) = 0, \tag{31}$$

for all $\boldsymbol{x} \in \mathcal{X}$. Two scenarios arise: (a) $p_d(\boldsymbol{x}) = 0$; and (b) $p_d(\boldsymbol{x}) > 0$. The solutions $\mu_p^*(\boldsymbol{x})$ that satisfy the conditions in Equations (30) and (31) are:

$$\mu_p^*(\boldsymbol{x}) = 0,\ \forall\ \boldsymbol{x} \in \mathcal{X}, \quad \text{or}$$

$$\mu_p^*(\boldsymbol{x}) = \begin{cases} 0, & \forall\ \boldsymbol{x} \text{ such that } p_d(\boldsymbol{x}) > 0, \\ Q(\boldsymbol{x}) \in \mathcal{P}_{m-1}^n(\boldsymbol{x}), & \forall\ \boldsymbol{x} \text{ such that } p_d(\boldsymbol{x}) = 0, \end{cases}$$

where $Q(\boldsymbol{x})$ must be a non-positive polynomial of degree $m-1$, *i.e.,* $Q(\boldsymbol{x}) \leq 0\ \forall\ \boldsymbol{x}$, such that $p_d(\boldsymbol{x}) = 0$. In either case, $p_g^*(\boldsymbol{x}) = p_d(\boldsymbol{x})$, i.e., the optimal generator distribution that minimizes the chosen cost subject to non-negativity and integral constraints is indeed the data distribution. This completes the proof of Theorem 5.2.

C.4 Sample Estimate of the Optimal Discriminator

Consider the closed-form optimal discriminator given in Equation (9):

$$D_p^*(\boldsymbol{x}) = \frac{(-1)^{m+1}\varrho}{2\lambda_d^*} \left((p_g - p_d) * \psi_{2m-n}\right)(\boldsymbol{x}).$$

Without loss of generality, we assume that n is odd. From the definition of the convolution, we have

$$\begin{aligned} D_p^*(\boldsymbol{x}) &= \frac{(-1)^{m+1}\varrho}{2\lambda_d^*} \int_{\mathcal{X}} \left(p_g(\boldsymbol{y}) - p_d(\boldsymbol{y})\right) \|\boldsymbol{x} - \boldsymbol{y}\|^{2m-n}\ \mathrm{d}\boldsymbol{y} \\ &= \frac{\xi}{\lambda_d^*} \left(\mathbb{E}_{\boldsymbol{y}\sim p_g} \left[\|\boldsymbol{x} - \boldsymbol{y}\|^{2m-n}\right] - \mathbb{E}_{\boldsymbol{y}\sim p_d} \left[\|\boldsymbol{x} - \boldsymbol{y}\|^{2m-n}\right] \right), \end{aligned}$$

where $\xi = \frac{(-1)^{m+1}\varrho}{2}$. The expectations can be replaced with N-sample estimates as follows:

$$\tilde{D}_p^*(\boldsymbol{x}) = \frac{\xi}{\lambda_d^* N} \left(\sum_{\boldsymbol{c}_i \sim p_g} \|\boldsymbol{x} - \boldsymbol{c}_i\|^{2m-n} - \frac{\xi}{\lambda_d^* N} \sum_{\boldsymbol{c}_j \sim p_d} \|\boldsymbol{x} - \boldsymbol{c}_j\|^{2m-n} \right),$$

where $\tilde{D}_p^*$ is a polyharmonic RBF expansion. A similar analysis could be carried out for even n, and the corresponding discriminators is:

$$\tilde{D}_p^*(\boldsymbol{x}) = \frac{\xi}{\lambda_d^* N} \left(\sum_{\boldsymbol{c}_i \sim p_g} \|\boldsymbol{x} - \boldsymbol{c}_i\|^{2m-n} \ln(\|\boldsymbol{x} - \boldsymbol{c}_i\|) - \sum_{\boldsymbol{c}_j \sim p_d} \|\boldsymbol{x} - \boldsymbol{c}_j\|^{2m-n} \ln(\|\boldsymbol{x} - \boldsymbol{c}_j\|) \right)$$

The generic form for $\tilde{D}_p^*$ is given by The generic form for $\tilde{D}_p^*$ is given by

$$\tilde{D}_p^*(\boldsymbol{x}) = \frac{\xi}{\lambda_d^* N} \left(\sum_{\boldsymbol{c}_i \sim p_g} \psi_{2m-n}(\boldsymbol{x} - \boldsymbol{c}_i) - \sum_{\boldsymbol{c}_j \sim p_d} \psi_{2m-n}(\boldsymbol{x} - \boldsymbol{c}_j) \right) \tag{32}$$

which completes the proof of Lemma 5.3.

C.5 Practical considerations

In this appendix, we discuss additional practical considerations in implementing the polyharmonic RBF discriminator. In particular, we discuss the choice of the homogeneous component $P(\boldsymbol{x})$ and the gradient order m.

Issues with the Homogeneous Component: The polynomial term $P(\boldsymbol{x})$ in the PolyGAN discriminator represents the homogeneous component of the solution. While in Poly-LSGAN, the coefficients can be computed via matrix inversion, in Poly-WGAN, boundary conditions must be defined to determine the optimal values of the coefficients. In either case, as discussed in Section 4, the number of coefficients grows exponentially with both the data dimension and the gradient order, which makes it impractical to incorporate the homogeneous component in the solution. We argue that dropping the homogeneous component does not significantly impact the gradient-descent optimization. The justification is as follows. The result provided in Theorem 5.2 shows that the optimal generator is independent of the homogeneous component. As far as gradient-descent is concerned, ignoring the homogeneous component is not too detrimental to the optimization. Consider the generator optimization in practice, given the empirical loss:

$$\hat{\mathcal{L}}_G(\theta) = \frac{\xi}{\lambda_d^* NM} \sum_{\boldsymbol{z}_k \sim p_Z(\boldsymbol{z})} \left(\sum_{\boldsymbol{c}_i \sim p_g} \psi_{2m-n}(G_\theta(\boldsymbol{z}_k) - \boldsymbol{c}_i) - \sum_{\boldsymbol{c}_j \sim p_d} \psi_{2m-n}(G_\theta(\boldsymbol{z}_k) - \boldsymbol{c}_j) + P(G_\theta(\boldsymbol{z}_k)) \right),$$

obtained by simplifying Equation (11), considering only those terms that involve the generator G_θ, parameterized by θ. Updating the generator parameters $\theta_t \to \theta_{t+1}$ through first-order methods such as gradient-descent involve locally linear approximation of the loss surface $\mathcal{L}_G$ about the point of interest θ_t giving rise to the update $\theta_{t+1} = \theta_t + \tau \nabla_\theta \hat{\mathcal{L}}_G(\theta_t)$, where $\nabla_\theta \hat{\mathcal{L}}_G(\theta_t)$ denotes the gradient of the loss evaluated at $\theta = \theta_t$ and τ is the learning rate parameter. The gradient of the loss involves the derivatives of the kernel $\partial_{x_i} \psi_{2m-n}(\boldsymbol{x} - \cdot)$, and the polynomial $\partial_{x_i} P(\boldsymbol{x})$. Given a gradient direction associated with the particular solution, the gradient of the homogeneous component serves as a correction term, the effect of which can be neglected when the learning rate τ is small. As iterations progress and the optimization converges, the effect of the polynomial term in the discriminator diminishes as the optimal WGAN discriminator is a constant function Arjovsky et al. (2017). In view of the above considerations, we do not incorporate the the homogeneous component $P(\boldsymbol{x})$ in the Poly-WGAN discriminator.

Choice of the Gradient Order: For $2m - n > 0$, the RBFs $\{\psi_{2m-n}(\boldsymbol{x} - \boldsymbol{c}_\ell)\}$ increase with $\boldsymbol{x}$, which might result in large gradients particularly in the initial phases of training when p_g is away from p_d. On the other hand, if $2m - n \leq 0$, $\psi_{2m-n}(\boldsymbol{x} - \boldsymbol{c}_\ell)$ has a singularity at $\boldsymbol{x} = \boldsymbol{c}_\ell$, which could result in convergence issues in the later stages of training.Experimental results in support of this claim will be presented in Section 6.2. Though these observations were empirical, they can also be explained through the Sobolev embeddings into continuous spaces. It is known that functions in the L_2-normed Sobolev spaces of order m, $\mathrm{W}^{m,2}$ will be Hölder continuous, *i.e.,* $f \in \mathrm{C}^{R,\alpha}$ such that $|f(\boldsymbol{x}) - f(\boldsymbol{y})| = R\|\boldsymbol{x} - \boldsymbol{y}\|^\alpha$, where $R, \alpha > 0$, and $R + \alpha = m - \frac{n}{2}$ (Stein, 1970). If the discriminator has its mth order derivatives bounded in L_2-norm and $m > \frac{n}{2}$, then the discriminator will be continuous. Additionally, for $\alpha = 1$, we get Lipschitz discriminators. For an in-depth analysis on the embedding of Beppo-Levi spaces in Hölder-Zygmund spaces, the reader is referred to Beatson et al. (2005). In a similar vein, the relationship between Sobolev embeddings of the discriminator and generator in Sobolev GANs was explored by Liang (2021).

D Implementation Details

In this section, we provide details regarding the network architectures and training parameters associated with the experiments reported, and the Poly-LSGAN, Poly-WGAN and PolyGAN-WAE training algorithms.

D.1 Network Architectures

Tables 2-7 describe the network architectures, a summary of which is given below.

2-D Gaussians and GMMs: The generator accepts 100-D standard Gaussian data as input. The network consists of three fully connected layers, with 64, 32, and 16 nodes. The activation in each layer is ReLU. The

output layer consists of two nodes. The discriminator is also a three-layer fully connected ReLU network with 10, 20, and 5 nodes, in order. The discriminator outputs a 1-D prediction. Table 2 depicts these architectures.

***n*-D Gaussians**: In order to simulate DCGAN (Radford et al., 2016) based image generation, we use a convolutional neural network for the generator as shown in Table 3. The 100-dimensional Gaussian data is input to a fully connected layer with $32 \times 32 \times 3 = 3072$ nodes and subsequently reshaped to $32 \times 32 \times 3$, and provided as input to five convolution layers. Each convolution filter is of size 4×4 and a stride of two resulting in a downsampling of the input by a factor of two. All convolution layers include batch normalization (Ioffe & Szegedy, 2015). The discriminator is a four-layer fully-connected network with 512, 256, 64 and 32 nodes.

Autoencoder architecture: For the MNIST learning task, as shown in Table 4, we consider a 4-layer fully connected network with leaky ReLU activation for the encoder with 784, 256, 128 and 64 nodes in the first, second, third, and fourth layers, respectively. The decoder has a similar architecture but exactly in the reverse order. For CIFAR-10 and CelebA learning, the convolutional autoencoder architectures based on DCGAN are used as shown in Tables 5 and 6. For LSUN-Churches, we consider a convolutional ResNet architecture. As shown in Table 7, the encoder consists of four ResNet convolution layers with both batch and spectral normalization (Roth et al., 2019). The decoder similarly consists of ResNet deconvolution layers. The CelebA and LSUN-Churches images are center-cropped and resized to $64 \times 64 \times 3$ using built-in bilinear interpolation. We employ the ResNet based BigGAN architecture (Tolstikhin et al., 2018) from Table 7 for high-resolution (192×192) experiments on CelebA, presented in Appendix F.3.

Table 2: GAN architectural details for 2-D Gaussian and Gaussian mixture learning tasks.

	Layer	Batch Norm	Activation	Output size
Generator	Input	-	-	(100,1)
	Dense 1	✗	ReLU	(64,1)
	Dense 2	✗	ReLU	(32,1)
	Dense 3	✗	ReLU	(16,1)
	Output	✗	none	(2,1)
Discriminator	Input	-	-	(2,1)
	Dense 1	✗	ReLU	(10,1)
	Dense 2	✗	ReLU	(20,1)
	Dense 3	✗	ReLU	(5,1)
	Output	✗	none	(1,1)

Table 3: GAN architectural details for n-dimensional Gaussian learning tasks.

	Layer	Batch Norm	Filters	(Size, Stride)	Activation	Output size
Generator	Input	-	-	-	-	(100,1)
	Dense 1	✗	-	-	leaky ReLU	$(32 \times 32 \times 3,1)$
	Reshape	-	-	-	-	(32,32,3)
	Conv2D 1	✓	1024	(4, 2)	leaky ReLU	(16,16,1024)
	Conv2D 2	✓	256	(4, 2)	leaky ReLU	(8,8,256)
	Conv2D 3	✓	128	(4, 2)	leaky ReLU	(4,4,128)
	Conv2D 4	✓	128	(4, 2)	leaky ReLU	(2,2,128)
	Conv2D 5	✓	n	(4, 2)	leaky ReLU	$(1,1,n)$
	Flatten	-	-	-	-	$(n,1)$
Discriminator	Input	-	-	-	-	$(n,1)$
	Dense 1	✗	-	-	leaky ReLU	(512,1)
	Dense 2	✗	-	-	leaky ReLU	(256,1)
	Dense 3	✗	-	-	leaky ReLU	(64,1)
	Dense 4	✗	-	-	none	(32,1)
	Output	✗	-	-	none	(1,1)

Table 4: Autoencoder architectural details for learning MNIST with a 11-D latent space.

	Layer	Batch Norm	Activation	Output size
Encoder	Input	-	-	(28,28,1)
	Flatten	-	-	(784,1)
	Dense 1	✓	leaky ReLU	(512,1)
	Dense 2	✓	leaky ReLU	(256,1)
	Dense 3	✓	leaky ReLU	(128,1)
	Dense 4	✓	leaky ReLU	(64,1)
	Output	✗	none	(11,1)
Decoder	Input	-	-	(11,1)
	Dense 1	✓	leaky ReLU	(64,1)
	Dense 2	✓	leaky ReLU	(128,1)
	Dense 3	✓	leaky ReLU	(256,1)
	Dense 4	✓	leaky ReLU	(784,1)
	Reshape	-	-	(28,28,1)
	Activation	-	tanh	(28,28,1)

Table 5: Autoencoder architectural details for learning CIFAR-10 with a 64-D latent space.

	Layer	Batch Norm	Filters	(Size, Stride)	Activation	Output size
Encoder	Input	-	-	-	-	(32,32,3)
	Conv2D 1	✓	128	(4, 2)	leaky ReLU	(16,16,128)
	Conv2D 2	✓	256	(4, 2)	leaky ReLU	(8,8,256)
	Conv2D 3	✓	512	(4, 2)	leaky ReLU	(4,4,512)
	Conv2D 4	✓	1024	(4, 2)	leaky ReLU	(2,2,1024)
	Flatten	-	-	-	-	$(2\times2\times1024,1)$
	Dense 1	✗	-	-	none	(64,1)
Decoder	Input	-	-	-	-	(64,1)
	Dense 1	✗	-	-	none	$(4\times4\times1024,1)$
	Reshape	-	-	-	-	(4,4,1024)
	Deconv2D 1	✓	512	(4, 2)	leaky ReLU	(8,8,512)
	Deconv2D 2	✓	256	(4, 2)	leaky ReLU	(16,16,256)
	Deconv2D 3	✓	128	(4, 2)	leaky ReLU	(32,32,128)
	Deconv2D 4	✗	3	(4, 1)	tanh	(32,32,3)

Table 6: Autoencoder architectural details for learning 64-D CelebA with a 128-D latent space.

	Layer	Batch Norm	Filters	(Size, Stride)	Activation	Output size
Encoder	Input	-	-	-	-	(64,64,3)
	Conv2D 1	✓	128	(4, 2)	leaky ReLU	(32,32,128)
	Conv2D 2	✓	256	(4, 2)	leaky ReLU	(16,16,256)
	Conv2D 3	✓	512	(4, 2)	leaky ReLU	(8,8,512)
	Conv2D 4	✓	1024	(4, 2)	leaky ReLU	(4,4,1024)
	Flatten	-	-	-	-	$(4\times4\times1024,1)$
	Dense 1	✗	-	-	none	(128,1)
Decoder	Input	-	-	-	-	(128,1)
	Dense 1	✓	-	-	none	$(8\times8\times1024,1)$
	Reshape	-	-	-	-	(8,8,1024)
	Deconv2D 1	✓	512	(4, 2)	leaky ReLU	(16,16,512)
	Deconv2D 2	✓	256	(4, 2)	leaky ReLU	(32,32,256)
	Deconv2D 3	✓	128	(4, 2)	leaky ReLU	(64,64,128)
	Deconv2D 4	✗	3	(4, 1)	tanh	(64,64,3)

Table 7: Autoencoder architectural details for learning 64-D LSUN-Churches with a 128-D latent space.

	Layer	Spectral Norm	Filters	Activation	Output size
Encoder	Input	-	-	-	(64,64,3)
	ResBlock Down 1	✓	128	leaky ReLU	(32,32,128)
	ResBlock Down 2	✓	256	leaky ReLU	(16,16,256)
	ResBlock Down 3	✓	512	leaky ReLU	(8,8,512)
	ResBlock Down 4	✓	1024	leaky ReLU	(4,4,1024)
	Flatten	-	-	-	$(4\times4\times1024,1)$
	Dense 1	✗	-	leaky ReLU	(128,1)
	Dense 2	✗	-	none	(128,1)
Decoder	Input	-	-	-	(128,1)
	Dense 1	✗	-	none	$(4\times4\times1024,1)$
	Reshape	-	-	-	(4,4,1024)
	ResBlock Up 1	✓	512	leaky ReLU	(8,8,512)
	ResBlock Up 2	✓	256	leaky ReLU	(16,16,256)
	ResBlock Up 3	✓	128	leaky ReLU	(32,32,128)
	ResBlock Up 4	✓	64	leaky ReLU	(64,64,64)
	Conv2D	✗	3	tanh	(64,64,3)

D.2 Training Specifications

System Specifications: The codes for both PolyGANs are written in Tensorflow 2.0 (Abadi et al., 2016). All experiments were conducted on workstations with one of two configurations: (I) 256 GB of system RAM and 2×NVIDIA GTX 3090 GPUs with 24 GB of VRAM; or (II) 512 GB of system RAM and 8×NVIDIA Tesla V100 GPUs with 32 GB of VRAM.

Experiments on 2-D Gaussians with Poly-LSGAN: On the unimodal learning task, the target is $\mathcal{N}(5\mathbf{1}_2, 1.5\mathbb{I}_2)$, where $\mathbf{1}_2$ is the 2-D vector of ones, and $\mathbb{I}_2$ is the 2×2 identity matrix. On the GMM learning task, we consider eight components distributed uniformly about the unit circle, each having a standard deviation of 0.02.

On the unimodal Gaussian learning task, the generator is a single layer affine transformation of the noise $\boldsymbol{z} \in \mathbb{R}^2$, given by $\boldsymbol{x} = M\boldsymbol{z} + b$, while on the GMM task, it is a three-layer neural network with Leaky ReLU activations. The discriminator in baseline LSGANs variants is a three-layer neural network with Leaky ReLU activation in both the Gaussian and GMM learning tasks. Poly-LSGAN employs the RBF discriminator while weights are computed by solving the system of equation given in Equation (5), while in Poly-WGAN the weights are constant across all iterations. The networks are trained using the Adam optimizer (Kingma & Ba, 2015) with a learning rate of $\eta_g = 0.002$ for the generator and $\eta_d = 0.0075$ for the discriminator. A batch size of 500 is employed.

Experiments on 2-D Gaussians with Poly-WGAN: The experimental setup is as follows. In the unimodal Gaussian learning task, the target distribution is $\mathcal{N}(3.5\mathbf{1}_2, 1.25\mathbb{I}_2)$. For the multimodal learning task, we consider an 8-component Gaussian mixture model (GMM), with components having standard deviation equal to 0.02, identical to the Poly-LSGAN case.

The generators and discriminators in the baselines are three-layer neural networks with Leaky ReLU activation. The noise $\boldsymbol{z}$ is 100-dimensional. Poly-WGAN employs the RBF discriminator whereas the other models use a discriminator network. All models use the ADAM optimizer (Kingma & Ba, 2015) with a learning rate of $\eta_g = 0.002$ for the generator network. The learning rate for the baseline discriminator networks is $\eta_d = 0.0075$. The batch size employed is 500.

Experiments on Image-space Learning: On image learning tasks, we employ the DCGAN (Radford et al., 2016) generator, trained using the Adam optimizer. The batch size is set to 100. The generator learning rate is set to $\eta_g = 10^{-4}$. The discriminator is the polyharmonic RBF with a gradient penalty of order $m = \lceil \frac{n+1}{2} \rceil$.

Experiments on PolyGAN-WAE: On MNIST, we consider a 4-layer dense-ReLU architecture for the encoder, whereas on CIFAR-10 and CelebA, we use the DCGAN model. For LSUN-Churches, we consider a ResNet based encoder model with spectral normalization (Miyato et al., 2018). The decoder is an inversion of the encoder layers in all cases. We used the published TensorFlow implementations of SWAE (Kolouri et al., 2019) and CWAE (Knop et al., 2020), and the published PyTorch implementations of MMD-GAN (Li et al., 2017a) and MMD-GAN-GP (Bińkowski et al., 2018), while other GAN and GMMN variants were coded anew. The learning rates for all MMD variants follow the specifications provided by Knop et al. (2020), while the learning rates for WAE-GAN and WAAE-LP follow those used by Tolstikhin et al. (2018). The WAE models with a trainable discriminator fail to converge for higher learning rates, and consequently, the WAE-MMD variants are an order (in terms of number of iterations) faster than the WAE-GAN variants.

D.3 Evaluation Metrics

Wasserstein-2 distance: We use the Wasserstein-2 ($\mathcal{W}^{2,2}$) distance between the generator and target distributions to quantify the performance in Gaussian learning (Section 6 of the main manuscript). Given two Gaussians $p_d = \mathcal{N}(\boldsymbol{\mu}_d, \Sigma_d)$ and $p_g = \mathcal{N}(\boldsymbol{\mu}_g, \Sigma_g)$, the Wasserstein-2 distance between them is given by

$$\mathcal{W}^{2,2}(p_d, p_g) = \|\boldsymbol{\mu}_d - \boldsymbol{\mu}_g\|^2 + \mathrm{Tr}\left(\Sigma_d + \Sigma_g - 2\sqrt{\Sigma_d \Sigma_g}\right),$$

where $\mathrm{Tr}(\cdot)$ denotes the trace operator and the matrix square-root is computed via singular-value decomposition. In the case of Gaussian mixture data, $\mathcal{W}^{2,2}(p_d, p_g)$ is computed using a sample estimate provided by the *python optimal transport* library (Flamary et al., 2021).

Fréchet Inception distance (FID): Proposed by Heusel et al. (2018), the FID is used to quantify how *realistic* the samples generated by GANs are. To compute FID, we consider the InceptionV3 (Szegedy et al., 2015) model without the topmost layer, loaded with pre-trained ImageNet (Deng et al., 2009) classification weights. The network accepts inputs ranging from $75 \times 75 \times 3$ to $299 \times 299 \times 3$. We therefore rescale all images to $299 \times 299 \times 3$. Grayscale images are duplicated across the color channels. FID is computed as the $\mathcal{W}^{2,2}$ between the InceptionV3 embeddings of real and fake images. The means and covariances are computed using $10,000$ samples. The publicly available TensorFlow based *Clean-FID* library (Parmar et al., 2021) is used to compute FID.

Kernel Inception distance (KID): Proposed by Bińkowski et al. (2018), the kernel inception distance is an unbiased alternative to FID. The KID computes the squared MMD between the InceptionV3 embeddings, akin to the FID framework. The polynomial kernel $\left(\frac{1}{n}\boldsymbol{x}^{\mathrm{T}}\boldsymbol{y} + 1\right)^3$ is computed over batches of 5000 samples. In the interest of reproducibility, we use the publicly available *Clean-FID* (Parmar et al., 2021) library implementation of KID.

Average reconstruction error ($\langle RE \rangle$): The WAE autoencoders are trained using the ℓ_1 loss between the true samples $\boldsymbol{x} \sim p_d$ and their reconstructions $\tilde{\boldsymbol{x}} = \mathrm{Dec}(\mathrm{Enc}(\boldsymbol{x}))$, given by $\mathcal{L}_{AE} = \|\boldsymbol{x} - \tilde{\boldsymbol{x}}\|_1$. On the MNIST, CIFAR-10, and LSUN-Churches datasets, $\langle RE \rangle$ is computed by averaging $\mathcal{L}_{AE}$ over 10^4 samples drawn from the predefined *Test* sets, whereas on CelebA, a held-out validation set of 10^4 images is used.

Image sharpness: We employ the approach proposed by Tolstikhin et al. (2018) to compute image sharpness. The edge-map is obtained using the Laplacian operator. The variance in pixel intensities on the edge-map is computed and averaged over batches of 50,000 images to determine the average sharpness.

D.4 Algorithm

The PolyGAN implementations uses a radial basis function (RBF) network as the discriminator. The RBF is implemented as a custom layer in Tensorflow 2.0 (Abadi et al., 2016). The network weights and centers are computed *out-of-the-loop* at each step of the training and updated, resulting in the optimal discriminator at each iteration. The output of the RBF discriminator network is used to train the generator through gradient-descent.

Algorithm 1 summarizes the training procedure of Poly-LSGAN, wherein the weights are polynomial coefficients are computed through matrix inversion, adding additional compute overhead. Algorithm 2 presents the Poly-WGAN training procedure, wherein the weights associated with all centers are identical, as given in Equation (12). Additionally, as discussed in Appendix C.5, the polynomial component can be ignored, allowing for fewer computations. Algorithm 3 summarizes the PolyGAN-WAE training framework, where an autoencoder is used to learn the latent-space representations of the data, on which the Poly-WGAN algorithm is applied.

D.5 Source Code

The source code for the TensorFlow 2.0 (Abadi et al., 2016) implementation of PolyGAN and high-resolution counterparts of the images presented in the paper will be made available on GitHub as part of the camera-ready submission of the manuscript. For the review process, anonymized source code has been attached as a *PolyGANs.zip* folder in the *Supplementary Material*

Algorithm 1: Poly-LSGAN − LSGAN with a trainable generator and radial basis function (RBF) discriminator and solvable RBF weights.

Input: Training data $\boldsymbol{x} \sim p_d$, Gaussian prior distribution $p_z = \mathcal{N}(\mu_{\boldsymbol{z}}, \Sigma_{\boldsymbol{z}})$
Parameters: Batch size M, optimizer learning rate η, number of radial basis function (RBF) centers N
Models: Generator: Gen_θ; Polyharmonic RBF Discriminator: D_p^*.
while Gen_θ *not converged* **do**
- **Sample:** $\boldsymbol{x} \sim p_d$ – A batch of M real samples.
- **Sample:** $\boldsymbol{z} \sim p_z$ – A batch of M noise samples.
- **Sample:** $\tilde{\boldsymbol{x}} = \text{Gen}_\theta(\boldsymbol{z})$ – Generator output.
- **Sample:** $\boldsymbol{z}_c \sim p_z$ – A batch of N noise samples for computing RBF centers.
- **Sample:** $\boldsymbol{c}_i \sim \text{Gen}_\theta(\boldsymbol{z}_c)$ – A batch of N *generator data* centers for the generator RBF interpolator S_{p_g}.
- **Sample:** $\boldsymbol{c}_j \sim p_d$ – A batch of N *target data* centers for the target RBF interpolator S_{p_d}.
- **Compute:** Kernel matrix $\mathbf{A}$ and monomial matrix $\mathbf{B}$.
- **Solve: System of equations** for RBF weights $\boldsymbol{w}$ and polynomial coefficients $\boldsymbol{v}$ (Eq. (5)).
- **Update: Discriminator RBF** D^* with centers $\{\boldsymbol{c}_i\}, \{\boldsymbol{c}_j\}$, weights $\boldsymbol{w}$ and coefficients $\boldsymbol{v}$ (Eq. (4)).
- **Evaluate: Generator Loss** $\mathcal{L}_G^{LS}(D_p^*(\boldsymbol{x}), D_p^*(\tilde{\boldsymbol{x}}))$
- **Update: Generator** $\text{Gen}_\theta \leftarrow \eta \nabla_\theta[\mathcal{L}_G]$

Output: Samples output by the Generator: $\tilde{\boldsymbol{x}}$

Algorithm 2: Poly-WGAN − GAN with a trainable generator and radial basis function (RBF) discriminator and fixed RBF weights.

Input: Training data $\boldsymbol{x} \sim p_d$, Gaussian prior distribution $p_z = \mathcal{N}(\mu_{\boldsymbol{z}}, \Sigma_{\boldsymbol{z}})$
Parameters: Batch size M, optimizer learning rate η, number of radial basis function (RBF) centers N, gradient order m.
Models: Generator: Gen_θ; Polyharmonic RBF Discriminator: D_p^*.
while Gen_θ *not converged* **do**
- **Sample:** $\boldsymbol{x} \sim p_d$ – A batch of M real samples.
- **Sample:** $\boldsymbol{z} \sim p_z$ – A batch of M noise samples.
- **Sample:** $\tilde{\boldsymbol{x}} = \text{Gen}_\theta(\boldsymbol{z})$ – Generator output.
- **Sample:** $\boldsymbol{z}_c \sim p_z$ – A batch of N noise samples for computing RBF centers.
- **Sample:** $\boldsymbol{c}_i \sim \text{Gen}_\theta(\boldsymbol{z}_c)$ – A batch of N *generator data* centers for the generator RBF interpolator S_{p_g}.
- **Sample:** $\boldsymbol{c}_j \sim p_d$ – A batch of N *target data* centers for the target RBF interpolator S_{p_d}.
- **Compute:** RBF weights $w = \frac{\xi}{N\lambda_d^*}$.
- **Update: Discriminator RBF** D_p^* with centers $\{\boldsymbol{c}_i\}, \{\boldsymbol{c}_j\}$ and weight w (Eqn. (9)).
- **Evaluate: Generator Loss** $\mathcal{L}_G(D_p^*(\boldsymbol{x}), D_p^*(\tilde{\boldsymbol{x}})$
- **Update: Generator** $\text{Gen}_\theta \leftarrow \eta \nabla_\theta[\mathcal{L}_G]$

Output: Samples output by the Generator: $\tilde{\boldsymbol{x}}$

E Additional Experiments On Gaussians

In this section, we present additional experimental results on learning 2-D Gaussians and 2-D Gaussian mixtures with the Poly-LSGAN and Poly-WGAN frameworks. The network architectures and training parameters are as described in Appendix E.2.

E.1 Learning 2-D Gaussians with Poly-LSGAN

We now evaluate the optimal Poly-LSGAN discriminator on learning synthetic 2-D Gaussian and Gaussian mixture models (GMMs), and subsequently discuss extensions to learning images. We consider polyharmonic spline order $k = 2$. For larger k, we encountered numerical instability. We compare against the base LSGAN (Mao et al., 2017), and LSGAN subjected to the gradient penalty (GP) (Gulrajani et al., 2017) , R_d

Algorithm 3: PolyGAN-WAE − Wasserstein autoencoder with a radial basis function discriminator.

Input: Training data $\boldsymbol{x} \sim p_d$, Gaussian prior distribution $\boldsymbol{z} \sim p_z = \mathcal{N}(\mu_{\boldsymbol{z}}, \Sigma_{\boldsymbol{z}})$
Parameters: Batch size M, optimizer learning rate η, number of radial basis function (RBF) centers N
Models: Encoder/Generator: Enc_ϕ; Decoder: Dec_θ; Polyharmonic RBF Discriminator: D_p^*.
while $\text{Enc}_\phi, \text{Dec}_\theta$ *not converged* **do**
- **Sample:** $\boldsymbol{x} \sim p_d$ – A batch of M real samples.
- **Sample:** $\tilde{\boldsymbol{z}} = \text{Enc}_\phi(\boldsymbol{x})$ – Latent encoding of real samples.
- **Sample:** $\tilde{\boldsymbol{x}} = \text{Dec}_\theta(\tilde{\boldsymbol{z}})$ – Reconstructed samples.
- **Evaluate: Autoencoder Loss**: $\mathcal{L}_{AE}(\boldsymbol{x}, \tilde{\boldsymbol{x}})$
- **Update: Autoencoder** $\text{Enc}_\phi \leftarrow \eta \nabla_\phi[\mathcal{L}_{AE}]$; $\text{Dec}_\theta \leftarrow \eta \nabla_\theta[\mathcal{L}_{AE}]$
- **Sample:** $\boldsymbol{c}_i \sim \mathcal{N}(\mu_{\boldsymbol{z}}, \Sigma_{\boldsymbol{z}})$ – A batch of N centers for the target RBF interpolator.
- **Sample:** $\boldsymbol{x}_c \sim p_d$ – A batch of N real samples to compute data centers.
- **Sample:** $\boldsymbol{c}_j = \text{Enc}_\phi(\boldsymbol{x}_c) \sim p_{d_\ell}$ – A batch of N centers for the generator RBF interpolator.
- **Compute:** RBF weights $w = \frac{\xi}{N\lambda_d^*}$.
- **Update: Discriminator RBF** D_p^* with centers $\{\boldsymbol{c}_i\}, \{\boldsymbol{c}_j\}$ and weight w (Eqn. (9)).
- **Sample:** $\boldsymbol{z} \sim \mathcal{N}(\mu_{\boldsymbol{z}}, \Sigma_{\boldsymbol{z}})$ – A batch of M prior distribution samples.
- **Evaluate: Generator Loss** $\mathcal{L}_G(D_p^*(\tilde{\boldsymbol{z}}), D_p^*(\boldsymbol{z}))$
- **Update: Generator** $\text{Enc}_\phi \leftarrow \eta \nabla_\phi[\mathcal{L}_G]$

Output: Reconstructed random prior samples: $\text{Dec}_\theta(\boldsymbol{z})$

and R_g (Mescheder et al., 2018), Lipschitz penalty (LP) (Petzka et al., 2018) and the DRAGAN (Roth et al., 2017) regularizers.

On the unimodal learning task, the target is $\mathcal{N}(5\mathbf{1}_2, 1.5\mathbb{I}_2)$, where $\mathbf{1}_2$ is the 2-D vector of ones, and $\mathbb{I}_2$ is the 2×2 identity matrix. On the GMM learning task, we consider eight components distributed uniformly about the unit circle, each having a standard deviation of 0.02. To quantify performance, we use the Wasserstein-2 distance between the target and generator distributions $\left(\mathcal{W}^{2,2}(p_d, p_g)\right)$. Network parameters are given in Appendix D.1. Figure 4 presents the $\mathcal{W}^{2,2}$ distance as a function of iterations on the Gaussian and Gaussian mixture learning tasks. On both datasets, using the polyharmonic RBF discriminator results in superior generator performance (lower $\mathcal{W}^{2,2}$ scores). In all scenarios considered, the polyharmonic RBF discriminator learns the perfect classifier, compared to LSGAN with a trainable network discriminator.

Figures 5 and 6 present the generated and target data samples, superimposed on the level-sets of the discriminator, for the 2-D Gaussian, and 8-component Gaussian mixture learning tasks, respectively. For the Gaussian learning problem, we observe that Poly-LSGAN does not *mode collapse* upon convergence to the target distribution. However, in the baseline GANs, depending on the learning rate, the generator converges to a distribution of smaller support than the target, before latching on to the desired target. Similarly, on the GMM learning task, Poly-LSGAN learns the target distribution more accurately compared to the baselines.

E.2 Learning 2-D Gaussians with Poly-WGAN

Figure 7 shows the Wasserstein-2 distance ($\mathcal{W}^{2,2}(p_d, p_g)$) as a function of iterations for various number of centers N of the RBFs on the 2-D unimodal and multimodal Gaussian and 8-component GMM learning task. On the unimodal data, we observe that the performance is comparable for all N on a linear scale. Compared on a logarithmic scale (Figure 7(b)), it is clear that as N increases, the model results in better performance, as indicated by the lower $\mathcal{W}^{2,2}(p_d, p_g)$ scores. From figure 7(c) we infer that, on multimodal data, choosing insufficient number of centers could lead to *mode hopping*, where p_g latches on to different modes of the data as iterations progress (observable as sharp spikes in $\mathcal{W}^{2,2}$ for the case of $N = 5$). This is attributed to the fact that the number of centers drawn is insufficient to represent the underlying modes in the target data. On the other hand, for larger values, such as $N \geq 500$, the additional computational overhead slows down training. We found that $N = 100$ is an acceptable compromise. Figure 8 shows the samples from p_d alongside those drawn from p_g as the iterations progress. The contour plot shows the level-sets of the optimal



Figure 4: The Wasserstein-2 distance versus iterations on learning (a) a 2-D Gaussian; and (b) a 2-D Gaussian mixture, for various LSGAN variants. The performance of the Poly-LSGAN with the RBF discriminator is superior to the baselines in both scenarios. The convergence is also relatively smoother and stabler, unlike the baselines, which have fluctuations on the 2-D Gaussian learning task.

discriminator $D^*(\boldsymbol{x})$ (blue: low; yellow: high). When N is small, some of the modes in p_d are missed out by the discriminator, thus destabilizing training, whereas for large N, all the modes are captured accurately.

Similar convergence plots, juxtaposed with the discriminator level-sets (in WGAN based variants), for the two experiments conducted in Section 6.1 of the *Main Manuscript* are shown in Figures 10 and 9. We observe that in both the unimodal and multimodal cases, Poly-WGAN converges faster than the baselines, and the *one-shot* optimal discriminator learns a better representation of the underlying distributions than the baseline GANs and GMMNs. Poly-WGAN also outperforms the non-adversarial GMMN variants, and there is no mode-collapse upon convergence.



Figure 5: (Color online) Convergence of generator distribution (*green*) to the target 2-D Gaussian data (*red*) on the considered LSGAN variants. The heatmap represents the values taken by the discriminator. The Poly-LSGAN approach leads to a better representation of the discriminator function during the initial training iterations when compared to baseline approaches, leading to a faster convergence. Poly-LSGAN also does not experience *mode collapse*.



Figure 6: (Color online) Convergence of generator distribution (*green*) to the target multimodal Gaussian data (*red*) on the considered LSGAN variants, superimposed on the level-sets of the discriminator. The ideal $D(\boldsymbol{x})$ assigned a value of $b = 1$ to reals and $a = -1$ to fakes. Poly-LSGAN is able to identify the modes of the GMM more accurately than the baselines.



Figure 7: (Color online) Training Poly-WGAN on 2-D Gaussian data: Plots comparing (a) the Wasserstein-2 distance between p_d and p_g ($\mathcal{W}^{2,2}(p_d, p_g)$); and (b) the natural logarithm of $\mathcal{W}^{2,2}(p_d, p_g)$ for various number of centers N in the RBF network. The generator converges to a lower $\mathcal{W}^{2,2}(p_d, p_g)$ as N increases. Convergence plots on training Poly-WGAN on learning 2-D Gaussian mixture data comparing (c) the Wassersting-2 distance $\mathcal{W}^{2,2}(p_d, p_g)$; and (d) the natural logarithm of $\mathcal{W}^{2,2}(p_d, p_g)$, for various choices of N. For small N, the discriminator is unable to capture all the modes in the data, resulting in training instability. Choosing large N increases computational load. Setting $N = 100$ is a viable compromise.



Figure 8: (Color online) Illustration of convergence of the generator distribution (green dots) to the target multimodal Gaussian data (red dots) with Poly-WGAN as iterations progress, as a function of the number of RBF centers N. The contours are the level-sets of the discriminator. For small N, *mode coverage* is not adequate, whereas for large N, the computational overhead is large. A moderate value of $N = 100$ was found to be a workable compromise.



Figure 9: (Color online) Convergence of generator distribution (green dots) to the target unimodal Gaussian data (red dots) on the considered WGAN and GMMN variants. The contours represent the discriminator level-sets in the GAN variants. Poly-WGAN converges significantly faster than the baseline variants.



Figure 10: (Color online) Convergence of generator distribution (green dots) to the target multimodal Gaussian (red dots) on the GMMN and WGAN variants. The contours represent discriminator level-sets. Poly-WGAN learns a better representation of p_d leading to a faster convergence.

F Additional Experiments on Images

In this section, we provide additional experimental results on both image-space and latent-space matching approaches. On Poly-LSGAN, we discuss image-space generation, while of Poly-WGAN we present results for both image-space and latent-space generation tasks.

F.1 Image-space matching with Poly-LSGAN

We train Poly-LSGAN on the MNIST, Fashion-MNIST and CelebA datasets, employing the 4-layer DCGAN (Radford et al., 2016) generator architecture. As discussed in Section 4, we set $k = 2$, but restrict the solution to only include about 3rd or 4th order polynomials allows for training. Figure 11 depicts the images generated by Poly-LSGAN. In all scenarios, we observe that, although the generator is able to generate images resembling those from the target dataset, the visual quality of the images is sub-par compared to standard GAN approaches. Additional training of these models resulted in gradient explosion caused by the singularity of the monomial matrix $\mathbf{B}$ as the iterations progress.

F.2 Image-space matching with Poly-WGAN

We compare the performance of Poly-WGAN and baseline GMMN with the IMQ kernel. The generator is a 4-layer DCGAN (Radford et al., 2016). The kernel estimate as well as the polyharmonic RBF discriminator operate on the 784-dimensional data. For Poly-WGAN, we consider $m = \frac{n}{2} + 2 = 394$. The generator learning rate is set to $\eta_g = 0.01$ for both models considered. Figure 12 shows that the images generated by Poly-WGAN are comparable to those generated by GMMN-IMQ. Quantitatively, Poly-WGAN achieved an FID of 81.341, while GMMN-IMQ achieved an FID of 98.109 after 50,000 iterations.

Figure 11: Images generated by training Poly-LSGAN on vectorized images drawn from (a) MNIST; (b) Fashion-MNIST; and (c) CelebA datasets. While Poly-LSGAN learns meaningful representations (although visually sub-par compared to standard GANs) on MNIST and Fashion-MNIST, the generator fails to converge in all scenarios. *The poor performance of Poly-LSGAN can be attributed to training instability issues caused by the singularity of the monomial matrix* $\mathbf{B}$ *in solving for the optimal discriminator weights.*

F.3 Latent-space matching with PolyGAN-WAE

The base Poly-WGAN algorithm can be used to learn image-space distributions. Similar to GMMNs, PolyGANs also suffer from the *curse of dimensionality*. Although this can be alleviated to a certain extent by emloying an autoencoder in the generator, as in the case of PolyGAN-WAE, the models are limited by the representation capability of the latent space, and the autoencodoer performance. In order to explore this limitations of the WAE based approaches, we trained PolyGAN-WAE on high-resolution (192×192) images where encoder and decoder networks use the unconditional BigGAN (Brock et al., 2018) architecture. Figure 13 presents the images generated by PolyGAN-WAE in this scenarios. The converged model achieves an FID of 32.5. We observe that, while the images generated are not competitive in comparison to the high-resolution compute-heavy GAN variants such as StyleGAN, the generated images are superior to BigWAE-MMD and BigWAE-GAN variants with similar network complexities (having FID scores of 37 and 35, respectively) (Tolstikhin et al., 2018).

We include results of additional experiments conducted on PolyGAN-WAE and the baselines. Figures 14–17 show the samples generated by the various WAE models. The WAE-GAN and WAAE-LP models that incorporate a trainable discriminator are slower to train than the models that employ a closed for discriminator. We observe that PolyGAN-WAE generates perceptibly sharper images on MNIST. PolyGAN-WAE generates visually more diverse images than the baselines on CelebA and LSUN-Churches datasets. WAE-MMD (RBFG) and SWAE suffered from mode collapse on CIFAR-10 and LSUN-Churches, respectively.

Latent-space continuity: A visual assessment of latent space continuity is carried out by interpolating the latent vectors for two real images and decoding the interpolated vectors. Representative images are presented in Figures 22 to 25. Interpolated images from PolyGAN-WAE are comparable to those generated by CWAE and WAE-MMD (IMQ) on CIFAR-10 and LSUN-Churches, respectively, while they are sharper than the baselines on MNIST and CelebA datasets.

Image reconstruction: Figures 18-21 show the images reconstructed by PolyGAN-WAE and the WAE variants. The images reconstructed by PolyGAN-WAE are sharper and closer to the ground-truth images. These are also in agreement with the qualitative results presented in Table 8. Figure 28 plots reconstruction error as a function of iterations for the various models considered. In order to have a fair comparison, we do not consider WAE-GAN and WAAE-LP in these comparisons, as the learning rates considered for the models are lower by an order. We observe that PolyGAN-WAE is on par with the baselines when trained on low-dimensional latent data (as in the case of MNIST and CIFAR-10), but outperforms the baselines, saturating to lower values in the case of CelebA and LSUN-Churches.

Image sharpness: Table 8 shows the image sharpness metric computed on both random and interpolated images. PolyGAN-WAE outperforms the baselines on the *random sharpness* metric, while achieving competitive scores on *interolation sharpness*. These results indicate that, while the baseline WAE-MMDs have learnt accurate autoencoders, the latent space distribution has failed to match the prior distribution, resulting in lower scores when computing the sharpness metric on samples decoded from the prior. The closed-form optimal discriminator used in PolyGAN-WAE alleviates this issue.

Inception Distances: We plot FID and KID as a function of iterations in Figures 26 and 27, respectively. In both cases, we observe that PolyGAN-WAE saturates to the lowest (best) scores in comparison to the baselines. The improvements are more prominent on experiments involving higher-dimensional latent representation (for example, LSUN-Churches, using a 128-D latent space). Best case KID scores are presented in Table 8. The KID for PolyGAN-WAE is nearly 35% lower than that of the best-case baseline (CWAE) in the case of MNIST.



GMMN (IMQ) | Poly-WGAN

Figure 12: Images generated by GMMN-IMQ and Poly-WGAN on the MNIST image-space matching task. While Poly-WGAN generates images marginally superior to GMMN (IMQ), both the results are inferior to the WAE and WGAN counterparts. The poor performance is a consequence of the *curse of dimensionality*, which is also the reason why we considered latent-space matching with PolyGAN-WAE.

Figure 13: (Color online) High-resolution (192×192) CelebA images generated by PolyGAN-WAE.

Table 8: A comparison of the WAE variants including PolyGAN-WAE in terms of kernel inception distance (KID), average reconstruction error $\langle RE \rangle$, and image sharpness. *Sharpness (Random Image)* corresponds to the sharpness computed on random samples drawn from the prior distribution, whereas *Sharpness (Interpolated Image)* is computed on the interpolated images. The benchmark sharpness is computed over images drawn from the target dataset. PolyGAN-WAE achieves the best (lowest) KID on all the datasets, while generating images with sharpness scores comparable to the baselines.

		WAE flavor	MNIST	CIFAR-10	CelebA	LSUN-Churches
KID ↓		WAE-GAN	0.0221	0.1015	0.0423	0.1395
		WAAE-LP	0.0210	0.0832	0.0445	0.1398
		WAE-MMD (RBFG)	0.0533	0.1316	0.0623	0.1397
		WAE-MMD (IMQ)	0.0204	0.0908	0.0459	0.1379
		SWAE	0.0270	0.0929	0.0440	0.2129
		CWAE	0.0192	0.0794	0.0537	0.1858
		WAEFR	0.0206	0.0859	0.0416	0.1364
		PolyGAN-WAE	**0.0120**	**0.0756**	**0.0366**	**0.1279**
$\langle RE \rangle$ ↓		WAE-GAN	0.0827	0.1250	0.0939	0.1450
		WAAE-LP	0.0747	0.1161	0.0776	0.1547
		WAE-MMD (RBFG)	0.1615	0.2246	0.1365	0.1408
		WAE-MMD (IMQ)	0.0584	0.1218	0.0920	0.1402
		SWAE	0.0574	0.1210	0.0885	0.1410
		CWAE	0.0768	0.1503	0.0982	0.1408
		WAEFR	0.0538	**0.1185**	0.0820	0.1387
		PolyGAN-WAE	**0.0525**	0.1190	**0.0676**	**0.1365**
Sharpness	Random Image	WAE-GAN	0.1567	0.0011	0.0015	0.0077
		WAAE-LP	0.1520	0.0029	0.0044	0.0082
		WAE-MMD (RBFG)	0.2231	0.0030	0.0034	0.0076
		WAE-MMD (IMQ)	0.1709	0.0100	0.0049	0.0091
		SWAE	0.1660	0.0136	0.0048	0.0087
		CWAE	0.2206	0.0035	0.0038	0.0068
		WAEFR	0.1717	0.0171	**0.0066**	0.0103
		PolyGAN-WAE	**0.1776**	**0.0174**	0.0052	**0.0149**
	Interpolated Image	WAE-GAN	0.1681	0.0027	0.0032	0.0122
		WAAE-LP	0.1706	0.0041	0.0045	0.0125
		WAE-MMD (RBFG)	0.2251	0.0015	0.0044	0.0120
		WAE-MMD (IMQ)	0.1416	**0.0071**	0.0043	0.0124
		SWAE	0.1292	0.0059	0.0044	0.0130
		CWAE	**0.2073**	0.0019	0.0034	0.0107
		WAEFR	0.1396	0.0064	0.0065	0.0113
		PolyGAN-WAE	0.1496	0.0069	**0.0067**	**0.0134**
		Benchmark	0.1885	0.0358	0.0338	0.1029



Figure 14: Images generated by decoding samples drawn from the target prior distribution on MNIST. PolyGAN-WAE generated images of superior quality than the baselines.



Figure 15: (Color online) Images generated by decoding samples drawn from the target prior distribution on the CIFAR-10 dataset. WAE-GAN, WAE-MMD (RBFG) and SWAE did not converge on CIFAR-10. While WAE-MMD (IMQ), CWAE and PolyGAN-WAE are comparable, the images generated have little visual similarity with those of the target dataset.

Figure 16: (Color online) Images generated by the WAE variants on decoding samples drawn from the prior distribution when trained on the CelebA dataset. Images generated by PolyGAN-WAE on CelebA are more diverse (in terms of face and background color, facial expression, etc.) compared with the baselines.



Figure 17: (Color online) Images generated by the WAE variants on decoding samples drawn from the prior distribution. PolyGAN-WAE is on par with CWAE and WAE-MMD variants on LSUN-Churches. SWAE failed to converge, while WAE-GAN and WAAE-LP resulted in smoother images, as opposed to the other WAE variants.



Figure 18: A comparison of the image reconstruction performance on MNIST dataset. The WAE-MMD (RBFG) baseline failed to reconstruct meaningful samples. PolyGAN-WAE generates the most accurate reconstructions on MNIST.



Figure 19: (Color online) Comparing the image reconstruction performance on CIFAR-10 dataset. PolyGAN-WAE reconstructions are sharper than the baselines. WAE-MMD (RBFG) does not generate good reconstructions. The adversarial nature of training in WAE variants with a trainable discriminator (WAE-GAN and WAAE-LP) results in poorer performance and blurry reconstructions.

Figure 20: (Color online) Comparison of image reconstruction performance on CelebA dataset. PolyGAN-WAE and WAE-MMD (IMQ) generate reconstructions that are closest to the ground-truth images. PolyGAN-WAE is also able to recreate the colors more faithfully.

Figure 21: (Color online) Image reconstruction performance on the LSUN-Churches dataset. PolyGAN-WAE is comparable to WAE-MMD (IMQ) and CWAE on LSUN-Churches. As in the case of CIFAR-10 (cf. Figure 19), WAE variants with a trainable discriminator result in images of poorer visual quality than those with closed-form discriminators.



Figure 22: Images generated by decoding interpolated latent space representations of images drawn from MNIST. PolyGAN-WAE generates sharper interpolations than the baselines. CWAE and WAE-MMD (RBFG) perform an unsatisfactory job of interpolation.



Figure 23: (Color online) Images generated by decoding the interpolated latent-space vectors of the CIFAR-10 dataset. The interpolations in PolyGAN-WAE, WAEFR, and WAE-MMD (IMQ) are visually closer to the source and target images than those generated by the other models.

Figure 24: (Color online) Images generated in the interpolation experiment on CelebA dataset. The source and target images are drawn from a held-out validation set. The images generated by PolyGAN-WAE are visually superior to the baselines. The PolyGAN-WAE generator also recreates the features of the source and target images more accurately.

Figure 25: (Color online) Images generated by decoding interpolated points between the latent space representations of pairs of images drawn from LSUN-Churches. Interpolations in SWAE are oversmooth, while those generated by PolyGAN-WAE and CWAE are sharper and comparable with each other.



Figure 26: (Color online) Comparison of FID as a function of iterations for the various WAE flavors considered. PolyGAN-WAE outperforms the baselines and saturates to better (lower) values of FID on all the datasets considered.



Figure 27: (Color online) A comparison of the kernel inception distance (KID) as iterations progress for PolyGAN-WAE and the baselines. WAE-MMD with the Gaussian (RBFG) kernel fails to converge on most datasets. PolyGAN-WAE achieves the lowest KID in all the cases, and convergence is twice as fast as the baselines on LSUN-Churches dataset.



Figure 28: (Color online) Average reconstruction error $\langle RE \rangle$ versus iterations for various WAE flavors considered. PolyGAN-WAE is comparable to the baseline methods on MNIST and CIFAR-10, while achiveing superior convergence on datasets involving high-dimensional (128-D) latent space representations, such as CelebA and LSUN-Churches.

F.4 Latent-space Matching with PolyGAN-D

We present comparisons on using the Poly-WGAN discriminator in MMD-GAN architectures on the MNIST and CIFAR-10 datasets. We consider the following baselines: (i) The MMD-GAN (RBFG) network with an autoencoding discriminator (Li et al., 2017a). The autoencoder is trained to minimize the L_2 cost, while the encoder is additionally trained to maximize the MMD kernel cost. The encoder weights are clipped to the range $[-0.01, 0.01]$. For every generator update in the first 25 updates, the discriminator is updated 100 times. Subsequently, the discriminator is updated five times per generator update. (ii) The MMD-GAN-GP (RBFG) and MMD-GAN-GP (IMQ) networks (Bińkowski et al., 2018), where the decoder network is removed, in favor of training the encoder to simultaneously minimize the WGAN-GP gradient penalty and maximize the MMD cost. As in the MMD-GAN case, the discriminator is updated five times per generator update.

In PolyGAN-D, we consider the MMD-GAN autoencoding discriminator architecture. The encoder and decoder are trained to minimize the L_2 reconstruction error. The latent-space of the encoder is provided as input to the polyharmonic RBF network. Unlike MMD-GANs, we do not train the PolyGAN-D encoder on $\mathcal{L}_D$. The generator network minimizes the WGAN cost in all cases. Following the approach of Li et al. (2017a), we pre-train the autoencoder for 2500 iterations. Subsequently, the autoencoder is updated once per generator update. We compare the *system times* between generator updates over batches of data in the MMD-GAN and WAE training configurations. The computation times were measured when training the models on workstations with Configuration I described in Appendix D.3 of the *Supporting Document*.

Figure 29 depicts the images output by the converged generator in PolyGAN-D and the baselines. The images generated by PolyGAN-D are visually on par with those output by MMD-GAN (RBFG) and MMD-GAN-GP (IMQ). MMD-GAN-GP (RBFG) performed poorly on CIFAR-10, which is in agreement with the results reported by Bińkowski et al. (2018). Table 9 presents the best-case FID scores computed using PolyGAN-D and the converged baselines. MMD-GAN-GP (IMQ) resulted in the lowest FID scores on both datasets. PolyGAN-D performs on par with MMD-GAN (RBFG).

From Table 10 we observe that MMD-GAN and MMD-GAN-GP have training times up to two orders of magnitude higher than PolyGAN-WAE as they update the discriminator multiple times per generator update. Among the WAE variants, WAE-GAN is slower by an order, owing to the additional training of the discriminator network. PolyGAN-WAE is on par with other kernel-based methods, while still incorporating a discriminator network, whose weights are computed *one-shot*. From Table 10 we observe that MMD-GAN and MMD-GAN-GP have training times up to two orders of magnitude higher than PolyGAN-WAE as they update the discriminator multiple times per generator update. PolyGAN-WAE scales better with dimensionality, compared to WAE-MMD. We attribute this to the increased complexity in computing the baseline RBFG and IMQ kernels in high dimensions. The Poly-WGAN discriminator complexity is only affected by the number of centers in the RBF expansion.

Table 9: A comparison of MMD-GAN flavors and PolyGAN-D in terms of FID. The performance of PolyGAN-D is comparable to MMD-GAN baseline with a trainable auto-encoder discriminator network.

GAN Flavor $\longrightarrow$	MMD-GAN (RBFG)	MMD-GAN-GP (RBFG)	MMD-GAN-GP (IMQ)	**PolyGAN-D (Ours)**
MNIST	21.310	24.108	**16.642**	20.271
CIFAR-10	55.452	64.571	**49.255**	53.180

Table 10: A comparison of **average compute time per batch (in seconds)** of samples when training various WAE and MMD-GAN models. The standard deviation was approximately 10^{-3} in all the cases considered. $\#D$ denotes the number of discriminator updates performed per generator update. Kernel methods are, on the average, an order of magnitude faster than GANs with a trainable discriminator network. The training time per batch is lowest for PolyGAN-WAE, on par with WAE-MMD based approaches, while implementing the optimal GAN discriminator one-shot. PolyGAN-WAE is least affected by increasing the dimensionality of the latent space of the input data.

GAN Flavor	$\#D$	WAE-GAN	WAE-MMD	SWAE	CWAE	WAEFR	**PolyGAN-WAE**	MMD-GAN	MMD-GAN-GP	**PolyGAN-D**
MNIST	1	0.072	0.029	0.052	0.029	0.036	**0.022**	0.321	0.163	0.201
(16-D)	5	0.294	-	-	-	-	-	1.053	0.869	-
CIFAR-10	1	0.082	0.036	0.047	0.036	0.039	**0.023**	0.338	0.243	0.258
(64-D)	5	0.328	-	-	-	-	-	1.110	0.938	-

Table 11: A comparison of number of trainable (T) and fixed (F) parameters present in each WAE and MMD-GAN variant considered. An ✗ denotes that the network is not present in that flavor. The inclusion of an RBF discriminator in PolyGAN-WAE does not change the training performance as the number of trainable parameters remains unaffected. MMD-GAN-GP has the fewest number of parameters, but incorporates adversarial training, unlike the WAE variants.

GAN flavor	Adversarial Training		Generator	Encoder	Decoder	Discriminator	Total Paramerters
WAE-MMD	✗	T	✗	12×10^6	11.5×10^6	✗	23.5×10^6
		F	✗	4×10^3	2×10^3	✗	$\mathbf{6 \times 10^3}$
SWAE	✗	T	✗	12×10^6	11.5×10^6	✗	23.5×10^6
		F	✗	4×10^3	2×10^3	✗	$\mathbf{6 \times 10^3}$
CWAE	✗	T	✗	12×10^6	11.5×10^6	✗	23.5×10^6
		F	✗	4×10^3	2×10^3	✗	$\mathbf{6 \times 10^3}$
WAEFR	✗	T	✗	12×10^6	11.5×10^6	0	23.5×10^6
		F	✗	4×10^3	2×10^3	2.5×10^5	2.56×10^5
PolyGAN-WAE	✗	T	✗	12×10^6	11.5×10^6	0	23.5×10^6
		F	✗	4×10^3	2×10^3	4×10^3	9×10^3
MMD-GAN	✓	T	2×10^6	12×10^6	11.5×10^6	✗	25.5×10^6
		F	2.5×10^4	4×10^3	2×10^3	✗	3.1×10^4
MMD-GAN-GP	✓	T	2×10^6	12×10^6	✗	✗	$\mathbf{14 \times 10^6}$
		F	2.5×10^4	4×10^3	✗	✗	2.9×10^4
PolyGAN-D	✓	T	2×10^6	12×10^6	11.5×10^6	0	25.5×10^6
		F	2.5×10^4	4×10^3	2×10^3	4×10^3	3.5×10^4



Figure 29: (Color online) Images output by the generator in PolyGAN-D and baseline MMD-GAN variants. The performance of PolyGAN-D is comparable to that of MMD-GAN (RBFG) with the autoencoder discriminator architecture.