Locate then Correct: Debiasing Attention Heads in CLIP

Wei Jie Yeo [1] **Rui Mao** [1] **Moloud Abdar** [2] **Erik Cambria** [1] **Ranjan Satapathy** [3]

Abstract

Multimodal models like CLIP have gained significant attention due to their remarkable zero-shot performance across various tasks. However, studies have revealed that CLIP can inadvertently learn spurious associations between target variables and confounding factors. To address this, we introduce LOCATE-THEN-CORRECT (LTC), a contrastive framework that identifies spurious attention heads in Vision Transformers through mechanistic analysis and mitigates them via targeted ablation. LTC also detects salient task-relevant heads and enhances their discriminative power through orthogonal projection. Experiments on benchmarks with background and gender biases demonstrate over 50% gains in worst-group accuracy compared to non-training post-hoc baselines, while visualizations further validate the effectiveness of the proposed mechanism.

1. Introduction

Rapid advancements in multimodal foundation models like CLIP (Radford et al., 2021; Singha et al., 2024; Fan et al., 2024; Zhang et al., 2025) have enabled remarkable zero-shot learning capabilities across various tasks. However, these models often inherit undesirable biases due to spurious correlations present in their extensive training datasets or imbalanced data distributions (Mao et al., 2023; Alabdulmohsin et al., 2024). Biases include associations between target classes and confounding attributes, e.g., background (Du et al., 2022; Zhang & Ré, 2022; Sagawa et al., 2019; Wang et al., 2024) or gender (Xiao et al., 2024; Hall et al., 2024; Nadeem et al., 2025), which largely degrade performance in underrepresented subgroups and perpetuate harmful stereotypes.

[1]Nanyang Technological University, Singapore, [2]The University of Queensland, Australia, [3]Institute of High Performance Computing, A*STAR, Singapore. Correspondence to: Wei Jie Yeo <yeow0082@e.ntu.edu.sg>.

Proceedings of the 43rd International Conference on Machine Learning, Seoul, South Korea. PMLR 306, 2026. Copyright 2026 by the author(s).

Recently, Gandelsman et al. (2023) proposed to ground visual representations of intermediate attention heads in CLIP's vision Transformer (ViT) (Dosovitskiy, 2020) onto a set of natural language statements. In addition to enhanced interpretability, this enables locating certain components in the model that may encode unwanted biases. However, a downside to the proposed framework is the need for extensive manual effort in summarizing the representation from the set of statements, which often can be inconclusive.

Existing approaches to debiasing vision models often rely on extensive fine-tuning (Zhang & Ré, 2022; Sagawa et al., 2019; Wortsman et al., 2022), which can be computationally prohibitive for large foundation models. Training-free methods, on the other hand, may include orthogonal projection in the image (Adila et al., 2023) or text (Chuang et al., 2023) representation space. In contrast, we propose to perform debiasing only on specific attention heads, while leaving the rest of the model untouched. Our framework, **Locate-Then-Correct (LTC)**, first identifies attention heads that strongly encode spurious attributes and target class features. These activations are then subjected to debiasing procedures, either by removing spurious associations or injecting class-discriminative features through orthogonal projection. LTC employs a "*diagnose-then-correct*" approach to address bias at a granular level within the vision model.

Our work provides a concrete demonstration of how mechanistic insights can be translated into practical tools for debiasing, addressing a pressing challenge in modern machine learning. Beyond improving robustness, our approach offers significantly greater interpretability than existing methods, enabling a clearer understanding of why specific model components should be corrected and how such corrections impact behavior.

2. Related Work

Bias in Vision. Improving robustness against undesirable spurious correlations in vision foundation models is an actively researched area. These works include training methods which are split between requiring supervised group labels (Sagawa et al., 2019; Zhang & Ré, 2022) and inferring group labels in an unsupervised manner (Liu et al., 2021; Nam et al., 2020; Sohoni et al., 2020; Zhu et al., 2025).



Figure 1. **Left:** Linear decomposition of image representations into individual attention head activations (Elhage et al., 2021). Spurious states (background: land) activate more strongly on images with opposing attributes, whereas target states (class: waterbird) activate on images with matching attributes. **Right:** LTC identifies and corrects these states: mean-ablation mitigates spurious states, while knowledge injection enhances target states.

Non-training methods include utilizing orthogonal projections to erase attribute knowledge and enhance discriminative properties (Adila et al., 2023) or remove spurious relationships attributes (Chuang et al., 2023). These recent approaches largely fall under the *"global embedding"* category (Gerych et al., 2024; Dehdashtian et al., 2024; Lu et al., 2025; Jang et al., 2025), where debiasing is performed on the pooled image/text embedding space. Such methods typically learn or apply global transformations to adjust the joint embedding geometry rather than intervening on specific internal components. This is in contrast to our work where we only debias specific hidden states within the vision model, taking a *"local"* approach. While similar ideas have been explored, prior methods differ in scope and interpretability. Lu et al. (2024) mitigate bias by directly modifying the key–value pairs of selected attention layers, and Zheng et al. (2025) identifies biased neurons in generic deep networks. However, these methods offer limited interpretability regarding why specific local components are chosen for modification. The work most related to ours is Huang et al. (2025), which also employs the notion of direct effect but does so through a simple per-head ablation procedure. In contrast, our approach adopts a contrastive, causally-motivated framework that provides intuitive justification for the identified heads and the corrective interventions applied. Another separate line of work focuses on prompt-side optimization. Kim et al. (2024) incorporate bias-related keywords into class prompts using LLMs to improve robustness, while Yang et al. (2024) employ LLM-generated balanced text corpora, and Phan et al. (2024) optimize trainable prompt parameters to balance group distributional robustness. In our work, we do not optimize over the text representation space and only focus on the vision aspect.

Interpretability in Transformers. Transformer (Vaswani, 2017) interpretability has been studied at various granularities, including neurons (Olah et al., 2017; Bau et al., 2020; Goh et al., 2021; Shaham et al., 2024) and attention layers or heads (Gandelsman et al., 2023; Yeo et al., 2025; Vig et al., 2020). Elhage et al. (2021) showed that Transformers can be viewed as a linear combination of information from attention heads in the residual stream, shaping the final representation. Leveraging this decomposability, Nostalgebraist (2020); Jiang et al. (2024) examined localized predictions of intermediate states. Our work extends these efforts by identifying and interpreting specific states to enhance robustness and explain their effectiveness.

3. Background

We start by looking at the architecture of the CLIP (Radford et al., 2021) model and how a classification prediction is made. We primarily focus only on the ViT architecture due to its decomposable nature. CLIP consists of an image encoder E_I, and a text encoder E_T. Given an image, I, the prediction logit S_y for a target class, $y \in Y$ is computed using the cosine similarity between the projected image and text representation $P_I(E_I(I))$ and $P_T(E_T(y))$ respectively. P_I and P_T denotes the image and text projection layer which are parameterized separately.

$$S_y = \langle P_I(E_I(I)), P_T(E_T(y)) \rangle \tag{1}$$

The prediction class is then chosen greedily over all target classes Y scaled by an optional temperature, t, $\arg\max_{y \in Y} \frac{S_y}{t}$.

3.1. Spurious Correlation

We consider a dataset, D consisting of M samples with each sample represented as a tuple: $\{I, y^*, s\}$. I is the input image, $y^* \in Y$ is the correct class, and $s \in S$ is the spurious attribute. In Waterbirds (Sagawa et al., 2019), s is an attribute describing "*background*", or "*gender*" in datasets with gender bias. Previous studies have shown that zero-shot CLIP models are susceptible to spurious correlations, often associating a particular s with a target class y, due to the imbalanced nature of the training distributions. We first define two sub-groups, G_P and G_N representing positive and negative associations, respectively. G_P contain samples where the model infers a positive spurious relationship between s and y, i.e. "*water background*" with "*waterbird*", while G_N contains mismatched pairs like "*land background*". Models typically induce lesser errors on G_P than on G_N, thus the goal is to reduce the performance gap, $G_P - G_N$, and improve G_N.

3.2. Linear Decomposition of Image Representation

A recent work by Gandelsman et al. (2023) demonstrates that image representations in ViT can be expressed as a linear sum of contributions from individual layers. A ViT consists of L layers, each made up of a Multi-Head Self-Attention (MSA) module with H heads and a MLP module. The input image is first split into N patches and projected onto N embedding tokens, $\{z_i^0\}_{i,\dots N} \in \mathbb{R}^{N \times d}$, and prepended with a [CLS] token, z_c^0, here 0 refers to the embedding layer. We leave out the sample notation for brevity. The mechanistic framework of the ViT can be regarded as a residual stream with information being added at each layer. (Elhage et al., 2021) (see Fig. 1). We will focus on z_c since the final prediction depends on that. We refer to the intermediate activations after each layer as **states**. Starting from z^0, we derive L intermediate states:

$$\hat{z}^l = MSA^l(z^{l-1}) + z^{l-1},\ z^l = MLP^l(\hat{z}^l) + \hat{z}^l.,\ l \in L \tag{2}$$

The overall computations of $E_I(I)$ are then factorized as:

$$E_I(I) = z^0 + \sum_{l=1}^{L} MSA^l(z^{l-1}) + \sum_{l=1}^{L} MLP^l(\hat{z}^l). \tag{3}$$

Eq. 3 shows that we can decompose the final output of the image encoder into a linear sum of direct effects and similarly across each head and token in the MSA (Elhage et al., 2021; Gandelsman et al., 2023):

$$MSA^l(z^{l-1}) = \sum_{h=1}^{H} \sum_{i=0}^{N} \tilde{z}_i^{l,h},\ \tilde{z}_i^{l,h} = a_i^{l,h} W_{V,O}^{l,h} z_i^{l-1}. \tag{4}$$

Here, $a_i^{l,h}$ and $W_{V,O}^{l,h}$ refer to the softmax attention weights and the combined value-output weight matrices of layer l and head, h, respectively.

Our work is partly inspired by Gandelsman et al. (2023), who showed that individual attention heads can be grounded onto natural language statements. This aligns well with the *"linear representation hypothesis"* (Elhage et al., 2022), which suggests that high-level concepts are linearly separable. We provide several empirical evidences of the concept separability in Sect. 6. Building on these ideas, we propose a contrastive approach that eliminates the need for manual interpretation, enabling more efficient and conclusive identification of attention heads for debiasing.

4. Methodology

We focus on intermediate states from attention heads aggregated over token positions, $\hat{z}^{l,h} = \sum_{i=0}^{N} \hat{z}_i^{l,h}$ and omit MLP layers from our study due to their limited direct impact (Gandelsman et al., 2023) and granularity. We introduce a method to detect salient attention states with high direct effect in Sec. 4.1, followed by our contrastive approach on locating class-discriminative and spurious states in Sec. 4.2 and then the debiasing techniques in Sec. 4.3.

4.1. Locating Important Attention States

We start by locating salient states that contribute significantly towards a target class. We utilize *Logit Lens (LL)* (Nostalgebraist, 2020), an interpretability technique that projects an intermediate state onto the unembedding matrix. LL enables visualizing the independent outcome of the intermediate state towards a target class. In CLIP, this is equivalent to decomposing the prediction logit into individual contributions by replacing the image representation in Eq. 1 with $\hat{z}^{l,h}$:

$$LL(l, h, y) = \langle P_I(\hat{z}^{l,h}), P_T(E_T(y)) \rangle. \tag{5}$$

We formulate the **direct effect** $v^{l,h}$ of an attention state towards a target class y over the other class $\overline{y} \neq y$ as:

$$v^{l,h} = LL(l, h, y) - LL(l, h, \overline{y}). \tag{6}$$

In binary cases, y represents the predicted class $\hat{y}$, with $\overline{y}$ as the other class, or the second most probable class in multi-class scenarios. By repeating Eq. 6 across all attention heads, we obtain a matrix $V \in \mathbb{R}^{L \times H}$, where each element captures the contribution of a state towards y over $\overline{y}$. However, this would cause V to have multiple low non-zero entries. We instead represent V for each sample as a one-hot encoding:

$$v^{l,h} = \begin{cases} 1, & \text{if } (l,h) = \arg\max_{(l,h)} V, \\ 0, & \text{otherwise.} \end{cases} \tag{7}$$

In practice, V is averaged over D and normalized such that the direct effect across all heads sum to 1. We find that Eq. 7 enables V to be a sparse matrix with $K \ll L \times H$ non-zero

entries since earlier states tend to have lower direct effects (see C), analogous to Nostalgebraist (2020). We denote P^* as the set of positions corresponding to the non-zero entries, $|P^*| = K$.

4.2. Locating Spurious and Target Heads

Spurious and Target states. Additionally, we separately model the overall direct effects V as an additive decomposition over components encoding the target V_Y and spurious V_S concepts:

$$\begin{aligned} V &= V_Y + \alpha_{sy} V_S + \epsilon, \\ V_Y &= \sum_{i,j \in P_Y} v^{i,j}, V_S = \sum_{i',j' \in P_S} v^{i',j'}, \\ \alpha_{sy} &\in [-1, 1]. \end{aligned} \tag{8}$$

Here, $P_Y, P_S \subseteq P^*$ index attention heads whose corresponding direct effects $v^{i,j}$ predominantly support the target signal Y or the spurious signal S, respectively. The coefficient $\alpha_{sy} \in \{-1, 1\}$ encodes the sign of the S–Y association (-1 if $\{s, y^*\} \in G_N$, and 1 for G_P). The residual ϵ aggregates small contributions from MLP modules and head positions outside P^*. Empirically, we also observe a distinct *association* component between Y and S; this is analyzed in Sec. 6. The definitions of V_Y and V_S are introduced below.

Definition 4.1. V_Y represents the direct contribution of the concept Y and V_S of S towards predicting $\hat{y} = y^*$ over $\overline{y} \neq y^*$, such that the following behavior can be observed:

$$\begin{aligned} \mathbb{E}_{V_Y \sim G_N}(V_Y | \hat{y} = y^*, a_{sy} = -1) > 0. \\ \mathbb{E}_{V_S \sim G_N}(V_S | \hat{y} = y^*, a_{sy} = -1) < 0. \end{aligned} \tag{9}$$

Def. 4.1 states that when $\hat{y}$ is correctly predicted as y^*, the expected direct effect of Y is positive and that of direct effects pertaining to S. The opposite is true when $\hat{y} \neq y^*$. This implies that V_S negatively impacts the prediction of the correct class for samples within G_N, with $a_{sy} = -1$, i.e. *"land background"* is negatively associated with the true class of *"waterbird"*. We further divide G_P into $\{G_{PW}, G_{PC}\}$ and G_N into $\{G_{NW}, G_{NC}\}$, where W and C denotes wrongly and correctly classified subsets, respectively. We ignore the positively associated groups G_P, as both the spurious and target signals can co-occur ($\alpha_{sy} = 1$) and in this case, V conflates V_Y and V_S. Instead, we focus on the negatively associated groups G_N, where $\alpha_{sy} = -1$ induces opposing contributions from V_Y and V_S, making each component easier to isolate.

Spurious and Target contributions. We formulate the contrastive solution to isolate V_S as:

$$V_S = \sigma(V_{NW} - V_{NC}), \tag{10}$$

where V_{NW} and V_{NC} refer to computing V with Eq. 6 and 7 by replacing D with G_{NW} and G_{NC}, respectively and setting $y = y^*$. The mask $\sigma(V) = \mathbb{1}(V > 0)$ filters out attention states with negative contributions. In Eq. 6, by definition $V_{NW} < 0$ for misclassified samples with $y = y^* \neq \hat{y}$ and $V_{NC} > 0$ for correct samples, $y = y^* = \hat{y}$. Under the decomposition in Eq. 8 and with $\alpha_{sy} = -1$), the direct effects V is viewed as $V_Y - V_S + \epsilon$, leading to $V_{NW} = V_Y - V_S + \epsilon < 0$ and $V_{NC} = V_Y - V_S + \epsilon > 0$. Assuming the residual ϵ is small, these inequalities imply

$$V_{S|G_{NW}} > V_{Y|G_{NW}}, \qquad V_{Y|G_{NC}} > V_{S|G_{NC}}.$$

After normalizing each sample's contributions to unit mass, we obtain the monotone relations

$$\mathbb{E}[V_{S|NW}] > \mathbb{E}[V_{S|NC}], \qquad \mathbb{E}[V_{Y|NW}] < \mathbb{E}[V_{Y|NC}].$$

Consequently, the contrast in Eq. 10 thus only retain the positive V_S contributions while masking out the negative V_Y terms. By symmetry, swapping the order in Eq. 10 recovers the target V_Y contributions.

Intuition. The key intuition is that the model's susceptibility to spurious attributes is more pronounced in incorrect predictions with $a_{sy} = -1$. When the model makes correct predictions under negatively spurious conditions, it is likely due to the influence of Y-relevant states outweighing the contribution of S-states (Def. 4.1), i.e. the representation of *"waterbird"* is stronger than the spurious cue, *"land background"* which leads to the correct prediction of *"waterbird"*.

However, we find that using a threshold of 0 is not robust to noisy contributions that do not encode either Y or S. To better isolate the dominant signals, we instead apply a mask $\sigma = \mathbb{1}(V > \gamma)$, with $\gamma = \frac{1}{|P^*_{|G_{NW}} \cup P^*_{|G_{NC}}|}$, where $P^*_{|G_{NW}}$ and $P^*_{|G_{NC}}$ are derived from the respective subgroups. Additionally, we observe that targeting only the top state alone under this criterion already yields significant improvements (see Fig. 10 and B.3). Furthermore, one can sweep over P_Y and P_S after applying Eq. 10 on G_{NC} and G_{NW}, respectively, to tune their selection on a validation set. In practice, this incurs little overhead due to the sparsity over P_Y and P_S induced by σ.

4.3. De-biasing Attention states

Algorithm 1 Locate-Then-Correct

Input: Decomposed states $\{\hat{z}_i\}_{i=1}^{M}$, class positions P_Y, spurious positions P_S, class vectors $\{u_i\}_{i=1}^{N_u}$
for $(l, h) \in P_S$ **do**
  $\hat{z}^{l,h} \leftarrow \frac{1}{M}\sum_i \hat{z}_i^{l,h}$
end for
for $i = 1$ to N_u **do**
  for $(l, h) \in P_Y$ **do**
    $\hat{z}^{l,h} \leftarrow \hat{z}^{l,h} + u_i \frac{\langle \hat{z}^{l,h}, u_i \rangle}{\langle u_i, u_i \rangle}$
  end for
end for
Return: Debiased states $\{\hat{z}_i\}_{i=1}^{M}$

This section discusses strategies to reduce spurious associations in CLIP and enhance performance in the worst-performing groups, i.e., G_N. As demonstrated in Sec. 4.2, states encoding S can be identified, as they act as adversarial effects in G_N.

Spurious ablation. A straightforward solution is to eliminate these effects from the identified states. We use *mean-ablation (MA)* (Nanda et al., 2023) by setting each attention state in Z_S to the mean value over the dataset, $\hat{z_S}^{l,h} = \frac{1}{M}\sum_{i=1}^{M} \hat{z}_{S,i}^{l,h}$. We did not find any difference between mean and zero ablation.

Knowledge injection on target states. To further enhance the class-discriminative properties of the identified class states Z_Y, we leverage LLMs, which have demonstrated significant potential in generating class-discriminative features through prompting (Adila et al., 2023; Menon & Vondrick, 2022; Yang et al., 2023b). We follow the same strategy in Adila et al. (2023) and prompt GPT4-o [1] to generate N_u text features of each class, using a prompt, i.e., "*List the visual differences between waterbirds and landbirds*". This gives us text insights, $s_y, s_{\overline{y}}$ (i.e. *"water background", "land background"*). The discriminative vectors are then obtained as $\{u_i\}_{i=1}^{N_u}$ by taking the normalized difference: $u = f_T(s_y) - f_T(s_{\overline{y}})/||f_T(s_y) - f_T(s_{\overline{y}})||$, where $f_T = P_T(E_T)$.

The selected attention states are then projected onto the discriminative vectors (Adila et al., 2023) before being added back, a process we refer to as *Knowledge Injection (KI)*: $z = z + u_i\langle z, u_i\rangle/\langle u_i, u_i\rangle$. The debiased states are then aggregated to form $E_I(I)$. Existing works (Adila et al., 2023; Chuang et al., 2023) perform the projections at either the overall text $E_T(y)$ or image $E_I(I)$ representation space, whereas we propose to do so on specific attention states, hence the name of our framework, LOCATE-THEN-CORRECT. We detail the debiasing framework in Alg. 1. Note that MA and KI are sample-independent and applied in the same manner across the full inference dataset.

[1] https://openai.com/index/hello-gpt-4o/

5. Experimental Results

This section presents the empirical results of our debiasing framework on datasets exhibiting various spurious correlations. We focus on datasets where spurious correlation arises inherently in the model without parameter tuning, meaning the model does not develop bias toward spurious attributes due to imbalanced training data. Our analysis primarily addresses two types of biases: background-object class associations and gender-occupation correlations.

5.1. Experimental Setting

Dataset - Background Bias. To evaluate robustness against background bias, we use the Waterbirds (WB) dataset (Sagawa et al., 2019), a binary classification task where zero-shot performance shows a significant gap between positive and negative subgroups. We report Worst-Group (**WG**), average accuracy (**Avg**), and the gap (**Gap**) between Avg and WG. We also consider a multi-class dataset: CounterAnimal (CA) dataset (Wang et al., 2024), which includes an easy subset (D_E) and a hard subset (D_H). We evaluate on D_H, using D_E as a baseline. Since we are evaluating on G_N itself, we re-use Z_S from WB. Avg refers to the accuracy on D_H, and gap is between easy and hard set. Unlike the binary case in Waterbirds, the multi-class setting complicates the relationship between y and $\overline{y}$, posing challenges for KI. To address this, we optimize the mapping of $y : \overline{y}$ for each class using D_E and apply the same settings onto the baselines altogether, as discussed further in A.1.

Dataset - Gender Bias. GenderBias-VL (Xiao et al., 2024) consists of artificially generated images of working-class adults across 177 occupations, with both genders for each occupation. We study them across two tasks: occupation classification and image retrieval. For classification, we use the **Bias** metric, which measures the accuracy difference between gender groups: $\frac{1}{|O|}\sum_i^{|O|} |\text{Acc}(O_i|g = g_0) - \text{Acc}(O_i|g = g_1)|$, where O represents occupations and g_0, g_1 denote male and female subgroups, respectively. We randomly select 25 occupations for optimization and evaluate on the remaining 152. We select the top 10 biased occupations as G_N. We find that certain occupations are highly biased, and denote the top 10 occupations as WG. For retrieval task, we use the **MaxSkew@K** metric, defined as $\max_{g \in G} \log \frac{r_{g,k}}{1/|G|}$, where $r_{g,k}$ is the ratio of top k images labeled with a specific gender. Additionally, we assess generalization performance on FairFace (Kärkkäinen & Joo, 2019) following the same settings as Chuang et al.

Table 1. Results on background bias. **Bolded** represents the best method while underline refers to the second best. **Metrics**: WG (↑), Avg (↑), Gap (↓)

Method	ViT-B/16			ViT-L/14			ViT-H/14		
	WG	Avg	Gap	WG	Avg	Gap	WG	Avg	Gap
Binary Dataset: Waterbirds									
Non-Parameter-tuning methods									
ZS	49.7	72.1	22.4	44.5	72.3	27.8	50.3	69.5	19.2
TextSpan	62.3	**76.7**	14.4	61.8	78.5	16.7	58.7	71.5	12.8
Ortho-Cali	68.1	73.3	5.2	73.3	78.6	**5.3**	18.1	41.9	23.8
Roboshot	57.5	63	5.5	70.5	79.0	8.5	60.7	71.6	8.9
LTC (Ours)	61.8	72.0	10.2	**75.5**	**84.0**	8.5	73.7	77.4	3.7
LTC*(Ours)	**73.3**	74.6	**1.3**	**75.5**	**84.0**	8.5	**77.4**	**80.4**	**3.0**
Parameter-tuning methods									
ERM Probe	35.2	78.5	43.3	62.5	86.3	23.9	56.2	85.2	29.0
Cont Adapter	83.2	86.9	**3.7**	83.7	89.3	5.6	87.5	91.3	3.8
JTT	72.3	87.2	14.9	81.6	90.9	9.3	85.7	91.4	5.8
JTT-LTC (OURS)	**86.4**	**91.2**	4.8	**89.6**	**92.6**	**3.0**	**89.1**	**92.8**	**3.7**
Multi-class Dataset: CounterAnimal									
ZS	-	54.8	21.1	-	66.1	15.8	-	72.7	14.7
TextSpan	-	52.6	23.3	-	62.5	19.4	-	71.4	16.0
Ortho-Cali	-	52.9	22.9	-	60.0	21.9	-	70.4	17.0
Roboshot	-	53.5	22.3	-	65.8	16.1	-	72.1	15.3
LTC (OURS)	-	**55.2**	**20.7**	-	**66.3**	**15.6**	-	**73.8**	**13.6**

(2023). While CelebA (Liu et al., 2015) is commonly studied for gender bias, we do not find significant bias present in zero-shot CLIP (Yang et al., 2023a) and leave it out of our evaluation. More details are provided in A.1.

Baselines. We evaluate on OpenCLIP (Ilharco et al., 2021) across 3 different sizes. We compare LTC against non-parameter tuning baselines including Zero-Shot **(ZS)**, **TextSpan** (Gandelsman et al., 2023), **Roboshot (RS)** (Adila et al., 2023) and **Ortho-Cali** (Chuang et al., 2023). Both Roboshot and Ortho-Cali perform debiasing via orthogonal projection on the overall input representation but differ on the modality: Image (Roboshot) and Text (Ortho-Cali). TextSpan constructs text representations per attention head and manually interprets them for debiasing. We follow the parameter-free baseline implementations by not assuming access to group labels, and only use zero-shot predicted group labels. Under the original setting, we applied Eq. 10 on a training set of images and target labels without any optimization over the attention heads. We introduce another setting where we optimized for P_S and P_Y given a validation set, referred to as **LTC***. While LTC is designed to address non-tuning methods, we find that it also serves as an simple and effective extension to parameter-tuning approaches. We apply LTC on top of the classifier trained with JTT (Liu et al., 2021), **(LTC-JTT)** and compare against **JTT**, Empirical risk minimization (ERM) probe **(ERM Probe)** and Contrastive Adapters **(Cont Adapter)** (Zhang & Ré, 2022). We use a 2-layer non-linear probe for all baselines except Cont Adapter, where we following the original settings in their work. Note that we only assume access to ground truth group labels for the validation set, following Cont Adapter. More implementation details are in A.2.

Results - Background Bias. As observed in Tab. 1, LTC surpasses all non-tuning baselines, bridging both the gap between groups and overall performance, similar findings can be observed in LTC-$\hat{S}$ with the exception of ViT-B. Despite being a lightweight extension to standard fine-tuning, JTT-LTC significantly outperforms both Cont Adapter and JTT, with fewer hyperparameters compared to Cont Adapter. In contrast, ERM exhibits strong bias toward majority groups. On CA, LTC is the only method that consistently improves over zero-shot CLIP, while others fail. We attribute Roboshot's failure to its reliance on LLMs for identifying spurious directions, which are often noisier than class-discriminative ones. Empirically, we find approaches that debias the overall representation are generally less effective than targeted interventions. Crucially, LTC's ability to localize contributions within Z_Y and Z_S improves interpretability (see Sec. 6). Ortho-Cali consistently underperforms, likely due to the complexity of solving a projection that equalizes representations across multiple spurious and target classes, which is challenging in multi-class settings.

Results - Gender Bias. Table 2 shows that zero-shot CLIP exhibits strong gender bias in certain occupations, with worst-group gaps significantly exceeding the average. In classification, Ortho-Cali performs comparably to LTC, except on ViT-B, where LTC clearly outperforms all baselines. In retrieval, TextSpan is competitive with LTC. Overall, LTC proves highly effective in mitigating gender bias across both classification and retrieval tasks. Similar to CA, we find that LLMs are often unreliable for identifying spurious features,

Table 2. Results on Genderbias-VL - gender bias on occupation. B_T refers to the 10 occupations with the highest discrepancy in classification between genders, chosen via zero-shot inference of the respective model. B_O refers to bias across all occupations. M_T and M_O is the MaxSkew@10 of the top 10 and overall occupations. The objective is to achieve a low score across all metrics. Values ranges between 0 and 100.

Method	ViT-B/16				ViT-L/14				ViT-H/14			
	B_T	B_O	M_T	M_O	B_T	B_O	M_T	M_O	B_T	B_O	M_T	M_O
ZS	74.0	16.3	38.2	29.9	54.7	12.9	40.5	27.1	67.7	15.2	36.1	28.3
TextSpan	42.2	11.0	29.4	23.3	42.7	10.2	34.3	25.4	57.8	12.7	33.4	26.1
Ortho-Cali	36.2	10.2	39.3	25.7	29.7	**9.2**	36.8	25.8	32.5	**9.4**	33.1	22.7
Roboshot	65.2	18.3	38.3	30.1	52.6	14.0	40.0	29.1	65.1	16.4	35.4	28.3
LTC (OURS)	**10.0**	**9.4**	**17.2**	**21.9**	**18.0**	9.8	**20.4**	**21.4**	**27.4**	10.1	**24.5**	**22.6**

as seen in Roboshot's failure—likely due to safeguards that prevent the model from flagging gender as a potential source of bias. All 3 models predict $\hat{S}$ with 99% accuracy, with LTC-$\hat{S}$ yielding the same performance as LTC.

Table 3. MaxSkew@1000 results on FairFace - Spurious relationship between gender and sensitive attributes. LTC (MA) only performs mean ablation on spurious states, without class-discriminative enhancement, as there are no target classes.

Method	ViT-B/16	ViT-L/14	ViT-H/14
ZS	31.3	30.1	13.3
TextSpan	**16.8**	26.2	13.9
Ortho-Cali	23.8	**21.4**	17.8
LTC (MA)	**16.8**	26.2	**12.0**

Tab. 3 shows the results of retrieving FairFace images pertaining to sensitive concepts, i.e., "*evil*", using the prompt: "*A photo of a [concept] person*" (Chuang et al., 2023), see Tab. 5. We apply the same optimization settings, i.e., Z_S for LTC/TextSpan and text embeddings for Ortho-Cali from Genderbias-VL without further tuning. The evaluation, based on annotated gender attributes, measures MaxSkew@1000 and averaged across the concept set. The results demonstrate that LTC can automatically identify gender states similar to those found by TextSpan, without manual effort or external knowledge of the spurious information. This highlights the ability of our approach to filter attention states linked to spurious associations effectively.

5.2. Ablation Studies

In this section, we study the improvements from modular components of LTC. LTC (MA) only performs mean-ablation, without knowledge injection. The opposite is true for LTC (KI). LTC (R) performs both MA and KI on random states. We also include RS without removal of spurious features - RS (KI), which is equivalent to LTC (KI) but differs in where KI is applied. Tab. 4 illustrates the effectiveness of localized debiasing, with LTC (KI) performing substantially better. While MA improves over zero-shot settings, it proves to be insufficient compared to KI. The poor performance of LTC (R) highlights importance of correctly identified states.

Table 4. Ablation studies on Waterbirds. **LTC (MA)** - Ablate only, **LTC (KI)** - Knowledge injection only. **LTC (R)** - Similar to LTC but states are randomized. Roboshot (RS) (KI): Only KI without debiasing. Worst Group (**WG** ↑), **Gap** = Avg - WG (↓)

Method	ViT-B/16		ViT-L/14		ViT-H/14	
	WG	Gap	WG	Gap	WG	Gap
ZS	49.7	22.4	44.5	27.8	50.3	19.2
RS	57.5	5.5	70.5	**8.5**	60.7	8.9
RS (KI)	45.6	23.6	45.2	26.6	42.8	21.8
LTC (MA)	62.5	13.1	51.8	23.2	60.5	11.6
LTC (KI)	67.3	6.6	72.9	10.1	69.7	5.3
LTC (R)	36.9	35.7	15.2	42.4	43.1	11.3
LTC	**73.3**	**1.3**	**74.6**	9.6	**71.3**	**3.6**

Overall, combining ablation and knowledge injection on optimally identified states yields the best results. Note that we do not perform any cross-validation to optimize γ, which we think may further improve the performance. Fig. 10 shows that LTC can locate the optimal states using as little as 20% of the labels. We provide more ablation studies, including robustness towards different text features in B.5 and B.3.

6. Interpreting Attention States



Figure 2. Normalized SHAP values for Y and S.

Spurious Association. In Waterbirds, we found that there exist states encoding the knowledge of associating S **with** Y, rather than S alone, which we refer to as SY. To investigate this, we modify the task to classify the spurious attribute



Figure 3. **Z_S**: Ablating states encoding S, **Z_SY:** Association between S and Y. **TS:** TextSpan **[Left]:** Predicting S as the target class. **[Right]**: Predicting both S and Y. **Dataset: Waterbirds**

(background) instead of the target (bird) and change Eq. 10 to $\sigma(V_{NC})$. This locate contributions corresponding to classifying S instead of Y. We first assume the new states as the actual Z_S and the previous Z_S as encoding the spurious association, Z_{SY}. Fig. 14 shows the highest contribution is located in a different state: L11H16, instead of L10H10 in Fig. 12. The left figure of Fig. 3 reveals that ablating Z_S causes a much steeper drop in the classification of S as compared to Z_{SY}. In TextSpan, the user is required to annotate the representation of each head and it is unclear if the heads encode SY or S. Most heads are interpreted as S and ablating them would erase the knowledge of S directly.

Additionally, we study the effects of ablation on a more difficult task: predicting S and Y concurrently, i.e., "*A photo of a landbird on ocean*". As observed in the right figure of Fig. 3, the low performance drop indicates an important finding: Z_{SY} represents knowledge of **associating** S **with** Y rather than S **and** Y. We hypothesize the possibility behind this discovery as the contrastive approach finding reasons behind a wrong prediction, which in this case correctly refers to the model overly associating the background with the bird class. However, we do not find similar observations regarding gender bias, as Z_S overlaps entirely with Z_{SY}. This may be due to background occupying a larger portion of the image, while gender is typically an intrinsic feature that occupies less visual space (see D.2). More importantly, the causal effects observed when ablating specific attention heads provide strong evidence that high-level concepts may be linearly separable across individual components.

Text Interpretation. TextSpan grounds visual representations onto generic text statements, which are not task-specific. Instead, we use GPT4-o to generate captions c for each image and apply SHAP (Lundberg, 2017) to the identified states Z_S, Z_{SY}, Z_Y. SHAP assigns an importance score ϕ to each text token in the caption. The prediction logit is the similarity score between the sum over specific states and the text embedding: $\phi_r = \langle \sum_i^{|Z_r|} z_{r,i}, P_T(E_T(c)) \rangle \in \mathbb{R}^T$, where r represents the encoded attribute type. The tokens are annotated by attribute (S or Y), and the importance for each attribute is normalized over the caption length and averaged across tokens belonging within each attribute set. In Fig. 2, both Z_Y and Z_S allocates high importance to the attribute they represent and low importance to the other, while Z_{SY} combines elements of both. This is aligned with Fig. 11, which lists the top text features for each state. Z_Y mainly encoding species and various features of birds while Z_S corresponds to habitat descriptions.



Figure 4. Image visualization: Localized representations of Z_{SY}, Z_Y, Z_S, and overall image.

Image Interpretation. We aggregate over the head and layer positions instead of the token positions in Eq. 4: $\sum_{(l,h)\in P_r} \tilde{z}^{l,h} \in \mathbb{R}^{N\times d}$ before deriving the prediction logit (Gandelsman et al., 2023). Fig 4 illustrates the magnitude of each pixel towards the prediction of "*landbird*" for $\{Z_{SY}, Z_Y, Z_S, P_I(E_I(I))\}$. Similar to text-based interpretations, Z_{SY} shows high importance in patches correspond-

ing to both the target class and background. In contrast, Z_Y focuses more on the target class and less noisy as opposed to the overall representation, making it more effective for knowledge injection. We present more findings in D.

7. Conclusion

In this work, we propose our framework, Locate-Then-Correct (LTC) for debiasing CLIP models by identifying and correcting spurious associations in attention heads. By leveraging the linear decomposability of ViT representations, LTC enables fine-grained localization of attention states responsible for encoding spurious and target attributes. We found that implementing orthogonal projection on localized states yield superior results as compared to existing works which does so on the overall representation space. LTC, when used as a lightweight extension to existing fine-tuning methods, yields promising improvements. Furthermore, LTC provides an interpretable lens into the intermediate representations, enabling an explanation on why our debiasing measures work.

Impact Statement

This paper presents work whose goal is to advance the field of Machine Learning. There are many potential societal consequences of our work, none which we feel must be specifically highlighted here.

Acknowledgment

This research is supported by the RIE2025 Industry Alignment Fund – Industry Collaboration Projects (IAF-ICP) (Award: H25-MCP3449), administered by A*STAR, as well as supported by Alibaba Group and NTU Singapore through Alibaba-NTU Global e-Sustainability CorpLab (ANGEL). The work is also supported by the Ministry of Education, Singapore under its MOE Academic Research Fund Tier 2 (MOE-T2EP20123-0005).

References

Adila, D., Shin, C., Cai, L., and Sala, F. Zero-shot robustification of zero-shot models with foundation models. *arXiv preprint arXiv:2309.04344*, 2023.

Alabdulmohsin, I., Wang, X., Steiner, A., Goyal, P., D'Amour, A., and Zhai, X. CLIP the bias: How useful is balancing data in multimodal learning? *arXiv preprint arXiv:2403.04547*, 2024.

Bau, D., Zhu, J.-Y., Strobelt, H., Lapedriza, A., Zhou, B., and Torralba, A. Understanding the role of individual units in a deep neural network. *Proceedings of the National Academy of Sciences*, 117(48):30071–30078, 2020.

Chuang, C.-Y., Jampani, V., Li, Y., Torralba, A., and Jegelka, S. Debiasing vision-language models via biased prompts. *arXiv preprint arXiv:2302.00070*, 2023.

Dehdashtian, S., Wang, L., and Boddeti, V. N. Fairerclip: Debiasing clip's zero-shot predictions using functions in rkhss. *arXiv preprint arXiv:2403.15593*, 2024.

Deng, J., Dong, W., Socher, R., Li, L.-J., Li, K., and Fei-Fei, L. Imagenet: A large-scale hierarchical image database. In *2009 IEEE conference on computer vision and pattern recognition*, pp. 248–255. Ieee, 2009.

Dosovitskiy, A. An image is worth 16x16 words: Transformers for image recognition at scale. *arXiv preprint arXiv:2010.11929*, 2020.

Du, Y., Wei, F., Zhang, Z., Shi, M., Gao, Y., and Li, G. Learning to prompt for open-vocabulary object detection with vision-language model. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 14084–14093, 2022.

Elhage, N., Nanda, N., Olsson, C., Henighan, T., Joseph, N., Mann, B., Askell, A., Bai, Y., Chen, A., Conerly, T., DasSarma, N., Drain, D., Ganguli, D., Hatfield-Dodds, Z., Hernandez, D., Jones, A., Kernion, J., Lovitt, L., Ndousse, K., Amodei, D., Brown, T., Clark, J., Kaplan, J., McCandlish, S., and Olah, C. A mathematical framework for transformer circuits. *Transformer Circuits Thread*, 2021. https://transformer-circuits.pub/2021/framework/index.html.

Elhage, N., Hume, T., Olsson, C., Schiefer, N., Henighan, T., Kravec, S., Hatfield-Dodds, Z., Lasenby, R., Drain, D., Chen, C., Grosse, R., McCandlish, S., Kaplan, J., Amodei, D., Wattenberg, M., and Olah, C. Toy models of superposition. *Transformer Circuits Thread*, 2022. https://transformer-circuits.pub/2022/toy_model/index.html.

Fan, L., Krishnan, D., Isola, P., Katabi, D., and Tian, Y. Improving CLIP training with language rewrites. *Advances in Neural Information Processing Systems*, 36, 2024.

Gandelsman, Y., Efros, A. A., and Steinhardt, J. Interpreting CLIP's image representation via text-based decomposition. *arXiv preprint arXiv:2310.05916*, 2023.

Gerych, W., Zhang, H., Hamidieh, K., Pan, E., Sharma, M. K., Hartvigsen, T., and Ghassemi, M. Bendvlm: Test-time debiasing of vision-language embeddings. *Advances in Neural Information Processing Systems*, 37:62480–62502, 2024.

Goh, G., †, N. C., †, C. V., Carter, S., Petrov, M., Schubert, L., Radford, A., and Olah, C. Multimodal neurons in artificial neural networks. *Distill*, 2021. doi: 10.23915/distill.00030. https://distill.pub/2021/multimodal-neurons.

Hall, S. M., Gonçalves Abrantes, F., Zhu, H., Sodunke, G., Shtedritski, A., and Kirk, H. R. Visogender: A dataset for benchmarking gender bias in image-text pronoun resolution. *Advances in Neural Information Processing Systems*, 36, 2024.

Hu, S., Tu, Y., Han, X., He, C., Cui, G., Long, X., Zheng, Z., Fang, Y., Huang, Y., Zhao, W., et al. MiniCPM: Unveiling the potential of small language models with scalable training strategies. *arXiv preprint arXiv:2404.06395*, 2024.

Huang, X., Zhao, K., and Huang, L.-K. Model editing for vision transformers. In *The Thirty-ninth Annual Conference on Neural Information Processing Systems*, 2025. URL https://openreview.net/forum?id=NSKRyz07WD.

Ilharco, G., Wortsman, M., Wightman, R., Gordon, C., Carlini, N., Taori, R., Dave, A., Shankar, V., Namkoong, H., Miller, J., Hajishirzi, H., Farhadi, A., and Schmidt, L. OpenCLIP, 2021. URL https://doi.org/10.5281/zenodo.5143773.

Jang, T., Jung, H., and Wang, X. Target bias is all you need: Zero-shot debiasing of vision-language models with bias corpus. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pp. 1935–1946, 2025.

Jiang, N., Kachinthaya, A., Petryk, S., and Gandelsman, Y. Interpreting and editing vision-language representations to mitigate hallucinations. *arXiv preprint arXiv:2410.02762*, 2024.

Kärkkäinen, K. and Joo, J. Fairface: Face attribute dataset for balanced race, gender, and age. *arXiv preprint arXiv:1908.04913*, 2019.

Kim, Y., Mo, S., Kim, M., Lee, K., Lee, J., and Shin, J. Discovering and mitigating visual biases through keyword explanation. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 11082–11092, 2024.

Liu, E. Z., Haghgoo, B., Chen, A. S., Raghunathan, A., Koh, P. W., Sagawa, S., Liang, P., and Finn, C. Just train twice: Improving group robustness without training group information. In *International Conference on Machine Learning*, pp. 6781–6792. PMLR, 2021.

Liu, Z., Luo, P., Wang, X., and Tang, X. Deep learning face attributes in the wild. In *Proceedings of the IEEE international conference on computer vision*, pp. 3730–3738, 2015.

Lu, S., Wang, Y., and Wang, X. Debiasing attention mechanism in transformer without demographics. In *The Twelfth International Conference on Learning Representations*, 2024. URL https://openreview.net/forum?id=jLIUfrAcMQ.

Lu, S., Chai, J., and Wang, X. Mitigating spurious correlations in zero-shot multimodal models. In *The Thirteenth International Conference on Learning Representations*, 2025.

Lundberg, S. A unified approach to interpreting model predictions. *arXiv preprint arXiv:1705.07874*, 2017.

Mao, R., Liu, Q., He, K., Li, W., and Cambria, E. The biases of pre-trained language models: An empirical study on prompt-based sentiment analysis and emotion detection. *IEEE Transactions on Affective Computing*, 14(3):1743–1753, 2023.

Menon, S. and Vondrick, C. Visual classification via description from large language models. *arXiv preprint arXiv:2210.07183*, 2022.

Nadeem, M., Sohail, S. S., Cambria, E., Schuller, B. W., and Hussain, A. Gender bias in text-to-video generation models: A case study of Sora. *IEEE Intelligent Systems*, 40(3):10–15, 2025.

Nam, J., Cha, H., Ahn, S., Lee, J., and Shin, J. Learning from failure: De-biasing classifier from biased classifier. *Advances in Neural Information Processing Systems*, 33: 20673–20684, 2020.

Nanda, N., Chan, L., Lieberum, T., Smith, J., and Steinhardt, J. Progress measures for grokking via mechanistic interpretability. *arXiv preprint arXiv:2301.05217*, 2023.

Nostalgebraist. Interpreting GPT: The logit lens, 2020. URL https://www.lesswrong.com/posts/AcKRB8wDpdaN6v6ru/interpreting-gpt-the-logit-lens. Accessed: 2024-11-27.

Olah, C., Mordvintsev, A., and Schubert, L. Feature visualization. *Distill*, 2017. doi: 10.23915/distill.00007. https://distill.pub/2017/feature-visualization.

Phan, H., Wilson, A. G., and Lei, Q. Controllable prompt tuning for balancing group distributional robustness. *arXiv preprint arXiv:2403.02695*, 2024.

Radford, A., Kim, J. W., Hallacy, C., Ramesh, A., Goh, G., Agarwal, S., Sastry, G., Askell, A., Mishkin, P., Clark, J., et al. Learning transferable visual models from natural language supervision. In *International conference on machine learning*, pp. 8748–8763. PMLR, 2021.

Sagawa, S., Koh, P. W., Hashimoto, T. B., and Liang, P. Distributionally robust neural networks for group shifts: On the importance of regularization for worst-case generalization. *arXiv preprint arXiv:1911.08731*, 2019.

Shaham, T. R., Schwettmann, S., Wang, F., Rajaram, A., Hernandez, E., Andreas, J., and Torralba, A. A multimodal automated interpretability agent. In *Forty-first International Conference on Machine Learning*, 2024.

Singha, M., Jha, A., Bose, S., Nair, A., Abdar, M., and Banerjee, B. Unknown prompt the only lacuna: Unveiling CLIP's potential for open domain generalization. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 13309–13319, 2024.

Sohoni, N., Dunnmon, J., Angus, G., Gu, A., and Ré, C. No subclass left behind: Fine-grained robustness in coarse-grained classification problems. *Advances in Neural Information Processing Systems*, 33:19339–19352, 2020.

Vaswani, A. Attention is all you need. *Advances in Neural Information Processing Systems*, 2017.

Vig, J., Gehrmann, S., Belinkov, Y., Qian, S., Nevo, D., Sakenis, S., Huang, J., Singer, Y., and Shieber, S. Causal mediation analysis for interpreting neural NLP: The case of gender bias. *arXiv preprint arXiv:2004.12265*, 2020.

Wang, Q., Lin, Y., Chen, Y., Schmidt, L., Han, B., and Zhang, T. A sober look at the robustness of CLIPs to spurious features. In *The Thirty-eighth Annual Conference on Neural Information Processing Systems*, 2024.

Wortsman, M., Ilharco, G., Kim, J. W., Li, M., Kornblith, S., Roelofs, R., Lopes, R. G., Hajishirzi, H., Farhadi, A., Namkoong, H., et al. Robust fine-tuning of zero-shot models. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pp. 7959–7971, 2022.

Xiao, Y., Liu, A., Cheng, Q., Yin, Z., Liang, S., Li, J., Shao, J., Liu, X., and Tao, D. GenderBias-VL: Benchmarking gender bias in vision language models via counterfactual probing. *arXiv preprint arXiv:2407.00600*, 2024.

Yang, Y., Nushi, B., Palangi, H., and Mirzasoleiman, B. Mitigating spurious correlations in multi-modal models during fine-tuning. In *International Conference on Machine Learning*, pp. 39365–39379. PMLR, 2023a.

Yang, Y., Panagopoulou, A., Zhou, S., Jin, D., Callison-Burch, C., and Yatskar, M. Language in a bottle: Language model guided concept bottlenecks for interpretable image classification. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 19187–19197, 2023b.

Yang, Y., Jiang, C., Lin, Z., Xiao, J., Zhang, J., and Sang, J. Debiasing vison-language models with text-only training. *arXiv preprint arXiv:2410.09365*, 2024.

Yeo, W. J., Satapthy, R., and Cambria, E. Towards faithful natural language explanations: A study using activation patching in large language models. In *Proceedings of EMNLP*, pp. 10425–10447, 2025.

Zhang, B., Zhang, P., Dong, X., Zang, Y., and Wang, J. Long-CLIP: Unlocking the long-text capability of CLIP. In *European Conference on Computer Vision*, pp. 310–325. Springer, 2025.

Zhang, M. and Ré, C. Contrastive adapters for foundation model group robustness. *Advances in Neural Information Processing Systems*, 35:21682–21697, 2022.

Zheng, G., Ye, W., and Zhang, A. Neurontune: Towards self-guided spurious bias mitigation. *arXiv preprint arXiv:2505.24048*, 2025.

Zhu, B., Cui, J., Zhang, H., and Zhang, C. Project-probe-aggregate: Efficient fine-tuning for group robustness. In *Proceedings of the Computer Vision and Pattern Recognition Conference*, pp. 25487–25496, 2025.

A. Experiment Information

A.1. Datasets

Table 5. Dataset information: Val/Test size for $|G_N|$ and $|D|$. The sizes for the sub-groups in *GenderBias* are conditioned on the occupations.

Dataset	Y	S	G_N	$\|G_N\|$	$\|D\|$	**License**
Waterbirds	{landbird, waterbird}	{land, water}	{landbird in water, waterbird in land}	240 / 2897	4795 / 5794	MIT license
CounterAnimal	45 ImageNet classes	{Snow vs Grass, Green vs Blue, . . . }	{Polar bear on snow, White Brambling, . . . }	– / 5926	7408 / 5926	Unavailable
GenderBias	177 Female/Male stereotypes	{female, male}	10 worst occupations	–	814 / 5093	CC BY-NC-4.0
FairFace	{good, evil, smart, dumb, attractive, unattractive, lawful, criminal, friendly, unfriendly}	{female, male}	–	–	10954	CC BY 4.0

Waterbird: Tab. 5 contains the details of the datasets used. In Waterbirds, the sizes of the validation set is skewed towards the positive set. In B.3, we show for certain model sizes, the convergence towards the optimal set of states can be achieved with a small sample size, < 50. We use the template: "A photo of a [class]" across all datasets.

CounterAnimal. The dataset is divided into two subsets: 'easy' and 'hard'. The 'easy' subset contains examples of animals in their commonly observed habitats, while the 'hard' subset includes examples in rare or atypical habitats. For instance, a "*polar bear on snow*" represents an 'easy' example, whereas a "*polar bear on grass*" constitutes a 'hard' example. The objective is to minimize the classification gap between these subsets. The full dataset contains 45 ImageNet classes, however, we set Y to the full Imagenet classes, $|Y| = 1000$. The multi-class nature of this task introduces a unique challenge: determining the appropriate counterfactual label $\overline{y}$ for a given class label y. Unlike binary classification, where a single $y, \overline{y}$ pairing suffices for KI, multi-class tasks involve multiple pairings for each class, and it is unclear which pairing to use for each image without prior knowledge of its class.

To address this issue, we first construct a dictionary for the 45 classes by identifying the most frequently misclassified class for each target. For example, if the class "*polar bear*" is frequently misclassified as "*arctic fox*", this pairing is recorded in the dictionary. This is recorded with the counts, generating a nested dictionary, with keys pointing to the CA classes and inner dictionaries corresponding to misclassified ImageNet classes. Next, we generate pseudo-labels, y^p, using zero-shot predictions to reference the dictionary. If y^p corresponds to either the key or value in the dictionary, we retrieve the text features associated with that pair. To limit the possible text feature pairings which can be large, we pair each of the CA classes (outer key) to the misclassified class with the highest counts. Thus, each pseudo-label correspond to one of the CA classes, used to retrieve the text features. However, this introduces a limitation in the event where the pairing between the pseudo label and CA class does not correspond to the actual text feature pairing, ie pseudo-label of *"seal"* to CA class of *"polar bear"* but text pairing is *"polar bear - arctic fox"*. However, we find that this can still introduce benefits by endowing the model with knowledge of discriminatory features related to the CA class. Though it is possible to generate text features for all pairings, we leave investigation of this to future works. It is important to note that we do not limit the predictions to only the CA classes, but only retrieve text features limited to them. The total classes as normalized over by the classifier

is still the full ImageNet classes. Overall, this process can be interpreted as a refinement stage: an initial prediction is made, followed by the injection of discriminative features to improve classification accuracy. This methodology is similarly applied to RoboShot and Ortho-Cali.

GenderBias. In the GenderBias dataset, each image is linked to a target occupation y, such as "*Pilot*", and is annotated as stereotypically male or female based on data from the U.S. Bureau of Labor Statistics (BLS)[2]. The alternative class, $\overline{y}$, represents an occupation stereotypically associated with the opposite gender, such as "*Flight Attendant*". All occupations in the dataset include samples from both genders, and the bias metric measures accuracy discrepancies between them. In the original dataset, each occupation is paired with multiple correlated occupations. We instead choose the occupation with the highest proportion of workers from the opposite gender. For example, for *Flight Attendant*, *Pilot* is chosen over *Airline Manager* if it has a higher male labor force representation. Certain occupations exhibit stronger gender bias in CLIP. To simulate G_N, we select the 10 occupations with the highest bias scores during zero-shot inference. Across the three models analyzed, consistent patterns emerge, with occupations such as "*Lawyer*" and "*Chief Executive*" being strongly associated with males. During optimization over P_Y and P_S, we use the top 10 occupations with highest bias within the validation set.

FairFace. FairFace comprises images of occupation-neutral faces annotated with gender. Following the settings in (Chuang et al., 2023), we prompt CLIP to retrieve the top K images associated with each concept class in Y. MaxSkew quantifies the maximum gender skewness across all concepts in Y and averages these values. The target and spurious heads identified in GenderBias are reused in FairFace without further optimization or reliance on a validation set.

A.2. Baselines

TextSpan (Gandelsman et al., 2023). The framework maps the representation of each attention head in a ViT model to a set of natural language text statements generated using ChatGPT. Users then determine whether a head should be categorized as Y, S or neither based on these statements. For example, a set of statements like "*Submerged underwater scene, Peaceful rural farmland, ...*" might be labeled as S for Waterbirds. However, this approach is subject to individual interpretation, potentially leading to disagreements among evaluators. Additionally, the manual effort required increases significantly as the number of attention heads grows. TextSpan is implemented on ImageNet (Deng et al., 2009) and does not utilize the validation set of the benchmarks.

Ortho-Cali (Chuang et al., 2023). This approach leverages *positive pairs* of text prompts, enforcing the projection matrix to regularize the difference between two projected embeddings with opposing spurious attributes. The pairs are structured as "a photo of a [class name] with [spurious attribute]." Consequently, the method requires prior knowledge of the spuriously correlated attribute, such as *male* and *female* for GenderBias. The projection matrix is derived from the validation set and applied on the **text representation** $P_T(E_T(y))$ during testing.

Roboshot (Adila et al., 2023). Roboshot uses an LLM to generate helpful and harmful concepts related to classifying Y. Harmful concepts are treated as S, while helpful concepts are used to enhance CLIP's discriminative ability. Harmful concepts are removed from the final **image representation** $P_I(E_I(I))$, and helpful concepts are amplified through orthogonal projection. As with Ortho-Cali, the projection matrix is derived from the validation set.

Parameter-tuning baselines. JTT (Liu et al., 2021) is a two-stage framework where an initial model is trained to identify the worst-performing examples, which are then emphasized in a second training stage by upsampling them with a factor, λ_{up}. However, given CLIP's strong performance in zero-shot settings, we omit the first stage and directly predict group labels to identify G_N as the set of worst-performing samples. As with the non-training setup, JTT-LTC operates purely at inference time.

We first train the base JTT model, then apply mean ablation and knowledge injection to the identified attention states prior to aggregating them into the final image representation for prediction. Note that the group labels used to identify Z_S and Z_Y are inferred in a zero-shot fashion. During JTT training, we set $\lambda_{up} = 90$ for ViT-H/14 and 100 for ViT-B/16 and ViT-L/14. We use a learning rate of $1e-2$ and weight decay as $1e-4$. We adopt a 2-layer non-linear probe as the classifier for ERM, JTT and JTT-LTC, with the hidden layer dimension as 128 for ViT-B/16 and 256 for ViT-L/14 and ViT-H/14. Cont Adapter uses a 2-layer adapter instead. We ran the Cont Adapter with the original hyperparameters and only change the

[2]https://www.bls.gov/cps/cpsaat11.htm

CLIP backbone.

Table 6. Prompts to generate class discriminative concepts. (Adila et al., 2023). Replace *"visual"* with *"spurious"* for spurious concept.

Dataset	Prompt
Waterbirds	List the true visual differences between waterbirds and landbirds. Give short keyword for each answer. Answer in the following format: <Difference>: <waterbird characteristic> ; <landbird characteristic>
Genderbias/CA	List 3 true visual differences between {cls1} and {cls2}. Give short keyword for each answer. Answer in the following format: <Difference>: <{cls1} characteristic> ; <{cls2} characteristic>

B. Additional results

B.1. Analysis robustness between sub-groups

In this section, we analyze the distribution of prediction margins, $p(\hat{y}) - p(\overline{y})$, for G_P and G_N. Examples of G_P and G_N can be referenced from Tab. 5. The results across the three models and four baselines are shown in Fig 5, 6 and 7. In the zero-shot setting, a clear separation between the sub-groups is observed, with G_N skewed toward the negative end. Baselines designed to remove spurious correlations between S and Y often introduce a trade-off between sub-group accuracies, as the positively correlated spurious attribute may have contributed to better predictions for classes with positive a_{sy}. Among the three baselines, LTC uniquely avoids this trade-off. For the large and huge models, both G_P and G_N shift toward the positive margin, a trend more pronounced in the huge model. While Ortho-Cali and Roboshot improve performance on G_N, they compromise on G_P. Roboshot outperforms Ortho-Cali by amplifying helpful concepts but falls short of LTC, which achieves better results through head-level optimization.



Figure 5. Prediction margins in Waterbirds. **Model: ViT-B/16**



Figure 6. Prediction margins in Waterbirds. **Model: ViT-L/14**



Figure 7. Prediction margins in Waterbirds. **Model: ViT-H/14**

Table 7. Ablation studies on **Genderbias**. **LTC (MA)** - Ablate only, **LTC (KI)** - Knowledge injection only. **LTC (R)** - Similar to LTC but states are randomized. Roboshot (RS) (KI): Only KI without debiasing. Worst Group Bias B_{10} (↓), Overall Bias B_{ovl}(↓) **Bolded**: represent best method while underline refers to second best.

Method	ViT-B/16		ViT-L/14		ViT-H/14	
	B_{10}	B_{ovl}	B_{10}	B_{ovl}	B_{10}	B_{ovl}
ZS	74.0	16.3	54.7	12.9	67.7	15.2
RS	65.2	18.3	52.6	14.0	65.1	16.4
RS (KI)	56.7	14.3	48.6	11.4	57.7	13.3
LTC (MA)	43.9	10.9	43.7	10.7	59.5	12.4
LTC (KI)	18.2	10.7	24.8	10.3	30.3	10.6
LTC (R)	30.5	12.2	35.3	14.6	33.4	15.0
LTC	**10.0**	**9.4**	**18.0**	**9.8**	**27.4**	**10.1**

B.2. Genderbias

Ablation. Tab. 7 presents the results of ablating various components of LTC for GenderBias. Overall, Roboshot underperforms compared to LTC and even increases the overall bias relative to zero-shot performance. Performing KI without orthogonalizing out spurious feature achieves a lower bias for RoboShot. As discussed in the main results, the reliance on LLM to identify spurious features may backfire if the LLM is sufficiently safeguarded against generating sensitive information such as gender being a prominent correlation to occupations. Similar trends to Waterbirds are observed, where LTC (KI) emerges as the second most competitive baseline. Despite using the same helpful concepts, LTC (KI) significantly outperforms RS (KI), demonstrating that orthogonal projection on classification heads is a more effective method for amplifying class-discriminative properties in CLIP.

Occupations analysis. Fig. 8 presents statistics on bias relative to male workforce proportions. Common biased occupations include *Chief Executive*, *Lawyer*, and *Security Guard*, all of which are male-dominated. A clear trend emerges: male-dominated occupations exhibit higher bias levels, while female-dominated occupations show lower bias. Additionally, occupations associated with the opposite gender tend to exhibit reduced bias. This suggests that CLIP is disproportionately influenced by gender bias across occupations. For example, while CLIP accurately classifies both male and female "*Legal Secretaries*", it demonstrates significantly higher accuracy for male "*Lawyers*" compared to female. The positive correlation between classification performance and workforce proportions indicates that CLIP is heavily impacted by the gender composition of occupations present in its training data.

Figure 8. Qualitative analysis on gender bias of top 10 occupations vs proportion of male workforce. Worst: occupation, other: opposite-gender associated occupation. **Left: ViT-B/16**, **Right: ViT-H/14**

Figure 9. Accuracy of the occupation-dominated gender of each occupation. **Left: ViT-B/16**, **Right: ViT-H/14**

B.3. Sample Size and Mask

In Sec. 5, we did not optimize for the optimal set of attention states to perform debiasing. Both Z_Y and Z_{SY} were chosen through the mask, σ, and filtering out states with contribution $< \gamma$. We find that this works well as a heuristic at filtering out noisy states which may not correspond to either S or Y. Fig. 10 and 11 shows the ablation study on sample size for Waterbirds and Genderbias, respectively. Specifically, we observe the performance trend vs $\%$ of G_P and G_N utilized on the primary step of LTC: locating Z_Y and Z_{SY}. We observe that the trend differs between model sizes. ViT-B peaks at the later stages, middle for ViT-H and early for ViT-L. We found that larger models tend to allocate higher contributions within a single Z_{SY} (59%) and Z_Y (58%), see Fig. 15, 18 for Waterbirds. More importantly, the important state contributions in V_{NC} and V_{NW} are not similar in magnitude, thus preventing being canceled out. On the other hand, ViT-B has higher overlapping values between the important states: the state at layer 11, head 5 is relatively high on both correct and wrong samples.

We additionally analyze the effects of selecting contributing states filtered with the mask, by only restricting Z_Y and Z_{SY} to the single top state. This essentially avoids using γ as a threshold. We find that performing debiasing on the incomplete states tends to underperform, except for ViT-L, as selecting the top states essentially recovers the heuristic setting since $|Z_Y| = 2$ and $|Z_{SY}| = 1$. Overall, we find that using the mask effectively finds states most probable for encoding the respective representations.

B.4. Spurious effects in Negative sub-group

The correct discovery and distinction between Z_Y and Z_S/Z_{SY} are hinged on the belief that the two can be separated more accurately in G_N. We study the implications of neglecting this belief by examining the located states when implementing



Figure 10. Analysis on % sub-group samples for locating spurious and classification states against performance. **Left: ViT-B/16**, **Middle: ViT-L/14 Right: ViT-H/14**. **Dash lines** refer to selecting the top contributing state in Z_Y and Z_{SY}. **x** refers to ZS. **Metric: Accuracy (↑). Dataset: Waterbirds**



Figure 11. Analysis on % sub-group samples for locating spurious and classification states against performance. **Dash lines** refer to selecting the top contributing state in Z_Y and Z_{SY}. **x** refers to ZS. **Metric: Bias (↓). Dataset: Genderbias**

Eq. 10 across the full dataset instead, replacing both V_{NW} and V_{NC} with V_W and V_C, respectively. From Tab. 8, we can see that performing the locating framework on the full dataset in place of GN, causes a huge performance drop for ViT-B. The identified Z_Y is confused with Z_{SY}, causing KI to be performed on the spurious states instead of class states. On ViT-L, the located states converges to the same set as in G_N, but we observe the contributions on the actual states to be lower. ViT-H appears to be similarly robust, but still suffers a marginal performance drop and lower Y/S ratio in Z_Y.

B.5. Sensitivity to discriminative features

Since KI depends on the quality of the underlying discriminative features, we assess its robustness to variations in the prompt set, $\{u_i\}_{i=1}^{N_u}$. We measure the mean and standard deviation between 3 sets of features, between RS and LTC. We report the mean and standard deviation over three feature sets for both RS and LTC. As shown in Tab. 9, LTC demonstrates greater robustness, likely due to its focus on states with high class-relevance, making it better suited for injecting discriminative information.

Table 8. Analysis of samples used for spurious and class state identification. The metric for Z_{SY} and Z_Y is the SHAP scores of Y/S features. Z_Y should have higher contributions on Y as opposed to S. WG is the worst-group accuracy. ViT-L/14 is not shown as the states are identical. Negative: G_N, Full: D. **Dataset: Waterbirds**

Method	**ViT-B/16**			**ViT-H/14**		
	Z_{SY}	Z_Y	WG	Z_{SY}	Z_Y	WG
Full	30/15	25/18	15	26/12	44/7	69.3
Negative	25/18	8/48	73.3	18/25	35/7	71.3

Table 9. Mean and std. performance on **Waterbirds** across 3 sets of discriminative features.

Method	**RS**			**LTC**		
	WG	Avg	Gap	WG	Avg	Gap
ViT-B/16	60.8 ± 2.4	67.2 ± 3.0	6.4 ± 0.7	73.6 ± 0.5	76.5 ± 2.5	3.0 ± 2.0
ViT-L/16	68.8 ± 4.2	78.3 ± 2.3	10.3 ± 2.1	74.4 ± 2.9	83.9 ± 1.3	9.5 ± 1.6
ViT-H/14	59.5 ± 6.2	73.4 ± 1.3	13.9 ± 6.7	66.7 ± 5.5	75.6 ± 2.8	8.9 ± 4.1

C. Contribution distributions

Fig. 12, 15 and 18 refers to the target class Y's contribution distribution in Waterbirds. The top and bottom heatmaps correspond to samples in G_{NC} and G_{NW}. Fig. 13, 16 and 19 similarly correspond to Genderbias. Fig. 14, Fig. 17 and Fig. 20 refers to correctly classified background S samples in the entire dataset D.



Figure 12. V scores across the last 4 layers and all heads for **ViT-B/16**. Layer-wise in the y-axis and head-wise in x-axis. **Top:** V_{NC}, **Bottom:** V_{NW}. **Dataset: Waterbirds**



Figure 13. V scores across the last 4 layers and all heads for **ViT-B/16**. Layer-wise in the y-axis and head-wise in x-axis. **Top:** V_{NC}, **Bottom:** V_{NW}. **Dataset: Genderbias**



Figure 14. V_C scores across the last 4 layers and all head for predicting the **spurious attribute: background** directly for **ViT-B/16**. Layer-wise in the y-axis and head-wise in x-axis. **Dataset: Waterbirds**



Figure 15. V scores across the last 4 layers and all heads for **ViT-L/14**. Layer-wise in the y-axis and head-wise in x-axis. **Top:** V_{NC}, **Bottom:** V_{NW}. **Dataset: Waterbirds**



Figure 16. V scores across the last 4 layers and all heads for **ViT-L/14**. Layer-wise in the y-axis and head-wise in x-axis. **Top:** V_{NC}, **Bottom:** V_{NW}. **Dataset: Genderbias**



Figure 17. V_C scores across the last 4 layers and all head for predicting the **spurious attribute: background** directly for **ViT-L/14**. Layer-wise in the y-axis and head-wise in x-axis. **Dataset: Waterbirds**



Figure 18. V scores across the last 8 layers and all heads for **ViT-H/14**. Layer-wise in the y-axis and head-wise in x-axis. **Top:** V_{NC}, **Bottom:** V_{NW}. **Dataset: Waterbirds**



Figure 19. V scores across the last 8 layers and all heads for **ViT-H/14**. Layer-wise in the y-axis and head-wise in x-axis. **Top:** V_{NC}, **Bottom:** V_{NW}. **Dataset: Genderbias**



Figure 20. V_C scores across the last 4 layers and all head for predicting the **spurious attribute: background** directly for **ViT-H/14**. Layer-wise in the y-axis and head-wise in x-axis. **Dataset: Waterbirds**

D. Interpretability Results

We present interpretability findings for each model in this section. To generate captions for SHAP, we prompt MiniCPM-V 2.6 (Hu et al., 2024) using the templates shown in Tab. 10. Fig. 21 shows the normalized SHAP values for the set of aggregated states representing $\{SY, S, Y\}$ for Waterbirds or $\{S, Y\}$ for Genderbias. Referencing the prompt, we form Y from "*features*" and the annotated "*species*" of the bird for Waterbirds and the occupation class for Genderbias. To get the normalized SHAP score for Z_Y, we take the max over the Y set, i.e., max over features or species for Waterbirds. S is then "*background*" and "*gender*" for Waterbirds and Genderbias, respectively. We also provide additional SHAP scores for each individual state and attribute, namely, each state against each attribute, extracted from the captioning output. This provides a fine-grained analysis of the type of information that is encoded and aggregated across each attribute state. The top text features are retrieved by aggregating over the number of times a particular feature is ranked as the feature with the highest SHAP value in each sample.

Table 10. Prompts to caption each image using GPT4o.

Dataset	Prompt
Waterbirds	Caption the picture of the {class} and describe both the visual features of the bird itself and the background. Please format your response as follows: Caption: Background: Features:
Genderbias	Caption the picture of the {occupation}. Describe the visual features in the picture that correlate with the occupation of {occupation} and the gender of the {occupation}.Please format your response as follows: Caption: Gender: Features:

D.1. Waterbirds

Fig. 21 illustrates the normalized SHAP scores for each feature category, corresponding to distinct attribute states. Our analysis reveals that localized states exhibit strong correlations with their hypothesized attributes and minimal correlations with opposing attributes. Specifically, Z_Y assigns a high contribution to features associated with Y while attributing minimal contribution to S. Similar patterns are observed in Tab. 11, where Z_Y predominantly contains terms related to various bird species and their features, whereas Z_S primarily represents the surrounding background.

Correlation with TextSpan . We applied TextSpan (Gandelsman et al., 2023) to each state and observed that the textual interpretations align with the intended state representations. On both ViT-B and ViT-H, the derived texts for Z_{SY} correspond to background descriptions, whereas on ViT-L, they relate to object categories. Notably, this is consistent with the composition of SHAP values shown in Fig. 21. For Z_Y and Z_S, the text outputs are fully aligned with their respective intended representations.

Individual state representation. Tab. 14 lists the top 10 text features for each individual head within the target set, $\in Z_Y$. Most heads predominantly represent the *species* category. However, in ViT-H/14, we identified a specific head, L31H13, that focuses on representing various colors and has a higher contribution to the *features* category. Similarly, L31H1 exhibits comparable behavior, albeit to a lesser extent.

Visual Interpretations. Fig. 22, 23, and 24 present examples of heatmaps depicting logit scores for the predicted class. We observe that Z_{SY} appears noisier and less focused compared to Z_Y and Z_S. This could be attributed to the challenges in visually representing associations between concepts. Nonetheless, the critical regions often encompass both the background and the object class. Consistent with textual representations, Z_Y and Z_S exhibit high concentration around the object and

surrounding background. Additionally, the Z_Y states show reduced noise compared to the overall image representation. Between models, the prediction heatmaps are noisier in ViT-H, which may be due to the larger set of states examined; see Tab. 14.



Figure 21. Normalized SHAP values towards text features belonging to Y and S. Left: ViT-B/16, Middle: ViT-L/14, Right: ViT-H/14 **Dataset: Waterbirds**

Table 11. Top text features for Z_{SY}, Z_Y, Z_S. Dataset: Waterbirds. Model: **ViT-B/16 and ViT-L/14**

ViT-B/16			ViT-L/14		
Z_{SY}	Z_Y	Z_S	Z_{SY}	Z_Y	Z_S
forest	tern	forest	beak	tern	forest
bamboo	gull	bamboo	warbler	warbler	bamboo
beach	warbler	beach	gull	gull	beach
pond	beak	lake	tern	sparrow	lake
lake	sparrow	pond	sparrow	wren	pond
warbler	wren	river	feathers	cormorant	ocean
water	bill	ocean	wings	beak	trees
river	feathers	costal	bamboo	black	river
beak	woodpecker	water	lake	kingfisher	sunset
wings	duck	moss-covered	forest	woodpecker	shoreline

Table 12. Top text features for Z_{SY}, Z_Y, Z_S. Dataset: Waterbirds. Model: **ViT-H/14.**

ViT-H/14		
Z_{SY}	Z_Y	Z_S
forest	tern	bamboo
beach	gull	forest
pond	warbler	beach
lake	beak	ocean
water	sparrow	lake
river	blue	pond
sunset	wren	river
grassy	black	sunset
trees	woodpecker	trees
shoreline	kingfisher	shoreline

Table 13. Correlation between TextSpan (Gandelsman et al., 2023) and located states. For each state, the given text statements represents the top 5 textual descriptions that accounts for the variance across the Imagenet validation set. L10H10 denotes attention head at layer 10 and head 10. **Dataset: Waterbirds**

Model	**Top Localized States**		
ViT-B/16	Z_{SY}: **L10H10**	Z_Y: **L11H5**	Z_S: **L11H6**
	Tranquil boating on a lake	Photo of a reptile	Photo taken in Namib Desert
	Peaceful rural farmland	Image with a seagull	Photo taken in the Alaskan mountains
	Serene garden pond	An image with dogs	A photo of Monaco
	Secluded beach cove	Snapshot of a marsupial	Image taken in the Florida Everglades
	Picture taken in the Italian pasta kitchens	A thistle	contemplative coastal view
ViT-L/14	Z_{SY}: **L23H14**	Z_Y: **L23H2**	Z_S: **L22H2**
	An image with dogs	Image showing prairie grouse	Urban park greenery
	Majestic soaring birds	Image with a penguin	cozy home interior
	Graceful swimming fish	A magnolia	Urban subway station
	An image with bikes	An image with dogs	Energetic street scene
	Picture with boats	An image with cats	Tranquil boating on a lake
ViT-H/14	Z_{SY}: **L30H11**	Z_Y: **L31H2**	Z_S: **L28H11**
	calming riverbank scene	detailed reptile close-up	A bamboo
	Pristine snowy landscape	Image with polka dot patterns	A picture of a baby
	peaceful meadow landscape	A spiky texture	Photo taken in the Italian vineyards
	Sandy beach shores	Artwork featuring zebra stripe motifs	Blurred boundaries
	Gritty urban street scene	Image with a sheep	delicate soap bubble display

Table 14. Individual state representations within Z_Y for **ViT-B/16 and ViT-L/14.** The overall score for Z_Y is shown beside each model while the SHAP score for individual states within Z_Y is shown beside each head. The scores refer to **species/features**. The overall score is measured by first aggregating the state activations corresponding to Z_Y before implementing SHAP, different from individual state activations. **Dataset: Waterbirds**

ViT-B/16: $44/15$		ViT-L/14: $44/12$
L11H5: $44/14$	L10H2: $21/19$	L23H2: $44/12$
tern	beak	tern
gull	tern	warbler
warbler	warbler	gull
beak	feathers	sparrow
sparrow	wings	wren
wren	woodpecker	bamboo
feathers	bamboo	cormorant
woodpecker	white	beak
bill	breasted	black
duck	jay	kingfisher

Table 15. Individual state representations within Z_Y for **ViT-H/14.**

ViT-H/14: $38/19$			
L30H8: $39/16$	L31H2: $39/12$	L31H1: $36/17$	L31H13: $20/25$
tern	tern	tern	yellow
gull	gull	gull	red
warbler	warbler	warbler	black
beak	bamboo	black	tern
sparrow	sparrow	sparrow	blue
wren	beak	white	white
feathers	wren	wren	brown
woodpecker	woodpecker	yellow	green
bill	feathers	blue	orange
duck	kingfisher	brown	sunset



Figure 22. Image visualization: Localized representations of Z_{SY}, Z_Y, Z_S and overall image. **Model: ViT-B/16. Dataset: Waterbirds**



Figure 23. Image visualization: Localized representations of Z_{SY}, Z_Y, Z_S and overall image. **Model: ViT-L/14. Dataset: Waterbirds**



Figure 24. Image visualization: Localized representations of Z_{SY}, Z_Y, Z_S and overall image. **Model: ViT-H/14. Dataset: Waterbirds**

D.2. Genderbias

Fig. 25 presents the SHAP scores, revealing findings consistent with those from the Waterbirds dataset, where score ratios align with the corresponding attributes. However, Z_S exhibits a lower ratio, $\frac{S}{Y}$, compared to Waterbirds. This may be due to Y, representing gender, occupying only a single token in the caption, unlike attributes such as occupation or feature category. Despite gender descriptions being present in all captions, Tab. 16 shows that no gender-related features appear in Z_Y across any of the models.

Correlation with TextSpan. We observe a positive correlation with TextSpan in the GenderBias dataset, where the descriptions of Z_S align with gender-related attributes or references to people. In contrast, the descriptions in Z_Y are associated with occupational objects or visual depictions of work settings, such as "*bioreactor*" and "*dance pose*", which likely contribute to classifying the occupation depicted in the image.

Individual state representation. Most tokens in Tab. 18, 19 and 20 relates to descriptions of occupational equipment. For states with a higher occupation-to-feature ratio, we see higher occurrences of occupational terms. This aligns with the expectation that surrounding objects in an image are critical for classifying a person's occupation. For instance, a stethoscope serves as a key medical device to differentiate between a doctor and a nurse, and its inclusion becomes even more significant in mitigating bias when classifying a male nurse.

Visual Interpretations. We observe more plausible heatmaps on ViT-B compared to the larger models. Most examples align with human intuition when classifying the occupation depicted in an image, focusing on elements such as "*helmet, workplan: civil engineer*", "*desk with computer: receptionist*", or "*computer: web developer*". In contrast, larger models exhibit noisier distributions that may not align with human reasoning. This observation highlights a potential limitation in identifying states that do not necessarily encode the hypothesized attribute effectively.



Figure 25. Normalized SHAP values towards text features belonging to Y and S. Left: ViT-B/16, Middle: ViT-L/14, Right: ViT-H/14 **Dataset: Genderbias**

Table 16. Top text features for Z_{SY}, Z_Y, Z_S. Dataset: Genderbias.

ViT-B/16		ViT-L/14		ViT-H/14	
Z_Y	Z_S	Z_Y	Z_S	Z_Y	Z_S
office	male	office	male	office	male
desk	female	desk	female	desk	female
laptop	manager	correctional	worker	computer	supervisor
police	her	construction	his	documents	his
physician	his	detectives	technician	headset	worker
monitors	cheerful	laundry	her	physician	her
officers	mechanic	factory	mechanic	construction	manager
laundry	smiling	workshop	manager	medical	mechanic
computer	worker	hospital	administrator	correctional	suit
medical	she	industrial	supervisor	laundry	uniform

Table 17. Correlation between TextSpan (Gandelsman et al., 2023) and located states. For each state, the given text statements represents the top 5 textual descriptions that accounts for the variance across the Imagenet validation set. L10H10 denotes attention head at layer 10 and head 10. **Dataset: Genderbias**

Model	**Top Localized States**	
ViT-B/16	Z_S: **L11H4**	Z_Y: **L11H8**
	Image with a five people	A laptop
	Quirky street performer	A rug
	An image with dogs	A shelf
	Image with three people	A bookmark
	A photo of a woman	A bag
ViT-L/14	Z_S: **L23H4**	Z_Y: **L23H1**
	Playful siblings	Photograph taken in a retro diner
	A photo of a young person	Intense athlete
	Image with three people	Detailed illustration of a futuristic bioreactor
	A photo of a woman	Image with holographic retro gaming aesthetics
	A photo of a man	Antique historical artifact
ViT-H/14	Z_S: **L31H7**	Z_Y: **L31H6**
	A photo of a woman	Evocative dance pose
	A photo of a man	Picture with cars
	Energetic children	A photo of food
	An image of a couple	Graceful swimming fish
	Warm home interior	thrilling sports action



Figure 26. Image visualization: Localized representations of Z_Y, Z_S and overall image. **Model: ViT-B/16. Dataset: Genderbias**



Figure 27. Image visualization: Localized representations of Z_Y, Z_S and overall image. **Model: ViT-L/14. Dataset: Genderbias**



Figure 28. Image visualization: Localized representations of Z_Y, Z_S and overall image. **Model: ViT-H/14. Dataset: Genderbias**

Table 18. Individual state representations within Z_Y for **ViT-B/16**. Scores refer to **occupation/features**. **Dataset: Genderbias**

ViT-B/16: 23/15		
L11H3: 25/13	L11H5: 20/13	L11H8: 16/16
office	manager	office
physician	headset	desk
police	firstline	laptop
desk	office	computer
officers	stethoscope	documents
laundry	refractory	monitors
administrator	stacks	coat
medical	computer	screens
workers	supervisor	firstline
hospital	tie	laundry

Table 19. Individual state representations within Z_Y for **ViT-L/14**. Scores refer to **occupation/features**. **Dataset: Genderbias**

ViT-L/14: 23/13			
L23H1: 26/13	L22H2: 19/11	L23H3: 18/11	L23H12: 21/12
office	office	office	firstline
desk	desk	desk	data
laptop	laptop	factory	office
refractory	laundry	facility	stethoscope
correctional	construction	correctional	computer
detectives	lab	factory	manager
physician	room	workshop	documents
headset	industrial	lab	laptop
administrator	female	construction	refractory
laundry	workshop	supervisor	correctional

Table 20. Individual state representations within Z_Y for **ViT-H/14**. **Dataset: Genderbias**

ViT-H/14: 23/15			
L31H6: 21/14	L30H7: 22/14	L30H13: 20/13	L30H12: 21/10
office	computer	office	manager
desk	suit	documents	computer
computer	correctional	suit	male
headset	construction	refractory	female
medical	laptop	paperwork	correctional
suit	documents	desk	exuding
officers	lab	correctional	worker
laundry	laundry	firstline	physician
construction	desk	telecommunicator	confident
police	electronic	office	office

E. Computational Requirements

All experiments can be ran with a single Nvidia A100 80GB GPU. Since the only training involved is on a 2-layer classifier, our work does not involve heavy computational usage.