A Novel Method for Time Series Counterfactual Inference Based on Penalized Autoencoders

Anonymous authors
Paper under double-blind review

Abstract

The ability to accurately perform counterfactual inference on time series is crucial for decision-making in fields like finance, healthcare, and marketing, as it allows us to understand the impact of events or treatments on outcomes over time. In this paper, we introduce a new counterfactual inference approach tailored to time series data impacted by market events, which arises from an industrial context. Utilizing the abduction-action-prediction procedure and the Structural Causal Model framework, we begin employing methods based on variational autoencoders and adversarial autoencoders, both previously used in counterfactual works although not in time series settings. Then, we present the Conditional Entropy-Penalized Autoencoder (CEPAE), a novel autoencoder-based approach for counterfactual inference, which employs an entropy penalization loss over the latent space to achieve disentangled data representations. We validate our approach both theoretically and experimentally on synthetic, semi-synthetic, and real-world datasets, showing that CEPAE outperforms the other approaches in the evaluated metrics.

1 Introduction

Time series counterfactual estimation is an essential tool to understand an event's impact on time series data. It is applied to situations where an event or treatment at a certain point in time alters a time series' trajectory, and consists in inferring, once given the observed post-event data, the counterfactual, i.e., the time series that would have taken place if the event had not occurred. Common applications of time series counterfactuals include finance (Barocas et al., 2020) or healthcare (Prosperi et al., 2020). Albeit this paper is focused on theoretical and experimental aspects, our work originates from an industrial application in the pharmaceutical market, where counterfactuals are used for business planning. Pharmaceutical companies are notably affected when a drug's patent expires and Loss of Exclusivity (LOE) Castanheira et al. (2019) takes place, prompting competitors to launch cheaper generic versions of the drug. This usually results in a dramatic decrease in the sales volume of about a 60-70% in the first years Castanheira et al. (2019), severely affecting company's revenues. Thus, accurately assessing the market impact of generic drug entries is of utmost importance. See appendix A for an extended discussion on the industrial application of this work.

One of the most extended approaches for time series counterfactual estimation is synthetic control (Bouttell et al., 2018; Abadie & Gardeazabal, 2003). For example, Causal Impact (Brodersen et al., 2015), a powerful method based on synthetic control principles, estimates counterfactuals with two data information sources: the pre-event part of the target time series, and control time series that were predictive of the target prior to the intervention and have not been affected by it. This method relies, at inference time, on time series other than the target one, which, in our view, represents a significant limitation. In our industrial context, for instance, the control data that can be accessed do not usually produce satisfactory results. In this situation, a common option would be to simply train a forecast model with historical data and use its predictions as counterfactual estimations, which is a very weak methodology as it does not seize post-event information.

In this paper, we introduce a novel approach for time series counterfactual estimation that seizes information of post-event observations while not requiring access to any time series other than the target one at inference time, i.e., it captures post-event information directly from the observed target time series. It is



Figure 1: Example of a time series counterfactual (cf) estimation comparison for our synthetic dataset among a baseline LSTM-based forecast model and CEPAE. The vertical line separates pre-event from post-event observations, counterfactual estimations and ground truth.

rooted in recent advances in causal machine learning (Pawlowski et al., 2020), leveraging the abduction-action-prediction procedure (Pearl, 2000) and encoder-decoder architectures. We use three deep learning methods for our time series approach: Conditional Variational Autoencoder (CVAE), which has been widely used for counterfactual estimation although, to the best of our knowledge, has not been applied previously to time series but to other types of data like images, Conditional Adversarial Autoencoder (CAAE), inspired in methods for image translation and adapted to our time series setting, and Conditional Entropy-Penalized Autoencoder (CEPAE), which uses an entropy penalty to promote disentanglement in the latent representation of an autoencoder, dispenses with the variational framework of VAEs, and is an original contribution to the counterfactual literature. Figure 1 shows an observed time series that suffers, after the initial drop associated to an event, an additional drop which is not related to it; we see that CEPAE seizes it in the counterfactual estimation while the forecast method that we use as a benchmark does not. Although our approach requires a sufficient amount of event and event-less time series to train the models, which can be a limitation, it has the advantage of not needing control time series for inference. Having successfully applied our method in our industrial context to infer impacts of generic drug competitors in pharmaceutical industry, in this work we present various experiments that demonstrate its validity.

This paper is structured as follows: Sec. 2 offers a review of the existing literature on counterfactual inference. Sec. 3 provides the necessary background on Structural Causal Models (SCMs) and information theory. Sec. 4 details our methodology, covering the utilized causality concepts, the problem setting and the explanation of our models. In sec. 5, we introduce the datasets, models and metrics, and discuss the results. Finally, in sec. 6 we discuss the conclusions.

Our main contributions are: 1) An adaptation of the abduction-action-prediction procedure, which has typically been used with other forms of data such as images, to a time series setting. We have adapted, as well, two autoencoder-based models, CVAE and CAAE. 2) The introduction of CEPAE, an entropy penalized autoencoder for counterfactual estimation, demonstrating its validity both theoretically and experimentally.

2 Related Work

Our models are inspired, on the one hand, on SCMs and the abduction-action-prediction procedure (Pearl, 2000), and, on the other hand, on autoencoder (AE) (Bank et al., 2023) and variational autoencoder (Kingma & Welling, 2022) architectures. Parafita & Vitrià (2019) proposes a method for leveraging deep learning prowess to estimate counterfactuals using the aforementioned Judea Pearl theory. Pawlowski et al. (2020) develops a similar method that specifically uses VAEs. Other related approaches that use autoencoder based architectures are Sanchez-Martin et al. (2021), which use variational graph autoencoders, or Kim et al. (2020), which proposes a VAE-based approach that clusters the causal graph. In appendix B, we provide an extended related work that covers other counterfactual approaches that are not based in autoencoders. On the other hand, most counterfactual estimation works for time series are based on the aforementioned synthetic control and related approaches, which are also covered in appendix B.

It is important to notice that there are several works in the Explainability field that use the term counterfactual in a completely different sense than this work. In the Explainability context, if we consider, for example, a binary classifier and a given input, the term counterfactual refers to the most similar input to the one given that delivers a different classifier outcome. This approach can help understand how the classifier works, but is different from the causal concept of counterfactual. Some works that tackle the Explainability counterfactual problem are applied to time series (Wang et al., 2023; 2021). However, it is important to recognize the difference between this approach and the causal counterfactual problem that our work addresses.

Finally, within the causal inference litterature, there is a line of research, represented by works like (Bica et al., 2020; Melnychuk et al., 2022), that addresses a problem called time varying counterfactuals, but the word counterfactual there does not follow the J. Pearl definition, and this line tackles the problem of forecasting outcomes under different temporal sequences of treatments, not the problem of inferring the time series that would have taken place if an event had not occurred.

3 Background

In this section, we provide an overview of SCMs and information theory, which are essential for our approach.

3.1 Structural Causal Models

The proposed approach for counterfactual estimation is based on the J. Pearl definition of counterfactual (Pearl, 2000), which can be operationalized by employing SCMs.

A SCM $\mathcal{M} := (\mathbf{S}, P(\boldsymbol{U}))$ consists of a collection $\mathbf{S} = \{f_i\}_{i=1}^N$ of structural assignments $a_i := f_i(u_i; \mathbf{pa}_i)$, where $\mathbf{pa}_i$ is the set of parents of a_i (its direct causes), and a joint distribution $P(\boldsymbol{U}) = \prod_{i=1}^N P(U_i)$ over mutually independent exogenous noise variables (i.e. unaccounted sources of variation) (Pawlowski et al., 2020). In a structural causal model (SCM), in general, the assignments are assumed acyclic. Thus, a directed acyclic graph (DAG) can represent relationships, with edges pointing from causes to effects in a causal graph. A unique joint observational distribution $P_{\mathcal{M}}(a)$ is determined by every SCM, fulfilling the causal Markov assumption: each variable is independent of its non-effects given its direct causes. Thus, it factorizes as $P_{\mathcal{M}}(a) = \prod_{i=1}^N (P_{\mathcal{M}}(a_i \mid \mathbf{pa}_i))$, where each conditional distribution $(a_i \mid \mathbf{pa}_i)$ is determined by its assignments and noise distribution Peters et al. (2017).

SCMs allow to perform counterfactual queries in a three-step procedure (Pearl, 2000): **1) Abduction:** predict the 'state of the world' (the exogenous noise $\boldsymbol{u}$) that is compatible with the observed data $\boldsymbol{a}$, i.e., infer $P_{\mathcal{M}}(\boldsymbol{U} \mid \boldsymbol{a})$; **2) Action:** perform an intervention (e.g. $\text{do}(A_i := \widetilde{a}_i)$) to the counterfactual SCM which corresponds to the desired manipulation, which generates the modified counterfactual SCM $\widetilde{\mathcal{M}} := \mathcal{M}_{\mathbf{a}, do(\widetilde{a}_i)} = (\tilde{\mathbf{S}}, P_{\mathcal{M}}(\boldsymbol{U} \mid \boldsymbol{a}))$; **3) Prediction:** compute the quantity of interest based on the distribution entailed by the modified counterfactual SCM, $P_{\widetilde{\mathcal{M}}}(\boldsymbol{a})$.

3.2 Information Theory

For a random variable X, we denote as $S(X)$ its entropy, or differential entropy when X is continuous. Considering an additional random variable Y, we denote the conditional entropy of X on Y as $S(X|Y)$, and the mutual information among X and Y as $I(X;Y)$. In appendix C, these quantities are properly defined for both discrete and continuous variables, and we discuss some issues regarding differential entropy interpretation. From now on, we will not distinguish among entropy and differential entropy.

For three random variables X, Y and Z, we present four information theoretic properties, demonstrated in appendix C, that are essential for our development:

$$S(X) = I(X;Y) + S(X|Y), \tag{1}$$

$$S(X,Y) = S(X) + S(Y) - I(X;Y), \tag{2}$$

$$S(X,Y) = S(X) + S(Y|X), \tag{3}$$

$$S(X,Y|Z) = S(X|Z) + S(Y|X,Z). \tag{4}$$

(a) Unconfounded (b) Confounded

Figure 2: Problem setting's computational graphs. Solid arrows denote direct influences on $\boldsymbol{Y}$; dotted double arrow reflects the abduction link. The confounded panel adds $\boldsymbol{H} \rightarrow E$.

4 Method

In this section, we explain our problem setting, the encoder-decoder approach for counterfactual estimation, and the models that we use.

4.1 Time Series Counterfactuals: Problem Setting

Next, we define the structure of the time series setting over which our models perform counterfactuals.
Problem Statement. Let $\boldsymbol{X} = \{\boldsymbol{x}^i\}_{i=1}^N$ be a set of observed time series $\boldsymbol{x}^i = (x_1^i, \ldots, x_T^i)$ with T steps, with $T = T_1 + T_2$. Some of these time series are impacted by an event e^i at time step $T_1 + 1$ (the time series that are not impacted by the event are also assigned a value e^i that represents the lack of impact. Thus, we can divide the time series in a pre-event segment $\boldsymbol{h}^i = (h_1^i, \ldots, h_{T_1}^i)$ with T_1 steps and a post-event segment $\boldsymbol{y}^i = (y_1^i, \ldots, y_{T_2}^i)$ with T_2 steps. From now on, we will denote as $\boldsymbol{H}$, E and $\boldsymbol{Y}$ the variables referring, respectively, to the pre-event time series, the event and the post-event time series, and as $\boldsymbol{h}$, e and $\boldsymbol{y}$ to their specific realizations, often distinguishing among factual values (e_f and $\boldsymbol{y}_f$) and counterfactual values (e_{cf} and $\boldsymbol{y}_{cf}$). For an observation $\left\{\boldsymbol{h}^i, e_f^i, \boldsymbol{y}_f^i\right\}$, our objective is to estimate the counterfactual values $\boldsymbol{y}_{cf}^i$ in the hypothetical scenario where E had taken a different value ($E = e_{cf}^i$) while the rest of the factors of variation of $\boldsymbol{Y}$ were maintained.

Given the previously defined variables, we define a counterfactual function f such that $y_{cf} = \mathrm{f}(\boldsymbol{h}, e_f, \boldsymbol{y}_f, e_{cf})$. Then, our task is to find an approximate counterfactual function $\hat{\mathrm{f}}$ that, similarly to f, estimates $\hat{\boldsymbol{y}}_{cf}$.

In our company, we count on a large amount of historical sales volume data for many products and countries, a significant amount of which have been impacted by an event. Thus, from these data, we can build a time series dataset of a selected number of steps T which consists of non impacted time series, obtained by applying a T steps rolling window to the non impacted historical data, and impacted time series, obtained by taking, once selected a number of pre-event steps T_1 and post-event steps T_2 (with $T_1 + T_2 = T$), the windows that match this selection in the impacted historical time series.

In our counterfactual setting, E and $\boldsymbol{H}$ will be the parents of $\boldsymbol{Y}$, and we consider datasets with two structures: $\boldsymbol{H}$ being parent of E, becoming a confounder (confounded setting), and no direct relation existing among $\boldsymbol{H}$ and E (unconfounded setting). $\boldsymbol{H}$ and E will be always intervened ($\boldsymbol{H}$ to its same factual value $\boldsymbol{h}$ and E to the counterfactual value e_{cf}). Therefore, only for the variable $\boldsymbol{Y}$ it will be necessary to estimate a structural assignment f_y and to abduct its exogenous noise U_y, responsible for its variation once given E and $\boldsymbol{H}$. Thus, it is not necessary to treat E and $\boldsymbol{H}$ as random variables generated by an exogenous noise susceptible to be abducted (and, in the confounded case, generated also by their parents). This makes counterfactual estimation in both the confounded and the unconfounded settings equivalent in a practical level. Figure 2 shows the computational and the causal graph of our problem. For the models that we present in this work, we assume that our variables data generating process follow a causal graph like the one shown in figure 2, with no hidden confounders, and also positivity.



Figure 3: Scheme of encoder-decoder based methods for counterfactual inference, both in training and counterfactual inference phase.

4.2 Encoder-Decoder Based Models for Counterfactual Estimation in our Problem Setting

For the problem of counterfactual estimation in high dimensional settings, autoencoder based approaches are the most extended and effective. In this work, we adapt two autoencoder based architectures to our time series setting, and propose a novel one. Next, we describe how the counterfactuals of our problem setting can be estimated using encoder-decoder architectures and assuming the graphs in figure 2.

Considering the abduction-action-prediction procedure and our counterfactual problem setting, it is possible to define two trainable functions that, together, allow to estimate a counterfactual $\hat{\boldsymbol{y}}_{cf}$ once given $\boldsymbol{h}$, $\boldsymbol{y}_f$, e_f and e_{cf}. We will refer to the first of these functions as an encoder E_ϕ, with trainable parameters ϕ, which outputs either the location and scale parameters of a (usually multivariate) latent distribution $P(\boldsymbol{Z}|\boldsymbol{h}, e_f, \boldsymbol{y}_f) = E_\phi(\boldsymbol{h}, e_f, \boldsymbol{y}_f)$, or directly a latent variable $\boldsymbol{z} = E_\phi(\boldsymbol{h}, e_f, \boldsymbol{y}_f)$. $\boldsymbol{Z}$ is a latent representation that should allow the second of our trainable functions, which we call the decoder D_θ with trainable parameters θ, to estimate counterfactuals $\hat{\boldsymbol{y}}_{cf} = D_\theta(\boldsymbol{z}, \boldsymbol{h}, e_{cf})$. Figure 3 illustrates this process. In terms of the approximated counterfactual function mentioned in 4.1, we can express our functions as:

$$\hat{\boldsymbol{y}}_{cf} = \hat{\mathrm{f}}(\boldsymbol{h}, e_f, \boldsymbol{y}_f, e_{cf}) = D_\theta(E_\phi(h, e_f, \boldsymbol{y}_f), \boldsymbol{h}, e_{cf}). \tag{5}$$

In the case where the encoder outputs the parameters of the latent distribution, the value $\boldsymbol{z}$ will be obtained via sampling from that distribution. There is a parallelism between this encoder-decoder setting and the abduction-action-prediction procedure. If we transfer the terminology of SCMs to our time series problem setting, we have that abduction step would consist in inferring $P_{\mathcal{M}}(U_y|\boldsymbol{h}, e_f, \boldsymbol{y}_f)$, which is analogue to our encoder estimating a conditional distribution of $\boldsymbol{Z}$ or directly its value. Here, $\boldsymbol{Z}$ is analogue to U_y, even if there can not be a complete identification among these variables (Monteiro et al., 2023). Then, the decoder (that can be identified with the structural assignment f_y) inferring $\hat{\boldsymbol{y}}_{cf}$ would correspond simultaneously to the action and the prediction steps, where we first set the modified SCM $\widetilde{\mathcal{M}} = \mathcal{M}_{\mathbf{h},\mathbf{e}_f,\mathbf{y}_f;do(E=e_{cf})}$ and then the result $\hat{\boldsymbol{y}}_{cf}$ is obtained as a sample of $\widetilde{\mathcal{M}}$.

The importance of achieving a disentangled latent representation. If we train a conditioned regular AE, like in figure 3, with only the reconstruction loss, and try to estimate counterfactuals, the results will not be satisfactory, as $\boldsymbol{Z}$ will account for all the factors of variation of $\boldsymbol{Y}$, leaving the conditioner underutilized. Taking into account the graph in figure 2 and the theory in 3.1, the factors of variation of $\boldsymbol{Y}$ can be separated in three variables: its parents $\boldsymbol{H}$ and $\boldsymbol{E}$, and its exogenous noise U_y, where we have $U_y \perp H$ and $U_y \perp E$, which is forced by the independence among exogenous noises of every variable, as mentioned in 3.1. To achieve sound counterfactual estimations, we need the decoder of our model to effectively use all the information that the conditioners $\boldsymbol{C}$ (in our problem setting, the parents $\boldsymbol{H}$ and E) bring to reconstruct the inputs ($\boldsymbol{Y}$), and use $\boldsymbol{Z}$ only as a representation of the source of variation of $\boldsymbol{Y}$ that does not correspond to the conditioners. In other words, a model can be used to perform counterfactuals if, apart from being expressive enough to model a SCM's structural assignments and having abduction capabilities, it effectively disentangles the representation $\boldsymbol{Z}$ from the information of the conditioners, making it independent of them and accounting only for the factors of variation relative to U_y.

In autoencoder based models, the disentanglement requirement implies that the latent space's capacity to encode information should be limited in some way, in order to not be redundant apprehending the effects of conditioners. It is necessary, then, to apply some regularization over $\boldsymbol{Z}$.

Next, we explain three autoencoder based models for counterfactual estimation: CVAE, an autoencoder based model very common, for example, in image counterfactual inference; CAAE, a model inspired in existing works for image manipulation; and CEPAE, a novel counterfactual model which we show that overcomes the previous ones in our time series settings. We only briefly discuss the two first models here, and leaving additional information for the appendix.

4.2.1 CVAE

We first apply a conditional VAE, with a KL (Hall, 1987) regularization term, to infer counterfactuals according to the previously defined process. See appendix D for more details. Being CVAE a reasonable option to generate counterfactuals, some relevant problems exist. For example, the model can ignore, completely or partially, its conditioning $\boldsymbol{C}$, as even if KL divergence limits the capacity of $\boldsymbol{Z}$ to seize information, the model lacks theoretical guarantees of disentanglement of $\boldsymbol{Z}$ with respect to $\boldsymbol{C}$. Some of the techniques that can be used to reduce the capacity of $\boldsymbol{Z}$, such as increasing the weight of KL or reducing the dimensionality of latent space, have severe consequences on the reconstruction capabilities, which also affect the quality of the counterfactual estimations. Even without these techniques, the reconstruction capacity of VAEs is often poor, especially if we compare it to regular AEs (Zhao et al., 2017).

4.2.2 CAAE

As mentioned above, regular autoencoders lack mechanisms to disentangle the latent representation from conditioners. On the other hand, their reconstruction capacity far exceeds VAEs. Thus, CAAE is a first attempt to maintain the reconstruction capacity of AEs while furthering disentanglement properties. We take the idea from Lample et al. (2017), a work focused on image manipulation, and adapt it to our counterfactual setting. Based on ideas from domain adaptation (Ganin et al., 2016), the method consists in a conditioned AE where an adversarial training is added that makes the latent representation unpredictive of the value of the conditioner $\boldsymbol{C}$, trying to achieve $\boldsymbol{Z} \perp \boldsymbol{C}$. The adversarial training consists in a model that predicts the value of $\boldsymbol{C}$ from $\boldsymbol{Z}$ while the encoder parameters ϕ are trained to achieve the opposite objective. For that, we use gradient reversal layer (Ganin et al., 2016), with an increasing linear scheduling as the weight for the adversarial objective. Alomar et al. (2023) uses a similar idea for counterfactual inference. See appendix E for more details on this model.

Adding adversarial training for several different conditioners can be difficult, specially if they are multidimensional like $\boldsymbol{H}$. In our case, we apply the adversarial training only on E, which, in theory, should be enough for our objectives as, for our counterfactuals, we do not intervene on $\boldsymbol{H}$. On the other hand, although the model works properly for unconfounded settings, we have not been able to get a hyperparameter configuration that delivers reasonable results for the confounded scenario. To our knowledge, the works that use adversarial methods for image manipulation do not tackle confounded settings. Apart from that, the model features the limitations of adversarial training, mainly its instability and time and resources demand (Sridhar et al., 2021).

4.2.3 CEPAE

We propose a conditional autoencoder based model that adds, to the regular reconstruction loss of an AE, an entropy penalty (EP) over the latent representation that reduces its entropy $S(\boldsymbol{Z})$, minimizing the amount of information that $\boldsymbol{Z}$ can carry. The intuition behind this is that, if conditioners $\boldsymbol{C}$ are informative about our data X (i.e., $I(X;\boldsymbol{C}) > 0$), then, with the entropy penalty, this information will be erased from $\boldsymbol{Z}$ as it would increase $S(\boldsymbol{Z})$ without increasing $I(X;\boldsymbol{Z},\boldsymbol{C})$, which we want to maximize with the reconstruction loss[1]. Thus, we encourage a disentangled representation $\boldsymbol{Z}$ independent from $\boldsymbol{C}$. Next, we provide a theoretical foundation for this intuition.

[1]The reconstruction loss aims to increase $I(X;\hat{X})$, and $\hat{X}$ (the reconstruction of X) is a function of $\boldsymbol{Z}$ and $\boldsymbol{C}$.

Following eq. 1, we can decompose the joint entropy of $\boldsymbol{Z}$ and $\boldsymbol{C}$ in terms of their mutual information with X in the following way:

$$S(\boldsymbol{Z}, \boldsymbol{C}) = I(X; \boldsymbol{Z}, \boldsymbol{C}) + S(\boldsymbol{Z}, \boldsymbol{C}|X). \tag{6}$$

On the other hand, from eq. 2, we can also decompose $S(\boldsymbol{Z}, \boldsymbol{C})$ in the following way:

$$S(\boldsymbol{Z}, \boldsymbol{C}) = S(\boldsymbol{Z}) + S(\boldsymbol{C}) - I(\boldsymbol{Z}; \boldsymbol{C}). \tag{7}$$

Mixing both and isolating $S(\boldsymbol{Z})$, we obtain:

$$S(\boldsymbol{Z}) = I(X; \boldsymbol{Z}, \boldsymbol{C}) + S(\boldsymbol{Z}, \boldsymbol{C}|X) - S(\boldsymbol{C}) + I(\boldsymbol{Z}; \boldsymbol{C}). \tag{8}$$

The term $S(\boldsymbol{Z}, \boldsymbol{C}|X)$ in the last equation can be decomposed, following eq. (4), as $S(\boldsymbol{Z}, \boldsymbol{C}|X) = S(\boldsymbol{C}, \boldsymbol{Z}|X) = S(\boldsymbol{C}|X) + S(\boldsymbol{Z}|\boldsymbol{C}, X)$. Finally, we obtain:

$$S(\boldsymbol{Z}) = I(X; \boldsymbol{Z}, \boldsymbol{C}) + S(\boldsymbol{Z}|\boldsymbol{C}, X) + I(\boldsymbol{Z}; \boldsymbol{C}) + S(\boldsymbol{C}|X) - S(\boldsymbol{C}). \tag{9}$$

In the last equation, the terms $S(\boldsymbol{C}|X)$ and $S(\boldsymbol{C})$ are fixed from the dataset and do not depend on the model. The term $I(X; \boldsymbol{Z}, \boldsymbol{C})$ would tend to be minimized by the entropy penalty alone, but the reconstruction loss counteracts this by increasing it. Properly weighting the entropy penalty ensures that the influence of the reconstruction loss prevails. The term $S(\boldsymbol{Z}|\boldsymbol{C}, X)$ can be interpreted as a noise term (the amount of entropy of $\boldsymbol{Z}$ which is not predictive of X). Finally, $I(\boldsymbol{Z}; \boldsymbol{C})$ is the key term that we aim to minimize by penalizing $S(\boldsymbol{Z})$. Like $S(\boldsymbol{Z}|\boldsymbol{C}, X)$, this term will be minimized with opposition exerted by the reconstruction loss and, since $I(\boldsymbol{Z}; \boldsymbol{C})$ has an inferior limit in 0, the penalization will tend to cancel it, thus aiming for $\boldsymbol{Z} \perp \boldsymbol{C}$. In a deterministic model, $I(X; \boldsymbol{Z}, \boldsymbol{C})$ and $S(\boldsymbol{Z}|\boldsymbol{C}, X)$ can tend, respectively, towards infinity and minus infinity. In appendix F, we further discuss on that and show how this does not affect the meaning and implications of the equation.

Implementation of the entropy penalty. The existing methods for estimating the entropy of continuous variables from a finite number of samples involve complex calculus and usually training specific models. To avoid this, we derive a simple expression that sets an upper bound for the entropy of a continuous multivariate distribution based on the variance of its variables. From equation 2, and taking into account that mutual information can not be negative, we have that $S(\boldsymbol{Z}) = S(Z_1, ..., Z_N) \leq S(Z_1) + ... + S(Z_N)$, where N is the dimensionality of $\boldsymbol{Z}$. On the other hand, there is a theorem that states that, for a single variable, the normal distribution maximizes the differential entropy for a given variance (see the demonstration in appendix C.1 or in Marsh (2013)). Thus, the entropy of a variable $X \sim \mathcal{N}(\mu, \sigma^2)$, which is $S(X) = \log(\sigma\sqrt{2\pi e})$, sets an upper bound to the entropy of an arbitrary distribution with variance σ^2. This gives us that $S(\boldsymbol{Z}) \leq n \log(\sqrt{2\pi e}) + \log(\sigma_1) + ... + \log(\sigma_N) =: S_{UB}(\boldsymbol{Z})$, where $S_{UB}(\boldsymbol{Z})$ is an upper bound to the entropy of $\boldsymbol{Z}$ based on $\sigma_1, ..., \sigma_N$. Although $S_{UB}(\boldsymbol{Z})$ could, in theory, be used as an entropy penalty loss function, it is unstable due to the logarithm tending to minus infinite for values near zero. We have tried adding small fixed values to the standard deviations inside logarithms but, although some improvements are achieved, model training continues being unstable, slow and suboptimal. Leveraging the fact that any way of reducing standard deviations will reduce $S_{UB}(\boldsymbol{Z})$, we have found that a simple summation over them is more stable and effective as a loss function. Thus, for a batch of data $\{x^k, \boldsymbol{c}^k\}_{k=1}^B$ with B samples, our EP loss is:

$$\mathcal{L}_{\text{EP}}^{\text{batch}}(\phi) = \sum_{i=1}^{N} \sigma_i, \tag{10}$$

where σ_i is the standard deviation of the ith dimension of the batch of latent representations $\{\mathbf{Z}^k\}_{k=1}^B$, where $\mathbf{Z}^k = \{Z_i^k\}_{i=1}^N$ and $\mathbf{Z}^k = E_\phi(x^k, \boldsymbol{c}^k)$.

On the other hand, the reconstruction loss is:

$$\mathcal{L}_{\text{Rec}}^i(\theta, \phi) = \left\| x^i - D_\theta(E_\phi(x^i, \boldsymbol{c}^i), \boldsymbol{c}^i) \right\|^2. \tag{11}$$

Then, for a batch of size N_B, the loss of CEPAE is:

$$\mathcal{L}_{\text{CEPAE}}^{\text{batch}}(\theta, \phi) = \frac{1}{N_B} \sum_{i=1}^{N_B} \mathcal{L}_{\text{Rec}}^i(\theta, \phi) + \lambda \mathcal{L}_{\text{EP}}^{\text{batch}}(\phi). \tag{12}$$

As with CVAE and CAAE, the framework described in beginning of 4.2 allows to generate a counterfactual sample $\hat{\boldsymbol{y}}_{cf}$ by encoding an observation $\hat{\boldsymbol{y}}_f$ and its parents $\boldsymbol{h}$ and e_f. Here, we have $\boldsymbol{z} = E_\phi(\boldsymbol{y}_f, \boldsymbol{h}, e_f)$, and then $\hat{\boldsymbol{y}}_{cf} = D_\theta(\boldsymbol{z}, \boldsymbol{h}, e_{cf})$.

Like CAAE, CEPAE has the reconstruction power of regular AEs, which is a clear advantage over CVAE. On the other hand, it has some important advantages over CAAE. First of all, we avoid the instability of adversarial training, using instead an EP to achieve disentangled representations, which is a much simpler regularization technique regarding both computational demands and implementation difficulty. Additionally, although not leveraged in this work, EP implementation offers the advantage over adversarial training of not increasing in complexity with the number of conditioners or their dimensionality.

EP is somewhat reminiscent of the Information Bottleneck theory (Tishby et al., 2000), specially to Strouse & Schwab (2017), although we do not closely follow this framework and the derived disentanglement properties are alien to it. We further discuss this relationship in appendix G. On the other hand, it is important to mention that works like Nasr-Esfahany & Kiciman (2023) provide an impossibility result for identifiability of generation mechanisms with multidimensional exogenous variables, which affects all counterfactual works applied to multidimensional data. Nonetheless, as Nasr-Esfahany & Kiciman (2023) notes, "exact counterfactual identifiability is often too strong, e.g., in cases where low counterfactual error is tolerable by practitioners". Otherwise, all works on counterfactuals in multidimensional data, like Pawlowski et al. (2020) or Sanchez & Tsaftaris (2022), should be invalidated. As we show in the Experimental Section (5), CEPAE's counterfactual errors are very reasonable, and deciding if they are tolerable will depend on each application. See appendix H for an extended discussion.

5 Experimental Section

In this section, we explain the datasets and the metrics that we have used to validate our models, the details of the models, and finally the results.

5.1 Datasets

To assess the efficacy and validate the dependability of our techniques, we utilize multiple time series datasets exhibiting various characteristics. In counterfactual literature, there is the general problem of evaluation: as in real world data we do not have access to counterfactual ground truths, it is not possible to directly evaluate counterfactual models. Two alternatives exist to overcome this issue: the use of metrics that do not directly measure similarity among counterfactual estimations and ground truths but desirable properties of counterfactuals, which we address in 5.2, and the use of synthetic or semi-synthetic datasets, where we control the data generating process, or at least a part of it, and therefore have access to the counterfactual ground truths, which allow to apply traditional metrics. Thus, we employ, apart from our proprietary dataset, other datasets that imitate our setting of severe changes due to impacts, but where counterfactual ground truths are known. All datasets are divided into time series with an event at the same given time step ($e = 1$) and those without ($e = 0$). Next, we describe them:

Synthetic datasets. Dataset of time series with 30 steps that initiate always at value 0, have a trend that stems from a uniform distribution [-0.1,0.1] (meaning that this amount is added at each step), a drop of 0.7 in the step 20 in case of series with event, and an additional change at any randomly selected post-event step, with a value chosen uniformly within a range from -0.7 to 0.7. This value represents the effect of a happening that affects the time series both in case of event and without event, whereas the previous drop of 0.7 represents the effect of the main event. Besides, a Gaussian noise with variance of 0.1 is added to each step to make the time series more realistic. The only difference in the generating process of these data for time series with and without event is the drop of 0.7, which allows to generate at the same time a time series with or without event and its counterfactual ground truth. There are two versions of this dataset: **1) Unconfounded**, where the presence or absence of event is completely random for every time series, and **2) Confounded**, where the probability of featuring an event follows a Bernoulli distribution with $p = (t + 0.1)/0.2$, there t is the trend.

Semi-synthetic dataset. This dataset is based in Rossmann Store Sales dataset (FlorianKnauer, 2015), a public dataset from a Kaggle competition. It shows the daily sales of Rossmann drug stores from 2013 to 2015. We simulate a situation where, the first Monday of every March from 2013 to 2015, there is an event that affects half of the stores (e.g., it could be a promotion, a marketing campaign, etc.) and multiplies the sales by 1.1 the first day, 1.2 the second day, and 1.3 the rest of the days during three weeks. We use the four weeks previous to the first Monday of March of each year as pre-event time series, and the next three weeks as post-event time series. This is an unconfounded dataset.

Real world dataset. This dataset shows the monthly sales of our company and has been built as explained in 4.1. We take 12 months as pre-event time steps and 30 months as post-event time steps. According to business experts, the relations among $\boldsymbol{H}$ and E in this dataset is non-existent or very weak. This is a private dataset.

5.2 Evaluated Metrics

To evaluate our methods, we use various metrics. **Mean Absolute Error** (MAE) and **Mean Bias Error** (MBE) are employed to compare estimations with ground truths in synthetic and semi-synthetic datasets, as counterfactual ground truths exist solely for these datasets. MAE is a direct measure of how good our estimations are, while MBE allows to detect biases. We also consider additional metrics that do not require a ground truth, and hence can be applied to the real world dataset. Each of these metrics assesses some desirable property of counterfactuals. Overall, they allow to evaluate counterfactual models. For completeness, we apply them to all datasets and not only to the real world one. Next, we present the Added Variations metrics, and leave the reconstruction, reversibility and effectiveness metrics from the Axiomatic Definition of Counterfactual (Monteiro et al., 2023) for appendix I due to space restrictions.

Added Variations. We introduce this metric to evaluate how a counterfactual estimation responds to changes in the observations. The core idea is that, for an accurate method, if we introduce variations in the post-event factual time series, the model should understand that they are the effect of some process that has nothing to do with the event and, therefore, should reflect those variations in the counterfactual estimate. This metric is implemented as follows: for each time series to be evaluated, several positive and negative values in the order of the data values are chosen; for each of this values, several windows of few consecutive steps from the post-event time series are selected and the chosen value is added to those steps. After that, a counterfactual estimate is obtained for every altered time series and it is compared to the counterfactual estimate of the non-altered time series. Two quantities are obtained: **1) Total difference**, that takes into account the difference among the altered counterfactual and the base counterfactual in all the steps, and **2) Altered steps difference**, which takes into account the difference among the altered counterfactual and the base counterfactual only in the steps affected by the alteration. These quantities are then divided by the expected difference (the product of the alteration value and the number of affected steps). Thus, ideally, the final results for both total difference and altered steps difference metrics should be 1. The final results are obtained by averaging all calculations. For a more formal definition of these metrics, see Appendix J.

Axiomatic Metrics. Following Monteiro et al. (2023) and the Pearlian axioms of counterfactuals Pearl (2000); Galles & Pearl (1998); Halpern (2000), we summarize three model-agnostic metrics that assess counterfactual soundness without ground-truth counterfactuals. Let x be an observation with factual parents $\mathbf{pa}$, and x^* its counterfactual under parents $\mathbf{pa}^*$. Denote the ideal counterfactual mapping by f, such that $x^* := \mathrm{f}(x, \mathbf{pa}, \mathbf{pa}^*)$, and its learned approximation by $\hat{\mathrm{f}}$.

Reconstruction (Composition; lower is better). Null interventions should not change x. We measure

$$\mathrm{Recon} := d_x\Big(x,\, \hat{\mathrm{f}}(x, \mathbf{pa}, \mathbf{pa})\Big)\,, \tag{13}$$

with d_x the Mean Absolute Error (MAE).

Reversibility (lower is better). Counterfactual mappings should invert when swapping parents:

$$\mathrm{Rev} := d_x\Big(x,\, \hat{\mathrm{f}}\big(\hat{\mathrm{f}}(x, \mathbf{pa}, \mathbf{pa}^*),\, \mathbf{pa}^*,\, \mathbf{pa}\big)\Big)\,. \tag{14}$$

Effectiveness (higher is better). Intervening a parent pa_k to pa_k^* should be reflected in the generated counterfactual. Using a pseudo-oracle $\widehat{\mathrm{Pa}}_k$ that predicts pa_k from an observation, we report

$$\mathrm{Eff}_k := d_k\left(\widehat{\mathrm{Pa}}_k(\hat{\mathrm{f}}_k(x, pa_k, pa_k^*)),\, pa_k^*\right), \tag{15}$$

with d_k as accuracy for discrete parents (or ℓ_1 for continuous ones).

In our setting, x is the post-event time series; factual parents are the pre-event series and factual event (h, e_f), while counterfactual parents replace e_f by e_{cf} (keeping h). See appendix I for a more complete description.

5.3 Models and Baselines

We compare CVAE, CAAE and CEPAE for all the metrics described in 5.2, and we add as a benchmark, for the MAE and MBE comparison with ground truth counterfactuals, an LSTM-based conditional forecast model that has as inputs only $\boldsymbol{H}$ and E. Thus, it can be used as a time series counterfactual estimator that does not take into account post-event values. Besides, we add Adversarially Balanced LSTM (AB-LSTM), which can be seen as an adaptation of the models like Counterfactual Recurrent Network (CRN) (Bica et al., 2020) or Causal Transformer (CT) (Melnychuk et al., 2022) to our setting. See appendix K for more details. Metrics like Added Variations only make sense for methods that use the abduction-prediction-action procedure. We omit CAAE metrics from the confounded synthetic dataset because, as mentioned in 4.2.2, it has not been possible to obtain reasonable results.

Although synthetic control methods would be an alternative to our approach, their reliance on the quality of control data does not allow a fair comparison with the SCM based models, which do not use control data. In 5.4 we perform an illustrative synthetic control experiment with the synthetic dataset, where we see that it will or will not outperform CEPAE depending on how predictive the control data are. We see that, in each application, the selection of the optimal model should strongly depend on the control data quality, in case it exists.

The encoder and decoder architectures of CVAE, CAAE and CEPAE are shared, and are based on 1D convolutional and transposed convolutional layers, in a setting inspired in the VAE model for time series generation proposed in Desai et al. (2021). All methods have been implemented with TensorFlow (Abadi et al., 2015), using an Adam optimizer (Kingma & Ba, 2017) with a learning rate of 10^{-4}. Other hyperparameters of CVAE, CAAE and CEPAE such as dimensionality of latent space or the weight of their respective regularizations are particular for each dataset and have been chosen after an optimization process. For more details about implementation, the code of all models is available in the supplementary materials, where it is possible to reproduce all the experiments except the ones involving the real world dataset, as it is protected by the company's privacy policies.

5.4 Results

Table 1 shows the results of time series experiments for the datasets described in Sec. 5.1. Even if we are interested in counterfactuals for impacted time series, we evaluate the two possible settings: 0 when $e_f = 0$ and $e_{cf} = 1$, and 1 when $e_f = 1$ and $e_{cf} = 0$. All values have been obtained after performing 10 experiments with different random seeds, and the intervals correspond to the standard deviation. We see that, in MAE metric, which is the most important one, CEPAE has the best results. MBE metric allows to detect biases in the counterfactual estimations. For example, when using CVAE, the inferred counterfactual of time series are often biased towards the actual values, because of its limited disentanglement capacity. This is reflected in MBE metrics, where CEPAE, CAAE and LSTM models have better values. In the Added Variations metric, CEPAE outperforms the other models in almost all settings. As for the axiomatic metrics, CEPAE generally outperforms the other baselines in reconstruction and reversibility, while being very close to CVAE in effectiveness.

Comparison with Synthetic Control under Controlled Donor Quality Evaluating CEPAE against external benchmarks is difficult because, on the one hand, our paper is, to the best of our knowledge, the

Table 1: Combined results across datasets for e_f=0 and e_f=1 (10 seeds). Top block: cf ground-truth metrics (MAE/MBE). Middle: Added Variations (Total/Altered Steps). Bottom: axiomatic metrics (Reconstruction, Reversibility, Effectiveness). MAE/MBE are w.r.t. counterfactual ground truth. Arrows indicate direction (↓ lower is better, ↑ higher is better). Symbol ∼ means closer to the indicated value is better.

Metric	Method	Synthetic 0	Synthetic 1	Conf. synth. 0	Conf. synth. 1	Semi-synth. 0	Semi-synth. 1	Real world 0	Real world 1
cf MAE ↓	LSTM	$.199 \pm .005$	$.198 \pm .005$	$.199 \pm .003$	$.201 \pm .004$	$.101 \pm .004$	$.080 \pm .002$	–	–
	AB-LSTM	$.201 \pm .006$	$.197 \pm .005$	$.202 \pm .009$	$.202 \pm .011$	$.103 \pm .003$	$.083 \pm .003$	–	–
	CVAE	$.144 \pm .021$	$.137 \pm .014$	$.145 \pm .007$	$.187 \pm .017$	$.105 \pm .005$	$.083 \pm .004$	–	–
	CAAE	$.087 \pm .012$	$.083 \pm .011$	–	–	$.065 \pm .004$	$.061 \pm .003$	–	–
	CEPAE	$\mathbf{.066 \pm .007}$	$\mathbf{.068 \pm .009}$	$\mathbf{.088 \pm .030}$	$\mathbf{.086 \pm .016}$	$\mathbf{.056 \pm .003}$	$\mathbf{.056 \pm .004}$	–	–
cf MBE ∼ 0	LSTM	$\mathbf{.001 \pm .011}$	$\mathbf{.001 \pm .014}$	$\mathbf{-.001 \pm .010}$	$\mathbf{-0.016 \pm .016}$	$.003 \pm .004$	$\mathbf{.002 \pm .004}$	–	–
	AB-LSTM	$\mathbf{.001 \pm .015}$	$\mathbf{.001 \pm .014}$	$\mathbf{.001 \pm .011}$	$\mathbf{-.001 \pm .012}$	$.004 \pm .005$	$.003 \pm .004$	–	–
	CVAE	$-.067 \pm .019$	$.067 \pm .024$	$.051 \pm .017$	$.126 \pm .028$	$.011 \pm .010$	$-.011 \pm .009$	–	–
	CAAE	$-.001 \pm .044$	$-.018 \pm .021$	–	–	$-.009 \pm .010$	$-.008 \pm .008$	–	–
	CEPAE	$.002 \pm .007$	$.007 \pm .013$	$.039 \pm .042$	$-.037 \pm .032$	$\mathbf{-.001 \pm .004}$	$\mathbf{.002 \pm .004}$	–	–
Total Steps ∼ 1	CVAE	$.457 \pm .091$	$.443 \pm .066$	$.450 \pm .038$	$.460 \pm .040$	$.037 \pm .011$	$.045 \pm .110$	$\mathbf{.899 \pm .024}$	$1.372 \pm .070$
	CAAE	$.910 \pm .060$	$.897 \pm .066$	–	–	$.510 \pm .048$	$.582 \pm .039$	$.830 \pm .109$	$1.293 \pm .124$
	CEPAE	$\mathbf{.946 \pm .042}$	$\mathbf{.931 \pm .061}$	$\mathbf{.930 \pm .051}$	$\mathbf{.935 \pm .048}$	$\mathbf{.747 \pm .052}$	$\mathbf{.750 \pm .048}$	$.849 \pm .293$	$\mathbf{1.183 \pm .098}$
Altered Steps ∼ 1	CVAE	$.388 \pm .097$	$.360 \pm .090$	$.241 \pm .018$	$.246 \pm .021$	$.109 \pm .017$	$.109 \pm .015$	$.312 \pm .016$	$.710 \pm .021$
	CAAE	$.838 \pm .035$	$.829 \pm .038$	–	–	$.275 \pm .091$	$.289 \pm .073$	$.445 \pm .196$	$.729 \pm .071$
	CEPAE	$\mathbf{.874 \pm .010}$	$\mathbf{.833 \pm .055}$	$\mathbf{.883 \pm .038}$	$\mathbf{.866 \pm .033}$	$\mathbf{.300 \pm .015}$	$\mathbf{.468 \pm .010}$	$\mathbf{.558 \pm .200}$	$\mathbf{.794 \pm .111}$
Reconstruction ↓	CVAE	$.116 \pm .005$	$.116 \pm .007$	$.135 \pm .003$	$.136 \pm .002$	$.081 \pm .005$	$.101 \pm .006$	$.065 \pm .008$	$.061 \pm .008$
	CAAE	$.055 \pm .004$	$\mathbf{.056 \pm .002}$	–	–	$.055 \pm .004$	$.063 \pm .003$	$\mathbf{.038 \pm .006}$	$.044 \pm .007$
	CEPAE	$\mathbf{.051 \pm .006}$	$.057 \pm .008$	$\mathbf{.048 \pm .004}$	$\mathbf{.048 \pm .004}$	$\mathbf{.045 \pm .004}$	$\mathbf{.059 \pm .004}$	$.039 \pm .006$	$\mathbf{.042 \pm .007}$
Reversibility ↓	CVAE	$.127 \pm .004$	$.150 \pm .014$	$.152 \pm .002$	$.155 \pm .005$	$.100 \pm .015$	$.117 \pm .016$	$.073 \pm .009$	$.078 \pm .007$
	CAAE	$.069 \pm .008$	$.069 \pm .008$	–	–	$.065 \pm .005$	$.067 \pm .005$	$.059 \pm .004$	$.055 \pm .005$
	CEPAE	$\mathbf{.068 \pm .011}$	$\mathbf{.063 \pm .009}$	$\mathbf{.060 \pm .006}$	$\mathbf{.060 \pm .005}$	$\mathbf{.050 \pm .004}$	$\mathbf{.064 \pm .005}$	$\mathbf{.052 \pm .005}$	$\mathbf{.054 \pm .004}$
Effectiveness ↑	CVAE	$\mathbf{1.0 \pm 0.0}$	$\mathbf{1.0 \pm 0.0}$	$\mathbf{1.0 \pm 0.0}$	$\mathbf{1.0 \pm 0.0}$	$\mathbf{.996 \pm .006}$	$.991 \pm .004$	$\mathbf{.631 \pm .005}$	$\mathbf{.639 \pm .005}$
	CAAE	$.997 \pm .003$	$.999 \pm .002$	–	–	$.994 \pm .005$	$.995 \pm .006$	$.619 \pm .006$	$.631 \pm .006$
	CEPAE	$.999 \pm .002$	1.0 ± 0.0	$.999 \pm .001$	$\mathbf{1.0 \pm 0.0}$	$.992 \pm .007$	$\mathbf{.997 \pm .003}$	$.627 \pm .005$	$.621 \pm .006$

first one that applies a deep learning approach based on SCMs to a time series counterfactual problem (understanding counterfactual according to the J. Pearl definition), so no external baseline exists in this line.

On the other hand, many solutions based on synthetic control exist, but comparing with them poses a major challenge. As synthetic control depends on control time series, its performance depends on how predictive they are about the target time series more than in the modeling itself. On the other hand, in order to obtain distance metrics with respect to the ground truth counterfactual, we need synthetic data. If we use synthetic data, we should create ourselves the control data, so the measured performance of synthetic control methods would depend basically on how predictive we decide to make the control time series about the target time series. For this reason, despite being two competing options to solve the same problem, comparing synthetic control with our method is not the best way to evaluate any of them.

Despite this, we have performed an experiment of a synthetic control comparison, where we compare CEPAE with several synthetic control scenarios, each having a different level of correlation between control (or donor) and target time series. This experiment is based on the synthetic dataset. We have created, for every "target" time series (i.e., the one over which we want to compute the counterfactual) without observed event ($e_f = 0$), two additional "control" time series or donors (i.e., the time series that we use to predict counterfactual values). Then, we use training data to predict, with an LSTM based model, our target time series from the control time series. This operationalizes the synthetic-control principle—constructing the target from donors with strong pre-period fit—using an LSTM as the combining function, thus being a strong synthetic control baseline. At test time, we evaluate how well the prediction (performed with test data) of the post-event scenario fits the ground truth counterfactual.

We create control time series by adding random Gaussian noise with mean 0 and a specific standard deviation (σ) to the target time series. With this, we ensure that they are predictive, to some degree, of the target series, being less predictive as the σ increases. We report also, for every experiment, the R^2 metric of the predicted pre-event target time series from donors.

We show the results in figure 4. Each experiment has been repeated with 10 different random seeds, and corresponds to the 'Synthetic 1' experiment in table 1, where the MAE for CEPAE is 0.068 ± 0.009. The first



Figure 4: Synthetic Control (SC) comparison.

experiment ($\sigma = 0$) corresponds to control time series identical to the target one, therefore being absolutely informative. As expected, the error is very low, almost 0. For $\sigma = 0.1$, a very low degree of noise, the error is slightly lower than CEPAE's error. For $\sigma \geq 0.2$, the error is higher.

This experiment allows to see why a fair general comparison between CEPAE and synthetic control methods can not be established, as results for synthetic control will strongly depend on control data while the SCM based model does not use it. Thus, the selection between our model and synthetic control methods should be problem specific and based on the quality of the control data, in case it is available. In appendix L, we perform a similar experiment with the semi-synthetic dataset. In this experiment, we observe a similar pattern: when the control time series are highly predictive, the synthetic control method outperforms CEPAE; when they are less predictive, CEPAE outperforms synthetic control.

6 Conclusion

We have adapted the theory of SCMs and the abduction-action-prediction procedure to time series counterfactual estimation. Three autoencoder based models have been proposed: CVAE, well known in counterfactual literature although not previously applied to time series problems, CAAE, inspired on image manipulation works, and CEPAE, a novel model for counterfactual inference based on an EP. While CVAE shows some superiority with respect to the simple forecast counterfactual estimation in some cases, and CAAE surpasses CVAE in most metrics, CEPAE clearly outperforms the other models for most settings. By featuring the reconstruction power of regular AEs instead of VAEs, while not requiring an adversarial training, it makes the abduction-action-prediction process, under explored in time series counterfactuals, an interesting option for cases similar to ours. The convenience of CEPAE over synthetic control techniques will depend on the availability and informative capacity of control data and the amount of historical event and event-less time series.

References

Martín Abadi, Ashish Agarwal, Paul Barham, Eugene Brevdo, Zhifeng Chen, Craig Citro, Greg S. Corrado, Andy Davis, Jeffrey Dean, Matthieu Devin, Sanjay Ghemawat, Ian Goodfellow, Andrew Harp, Geoffrey Irving, Michael Isard, Yangqing Jia, Rafal Jozefowicz, Lukasz Kaiser, Manjunath Kudlur, Josh Levenberg, Dandelion Mané, Rajat Monga, Sherry Moore, Derek Murray, Chris Olah, Mike Schuster,

Jonathon Shlens, Benoit Steiner, Ilya Sutskever, Kunal Talwar, Paul Tucker, Vincent Vanhoucke, Vijay Vasudevan, Fernanda Viégas, Oriol Vinyals, Pete Warden, Martin Wattenberg, Martin Wicke, Yuan Yu, and Xiaoqiang Zheng. TensorFlow: Large-scale machine learning on heterogeneous systems, 2015. URL `https://www.tensorflow.org/`. Software available from tensorflow.org.

Alberto Abadie and Javier Gardeazabal. The economic costs of conflict: A case study of the basque country. *American economic review*, 93(1):113–132, 2003.

Alexander A Alemi, Ian Fischer, Joshua V Dillon, and Kevin Murphy. Deep variational information bottleneck. *arXiv preprint arXiv:1612.00410*, 2016.

Abdullah Alomar, Pouya Hamadanian, Arash Nasr-Esfahany, Anish Agarwal, Mohammad Alizadeh, and Devavrat Shah. {CausalSim}: A causal framework for unbiased {Trace-Driven} simulation. In *20th USENIX Symposium on Networked Systems Design and Implementation (NSDI 23)*, pp. 1115–1147, 2023.

Susan Athey, Mohsen Bayati, Nikolay Doudchenko, Guido Imbens, and Khashayar Khosravi. Matrix completion methods for causal panel data models. *Journal of the American Statistical Association*, 116(536): 1716–1730, 2021.

Dor Bank, Noam Koenigstein, and Raja Giryes. Autoencoders. *Machine learning for data science handbook: data mining and knowledge discovery handbook*, pp. 353–374, 2023.

Solon Barocas, Andrew D Selbst, and Manish Raghavan. The hidden assumptions behind counterfactual explanations and principal reasons. In *Proceedings of the 2020 conference on fairness, accountability, and transparency*, pp. 80–89, 2020.

Ioana Bica, Ahmed M. Alaa, James Jordon, and Mihaela van der Schaar. Estimating counterfactual treatment outcomes over time through adversarially balanced representations, 2020.

Janet Bouttell, Peter Craig, James Lewsey, Mark Robinson, and Frank Popham. Synthetic control methodology as a tool for evaluating population-level health interventions. *J Epidemiol Community Health*, 72 (8):673–678, 2018.

Kay H. Brodersen, Fabian Gallusser, Jim Koehler, Nicolas Remy, and Steven L. Scott. Inferring causal impact using bayesian structural time-series models. *Annals of Applied Statistics*, 9:247–274, 2015.

Brantly Callaway, Andrew Goodman-Bacon, and Pedro HC Sant'Anna. Difference-in-differences with a continuous treatment. Technical report, National Bureau of Economic Research, 2024.

Micael Castanheira, Carmine Ornaghi, and Georges Siotis. The unexpected consequences of generic entry. *Journal of Health Economics*, 68:102243, 2019. ISSN 0167-6296. doi: https://doi.org/10.1016/j.jhealeco.2019.102243. URL `https://www.sciencedirect.com/science/article/pii/S0167629618305332`.

Thomas M Cover. *Elements of information theory*. John Wiley & Sons, 1999.

Saloni Dash, Vineeth N Balasubramanian, and Amit Sharma. Evaluating and mitigating bias in image classifiers: A causal perspective using counterfactuals. In *Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision*, pp. 915–924, 2022.

Abhyuday Desai, Cynthia Freeman, Zuhui Wang, and Ian Beaver. Timevae: A variational auto-encoder for multivariate time series generation. *arXiv preprint arXiv:2111.08095*, 2021.

Will Cukierski FlorianKnauer. Rossmann store sales, 2015. URL `https://kaggle.com/competitions/rossmann-store-sales`.

David Galles and Judea Pearl. An axiomatic characterization of causal counterfactuals. *Foundations of Science*, 3:151–182, 1998.

Yaroslav Ganin, Evgeniya Ustinova, Hana Ajakan, Pascal Germain, Hugo Larochelle, François Laviolette, Mario Marchand, and Victor Lempitsky. Domain-adversarial training of neural networks, 2016. URL `https://arxiv.org/abs/1505.07818`.

Ian Goodfellow, Jean Pouget-Abadie, Mehdi Mirza, Bing Xu, David Warde-Farley, Sherjil Ozair, Aaron Courville, and Yoshua Bengio. Generative adversarial nets. *Advances in neural information processing systems*, 27, 2014.

Peter Hall. On kullback-leibler loss and density estimation. *The Annals of Statistics*, pp. 1491–1519, 1987.

Joseph Y Halpern. Axiomatizing causal reasoning. *Journal of Artificial Intelligence Research*, 12:317–337, 2000.

Irina Higgins, Loic Matthey, Arka Pal, Christopher Burgess, Xavier Glorot, Matthew Botvinick, Shakir Mohamed, and Alexander Lerchner. beta-VAE: Learning basic visual concepts with a constrained variational framework. In *International Conference on Learning Representations*, 2017. URL `https://openreview.net/forum?id=Sy2fzU9gl`.

Guido W Imbens and Donald B Rubin. *Causal inference in statistics, social, and biomedical sciences*. Cambridge university press, 2015.

Guillaume Jeanneret, Loïc Simon, and Frédéric Jurie. Diffusion models for counterfactual explanations. In *Proceedings of the Asian Conference on Computer Vision*, pp. 858–876, 2022.

Hyemi Kim, Seungjae Shin, JoonHo Jang, Kyungwoo Song, Weonyoung Joo, Wanmo Kang, and Il-Chul Moon. Counterfactual fairness with disentangled causal effect variational autoencoder. *CoRR*, abs/2011.11878, 2020. URL `https://arxiv.org/abs/2011.11878`.

Diederik P. Kingma and Jimmy Ba. Adam: A method for stochastic optimization, 2017. URL `https://arxiv.org/abs/1412.6980`.

Diederik P Kingma and Max Welling. Auto-encoding variational bayes. *arXiv preprint arXiv:1312.6114*, 2022.

Ivan Kobyzev, Simon JD Prince, and Marcus A Brubaker. Normalizing flows: An introduction and review of current methods. *IEEE transactions on pattern analysis and machine intelligence*, 43(11):3964–3979, 2020.

Murat Kocaoglu, Christopher Snyder, Alexandros G. Dimakis, and Sriram Vishwanath. Causalgan: Learning causal implicit generative models with adversarial training. *arXiv preprint arXiv:1709.02023*, 2017.

Gregory Koch, Richard Zemel, Ruslan Salakhutdinov, et al. Siamese neural networks for one-shot image recognition. In *ICML deep learning workshop*, volume 2. Lille, 2015.

Amar Kumar, Nima Fathi, Raghav Mehta, Brennan Nichyporuk, Jean-Pierre R Falet, Sotirios Tsaftaris, and Tal Arbel. Debiasing counterfactuals in the presence of spurious correlations. In *Workshop on Clinical Image-Based Procedures*, pp. 276–286. Springer, 2023.

Guillaume Lample, Neil Zeghidour, Nicolas Usunier, Antoine Bordes, Ludovic Denoyer, and Marc'Aurelio Ranzato. Fader networks: Manipulating images by sliding attributes. *CoRR*, abs/1706.00409, 2017. URL `http://arxiv.org/abs/1706.00409`.

Rui Liu, Yu Liu, Xinyu Gong, Xiaogang Wang, and Hongsheng Li. Conditional adversarial generative flow for controllable image synthesis. *CoRR*, abs/1904.01782, 2019. URL `http://arxiv.org/abs/1904.01782`.

Charles Marsh. Introduction to continuous entropy. *Department of Computer Science, Princeton University*, 1034, 2013.

Valentyn Melnychuk, Dennis Frauen, and Stefan Feuerriegel. Causal transformer for estimating counterfactual outcomes, 2022.

Miguel Monteiro, Fabio De Sousa Ribeiro, Nick Pawlowski, Daniel C. Castro, and Ben Glocker. Measuring axiomatic soundness of counterfactual image models. *arXiv preprint arXiv:2303.01274*, 2023.

Arash Nasr-Esfahany and Emre Kiciman. Counterfactual (non-)identifiability of learned structural causal models, 2023. URL https://arxiv.org/abs/2301.09031.

Arash Nasr-Esfahany, Mohammad Alizadeh, and Devavrat Shah. Counterfactual identifiability of bijective causal models, 2023. URL https://arxiv.org/abs/2302.02228.

Álvaro Parafita and Jordi Vitrià. Explaining visual models by causal attribution, 2019.

Giambattista Parascandolo, Mateo Rojas-Carulla, Niki Kilbertus, and Bernhard Schölkopf. Learning independent causal mechanisms. *CoRR*, abs/1712.00961, 2017. URL http://arxiv.org/abs/1712.00961.

Nick Pawlowski, Daniel Coelho de Castro, and Ben Glocker. Deep structural causal models for tractable counterfactual inference. *Advances in Neural Information Processing Systems*, 33:857–869, 2020.

Judea Pearl. Causality. *New York: Cambridge University Press*, 2000.

Jonas Peters, Dominik Janzing, and Bernhard Schölkopf. *Elements of Causal Inference: Foundations and Learning Algorithms*. Adaptive Computation and Machine Learning. MIT Press, Cambridge, MA, 2017. ISBN 978-0-262-03731-0. URL https://mitpress.mit.edu/books/elements-causal-inference.

Mattia Prosperi, Yi Guo, Matt Sperrin, James S Koopman, Jae S Min, Xing He, Shannan Rich, Mo Wang, Iain E Buchan, and Jiang Bian. Causal inference and counterfactual prediction in machine learning for actionable healthcare. *Nature Machine Intelligence*, 2(7):369–375, 2020.

Paul R Rosenbaum and Donald B Rubin. The central role of the propensity score in observational studies for causal effects. *Biometrika*, 70(1):41–55, 1983.

Pedro Sanchez and Sotirios A. Tsaftaris. Diffusion causal models for counterfactual estimation. *arXiv preprint arXiv:2202.10166*, 2022.

Pablo Sanchez-Martin, Miriam Rateike, and Isabel Valera. Vaca: Design of variational graph autoencoders for interventional and counterfactual queries. *arXiv preprint arXiv:2110.14690*, 2021.

Axel Sauer and Andreas Geiger. Counterfactual generative networks. *arXiv preprint arXiv:2101.06046*, 2021.

Xinwei Shen, Furui Liu, Hanze Dong, Qing LIAN, Zhitang Chen, and Tong Zhang. Disentangled generative causal representation learning, 2021. URL https://openreview.net/forum?id=agyFqcmgl6y.

Arvind P Sridhar, Chawin Sitawarin, and David Wagner. Mitigating adversarial training instability with batch normalization. In *ICLR 2021 Workshop on Security and Safety in Machine Learning Systems*, 2021.

DJ Strouse and David J Schwab. The deterministic information bottleneck. *Neural computation*, 29(6): 1611–1630, 2017.

Naftali Tishby, Fernando C. Pereira, and William Bialek. The information bottleneck method, 2000. URL https://arxiv.org/abs/physics/0004057.

Anwaar Ulhaq, Naveed Akhtar, and Ganna Pogrebna. Efficient diffusion models for vision: A survey. *arXiv preprint arXiv:2210.09292*, 2022.

Arnaud Van Looveren and Janis Klaise. Interpretable counterfactual explanations guided by prototypes. In *Joint European Conference on Machine Learning and Knowledge Discovery in Databases*, pp. 650–665. Springer, 2021.

Athanasios Vlontzos, Bernhard Kainz, and Ciarán M. Gilligan-Lee. Estimating the probabilities of causation via deep monotonic twin networks. *CoRR*, abs/2109.01904, 2021. URL https://arxiv.org/abs/2109.01904.

Zhendong Wang, Isak Samsten, Rami Mochaourab, and Panagiotis Papapetrou. Learning time series counterfactuals via latent space representations. pp. 369–384, 10 2021. ISBN 978-3-030-88941-8. doi: 10.1007/978-3-030-88942-5_29.

Zhendong Wang, Ioanna Miliou, Isak Samsten, and Panagiotis Papapetrou. Counterfactual explanations for time series forecasting, 2023. URL https://arxiv.org/abs/2310.08137.

Mengyue Yang, Furui Liu, Zhitang Chen, Xinwei Shen, Jianye Hao, and Jun Wang. Causalvae: Structured causal disentanglement in variational autoencoder. *arXiv preprint arXiv:2004.08697*, 2022.

Raymond W Yeung and Raymond W Yeung. The blahut–arimoto algorithms. *Information Theory and Network Coding*, pp. 211–228, 2008.

Jinsung Yoon, James Jordon, and Mihaela van der Schaar. GANITE: Estimation of individualized treatment effects using generative adversarial nets. In *International Conference on Learning Representations*, 2018. URL https://openreview.net/forum?id=ByKWUeWA-.

Shengjia Zhao, Jiaming Song, and Stefano Ermon. Towards deeper understanding of variational autoencoding models, 2017. URL https://arxiv.org/abs/1702.08658.

A Industrial Application

In many industries, knowing the impact of a *competitor entry* on sales is critical for business planning, investment allocation and objectives setting. The pharmaceutical industry is notably affected when a drug's patent expires and Loss of Exclusivity (LOE) Castanheira et al. (2019) takes place, prompting competitors to launch cheaper generic versions of the drug. This usually results in a dramatic decrease in the sales volume of about 60-70% in the first years Castanheira et al. (2019), severely affecting company revenues. Thus, accurate assessment of the market impact of generic drug entries is of utmost importance.

Time series counterfactual estimation is an essential tool to understand the impact of an event on time-series data. It is applied to situations where an event or a treatment at a certain point in time alters a time series' trajectory, and consists in inferring, once given the observed post-event data, the counterfactual data, i.e., the time series that would have taken place if the event had not occurred[2].

In the case of an event such as the entry in the market of a generic competitor drug, a straightforward approach for counterfactual estimation is to simply use a time series forecasting model trained on historical data which was unaffected by this type of event, and predict the next steps of our pre-event time series according to the model. The main problem of this approach is that its estimations rely solely on pre-event data, lacking the ability to incorporate relevant information of the post-event facts that could have affected the counterfactual time series.

For example, let us imagine that few months after a generic drug enters the market to compete with our target brand, an extreme weather event creates a problem in logistics which results in lower than expected sales in the whole pharmaceutical market. With a forecast-based model we would estimate regular, not reduced, counterfactual sales volume despite the fact that, in all probability, our counterfactual time series would have been affected by the aforementioned happening. This would create a misconception of the impact that would be problematic for business analysis and planning.

B Extended Related Work

Several methods have been proposed for time series counterfactual estimation and causal impact inference in the presence of an event or treatment. Difference in differences Callaway et al. (2024) is a common approach which requires some control time series that are not affected by the event to estimate counterfactuals. This method features some important limitations like the Parallel Trends Assumption. Synthetic control Bouttell et al. (2018); Abadie & Gardeazabal (2003), which generalizes Difference in differences and overcomes some of its limitations, selects several available time series, other than the target one, that have not been affected by the event, computes some weights based on their pre-event similarity to the target time series, and then

[2]Note that it is also possible for the opposite scenario: the observation might be when the event doesn't occur, and the counterfactual when it does.

estimates the counterfactual as the weighted average of the post-event control time series. Causal Impact Brodersen et al. (2015) is closely related to the synthetic control approach, and its main difference is that it estimates counterfactuals through a model that predicts the target from control series trained with pre-event observations. Matrix Completion Methods Athey et al. (2021) are an alternative that can be viewed as a combination of synthetic control and the more classical unconfoundedness approach Rosenbaum & Rubin (1983); Imbens & Rubin (2015).

In recent years, many works have appeared that mix the structural causal model (SCM) theory Pearl (2000) and deep learning techniques to estimate counterfactuals. Apart from the ones mentioned in the paper, based on VAEs Kingma & Welling (2022) and, to a lesser extent, normalizing flows Kobyzev et al. (2020), other interesting approaches have been proposed. For example, Dash et al. (2022) and Shen et al. (2021) use GANs Goodfellow et al. (2014), while Jeanneret et al. (2022) uses diffusion models Ulhaq et al. (2022). Monteiro et al. (2023) presents some useful metrics to evaluate counterfactuals, which are used in our paper to evaluate the models. Sauer & Geiger (2021) uses deep neural networks to disentangle object shape, object texture and background in natural images. Van Looveren & Klaise (2021) utilizes class prototypes in order to find interpretable counterfactual explanations. Parascandolo et al. (2017) uses multiple competing models in order to retrieve a set of independent mechanisms from a set of transformed data points in an unsupervised way.

It is important to notice that there are several works in the Explainability field that use the term counterfactual in a completely different sense than this work. In the Explainability context, if we consider, for example, a binary classifier and a given input, the term counterfactual refers to the most similar input to the one given that delivers a different classifier outcome. This approach can help understand how the classifier works, but is different from the causal concept of counterfactual. Some works that tackle the Explainability counterfactual problem are applied to time series Wang et al. (2023; 2021). However, it is important to recognize the difference between this approach and the causal counterfactual problem that our work addresses.

There are other interesting works about causal representation learning with deep generative models that do not tackle directly the problem of counterfactual inference but are interesting to take into account. Kocaoglu et al. (2017) and Liu et al. (2019) combine GANs Goodfellow et al. (2014) with SCMs, basing a generator architecture on an assumed causal graph. However, this method lack tractable abduction capabilities and therefore cannot generate counterfactuals, reaching only the second rung of the causal ladder Pearl (2000). Yang et al. (2022) proposes a method that learns a causal model, including the directed acyclic graph (DAG), over latent variables from data, and generates counterfactual samples. Kumar et al. (2023) uses a GAN based approach to address the specific problem of spurious correlations in medical datasets.

Finally, there are other interesting counterfactual estimation approaches that are applied to tabular data. Among them, Yoon et al. (2018), based in GANs, and Vlontzos et al. (2021), based in Deep Twin Networks, similar to Siamese networks Koch et al. (2015), stand out.

C Extended Information Theory Background

The formula for the differential entropy $S(X)$ of a continuous random variable X with probability density function $f(x)$ over its support $\mathcal{X}$ is given by:

$$S(X) = -\int_{\mathcal{X}} f(x) \log f(x)\, dx. \tag{16}$$

The conditional differential entropy $S(X|Y)$ of a continuous random variable X given another continuous random variable Y with joint probability density function $f_{X,Y}(x,y)$ and conditional probability density function $f_{X|Y}(x|y)$ is given by:

$$S(X|Y) = -\int_{\mathcal{X}} \int_{\mathcal{Y}} f_{X,Y}(x,y) \log f_{X|Y}(x|y)\, dx\, dy \tag{17}$$

The joint entropy $S(X,Y)$ of two random variables X and Y with joint probability density function $f_{X,Y}(x,y)$ is given by:

$$S(X,Y) = -\int_{\mathcal{X}}\int_{\mathcal{Y}} f_{X,Y}(x,y)\log f_{X,Y}(x,y)\,dx\,dy \tag{18}$$

The conditional joint entropy $S(X,Y|Z)$ of two random variables X and Y given a third random variable Z with joint probability density function $f_{X,Y,Z}(x,y,z)$ and conditional joint probability density function $f_{X,Y|Z}(x,y|z)$ is given by:

$$S(X,Y|Z) = -\int_{\mathcal{Z}}\int_{\mathcal{X}}\int_{\mathcal{Y}} f_{X,Y,Z}(x,y,z)\log f_{X,Y|Z}(x,y|z)\,dx\,dy\,dz \tag{19}$$

The mutual information $I(X;Y)$ between two continuous random variables X and Y with joint probability density function $f_{X,Y}(x,y)$ and marginal probability density functions $f_X(x)$ and $f_Y(y)$ is given by:

$$I(X;Y) = \int_{\mathcal{X}}\int_{\mathcal{Y}} f_{X,Y}(x,y)\log\left(\frac{f_{X,Y}(x,y)}{f_X(x)f_Y(y)}\right)dx\,dy \tag{20}$$

The mutual information can have values from 0 to $S(X)$ when X and Y are the same distribution.

The conditional mutual information $I(X;Y|Z)$ between two continuous random variables X and Y given a third continuous random variable Z with joint probability density function $f_{X,Y,Z}(x,y,z)$ and conditional probability density functions $f_{X,Y|Z}(x,y|z)$, $f_{X|Z}(x|z)$, and $f_{Y|Z}(y|z)$ is given by:

$$I(X;Y|Z) = \int_{\mathcal{Z}}\int_{\mathcal{X}}\int_{\mathcal{Y}} f_{X,Y,Z}(x,y,z)\log\left(\frac{f_{X,Y|Z}(x,y|z)}{f_{X|Z}(x|z)f_{Y|Z}(y|z)}\right)dx\,dy\,dz \tag{21}$$

All the previous relations are valid also for discrete variables if integrals are changed by summations.

For discrete variables, the entropy is interpreted as a measure of how informative, and uncertain, a random variable is, or as the mean amount of information that its outputs bring (in the case of conditioned entropy, how informative a variable is once conditioned on another variable), and the mutual information is interpreted as the amount of information that one variable brings about another one. Sometimes, the differential entropy is interpreted in the same way as the discrete entropy and, in this work, we do so in an intuitive level. However, there are some limitations with respect to this. For example, the differential entropy can have values lower than 0, and a change of scale can modify it, which is counter intuitive. Nevertheless, the mutual information preserves its meaning for two continuous or one continuous and one discrete variable, which is fundamental for our methodology.

In the main paper, we state these four information theory equations that are essential for the development of CEPAE:

$$S(X) = I(X;Y) + S(X|Y), \tag{22}$$

$$S(X,Y) = S(X) + S(Y) - I(X;Y), \tag{23}$$

$$S(X,Y) = S(X) + S(Y|X), \tag{24}$$

$$S(X,Y|Z) = S(X|Z) + S(Y|X,Z). \tag{25}$$

Relation 24 is the chain rule of entropy, which is an established result in information theory, and relation 25 is the chain rule of entropy in the context of conditional entropy.

Relation 22 is simply a rearrangement of the definition of mutual information:

$$I(X;Y) = S(X) - S(X|Y). \tag{26}$$

To demonstrate relation 23, using the chain rule of entropy, we have:

$$S(X,Y) = S(X) + S(Y|X). \tag{27}$$

From the definition of mutual information:

$$I(X;Y) = S(Y) - S(Y|X). \tag{28}$$

Rearranging this equation, we find:

$$S(Y|X) = S(Y) - I(X;Y). \tag{29}$$

Substituting this back into the chain rule expression for joint entropy, we obtain:

$$S(X,Y) = S(X) + S(Y) - I(X;Y). \tag{30}$$

C.1 Entropy Maximization by the Gaussian Distribution

Theorem: With a normal distribution, differential entropy is maximized for a given variance. A Gaussian random variable has the largest entropy amongst all random variables of equal variance, or, alternatively, the maximum entropy distribution under constraints of mean and variance is the Gaussian Cover (1999).

Proof: Let $g(x)$ denote a Gaussian probability density function (PDF) with mean μ and variance σ^2, and let $f(x)$ be an arbitrary PDF with the same variance. Since differential entropy is invariant under translations, we can assume without loss of generality that $f(x)$ shares the same mean μ as $g(x)$.

The Kullback–Leibler divergence between these two distributions is given by

$$0 \leq D_{KL}(f\|g) = \int_{-\infty}^{\infty} f(x) \log\left(\frac{f(x)}{g(x)}\right) dx = -S(f) - \int_{-\infty}^{\infty} f(x) \log g(x)\, dx.$$

Next, consider the integral involving $g(x)$:

$$\int_{-\infty}^{\infty} f(x) \log g(x)\, dx = \int_{-\infty}^{\infty} f(x) \log\left(\frac{1}{\sqrt{2\pi\sigma^2}} e^{-\frac{(x-\mu)^2}{2\sigma^2}}\right) dx.$$

This can be expanded and simplified as follows:

$$\begin{aligned}
\int_{-\infty}^{\infty} f(x) \log g(x)\, dx &= \int_{-\infty}^{\infty} f(x) \log \frac{1}{\sqrt{2\pi\sigma^2}}\, dx + \int_{-\infty}^{\infty} f(x) \left(-\frac{(x-\mu)^2}{2\sigma^2}\right) dx \\
&= -\frac{1}{2}\log(2\pi\sigma^2) - \frac{1}{2}\log(e) \\
&= -\frac{1}{2}\log(2\pi e\sigma^2) \\
&= -S(g).
\end{aligned}$$

with equality holding if and only if $f(x) = g(x)$, as dictated by the properties of the Kullback–Leibler divergence.

D CVAE Description

The loss function for a classic CVAE Kingma & Welling (2022) with a β penalty Higgins et al. (2017), which corresponds to the evidence lower bound (ELBO), for a datum x and a conditioning $\mathbf{c}$, is given by:

$$\mathcal{L}_{\text{CVAE}}(\theta, \phi) = \mathbb{E}_{q_\phi(\boldsymbol{z}|x,\mathbf{c})}[\log p_\theta(x|\boldsymbol{z}, \mathbf{c})] - \beta\, KL[q_\phi(\boldsymbol{z}|x, \mathbf{c}) \parallel p(\boldsymbol{z}))] \tag{31}$$

where both $q_\phi(\boldsymbol{z}|x, \mathbf{c})$ and $p_\theta(x|\boldsymbol{z}, \mathbf{c})$ are a set of dimension-wise independent normal distributions parameterised, respectively, by an encoder neural network E_ϕ and a decoder neural network D_θ, $p(\boldsymbol{z})$ is an isotropic normal prior distribution, KL is the Kullback–Leibler divergence Hall (1987) and β is a penalization over KL Higgins et al. (2017). In the model training, the ELBO function is maximized with respect to parameters

of the neural networks using the re-parametrization trick to sample from the approximate latent posterior: $\boldsymbol{z} = \mu_\phi(x, \mathbf{c}) + \alpha_\phi(x, \mathbf{c}) \odot \epsilon_{\boldsymbol{z}} \sim \mathcal{N}(0, I)$.

Based on the time series setting and the encoder-decoder counterfactual estimation method described in the main paper, it is possible to generate a counterfactual sample $\hat{y}_{cf}$ by encoding an observation $\hat{y}_f$ and its parents $\boldsymbol{h}$ and e_f, i.e. obtaining the normal distribution $q_\phi(\boldsymbol{z}|y_f, \boldsymbol{h}, e_f)$, where position and scale parameters come from the encoder: $\mu_\phi, \alpha_\phi = E_\phi(y_f, \boldsymbol{h}, e_f)$, then sampling the latent posterior from this distribution: $\boldsymbol{z} \sim q_\phi(\boldsymbol{z}|y_f, \boldsymbol{h}, e_f)$, and finally decoding it along with the counterfactual event e_{cf}: $\hat{y}_{cf} \sim p_\theta(y_f|\boldsymbol{z}, \boldsymbol{h}, e_{cf})$. Notice that, at a practical level, the counterfactual will be decoded from the latent sample in a deterministic way: $\hat{y}_{cf} = D_\theta(\boldsymbol{z}, \boldsymbol{h}, e_{cf})$.

E CAAE Description

For a data instance $(x^i, \mathbf{c}^i)$, let $G_\psi(E_\phi(x^i, \mathbf{c}^i))$ be a trainable classifier or regressive estimator of $\mathbf{C}$ (depending on whether $\mathbf{C}$ is categorical or continuous) with parameters ψ, then we need to use a conditioner loss $\mathcal{L}^i_{\text{Cond}}(\phi, \psi) = \mathcal{L}^i_{\text{Cond}}(\mathbf{c}^i, G_\psi(E_\phi(x^i, \mathbf{c}^i)); \phi, \psi)$, which can take different expressions depending on that kind of conditioner or conditioners we have. In an adversarial game, G_ψ has to maximize this loss and E_ϕ has to minimize it. Considering that the reconstruction loss for a conditioned regular AE is:

$$\mathcal{L}^i_{\text{Rec}}(\theta, \phi) = \left\| x^i - D_\theta(E_\phi(x^i, c^i), c^i) \right\|^2 \tag{32}$$

the total loss of CAAE is:

$$\mathcal{L}^i_{\text{CAAE}}(\theta, \phi, \psi) = \mathcal{L}^i_{\text{Rec}}(\theta, \phi) - \lambda \mathcal{L}^i_{\text{Cond}}(\phi, \psi), \tag{33}$$

where λ controls the trade-off between the quality of the reconstruction and the invariance of the latent representation. To implement the adversarial training using backpropagation, we use the Gradient Reversal Layer (GRL) Ganin et al. (2016) and, as in Lample et al. (2017), start off with a λ value of 0 and increase it linearly for each iteration.

By using the objective in eq. 33, we should reach a saddle point $(\hat{\theta}, \hat{\phi}, \hat{\psi})$ that achieves the equilibrium between invariance of representation and reconstruction:

$$\begin{aligned} (\hat{\theta}, \hat{\phi}) &= \arg\min_{\theta, \phi} \mathcal{L}_{\text{CAAE}}(\theta, \phi, \hat{\psi}) \\ \hat{\psi} &= \arg\max_{\psi} \mathcal{L}_{\text{CAAE}}(\hat{\theta}, \hat{\phi}, \psi). \end{aligned} \tag{34}$$

F Further Discussion on Equation 9 terms

In a continuous and deterministic setting (CEPAE is a deterministic model), the conditional distribution $p(\boldsymbol{Z} \mid \boldsymbol{C}, X)$ collapses onto a (near) Dirac delta — i.e., $\boldsymbol{Z}$ is a one-to-one function of $(\boldsymbol{C}, X)$. As a result, the *conditional differential entropy* $S(\boldsymbol{Z} \mid \boldsymbol{C}, X)$ tends to $-\infty$. Simultaneously, the *mutual information* $I(X; \boldsymbol{Z}, \boldsymbol{C})$ can diverge to $+\infty$, because knowing $(\boldsymbol{Z}, \boldsymbol{C})$ almost determines X. Despite these individual divergences, their *sum* in Equation 9 must remain finite *as long as* $S(\boldsymbol{Z})$ itself is finite — intuitively, the large negative and large positive components cancel each other out in the equation, because the rest of the terms are all finite. Moreover, $S(\boldsymbol{Z})$ stays finite unless $p(\boldsymbol{Z})$ degenerates entirely to a delta distribution. This is exactly what would happen if the *entropy penalty* was the only loss, but the *reconstruction loss* in our framework prevents a complete collapse, ensuring that $\boldsymbol{Z}$ retains some spread and thus retains a finite marginal entropy $S(\boldsymbol{Z})$. Therefore, while individual terms such as $I(X; \boldsymbol{Z}, \boldsymbol{C})$ and $S(\boldsymbol{Z} \mid \boldsymbol{C}, X)$ may formally blow up under deterministic mappings, *their sum remains well-defined and finite*, which preserves the overall validity and meaning of Equation 9.

Beyond this, in practice, $\boldsymbol{Z}$ is stored and processed in finite-precision floating-point format. This means $\boldsymbol{Z}$ actually takes values from a large but finite set of representable numbers, effectively making it **discrete**. In a *discrete* setting, mutual information *cannot* diverge to $\pm\infty$: there is always an upper bound determined by the (finite) cardinality of the variable's domain, so we do not observe true infinite or negative-infinite entropies. Likewise, conditional entropies in a purely discrete model are nonnegative, ruling out the $-\infty$ scenario.

Thus, although we might treat $\boldsymbol{Z}$ as continuous in theory, real implementations quantize $\boldsymbol{Z}$ sufficiently to keep the relevant information measures finite.

G Information Bottleneck

The Information Bottleneck (IB) framework (Tishby et al., 2000) is an information-theoretical method for learning latent representations. Given an input source $X \in \mathcal{X}$ and a corresponding output target $Y \in \mathcal{Y}$, the goal is to learn an encoder $p_\sigma(Z \mid X)$ that captures only the information in X that is relevant for predicting Y. Formally, IB seeks to find sufficient statistics of X with respect to Y using as little information from X as possible. The standard IB objective is expressed as

$$\min_{p_\sigma(Z|X)} \Big(I(X;Z) - \beta\, I(Y;Z) \Big), \tag{35}$$

where $\beta > 0$ is a hyper-parameter balancing how much information from X is retained in Z.

Originally, the IB problem was solved with methods like Iterative Blahut–Arimoto algorithms (Yeung & Yeung, 2008), deriving self-consistent equations for the conditional distribution $p_\sigma(Z \mid X)$ (and related marginal distributions) using variational calculus and Lagrange multipliers. This iterative method works well when X, Z, and Y are discrete and the state spaces are relatively small. However, scaling these methods to high-dimensional or continuous domains is challenging. On the other hand, (Alemi et al., 2016) presented a method to achieve the IB objective with neural networks based on a variational approximation. In fact, VAEs could be seen, with some reservations, as an application of this method, although the original development of VAEs (Kingma & Welling, 2022) does not mention this relationship. A number of works have successfully applied IB for several purposes, like reducing generalization error.

There are important differences between this method and ours. First, IB tries to minimize mutual information among inputs and representations, while our method aims at minimizing the entropy of the representation. Also, our model is deterministic, avoiding the imprecision problems that probabilistic frameworks can show. An idea that is more similar to our method is the one presented in (Strouse & Schwab, 2017). This work proposes a different objective which aims at reducing the entropy of the internal representations instead of the mutual information between the internal representation and the input. The objective can be expressed as:

$$\min_{p_\sigma(Z|X)} \Big(S(Z) - \beta\, I(Y;Z) \Big), \tag{36}$$

If we consider that the objective Y is the same as the input X, as in our autoencoder, this objective corresponds, in an information-theoretic sense, to CEPAE's objective. However, there are very substantial differences between this work and ours. First of all, (Strouse & Schwab, 2017) proposes to reach their objective through algorithms similar to those originally used in the IB framework, i.e., they do not employ neural network techniques and therefore the method has important limitations regarding applications to continuous domains. Thus, our implementation of the entropy penalty, and its integration into a neural network model, is distinct from their approach. On the other hand, (Strouse & Schwab, 2017) always consider Y to be different from X and do not mention the possibility of using their framework in an autoencoder architecture.

To the best of our knowledge, no prior approach has explicitly used IB or a similar information-theoretic strategy to disentangle a latent variable from a conditioner to estimate counterfactuals.

H Identifiability Limitations in Multidimensional Data

Many works on counterfactual estimation overlook identifiability, mainly because it is usually assumed that, in markovian graphs, all counterfactual queries are identifiable. However, recent works like Nasr-Esfahany & Kiciman (2023) affirm that markovianity alone is insufficient and present more restrictions. In concrete, that paper provides an impossibility result for identifiability of generation mechanisms with multidimensional

exogenous variables, which affects all counterfactual works applied to multidimensional data [3], including ours. Nonetheless, as Nasr-Esfahany & Kiciman (2023) notes, "exact counterfactual identifiability is often too strong, e.g., in cases where low counterfactual error is tolerable by practitioners". Otherwise, all works on counterfactuals in multidimensional data, like Pawlowski et al. (2020) or Sanchez & Tsaftaris (2022), should be invalidated. In table 1 of the main paper, we show that our method achieves very reasonable counterfactual errors, and deciding if they are tolerable will depend on each application.

I Metrics from the Axiomatic Definition of Counterfactual

As mentioned in our paper, Monteiro et al. (2023) proposes three metrics to measure soundness of a counterfactual inference model without having access to ground truth counterfactuals. It is rooted in the Judea Pearl definition of counterfactual Pearl (2000), the soundness theorem Galles & Pearl (1998), and the completeness theorem Halpern (2000), which, together, state that composition, effectiveness and reversibility are necessary and sufficient properties of counterfactuals in any causal model. Let x be an observation with counterfactual parents $\mathbf{pa}$, and x^* a counterfactual of x with parents $\mathbf{pa}^*$. Then, a counterfactual function f can be defined in such a way that $x^* := \mathrm{f}(x, \mathbf{pa}, \mathbf{pa}^*)$, where the abduction of the exogenous noise ϵ is implicit. With this notation, where there is a distinction among the ideal counterfactual function f and its approximation with a counterfactual model $\hat{\mathrm{f}}$, Monteiro et al. (2023) defines the axioms that an ideal counterfactual function must obey and propose, in relation to each axiom, a metric to evaluate approximated counterfactual functions. The three metrics are the next ones:

(1) Composition: Intervening on a variable to have the value it would otherwise have without the intervention will not affect other variables in the system. This implies the existence of a null transformation $\mathrm{f}(x, \mathbf{pa}, \mathbf{pa}) = x$ since if $\mathbf{pa}^* = \mathbf{pa}$, then x is not affected. Since the ideal model cannot change an observation under the null transformation, we can measure how much the approximate model deviates from the ideal one by calculating the distance between the original observation and the mth time null-transformed observation. Given a distance metric $\mathrm{d_x}$, such as Mean Absolute Error (MAE) (which has been selected in our work), an observation x with parents $\mathbf{pa}$ and a functional power m (which is always 1 in our work), we can measure composition as $\mathbf{Composition}^m := \mathrm{d_x}\left(x, \hat{\mathrm{f}}(x, \mathbf{pa}, \mathbf{pa})\right)$.

(2) Reversibility: Reversibility prevents the existence of multiple solutions due to feedback loops. If a mechanism is invertible, this means that if $x^* := \mathrm{f}(x, \mathbf{pa}, \mathbf{pa}^*)$, then $x = \mathrm{f}(x^*, \mathbf{pa}^*, \mathbf{pa})$. In other words, the mapping between the observation and the counterfactual is deterministic for invertible mechanisms. For a further discussion on this topic, see Monteiro et al. (2023). Thus, it is possible to measure reversibility by calculating the distance between the original observation and the cycled-back transformed observation. Setting $\hat{\mathrm{p}}^{(m)}(x, \mathbf{pa}, \mathbf{pa}^*) := \hat{\mathrm{f}}\left(\hat{\mathrm{f}}(x, \mathbf{pa}, \mathbf{pa}^*), \mathbf{pa}^*, \mathbf{pa}\right)$, given a distance metric $\mathrm{d_x}$, an observation x with parents $\mathbf{pa}$ and a functional power m (which is 1 in our work), we can measure reversibility as $\mathbf{Reversibility}^{(\mathbf{m})}(x, \mathbf{pa}, \mathbf{pa}^*) := \mathrm{d_x}\left(x, \hat{\mathrm{p}}^{(m)}(x, \mathbf{pa}, \mathbf{pa}^*)\right)$. The chosen distance metric in our work is MAE.

(3) Effectiveness: Intervening on a variable to have a specific value will cause the variable to take on that value. Thus, suppose Pa is an oracle function that returns the parents of a variable, then we have the following equality: $\mathrm{Pa}((\mathrm{f}, \mathbf{pa}, \mathbf{pa}^*))$. Effectiveness is difficult to measure objectively without relying on data-driven methods. Following Monteiro et al. (2023), we measure effectiveness individually for each parent by creating a pseudo-oracle function $\hat{\mathrm{Pa}}_\mathrm{K}$, which returns the value of the parent $\mathrm{pa_K}$ given the observation. Using an appropriate distance metric $\mathrm{d_k}$, such as accuracy for discrete variables or l1 distance for continuous ones, we measure effectiveness for each parent as $\mathbf{Effectiveness}_k(x, \mathbf{pa}, \mathbf{pa}^*) = \mathrm{d_k}\left(\widehat{\mathrm{Pa}}_\mathrm{k}\left(\mathrm{f_k}(x, \hat{\mathrm{pa}}_k, \mathrm{pa}_k^*)\right), \mathrm{pa}_k^*\right)$.

We have given general definitions of these metrics, using generic notation. In our work, the observations correspond to post-event time series, the parents $\mathbf{pa}$ correspond to the factual event and the pre-event time

[3] Even if a one dimensional latent variable is assumed, that does not lead to identifiability in multidimensional settings Nasr-Esfahany et al. (2023).

series, and the counterfactual parents $\mathbf{pa}^*$ correspond to the counterfactual event and the pre-event time series.

J Added Variations Metrics

The added variations metrics are implemented as follows: for each time series to be evaluated, several positive and negative values in the order of the data values are chosen; for each of this values, several windows of few consecutive steps from the post-event time series are selected and the chosen value is added to those steps. After that, a counterfactual estimate is obtained for every altered time series and it is compared to the counterfactual estimate of the non-altered time series. Two quantities are obtained: **1) Total difference**, that takes into account the difference among the altered counterfactual and the base counterfactual in all the steps, and **2) Altered steps difference**, which takes into account the difference among the altered counterfactual and the base counterfactual only in the steps affected by the alteration. Altered steps difference is the metric reported in the main paper. These quantities are then divided by the expected difference (the product of the alteration value and the number of affected steps). Thus, ideally, the final results for both total difference and altered steps difference metrics should be 1. Next, we give a formal definition of these metrics.

Let $\boldsymbol{y} = \{\boldsymbol{y}_t\}, t \in T$ be the post-event time series over which we want to perform counterfactuals, $\boldsymbol{h}$ its corresponding historical time series previous to the event, e_f the (factual) event, and $\hat{\boldsymbol{y}}_{cf} = \hat{\mathrm{f}}(\boldsymbol{y}, \boldsymbol{h}, e_f, e_{cf})$, where $\hat{\mathrm{f}}$ is a counterfactual function and e_{cf} is the counterfactual event, its corresponding counterfactual estimation. Then, we consider a time series $A = 0...0, v_A...v_A, 0...0$ with T steps, where v_A is the value of the alteration which is added only to a certain number of consecutive steps. Let $\boldsymbol{y}^A = \boldsymbol{y} + A$ be the altered time series, then $\hat{\boldsymbol{y}}^A_{cf}$ would be its corresponding counterfactual estimation. We consider that, if our counterfactual model is correct, alterations in the factual time series should be reflected in the counterfactual time series. Thus, ideally $\sum_i \hat{\boldsymbol{y}}^A_{cf(i)} - \hat{\boldsymbol{y}}_{cf(i)} = \sum_i A_i = n_A \cdot v_A$, where n_A is the number of steps affected by the alteration in A. Taking into account that we use different time series A with different values n_A and v_A, we can express total differences metric for a single time series $\boldsymbol{y}$ (TD) as:

$$TD = \left\langle \frac{\sum_i \hat{\boldsymbol{y}}^A_{cf(i)} - \hat{\boldsymbol{y}}_{cf(i)}}{n_a \cdot v_A} \right\rangle_A , \tag{37}$$

and altered step differences (ASD) as

$$ASD = \left\langle \frac{\sum_i \hat{\boldsymbol{y}}^A_{cf(i)} - \hat{\boldsymbol{y}}_{cf(i)}}{n_a \cdot v_A} \mathbb{I}_{i \in s_A} \right\rangle_A , \tag{38}$$

where s_A is the set of altered steps (those with value v_A and not 0) in A and $\mathbb{I}$ is the indicator function. We see that, ideally, the result of these averages over the different alteration schemes should be 1. The results given in the paper are the averages of these metrics over all the time series in the test set. The parameters n_A, s_A and v_A are particular for every dataset and can be seen in the code.

K Adversarially Balanced LSTM

This appendix details the **AB-LSTM** baseline referenced in Sec. 5.3 of the main paper. The model adapts the adversarial–balancing idea of the Counterfactual Recurrent Network (CRN) Bica et al. (2020) to the single, one–shot event setting studied here.

CRN learns a latent summary that is *predictive* of future outcomes yet *independent* of treatment assignment. We transfer this principle to our scenario, where the treatment/event variable $E \in \{0, 1\}$ occurs once at time T_0.

Let the *pre-event history* be $h = (x_1, \ldots, x_{T_0})$, i.e. a realisation of the random variable H defined in Sec. 4.1, and let e denote the binary event flag. AB-LSTM is composed of:

1. *LSTM network* ϕ_θ with hidden D; it maps $h \mapsto z \in \mathbb{R}^D$.
2. *Outcome head* f_φ: a two-layer MLP that predicts the next T' steps, $\hat{y}_{T_0+1:T_0+T'} = f_\varphi(z, e)$.
3. *Event discriminator* g_ψ: a logistic classifier that tries to recover e from z.

A *gradient-reversal layer* (GRL) Ganin et al. (2016) with coefficient λ is placed between z and g_ψ, so gradients flowing to the LSTM network are multiplied by $-\lambda$, forcing z to obscure e.

Training objective. For a sample (h, e, y) we solve

$$\min_{\theta,\varphi} \max_{\psi} \underbrace{\|f_\varphi(z, e) - y\|_1}_{\text{prediction MAE}} + \lambda \underbrace{\mathrm{BCE}\big(g_\psi(z), e\big)}_{\text{adversarial balance}}, \qquad z = \phi_\theta(h).$$

The weight λ is ramped linearly from 0 to a λ_{max} over the first 40 % of updates Ganin et al. (2016).

Counterfactual generation. At test time, given factual pair (h_f, e_f),

$$\hat{y}_{\mathrm{f}} = f_\varphi\big(\phi_\theta(h_f),\, e_f\big), \qquad \hat{y}_{\mathrm{cf}} = f_\varphi\big(\phi_\theta(h_f),\, 1 - e_f\big).$$

Because no post-event data are required, AB-LSTM acts as a *forecast-only* counterfactual estimator, in the same way as the LSTM baseline. Both of them receive the inputs (h, e), and do not consume post-event values.

L Synthetic Control Experiment in Semi-Synthetic Dataset

We perform an experiment similar to the one in the main text with the synthetic dataset. This experiment is based on the semi-synthetic dataset. We have created, for every "target" time series (i.e., the one over which we want to compute the counterfactual) without observed event ($e_f = 0$), two additional "control" time series (i.e., the time series that we use to predict counterfactual values). Then, we use training data to predict, with an LSTM based model, our target time series from the control time series. At test time, we evaluate how well the prediction (performed with test data) of the post event scenario fits the ground truth counterfactual.

We create control time series by adding a random gaussian noise with mean 0 and a specific standard deviation (σ) to the target time series. With this, we ensure that they are predictive, to some degree, of the target series, being less predictive as the σ increases.

Table 2: MAE of the synthetic-control baseline for different noise standard deviations σ.

σ	MAE
0.0	0.004 ±0.002
0.1	0.045 ±0.002
0.3	0.077 ±0.001
1.0	0.114 ±0.002
1.5	0.128 ±0.002

We obtain the results in table 2. Each experiment has been repeated with 10 different random seeds, and corresponds to the semi-synthetic 1 experiment in table 1 from the main paper, where the MAE for CEPAE is 0.056 ± 0.004. The first experiment ($\sigma = 0$) corresponds to control time series identical to the target one, therefore being absolutely informative. As expected, the error is very low, almost 0. For $\sigma = 0.1$, a very low degree of noise, the error is slightly lower than CEPAE's error. For $\sigma \geq 0.3$, the error is higher.