The Expert Strikes Back: Interpreting Mixture-of-Experts Language Models at Expert Level

Jeremy Herbst [1]   Stefan Wermter [1]   Jae Hee Lee [1]

Abstract

Mixture-of-Experts (MoE) architectures have become the dominant choice for scaling Large Language Models (LLMs), activating only a subset of parameters per token. While MoE architectures are primarily adopted for computational efficiency, it remains an open question whether their sparsity makes them inherently easier to interpret than dense feed-forward networks (FFNs). We compare MoE experts and dense FFNs using k-sparse probing and find that expert neurons are consistently less polysemantic, with the gap widening as routing becomes sparser. This suggests that sparsity pressures both individual neurons and entire experts toward monosemanticity. Leveraging this finding, we *zoom out* from the neuron to the expert level as a more effective unit of analysis. We validate this approach by automatically interpreting hundreds of experts. This analysis allows us to resolve the debate on specialization: experts are neither broad domain specialists (e.g., biology) nor simple token-level processors. Instead, they function as fine-grained task experts, specializing in linguistic operations or semantic tasks (e.g., closing brackets in LaTeX). Our findings suggest that MoEs are inherently interpretable at the expert level, providing a clearer path toward large-scale model interpretability. Code is available at: https://github.com/jerryy33/MoE_analysis.

1. Introduction

Mixture-of-Experts (MoE) architectures have emerged as the most efficient choice for scaling large language models (LLMs), demonstrating state-of-the-art performance across numerous benchmarks (Comanici et al., 2025; Yang et al., 2025a; Team et al., 2025; Li et al., 2025; Zeng et al., 2025; Liu et al., 2024). By activating only a fraction of their total parameters for any given token, MoEs achieve the performance of large models with the inference cost of smaller ones. However, while these models continue to increase in complexity, interpretability research has struggled to keep pace. Understanding how these models represent and process information is essential for debugging failures, ensuring alignment, and building trust in high-stakes deployments.

Interpreting LLMs is primarily challenged by *polysemanticity*, the phenomenon where individual units (neurons) activate for multiple, unrelated concepts. This is driven by superposition, a mechanism where networks represent more concepts than they have dimensions by storing them in nearly orthogonal directions (Elhage et al., 2022). While recent work has made strides in disentangling these representations using sparse coding (Bricken et al., 2023; Dunefsky et al., 2024), these methods require massive compute budgets to interpret every layer.

MoE models offer a promising, yet under-explored, alternative. Recent experiments on toy models suggest that increased sparse routing, defined as the fraction of experts active per token, can reduce superposition (Chaudhari et al., 2025). If this trend holds in large-scale models, it would suggest a useful synergy: the architectural sparsity that drives performance scaling (He, 2024; Team et al., 2025; Zhao et al., 2025) may also make these models more interpretable by design. This would reduce reliance on expensive post-hoc concept extraction. However, whether MoE experts in production-scale models are truly more interpretable than dense feed-forward networks (FFNs) remains an open empirical question.

In this work, we investigate this question across a wide range of models. Using probing (Alain & Bengio, 2016), we demonstrate that MoE experts exhibit reduced polysemanticity compared to dense FFNs. By comparing models we find that this is better explained by architectural sparsity than by total parameter count alone. Critically, we show that this gap widens as routing becomes sparser, suggesting that experts in models with very sparse routing approach a state

[1]Department of Informatics, University of Hamburg, Hamburg, Germany. Correspondence to: Jeremy Herbst <jeremy.herbst111@gmail.com>, Jae Hee Lee <jae.hee.lee@uni-hamburg.de>.

of monosemanticity.

Based on these findings, we *zoom out* from the individual neuron to the entire expert as the primary unit of analysis. This allows for the automatic interpretation of model components without the need for additional trained models like sparse autoencoders (Bricken et al., 2023). We validate this approach through automatic labeling and scoring of hundreds of experts, and provide strong attributional evidence supporting the generated labels.

Our analysis helps resolve the ongoing debate regarding expert specialization. While some work suggests experts specialize in broad domains (e.g., biology or coding) (Muennighoff et al., 2025; Liu et al., 2024; Dai et al., 2024), other work suggests experts respond primarily to token-level or syntactic features (Xue et al., 2024; Jiang et al., 2024). We find that both views are incomplete: experts often behave like fine-grained task specialists. An expert may be domain-restricted (e.g., LaTeX), but its role is better described as a concrete computational operation (e.g., closing brackets in LaTeX) rather than representing the domain as a whole.

In summary, our contributions are:

- We show that MoE experts' neurons are consistently less polysemantic than dense FFNs, and that monosemanticity increases as the degree of sparse routing increases. (cf. Section 4).

- We demonstrate that zooming out to the expert level is an effective and scalable method for interpreting MoEs, which we validate through causal attribution. (cf. Section 5).

- We provide empirical evidence that experts are neither broad domain specialists nor simple token processors, but rather specialized task experts performing linguistic and semantic operations (cf. Section 6).

2. Related Work

Interpretability in Dense Transformers. Interpretability research in dense models has largely focused on disentangling the polysemantic activations of neurons. Post-hoc methods like sparse autoencoders (SAEs) (Bricken et al., 2023) and Transcoders (Dunefsky et al., 2024) have become the standard for finding interpretable concepts in an unsupervised manner, but they remain computationally expensive, requiring large datasets and compute to train for every layer. Furthermore, they have been shown to have several limitations (Heap et al., 2025; Paulo & Belrose, 2026; Kantamneni et al., 2025; Minegishi et al., 2025). Other techniques such as probing (Alain & Bengio, 2016; Gurnee et al., 2023), Logit Lens (nostalgebraist, 2020) and Direct logit attribution (DLA) (Elhage et al., 2021) allow researchers to map internal activations to specific concepts or output tokens. These

methods have been a useful tool in many interpretability works (nostalgebraist, 2020; Zhong et al., 2024a; Chughtai et al., 2024; Conneau et al., 2018; Tenney et al., 2019).

MoE as a Path to Interpretability. The idea that MoE models might inherently facilitate interpretability has often been suggested in the literature (Sharkey et al., 2025; Elhage et al., 2022; Chaudhari et al., 2025). This speculation is driven by the belief that architectural sparsity naturally reduces the pressure for superposition, leading to cleaner, more modular representations. Recently, Chaudhari et al. (2025) used toy models to show that superposition decreases as routing sparsity increases. However, it remains an open question whether this trend holds in large-scale LLMs, where the router must balance millions of parameters and diverse data distributions. Recent work has begun to analyze expert dissimilarity (Lo et al., 2025) and semantic routing (Olson et al., 2025), but a unified understanding of what experts actually do is still missing.

Architectures Aimed at Interpretability. Beyond analyzing existing models, a growing line of research seeks to build inherently interpretable architectures, often leveraging MoE-style designs to enforce modularity. Recent work has explored using MoE layers or sparsity to promote monosemanticity (Oldfield et al., 2024; Zhong et al., 2024b; Yang et al., 2025b; Park et al., 2025; Kang et al., 2025; Gao et al., 2025). Our work complements these efforts by empirically validating that the experts in standard MoE models exhibit the properties these specialized architectures aim to induce.

The Debate on Expert Specialization. Current literature is divided between domain-level specialization (Muennighoff et al., 2025; Dai et al., 2024; Liu et al., 2024; Riquelme et al., 2021) where experts adapt to broad themes like coding, and token-level specialization (Xue et al., 2024; Jiang et al., 2024), where routing is determined by syntactic markers. Our work bridges this gap by demonstrating that experts function as fine-grained task experts.

3. Preliminaries

We analyze decoder-only transformer language models. We use the term *component* to refer to either a single MoE expert or a dense FFN sublayer.

Transformers and the Residual Stream. Each token position maintains a hidden state $r^{(l)} \in \mathbb{R}^d$. Layers are arranged such that each sublayer (attention or FFN/MoE) produces an update vector Δr that is added back to the *residual stream*:

$$r^{(l+1)} = r^{(l)} + \Delta r_{\text{attn}} + \Delta r_{\text{ffn}}$$

The update Δr_{ffn} is produced by either a dense FFN or an MoE layer. The additive structure is the key property

enabling attribution methods, as it allows us to decompose the final representation into the sum of contributions from every preceding component. The model produces logits for the next token by applying a final normalization and an *unembedding* matrix $W_U \in \mathbb{R}^{d \times |\mathcal{V}|}$, where $|\mathcal{V}|$ is the vocabulary size.

Mixture-Of-Experts (MoE). An MoE layer consists of N independent expert networks $\{E_1, \ldots, E_N\}$. Each expert E_i is a feed-forward network, typically using the SWiGLU architecture (Shazeer, 2020). For an input x, the expert computes an intermediate activation vector $\mathbf{h} \in \mathbb{R}^{d_{\text{ff}}}$

$$\mathbf{h} = \text{Swish}(W_{\text{gate}}x) \odot W_{\text{up}}x \tag{1}$$

where $\odot$ denotes the element-wise product and $\text{Swish}(z) = z \cdot \sigma(z)$. The final output is then produced by a down-projection: $E_i(x) = W_{\text{down}} \mathbf{h}$. We refer to the individual components $\mathbf{h}_j$ of the vector $\mathbf{h}$ as the **neurons** of the expert. Note that we can also apply Equation (1) to dense FFNs.

For each input x, a router network R produces scores $s = R(x) \in \mathbb{R}^N$, which determine how strongly each expert is activated. A subset of N_A experts is selected based on these scores (e.g., via Top-N_A selection). The corresponding routing weights g_i are then derived from s (for instance via a softmax over some or all experts), with $g_i > 0$ for selected experts and $g_i = 0$ otherwise. The layer output is computed as

$$y = \sum_{i=1}^{N} g_i \, E_i(x).$$

We define the routing sparsity as the ratio N_A/N, where smaller values indicate sparser routing.

Probing. To measure the polysemanticity of a component c, we use k-sparse probing (Gurnee et al., 2023). This technique trains a linear classifier to predict a binary concept $y \in \{0, 1\}$, using only k dimensions of an activation vector h. By varying k, we can measure how "smeared" a concept is across neurons. Following Gurnee et al. (2023), we select these k neurons by identifying those with the highest absolute difference in mean activations between positive and negative samples:

$$a_j = |\mathbb{E}[h_j \mid y = 1] - \mathbb{E}[h_j \mid y = 0]|,$$
$$\mathcal{S}_k = \text{TopK}_k \left(\{a_j\}_{j=1}^{d} \right),$$

where TopK_k returns the indices of the k largest values. We then train a logistic regression probe with $L2$ regularization on only the dimensions $h_{j \in \mathcal{S}_k}$. If a concept can be accurately predicted at $k = 1$, it suggests the component contains a monosemantic neuron for that concept.

Logit-Space Projections and Attribution. Both the Logit Lens (nostalgebraist, 2020) and Direct Logit Attribution (DLA) (Elhage et al., 2021) analyze how a component update $v \in \mathbb{R}^d$ influences output logits by projecting v into vocabulary space using the unembedding matrix $W_U \in \mathbb{R}^{d \times |\mathcal{V}|}$.

Given $v^{(l)}$ at layer l, the Logit Lens maps the component to logits

$$\ell^{(l)} = v^{(l)} W_U,$$

providing a snapshot of the model's intermediate predictions.

DLA extends this idea to quantify how v affects the logit of a target token t. Because layer normalization (LN) is nonlinear, a first-order linearization around the final residual state is used, yielding the approximate contribution

$$A_{v \to t} = \text{LN}_{\text{linear}}(v)^\top W_U[:, t],$$

where $W_U[:, t]$ is the unembedding vector for token t. This linearization makes contributions approximately additive, enabling direct comparison of how different components influence specific token logits.

Automatic Interpretability. We use an LLM-based explainer (Bills et al., 2023) to generate natural language hypotheses for MoE experts. The explainer is provided with text snippets and tasked to generate a label. A separate scorer LLM then evaluates these hypotheses on held-out examples to produce an interpretability score (Paulo et al., 2025).

4. Quantifying the Monosemanticity of MoE Experts

To determine if MoEs are inherently more interpretable, we compare their internal representations to those of dense FFNs using k-sparse probing. We hypothesize that the structural constraint of sparse routing (N_A/N) reduces the pressure for *superposition*, the mechanism where a network represents more concepts than it has neurons (Elhage et al., 2022). By measuring the degree to which representations are distributed, we can infer the severity of neuron-level polysemanticity within the model.

4.1. Probe Selection and Methodology

We evaluate 12 different models (Appendix B; Table 2) across 58 concepts spanning four categories: Part-of-Speech, LaTeX, code, and natural language text (Appendix C; Tables 3 and 4). For each concept, we initially collect 5,000 token samples, balanced between positive and negative classes. For MoE models, we filter this dataset to include only the subset of tokens that were routed to the target expert. By excluding unrouted tokens, we explicitly measure the rep-

Figure 1. Best-layer F1 score for probes trained on MoE and dense models. Models are matched based on active parameter count, and if available from the same model family. Shaded regions represent 95% confidence intervals around the mean estimate over concepts at each k-value. Red lines represent dense models while blue lines represent MoE models. See Figure 8a in Appendix A for additional model comparisons.

Figure 2. Comparison of best-layer probes trained on MoE experts against probes trained on dense models. MoE models are on the y-axis and dense models are on the x-axis. Models are matched based on active parameter count, and if available from the same model family. See Figure 8b in Appendix A for additional model comparisons.

resentation as it exists strictly within the expert's local subspace, acknowledging that the router has already acted as an initial coarse filter. All k-sparse probes are trained using a 75/25 train-test split on this filtered data. Consequently, all reported F1 scores reflect the probe's performance strictly on the held-out 25% test set.

To ensure we capture the model's maximum representational capacity for any given concept, we employ a best-layer selection strategy. For each concept and each value of $k \in \{1, 2, 4, 8, 16, 32, 64\}$, we train probes on *every* layer (and *every* expert for MoEs). Specifically, we probe the intermediate activation vector $\mathbf{h}$ (as defined in Equation (1)). We then identify the single best-performing layer for that concept across the entire model. For MoE models the best layer is selected based on the best expert's performance. This methodology allows us to compare the upper bound of interpretability for both architectures, ensuring that our findings are not an artifact of looking at the wrong layer. To ensure a fair comparison, we match MoE and dense mod-

els based on their active parameter count. Additionally, to control for the total parameter count, we perform a direct comparison within the OLMo family.

4.2. Experts Approach Monosemanticity

A key indicator of superposition is the degree to which a representation is distributed (Rumelhart et al., 1986). In a highly polysemantic dense model, a concept is typically smeared across dozens of neurons; thus, a probe at $k = 1$ (a single neuron) will often perform poorly, while performance only recovers as k increases. Conversely, in a monosemantic representation, the concept is pinned to a single index $\mathbf{h}_j$ (neuron). If MoE experts were as polysemantic as dense FFNs, we would expect a significant performance gap between $k = 1$ and higher values of k.

However, as illustrated in Figure 1, MoE experts often achieve near-optimal F1 scores at $k = 1$, implying that the neurons $\mathbf{h}$ are dedicated to specific concepts. Across all

Figure 3. Comparison of best-layer probes across the `OLMo` family. Shaded regions represent 95% confidence intervals around the mean estimate over concepts at each k-value.

models, the gap in performance is largest at $k = 1$, where MoE experts often achieve near-perfect F1 scores while dense models struggle. This suggests that sparse routing encourages the model to assign monosemantic neurons to specific concepts, thereby reducing superposition. Furthermore, we observe that the variance in performance is much lower for MoE experts; while dense models struggle to represent certain concepts entirely, MoE experts represent the majority of probed concepts cleanly.

4.3. Consistency Across Concept Categories

To ensure these findings are not limited to specific types of knowledge, we analyze performance across four distinct categories: Part-of-Speech, LaTeX, Code, and Natural Language Text. As illustrated in Figure 2, MoE models (y-axis) consistently outperform dense models (x-axis) across all categories. Nearly every point lies above the equality line, demonstrating that MoE experts are better at representing diverse concepts monosemantically.

We also address the potential confounder that MoEs simply benefit from higher total parameter counts. By comparing the `OLMo` family (Figure 3), we find that `OLMoE-1B-7B` (1B active) significantly outperforms the `OLMo-7B` dense model. Despite the dense model having $7\times$ more active parameters per token, it still exhibits higher superposition. This provides strong evidence that sparse routing, rather than raw capacity, is the primary driver of reduced polysemanticity in our comparisons.

4.4. The Impact of Routing Sparsity

The results also show a systematic relationship between polysemanticity and the routing sparsity (N_A/N). As shown in

Figure 4, models with the highest degree of sparsity (lowest N_A/N) exhibit the cleanest representations. This trend is further validated by `Mixtral-8x7B`, which is the densest MoE in our study ($N_A/N = 0.25$). While `Mixtral-8x7B` still outperforms its dense counterparts, its interpretability scores are noticeably lower than those of sparser models like `Qwen3-30B-A3B` ($N_A/N \approx 0.06$). This supports the claim that the interpretability of MoEs scales with the degree of sparse routing: as routing sparsity increases, the internal units become increasingly monosemantic. This suggests that the industry trend toward models with more total experts and fewer active experts per token—a trend driven by performance scaling laws—is simultaneously making these models more monosemantic.

4.5. From Neurons to Experts

The finding that MoE neurons exhibit significantly lower polysemanticity than dense FFN neurons has a profound implication for model analysis. In dense models, the high degree of superposition means that any sub-layer or group of neurons is likely performing thousands of disparate computations simultaneously. Because the neurons fire on almost all tokens, their aggregate output is a superposition of concepts, making zoomed-out interpretability nearly impossible.

In MoE architectures, however, two distinct mechanisms work in tandem to create what we term *modular monosemanticity*. As demonstrated in our probing experiments, the architectural pressure of sparse routing is associated with individual expert neurons being less polysemantic. As established by prior work on MoE routing (e.g., (Muennighoff et al., 2025; Olson et al., 2025)), experts do not see the entire data distribution; the router acts as a filter, ensuring an expert is only activated for a restricted, semantically or syntactically related subset of tokens. If an expert is composed of mostly single-concept neurons, and it is only triggered by a coherent family of inputs, we should expect that the aggregate computation of that expert will reflect a higher-order task.

This synergy motivates a shift in our unit of analysis. Rather than relying on computationally expensive post-hoc methods to untangle individual neurons, we can zoom out. Because the constituent neurons are relatively monosemantic and their activations are contextually bound by the router, we can treat the entire expert as an interpretable module.

5. Automatically Interpreting MoE Experts

Leveraging the modular monosemanticity identified in Section 4, we now move from the neuron level to the expert level. This zooming out allows us to interpret the model's logic at a scale that is computationally infeasible with tra-

Figure 4. Comparison of the Best-layer F1 score for different N_A/N ratios.

Figure 5. Automatic Interpretability F1 scores. (left) Distribution (right) Average per layer.

Figure 6. Percentage of prompts for which an expert achieved a high rank or did not get routed. Control prompts show the average rank on prompts designed for other experts.

ditional neuron-by-neuron or sparse coding-based methods. By treating each expert as a functional block, we can automatically generate natural language descriptions of their roles and validate these descriptions.

In this section, we describe our pipeline for automatic labeling and provide evidence that experts, unlike dense FFNs, behave as causally coherent units.

5.1. Automatic Labeling

To interpret MoE experts, we use a two-stage LLM-based pipeline consisting of an explainer and a scorer (Bills et al., 2023). For a target expert E_i, we identify text sequences from the pile-uncopyrighted dataset (Gulliver, 2023) where the expert is "highly active".

Identifying high-activating examples for an entire expert is not as straightforward as it is for a single neuron. We cannot simply rely on the router weight $g_i(x)$, because being selected by the router only means the expert was given the opportunity to process the token; it does not guarantee the expert actually performed a significant computation (i.e., it might output a vector near zero). Likewise, aggregating the scalar activations of internal neurons does not reflect the expert's final output.

In a transformer, the only way a component influences the model's final prediction is by writing an update vector to the residual stream. Therefore, to find examples where an expert is truly "active" and causally impactful, we must measure the magnitude of its contribution to the residual stream. For a given token x, this contribution is the expert's output vector $E_i(x)$ scaled by the router weight $g_i(x)$. We measure this using the L2 norm: $g_i(x) \|E_i(x)\|_2$. A larger norm geometrically corresponds to a larger shift in the model's internal representation.

We evaluate text snippets to provide the explainer LLM with sufficient context. To guarantee that a sequence contains

at least one prominent spike where the expert heavily influenced the residual stream, we score each sequence s by finding the maximum score across its constituent tokens:

$$\text{score}(s, E_i) = \max_{x \in s} \; g_i(x) \|E_i(x)\|_2$$

We provide an LLM explainer with 20 top activating sequences. To help the explainer identify the expert's role, we use Logit Lens to find the top 3 tokens promoted by the expert at the moments of peak activation. The explainer is tasked with generating a concise, one-sentence hypothesis for the expert's computational role (see Appendix J for prompts and Appendix D for sequence selection details).

We list all labels produced by this procedure in Appendix K (Tables 9 to 11). To validate the labels, we use a separate LLM scorer. The scorer is given 10 positive examples (where the expert was active) and 10 negative examples (where other experts in the same layer were active). The scorer must detect if each example fits the generated label. We then calculate the F1 score over the choices the scorer made. For both the explainer and scorer model we use `Gemini 3 Flash Preview`.

5.2. Expert Interpretability

We apply our method to all experts in 8 layers of `OLMoE-1B-7B`, 3 layers of `ERNIE-4.5-21B-A3B`, and 3 layers of `Qwen3-30B-A3B`. As shown in Figure 5 (right), the resulting F1 scores are consistently high across all layers. Most experts achieve F1 scores above 0.8, with very few failing to be interpreted (see Appendix E for failure cases). This suggests that experts are not just clean at the neuron level, but also act as coherent units that can be described in natural language. This level of interpretability is maintained across the layers we analyze. We also observe a correlation between a model's routing sparsity (N_A/N) and the reliability of its automatic labels. As illustrated in Figure 5 (left), average interpretability scores are consistently higher for models

with sparser routing. Specifically, Qwen3-30B-A3B, the most sparse model in our study ($N_A/N \approx 0.06$), achieves the highest average F1 scores, frequently exceeding 0.9. This suggests that the cleaner representations we identified at the neuron level in Section 4 translate directly into more coherent units at the expert level. In contrast, denser MoEs like ERNIE-4.5-21B-A3B exhibit slightly lower and more variable scores, likely because their experts are still forced to balance multiple, overlapping semantic features.

5.3. Causal Attribution

While high F1 scores indicate that our labels are descriptive, they do not prove that the experts have a causal effect on the model's output. To verify this, we design a "Trigger-Target" experiment. For a given expert label, we generate new, synthetic test cases where we define a trigger word (where we expect the expert to activate) and a target word (a word which the expert should promote).[2] For example, in

"We need to address the elephant in the room"

the is the trigger word and room is the target word. Note that the test cases are solely generated based on the expert's automatic interpretability label from Section 5.1. For further examples see Appendix F.

We run a forward pass and measure the expert's ranking among all experts from the same layer in terms of its DLA contribution to the target word. We run this experiment for Layers 4, 9 and 14 of the OLMoE-1B-7B model and select 10 random experts from each layer for which we generate 20 test cases. Test cases are all generated by Gemini 3 Flash Preview (see Appendix J for an example prompt) and then checked manually.

As shown in Figure 6, the results provide strong attributional evidence for our labels:

Matched Prompts. In the majority of cases, the expert we identified was either the Top-1 or among the Top-8 contributors to the target word.

Control Prompts. When we checked the same experts on prompts designed for other experts from the same layer, they were almost never routed and had almost no attribution to the output.

In 80% of the cases, the specific expert was not even routed to control prompts, whereas it was consistently routed and highly influential for matched prompts. This confirms that our zooming out approach captures the true causal mechanics of the model: the expert level is a valid and effective unit of analysis.

---

[2]Because of tokenization it can happen that the target or the trigger are split into multiple tokens. In that case, we select the token with the highest routing weight for the trigger word and the first token for the target word.

6. Expert Specialization

The nature of expert specialization has long been a point of contention. One camp argues that experts specialize in broad semantic domains like coding or biology (Liu et al., 2024; Muennighoff et al., 2025; Dai et al., 2024), while another suggests they primarily handle surface-level syntactic concepts (Xue et al., 2024; Jiang et al., 2024). In this section, we show that both views are incomplete. By analyzing the specialization of experts across layers, we demonstrate that experts function as fine-grained task experts, performing precise computational operations that are often domain-restricted but functionally specific.

6.1. A Taxonomy of Expert Roles

Across models and layers, the labels from Section 5 cluster into a small set of roles (Table 1). In our examples, these roles form a loose hierarchy: early experts bind morphology, mid-layer experts stabilize syntax, deeper experts retrieve domain knowledge, and late experts enforce formatting constraints. This is consistent with viewing the residual stream as a communication channel (Elhage et al., 2021), where different components iteratively refine the next-token distribution. Many experts also behave like key–value memories (Geva et al., 2021). We denote an expert E in layer L of model M as M-L0-E0. See Appendix H for in-depth case studies of individual experts.

Morphological: We observe experts that seem to be responsible for gluing text back together. Because LLMs process text as tokens (often sub-words), these experts focus on suffixes, prefixes, and stems. For example, OLMoE-L1-E57 activates on amine in glutamine and promotes subword continuations (e.g., iaz, endar, uba) to help the model construct rare chemical terms.

Syntactic: Some mid-layer experts behave like syntactic continuers: when they see coordinating conjunctions (e.g., and, or, for, but), they upweight likely completions. In boots and the like, ERNIE-L15-E0 activates on and and promotes alike, like. We see similar behavior in other coordination contexts.

Semantic: We find experts, mostly in mid-to-late layers, that represent closely what one would call a *domain* expert. For example, OLMoE-L4-E3 operates mostly in legal and patent related documents and promotes tokens that reinforce patent-style and legal-technical document continuation such as patents, applications, inventor.

Operational: We also find experts that primarily enforce local validity constraints. OLMoE-L15-E17 activates inside LATEX formatting blocks (e.g., \mathbf{b}) and strongly promotes closing delimiters such as }}.

Hyper-specialized experts: MoE routing can allocate ded-

Table 1. Categorization of MoE Experts Across Layers. The categorization is based on the labels from Section 5.

Category	Functional Role	Representative Expert	Label	Target Tokens / Contexts
Morphological	Morphology & Tokenization	**OLMoE-L1-E57**	Chemical & Biological suffixes	`-amine`, `-ine`, `-ium`, `-ase`
Syntactic	Syntax & Grammar	**ERNIE-L15-E0**	Syntactic Coordination	`and`, `or`, `that`, `to`, `for`
Semantic	Domain knowledge	**OLMoE-L4-E3**	Patent/Legal citations	`Case v. State`, `U.S.`, `claim`, `Pat.`
Operational	Structural validity & formatting constraints	**OLMoE-L15-E17**	Closing LaTeX environments	`\end{...}`, `\mathbf{b}`, `\sqrt{q}`

icated capacity to very narrow concepts. For instance, `Qwen3-L44-E12` responds to Iranian administrative geography (Province → County → District), promoting location names and census-style boilerplate. `OLMoE-L14-E59` behaves like a role-playing-game mechanic completer: in D&D-style contexts it promotes rule-specific continuations (e.g., associates abbreviations such as `DR` with `Damage Reduction`).

6.2. Experts in the Output Embedding Space

While the natural language labels in the previous section provide a human-readable map of expert functions, they remain qualitative. To confirm that this modularity is a structural property of the architecture and not just a byproduct of our labeling process, we require a model-native, quantitative metric. We measure *expert specialization*: the degree to which an expert's behavior isolates specific functional or semantic domains.

What constitutes a *domain* for an LLM remains an open question. Rather than imposing external human categories, we define domains natively by performing unsupervised k-means clustering on the model's output embedding matrix (the unembedding). This matrix is known to be a semantically and syntactically rich map of the model's vocabulary (Grindrod & Grindrod, 2025; Dar et al., 2023; Mikolov et al., 2013; nostalgebraist, 2020). To ensure our findings are not artifacts of a specific granularity, we analyze expert behavior over 10^6 tokens across multiple resolutions ($k \in \{10, 50, 100, 1000, 5000\}$). Low values of k capture broad semantic topics (e.g., biology), while high values capture more granular themes (e.g., bees and honey). See Appendix G for cluster examples.

Because natural language is highly skewed, we cannot simply measure if an expert frequently processes a specific type of token, because a random sample of text will naturally be dominated by common function words. To demonstrate that an expert is specialized, we must measure how much it deviates from the base rate of the layer.

We quantify this deviation using Jensen-Shannon Divergence (JSD). A Specialization Score of 0 indicates the expert processes tokens in the exact same proportions as the layer average (no specialization). A score approaching 1 indicates the expert is hyper-focused on a narrow semantic niche that

the rest of the layer ignores. Furthermore, because MoE routing is unbalanced, experts can process vastly different volumes of tokens. To ensure high scores are not simply the result of small-sample statistical noise, we compare every expert against a simulated Random Expert Baseline. This baseline calculates the expected JSD if the expert had simply drawn its N tokens randomly from the layer's base rate. See Appendix I for a complete mathematical formulation.

To understand how experts specialize, we apply the specialization measure to two distinct stages of the MoE computation, projecting both onto the same k clusters for a direct comparison:

1. **Routing Specialization (Input):** We track the actual tokens the router assigns to the expert.

2. **Functional Specialization (Output):** We apply Logit Lens to the tokens promoted by the expert's output vector.

Early-layer representations are primarily engaged in feature-building; they are functionally distant from the output vocabulary. Consequently, Logit Lens projections in early layers are known to be noisy and inaccurate. We therefore rely primarily on routing specialization for early layers, and use functional specialization to analyze the mid-to-late layers where the residual stream aligns more cleanly with the vocabulary space. By applying these scores across different cluster sizes, we can quantitatively verify the taxonomy observed in Section 6.1.

Domain Experts (Semantic): These experts focus on broad topics. We expect them to show high specialization at low k. They should exhibit both high Routing Specialization (the router sends them domain-specific text) and high Functional Specialization (they promote domain-specific concepts).

Task Experts (Operational/Morphological/Syntactic): These experts perform precise structural operations (e.g., closing LaTeX brackets). They may read tokens from any semantic domain (yielding a low routing score), but they consistently promote specific tokens. We expect these experts to show sharp increases in Functional Specialization at high k.

As shown in Figure 7, plotting the specialization scores reveals a clear trajectory across the depth of a model. In the

Figure 7. Expert specialization scores across layers for `OLMoE-1B-7B`. Scores reflect the expert's deviation from the layer's aggregate base rate. (Left) Routing Specialization. (Right) Functional Specialization.

Routing Specialization analysis, we observe a bimodal structure. The router begins sorting tokens early in the network, followed by a second, more intensive phase of semantic partitioning in the middle layers. This confirms that the router is highly selective about the data each expert receives, consistently deviating from the layer's base rate to filter specific inputs. However, the most dramatic shift occurs in Functional Specialization. In late layers, the degree to which experts promote unique vocabulary niches increases sharply. To put this magnitude in perspective, a JSD of 0.4 in a high-dimensional vocabulary space indicates that an expert is strongly biased away from the layer's com- mon base rate toward a narrow set of tokens.

Crucially, the k-sweep resolves the nature of this deep-layer specialization. If experts were broad domain specialists, the score for broad categories ($k = 10$) would be high. Instead, we see that the highest granularity ($k = 5000$) pulls dramatically ahead of the broad semantic lines. The fact that experts appear far more specialized at high k provides strong quantitative support for our qualitative findings in Section 6.1: deep-layer MoE experts act primarily as granular Task Experts. They do not represent broad semantic domains; rather, they take in relatively general signals and apply a highly precise functional or syntactic transformation to the output space.

7. Discussion

The Scaling of Sparsity.   A promising trend in recent MoE research is the move toward increasingly sparse configurations, exemplified by (He, 2024). Our findings suggest that this trend toward extreme sparsity ($N \gg N_A$) is not only beneficial for performance but may be the key to unlocking fully monosemantic models. If the relationship between sparse routing and interpretability holds at the limit, the next generation of models may be inherently transparent by design, potentially eliminating the interpretability tax that currently plagues dense architectures.

Experts as Sub-Circuits.   Our findings support a shift in how we conceptualize Large Language Models. Rather than viewing them as monolithic thematic encyclopedias, our results suggest LLMs function as modular toolboxes. This is consistent with the circuits view of interpretability (Elhage et al., 2021; Ameisen et al., 2025; Lindsey et al., 2024), where model computation is seen as a graph of interacting functional units. In this framework, MoE experts act as discrete sub-routines for specific tasks like LaTeX state resolution or genomic acronym completion. This modularity provides a clear path for future work to map the logic of the model by studying how the router sequences these experts into complex computational pipelines.

Limitations.   While our results are consistent across 12 models, this study has limitations. Due to GPU memory and compute constraints, we were unable to include the largest current MoE models, such as `DeepSeek-V3` (Liu et al., 2024); however, given that these models use similar degrees of sparse routing, we expect our findings to hold. Furthermore, we do not claim that experts are entirely monosemantic. Some degree of superposition likely remains and superposition between experts could also be possible. However, our results suggest that experts are sufficiently monosemantic to be captured by functional natural language labels, providing a pragmatic and effective middle ground between uninterpretable neurons and computationally expensive concept extraction.

8. Conclusion

In this work, we demonstrated that Mixture-of-Experts (MoE) transformer architectures possess an inherent interpretability advantage over their dense counterparts. Using k-sparse probing, we provided empirical evidence that MoE neurons exhibit significantly lower polysemanticity, a property that is closely associated with the architectural constraint of sparse routing. By leveraging this relative monosemanticity, we showed that *zooming out* to the expert level provides a clearer, more scalable unit of analysis, allowing us to identify hundreds of specialized task experts that perform functional operations.

Acknowledgements

Jae Hee Lee and Stefan Wermter were supported by the German Research Foundation (DFG), project number 551629603.

Impact Statement

This paper studies interpretability in Mixture-of-Experts (MoE) language models at the level of individual experts. We provide empirical evidence that neurons inside MoE

experts are less polysemantic than neurons in dense feed-forward layers, and we show how this can be leveraged to assign functional descriptions and to test hypotheses via causal attribution. If these properties hold more broadly, they may reduce the cost of auditing and debugging large MoE systems and enable more targeted interventions (e.g., modifying a small set of experts) compared to neuron-level analyses.

Interpretability tools can also be dual use. The same ability to localize computations to particular experts may help malicious actors identify components to manipulate, bypass safety behaviors, or extract capabilities in a more targeted way than coarse fine-tuning. There is also a risk of over-trusting labels: a short natural-language description can hide important context such as prompt dependence, dataset artifacts, or interactions between experts. We therefore recommend treating expert labels as tentative summaries, validating them with counterfactual tests (including ablations and out-of-distribution checks), and not using interpretability alone as a safety guarantee. Our experiments analyze existing models rather than training new foundation models; the primary resource costs are forward passes and probe training.

References

Alain, G. and Bengio, Y. Understanding intermediate layers using linear classifier probes. *arXiv preprint arXiv:1610.01644*, 2016.

Ameisen, E., Lindsey, J., Pearce, A., Gurnee, W., Turner, N. L., Chen, B., Citro, C., Abrahams, D., Carter, S., Hosmer, B., Marcus, J., Sklar, M., Templeton, A., Bricken, T., McDougall, C., Cunningham, H., Henighan, T., Jermyn, A., Jones, A., Persic, A., Qi, Z., Ben Thompson, T., Zimmerman, S., Rivoire, K., Conerly, T., Olah, C., and Batson, J. Circuit tracing: Revealing computational graphs in language models. *Transformer Circuits Thread*, 2025. https://transformer-circuits.pub/2025/attribution-graphs/methods.html.

Bills, S., Cammarata, N., Mossing, D., Tillman, H., Gao, L., Goh, G., Sutskever, I., Leike, J., Wu, J., and Saunders, W. Language models can explain neurons in language models. https://openaipublic.blob.core.windows.net/neuron-explainer/paper/index.html, 2023.

Bricken, T., Templeton, A., Batson, J., Chen, B., Jermyn, A., Conerly, T., Turner, N., Anil, C., Denison, C., Askell, A., Lasenby, R., Wu, Y., Kravec, S., Schiefer, N., Maxwell, T., Joseph, N., Hatfield-Dodds, Z., Tamkin, A., Nguyen, K., McLean, B., Burke, J. E., Hume, T., Carter, S., Henighan, T., and Olah, C. Towards monosemanticity: Decomposing language models with dictionary learning. *Transformer Circuits Thread*,

2023. https://transformer-circuits.pub/2023/monosemantic-features/index.html.

Chaudhari, M., Nuer, J., and Thorstenson, R. Superposition in mixture of experts. In *Mechanistic Interpretability Workshop at NeurIPS 2025*, 2025.

Chughtai, B., Cooney, A., and Nanda, N. Summing up the facts: Additive mechanisms behind factual recall in llms. *arXiv preprint arXiv:2402.07321*, 2024.

Comanici, G., Bieber, E., Schaekermann, M., Pasupat, I., Sachdeva, N., Dhillon, I., Blistein, M., Ram, O., Zhang, D., Rosen, E., et al. Gemini 2.5: Pushing the frontier with advanced reasoning, multimodality, long context, and next generation agentic capabilities. *arXiv preprint arXiv:2507.06261*, 2025.

Conneau, A., Kruszewski, G., Lample, G., Barrault, L., and Baroni, M. What you can cram into a single vector: Probing sentence embeddings for linguistic properties. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pp. 2126–2136, 2018.

Dai, D., Deng, C., Zhao, C., Xu, R., Gao, H., Chen, D., Li, J., Zeng, W., Yu, X., Wu, Y., et al. Deepseekmoe: Towards ultimate expert specialization in mixture-of-experts language models. In *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pp. 1280–1297, 2024.

Dar, G., Geva, M., Gupta, A., and Berant, J. Analyzing transformers in embedding space. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pp. 16124–16170, 2023.

Dunefsky, J., Chlenski, P., and Nanda, N. Transcoders find interpretable llm feature circuits. *Advances in Neural Information Processing Systems*, 37:24375–24410, 2024.

Elhage, N., Nanda, N., Olsson, C., Henighan, T., Joseph, N., Mann, B., Askell, A., Bai, Y., Chen, A., Conerly, T., DasSarma, N., Drain, D., Ganguli, D., Hatfield-Dodds, Z., Hernandez, D., Jones, A., Kernion, J., Lovitt, L., Ndousse, K., Amodei, D., Brown, T., Clark, J., Kaplan, J., McCandlish, S., and Olah, C. A mathematical framework for transformer circuits. *Transformer Circuits Thread*, 2021. https://transformer-circuits.pub/2021/framework/index.html.

Elhage, N., Hume, T., Olsson, C., Schiefer, N., Henighan, T., Kravec, S., Hatfield-Dodds, Z., Lasenby, R., Drain, D., Chen, C., Grosse, R., McCandlish, S., Kaplan, J., Amodei, D., Wattenberg, M., and Olah, C. Toy models of superposition. *Transformer Circuits Thread*,

2022. https://transformer-circuits.pub/2022/toy_model/index.html.

Gao, L., Rajaram, A., Coxon, J., Govande, S. V., Baker, B., and Mossing, D. Weight-sparse transformers have interpretable circuits. *arXiv preprint arXiv:2511.13653*, 2025.

Geva, M., Schuster, R., Berant, J., and Levy, O. Transformer feed-forward layers are key-value memories. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pp. 5484–5495, 2021.

Grindrod, J. and Grindrod, P. Word meanings in transformer language models. *arXiv preprint arXiv:2508.12863*, 2025.

Gulliver, D. Pile uncopyrighted, 2023. URL https://huggingface.co/datasets/monology/pile-uncopyrighted.

Gurnee, W., Nanda, N., Pauly, M., Harvey, K., Troitskii, D., and Bertsimas, D. Finding neurons in a haystack: Case studies with sparse probing. *Trans. Mach. Learn. Res.*, 2023.

He, X. O. Mixture of a million experts. *arXiv preprint arXiv:2407.04153*, 2024.

Heap, T., Lawson, T., Farnik, L., and Aitchison, L. Sparse autoencoders can interpret randomly initialized transformers. *arXiv e-prints*, pp. arXiv–2501, 2025.

Jiang, A. Q., Sablayrolles, A., Roux, A., Mensch, A., Savary, B., Bamford, C., Chaplot, D. S., Casas, D. d. l., Hanna, E. B., Bressand, F., et al. Mixtral of experts. *arXiv preprint arXiv:2401.04088*, 2024.

Kang, J., Karlinsky, L., Luo, H., Wang, Z., Hansen, J. A., Glass, J. R., Cox, D. D., Panda, R., Feris, R., and Ritter, A. Self-moe: Towards compositional large language models with self-specialized experts. In *The Thirteenth International Conference on Learning Representations*, 2025.

Kantamneni, S., Engels, J., Rajamanoharan, S., Tegmark, M., and Nanda, N. Are sparse autoencoders useful? a case study in sparse probing. In *Forty-second International Conference on Machine Learning*, 2025.

Li, A., Gong, B., Yang, B., Shan, B., Liu, C., Zhu, C., Zhang, C., Guo, C., Chen, D., Li, D., et al. Minimax-01: Scaling foundation models with lightning attention. *arXiv preprint arXiv:2501.08313*, 2025.

Lindsey, T., Marcus, C., and Batson, O. Sparse crosscoders for cross-layer features and model diffing. *Transformer Circuits Thread*, 2024.

https://transformer-circuits.pub/2024/crosscoders/index.html.

Liu, A., Feng, B., Xue, B., Wang, B., Wu, B., Lu, C., Zhao, C., Deng, C., Zhang, C., Ruan, C., et al. Deepseek-v3 technical report. *CoRR*, 2024.

Lo, K. M., Huang, Z., Qiu, Z., Wang, Z., and Fu, J. A closer look into mixture-of-experts in large language models. In *Findings of the Association for Computational Linguistics: NAACL 2025*, pp. 4427–4447, 2025.

Mikolov, T., Sutskever, I., Chen, K., Corrado, G. S., and Dean, J. Distributed representations of words and phrases and their compositionality. *Advances in neural information processing systems*, 26, 2013.

Minegishi, G., Furuta, H., Iwasawa, Y., and Matsuo, Y. Rethinking evaluation of sparse autoencoders through the representation of polysemous words. In *The Thirteenth International Conference on Learning Representations*, 2025. https://openreview.net/forum?id=HpUs2EXjOl.

Muennighoff, N., Soldaini, L., Groeneveld, D., Lo, K., Morrison, J., Min, S., Shi, W., Walsh, E. P., Tafjord, O., Lambert, N., et al. Olmoe: Open mixture-of-experts language models. In *The Thirteenth International Conference on Learning Representations*, 2025.

nostalgebraist. interpreting gpt: the logit lens. https://www.lesswrong.com/posts/AcKRB8wDpdaN6v6ru/interpreting-gpt-the-logit-lens, 2020. Accessed: 2025-01-05.

Oldfield, J., Georgopoulos, M., Chrysos, G. G., Tzelepis, C., Panagakis, Y., Nicolaou, M. A., Deng, J., and Patras, I. Multilinear mixture of experts: Scalable expert specialization through factorization. *Advances in Neural Information Processing Systems*, 37:53022–53063, 2024.

Olson, M. L., Ratzlaff, N., Hinck, M., Luo, M., Yu, S., Xue, C., and Lal, V. Probing semantic routing in large mixture-of-expert models. In *Findings of the Association for Computational Linguistics: EMNLP 2025*, pp. 18263–18278, 2025.

Park, J., Jin, A. Y., Kim, K.-E., and Kang, J. Monet: Mixture of monosemantic experts for transformers. In *The Thirteenth International Conference on Learning Representations*, 2025.

Paulo, G. and Belrose, N. Sparse autoencoders trained on the same data learn different features. In *The Fourteenth International Conference on Learning Representations*, 2026. URL https://openreview.net/forum?id=EjInprGpk9.

Paulo, G. S., Mallen, A. T., Juang, C., and Belrose, N. Automatically interpreting millions of features in large language models. In *Forty-second International Conference on Machine Learning*, 2025.

Riquelme, C., Puigcerver, J., Mustafa, B., Neumann, M., Jenatton, R., Susano Pinto, A., Keysers, D., and Houlsby, N. Scaling vision with sparse mixture of experts. *Advances in Neural Information Processing Systems*, 34: 8583–8595, 2021.

Rumelhart, D. E., McClelland, J. L., Group, P. R., et al. Explorations in the microstructure of cognition. *Foundations*, 1:318–362, 1986.

Sharkey, L., Chughtai, B., Batson, J., Lindsey, J., Wu, J., Bushnaq, L., Goldowsky-Dill, N., Heimersheim, S., Ortega, A., Bloom, J., et al. Open problems in mechanistic interpretability. *arXiv preprint arXiv:2501.16496*, 2025.

Shazeer, N. Glu variants improve transformer. *arXiv preprint arXiv:2002.05202*, 2020.

Team, K., Bai, Y., Bao, Y., Chen, G., Chen, J., Chen, N., Chen, R., Chen, Y., Chen, Y., Chen, Y., et al. Kimi k2: Open agentic intelligence. *arXiv preprint arXiv:2507.20534*, 2025.

Tenney, I., Das, D., and Pavlick, E. Bert rediscovers the classical nlp pipeline. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pp. 4593–4601, 2019.

Xue, F., Zheng, Z., Fu, Y., Ni, J., Zheng, Z., Zhou, W., and You, Y. Openmoe: an early effort on open mixture-of-experts language models. In *Proceedings of the 41st International Conference on Machine Learning*, pp. 55625–55655, 2024.

Yang, A., Li, A., Yang, B., Zhang, B., Hui, B., Zheng, B., Yu, B., Gao, C., Huang, C., Lv, C., et al. Qwen3 technical report. *arXiv preprint arXiv:2505.09388*, 2025a.

Yang, X., Venhoff, C., Khakzar, A., de Witt, C. S., Dokania, P. K., Bibi, A., and Torr, P. Mixture of experts made intrinsically interpretable. In *Forty-second International Conference on Machine Learning*, 2025b.

Zeng, A., Lv, X., Zheng, Q., Hou, Z., Chen, B., Xie, C., Wang, C., Yin, D., Zeng, H., Zhang, J., et al. Glm-4.5: Agentic, reasoning, and coding (arc) foundation models. *arXiv preprint arXiv:2508.06471*, 2025.

Zhao, G., Fu, Y., Li, S., Sun, X., Xie, R., Wang, A., Han, W., Yang, Z., Sun, W., Zhang, Y., et al. Towards a comprehensive scaling law of mixture-of-experts. *arXiv preprint arXiv:2509.23678*, 2025.

Zhong, C., Cheng, F., Liu, Q., Jiang, J., Wan, Z., Chu, C., Murawaki, Y., and Kurohashi, S. Beyond english-centric llms: What language do multilingual language models think in? *arXiv preprint arXiv:2408.10811*, 2024a.

Zhong, Z., Xia, M., Chen, D., and Lewis, M. Lory: Fully differentiable mixture-of-experts for autoregressive language model pre-training. In *First Conference on Language Modeling*, 2024b.

A. Further Probing Results

We provide additional probing results that support the comparisons in Section 4. Models are matched based on active parameter count where possible.

(a) Best-layer F1 score for k-sparse probes. Shaded regions represent 95% confidence intervals. Red lines represent dense models and blue lines represent MoE models.

(b) Comparison of best-layer probes trained on MoE experts against probes trained on dense models. MoE models are on the y-axis and dense models are on the x-axis.

Figure 8

Figure 9. Estimated number of experts for each concept. For each concept and layer, experts whose F1 probe score is within 95% of the best expert are counted as active. The concept counts are stacked by layer.

B. Model Selection

We list the dense and MoE models used in our probe comparisons, along with their routing configurations (N, N_A, N_{SE}) and architectural details needed to interpret parameter-matching choices. All model parameters were loaded using either `bfloat16` or `float16` numerical precision. We apply 8-bit quantization to `Mixtral-8x7B-v0.1`.

Table 2. MoE and dense language models for which we train probes. N = Number of Total Experts, N_A = Number of Active Experts, N_{SE} = Number of Shared Experts

Model	N	N_A	N_{SE}	# Layers	FFN/Expert dim	FFN/Expert Style
OLMo-1B	-	-	-	16	8192	SwiGLU
OLMo-7B	-	-	-	32	11008	SwiGLU
LLama-3.2-3B	-	-	-	28	8192	SwiGLU
Qwen3-4B-Base	-	-	-	36	9728	SwiGLU
Ministral-3-3B	-	-	-	26	9216	SwiGLU
pythia-12b	-	-	-	36	20480	GELU
OLMoE-1B-7B	64	8	0	16	1024	SwiGLU
ERNIE-4.5-21B-A3B	66	6	2	28	1536	SwiGLU
Qwen3-30B-A3B	128	8	0	48	768	SwiGLU
gpt-oss-20b	32	4	0	24	2880	SwiGLU[3]
GLM-4.7-Flash	65	4	1	47	1536	SwiGLU
Mixtral-8x7B-v0.1	8	2	0	32	14336	SwiGLU

C. Probing Datasets

We document the datasets and concept definitions used for k-sparse probing. The intent is to make the evaluation reproducible and to clarify which concepts are extracted via regex heuristics versus provided at the word level (Part-of-Speech tags). The regexes can be found in our published codebase.

Table 3. Probing datasets. We largely follow a similar approach as (Gurnee et al., 2023) and use some of their concepts. However, for the code category, we design our own fine-grained concepts.

Category	Dataset	Total Concepts
Part-of-Speech	POS tagged Wikipedia (simple spacy subset)	16
LaTeX	pile-uncopyrighted (ArXiv subset)	12
code	pile-uncopyrighted (Github subset)	20
text	pile-uncopyrighted (All subsets)	10

Table 4. Probing concepts. The token positions for latex, code and text concepts are extracted using regular expressions, while the Part-of-Speech concepts are available on the word level.

Dataset	Concepts
Part-of-Speech	adjective, adposition, adverb, auxiliary, coordinating conjunction, determiner, noun, numeral, particle, pronoun, proper noun, punctuation, subordinating conjunction, symbol, verb, other
LaTeX	is_superscript, is_subscript, is_inline_math, is_display_math, is_math, is_denominator, is_numerator, is_frac, is_author, is_title, is_reference, is_abstract
code	is_function_def, is_function_call, is_assignment, is_class_def, is_import, is_comment, is_string_literal, is_control_flow, is_loop, is_conditional, is_exception_handling, is_array_literal, is_method_call, is_lambda, is_operator, is_constant, is_boolean, is_null, is_decorator, is_async,
text	leading_capital, leading_loweralpha, all_digits, is_not_ascii, contains_all_whitespace, all_capitals, is_not_alphanumeric, contains_whitespace, contains_capital, contains_digit

---

[3]OpenAI's implementation is slightly different from the other models. They include clamping and a residual connection.

D. Automatic Interpretability Data Selection

We extract activations over the pile-uncopyrighted dataset (Gulliver, 2023). For each document, we extract one random sequence containing 32 tokens until 2×10^6 tokens have been processed. This is intended to provide diverse examples from different pile-subsets for the explainer and scorer models. We then collect the top 40 examples for each expert based on the scores described in Section 5. We randomly select 20 examples for the explainer model, 10 for the scorer model as positive examples and 10 as negative examples for other experts.

E. Automatic Interpretability Failure Cases

We analyze 5 failure cases of our automatic interpretability pipeline for MoE experts where the final F1 score was unusually low.

E.1. OLMoE-L1-E2

Text Examples
@ubuntu@http@ms-wbt-server@upnp[A3C]ntrain_worker_num : 20
Deals Product Information & CharacteristicsThe Otto bed by Joseph has been upholstered in Chocolate Brown faux leather. This outstanding bed features a high
create an "exchange of experiences" for the Wehrmacht rear unit commanders. Participating officers were selected on the basis of their

Figure 10. Text examples for `OLMoE-L1-E2`. Examples are taken from the data the explainer model saw. Highlighted words are tokens routed to this expert which also received a high score.

For `OLMoE-L1-E2` the generated label was *"Mid-word and terminal suffixes within proper nouns, brands, and technical terms"* (F1 score: 0.38). See Figure 10 for text examples for this expert.

This label failed because the expert actually activates on tokens that follow specific prefixes (e.g., up, off, Of, we, We). The explainer overfit because these prefixes frequently appeared in brands (e.g., WeWork), technical terms (e.g., upholstered, upnp) or proper nouns (e.g., Offenbach, Wehrmacht). Consequently, the scorer strictly evaluated based on the flawed hypothesis, correctly resulting in a low F1.

E.2. OLMoE-L11-E5

Text Examples
to reproduce the saturation properties of the nuclear matter. At the phase transition, we maintain strict thermodynamic conditions; i.e., the Gibbs conditions\u201
k, zeta-receptors are reported to be involved in the non-opioid actions of the peptide, i.e. the inhibitory effect on
transition so that the energy produced by the transition can go predominantly into the photon; i.e. to produce light rather than heat. When the conduction and val

Figure 11. Text examples for `OLMoE-L11-E5`. Examples are taken from the data the explainer model saw. Highlighted words are tokens routed to this expert which also received a high score.

For `OLMoE-L11-E5` the generated label was *"Activates on specific characters to predict the second half of common abbreviations."* (F1 score: 0.46). See Figure 11 for text examples for this expert.

The explainer model suffered from frequency bias. The most frequent word is i.e. (i predicting *e*) which appeared in 11 out of 20 examples and fit perfectly to the generated label. However, the explainer ignored other examples such as word beginnings (e.g., An predicting swers (Answers) or tic (Antic); j predicting ungle (jungle); N predicting issen (Nissen)). It also ignored file paths (e.g., D or C predicting :) and URLs (e.g., n predicting pr (npr.org)). These also show up in the scorer

examples and get completely ignored by the scorer (predicting 0) resulting in very low recall (0.3) but perfect precision (1.0).

E.3. OLMoE-L15-E10

Text Examples

R Programming Assignment Help Our java assignment help is indicated for the trainees who desire to stand out and find out.Locus RAGS provides Programming

---

Recently Deleted things. Peruse the rundown of documents. You can likewise go to Settings > Restore Files. Following 30 days,

---

world. For a very long time, the ideologists of "free market" economics have been able to successfully conflate "democracy" with the control of

---

Figure 12. Text examples for OLMoE-L15-E10. Examples are taken from the data the explainer model saw. Highlighted words are tokens routed to this expert which also received a high score.

For OLMoE-L15-E10 the generated label was *"Predicts achievement and overcoming verbs following modal verbs, adverbs, and infinitives."* (F1 score: 0.18). See Figure 12 for text examples for this expert.

For this expert the pipeline fails because the explainer model correctly captures the syntactic structure but constructs an overly narrow semantic constraint (semantic overfitting). As a result, the scorer model attains perfect precision (1.0) but extremely low recall (0.1) by rejecting most valid instances.

The explainer correctly identifies the left-context pattern (*"following modals, adverbs, and infinitives"*) but introduces semantic bias. Influenced by a small subset of salient examples containing words like `defeat`, `dominate`, `prevail`, and `successfully`, it incorrectly concludes that the expert specializes in *"achievement"* or *"overcoming"* verbs, ignoring the majority of cases involving generic action verbs.

The scorer, adhering to this flawed specification, behaves consistently: it produces true positives only when verbs explicitly match the *"achievement/overcoming"* category (e.g., `evade`, `subvert`), yielding precision of 1.0, but generates numerous false negatives by rejecting valid examples containing ordinary verbs such as `pull`, `do`, `call`, and `raise`, leading to severely degraded recall.

E.4. Qwen3-L24-E76

Text Examples

programs are running? In other words, who will watch the watchers? A: Humans are watchers for tools like supervisor. There are 3rd party plugins

---

on Murphy's Law: Anything that can go wrong, will go wrong. As we have grown, we've become a bit soft. We figure, why not

---

.], Socrates says that you can't seek what you don't know, because you don't know what to seek. Yet in [2], he

---

Figure 13. Text examples for Qwen3-L24-E76. Examples are taken from the data the explainer model saw. Highlighted words are tokens routed to this expert which also received a high score.

For Qwen3-L24-E76 the generated label was *"Syntactic elements and connectors within philosophical, legal, or logical propositions and laws."* (F1 score: 0.30). See Figure 13 for text examples for this expert.

For this expert the pipeline failed due to domain/genre overfitting by the explainer model. While it correctly identified the rhetorical structure (logical reasoning and propositions), it artificially constrained its hypothesis to specific academic domains after being misled by a few salient named entities. This led to the incorrect rule that the expert activates only on *"philosophical, legal, or logical propositions"*, causing the scorer model to reject valid examples from everyday and technical

contexts and resulting in very low recall (0.2). In addition, the expert promoted almost exclusively Chinese tokens[4], which could have been the cause of the misleading label.

In reality, the expert exhibits a broad activation pattern across explanatory and causal reasoning, firing on general truths, hypothetical scenarios, and logical explanations regardless of topic. This pattern is consistent across ground truth positives spanning technical, everyday, business, and moderation contexts. The explainer failed because it fixated on prominent references such as `Murphy's Law`, `Zawinski's Law`, the `Böckenförde dilemma`, and *Socratic statements*, mistakenly inferring a domain-specific rule instead of recognizing the underlying function. Consequently, the scorer followed this flawed constraint, correctly identifying only explicitly philosophical or legal cases, but rejecting the majority of valid examples as false negatives simply because they did not match the imposed domain restriction.

E.5. ERNIE-L15-E54

Text Examples

this important? Bitso buying Unisend is an effort to achieve scale in the burgeoning bitcoin market in Mexico. It is also ==a sign== of ==further==

fewer components than the pitch-circle-disc type of planetary gear assembly. This ==aspect== ==is== ==very== ==important== ==because== an assembly having fewer parts to assemble is easier to mass

multiple places you mitigate your risk if one or two of your holdings crash. This ==is== ==also== ==the== ==case== with an economy; if a state has a diversified

---

Figure 14. Text examples for `ERNIE-L15-E54`. Examples are taken from the data the explainer model saw. Highlighted words are tokens routed to this expert which also received a high score.

For `ERNIE-L15-E54` the generated label was *"Syntactic structures expressing logical explanation, definition, or significance after a demonstrative pronoun."* (F1 score: 0.18). See Figure 14 for text examples for this expert.

For this expert the pipeline failed because the explainer model constructed a strict syntactic prerequisite. In 12 of 20 examples, the subject was a demonstrative pronoun (`This`/`That`), e.g., `This is also the case`. The explainer hypothesized that a demonstrative pronoun was required, correctly identifying the semantic function but falsely restricting the trigger. Therefore, the scorer model rejected nearly all valid examples, resulting in perfect Precision (1.0) but very low Recall (0.1).

---

[4]Qwen3-30B-A3B is a Chinese model and likely trained on huge amounts of Chinese text.

F. Additional Test Case Examples for Causal Attribution

We provide more examples for test cases used in Section 5.3. Note that the target word is not necessarily included in the text itself, we denote the target word in brackets after the actual text if that is the case. For a complete list take a look at the published codebase.

Test Case Examples
`OLMoE-L4-E46`: The study found a statistically significant correlation between the variables.
`OLMoE-L4-E46`: The researchers reported a p-value of less than 0.05 for the primary endpoint.
`OLMoE-L4-E46`: The researchers investigated the causal relationship between the two phenomena.
`OLMoE-L9-E60`: The bustling streets of Tokyo, Japan.
`OLMoE-L9-E60`: Prime Minister Narendra Modi visited the site.
`OLMoE-L9-E60`: The heavy traffic in Dhaka, Bangladesh.
`OLMoE-L14-E0`: After being treated unfairly, he decided to (retaliate)
`OLMoE-L14-E0`: Facing constant setbacks, the entrepreneur still (persisted)
`OLMoE-L14-E0`: Enraged by the unexpected betrayal, the king (executed)
`OLMoE-L14-E59`: To calculate the melee damage, add your Strength (modifier)
`OLMoE-L14-E59`: The boss has a high resistance to physical (damage)
`OLMoE-L14-E59`: Drinking the blue elixir will restore 50 (mana)

Figure 15. Test case examples from the DLA trigger-target experiment. Trigger words are highlighted in red, while target words are highlighted in blue.

G. Cluster Examples

We present some example clusters from the k-means clustering in Section 6.2.

Table 5. Example clusters from the output embedding matrix of `OLMoE-1B-7B`. Most clusters form either a syntactic or semantic group of related tokens.

k	Cluster ID	Cluster Name	Token Examples
10	0	Subword stems	analys, synth, correl, estim, walked, argued, incre, determ
50	10	3-digit numbers	199, 128, 125, 255, 999, 509
100	65	All-caps subword n-grams	ER, IN, AT, ST, CON, AND, AAAA
1000	475	Economic terminology	econom, economic, capitalism, shortages, capital, recession
1000	108	Computers, software, and digital technology	software, simulation, programming, desktop, online, laptop
5000	570	GPU, shaders and textures	texture, GPU, gpu, Shader, TEXTURE, textures
5000	3694	Spatial + abstract intersection	overlap, intersection, confluence, interplay, junctions
5000	1952	Bees	bee, bees, Honey, hone, Bee
5000	4459	Supernatural entities	ghost, devil, wizard, vampire, witch

H. Expert Case Studies

We extend Section 6.1 with 3 case studies of specific experts that illustrate notable specialization patterns.

H.1. LaTeX Bracket Closer

This expert is `OLMoE-L15-E17`. The label generated by the explainer model is: *"Closes LaTeX mathematical environments by predicting closing braces and formatting markers."*. The scorer model achieved a perfect F1 score of 1.0 on this hypothesis. See Figure 16 for text examples.

Text Examples

```
\prod_{\tau \in {\mathcal{T}}}{\mathrm{GL}}_{a_\tau^+}$. We define $ {{\tilde{\ell}_{{\
    mathrm{can}}}}}^

_{{\mathbf{k}} \alpha} {\mathbf{I}},$ where ${\mathbf{H}}_\alpha$ is independent of ${\
    mathbf{k}} and ${\mathbf

{\bf k}}^{2}}$ and $\xi_{n {\bf k}}=\epsilon_{n {\bf k}}-\mu$ is the one-electron energy
    measured from
```

Figure 16. Text examples for `OLMoE-L15-E17`. Highlighted words are tokens routed to this expert which also received a high score.

Expert 17 activates broadly in contexts containing dense LaTeX mathematical notation, especially expressions with nested subscripts and superscripts, matrix/vector symbols (e.g., $\mathbf{C}, \mathbf{k}, \mathbf{H}$), and operators such as $\mathcal{O}, \partial$, or Γ. While many tokens in these regions are routed to the expert (including variables, formatting commands, and surrounding punctuation), the highest activations are concentrated on symbolic tokens, particularly indexed variables and single-letter identifiers like C, k, H, R. The promoted tokens are dominated by structural continuations such as `}}`, `}}^`, `}}_`, as well as `{}{`, `_{}{}`, indicating a strong bias toward extending and properly closing hierarchical LaTeX constructs.

Taken together, this suggests that the expert plays a primarily syntactic role, tracking the structure of mathematical expressions and promoting well-formed continuation and termination of nested symbolic notation rather than encoding domain-specific semantic content.

Table 6. Specialization scores for `OLMoE-L15-E17` across different granularities (k).

k	Routing Specialization (input)	Functional Specialization (output)
10	0.012	0.049
50	0.026	0.111
100	0.031	0.136
1000	0.051	0.294
5000	0.065	0.349

Our specialization scores are consistent with this analysis in Table 6. The scores are extremely low for routed tokens since the expert receives all kinds of tokens, even at the highest k the score remains near 0. For functional specialization the scores tell a different story, at low k the score is low, but at high k the score increases drastically. This is likely because the expert predicts only a very small number of different tokens that are all very similar. The brackets the expert predicts do not belong to a single domain, instead they form a loose group which is syntactically similar. The Functional Specialization score can therefore only capture the expert's behavior at very high k.

H.2. RPG Game Mechanics

This expert is `OLMoE-L14-E59`. The label generated by the explainer model is: *"predicting mechanics, stats, and character classes in tabletop and video game RPGs"*. The scorer achieved a F1 score of 0.82 on this hypothesis.

Text Examples

single target fights and On fights where there is a lot `of` area damage, Demon`ology` warlocks, Frost DKs `and possibly` Survival hunters

world... I miss not being part of a guild at the moment. I notice this especially `when` we `go into` one of the cities `and` the trade channel sudd

Barbarian At 20th level, you embody the power of the wilds. `Your` Strength `and` Constitution scores increase by 4. `Your maximum`

Figure 17. Text examples for `OLMoE-L14-E59`. Highlighted words are tokens routed to this expert which also received a high score.

Expert 59 is routed primarily on structurally common tokens such as conjunctions (e.g., and), prepositions (e.g., `of`, `into`), and other high-frequency connective words that occur in descriptive or explanatory passages. See Figure 17 for examples of this. Among these, the tokens receiving the highest activation scores are typically those that precede or connect segments rich in domain-specific content, indicating that the routing is sensitive to positions where specialized terminology is likely to follow. The tokens promoted by the expert are consistently highly specific and domain-bound, including abbreviations and jargon such as `instance`, `raid`, `CR`, `DR`, `spell`, `class` and `experience`, which are characteristic of role-playing game (RPG) mechanics and systems. The context in which this expert operates is therefore not general narrative text, but rather discussions involving structured gameplay, including combat mechanics, character progression, encounters, and system rules across both video games and tabletop RPGs.

The expert's role is to complete domain-specific RPG terminology by promoting related tokens. For example, in a list like `Demonology warlocks, Frost DKs and possibly Survival hunters` it suggests other class/spec terms such as `Ret` or `monks`. In rules-heavy contexts like `calculating CMB/CMD`, it promotes related system terms like `CR` or `Challenge`. When combat mechanics are mentioned (e.g., `bypass any DR`), it reinforces associated stats such as `AC` and `Damage`. It also links attributes to outcomes, promoting `hit` after `Strength and Constitution... maximum` and predicts terms like `instance` or `dungeon` from generic phrasing like `go into`. Overall, it acts as a domain-aware autocomplete for RPG mechanics and terminology.

Table 7. Specialization scores for `OLMoE-L14-E59` across different granularities (k).

k	Routing Specialization (input)	Functional Specialization (output)
10	0.028	0.106
50	0.054	0.146
100	0.060	0.156
1000	0.097	0.332
5000	0.102	0.417

Our specialization scores are consistent with this analysis in Table 7. The Routing specialization is very low since the routed tokens are mostly high-frequency connective words. The Functional specialization becomes only visible at high k since RPG mechanics are a very niche topic. Overall, it is remarkable to find an entire expert being dedicated to RPG content, as the expert has to be hyper-specialized and concentrated on only a single topic.

H.3. Asian and African Subword Detector

This expert is `OLMoE-L9-E60`. The label generated by the explainer model is: *"Proper names and locations from non-Western cultures, especially Asian and African."*. The scorer model achieved a F1 score of 0.88 on this hypothesis. See Figure 18 for text examples.

Text Examples

Minister Umar Naseer and current Police Commissioner Hussain Waheed commended Riyaz for his work. Home Minister Umar described Riy

---

on a tour of three African countries in 1997. Malawian governmental delegations led by Justin Malewezi to Malaysia in 2003 marvelled at the industrial

---

material published or available on GuruFocus.com, or relating to the use of, or inability to use, GuruFocus.com or any content,

---

Figure 18. Text examples for `OLMoE-L9-E60`. Highlighted words are tokens routed to this expert which also received a high score.

Expert 60 operates primarily in contexts containing proper nouns and transliterated foreign words, including personal names, place names, and organizational names from diverse linguistic regions (e.g., South Asian, African, Middle Eastern, and East Asian contexts). Tokens that are routed to this expert are typically subword fragments within these names, such as vowel-consonant clusters or recurring character sequences. The expert shows high activation scores on fragments like `iy`, `az`, `aw`, `kin`, and `awa`, which often appear inside distinctive orthographic patterns. The expert tends to promote other visually or structurally similar subword fragments, for instance, `iy` promoting `ahi` or `uru` promoting `ahan`, indicating a sensitivity to character-level similarity rather than semantic content.

Taken together, these patterns suggest that Expert 60 functions as a subword pattern detector, specializing in recognizing and generalizing recurring orthographic motifs within named entities and transliterated text.

Table 8. Specialization scores for `OLMoE-L9-E60` across different granularities (k).

k	Routing Specialization (input)	Functional Specialization (output)
10	0.112	0.033
50	0.122	0.049
100	0.165	0.056
1000	0.186	0.091
5000	0.176	0.130

Our specialization scores support this analysis in Table 8. The Routing specialization scores are among the highest in the entire model, indicating the selectivity of the router for this expert. The Functional Specialization stays relatively low as the predicted tokens are often diverse subwords.

I. Mathematical Definition of Specialization Scores

We formalize the specialization scores used in Section 6.2. To quantify the degree of specialization for an expert E_i in layer L, we measure the divergence between the expert's empirical distribution over vocabulary clusters and the aggregate distribution of the entire layer.

I.1. Probability Distributions

Let $\mathcal{V}$ be the model's vocabulary and $C : \mathcal{V} \to \{1, \ldots, k\}$ be a mapping that assigns each token to one of k clusters. For a given expert E_i, we define its cluster distribution P_i as a probability mass function over the k clusters:

$$P_i(c) = \sum_{v \in \mathcal{V}:C(v)=c} f_i(v)$$

where $f_i(v)$ represents the relative frequency of token v appearing in the context of expert E_i. In the case of **Routing Specialization**, $f_i(v)$ is derived from the tokens $x \in \mathcal{V}$ routed to E_i. In the case of **Functional Specialization**, $f_i(v)$ is derived from the top-n tokens promoted by the expert's output vector $E_i(x)$ via Logit Lens projection.

We define the layer-wide **base rate** Q_L as the expected distribution for any component within layer L. This is computed as the aggregate distribution of all experts in that layer:

$$Q_L(c) = \frac{1}{|\mathcal{E}_L|} \sum_{E_j \in \mathcal{E}_L} P_j(c)$$

where $\mathcal{E}_L$ is the set of all experts in layer L.

I.2. Specialization Score

To measure the deviation of an expert from the layer's base rate, we use Jensen-Shannon Divergence (JSD). We compute the score $S_i \in [0, 1]$:

$$S_i = \text{JSD}(P_i \| Q_L) = \frac{1}{2}D_{KL}(P_i \| M) + \frac{1}{2}D_{KL}(Q_L \| M)$$

where M is the midpoint distribution:

$$M = \frac{1}{2}(P_i + Q_L)$$

and $D_{KL}(P \| Q) = \sum_c P(c) \log_2 \frac{P(c)}{Q(c)}$ is the Kullback-Leibler divergence. A score of 0 indicates that the expert is indistinguishable from the layer average, while a score of 1 indicates a distribution that is entirely disjoint from the base rate.

I.3. Random Expert Baseline

Because an expert's empirical distribution P_i is estimated from a finite sample of n_i tokens, a low sample count may cause a non-zero JSD even for a non-specialized expert. To isolate specialization from sampling variance, we calculate a **Random Expert Baseline** $\hat{S}_i$.

For an expert that has processed n_i tokens, we define a random baseline expert B_i whose cluster counts are drawn from a multinomial distribution parameterized by the layer-wide base rate Q_L:

$$\mathbf{X}_{B_i} \sim \text{Multinomial}(n_i, Q_L)$$

The baseline specialization score is then defined as the expected divergence of this random process:

$$\hat{S}_i = \mathbb{E}\left[\text{JSD}(\hat{P}_{B_i} \| Q_L)\right]$$

where $\hat{P}_{B_i}$ is the empirical distribution of the sampled counts $\mathbf{X}_{B_i}$. In our analysis and for our plots, we subtract this baseline from the raw score S_i to ensure that our metrics reflect true specialization.

J. Prompts

We present the prompt templates used for the explainer and scorer models in Section 5. It also includes the prompt we used to generate test cases for Section 5.3. We include them verbatim because small wording changes can affect label quality and evaluation behavior.

```
EXPLAINER SYSTEM PROMPT
<role>
You are an expert interpretability researcher analyzing a specific 'Expert' within a Mixture-of-Experts
(MoE) Transformer.
</role>

<task>
You will be provided with several text snippets (32 tokens long).
In each snippet, the specific Expert being analyzed was active for one or more tokens.
Your goal is to formulate a single, precise hypothesis explaining the computational role of this Expert.
The hypothesis should be a concise, one-sentence functional description of the expert's role (3-12 words).
</task>

<data_structure>
Each example consists of:
1. <snippet>: The raw text. Tokens routed to this expert are wrapped in double asterisks (e.g., **token**).
2. <top_activations>: A list of the top active tokens in that snippet (up to 5),
sorted by an importance score (Router Weight * Output L2 Norm).
- 'score': The obtained score for that token.
- 'token_str': The string representation.
- 'promoted_tokens': The top 3 tokens the expert predicted next (Logit Lens).
</data_structure>

<guidelines>
1. **Analyze Density:** Does the expert activate sporadically (specific entities) or
continuously (syntactic blocks)?
2. **Consult Logit Lens:** Use the 'promoted_tokens' to understand the *effect* of the expert.
If an expert activates on 'New', and promotes 'York', 'Zealand', 'Jersey', it is a named-entity completer.
3. **Generalize:** Do not overfit to a single example.
Find the common thread across all examples.
4. **Formatting:** Ignore the `**` markers when analyzing the natural flow of text;
they are only for highlighting.
</guidelines>
```

```
EXPLAINER USER PROMPT
<context>
Here are the maximal activating examples for Expert 17.
</context>

<data>
<example id="1">
<snippet>
and whistles" you need to create more complex** quizzes** and** surveys**.
These** are** the** features** used by some of** the** world's most popular** quizzes****,
**** diagnostics****,**** and**
</snippet>
<top_activations>
<item token_str="diagnostics" score="4.30" promoted_tokens="Repeat, ozo, repeat"/>
<item token_str="quizzes" score="2.39" promoted_tokens="Published, qb, visitor"/>
<item token_str="surveys" score="2.01" promoted_tokens="ritt, æīĵ, anging"/>
<item token_str="quizzes" score="1.93" promoted_tokens="markup, è®°å½·, quiz"/>
<item token_str="," score="1.41" promoted_tokens="éĶĻ, corner, ol"/>
</top_activations>
</example>

<example id="2">
<snippet>
```

```
, Mahndra New** Cars**, Tata** New**** Cars**...

My**Car****D****ek****ho** is India's most popular** website** for** new**** car**** pricing**.
** New**** Cars**** details****,****New**
</snippet>
<top_activations>
<item token_str="pricing" score="4.29" promoted_tokens="ä¸Gèµ·, ourselves, èķĹ"/>
<item token_str="Cars" score="1.68" promoted_tokens="airs, æ´¢, nak"/>
<item token_str="details" score="1.59" promoted_tokens="iron, Brom, experimenting"/>
<item token_str="car" score="1.55" promoted_tokens="bl, è¶h, draft"/>
<item token_str="new" score="1.21" promoted_tokens="åį¤, è·Lç¦», èĥ½èåĪ°"/>
</top_activations>
</example>
...
</data>

<instruction>
Based strictly on the data above, analyze the <top_activations> and their context in the <snippet>.
Generate your <hypothesis> now.
</instruction>
```

```
SCORER SYSTEM PROMPT
<role>
You are an automated evaluator for interpretability hypotheses.
</role>

<task>
You will be given:
1. A **Hypothesis** describing the function of a specific MoE Expert.
2. A list of **Test Examples**. Each example contains a text snippet,
where active tokens are highlighted with double asterisks (e.g., **token**).

Your job is to determine: **Does the highlighted token pattern in the example match the Hypothesis?**
- If the highlighted tokens fit the hypothesis description: Output 1.
- If the highlighted tokens clearly violate the hypothesis or are unrelated: Output 0.
</task>

<constraints>
- You must evaluate strictly based on the provided Hypothesis.
- You must verify that the **Hypothesis specifically describes the **BOLDED tokens**,
not just the general topic of the sentence.
</constraints>
```

```
SCORER USER PROMPT
<hypothesis>
Nouns and technical terms within descriptive product, tool, or software metadata.
</hypothesis>

<examples>

<example id="1">
<snippet>
hmottestad
Ruter**

**It's the** app** for** checking**** bus****/****boat****/sub****way**/tr**am****
tim****et****ables**** for**** Oslo** (where I
live in
</snippet>
</example>

<example id="2">
<snippet>
```

```
avis Poker** Timer**** is**** a** great** looking**** tournament**** poker**** timer**** for****
Windows** and** Mac**** OS**** X**** with**** the** emphasis on** ease**** of**** use**.
*** Setup** and** manage**** your**** game**** in** a
</snippet>
</example>

<example id="3">
<snippet>
website** design****.

**A** logo**** and**** favicon** can** be**** uploaded** in the second tab.** A**** text****
logo**** can** also** be**** chosen** if** you**** do** not want to use** an**** image**.
</snippet>
</example>
...
<instruction>
Evaluate the 20 examples above against the hypothesis.
First, perform your analysis.
Then, output the final list. Ensure it contains exactly 20 integers.
</instruction>
```

```
Prompt used to generate examples for causal attribution experiment in Section 5.3

Your task is to generate JSON examples for a specific label.
The label is the result of interpreting a Mixture-of-Experts (MoE) expert in an LLM,
it describes what the expert's computational role is in the model.

The JSON file should contain exactly 20 examples with the following structure:
{
"text": "A short text snippet where you would expect the MoE expert to be active.",
"trigger": "A single word, subword or a combination of adjacent words, where the expert is likely routed to.",
"target": "A target word that based on the label is likely being predicted or promoted by the expert"
}

The "trigger" needs to be a word that has a high probability of being routed to the expert and the "target"
needs to be a word for which the expert must be highly responsible, either by directly predicting it
or by promoting it implicitly.

Here is the label for the MoE expert:
"Proper names and locations from non-Western cultures, especially Asian and African."

Please generate the JSON file now.
```

K. Automatic Interpretability Labels

We list all automatically generated expert labels for the three models we analyzed: ERNIE-4.5-21B-A3B (Table 9), OLMoE-1B-7B (Table 10), and Qwen3-30B-A3B (Table 11).

Table 9. ERNIE-4.5-21B-A3B Expert labels.

	ERNIE-4.5-21B-A3B		
L-E	**Label**	**L-E**	**Label**
L4-E0	Activates on specific keywords used in configuration, header files, and build constraints.	L4-E1	Sub-word segments within technical, medical, and programming-related multi-token terms.
L4-E2	Syntactic delimiters and numerical separators in code, math, and metadata formats.	L4-E3	Scientific suffixes and technical word fragments in biology, coding, and linguistics.
L4-E4	Sub-word segments within chemical, geological, and alphanumeric identifiers.	L4-E5	Mid-word tokens within multisyllabic proper nouns and specialized technical terms.
L4-E6	Software components, methods, and types containing common suffixes like View, Table, or Tag.	L4-E7	Syntactic punctuation and internal word segments in structured data and categories.
L4-E8	Activates on initial nouns and punctuation in structured text or lists.	L4-E9	Mid-word sub-tokens in multisyllabic scientific, geographical, and proper nouns.
L4-E10	Software keywords and internal word fragments in programming and technical terms.	L4-E11	Sub-word segments within technical identifiers and programming library names.
L4-E12	Technical punctuation and alphanumeric suffixes in code, math, and acronyms.	L4-E13	Mid-to-end word fragments of proper nouns, especially in international names and locations.
L4-E14	Subword segments within chemical names, technical acronyms, and command-line keywords.	L4-E15	Metadata and configuration tags in markup, code, and file system paths.
L4-E16	Syntactic symbols and formatting markers in code, formulas, and technical equations.	L4-E17	Tokens within technical strings like file paths, URLs, and mathematical expressions.
L4-E18	Activates on specific suffixes within medical, scientific, technical, and proper nouns.	L4-E19	Completes specific multi-token proper nouns, technical identifiers, and biological terms.
L4-E20	Syntactic delimiters and keywords in programming and mathematical markup languages.	L4-E21	Sub-word segments within proper nouns, specialized terminology, and legal symbols.
L4-E22	Mathematical instruction keywords like Rearrange, Collect, and Express in algebra problems.	L4-E23	Syntactic assignment and definition operators in various programming and configuration languages.
L4-E24	Sub-word segments within taxonomic names and the Wikipedia metadata term 'created'.	L4-E25	Capitalized technical keywords, identifiers, and protocols in source code and structured data.
L4-E26	Newlines and indentations at the start of structured text blocks.	L4-E27	Scientific suffixes, Latin technical terms, and Wikipedia disambiguation links.
L4-E28	Mid-word subunits in specialized proper nouns, technical terms, and programming keywords.	L4-E29	Activates on assignment operators and specific technical name suffixes in configuration strings.
L4-E30	Mid-word tokens following 'S' in proper nouns and scientific terms.	L4-E31	Morphemes within scientific, technical, or complex multi-token names and identifiers.
L4-E32	Mid-word tokens within technical terms, URLs, and proper nouns.	L4-E33	Sub-word segments within proper names, technical terms, and rare multi-syllabic words.
L4-E34	Activates on specific sub-word units within scientific names, brands, and technical terms.	L4-E35	Coding syntax markers including comment delimiters, build tags, and test keywords.
L4-E36	Technical or formal descriptive identifiers and their subsequent definitional continuations.	L4-E37	Syntactic punctuation and operators in programming, configuration, and markup languages.
L4-E38	Mid-word syllables in proper nouns and technical terms.	L4-E39	Mid-word tokens in scientific, technical, or proper names beginning with 'M'.
L4-E40	Mid-to-end word segments in multi-token technical terms and compound words.	L4-E41	Acronyms, technical identifiers, and proper nouns' internal or final sub-tokens.
L4-E42	Suffixes and character sequences in code, scientific names, and legal citations.	L4-E43	Periods in abbreviations, legal citations, decimals, and URLs.
L4-E44	Mid-word syllables and suffixes in technical, biological, and specialized proper names.	L4-E45	Structural markers signaling the start of metadata or reference categories.
L4-E46	Legal case citation separators, especially the adversarial indicator 'v' or 'vs'.	L4-E47	Plural nouns and naming conventions in software development and technical configurations.
L4-E48	Numerical components of version numbers, dates, and identifiers, particularly trailing digits.	L4-E49	Activates at the start of new lines in lists and biographies.
L4-E50	Mid-word fragments and technical symbols in code, markup, and identifiers.	L4-E51	Uppercase acronym suffixes, technical abbreviations, and specific numeric sequence components.
L4-E52	Mid-word morphemes within complex proper nouns, scientific terms, and specialized brands.	L4-E53	Syntactic keywords and structural components in programming code and technical identifiers.
L4-E54	Hyphens and punctuation within structured citation keys and code configuration strings.	L4-E55	Newlines and structural markers separating translated text, math, or code blocks.
L4-E56	Sub-word segments within scientific names, technical terminology, and complex proper nouns.	L4-E57	Mid-word tokens in multi-syllabic biological, technical, or programming identifiers.
L4-E58	Common word segments and sub-tokens in specialized names, lists, or identifiers.	L4-E59	Software code attributes, property names, and method identifiers in structured text.
L4-E60	Mid-word tokens within proper nouns, scientific terms, and specialized identifiers.	L4-E61	Tokens within structured alphanumeric strings, technical identifiers, and punctuation-heavy text segments.
L4-E62	Mathematical and scientific terminology components, including factors, digits, and biological sub-words.	L4-E63	Technical terms and identifiers in code, configuration files, and metadata.
L15-E0	Syntactic coordination and logical continuation sequences using conjunctions like 'and' or 'or'.	L15-E1	Syntactic transition points in mathematical notation, code, and narrative descriptions.
L15-E2	Punctuation and conjunctions that introduce subordinate or coordinate clauses.	L15-E3	Nouns and phrases specifying physical, geographic, or system-internal locations.
L15-E4	Adjectives and nouns describing scale, quantity, intensity, or magnitude.	L15-E5	Adverbs and auxiliary verbs expressing probability, frequency, and typicality in general statements.

ERNIE-4.5-21B-A3B

L-E	Label	L-E	Label
L15-E6	Activates primarily on the preposition 'for' and digits in mathematical expressions.	L15-E7	Nouns and concepts related to human biology, health, and social structures.
L15-E8	Tokens indicating digital presence or spatial positioning within specific contexts.	L15-E9	Verbs and processes related to data processing, administrative management, and technical workflows.
L15-E10	Configuration keys and named parameters in code and formal descriptions.	L15-E11	Adjectives and modifiers describing specific characteristics, rankings, or physical properties.
L15-E12	Tokens expressing capability, intention, or requirement within infinitive and modal structures.	L15-E13	Function words and prepositions in formal, academic, or mathematical contexts.
L15-E14	Identifies proper nouns and specific surnames in attribution lines or legal documents.	L15-E15	Numerical values and logical operators in programming code and mathematical equations.
L15-E16	Numerical digits and individual characters within mathematical expressions and structured identifiers.	L15-E17	Unique identifiers, hex strings, and possessive suffixes in structured data.
L15-E18	Newlines and delimiters separating menu items, headers, and metadata in web layouts.	L15-E19	Tokens within phrases expressing restrictive, cautionary, or definitive conditions and prohibitions.
L15-E20	Tokens involving attendance, participation, or travel to specific events and locations.	L15-E21	Proper nouns including geographical locations, technical systems, and political entities.
L15-E22	Mathematical and structural symbols used as delimiters, operators, or naming prefixes.	L15-E23	Activates on prepositions and pronouns, especially the word 'at' in prepositional phrases.
L15-E24	Activates on punctuation and whitespace terminating logical segments across code and prose.	L15-E25	Sequences involving structured data, mathematical expressions, and passive auxiliary verb constructions.
L15-E26	Subword segments and formatting characters in academic titles, medical terms, and identifiers.	L15-E27	Proper nouns and terminology within administrative, geographical, chemical, and legal lists.
L15-E28	Conditional clauses and scenarios introduced by if, when, such as, or provided that.	L15-E29	Attributing information to sources such as articles, forum posts, or comments.
L15-E30	Identifies and processes algebraic and programming variable names in equations and code.	L15-E31	Adverbs and phrases emphasizing simplicity or exclusivity in instructions and technical definitions.
L15-E32	Nouns and suffixes identifying professional roles, occupations, or organizational groups.	L15-E33	Mandatory directives, instructions, and conditional advice in technical or formal contexts.
L15-E34	Syntactic delimiters and separators in URLs, mathematical expressions, and citations.	L15-E35	Completing comparative phrases and logical analogies using 'as' or 'like'.
L15-E36	Nouns denoting abstract resources, data, or collective entities.	L15-E37	Informational or commercial call-to-action phrases and service-related descriptive text.
L15-E38	Nouns and structural keywords in formal business, technical, and biological descriptions.	L15-E39	Punctuation, mathematical symbols, and delimiters within technical or formal contexts.
L15-E40	Technical terms and components in programming code, stack traces, and chemical nomenclature.	L15-E41	Syntactic structures that introduce clarifications, explanations, lists, or specific details.
L15-E42	Proper nouns of commercial organizations, publishers, and sponsored sporting venues.	L15-E44	Connective prepositions and verbs introducing detailed descriptions, relationships, or mathematical contexts.
L15-E45	Syntactic phrases introducing specific roles, groups of people, or interrogative subjects.	L15-E46	Tokens that express comparative, relational, or contrastive states between different entities.
L15-E47	Nouns and suffixes in plural or technical contexts.	L15-E48	Metadata field labels and navigation headers in structured or web-based text.
L15-E49	Function words like 'of', 'without', 'if', and 'any' in formal or mathematical contexts.	L15-E50	Adverbs and verbs ending in common suffixes like -ly, -ed, or -ing.
L15-E51	Tokens following commas in lists of nouns, verbs, or numbers.	L15-E52	Common adverbial and conjunctional transitions at the start of response sentences.
L15-E53	Syntactic functional elements within legal disclaimers, technical reports, and boilerplate website information.	L15-E54	Syntactic structures expressing logical explanation, definition, or significance after a demonstrative pronoun.
L15-E55	Activates on logical conjunctions, disjunctions, and punctuation separating alternative or descriptive terms.	L15-E56	Processes descriptive parenthetical metadata and standardized legal or technical citations.
L15-E57	Niche compound nouns and technical terminology across diverse specialized domains.	L15-E58	Mid-word letter combinations in proper nouns, scientific terms, and specialized names.
L15-E59	Technical, statistical, and categorical nouns in formal data reporting contexts.	L15-E60	Activates on definite/indefinite articles and descriptive adjectives within noun phrases.
L15-E61	Activates on logical connectives and verbs within error messages and formal reports.	L15-E62	Verbs and particles describing redirection, cessation, or dynamic changes in states.
L15-E63	Structural breaks in documents, including section headers, separator lines, and metadata fields.	L25-E0	Activates on numbers and quantifiers to predict subsequent units like letters or touchdowns.
L25-E1	Syntactic delimiters and structural markers in code, math, and academic documents.	L25-E2	Predicts specialized measurement and property terminology in scientific or technical contexts.
L25-E3	Activates on 'j' or 'J' to predict subsequent word-forming letters.	L25-E4	Completes specific prefixes and entity fragments in multilingual and encoded strings.
L25-E5	Predicts specialized nouns in formal, legal, and technical transactional contexts.	L25-E6	Predicts regional location and entity specific suffixes in structured geographical and organizational data.
L25-E7	Prepositions and conjunctions preceding specific locations, temporal states, or fixed idioms.	L25-E8	Transitive verbs and auxiliary verbs predicting their direct objects or complements.
L25-E9	Tokens that form the first part of common compound nouns or hyphenated phrases.	L25-E10	Syntactic completion of technical dependencies, software environments, and scientific database references.
L25-E11	Scientific and technical multi-word terms, predicting subsequent components or methodological suffixes.	L25-E12	Variables in algebraic expressions and Japanese honorific or quantifier prefix segments.
L25-E13	Predicts nouns completing common idiomatic phrases, collocations, or multi-word expressions.	L25-E14	Numerical digits in sequences, mathematical expressions, and specific naming/temporal identifiers.
L25-E15	Tokens that introduce an agreement, requirement, or intent for future action.	L25-E16	Predicts specialized technical or scientific suffix completions and compound word components.
L25-E17	Syntactic delimiters and numeric sequences in code, mathematical expressions, and citations.	L25-E18	Activates on major academic section titles and programming class or property identifiers.
L25-E19	Tokens starting with 'ag' or 'mag' across multiple languages and contexts.	L25-E20	Predicting specific continuation components of numeric citations, legal references, and mathematical equations.
L25-E21	Activates on interrogative and existential markers to predict following functional modifiers.	L25-E22	Predicts subsequent action verbs for subjects in biographical or narrative contexts.

ERNIE-4.5-21B-A3B

L-E	Label	L-E	Label
L25-E23	Proper nouns and taxonomic names, specifically focusing on first names and genus components.	L25-E24	Scientific and mathematical notation components that trigger taxonomic or symbolic continuations.
L25-E25	Tokens that introduce an infinitive phrase expressing purpose or intended action.	L25-E26	Tokens starting with 'ac' or 'K' and related phonetic sub-fragments.
L25-E27	Activates on transition points, often preceding proper nouns or function words.	L25-E28	Mathematical and code-based delimiters for dates, formulas, and string formatting parameters.
L25-E29	Syntactic delimiters and repeated punctuation used for structural formatting and item continuation.	L25-E30	Predicts subsequent components in complex noun phrases describing materials, weaponry, and specialized equipment.
L25-E31	Numerical sequences and school-related contextual phrases often involving student classification.	L25-E32	Activates on locations or organizational entities to predict their geographic state or province.
L25-E33	Completes words starting with 'al', 'sl', 'el', 'gl', or 'il' stems.	L25-E34	Predicts specialized anatomical, mathematical, or geographical terms following definitive descriptive tokens.
L25-E35	Activates on punctuation ending mathematical definitions to prompt procedural instructions.	L25-E36	Predicts specialized organizational bodies or professional roles within specific institutional contexts.
L25-E37	Activates on 'at', 'ot', or 'T' word-initial fragments and prefixes.	L25-E38	Predicts comparison or equality operators following variables and objects in code.
L25-E39	Predicts sensory or physical descriptive adjectives following linking verbs or prepositions.	L25-E40	Predicts subsequent procedural verbs in formal, technical, or legal process descriptions.
L25-E41	Technical measurements and specifications, particularly numbers followed by units of measure.	L25-E42	Mathematical operators and structural words followed by negative numbers or math-related terms.
L25-E43	Activates on plural nouns referring to groups of people or entities.	L25-E44	Mathematical operators and punctuation within complex numeric, algebraic, or URL-encoded sequences.
L25-E45	Activates on the uppercase letter 'G' when starting proper nouns and names.	L25-E46	Sub-word segments within technical, chemical, transliterated, or code-related nomenclature.
L25-E47	Linking verbs or modal phrases predicting evaluative adjectives like useful, impossible, or clear.	L25-E48	Numerical digits within structured contexts like times, dates, and mathematical expressions.
L25-E49	Activates on function words preceding entities in specific geographic or categorical contexts.	L25-E50	Predicts conditional or causal conjunctions following specific noun or verb completions.
L25-E51	Mathematical nouns and descriptors in word problems and technical legal notices.	L25-E52	Syntactic subjects or auxiliary verbs predicting the following main verb or effect.
L25-E53	Predicting specific technical terms within legal, medical, and categorical lists.	L25-E54	Tokens that precede descriptive adjectives or psychological state completions.
L25-E55	predicting structural components of legal disclaimers, licenses, and document descriptions	L25-E56	Processes spatial and positional relationships to predict directional or locational modifiers.
L25-E57	Completes specific multi-token stems like 'Qu-', 'Br-', and 'Sch-' into longer words.	L25-E58	Tokens starting with 'An' or 'an' across multiple languages and medical terms.
L25-E59	Technical identifiers, specific vehicle models, and scientific classification nomenclature.	L25-E60	Numerical values and delimiters in mathematical, statistical, and legal citations.
L25-E61	Predicts completion of stems into multi-syllabic words, often ending in suffixes.	L25-E62	Syntactic punctuation and prepositions that initiate attribution, structural metadata, or functional transitions.
L25-E63	Structural delimiters and line breaks following block closures in code and documentation.		

Table 10. `OLMoE-1B-7B` Expert labels.

OLMoE-1B-7B

L-E	Label	L-E	Label
L1-E0	Adjectival and adverbial suffixes in technical, medical, and scientific terminology.	L1-E1	Tokens forming the suffixes of identifiers, proper names, and code-based variables.
L1-E2	Mid-word and terminal suffixes within proper nouns, brands, and technical terms.	L1-E3	Common word endings and suffixes, particularly those in scientific and proper nouns.
L1-E4	Mid-word and terminal morphemes in technical, scientific, and multi-part proper nouns.	L1-E5	Mid-word tokens and proper noun components across various specialized domains.
L1-E6	Sub-word segments within proper nouns, surnames, and specialized terminology.	L1-E7	Mid-word tokens within proper nouns, specialized terminology, or technical abbreviations.
L1-E8	Mid-word tokens within proper nouns, technical terms, and complex identifiers.	L1-E9	Activates on articles 'a', 'an', and 'the' to predict list continuations.
L1-E10	Proper nouns, particularly surnames following common first names like Robert and David.	L1-E11	Activates on specific stems or fragments, predicting common suffixes like 'Byr', 'Bes', and 'Isa'.
L1-E12	Suffixes and morphemes within technical, medical, and formal organizational terms.	L1-E13	Activates on common multi-token word endings in names and technical terms.
L1-E14	Mid-word morphemes or syllables within proper nouns and specialized terminology.	L1-E15	Markup and code attributes within technical documentation, metadata, and web headers.
L1-E16	Mid-word fragments in scientific terms, medical conditions, and proper names.	L1-E18	Activates on initial sequence tokens like numbers, URLs, and code block starts.
L1-E19	Mid-word tokens and final components of proper nouns or technical terms.	L1-E20	Mid-word sub-tokens and morphemes containing 'ant', 'and', or 'ribution'.
L1-E21	Common words, names, and technical terms used in lists and biographies.	L1-E22	Sub-word suffixes including ist, or, ner, ism, and ky.
L1-E23	Scientific and technical suffixes, particularly biological and medical terminology word endings.	L1-E24	Mid-word and end-word fragments in proper nouns and technical terms.
L1-E25	Syntactic keywords and structural components in programming code and database queries.	L1-E26	Technical sub-word components within namespaces, file paths, URLs, and specialized terminology.
L1-E27	Mid-word tokens in proper nouns, particularly Dutch names and scientific terminology.	L1-E28	Mid-word tokens in proper nouns, technical terms, and non-English names.
L1-E29	Proper nouns and surnames, especially after first names or titles.	L1-E30	Completes mid-word or multi-part proper nouns and technical terms.
L1-E31	Proper nouns and technical terms split across multiple tokens.	L1-E32	Sub-word segments within technical, medical, and scientific terminology.
L1-E33	Mid-word letter clusters within medical terminology and non-English proper names.	L1-E34	Proper names, technical identifiers, and specialized morphological sub-tokens.
L1-E35	Sub-word segments within proper names, technical terms, and academic classifications.	L1-E36	Tokens representing specific suffixes or word fragments, particularly 'y' and 'le'.
L1-E37	Mid-word word fragments and suffixes in specialized terminology or proper names.	L1-E38	Activates on internal and final syllables of proper nouns and technical terms.
L1-E39	Tokens forming suffixes or components of proper nouns and technical terms.	L1-E40	Suffixes and particles ending in 'd', 'g', or 'p'.
L1-E41	Proper nouns, technical terms, and name segments in diverse contexts.	L1-E42	Tokens forming parts of common compound terms in programming and formal naming.
L1-E43	Mid-word sub-tokens in complex names, technical terms, and non-English words.	L1-E44	Sub-word segments and suffixes within technical, scientific, or proper names.
L1-E45	Tokens forming plural endings or common suffixes in academic and technical contexts.	L1-E46	Proper nouns and alphanumeric identifiers within scientific, biographical, and technical contexts.
L1-E47	Scientific and mathematical terms, symbols, and unit abbreviations within technical contexts.	L1-E48	Proper names and surnames, especially following first names like Richard, Andrew, or Alan.
L1-E49	Mid-word fragments and suffixes within polysyllabic nouns, verbs, and technical terms.	L1-E50	Tokens forming the common Latin-derived suffix 'us' in scientific, technical, or proper names.
L1-E51	Mid-word fragments and syllables within proper nouns, technical terms, and suffixes.	L1-E52	Sub-word suffixes like 'on', 'in', and 'ator' in technical and proper nouns.
L1-E53	Mid-word letter sequences in specific proper nouns, technical terms, and common determiners.	L1-E54	Common word endings and morphological suffixes like -ous, -bright, -ling, and -ged.
L1-E55	Mid-word morphemes and suffixes within technical, biological, and scientific terminology.	L1-E56	Mid-word letter combinations and abbreviations in technical, legal, or specialized identifiers.
L1-E57	Common chemical and biological word suffixes, especially -amine, -ine, and -ium.	L1-E58	Proper nouns and capitalized name components within lists or formal contexts.
L1-E59	Scientific and technical terminology within medical, biological, and software licensing contexts.	L1-E60	Tokens concluding polite phrases and metadata fields, often preceding technical answers.
L1-E61	Mid-word fragments in complex medical, scientific, and multilingual terminology.	L1-E62	Mid-word tokens in compound words, technical terms, and proper nouns.
L1-E63	Common word suffixes in proper nouns, particularly surnames and location names.	L4-E0	Abstract concepts and terminology related to psychology, religion, and philosophy.
L4-E1	Tokens relating to family members, domestic relationships, and personal life.	L4-E2	Newlines and line breaks within lists, menus, or structured records.
L4-E3	Activates on terms and identifiers within legal, patent, and formal citations.	L4-E4	Activates on internal syllables of specialized acronyms, technical terms, and code-related identifiers.
L4-E5	Syntactic function words and relative pronouns in English and German clauses.	L4-E6	Syntactic punctuation and symbols in code, scripts, diffs, and formatted timestamps.
L4-E7	Prepositions and parts of phrasal verbs within formulaic or idiomatic expressions.	L4-E8	Adjectives and quantifiers modifying noun phrases to describe attributes or scales.
L4-E9	Scientific suffixes and descriptive terminology in biological, chemical, and luxury contexts.	L4-E10	Proper nouns and entity titles, especially surnames, sports teams, and locations.
L4-E11	Tokens within the titles of video games, movies, and entertainment series.	L4-E12	Proper nouns and titled entities, specifically movie titles, locations, and names.
L4-E13	Abstract verbs and nouns describing processes, actions, or outcomes.	L4-E14	Activates on indefinite and definite articles, predicting a following noun or adjective.
L4-E15	Sub-word segments within proper nouns, especially in scientific citations and historical names.	L4-E16	Mid-word tokens in specialized scientific, historical, or academic proper nouns.
L4-E17	Technical terms in mathematics, computer science, and physics contexts.	L4-E18	Conversational filler and meta-commentary in forum posts, emails, and online discussions.

OLMoE-1B-7B

L-E	Label	L-E	Label
L4-E19	Technical terms and keywords in web development, programming, and configuration contexts.	L4-E20	Adjectives and descriptive terms relating to personal traits, identities, and physical properties.
L4-E21	Numerical values and variables within scientific formulas, equations, and technical identifiers.	L4-E22	Adverbs and adjectives describing temporal duration, state consistency, or relative comparison.
L4-E23	Syntactic connectors and punctuation that link descriptive clauses, entities, or parentheticals.	L4-E24	Recognizes transitional multi-word phrases and logical connectors across multiple languages.
L4-E25	Syntactic terminators and delimiters in code and structured data formats.	L4-E26	Identify descriptive prepositional phrases explaining spatial locations or technical objectives.
L4-E27	Auxiliary verbs in their contracted negative forms, typically before an apostrophe.	L4-E28	Proper nouns and specialized compound words across various niche domains.
L4-E29	Technical terms and jargon related to mechanical engineering and specialized equipment.	L4-E30	Tokens expressing negation, absence, or restriction across multiple languages.
L4-E31	Technical terminology in medical research papers and clinical study methodologies.	L4-E32	Proper nouns and technical terms in biochemistry, chemistry, and literature.
L4-E33	Taxonomic citations, specifically biological nomenclature including authors, years, and punctuation.	L4-E34	Specific model names and alphanumeric designations for vehicles and consumer electronics.
L4-E35	Nouns and suffixes defining physical, geographical, or structural locations and entities.	L4-E36	Verbs describing physical actions, movements, and dynamic transitions.
L4-E37	Proper nouns and entity names, particularly focusing on people, locations, and titles.	L4-E38	Predicative phrases describing the nature, necessity, or status of a subject.
L4-E39	Syntactic structures involving repeated phrases, lists, and metadata line breaks.	L4-E40	Tokens referring to people, including pronouns and collective nouns for human groups.
L4-E41	Colons and subsequent newlines in Wikipedia disambiguation pages and structured metadata.	L4-E42	Punctuation and conjunctions transitioning to the start of new independent clauses.
L4-E43	Syntactic categories and linguistic descriptors within dictionaries, grammatical analyses, or definitions.	L4-E44	Tokens involving legal evidence, factual claims, and logical justifications for conclusions.
L4-E45	Nouns and verbs related to media releases, entertainment performances, and events.	L4-E46	Scientific and statistical terminology within academic research abstracts and data reporting.
L4-E47	General functional and technical vocabulary across diverse semantic domains and contexts.	L4-E48	Imperative calls to action and direct instructions to the reader.
L4-E49	Technical and procedural multi-word terms in legal, financial, and sporting contexts.	L4-E50	Passive verb constructions followed by prepositions like by, under, or from.
L4-E51	Syntactic connectors and delimiters in set phrases, including parenthetical numbers and hyphenated compounds.	L4-E52	Tokens involving reciprocity or plurality, especially the word 'each' before 'other'.
L4-E53	Tokens describing intense emotional reactions, sensory experiences, or physical expressions of feeling.	L4-E54	Transitional segments including punctuation, speaker changes, and structural boundaries.
L4-E55	Tokens within system configuration paths, technical parameters, and computer science terminology.	L4-E56	Nouns denoting abstract concepts, processes, or entities within definite and possessive noun phrases.
L4-E57	Infinitive and gerund phrases following verbs or prepositions like 'to' or 'for'.	L4-E58	Adverbial and prepositional phrases describing time, location, or manner of action.
L4-E59	Activates on punctuation and conjunctions that introduce or separate logical clauses.	L4-E60	Auxiliary verbs and phrasal verbs within multi-word predicate structures.
L4-E61	Punctuation separating items in code, data structures, and parenthetical lists.	L4-E62	Nouns and terminology within specialized military, legal, governmental, or sports contexts.
L4-E63	Metadata and structural elements like line breaks, punctuation, and forum headers.	L7-E0	Technical metadata and structured parameters across code, scientific protocols, and legal headers.
L7-E1	Tokens within repetitive, SEO-heavy, or poorly translated promotional text and punctuation.	L7-E2	Syntactic structure delimiters and punctuation in programming and markup languages.
L7-E3	Identify family members and relationships to predict domestic or reproductive outcomes.	L7-E4	Numerical values and identifiers within code, mathematical notation, and data formats.
L7-E5	Compound nouns and technical terms related to institutions, science, or geography.	L7-E6	Tokens relating to persistence, redundancy, or suboptimal resource usage in task completion.
L7-E7	Religious and biblical terminology, especially within scriptural passages and theological discussions.	L7-E8	Phrases expressing potentiality, future likelihood, or conditional outcomes.
L7-E9	Physical sensations, bodily conditions, and descriptions of abstract experiential states.	L7-E10	Conditional and clarifying conjunctions or punctuation used to define exceptions or alternatives.
L7-E11	Legal and academic boilerplate phrases regarding judicial reviews, citations, and procedural findings.	L7-E12	Syntactic delimiters and sub-word units in URLs, file paths, and academic citations.
L7-E13	Newlines and metadata separators within structured lists, headers, and product descriptions.	L7-E14	Verbs in physical or metaphorical transitional states and their following prepositions.
L7-E15	Adverbs and verbs describing functional processes, modifications, or quantitative changes.	L7-E16	Plural nouns and tokens ending in 's' or pluralizing suffixes.
L7-E17	Syntactic elements and identifiers in structured code and database query declarations.	L7-E18	Tokens related to the availability, scheduling, and distribution of professional content.
L7-E19	Prepositions and conjunctions introducing phrases that qualify or transition context.	L7-E20	Tokens expressing purpose, intent, or consequence within infinitive and conditional clauses.
L7-E21	Metadata delimiters, scientific units, and structural separators in structured text formats.	L7-E22	Adjectives and descriptive phrases that precede specific nouns they characterize.
L7-E23	Punctuation marks and line breaks that transition between distinct questions and answers.	L7-E24	Syntactic function words, primarily 'of', in formal or descriptive phrases.
L7-E25	Physical consumer products and materials in descriptive or instructional contexts.	L7-E26	Nouns denoting organizational units, structural divisions, or formal categories.
L7-E27	Non-ASCII characters and punctuation in multi-lingual or technical contexts.	L7-E28	Informal conversational interjections and colloquial expressions in direct address.
L7-E29	Numerical lists and paired values frequently followed by the adverb 'respectively'.	L7-E30	Mid-sentence informational tokens following structural keywords or technical specifications.
L7-E31	Proper nouns and entity segments followed by their organizational or geographic categories.	L7-E32	Adjectives and adverbs describing scalar magnitude, intensity, or comparative measurements.
L7-E33	Punctuation marks and separators within URLs, file paths, and bibliographic citations.	L7-E34	Indefinite articles and quantifiers within common idiomatic or descriptive phrases.

OLMoE-1B-7B

L-E	Label	L-E	Label
L7-E35	Syntactic delimiters and structural whitespace within structured metadata, URLs, and code.	L7-E36	Tokens referring to previously mentioned or following figures, sections, and hypotheses.
L7-E37	Proper nouns and descriptive entities within sporting, temporal, and biographical contexts.	L7-E38	Relational and directional prepositions and verbs in descriptive or encyclopedic statements.
L7-E39	Colons and newline characters used as delimiters in structured list-based text.	L7-E40	Contextual indicators of historical significance, record-breaking, and superlative duration.
L7-E41	Punctuations and conjunctions signaling transitions in complex sentences or comparative structures.	L7-E42	Tokens within legal case citations and academic journal abbreviations.
L7-E43	Geopolitical entities and sociopolitical terms involving conflict, borders, or historical regions.	L7-E44	Tokens describing the duration, frequency, or temporal status of states and events.
L7-E45	Newlines and boilerplate punctuation in code comments and structured headers.	L7-E46	Complex biological and technical terminology, especially within medical and laboratory research contexts.
L7-E47	Proper nouns and navigational phrases related to media, politics, and news.	L7-E48	Syntactic boundaries and logical conjunctions including punctuation, 'and', 'but', and 'who'.
L7-E49	Mid-word tokens within proper names and rare surnames.	L7-E50	Adversarial or concessive transitions emphasizing contradictions, exceptions, or unexpected persistence.
L7-E51	Syntactic markers and function words connecting clauses or expressing causal relationships.	L7-E52	Function words within formal titles of organizations, courts, and academic institutions.
L7-E53	Tokens relating to professional career development, workplace skills, and organizational success.	L7-E54	Interrogative and relative clauses inquiring about identity, manner, reason, or location.
L7-E55	Physical actions involving movement, body positioning, or spatial displacement in narratives.	L7-E56	Punctuation marks and conjunctions that transition between or conclude independent clauses.
L7-E57	Anaphoric markers and adverbs that reference preceding concepts or actions.	L7-E58	Punctuation and alphanumeric characters within complex IUPAC chemical nomenclature and score brackets.
L7-E59	Technical, scientific, and medical terminology modifiers in complex noun phrases.	L7-E60	Cognitive processes related to observation, memory, research, and understanding.
L7-E61	Determiners, pronouns, and ordinal adjectives specifying objects in formal or technical descriptions.	L7-E62	Personal and possessive pronouns, and specific human subjects or agents.
L7-E63	Physical descriptive terms and anatomical features of biological species and structures.	L9-E0	Adjectives and nouns describing qualitative states, conditions, or properties.
L9-E1	Adjectives and adverbs that qualify technical, quantitative, or legal states.	L9-E2	Passive verbs and adjectives describing states or measurements followed by prepositions.
L9-E3	Negation and exclusionary terms like not, n't, never, and without.	L9-E4	Software development identifiers and keywords in logs, code, and system outputs.
L9-E5	LaTeX mathematical commands and syntax within technical and scientific notation.	L9-E6	Mid-word fragments in proper names, special characters, and regex syntax.
L9-E7	Tokens initiating parenthetical explanations or numerical values starting with leading zeros.	L9-E8	Activates on punctuation and symbols following abbreviations, technical identifiers, or URLs.
L9-E9	Sub-word segments within complex chemical nomenclature and biochemical terminology.	L9-E11	Completes multi-token words and idiomatic phrases by predicting suffixes and related terms.
L9-E12	Syntactic separators and structural markers like newlines, quotes, and URL delimiters.	L9-E13	Activates on punctuation and formatting characters that delimit clauses, sentences, or paragraphs.
L9-E14	Activates on 'the' and other determiners to predict upcoming idiomatic noun complements.	L9-E15	Narrative actions and character dialogue transitions in descriptive storytelling.
L9-E16	Punctuation marks and conjunctions at the end of clauses or sentences.	L9-E17	Identify suspicious characters or entities to predict associated criminal or supernatural descriptors.
L9-E18	Syntactic transitions and structural markers in encyclopedic, technical, and disambiguation entries.	L9-E19	Abstract concepts related to morality, ethics, religion, and subjective human consciousness.
L9-E20	Scientific and technical word fragments, particularly those involving biology, chemistry, and mathematics.	L9-E21	Punctuation marks and conjunctions transitioning to explanatory or affirmative follow-up statements.
L9-E22	Adverbs and auxiliary verbs that modify the degree or timing of a state.	L9-E23	Contrastive and concessive conjunctions or adverbs marking shifts in reasoning or sequence.
L9-E24	Proper nouns, titles, and names within specific named entities.	L9-E26	Tokens that form semantic units related to physical hobbies, crafts, or biological terms.
L9-E27	Nouns often found in metadata, website navigation, or technical documentation.	L9-E28	Scientific and technical terminology involving measurement, properties, and analytical methods.
L9-E29	Transitional verbs involving communication, cognitive actions, or completing common phrasal verbs.	L9-E30	Coordinating conjunctions and determiners in complex parallel structures or restrictive phrases.
L9-E31	Proper names and titles within formal institutional or legal designations.	L9-E32	Prepositions and verbs indicating spatial or physical movement and relative positioning.
L9-E33	Tokens that typically function as stems for common suffixes like -ive, -ion, or -ly.	L9-E34	Structural delimiters in metadata, diffs, and formatted tabular lists.
L9-E35	Proper nouns and repeated key terms in title-case or specialized terminology.	L9-E36	Adjectives and articles preceding descriptive nouns or figurative noun phrases.
L9-E37	Legal terminology related to bankruptcy, debt, and specialized regulatory procedures.	L9-E38	Adjectives and determiners identifying the specific current subject, time, or entity.
L9-E39	Syntactic punctuation and transition words in structured legal, technical, or formal text.	L9-E40	Proper names, specifically initials and surname prefixes within formal or bibliographic contexts.
L9-E41	Tokens related to leisure activities, recreational equipment, and organized social events.	L9-E42	Punctuation and auxiliary verbs identifying research objectives or legal procedural steps.
L9-E43	Prepositions and temporal markers used in complex adverbial and prepositional phrases.	L9-E44	Quantifiers and comparative phrases specifying amount, frequency, or selection from a set.
L9-E45	Logical connectives and punctuation marking comparative, conditional, or contrastive clausal transitions.	L9-E46	Asynchronous keywords and common programming data types in software development contexts.
L9-E47	Nouns and verbs related to formal processes, judgment, and institutional actions.	L9-E48	Proper nouns and domain-specific terminology across technical, geographic, and medical fields.
L9-E49	Subordinate conjunctions and relative pronouns introducing hypothetical, conditional, or explanatory clauses.	L9-E50	Numerical ranges and relational data markers, especially hyphens and parentheses.
L9-E51	Method chaining and property access via dots or closing parentheses in code.	L9-E52	Punctuation and conjunctions that coordinate items within lists or parentheticals.

OLMoE-1B-7B

L-E	Label	L-E	Label
L9-E53	Verbs and prepositions indicating optimization, improvement, or functional enhancement of a process.	L9-E54	Numerical separators and punctuation in statistics, phone numbers, and identifiers.
L9-E55	Nouns and pronouns that conclude a semantic unit or prepositional phrase.	L9-E56	Evaluative and epistemic phrases expressing current impressions, modality, or qualifying statements.
L9-E57	Mid-word tokens and delimiters within URLs, scientific citations, and surnames.	L9-E58	Common function words like prepositions and articles across various contexts.
L9-E59	Verbs involved in idiomatic phrasal constructions and their subsequent prepositional complements.	L9-E60	Proper names and locations from non-Western cultures, especially Asian and African.
L9-E61	Syntactic functional words within standard open-source software license boilerplates.	L9-E62	Personal pronouns and reflexive pronouns, often preceding slashes or coordinated self-references.
L9-E63	Identify and complete tokens within specific entities, franchises, or proper nouns.	L11-E0	Articles and possessives that precede nouns with specific qualifiers or attributes.
L11-E1	Descriptions of physical components, manufacturing materials, and technical specifications for products.	L11-E2	Proper nouns and capitalized first names, particularly multi-syllabic ones.
L11-E3	Adjectives and adverbs that require specific prepositional or adverbial complements.	L11-E4	Predicts continuation of references or navigational links after 'See' or 'unless'.
L11-E5	Activates on specific characters to predict the second half of common abbreviations.	L11-E6	Syntactic prepositions and verbs that predict religious, historical, or genealogical completions.
L11-E7	Processes Base64-encoded strings, structured data delimiters, and specific proper name components.	L11-E8	Completes common verb-preposition collocations and idiomatic phrasal verbs.
L11-E9	Morphemes and sub-tokens within complex biological, medical, and taxonomic terminology.	L11-E10	Activates on common function words and punctuation that initiate or link clauses.
L11-E11	Activates on 'other' in contrastive phrases to predict 'hand' or 'side'.	L11-E12	Completes specialized word stems into technical, academic, or categorical terms.
L11-E13	Activates on 'obj' and programming keywords in technical code and build configurations.	L11-E14	Metadata and categorisation tokens in Wikipedia articles and structured web URLs.
L11-E15	Time-related nouns and phrases, often predicting their idiomatic or temporal continuations.	L11-E16	Completes common idiomatic expressions and rhetorical inquiries after existential or interrogative starts.
L11-E17	Proper nouns and adjectives relating to political, national, or biological entities.	L11-E18	Indefinite pronouns and comparative expressions indicating inclusion or extent across entities.
L11-E19	Predicts evaluative adjectives or descriptors following intensifying adverbs and linking verbs.	L11-E20	Completes phrasal verbs and compound words by predicting their idiomatic suffixes.
L11-E21	Auxiliary verbs and conjunctions signaling conditional outcomes, permissions, or necessities.	L11-E22	Punctuation marks preceding sentence-starting transition words or comparative adverbs.
L11-E23	Syntactic delimiters and separators in structured data, including LaTeX, UUIDs, and URLs.	L11-E24	Coordinating conjunctions and punctuation separating items in pairs or lists.
L11-E25	Physical actions, bodily parts, and descriptive movements in biblical, literary, or erotic contexts.	L11-E26	Activates on determiners and pronouns to predict contextually relevant noun phrases.
L11-E27	Syntactic punctuation and keywords that initiate structured code blocks and function calls.	L11-E28	Tokens within formal titles, academic citations, and legal headers.
L11-E29	Proper names and titles starting with the letter clusters Sch, Ar, or Kr.	L11-E30	Syntactic markers for relative clauses and clarifying appositives that provide additional information.
L11-E31	Verbs and prepositions predicting subsequent reflexive pronouns or clarifying objects.	L11-E32	Processes prepositional phrases and set expressions to predict subsequent idiomatic components.
L11-E33	Newlines and punctuation following completed sentences or code blocks.	L11-E34	Verbs and nouns indicating relocation, omission, or placement followed by spatial prepositions.
L11-E35	Predicts subsequent idiomatic or conditional completions for common multi-word phrases.	L11-E36	Predicts a verb following a relative clause or prepositional phrase.
L11-E37	Newlines and line breaks that separate distinct document sections or headers.	L11-E38	Newlines and tokens in spiritual, astrological, or formal patent-related contexts.
L11-E39	Common English idioms and dummy subject constructions beginning with 'It'.	L11-E40	Proper nouns and titles, especially those containing conjunctions and articles.
L11-E41	Common word roots and proper noun prefixes across technical and scientific domains.	L11-E42	Completes idiomatic phrases and intensifiers by predicting highly probable subsequent nouns.
L11-E43	Punctuation and numeric components within legal citations and timestamped date strings.	L11-E44	Punctuation marks used in emoticons, citations, and technical code delimiters.
L11-E45	Completes common idiomatic prepositional phrases by predicting their associated noun objects.	L11-E46	Technical abbreviations, acronyms, and alphanumeric identifiers in scientific or computational contexts.
L11-E47	Activates on LaTeX mathematical syntax, especially delimiters, fraction commands, and operators.	L11-E48	Predicts medical and scientific research terminology following experimental or methodological descriptions.
L11-E49	Adjectives or modifiers preceding specific nouns to form common multi-word phrases.	L11-E50	Political and economic concepts related to labor, healthcare, and public policy.
L11-E51	Capitalized word fragments and syllable starts, often in proper nouns or lists.	L11-E52	Terminal punctuation and structural transitions that precede conversational responses or citations.
L11-E53	Transitions between life stages, daily routines, and work-life commitments.	L11-E54	Abstract and technical nouns, often serving as objects or conceptual subjects.
L11-E55	Proper nouns within formal entities like government agencies, courts, and institutions.	L11-E56	Activates on URL components and code delimiters to predict proper nouns.
L11-E57	Numerical values including street addresses, percentages, times, and written-out numbers.	L11-E58	Nouns or noun-phrases acting as range boundaries, typically following the word 'from'.
L11-E59	Processes non-English European languages and academic citations involving multiple authors.	L11-E60	Interpersonal markers in requests and inquiries that signal uncertainty or politeness.
L11-E61	Identify indicators of patent background sections to predict 'art' and 'invention'.	L11-E62	Punctuation and technical delimiters within URLs, IP addresses, and code namespaces.
L11-E63	Auxiliary verbs and verbs describing task completion or operational states.	L13-E0	Nouns and pronouns followed by verbs describing their state or behavior.
L13-E1	Activates on prepositions and verbs that initiate specific object-modifying phrases.	L13-E2	Indentation and newline characters in structured code across multiple programming languages.
L13-E3	Predicts video game mechanics, music structures, or academic study components.	L13-E4	Activates on the uppercase letter 'E' at the start of words.

OLMoE-1B-7B

L-E	Label	L-E	Label
L13-E5	Tokens preceding line breaks or punctuation in formal headers and lists.	L13-E6	Software licensing boilerplate and framework-specific project structure patterns.
L13-E7	Transliteration and linguistic analysis of East Asian languages and technical notation.	L13-E8	Tokens within phrasal verbs or collocations, primarily predicting their required particle.
L13-E9	Proper nouns and titles, particularly organizations, artistic works, and institutional names.	L13-E10	Completes multi-token words by predicting the next morphological or semantic segment.
L13-E11	Predicting hardware, networking, and software-specific terminology within technical contexts.	L13-E12	Pronouns following clauses that introduce common idiomatic expressions or personal reflections.
L13-E13	Predicts professional document types and formal bureaucratic procedures within employment and academic contexts.	L13-E14	Predicts specialized movements, schools, or philosophies in arts, humanities, and religion.
L13-E15	Legal prepositions and conjunctions introducing or connecting specific criminal charges.	L13-E16	Latin-based text and scientific nomenclature containing Latin word endings and roots.
L13-E17	Biological and genetic acronyms, specifically protein and gene name abbreviations.	L13-E18	Common word prefixes and initial subword fragments like 'pre', 'de', and 'inc'.
L13-E19	Descriptions of mechanical assemblies and their specific functional or structural components.	L13-E20	Activates on prepositional or conjunctive phrases in medical research reporting, predicting methodological terms.
L13-E21	Processes inflectional endings and grammatical connectors across various Romance and Germanic languages.	L13-E22	Nouns that precede prepositional phrases, specifically identifying relationship or specification markers.
L13-E23	Proper noun separators and prepositions in lists, titles, and technical identifiers.	L13-E24	Phrasal verb and idiomatic expression completion, focusing on common prepositional phrases.
L13-E25	Predicts subsequent method or property names following a dot operator in programming.	L13-E26	Linking verbs and auxiliaries followed by role, state, or status descriptors.
L13-E27	Numerical values followed by units of measurement, currency, or statistical categories.	L13-E28	Completes multi-token technical terms, medical conditions, and specific proper names.
L13-E29	Proper nouns and descriptors within genealogical, biographical, and geographical contexts.	L13-E30	predicting judicial actions and rulings following legal subjects or procedural transitions.
L13-E31	Completes technical and functional compound terms or multi-word phrases.	L13-E32	Scientific and technical identifiers involving alphanumeric symbols, citations, or taxonomical nomenclature.
L13-E33	Predicts active verbs or state-changes following subjects and auxiliary verbs.	L13-E34	Verbs and phrases involving completing common idiomatic or phrasal verb constructions.
L13-E35	Adjectives or determiners followed by specific abstract nouns describing attributes or categories.	L13-E36	Tokens related to aviation, aerodynamics, and military air forces.
L13-E37	Predicts common auxiliary verb complements and their following infinitives or objects.	L13-E38	Syntactic subjects or modals predicting active verbs and their consequences.
L13-E39	The definite article 'the' and its variants preceding specific proper names or prefixes.	L13-E40	Predicts qualitative adjectives describing a person's behavior, style, or performance.
L13-E41	Activates on objects or actions requiring temporal or spatial qualifying adverbs.	L13-E42	Proper names of political, sports, and public figures following titles or connectors.
L13-E43	Identifying vehicle and hardware brands to predict specific model names.	L13-E44	Predicting familial or close interpersonal relationship terms following possessives or qualifiers.
L13-E45	Identifies professional titles and attribution verbs preceding names in journalistic or academic contexts.	L13-E46	Syntactic markers in structured data and legal or bibliographic citations.
L13-E47	Function words and punctuation in lore-heavy summaries of fictional universes.	L13-E48	Nouns and modifiers within specific geopolitical, institutional, or socioeconomic entities.
L13-E49	Coordinating conjunctions and punctuation separating items in professional, technical, or descriptive lists.	L13-E50	Predicts essential state or condition adjectives following linking verbs or logical conjunctions.
L13-E51	Activates on prefixes 'over' and 'under' to predict the following word root.	L13-E52	Predicting conflict-related entities such as weapons, targets, or catastrophic events.
L13-E53	Predicting specific nouns in culinary, medicinal, and household care instructions.	L13-E54	Processes punctuation and suffixes within technical, numerical, and scientific identifiers.
L13-E55	Mathematical and statistical delimiters including parentheses, commas, slashes, and operators.	L13-E56	Predicts geographical locations or entities within list-like structures and entity descriptions.
L13-E57	Identify the first word of common business, economic, or technical compound terms.	L13-E58	Predicts verbs describing intent, effect, or function after logical connectives.
L13-E59	Predicting specific animal species or types based on biological or environmental context.	L13-E60	Biological and medical descriptions of human body parts, symptoms, and neurological functions.
L13-E61	Syntactic markers and keywords in programming code and phrasal verbs.	L13-E62	Syntactic elements in code, especially shell variables, path components, and metadata fields.
L13-E63	Physical features, infrastructure, and geographical elements of landscapes and properties.	L14-E0	Predicts verbs describing reactions, consequences, or persistence following personal and behavioral indicators.
L14-E1	Tokens that initiate mathematical symbols, slashes, or the prefix 'inter'.	L14-E2	Predicting specific proper names following prepositions and conjunctions in biographical contexts.
L14-E3	Predicts specialized nouns or roles following descriptors in biographical and athletic contexts.	L14-E4	Activates on the letter 'j' in Java-related technical terms or format specifiers.
L14-E5	Connective tokens linking geographic entities within administrative or location-based lists.	L14-E6	Software frameworks and technical components within specialized computing or programming environments.
L14-E7	Scientific and technical identifiers, focusing on mathematical indices and citation reference numbers.	L14-E8	Processes grammatical endings and punctuation in Romance languages and Latin text.
L14-E9	Punctuation following descriptive summaries, especially hyphens in age descriptions and period-newline sequences.	L14-E10	Signals subjects or relative pronouns that require an upcoming functional verb.
L14-E11	Syntactic separators and line breaks in structured data and formal legal documents.	L14-E12	Identifies parenthetical citations or manufacturer details within scientific and technical descriptions.
L14-E13	Hexadecimal strings, alphanumeric identifiers, and Greek text segments.	L14-E14	Government agencies, official legal documents, and military or space missions.
L14-E15	Abstract and concrete nouns that require restrictive post-modification or clarification.	L14-E16	Phrasal verbs and idiomatic expressions involving motion or auxiliary verbs.
L14-E17	Interrogative and relative pronouns including what, which, who, and that.	L14-E18	predicting reporting verbs following subjects or auxiliary verbs in news reporting
L14-E19	Completes specific multisyllabic word roots starting with common prefixes like res, int, and pl.	L14-E20	Prepositions within idiomatic or quantitative phrases describing location, time, or state.

OLMoE-1B-7B

L-E	Label	L-E	Label
L14-E21	Physical state or positional changes involving movement, safety, and location.	L14-E22	Proper nouns and title components that begin a specific entity name.
L14-E23	Adjectives and nouns describing technical specifications, quality standards, or functional categories.	L14-E24	Tokens forming hyphenated compound words, especially those beginning with the prefix 'self'.
L14-E25	Physical athletic movements, techniques, and sports-related drills or maneuvers.	L14-E26	Proper nouns and taxonomic names within biological descriptions and cast lists.
L14-E27	Syntactic function words and common suffixes in West Germanic and North Germanic languages.	L14-E28	Cybersecurity, cryptocurrency, and digital infrastructure technical terms and their contextual completions.
L14-E29	Tokens starting with the prefix 'be' or 'Be' across various words.	L14-E30	Predicting specialized medical procedures and complications within clinical and surgical contexts.
L14-E31	Syntactic functional tokens predicting context-specific verbs such as commercial, professional, or physical actions.	L14-E32	Legal terminology describing standard of review, jurisdictional issues, and evidentiary findings.
L14-E33	Biochemical laboratory procedures involving purification, filtration, and isolation techniques.	L14-E34	Tokens involving website navigation instructions, call-to-action links, and code object references.
L14-E35	Indefinite articles preceding qualitative descriptors or idiomatic noun phrases.	L14-E36	Analyzes technical context to predict specific software utilities and configuration syntax.
L14-E37	Processes components of calendar dates to predict subsequent numerical or year markers.	L14-E38	Scientific and physics-related noun phrases, particularly within astrophysics and quantum mechanics contexts.
L14-E39	Tokens starting with the prefix 'dis' or 'Dis' to complete words.	L14-E40	Proper nouns and named entities, particularly those beginning with 'Port', 'Power', or 'Operation'.
L14-E41	Tokens involving qualitative assessment, nuanced descriptions, or communication of specific information types.	L14-E42	Activates on terminal punctuation and emoticons followed by newline-based continuations.
L14-E43	Tokens relating to infrastructure, property, transportation, and specialized commercial assets.	L14-E44	Nouns and adjectives preceding academic citations, parentheticals, or clarifying punctuation.
L14-E45	Adversative and additive conjunctions, especially 'However' and 'and', introducing new clauses.	L14-E46	Tokens that form the first part of compound words or specific technical terms.
L14-E47	The lowercase letter 'f' at the beginning of words or subwords.	L14-E48	Auxiliary and copular verbs preceding words describing a change in state or scale.
L14-E49	Proper nouns in locations, schools, and organizations requiring specific suffix completions.	L14-E50	Predicting narrative action verbs following a subject or coordinating conjunction.
L14-E51	Syntactic transitions and punctuation in liturgical, biblical, poetic, and Latin texts.	L14-E52	Numeric values immediately preceding units of measurement, dates, or time durations.
L14-E53	Prepositions and verbs within fixed idiomatic or phrasal verb expressions.	L14-E54	Common comparative and temporal prepositions like 'as', 'than', 'after', and 'like'.
L14-E55	Political conflict terms and actions related to power struggles or institutional opposition.	L14-E56	Linking verbs and intensifiers followed by descriptive adjectives or evaluative predicates.
L14-E57	Tokens that form the first part of common compound words and idioms.	L14-E58	Syntactic structures in markup languages, programming code, and web protocols.
L14-E59	predicting mechanics, stats, and character classes in tabletop and video game RPGs	L14-E60	Plural technical nouns and punctuation within technical, scientific, or legal documentation.
L14-E61	Tokens 'w' or 'st' predicting words starting with those letters.	L14-E62	Industrial products, technical equipment, and specialized consumer goods specifications.
L14-E63	Legal and formal administrative terminology, specifically involving court cases and institutional descriptions.	L15-E0	Identify and complete substrings within URLs, IDs, and multi-part proper names.
L15-E1	Structural delimiters including newlines, colons in timestamps, and technical punctuation.	L15-E2	Abstract concepts, physical orientations, and descriptive states concluding a thought.
L15-E3	Punctuation separating digits in numerical lists, population statistics, and timestamps.	L15-E4	Modal verbs and infinitive markers facilitating action-oriented or conditional verb phrases.
L15-E5	Adjectives describing geographic classifications and anatomical positions within specialized technical domains.	L15-E6	Predicting completions for verbs and adjectives beginning with 'sh' and 'bl'.
L15-E7	Syntactic functional words and common connectors in descriptive academic or technical English.	L15-E8	Determiners, connectors, and punctuation in technical or multilingual programming contexts.
L15-E9	Compound identifiers and camelCase terms in code and media titles.	L15-E10	Predicts achievement and overcoming verbs following modal verbs, adverbs, and infinitives.
L15-E11	Apostrophes following personal pronouns to predict contractions like 'm, 're, or 'd.	L15-E12	Activates on 'and' to predict common articles like 'the' or 'a'.
L15-E13	Subject pronouns and animate nouns performing or undergoing physical or habitual actions.	L15-E14	Ecclesiastical and ritualistic descriptions, specifically regarding religious orders, clothing, and vocations.
L15-E15	Auxiliary verbs and conjunctions signaling upcoming qualitative or descriptive attributes.	L15-E16	Proper names of people, often preceded by titles or legal citations.
L15-E17	Closes LaTeX mathematical environments by predicting closing braces and formatting markers.	L15-E18	Syntactic functional tokens facilitating grammatical transitions and connecting phrases within sentences.
L15-E19	Syntactic dependencies within formal documents, technical specifications, and structured data lists.	L15-E20	Indefinite articles and determiners initiating noun phrases, often predicting descriptive adjectives.
L15-E21	Determiners and adjectives preceding nouns, specifically the definite article 'the'.	L15-E22	Common verbs and proper noun prefixes that initiate multi-word named entities.
L15-E23	Tokens that typically function as prefixes or components of compound nouns.	L15-E24	Tokens preceding numerical values in dates, times, census data, and code.
L15-E25	Tokens relating to professional roles, recruitment, and institutional labor processes.	L15-E26	Technical descriptions of mechanical components, vehicles, and engineering systems.
L15-E27	Tokens within descriptions of media, games, and technology predicting related titles.	L15-E28	Activates on demonstrative pronouns starting sentences to predict subsequent verbs.
L15-E29	Tokens starting with 'fl' that initiate words related to movement or texture.	L15-E30	Technical terms, punctuation, and keywords in programming-related questions and code documentation.
L15-E31	Mid-word tokens that help complete complex or multi-syllabic Latinate terms.	L15-E32	Syntactic function words and prepositions connecting clauses or defining structural relationships.
L15-E33	Punctuation marks and symbols that signal the completion of a clause or phrase.	L15-E34	Scientific methodology and experimental terminology in physics, chemistry, and astronomy contexts.
L15-E35	Initial characters or character sequences within uppercase words, URLs, and hyphenated terms.	L15-E36	Tokens within randomized alphanumeric strings in URLs and technical identifiers.

OLMoE-1B-7B

L-E	Label	L-E	Label
L15-E37	Tokens starting with 'as' or 'As' that form longer words.	L15-E38	Scientific and medical descriptions identifying species classifications or disease pathologies.
L15-E39	Scientific and culinary procedural descriptions involving preparation, substances, and specific ingredients.	L15-E40	Activates on the prefix 'he' to predict subsequent word-completing suffixes.
L15-E41	Activates on apostrophe-s suffixes and predicts following determiners or nouns.	L15-E42	Proper nouns and connective words in names of official institutions and legal statutes.
L15-E43	Tokens forming words starting with the 'sp' sound and related phonetic fragments.	L15-E44	Tokens starting with the prefix 'end' or 'End' in medical or technical contexts.
L15-E45	Descriptive anatomical or technical features in biological, architectural, and botanical taxonomies.	L15-E46	Syntactic modal and conditional markers in instructional or legal documentation.
L15-E47	Multilingual comma usage after clauses or within descriptive lists across multiple languages.	L15-E48	Prepositions and punctuation introducing or connecting geographical locations and local institutions.
L15-E49	Syntactic structures introducing biographical details, nationalities, and professional roles within descriptive sentences.	L15-E50	Tokens involving the word 'just', its derivatives, and archaic or poetic phrasing.
L15-E51	Financial institutions and banking terminology within investment and corporate contexts.	L15-E52	Punctuation and uppercase functional words in list-like or technical contexts.
L15-E53	Tokens starting with the letter 'b' (case-insensitive) often predicting word completions.	L15-E54	Nouns and symbols functioning as subjects or objects in descriptive clauses.
L15-E55	Determiners and adjectives preceding ordinal, temporal, or superlative sequential modifiers.	L15-E57	Processes multi-byte characters and leading non-ASCII bytes in non-Latin scripts.
L15-E58	Activates on common grammatical suffixes and functional particles across multiple European languages.	L15-E59	Sports personnel names and professional roster or competition status descriptors.
L15-E60	Punctuation marks and abbreviations specifically within formal titles, mathematical expressions, and legal citations.	L15-E61	Activates on prepositions and conjunctions, particularly 'in', predicting following determiners or nouns.
L15-E62	Forms of the verb 'to be' that precede descriptive adjectives or participles.	L15-E63	Adverbs and auxiliary verbs in Romance languages and common English functional prepositions.

Table 11. `Qwen3-30B-A3B` Expert labels.

Qwen3-30B-A3B

L-E	Label	L-E	Label
L4-E0	Common multi-word idiomatic phrases and logical connectors.	L4-E1	Scientific and technical compound terms, especially those involving hyphens or multi-token suffixes.
L4-E2	Alphanumeric identifiers within biological, chemical, or technical nomenclature.	L4-E3	Activates on common camelCase and PascalCase identifiers in code across multiple languages.
L4-E4	Procedural action verbs and directional prepositions in instructional or technical contexts.	L4-E5	Technical terms and specialized jargon followed by their abbreviations or suffixes.
L4-E6	Mid-word tokens within complex medical, chemical, and scientific terminology.	L4-E7	Japanese proper nouns, including place names, surnames, and Romanized cultural terms.
L4-E8	Romanized Chinese names, geographical locations, and historical dynastic terms.	L4-E9	Activates on specific nouns and components of fruits, vegetables, and foodstuffs.
L4-E10	Syntactic structures within descriptive clauses, particularly relative clauses and qualifying prepositional phrases.	L4-E11	Pop culture, entertainment media, and digital subculture terminology and entities.
L4-E12	Scientific and academic citations, specifically identifying journals, authors, and publication metadata.	L4-E13	Mathematical variables and geometric terms within formal proofs or scientific problem statements.
L4-E14	Sub-word segments within scientific, biological, and medical terminology.	L4-E15	Technical industrial terminology and components in engineering, manufacturing, and certification contexts.
L4-E16	Activates primarily on the digit 8 and sequences of historical dates.	L4-E17	Transitional punctuation and function words in multilingual structured text or code.
L4-E18	Industrial, technical, and chemical processes involving extraction, refinement, and production.	L4-E19	Numeric components within structured technical citations, p-values, and identification codes.
L4-E20	Italian, Spanish, and French suffixes in proper nouns and names.	L4-E21	Software components, frameworks, and identifiers in technology-related source code and documentation.
L4-E22	Adverbs and intensifiers that modify the degree or manner of qualities.	L4-E23	Sub-word segments within proper nouns, surnames, and biological nomenclature.
L4-E24	LaTeX and TikZ commands, keywords, and structural metadata elements.	L4-E25	Adverbial and temporal transitional phrases marking shifts in time or logic.
L4-E26	Escape characters and backslashes in code, LaTeX, and technical notation.	L4-E27	Nouns and noun suffixes within complex legal, technical, and formal contexts.
L4-E28	PascalCase component names within C# and .NET namespaces and class declarations.	L4-E29	Adjective suffixes and word segments that describe qualities or sensory characteristics.
L4-E30	Alphanumeric character sequences within technical, medical, and scientific identifiers or codes.	L4-E31	Mathematical symbols and operators, particularly negative signs and parentheses in expressions.
L4-E32	Suffixes of Irish surnames and specific punctuation-delimited technical substrings.	L4-E33	Scientific and statistical terminology, specifically biochemical compounds and mathematical analysis methods.
L4-E34	Software components, library names, and UI-related identifiers in code and documentation.	L4-E35	Software testing frameworks and library path dependencies in various programming languages.
L4-E36	Identify and process semantic data types, character sequences, and string manipulation concepts.	L4-E37	Proper nouns and technical terms related to software, hardware, and networking.
L4-E38	Geographic locations and settlement types in structured data and Wikipedia categories.	L4-E39	Transitive verbs and light verb constructions followed by objects or particles.
L4-E40	Tokens involving removal, dismissal, resignation, surrendering, or ending of states.	L4-E41	Processes Chinese tokens within technical instructions, software documentation, and logical explanations.
L4-E42	Chinese functional particles, pronouns, and common verbs in diverse contexts.	L4-E43	Proper nouns and technical terms ending in specific phonetic suffixes like -av, -aw, and -oy.
L4-E44	Proper names and locations within Spanish and Latin American contexts.	L4-E45	Transliterated Chinese names, official titles, and encoded Chinese text fragments.
L4-E46	Proper nouns, particularly geographically or institutionally specific multi-token names.	L4-E47	Tokens expressing states of knowledge, belief, understanding, and communicative intent.
L4-E48	Informal conversational sign-offs, first-person idiomatic expressions, and acronyms in forum-style communication.	L4-E49	Mathematical and trigonometric functions, variables, and coordinate system calculations in code.
L4-E50	Nouns and modifiers within specific noun phrases and quantifying expressions.	L4-E51	Proper nouns and adjectives relating to international organizations, geopolitics, and biogeography.
L4-E52	Syntactic transition points including sentence boundaries, punctuation, and structural web markup.	L4-E53	Capitalized initial tokens of proper nouns and technical terms.
L4-E54	Technical terms and terminology in advanced mathematics, physics, and computer science.	L4-E55	Proper nouns and poetic phrases relating to East Asian culture and mythology.
L4-E56	Common transitional phrases and introductory idiomatic expressions at the start of sentences.	L4-E57	Proper nouns and specific titles in entertainment, media, and history.
L4-E58	Informational header and navigation labels in encyclopedia or blog layouts.	L4-E59	Software licensing terms, legal boilerplate declarations, and technical configuration components.
L4-E60	Completes multi-token names of organizations, entities, and specific brand titles.	L4-E61	Proper nouns and entity components within multi-token names or institutional titles.
L4-E62	Software library namespaces and technical identifiers in API-related code snippets.	L4-E63	Tokens involving the word 'on' and numerical or possessive contexts.
L4-E64	Proper nouns and scientific terms within compound words or specific entities.	L4-E65	Processes internal suffixes within scientific names, pharmaceutical drugs, and non-English proper nouns.
L4-E66	Syntactic punctuation and operators within code, mathematical expressions, and configuration files.	L4-E67	Physical descriptions of facial expressions and character gazes or body movements.
L4-E68	Activates on compound nouns and specialized terminology in both Chinese and English.	L4-E69	Technical suffixes and multi-part identifiers in web development and programming code.
L4-E70	Proper nouns and adjectives denoting ethnic, national, religious, or ideological identities.	L4-E71	Subword components of specific identifiers in C++ code and technical headers.
L4-E72	Mathematical and LaTeX symbols in expressions, equations, and variable declarations.	L4-E73	Metadata and functional labels in interfaces, code headers, and web snippets.
L4-E74	Verbs in the past tense or describing states and processes across languages.	L4-E75	Syntactic headers and spacing in formal legal documents and license headers.
L4-E76	Connective and contrastive conjunctions, punctuation, and pronouns transition between clauses.	L4-E77	Common abstract nouns and prepositions forming the core of idiomatic phrases.

Qwen3-30B-A3B

L-E	Label	L-E	Label
L4-E78	Linux command-line utilities and system-level configuration parameters in shell environments.	L4-E79	Tokens forming the 'd' in legal reporter abbreviations like L.Ed.2d and F.3d.
L4-E80	Sub-word segments within complex biochemical names, medical abbreviations, and clinical terminology.	L4-E81	Syntactic structures in code like SQL values, function signatures, and docstrings.
L4-E82	Technical terms and components in neuroscience, bio-mechanics, and electrical signal processing.	L4-E83	Tokens identifying the second or contrasting element in a pair or sequence.
L4-E84	Python scientific library keywords, module sub-components, and specialized method identifiers.	L4-E85	Punctuation and connecting words in structured lists, legal citations, or appositives.
L4-E86	Sub-word tokens within South and Southeast Asian proper names and locations.	L4-E87	Adjectives and adverbs describing exclusivity, sequence, or directness of states and actions.
L4-E88	Sub-word segments within complex biochemical, pharmaceutical, and scientific nomenclature.	L4-E89	Mid-word syllables in complex chemical, biological, pharmaceutical, and scientific nomenclature.
L4-E90	Archaic, biblical, and formal literary language across English, Russian, and Chinese.	L4-E91	Relational prepositions and conjunctions that introduce prepositional phrases or dependent clauses.
L4-E92	Non-alphanumeric punctuation and technical symbols in code, math, and data strings.	L4-E93	Technical and scientific word fragments, particularly within academic citations and biological terminology.
L4-E94	Syntactic control structures and structural delimiters in programming code.	L4-E95	Mid-word lowercase or uppercase character segments within proper nouns and technical terms.
L4-E96	Proper nouns and specific dates within institutional, educational, and legal contexts.	L4-E97	Professional and corporate terminology related to business operations, communication, and market research.
L4-E98	Legal and formal citations, focusing on abbreviations and section markers.	L4-E99	Closing punctuation marks following abbreviated entities, technical terms, or names.
L4-E100	Mid-word tokens in proper nouns, technical terms, and rare surnames.	L4-E101	Compound nouns and specialized terms forming multi-token entities or phrases.
L4-E102	Tokens within common prepositional phrases, especially those using 'in' or 'at'.	L4-E103	Mathematical and comparative operators describing numerical relationships, limits, and divisibility.
L4-E104	Activates on boilerplate phrases and functional transitions in legal, academic, or blog text.	L4-E105	Identify and process verbs and pronouns within common idiomatic phrases and questions.
L4-E106	Activates on punctuation and conjunctions that signal clausal boundaries or parenthetical transitions.	L4-E107	Suffixes and morphemes in formal names, legal terms, and technical terminology.
L4-E108	Technical terminology and citations within patent documents and scientific literature.	L4-E109	Mathematical terminology and educational curricula concepts, specifically regarding arithmetic and calculus.
L4-E110	Sub-word segments within complex surnames and specialized proper nouns.	L4-E111	Function words like 'of', 'the', and 'a' in prepositional phrases.
L4-E112	Recognizes and processes Chinese-related proper nouns and cultural terms across scripts.	L4-E113	Official titles and institutional roles in political, judicial, or military contexts.
L4-E114	Completes specific proper nouns, technical terms, and compound words by their suffixes.	L4-E115	Punctuation marks and line breaks that terminate sentences or segments.
L4-E116	Completes common idiomatic phrases and fixed multi-word legal or descriptive expressions.	L4-E117	Common sub-word components within technical identifiers and function names in programming code.
L4-E118	Colon separators in metadata and common name suffixes ending in 'as' or 'inas'.	L4-E119	Tokens that are immediate or near-immediate repetitions of the preceding word.
L4-E120	Tokens containing the character sequence 'ro' or phonetic variants in complex words.	L4-E121	Mid-word or suffix components of surnames, technical terms, and proper nouns.
L4-E122	Taxonomic suffixes and morphemes in biological nomenclature and species common names.	L4-E123	Code block delimiters and structural transitions like docstrings, imports, and separators.
L4-E124	Mid-word fragments and syllables within foreign or specialized proper nouns.	L4-E125	Activates on camelCase or PascalCase sub-components within software code and identifiers.
L4-E126	Sub-domain segments and path parameters within URLs and package names.	L4-E127	Acronyms and specialized suffixes in scientific, organizational, and technical nomenclature.
L24-E0	Nouns and nouns acting as adjectives in technical, scientific, or linguistic contexts.	L24-E1	Syntactic completion of formal patterns in math equations, licensing, and code.
L24-E2	Attributive and reportative phrases identifying spokespeople, organizations, or news sources.	L24-E3	Logical transitions and operations in step-by-step mathematical or algorithmic derivations.
L24-E4	Biographical data specifying a person's birth year within parentheses.	L24-E5	Activates on common programming keywords and variable assignment operators in code.
L24-E6	Medical and health-related terminology, specifically clinical outcomes, symptoms, and patient demographics.	L24-E7	Punctuation and suffixes occurring at the end of introductory or dependent clauses.
L24-E8	Proper names and geographic locations within formal credits, citations, and bibliographic metadata.	L24-E9	Tokens involving definitions, nomenclature, translations, or technical synonyms.
L24-E11	Academic and professional titles of books, journals, and papers.	L24-E12	Logical consequence and auxiliary verbs in conditional or explanatory clauses.
L24-E13	Mathematical terms and symbols within formal proofs, formulas, and derivations.	L24-E14	Identifies specialized recreational activities and specific social groups to provide related conceptual associations.
L24-E15	Punctuation and conjunctions connecting independent clauses or distinct propositions.	L24-E16	Classical Chinese literary characters, poetic vocabulary, and domain-specific Chinese terminology.
L24-E17	Nouns and technical terms within descriptive product, tool, or software metadata.	L24-E18	Demographic and service-oriented descriptions involving households, families, and commercial listings.
L24-E19	Abstract and concrete nouns in both Chinese and English technical contexts.	L24-E20	Abbreviated legal case citations, technical file paths, and mathematical expressions.
L24-E21	Fragments of names, identifiers, and technical symbols within code or structured formats.	L24-E22	Activates on non-English morphological segments to predict intra-word or syntactic continuations.
L24-E23	Syntactic structures and repetitive delimiters in structured data and code blocks.	L24-E24	Capitalized words and formal titles in legal, technical, and structured headers.
L24-E25	Technical and scientific terms within specialized domain descriptions.	L24-E26	Anaphoric and deictic references used to re-identify previously mentioned entities.
L24-E27	Tokens within formal names of organizations, institutions, and legal titles.	L24-E28	Informational text elements and technical descriptions within academic, programming, or technical contexts.
L24-E29	Sub-word components of CamelCase and snake_case identifiers in code.	L24-E30	Mid-sentence functional and comparative transitions within lists or sequential descriptions.

Qwen3-30B-A3B

L-E	Label	L-E	Label
L24-E31	Tokens within terminal commands, file system paths, and system configuration scripts.	L24-E32	Nouns and prepositions within superlative phrases or unique classification statements.
L24-E33	Numerical values and mathematical operators within arithmetic expressions and list-based math problems.	L24-E34	Tokens within historical context describing origins, founding, and past nomenclature.
L24-E35	Specific numeric or textual values within delimited sequences and ranges.	L24-E36	Numerical ranges and temporal indicators specifying age, time, or sequence segments.
L24-E37	Common morphemes and sub-tokens within software library names and technical terminology.	L24-E38	Concrete nouns and descriptive terms within specialized technical or descriptive contexts.
L24-E39	Mid-sentence content words and digits, particularly within technical, scientific, or numeric sequences.	L24-E40	Technical scientific terms across chemistry, biology, geology, and materials science.
L24-E41	Tokens within complex alphanumeric identifiers, URLs, and technical codes.	L24-E42	Adjectival and adverbial intensifiers in superlative or emotionally charged subjective descriptions.
L24-E43	Detects exclusionary, negative, or restrictive statements in technical and descriptive text.	L24-E44	Ingredients, tools, and preparation steps in culinary and recipe instructions.
L24-E45	Tokens within descriptive, structured metadata like religious verses, geographic profiles, or programming problems.	L24-E46	activates on concrete nouns and physical objects within descriptive, narrative scenes.
L24-E47	Sub-word segments within technical identifiers, software names, and mathematical notation.	L24-E48	Mathematical operations, variables, and logical connectors within formal proofs and formulas.
L24-E49	Scientific and biochemical terminology within molecular biology and proteomics contexts.	L24-E50	Tokens relating to academic study, scientific education, and formal educational qualifications.
L24-E51	Conditional logic and comparative predicates in code and technical descriptions.	L24-E52	Nouns and technical terms within parentheses, lists, or clarifying appositive phrases.
L24-E53	Syntactic verbs and particles that introduce or link predicate descriptions.	L24-E54	Individual characters within hexadecimal strings, numeric identifiers, and mathematical constants like pi.
L24-E55	Single-character variables and short identifiers in code, math, or logic.	L24-E56	Syntactic transitions and punctuation marking the start of new clauses or explanations.
L24-E57	Syntactic elements and property values in CSS, HTML, and LaTeX code.	L24-E58	Tokens describing efficiency improvements, cost reductions, or performance optimizations.
L24-E59	Activates on specific nouns or entities that represent actors, subjects, or identifiers.	L24-E60	Tokens defining relational equivalence or identity comparisons in technical and formal contexts.
L24-E61	Economic and demographic trends, statistical metrics, and market fluctuations.	L24-E62	Tokens within formal legal headers, disclaimers, and religious liturgical texts.
L24-E63	Contrastive and concessive transitions that qualify or redirect the preceding statement.	L24-E64	Numerical digits and individual numbers within structured, technical, or statistical data.
L24-E65	Syntactic transition points following punctuation, section headers, or structural document boundaries.	L24-E66	Mathematical symbols and digits within algebraic expressions and arithmetic word problems.
L24-E67	Technical or formal keywords across coding, medical, and professional contexts.	L24-E68	Syntactic function words facilitating structural transitions within complex explanatory or technical phrases.
L24-E69	Prepositions and symbols indicating directional movement, transformation, or spatial relationships.	L24-E70	Mandarin and English verbs or determiners indicating assistance, provision, or quantity.
L24-E71	Repeated boilerplate code and formulaic descriptive phrases across multiple domains.	L24-E72	Indentation and line breaks following code block delimiters or statement terminators.
L24-E73	Processes structured technical, mathematical, and descriptive data within academic or instructional contexts.	L24-E74	Syntactic functional units describing conditions, constraints, or causal relationships in technical text.
L24-E75	Narrative verbs and transition words in storytelling and dialogue sequences.	L24-E76	Syntactic elements and connectors within philosophical, legal, or logical propositions and laws.
L24-E77	Tokens related to programming control flow 'break' and communicative action verbs.	L24-E78	Metadata and structural boilerplate tokens in technical documentation, licenses, and web forms.
L24-E79	Transitional conjunctions and logical connectors that introduce list items or subsequent clauses.	L24-E80	Tokens describing the start, progression, or completion of a multi-step process.
L24-E81	Syntactic identifiers and method calls within diverse programming code contexts.	L24-E82	Syntactic punctuation and symbols in code, especially brackets, parentheses, and assignments.
L24-E83	Mathematical symbols used for multiplication and sign notation in algebraic expressions.	L24-E84	Business, logistical, and technical operational terminology in professional or descriptive contexts.
L24-E85	Metadata and interface elements for website features like comments, profiles, and reviews.	L24-E86	Syntactic elements and identifiers in structured data, code, and configuration files.
L24-E87	Personal life events, emotional states, and individual interpersonal relationships.	L24-E88	Syntactic structures and punctuation in programming code, especially assignments and terminators.
L24-E89	Numerical sequences in contact details, identifiers, and mathematical formulas.	L24-E90	Technical terms and components related to medical conditions and mechanical systems.
L24-E91	Sub-word segments within proper names and multi-token surnames.	L24-E92	Mid-word letter clusters in names, identifiers, and uncommon technical terms.
L24-E93	Chinese proper nouns, Pinyin syllables, and classical Chinese poetry characters.	L24-E94	Numeric and symbolic identifiers in scientific formulas, software versions, and sports scores.
L24-E95	Tokens describing technical specifications, parameters, and structured criteria across various domains.	L24-E96	Newlines and separator sequences that transition between document sections or headers.
L24-E97	Phrases expressing personal perspective, cognition, or communicative intent in subjective discourse.	L24-E98	Tokens describing data transformations and operations within code comments and documentation.
L24-E99	Closing punctuation marks, brackets, and following conjunctions or sentence transitions.	L24-E100	Verbs and prepositions involving the transfer, provision, or modification of resources.
L24-E101	Technical and scientific nouns describing core entities, systems, or abstract properties.	L24-E102	Tokens involving formal transactional arrangements, service availability, and administrative scheduling.
L24-E103	Technical and scientific compound terms within complex noun phrases.	L24-E104	Transitional verbs and functional particles connecting clausal ideas or descriptions.
L24-E105	Tokens within formal headers, legal boilerplate, and technical documentation templates.	L24-E106	English and Chinese verbs or prepositions denoting interaction, processing, or physical action.
L24-E107	Coordinating conjunctions and prepositions linking parallel elements or contrasting clauses.	L24-E108	Classical religious texts, poetic proverbs, and Latin placeholder text.
L24-E109	Nouns and concepts in technical, mathematical, and computational frameworks.	L24-E110	Physical and mathematical descriptors of movement, time, and field properties.

Qwen3-30B-A3B

L-E	Label	L-E	Label
L24-E111	Mid-word tokens in proper names, technical identifiers, and code strings.	L24-E112	Compound identifiers and technical terms in code, data structures, and bibliography.
L24-E113	Predicts subsequent components in technical descriptions, measurements, and formal data reports.	L24-E114	Mid-sentence relational and descriptive transitions in technical, scientific, or formal contexts.
L24-E115	Scientific or technical definitions and descriptive appositives for entities and concepts.	L24-E116	Common words in introductory problem statements or meta-commentary about solutions.
L24-E117	Numerical digits within multi-digit identification sequences, especially patent and blog IDs.	L24-E118	Tokens indicating scope, degree, or logical inclusivity such as also, only, both, and even.
L24-E119	Technical terms in computer science, algorithms, data processing, and machine learning.	L24-E120	Function words connecting nouns to specify properties, relationships, or possessive dependencies.
L24-E121	Spatial relationships and geometric positioning within physical structures, routes, or layouts.	L24-E122	Hexadecimal strings, alphanumeric identifiers, and specific mid-word character sequences.
L24-E123	Negations, exclusion markers, and conditional constraints across natural and technical languages.	L24-E124	Infinitive verb phrases expressing purpose or functional intent following the word 'to'.
L24-E125	Possessive markers and plural possessive apostrophes in English and similar grammatical markers.	L24-E126	Structured metadata fields and technical key-value separators in code and email headers.
L24-E127	Proper nouns and alphanumeric identifiers containing specific suffixes, numbers, or internal symbols.	L44-E0	Coordinating conjunctions linking paired adjectives, verbs, or words in common idiomatic phrases.
L44-E1	Numerical units of measurement, abbreviations, and their subsequent completions.	L44-E2	Legal citations and formal identifiers involving numbers, abbreviations, and case law.
L44-E3	Sports statistics and time-duration measurements followed by specific numeric or action completions.	L44-E4	Transliterating and translating Chinese names, terms, or text between romanization and characters.
L44-E5	Common adverbial or adjectival prefixes that initiate compound words.	L44-E6	Metadata and details related to creative works like films, music, and performances.
L44-E7	Numerical components and symbols within legal statute and code citations.	L44-E8	C-style printf format strings, format specifiers, and escaped newline characters.
L44-E9	Proper nouns and dates within British, Irish, and Greek biographical contexts.	L44-E10	Geographical locations and infrastructure in China, particularly provincial divisions and transport networks.
L44-E11	Proper nouns and entity names containing the 'man' syllable or fashion-related brands.	L44-E12	Syntactic structure and geographic entities in Iranian village and district descriptions.
L44-E13	Passive verbs and participles requiring specific prepositional complements like 'at', 'with', or 'to'.	L44-E14	3D graphics, shader programming, and geospatial data processing terminology.
L44-E15	Tokens within formal names of academic, legal, or governmental organizations and journals.	L44-E16	Mathematical and scientific symbols including LaTeX operators, chemical bonds, and relational delimiters.
L44-E17	Statistical and financial terms related to mathematical functions, ratios, and trends.	L44-E18	Predicts technical lifecycle actions like deletion, compilation, assignment, and invalidation.
L44-E19	Proper nouns and alphanumeric sequences like call signs, names, and numbers.	L44-E20	Tokens preceding nouns describing drawbacks, difficulties, or negative consequences.
L44-E21	Processes natural language descriptions and technical comments in code documentation.	L44-E22	Architectural features, property details, and real estate amenities.
L44-E23	Predicts common suffixes or word completions for technical and formal stems.	L44-E24	Sub-word segments and prefixes within complex chemical and biochemical nomenclature.
L44-E25	Syntactic structures and bracketed identifiers in technical, legal, and programming contexts.	L44-E26	Indonesian and Malaysian geographic locations, administrative divisions, and related entities.
L44-E27	Military and hierarchical organizations, predicting specific unit types and ranks.	L44-E28	Activates on common programming methods and functions to predict upcoming opening parentheses.
L44-E29	Tokens representing components of dates and times in various data formats.	L44-E30	Interrogative phrases and question structures in technical, mathematical, and conversational contexts.
L44-E31	Code line terminators followed by indentation or newlines across multiple programming languages.	L44-E32	Handling exceptions and error control flow across multiple programming languages.
L44-E33	Numerical comparisons and limit conditions such as bonuses, thresholds, and ranges.	L44-E34	Processes negative modifiers and tokens that initiate negated or notable descriptors.
L44-E35	Numerical components in version numbers, section citations, and mathematical expressions.	L44-E36	Network configuration parameters, protocol headers, and technical infrastructure identifiers.
L44-E37	Syntactic structures involving auxiliary verbs followed by specific passive or idiomatic participles.	L44-E38	Business terminology prediction focusing on organizational roles, marketing strategies, and corporate workflows.
L44-E39	Sports tournament records, athlete biographies, and competition results involving specific event categories.	L44-E40	Scientific and technical terminology involving physics, material science, and numerical sequences.
L44-E41	Technical terms and code syntax, focusing on domain-specific identifiers and operators.	L44-E42	Activates on prefixes to complete multisyllabic or Latinate academic words.
L44-E43	Predicts mathematical and graph-theoretical properties or components of defined objects.	L44-E44	Identify and predict words related to family members and kinship relationships.
L44-E45	Modal verbs and negatives preceding common infinitive or idiomatic complements.	L44-E46	Numerical digits and individual letters within technical, medical, or mathematical identifiers.
L44-E47	Predicts subsequent items in alphanumeric, musical, or technical sequences.	L44-E48	Determiners and adjectives followed by specific nouns like 'end', 'year', 'point', or 'way'.
L44-E49	Bioinformatics terminology and specific database names within scientific and technical contexts.	L44-E50	Industrial machinery and thermodynamic systems involving heating, cooling, and milling.
L44-E51	Syntactic delimiters and structural separators in code, templating, and documentation.	L44-E52	Tokens connecting locations to their administrative regions, particularly in Germanic countries.
L44-E53	Commas following city names to predict state or regional abbreviations.	L44-E54	Prepositions and particles within idiomatic phrases that predict common following articles.
L44-E55	Syntactic structures and boilerplate in typed programming languages like Go, C++, and VBA.	L44-E56	Predicts and identifies biological names, species, and domestic animal breeds.
L44-E57	Mathematical operators and special characters within symbolic expressions and shell commands.	L44-E58	Numerical digits in sequences representing measurements, codes, or quantitative values.
L44-E59	Tokens inside parentheses, specifically citations, metadata, area codes, and news credits.	L44-E60	Spanish-language geographical locations, historical figures, and related terminology or dates.
L44-E61	Mathematical symbols, code operators, and auxiliary verbs in structured or formal text.	L44-E62	Completes common multi-token words and compound terms by predicting their second half.

Qwen3-30B-A3B

L-E	Label	L-E	Label
L44-E63	Scientific computing code and documentation, particularly linear algebra libraries and matrix operations.	L44-E64	Tokens preceding abbreviations in parentheses or specific components of multi-word titles.
L44-E65	Structural keywords and punctuation that initiate or transition code and markdown blocks.	L44-E66	Latin words and biological nomenclature, focusing on morphological endings and suffixes.
L44-E67	Tokens within technical non-English contexts, including mathematical notation and agglutinative languages.	L44-E68	Syntactic function words and logical connectors in mathematical and technical definitions.
L44-E69	Predicts geographical sub-regions or state abbreviations from location contexts and prepositions.	L44-E70	Tokens within file paths, URLs, and build system file extensions.
L44-E71	Prepositions and verbs used within prepositional phrases or idiomatic qualifying expressions.	L44-E72	Completes common idiomatic compounds and technical collocations.
L44-E73	Subordinating conjunctions and adverbs that introduce causal or conditional dependent clauses.	L44-E74	Technical and scientific nouns describing processes, systems, and research methodologies.
L44-E75	Chinese adverbial modifiers and modal verbs indicating possibility, manner, or extent.	L44-E76	Hardware-related identifiers, specifically microcontroller registers, PCB designators, and embedded software components.
L44-E77	Predicts specialized class names and types within nested software package structures.	L44-E78	Activates on Chinese historical names, dates, and locations to predict related Sinosphere entities.
L44-E79	Scientific methodology transitions from experimental conditions to findings and analysis.	L44-E80	Phrasal verb components and prepositions indicating direction, position, or completion.
L44-E81	Syntactic connectors linking abstract social, moral, or professional concepts and values.	L44-E82	Internal sub-word fragments of scientific names and specialized proper nouns.
L44-E83	International organizational bodies and complex legal or regulatory frameworks.	L44-E84	Technical terms in semiconductor manufacturing, mechanical engineering, and printing technology.
L44-E85	Chinese pronouns, punctuation, and poetic structures in mixed-language or instructional contexts.	L44-E86	Identify biological or pharmacological terms to predict related Chinese translations or characters.
L44-E87	Completes common multi-character nouns and polite terminal verb phrases in East Asian languages.	L44-E88	Pronouns and functional words predicting imminent verbs or auxiliary verbs.
L44-E89	Predicting specialized medical terminology related to surgery, obstetrics, and medical procedures.	L44-E90	Activates on punctuation ending mathematical premises to predict the next instructional step.
L44-E91	Standard library and popular package module members or import statements.	L44-E92	Technical terms and components related to audio, optics, electronics, and digital signals.
L44-E93	CJK characters and punctuation transitioning between natural language and code comments.	L44-E94	Wiki-style section headers and structured meta-data fields ending a content block.
L44-E95	Scientific and astrophysical terminology completion within technical physics research contexts.	L44-E96	Completes specific prefixes and mid-word fragments in academic and technical terminology.
L44-E97	Software development configuration keys, tool-specific commands, and package dependency path components.	L44-E98	Predicts software products and hardware brands within lists or descriptive technical contexts.
L44-E99	Predicts modal verbs or auxiliary verbs following subjects in formal and legal texts.	L44-E100	Processes internal word structures and components in Romance and Balto-Slavic languages.
L44-E101	Syntactic fragments and morphological markers in Russian and technical multilingual strings.	L44-E102	Identifies and processes URL components, file extensions, and path separators.
L44-E103	Scientific citations, LaTeX formatting commands, and specialized prefix completion.	L44-E104	Proper nouns and locations in East Asian contexts, specifically Japan and Korea.
L44-E105	Numerical digits within years, dates, and technical versioning strings.	L44-E106	Data structure and query terminology within code and database contexts.
L44-E107	Predicting specific names following professional titles, roles, or connective punctuation.	L44-E108	Automotive terminology, specifically car brands, models, specifications, and interior components.
L44-E109	Predicts subsequent mathematical variables or physical coordinates following operators and delimiters.	L44-E110	Nouns and adjectives preceding comparative or conditional conjunctions like 'as' and 'so'.
L44-E111	Numerical sequences and identifiers within code, mathematical expressions, and dates.	L44-E112	Syntactic operators and identifiers within code structures and markup tags.
L44-E113	Phrasal completion of 'to' in fixed idioms like 'to do' or 'to reason'.	L44-E114	Predicts grammatical suffixes for Russian and Slavic verbal and nominal stems.
L44-E115	Classical Chinese poetry, idioms, and formal terminology related to administrative governance.	L44-E116	Predicts nouns for tools, clothing, and household objects within descriptive lists.
L44-E117	Activates on Chinese tokens related to programming documentation, instructions, and system operations.	L44-E118	Processes and predicts tokens within complex medical conditions and disease terminology.
L44-E119	Technical terms and formal department names in biological, medical, and governmental contexts.	L44-E120	Legal, financial, and administrative terms, especially relating to official records or investigations.
L44-E121	Identifying formal textual structures to predict academic or technical classification terms.	L44-E122	predicting descriptive physical attributes and bodily parts in sexual or emotive contexts
L44-E123	Activates on structure members and field accessors in code and data serializations.	L44-E124	Chinese vocabulary and punctuation within technical, academic, or bilingual contexts.
L44-E125	Syntactic structures and property definitions in code, specifically UI and mobile development.	L44-E126	Predicts geographical proper nouns following cardinal and ordinal direction prefixes.
L44-E127	Technical command-line syntax, hexadecimal constants, and XML/Git metadata formatting.		