Evaluating the Practicality of Counterfactual Explanations

Abstract

Machine learning models are increasingly used for decisions that directly affect people's lives. These models are often opaque, meaning that the people affected cannot understand how or why the decision was made. However, according to the General Data Protection Regulation, decision subjects have the right to an explanation. Counterfactual explanations are a way to make machine learning models more transparent by showing how attributes need to be changed to get a different outcome. This type of explanation is considered easy to understand and human-friendly. To be used in real life, explanations must be practical, which means they must go beyond a purely theoretical framework. Research has focused on defining several objective functions to compute practical counterfactuals. However, it has not yet been tested whether people perceive the explanations as such in practice. To address this, we contribute by identifying properties that explanations must satisfy to be practical for human subjects. The properties are then used to evaluate the practicality of two counterfactual explanation methods (CARE and WachterCF) by conducting a user study. The results show that human subjects consider the explanations by CARE (a multi-objective approach) to be more practical than the WachterCF (baseline) explanations. We also show that the perception of explanations differs depending on the classification task by exploring multiple datasets.

1 Introduction

Machine learning (ML) models are increasingly used for automated decision-making impacting people's lives Ustun et al. (2019). Some typical applications for ML model decisions are approving a requested loan Khandani et al. (2010), hiring an applicant Ajunwa et al. (2016), or setting the price rates for insurance contracts Scism (2019). ML models are often opaque, meaning users cannot trace back how the decision is made Herse et al. (2018). In light of this automated decision-making, the European Union put forward a General Data Protection Regulation (GDPR) GDP ([n. d.]). The GDPR includes a "right to explanation" Goodman and Flaxman (2017), meaning affected people are entitled to request an explanation for a decision that has been made about them. To serve this right the research field of explainability for ML models is continuously growing Molnar (2020). Explainability aims to make the functioning of a model clear and easy to understand for a given audience Arrieta et al. (2020). However, an ongoing debate in legal and ML communities discusses what this right should entail and what specific requirements must be met Wachter et al. (2017a). Since the audience does not necessarily have technical skills or domain knowledge, explainability methods must also be suitable for non-technical users without expertise.

We focus on a particular method of post-doc explanations, called counterfactual explanations Wachter et al. (2017b). A counterfactual explanation proposes minimal changes to the input data that lead to

Figure 1: Some counterfactual explanation methods, categorized into optimization-based and model-based approaches.

a different model outcome. They can be seen as recommendations for what to change to achieve a desired model outcome Artelt and Hammer (2019). We focus on two methods for computing counterfactual explanations, the original approach proposed by Wachter et al. Wachter et al. (2017b), which we refer to as *WachterCF*, and a framework proposed by Rasouli et al. Rasouli and Yu (2021), called CARE. Counterfactual explanations are viewed to be easy to understand Wachter et al. (2017b) and human-friendly Molnar (2020). Wachter et al. Wachter et al. (2017b) state that counterfactual explanations are "practically useful for understanding the reasons for a decision". The Oxford Dictionary[1] defines practical as "concerned with the actual doing or use of something rather than with theory and ideas". Consequently, explanations must go beyond a purely theoretical concept to serve as practical explanations. However, there is limited work that attempts to evaluate the perception of counterfactual explanations in practice, and previous work has offered criticism on their applicability in real-life settings (see Section 2). Our contribution lies in first defining a set of properties that counterfactual explanations should satisfy in order to be considered practical. These properties are then used to define questions for a user study. The user study tests how users perceive counterfactual explanations computed by CARE and WachterCF in two different contexts. The research questions we explore in this work are as follows.

RQ: How practical are counterfactual explanations for human subjects?

Q1 What properties must counterfactual explanations serve to be practical for human subjects?

Q2 How do human subjects perceive counterfactual instances proposed by CARE compared to WachterCF?

Q3 How does the perception of counterfactual explanations differ depending on the classification task?

2 Related Work

In recent years, many methods for generating counterfactual explanations have been proposed Redelmeier et al. (2021). A complete literature review of the proposed methods exceeds the scope of this paper; Figure 1 provides an overview. We distinguish between approaches that are optimization-based Dandl et al. (2020)Mothilal et al. (2020)Rasouli and Yu (2021)Ustun et al. (2019)Wachter et al. (2017b) and ones that are model-based Downs et al. (2020)Joshi et al. (2019)Pawelczyk et al. (2020)Redelmeier et al. (2021)Yang et al. (2021). In their work, Barocas et al. Barocas et al. (2020) show that the computation of counterfactual explanations often relies on widely overlooked assumptions that are necessary for counterfactual explanations to be accepted in real life. Laugel et al. Laugel et al. (2019) claim that assumptions make counterfactual explanations unreliable in many contextual uses. Researchers have responded to this criticism by developing counterfactual frameworks with different objective functions to satisfy specific properties Ustun et al. (2019)Rasouli and Yu (2021)Mothilal et al. (2020)Dandl et al. (2020)Förster et al. (2021)Kanamori et al. (2020). WachterCF only focuses on being close to the original input data, but does not explicitly aim to satisfy

---

[1]https://languages.oup.com/google-dictionary-en/

any other practicality objective. In contrast, CARE solves a multi-objective problem including four desirable properties, such as *proximity* (being a neighbor of the ground-truth data Laugel et al. (2019)), *connectedness* (relationship between counterfactual instance and training data), *coherency* (keeping the consistency of (un)changed features) and *actionability* (include preference, e.g. restrictions or immutability of features). The following user studies have looked at counterfactual explanations. Warren et al. Warren et al. (2022) have examined how well users are able to predict model outcomes after looking at counterfactual explanations. Förster et al. Förster et al. (2021) examined the coherency of counterfactual explanations.

3   Methodology

We determine what properties counterfactual explanations must satisfy to be practical based on existing literature. We focus on properties that affect how human subjects perceive counterfactual explanations. The remaining sub-questions are answered by performing a user study with human subjects. The study aims to compare the perception of explanations provided by CARE with explanations provided by WachterCF. We use a non-parametric, called *Wilcoxon Sign Ranked* test Woolson (2007) to determine if the results are significantly different. To measure the practicality of counterfactual instances, we formulate questions mapped to practicality properties. Before conducting a user study, the target group must be defined. Since any individual could be affected by automated decision-making, we use convenience sampling Etikan et al. (2016) by collecting information from closely available people. One distinction we make in the analysis is whether participants are familiar with machine learning methods because we believe there may be a potential difference in the perception of explanations depending on the prior knowledge of participants. We aim for 100 responses, preferably split evenly between respondents with a technical and non-technical background.

To examine different classification tasks, we use two separate datasets, bot accessible through the UCI machine learning repository Dua and Graff (2017). The Adult Income dataset Frank and Asuncion (2010) is used to classify whether an individual is likely to have an income of more than 50k per year, whereas the Student Performance dataset Cortez and Silva (2008) is used to predict if a student will pass a course. The two scenarios were evenly distributed among the participants. The preparation of the Adult dataset follows Zhu Zhu (2016). For the student dataset, we follow a similar structure. An overview of the final datasets can be find in the Appendix. For the remaining steps until the computation of the counterfactual explanation, we follow Rasouli et al. Rasouli and Yu (2021). The data sets are split into 80% training and 20% test set. We use the same classification model as Rasouli et al. Rasouli and Yu (2021), which is a multi-layer neural network. Based on that, we compute the counterfactual instances using WachterCF and CARE. CARE provides the user with the possibility of defining constraints for actionability. We pre-define these constraints following Rasouli et al. Rasouli and Yu (2021) by setting gender and race as *fix* (immutable value) and age as *ge* (can only be greater or equal to the current value).

4   Practicality

Considering that the recipient of the explanation is a human subject, it is crucial to make the explanations human-friendly. Miller Miller (2019) summarizes human-friendly characteristics. Concerning counterfactual explanations, we have defined the following set of properties that lead to practical explanations. This set is used as a benchmark to evaluate how humans perceive counterfactual explanations in practice.

- **Contrastiveness**: Humans are not interested in why an event happened but rather in why that event happened instead of another.

- **Selectivity**: Generally, humans do not expect a complete cause of an event. Humans are used to selecting a smaller set of causes and treating it as a complete explanation. Hence, methods should provide selected explanations.

- **Social**: The explaining method is part of an interaction between the end-user and the system explaining. As a result, the social environment, the target audience, and the use case need to be considered.

- **Truthful**: A human-friendly explanation needs to make sense. This means the user must perceive the explanation as plausible.
- **Consistent with prior beliefs**: As described by the confirmation bias Nickerson (1998), people tend to ignore information that is inconsistent with their prior beliefs. Applied to ML models, this means that end-users are more likely to consider explanations that provide expected explanations.

5 Experimental Setup

We specify questions to measure how well the counterfactual instances satisfy the practicality properties. We map the questions shown to the properties as we believe they represent expectations of counterfactual explanations with respect to those properties. The person represented by the input data is called *Charlie*.

Table 1: User Study Questions: The following questions are formulated based on the property set to evaluate practicality.

Question	Measurement	Property
1 What attribute(s) would you expect to change for Charlie to instead get the outcome of "earning above 50k" / "passing the course"?	Multiple Choice: List of features	Consistency prior beliefs
2 How surprised are you with the suggested changes in attributes to get the outcome of "earning above 50k" / "passing the course"?	Likert Scale: 1. Not at all 7. Very surprised	Consistency prior beliefs
3 How well does the method explain to you what Charlie needs to change to get "earning above 50k" / "passing the course"?	Likert Scale: 1. Not at all 7. Very well	Contrastiveness
4 Based on the explanation, what attribute(s) would you consider as most important to change the model outcome?	Multiple Choice: List of features	Consistency prior beliefs
5 In your opinion, the amount of five different suggestions / one suggestion is ___ to explain the model outcome.	Single Choice: Too little/ Enough/ Too many	Selectivity
6 In your opinion, the variation of attributes in the suggestion(s) is ___ to explain the model outcome.	Single Choice: Too little/ Enough/ Too much	Selectivity
7 Do you think Charlie could realistically act upon the suggestions to change the model outcome to "earning above 50k" / "passing the course"?	Likert Scale: 1. Not at all 7. Fully	Social
8 Do you think the suggestions make sense in order to retrieve the model outcome to "earning above 50k" / "passing the course"?	Likert Scale: 1. Not at all 7. A lot	Truthful
9 Which method would you prefer as an explanation for the outcome of the ML model?	Single Choice: Method A Method B	

The study starts by introducing ML models, counterfactual explanations, and the underlying classification task. For this study, 30 different instances from the two datasets are evenly randomized among the participants. The participants are asked what properties they expect. This is followed by showing the first counterfactual explanation computed by CARE and questions 2-8. After answering the questions, they are shown the explanation computed by WachterCF and are asked the same questions. Finally, the last question asks which method is preferred and gives an opportunity to leave a comment. The final user study shows each participant the CARE explanations first. Another option would be to randomize the order of explanation methods shown between participants. We chose the fixed order with the reasoning that our focus is on evaluating CARE (a method intended for practicality) against the baseline WachterCF method. By showing CARE first we ensure that CARE is evaluated without any influence. If CARE is not perceived to be more practical than the WachterCF explanation shown second should obtain similar responses.

Figure 2: Responses to questions with quantitative responses (Likert scale and Single Choice). Red-colored answers (bottom) indicate negative responses, yellow (middle) neutral, and green positive (top). For each question, the responses for WachterCF are compared with CARE. All responses differ significantly between the methods.

6 Results

Out of 135 complete responses, 69 participants received the Adult Income dataset, and 66 received the Student Performance dataset. Additionally, 70 responses indicate that they are familiar with ML models, while the remaining 65 imply not being that familiar with ML models. During our analysis, we do not find any significant difference in the perception of counterfactual explanations based on users' technical literacy. Figure 2 shows a stacked bar chart for Questions 2,3,5,6, and 7, comparing the responses of WachterCF and CARE. Looking at the graphs, it is noticeable that the counterfactual explanations calculated with WachterCF received more negative responses than those calculated with CARE. The *Wilcoxon Sign Ranked* confirms that the responses for WachterCF are significantly different from the responses for CARE. From this, we can conclude that counterfactual instances computed by CARE are considered more practical. Taking those results into account, we map back to the defined set of practicality properties. Question 2 shows that CARE provides less surprising explanations than WachterCF and is thus more *consistent with prior beliefs*. Question 3 shows CARE provides a better explanation of what needs to be changed to get the different model outcome, which maps to the attribute *Contrastiveness*. Questions 5 & 6 show that CARE is rated to *select* a better subset of features than WachterCF. Question 7 evaluates a *social* perspective, showing that CARE serves more realistic suggestions considering the specific use case. Question 8 shows that suggestions by CARE are perceived to make more sense than suggestions by WachterCF, which maps to being *truthful*.

By analyzing Questions 1 and 4 we can compute another estimator for being *consist with prior beliefs*. Question 1 asks what features participants expect to change. Question 4 elaborates on what features are considered important after seeing the explanations. We analyze the responses by computing a *percentage of agreement*, which reveals how many of the features considered as most important after seeing the explanation were also selected in Question 1. The results show a slight tendency that explanations provided by CARE have a higher *percentage of agreements* than ones by WachterCF. However, according to the *Wilcoxon Sign Ranked* test, we do not have enough evidence to show a significant difference for this comparison. Question 9 directly asks the participants what method is preferred as an explanation. Out of the 135 answers, 113 selected CARE over WachterCF. Therefore, we can conclude that humans subjectively prefer CARE over WachterCF.

The responses show that the perception of WachterCF and CARE differs depending on the classification task. To further assess whether this difference influences the obtained results, we perform the same analysis as before but split the responses according to the classification task assessed by the users. The Student Performance data shows a similar pattern as the overall results shown in Figure 2. CARE is seen as more practical compared to WachterCF and all differences are statistically

significant. On the contrary, the responses to the Adult Income dataset do not show the same results (see Appendix). Only Questions 5 & 6 show a significant difference in answers, which ask to indicate the perception regarding the practicality property *Selectivity*. All other questions do not differ significantly. Question 7 even shows a slight tendency in favor of WachterCF. We propose three reasons for this. First, when looking at the actual explanations, WachterCF often only changes the attribute *Age* in both datasets. If so, *Age* decreases for the Student Performance dataset, but increases for the Adult Income dataset. Decreasing the age is not an actionable explanation, but getting older is happening without any active changes. Therefore, seeing a decrease in age is unsatisfying. Another reason is that the student performance dataset contains more attributes to be modified than the adult income dataset. More attributes may lead to more complexity in computing practical counterfactual explanations. Furthermore, the decision of the Student Performance dataset is about whether a student is likely to pass or fail a class is a high-impact decision compared to the Adult Income decision. Participants may be more demanding regarding the practicality of the explanations when students' lives are directly affected.

7 Discussion and Future Work

In this section, we discuss the limitations and weaknesses of the methodological design and reflect on the results of the user study transitioning to possible future work.

One limitation of the user study is that the user study participants were selected through convenience sampling Etikan et al. (2016). This type of sampling is prone to bias and could lead to a judgment that may not represent other social groups. Furthermore, the user study design does not represent a realistic scenario. Participants judge cases of people they do not know and to whom they have no emotional attachment. Another aspect of this is that the datasets have been preprocessed before conducting the user study, which may not be the case in a real-life scenario.

This paper shows that the responses to the majority of the questions differ depending on the classification task the counterfactual instance aimed to explain. This could indicate that the perception of explanations differs according to the context of the decision. An explanation might be considered practical for a specific use case but impractical for a different one by the same user. This could be related to the nature of the classification task and its complexity, the features contained in the data, as well as the emotions towards a specific decision and its explanation. Further research is necessary to determine what conclusions can be drawn about this. We gain insights that explanations by CARE are overall perceived as more practical than explanations by WachterCF, but also that the answers differ depending on the classification task. Future research should consider the potential effects of different machine learning tasks on explanations. Furthermore, it will be important to investigate further the role of emotions when being provided with an explanation. For this personal predictions could be explored. Another area to explore further is comparing user perceptions of different explanation methods, such as feature attribution methods (like LIME Ribeiro et al. (2016)), or causal explanations Warren et al. (2022).

8 Conclusions

People affected by a decision made by an ML model have the right to receive explanations to understand better why and how the model makes a particular decision. Counterfactual explanations are a way to provide transparency by showing which and how attributes must change to achieve the desired outcome. Research has focused on developing various frameworks for computing counterfactuals. However, counterfactual explanations must be practical to be used by human subjects in practice. To answer our research question about the practicality of counterfactual explanations, we first define the following properties to measure practicality: contrasting, selective, social, truthful, and consistent with prior beliefs of the user. To test how people perceive the explanations and simultaneously answer the second and third sub-question, we conduct a user study to compare this method against WachterCF as a baseline using two different classification tasks. The overall responses show that people perceive explanations computed with CARE as significantly more practical than those computed with WachterCF. Furthermore, we analyzed that looking at both used datasets separately results in different outcomes, which indicates that the perception of an explanation might differ depending on the classification task, the data, or the scenario.

Acknowledgments

We are grateful to the participants of the user study. And we thank Emma Beauxis-Aussalet (Vrije Universiteit Amsterdam) for the thoughtful feedback which improved the findings of this paper.

Reproducability

We provide a repository containing the code and data that was used for this research. It also includes further details on the user study design. The repository is available at `https://github.com/ninaspreitzer/practicality-counterfactual-explanations`.

References

European Commission [n. d.]. *2018 reform of EU data protection rules*. European Commission. `https://ec.europa.eu/commission/sites/beta-political/files/data-protection-factsheet-changes_en.pdf`

Ifeoma Ajunwa, Sorelle Friedler, Carlos E Scheidegger, and Suresh Venkatasubramanian. 2016. Hiring by algorithm: predicting and preventing disparate impact. *Available at SSRN* (2016).

Alejandro Barredo Arrieta, Natalia Díaz-Rodríguez, Javier Del Ser, Adrien Bennetot, Siham Tabik, Alberto Barbado, Salvador García, Sergio Gil-López, Daniel Molina, Richard Benjamins, et al. 2020. Explainable Artificial Intelligence (XAI): Concepts, taxonomies, opportunities and challenges toward responsible AI. *Information fusion* 58 (2020), 82–115.

André Artelt and Barbara Hammer. 2019. On the computation of counterfactual explanations–A survey. *arXiv preprint arXiv:1911.07749* (2019).

Solon Barocas, Andrew D Selbst, and Manish Raghavan. 2020. The hidden assumptions behind counterfactual explanations and principal reasons. In *Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency*. 80–89.

Paulo Cortez and Alice Maria Gonçalves Silva. 2008. Using data mining to predict secondary school student performance. (2008).

Susanne Dandl, Christoph Molnar, Martin Binder, and Bernd Bischl. 2020. Multi-objective counterfactual explanations. In *International Conference on Parallel Problem Solving from Nature*. Springer, 448–469.

Michael Downs, Jonathan L Chu, Yaniv Yacoby, Finale Doshi-Velez, and Weiwei Pan. 2020. Cruds: Counterfactual recourse using disentangled subspaces. *ICML WHI* 2020 (2020), 1–23.

Dheeru Dua and Casey Graff. 2017. UCI Machine Learning Repository. `http://archive.ics.uci.edu/ml`

Ilker Etikan, Sulaiman Abubakar Musa, Rukayya Sunusi Alkassim, et al. 2016. Comparison of convenience sampling and purposive sampling. *American journal of theoretical and applied statistics* 5, 1 (2016), 1–4.

Maximilian Förster, Philipp Hühn, Mathias Klier, and Kilian Kluge. 2021. Capturing Users' Reality: A Novel Approach to Generate Coherent Counterfactual Explanations. In *Proceedings of the 54th Hawaii International Conference on System Sciences*. 1274.

Andrew Frank and Arthur Asuncion. 2010. UCI Machine Learning Repository [http://archive. ics. uci. edu/ml]. Irvine, CA: University of California. *School of information and computer science* 213, 2 (2010).

Bryce Goodman and Seth Flaxman. 2017. European Union regulations on algorithmic decision-making and a "right to explanation". *AI magazine* 38, 3 (2017), 50–57.

Sarita Herse, Jonathan Vitale, Meg Tonkin, Daniel Ebrahimian, Suman Ojha, Benjamin Johnston, William Judge, and Mary-Anne Williams. 2018. Do you trust me, blindly? Factors influencing trust towards a robot recommender system. In *2018 27th IEEE international symposium on robot and human interactive communication (RO-MAN)*. IEEE, 7–14.

Shalmali Joshi, Oluwasanmi Koyejo, Warut Vijitbenjaronk, Been Kim, and Joydeep Ghosh. 2019. Towards realistic individual recourse and actionable explanations in black-box decision making systems. *arXiv preprint arXiv:1907.09615* (2019).

Kentaro Kanamori, Takuya Takagi, Ken Kobayashi, and Hiroki Arimura. 2020. DACE: Distribution-Aware Counterfactual Explanation by Mixed-Integer Linear Optimization.. In *IJCAI*. 2855–2862.

Amir E Khandani, Adlar J Kim, and Andrew W Lo. 2010. Consumer credit-risk models via machine-learning algorithms. *Journal of Banking & Finance* 34, 11 (2010), 2767–2787.

Thibault Laugel, Marie-Jeanne Lesot, Christophe Marsala, and Marcin Detyniecki. 2019. Issues with post-hoc counterfactual explanations: a discussion. *arXiv preprint arXiv:1906.04774* (2019).

Tim Miller. 2019. Explanation in artificial intelligence: Insights from the social sciences. *Artificial intelligence* 267 (2019), 1–38.

Christoph Molnar. 2020. *Interpretable machine learning*. Lulu. com.

Ramaravind K Mothilal, Amit Sharma, and Chenhao Tan. 2020. Explaining machine learning classifiers through diverse counterfactual explanations. In *Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency*. 607–617.

Raymond S Nickerson. 1998. Confirmation bias: A ubiquitous phenomenon in many guises. *Review of general psychology* 2, 2 (1998), 175–220.

Martin Pawelczyk, Klaus Broelemann, and Gjergji Kasneci. 2020. Learning model-agnostic counter-factual explanations for tabular data. In *Proceedings of The Web Conference 2020*. 3126–3132.

Peyman Rasouli and Ingrid Chieh Yu. 2021. CARE: Coherent Actionable Recourse based on Sound Counterfactual Explanations. *arXiv preprint arXiv:2108.08197* (2021).

Annabelle Redelmeier, Martin Jullum, Kjersti Aas, and Anders Løland. 2021. MCCE: Monte Carlo sampling of realistic counterfactual explanations. *arXiv preprint arXiv:2111.09790* (2021).

Marco Tulio Ribeiro, Sameer Singh, and Carlos Guestrin. 2016. " Why should i trust you?" Explaining the predictions of any classifier. In *Proceedings of the 22nd ACM SIGKDD international conference on knowledge discovery and data mining*. 1135–1144.

Leslie Scism. 2019. New York Insurers Can Evaluate Your Social Media Use-If They Can Prove Why It's Needed. *The Wall Street Journal* (2019).

Berk Ustun, Alexander Spangher, and Yang Liu. 2019. Actionable recourse in linear classification. In *Proceedings of the conference on fairness, accountability, and transparency*. 10–19.

Sandra Wachter, Brent Mittelstadt, and Luciano Floridi. 2017a. Why a right to explanation of automated decision-making does not exist in the general data protection regulation. *International Data Privacy Law* 7, 2 (2017), 76–99.

Sandra Wachter, Brent Mittelstadt, and Chris Russell. 2017b. Counterfactual explanations without opening the black box: Automated decisions and the GDPR. *Harv. JL & Tech.* 31 (2017), 841.

Greta Warren, Mark T Keane, and Ruth MJ Byrne. 2022. Features of Explainability: How users understand counterfactual and causal explanations for categorical and continuous features in XAI. *arXiv preprint arXiv:2204.10152* (2022).

Robert F Woolson. 2007. Wilcoxon signed-rank test. *Wiley encyclopedia of clinical trials* (2007), 1–3.

Fan Yang, Sahan Suresh Alva, Jiahao Chen, and Xia Hu. 2021. Model-Based Counterfactual Synthesizer for Interpretation. In *Proceedings of the 27th ACM SIGKDD Conference on Knowledge Discovery & Data Mining*. 1964–1974.

Haojun Zhu. 2016. Predicting earning potential using the adult dataset. *Retrieved December* 5 (2016), 2016.

9 Appendix

Results based on the Adult Income dataset

Responses to Questions with quantitative responses (Likert scale and Single Choice) exclusively for the classification task of the Adult Income dataset. Red-colored answers (bottom) indicate negative responses, yellow (middle) neutral and green positive (top). For each question the responses for WachterCF is compared with CARE. Based on the P values of a Wilcoxon Sign Ranked only Questions 5 & 6 are significantly different. The P value for each question shown is accordingly: 0.95, 0.2, 0.001, 0.01, 0.5, 0.8

 Overview of preprocessed Adult Income dataset

Column	Type	Values
Age	Continuous	17 - 90
Working Hours	Continuous	2 - 99
Gender	Discrete	Female
Male
Race	Discrete	White
Other[2]
Education Level	Discrete	Less than High School
High School Graduate
Some College
Associate's Degree
Bachelor's Degree
Master's Degree
Doctoral Degree
Professional Degree
Marital Status	Discrete	Single
Married
Separated
Divorced
Widowed
Occupation	Discrete	Blue-Collar
White-Collar
Professional
Sales
Service
Other/Unknown
Industry Type	Discrete	Government
Private
Self-Employed
Other/Unknown

334 **Overview of preprocessed Student Performance dataset**

Column	Type	Values
Age	Continuous	15 - 19
Absences	Continuous	0 - 30
Gender	Discrete	Female
Male
Extra educational support	Discrete	Yes
No
Family educational support	Discrete	Yes
No
Paid tutor classes	Discrete	Yes
No
Study Time	Discrete	Very low
Low
Medium
High
Very high
Freetime	Discrete	Very low
Low
Medium
High
Very high
Going out	Discrete	Very low
Low
Medium
High
Very high