Adversarial for Good? How the Adversarial ML Community's Values Impede Socially Beneficial Uses of Attacks

Abstract

Attacks from adversarial machine learning (ML) have the potential to be used "for good": they can be used to run counter to the existing power structures within ML, creating breathing space for those who would otherwise be the targets of surveillance and control. But most research on adversarial ML has not engaged in developing tools for resistance against ML systems. Why? In this paper, we review the broader impacts statements adversarial ML researchers wrote as part of their NeurIPS 2020 papers and assess the assumptions that authors have about the goals of their work. We also collect information about how authors view their work's impact more generally. We find that most adversarial ML researchers at NeurIPS hold two fundamental assumptions that will make it difficult for them to consider socially beneficial uses of adversarial ML: first, that it is normatively desirable to make systems robust, independent of context, and second, that attackers of systems are normatively bad and defenders of systems are normatively good. That is, despite their expressed and supposed neutrality, most adversarial ML researchers believe that the goal of their work is to secure systems, making it difficult to conceptualize and build tools for disrupting the status quo.

1. Introduction

Adversarial machine learning (ML) is a subfield of ML that studies *adversarially*-mounted *attacks* against ML-based systems. The most common research subject in the field is on improving *adversarial robustness*: studying and finding ways to protect ML models against these attacks and adversaries. If we take a step back, however, we can see that protecting ML is not a goal that is universally desirable and agreed-upon. Ubiquitous applications of predictive algorithms such as ML, e.g., in credit monitoring (Citron & Pasquale, 2014), facial recognition (Buolamwini & Gebru, 2018), and hiring (Sánchez-Monedero et al., 2019) regularly cause harm and offence in the real world, and consequentially meet resistance in various forms: policy decisions and legal frameworks (European Commission, 2020), activism (Belfield, 2020), and even artistic interventions (Doringer & Felderer, 2018).

Besides these forms, harmful technological systems can also be resisted by leveraging technological tools in a subversive way. For instance, within the security and privacy community, there have been numerous technological proposals for protecting against privacy-invasive ML systems and their supporting infrastructures (Brunton & Nissenbaum, 2015), including systems for protecting people's privacy against facial recognition (Shan et al., 2020; Chandrasekaran et al., 2020), voice recognition (Chandrasekaran et al., 2019), and mechanisms for releasing information while preventing inferences about private attributes (Jia & Gong, 2020; 2019). Outside of privacy protection, there are proposed systems for externally rectifying unfair outcomes, and for influencing harmful ML systems from the outside in the absence of other leverage (Kulynych et al., 2020; Vincent et al., 2021; Delobelle et al., 2021).

Most of the proposals above make use of techniques from adversarial ML such as adversarial examples and poisoning attacks. In fact, adversarial ML offers a natural toolbox for protesting, contesting, and reconfiguring outcomes of ML systems from the outside (Kulynych et al., 2020; Albert et al., 2020b; Das, 2020). Why despite this significant body of work is it so rare that mainstream adversarial ML researchers see the ML model itself as an adversary? Why is it that research on these non-trivial applications of adversarial ML comes almost exclusively from outside of the core adversarial ML community? We argue that the fundamental values of the adversarial ML community has limited its vision with regards to the beneficial potential of these technologies.

In philosophy and sociology of science, it is widely agreed

---

[1]Anonymous Institution, Anonymous City, Anonymous Region, Anonymous Country. Correspondence to: Anonymous Author <anon.email@domain.com>.

Preliminary work. Under review by the ICML 2021 workshop on A Blessing in Disguise: The Prospects and Perils of Adversarial Machine Learning. Do not distribute.

that culture, experiences, and — crucially — *values* of an academic community have a significant impact on which research problems are considered, and which ones are not (Latour, 1993; Haraway, 1988; Kuhn, 1970). Clearly, some of these values, called *epistemic* (Carrier, 2013), are related to knowledge and its production, e.g., a community can value accuracy, mathematical elegance, or novelty. Epistemic values, however, are not the only ones that shape research. Even though the scientific process is commonly seen as a neutral "gaze from nowhere" (Haraway, 1988), other values, called *non-epistemic*, also have an impact. The non-epistemic values are often not explicitly stated, but include underlying social, moral, or political values, e.g., a community can value applicability to human needs (Longino, 1995).

Can we assess the values of the adversarial ML community? The fact that the community does not engage with a variety of high-profile targets to build attacks "for good" must be of moral, social, and political nature, thus due to non-epistemic values. Luckily for us, the NeurIPS conference, following existing practices by e.g. the US National Science Foundation, has introduced the requirement for inclusion of broader impact statements in all submissions in 2020:

> "*In order to provide a balanced perspective, authors are required to include a statement of the potential broader impact of their work, including its ethical aspects and future societal consequences. Authors should take care to discuss both positive and negative outcomes.*" (NeurIPS, 2020a)

The stated ethical and societal impacts of a given work are likely to reflect some of the moral and social values held by the authors. This presents us with an opportunity to get a glimpse of the community's values through the lens of the broader impact (BI) statements. In this paper, we delve into the BI statements in adversarial ML papers at NeurIPS 2020 to see how the authors view the impacts of their work, gain understanding of what values the community holds, and whether these values are compatible with the direction and the promise of "Adversarial for Good."

2. Methodology

In this section, we outline our methodology for selecting papers on adversarial ML at the NeurIPS 2020 conference, and our content analysis protocol.

Relevance The object of our study were NeurIPS 2020 papers that discuss security-relevant adversarial settings in which the adversary's goal is to interfere with the functionality of ML models. The in-scope topics are adversarial examples, poisoning attacks, model stealing, as well as defences against these. The out-of-scope topics were the "adversarial" optimization techniques involving multiple competing objectives, as in generative adversarial networks (GANs),

and works on distributional robustness that do not evaluate or discuss adversarial robustness. Additionally, we deemed attacks against privacy of the training data such as membership inference (Shokri et al., 2017) as out of scope.

Selection To obtain information about the papers, we retrieved the data from the NeurIPS 2020 website containing details about all 1918 accepted papers (NeurIPS, 2020b). We used a two-stage process to select the relevant ones. First, we automatically filtered the papers by occurrence of the following non-case-sensitive character sequences in their titles: "adversar" (to capture "adversary" or "adversarial"), "robust" (to capture "robust" and "robustness"), "poison", "steal", "attack"; and excluded occurrences of the sequence "generative adversarial ". This stage yielded 154 papers. We further manually inspected each of the initially filtered papers to ensure they fit our relevance criterion. Our final tally resulted in a total of 91 papers with a breakdown of 16 *spotlight* papers (a special distinction at NeurIPS, reflecting high scores at the review stage) and 75 non-spotlight papers.

Coding Having selected the relevant subset of papers, our goal was to better understand what the authors consider the impact of their work to be, and shed the light on their values. For this, we followed a standard protocol for qualitative data analysis (Berelson, 1952): a set of *coders* manually assigned *codes*, i.e., labels of interest, to all the papers. Here, the set of coders is all the authors of the present manuscript. To come up with the codes initially, all four authors read most of the spotlight papers and took notes on themes. After this initial review, we determined that there were three assumptions that seemed to cut across the spotlights, two of which we used as the main codes.

The first assumption is what we call "robustness as a final value." The underlying normative value is that ML systems *should be* adversarially robust — as in, resistant to attacks. BI statements consistent with this value often contain the assumption that adversarial robustness is the end goal of adversarial ML research, often noting that robustness is a prerequisite to AI-systems being employed in "high risk" or "safety-critical" applications.

The second assumption we noted as common across the field is the moral judgement that attackers of systems are bad, and that defenders of systems are good. This corresponds to robustness as a normative good, but is different insofar as a paper might acknowledge that not all attacks are bad but still believe that adversarial robustness is net good.

The third assumption we observed was the idea that technology itself is neutral, and therefore does not have political properties nor relevant considerations for BI statements. We ended up not using this assumption for coding for reasons described shortly.

We also included questions about whether or not a BI statement discusses negative impacts, limitations of their work, ethical issues with their research, and/or mentions possible downstream applications. Moreover, we added questions about the form of the BI statement: whether the statement is only restating conclusions/future work, and whether it cites other sources. Finally, we also gathered information about the funding sources.

After the preliminary review of the spotlight papers, we proceeded with a two-stage coding process as presented in Davis et al. (2014). First, all coders went back and independently coded the spotlight papers that were initially used to create the set of values evaluated in the paper. This process helped us refine the questions and codes. For instance, one of our initial questions was to quantitatively assess how much of the BI statement was treated as conclusions or future work. We changed this from a percentage to a Yes/No question asking if the BI statement was *primarily* used to discuss conclusions and future work. We also dropped the question "Does the BI statement assume technology is neutral?" from our analysis as it was difficult to reliably assess from reading the BI statement. In the second stage, each of the non-spotlight papers were randomly assigned to two coders. This way, each paper was reviewed at least twice.

Once the papers were all coded via the form, we examined those papers that lacked consensus among the reviewers. For spotlight papers, which were reviewed by all four authors, if two or more coders disagreed even in one of the responses, we deemed it a "conflict"; for the non-spotlight papers, which were reviewed by two coders, there was a conflict if either of the coders disagreed in their responses. We resolved conflicts by discussing the paper with other coders, debating the answers we initially chose until we came to consensus.

3. Findings

Of the 91 papers reviewed, 88 papers had BI statements. The 3 papers without BI statements included a comment that their paper was theoretical and/or did not have any foreseeable societal consequences. However, even on papers without a broader impacts statement, meta-reviewers discussed the positive impacts that these works might have on the field, which contradicts the idea that these works are theoretical and have no societal consequences unless one assumes that the field is divorced from society.

Perceived Broader Impact The 88 papers that included a BI statement ranged in their level of engagement with broader impacts. In particular, only one-third of the papers (30/88) went beyond restating future work and conclusions from the paper itself. About half of the papers (45/88) discussed negative societal impacts, the most common of

Table 1. Summary of findings from the qualitative coding NeurIPS 2020 Adversarial ML papers. The full text of the questions is included in the Appendix.

Question	Yes	No	N/A	Total
Paper has BI statement?	88	3	0	91
BI statement primar. restates conclusions?	58	30	0	88
Security as neg impact in BI?	23	65	0	88
Societal harms as neg impact in BI?	13	75	0	88
Environ. harms as neg impact in BI?	5	83	0	88
Broad harms of field as neg impact in BI?	13	75	0	88
No neg. impact in BI	43	45	0	88
Limitations of paper in BI?	22	66	0	88
Applications of their work in BI?	36	52	0	88
Cite other work in BI?	28	60	0	88
Ethics of conducting their research in BI?	5	83	0	88
"Robustness as Final Value" assump. in BI?	62	11	15	88
"Attack Bad, Defend Good" assump. in BI?	38	8	42	88
Paper funded by Military?	32	59	0	91
Paper funded by Govt. (non-Mil.)?	60	31	0	91
Paper funded by Industry?	28	63	0	91
Paper funded by Academic Fellowship?	7	84	0	91
Paper funded by Non-profit/Other?	9	82	0	91
Paper received no external funding?	2	89	0	91
Paper funding not specified?	8	83	0	91

which was security concerns (23 papers). The most common security concern was the potential for published attacks to be used by "adversaries" in ways that would result in negative social outcomes. A total of 13 papers cited non-security related societal impacts in particular, and 13 papers referenced the impacts of the "broader field" (for example, by referencing the field of computer vision broadly). Five papers discussed environmental impacts due to computation. A total of 22 papers discuss potential limitations of their present work in the BI statement. Less than half the papers (36/88) discuss a specific example of how their work might be used in the future. Those that did primarily discussed the potential of adversarial robustness to make ML safe for autonomous vehicles and healthcare settings. About a quarter of the total papers cited other work (28/88 papers). This suggests that authors may not be citing the papers that influence their thinking, or may not be engaging with literature as part of writing BI statements.

Surprisingly, given the broader context of BI statements being part of an evaluation of ethical practices within the field, only five papers out of 88 papers explicitly considered the ethics of conducting the research itself. Most adversarial machine learning papers require extensive computing resources (Luccioni et al., 2020), and some may include human subjects testing or be done in other settings where there are direct ethical concerns about the research (Albert et al., 2020a).

Values In the BI statements that we reviewed, most authors do not consider (or at least do not mention) that ro-

bustness may not be normatively desirable if an ML system is being used for anti-democratic or unethical purposes, nor do they weigh the pluses and minuses of limiting the possibility of circumvention of such systems. Over 70% of papers (62/88) had robustness as a final value. Only 11/88 of the papers did not have robustness as a final value, with the remaining 15 papers listed as not applicable as it could not be assessed one way or another. The papers that did not hold robustness as a final value often noted that whether robustness was normatively desirable depended on the context in which the system was employed. For example:

"This uncertainty is symptomatic of the fact that machine learning is often fundamental by nature and that there is no machine learning technique for improving robustness that can be applied only to positive-impact applications, whatever one's subjective interpretation of 'positive' may be." (Yang et al., 2020).

The assumption that attackers were "bad" was borne out in a number of ways: for example, the use of language like "malicious" or "malevolent" was often used to describe users of attacks, or attacks were described as aligned with "negative goals" (Elinas et al., 2020). A little less than half of coded papers explicitly cited attackers as bad and defenders as good (38/88), but many did not comment one way or the other, for a total of 42 not applicable. Only 8 of papers that expressed an opinion rejected the idea that attackers are bad and defenders are good.

Although we did not end up using our study results from the question as to whether technology is neutral, it is worth mentioning that many papers adopted an agnostic view as to the pluses and minuses of the technologies produced. The Yang et al. quote above, for example, while rejecting robustness as a normative good, makes this neutrality assumption. Although machine learning may be fundamental, that does not mean that it is "neutral": as any technology, it can have a tendency to benefit some actors at the expense of others (Winner, 1980). For instance, speeding up the processing of large datasets and making predictions from them fundamentally benefits those with access to more data (Dotan & Milli, 2019; Albert et al., 2020b).

Funding Two thirds of the papers received government funding (60/91), a little over one third of the papers received military funding (32/91), and about one third of the papers were funded by industry (28/91) (papers can and often were funded by more than one source). Additional funding sources included academic fellowships (7 papers) and non-profits (9 papers). Eight papers had no funding specified. Two papers explicitly listing that no third party funding was obtained. These results suggest that government and military funding drive many significant advances in this field. Although it would be overly simplistic to say, for example,

that military funding directly results in technologies that can be applied offensively, funding of research can drive values and priorities, and researchers generally did not discuss how the funding of their work might affect its broader impacts.

4. Conclusions

If broader impact statements are an accurate statement of values, most adversarial ML researchers publishing at NeurIPS 2020 believe that building more robust, reliable machine learning systems is the goal of the field, and that increased security of ML systems is a positive impact, independently of context. This is concerning because progress in ML is heavily laden with socio-political and environmental values. These values are manifested in and caused by the reliance and strong compatibility of ML theory and methods with "compute-rich and data-rich environments" (Dotan & Milli, 2019). Albert et al. (2020b) and Alkhatib (2021) argue that one of the declared purposes of ML systems is to leverage data collected about a deployment environment, often by outsiders, to better understand that environment. Making environments "legible" or more easily understood means those environments are more susceptible to control by centralized power structures such as governments, who often have disproportionate access to the data and computational resources needed for successful deployment of ML systems (Scott, 1998). Our findings suggest that adversarial ML shares these underlying values with the core field of ML, rather than being adverse to it. This creates a significant challenge for efforts to use adversarial ML attacks "for good", because the hidden values of the field may keep researchers from even realizing that the production of useful subversive technologies is something that adversarial ML is uniquely well-suited to tackle.

Adversarial ML has incredible potential for socially beneficial purposes, including attacks on ML systems that harm people. Although we primarily discussed attacks as a means to disrupt the operation of harmful systems or reconfiguring their outcomes, the techniques from adversarial ML can also be used for other beneficial applications including testing for: model bias, inclusion of training data without consent, and for the creation and use of algorithms nominally to support marginalized groups that actually exploit them (i.e. predatory inclusion (Taylor, 2019)) (Albert et al., 2020b). In order to produce efficient tools aligned with these goals, however, researchers may need to fundamentally reframe the goals of the field. This requires understanding machine learning as neither a neutral technology nor a straight-forwardly positive one, but rather one that is uniquely compatible with centralized power, and as such, will require concrete efforts to resist.

References

Albert, K., Delano, M., Penney, J., Rigot, A., and Kumar, R. S. S. Ethical Testing in the Real World: Evaluating Physical Testing of Adversarial Machine Learning. *arXiv:2012.02048 [cs]*, December 2020a.

Albert, K., Penney, J., Schneier, B., and Kumar, R. S. S. Politics of Adversarial Machine Learning. *arXiv:2002.05648 [cs, stat]*, April 2020b.

Alkhatib, A. To Live in Their Utopia: Why Algorithmic Systems Create Absurd Outcomes. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*, pp. 1–9, Yokohama Japan, May 2021. ACM. ISBN 978-1-4503-8096-6. doi: 10.1145/3411764. 3445740.

Belfield, H. Activism by the AI Community: Analysing Recent Achievements and Future Prospects. In *Proceedings of the AAAI/ACM Conference on AI, Ethics, and Society*, AIES '20, pp. 15–21, New York, NY, USA, February 2020. Association for Computing Machinery. ISBN 978-1-4503-7110-0. doi: 10.1145/3375627.3375814.

Berelson, B. *Content Analysis in Communication Research.* Free Press, 1952.

Brunton, F. and Nissenbaum, H. F. *Obfuscation: A User's Guide for Privacy and Protest*. MIT Press, Cambridge, Massachusetts, 2015. ISBN 978-0-262-02973-5.

Buolamwini, J. and Gebru, T. Gender Shades: Intersectional Accuracy Disparities in Commercial Gender Classification. pp. 15, 2018.

Carrier, M. Values and Objectivity in Science: Value-Ladenness, Pluralism and the Epistemic Attitude. *Science & Education*, 22(10):2547–2568, October 2013. ISSN 1573-1901. doi: 10.1007/s11191-012-9481-5.

Chandrasekaran, V., Linden, T., Fawaz, K., Mutlu, B., and Banerjee, S. BlackOut and Obfuscator: An Exploration of the Design Space for Privacy-Preserving Interventions for Voice Assistants. *arXiv:1812.00263 [cs]*, November 2019.

Chandrasekaran, V., Gao, C., Tang, B., Fawaz, K., Jha, S., and Banerjee, S. Face-Off: Adversarial Face Obfuscation. *arXiv:2003.08861 [cs]*, December 2020.

Citron, D. K. and Pasquale, F. The Scored Society: Due Process for Automated Predictions. *Washington Law Review*, 89:1, 2014. URL https://heinonline.org/HOL/Page?handle=hein.journals/washlr89&id=8&div=&collection=.

Das, S. Subversive AI: Resisting automated algorithmic surveillance with human-centered adversarial machine learning. *Resistance AI Workshop at NeurIPS 2020*, pp. 4, 2020.

Davis, C., Powell, H., and Lachlan, K. *Straight Talk about Communication Research Methods*. Kendall Hunt Publishing, second edition, 2014.

Delobelle, P., Temple, P., Perrouin, G., Frenay, B., Heymans, P., and Berendt, B. A Take on Obfuscation with Ethical Adversaries. pp. 4, 2021.

Doringer, B. and Felderer, B. *Faceless: Re-Inventing Privacy through Subversive Media Strategies*. De Gruyter, 2018.

Dotan, R. and Milli, S. Value-laden Disciplinary Shifts in Machine Learning. *arXiv:1912.01172 [cs, stat]*, December 2019.

Elinas, P., Bonilla, E. V., and Tiao, L. C. Variational Inference for Graph Convolutional Networks in the Absence of Graph Data and Adversarial Settings. *NeurIPS*, 2020.

European Commission. White paper on artificial intelligence: A european approach to excellence and trust, 2020.

Haraway, D. Situated Knowledges: The Science Question in Feminism and The Privilege of Partial Perspective. *Feminist Studies*, 14(3):579–599, 1988.

Jia, J. and Gong, N. Z. Defending against Machine Learning based Inference Attacks via Adversarial Examples: Opportunities and Challenges. *arXiv:1909.08526 [cs, stat]*, September 2019.

Jia, J. and Gong, N. Z. AttriGuard: A Practical Defense Against Attribute Inference Attacks via Adversarial Machine Learning. *arXiv:1805.04810 [cs, stat]*, April 2020.

Kuhn, T. S. *The Structure of Scientific Revolutions*. International Encyclopedia of Unified Science. Foundations of the Unity of Science. University of Chicago Press, Chicago, second edition, 1970. ISBN 978-0-226-45803-8.

Kulynych, B., Overdorf, R., Troncoso, C., and Gürses, S. POTs: Protective Optimization Technologies. *Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency*, pp. 177–188, January 2020. doi: 10.1145/3351095.3372853.

Latour, B. *We Have Never Been Modern*. Harvard University Press, Cambridge, Mass, 1993. ISBN 978-0-674-94838-9 978-0-674-94839-6.

Longino, H. E. Gender, Politics, and the Theoretical Virtues. *Synthese*, 104(3):383–397, 1995. ISSN 0039-7857.

Luccioni, A., Lacoste, A., and Schmidt, V. Estimating Carbon Emissions of Artificial Intelligence [Opinion]. *IEEE Technology and Society Magazine*, 39(2):48–51, June 2020. ISSN 1937-416X. doi: 10.1109/MTS.2020.2991496.

NeurIPS. Call for Papers. https://neurips.cc/Conferences/2020/CallForPapers, 2020a.

NeurIPS. All Papers (JSON Format). https://neurips.cc/virtual/2020/protected/papers.json, 2020b.

Scott, J. C. *Seeing like a State: How Certain Schemes to Improve the Human Condition Have Failed*. Yale Agrarian Studies. Yale University Press, New Haven, 1998. ISBN 978-0-300-07016-3.

Shan, S., Wenger, E., Zhang, J., Li, H., Zheng, H., and Zhao, B. Y. Fawkes: Protecting Privacy against Unauthorized Deep Learning Models. *arXiv:2002.08327 [cs, stat]*, June 2020.

Shokri, R., Stronati, M., Song, C., and Shmatikov, V. Membership inference attacks against machine learning models. In *2017 IEEE Symposium on Security and Privacy (SP)*, pp. 3–18. IEEE, 2017.

Sánchez-Monedero, J., Dencik, L., and Edwards, L. What Does It Mean to 'Solve' the Problem of Discrimination in Hiring? SSRN Scholarly Paper ID 3463141, Social Science Research Network, Rochester, NY, October 2019. URL https://papers.ssrn.com/abstract=3463141.

Taylor, K.-Y. *Race for Profit: How Banks and the Real Estate Industry Undermined Black Homeownership*. UNC Press Books, 2019.

Vincent, N., Li, H., Tilly, N., Chancellor, S., and Hecht, B. Data Leverage: A Framework for Empowering the Public in its Relationship with Technology Companies. In *Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency*, pp. 215–227, Virtual Event Canada, March 2021. ACM. ISBN 978-1-4503-8309-7. doi: 10.1145/3442188.3445885.

Winner, L. Do Artifacts Have Politics? *Daedalus*, pp. 17, 1980.

Yang, H., Zhang, J., Dong, H., Inkawhich, N., Gardner, A., Touchet, A., Wilkes, W., Berry, H., and Li, H. DVERGE: Diversifying Vulnerabilities for Enhanced Robust Generation of Ensembles. *NeurIPS*, 2020.

A. Appendix

For the full list of 91 papers that were coded, see the next page.

Papers were manually coded by the authors using Google Forms. We asked the following questions:

- Does the paper have a BI statement?

- Does the BI statement focus primarily on future work or restate conclusions?

- Does the BI statement discuss any negative societal impacts?

- Does the BI statement discuss limitations of the present research?

- Does the BI statement provide specific examples of uses?

- Does the BI statement cite out to other work?

- Did the BI statement discuss any ethical concerns about conducting the research?

- Does the BI statement have "robustness as a final value" as an assumption?

- Does the BI statement have "attackers are bad and defenders are good" as an assumption?

- Does the BI statement assume technology is neutral?

- Funding source for the paper

Table 2. List of all the NeurIPS 2020 papers included in the coding analysis.

NeurIPS Paper ID	Paper Title	Authors
17743	Most ReLU Networks Suffer from ℓ^2 Advers...	Amit Daniely et al.
18384	Certified Robustness of Graph Convolution Netw...	Hongwei Jin et al.
17118	Measuring Robustness to Natural Distribution S...	Rohan Taori et al.
17260	Simultaneously Learning Stochastic and Adversa...	Tiancheng Jin et al.
17984	Large-Scale Adversarial Training for Vision-an...	Zhe Gan et al.
18876	Guided Adversarial Attack for Evaluating and E...	Gaurang Sriramanan et al.
18985	A Single Recipe for Online Submodular Maximiza...	Omid Sadeghi et al.
18377	Variational Inference for Graph Convolutional ...	Pantelis Elinas et al.
17327	Simulating a Primary Visual Cortex at the Fron...	Joel Dapello et al.
17264	Adversarially Robust Streaming Algorithms via ...	Avinatan Hasidim et al.
18492	Do Adversarially Robust ImageNet Models Transf...	Hadi Salman et al.
19053	Robust Sub-Gaussian Principal Component Analys...	Arun Jambulapati et al.
16857	DVERGE: Diversifying Vulnerabilities for Enhan...	Huanrui Yang et al.
17097	Adversarial Training is a Form of Data-depende...	Kevin Roth et al.
19009	Beyond Perturbations: Learning Guarantees with...	Shafi Goldwasser et al.
18912	Robust Deep Reinforcement Learning against Adv...	Huan Zhang et al.
18059	A Causal View on Robustness of Neural Networks	Cheng Zhang et al.
17941	Hyperparameter Ensembles for Robustness and Un...	Florian Wenzel et al.
18518	(De)Randomized Smoothing for Certifiable Defen...	Alexander Levine et al.
17078	Adversarial Self-Supervised Contrastive Learning	Minseon Kim et al.
18221	Input-Aware Dynamic Backdoor Attack	Tuan Anh Nguyen et al.
18102	Adversarial Blocking Bandits	Nicholas Bishop et al.
17781	Adversarial Distributional Training for Robust...	Yinpeng Dong et al.
18567	Understanding and Improving Fast Adversarial T...	Maksym Andriushchenko et al.
17027	Adversarial Bandits with Corruptions: Regret L...	lin yang et al.
18380	Attack of the Tails: Yes, You Really Can Backd...	Hongyi Wang et al.
17462	On the Tightness of Semidefinite Relaxations f...	Richard Zhang
17742	Adversarial Learning for Robust Deep Clustering	Xu Yang et al.
17187	A Closer Look at Accuracy vs. Robustness	Yao-Yuan Yang et al.
18467	Adversarial Counterfactual Learning and Evalua...	Da Xu et al.
17905	Non-Convex SGD Learns Halfspaces with Adversar...	Ilias Diakonikolas et al.
18095	Optimal Robustness-Consistency Trade-offs for ...	Alexander Wei et al.
17064	Adversarial Weight Perturbation Helps Robust G...	Dongxian Wu et al.
18244	Robust Pre-Training by Adversarial Contrastive...	Ziyu Jiang et al.
17517	Provably Robust Metric Learning	Lu Wang et al.
18758	Iterative Deep Graph Learning for Graph Neural...	Yu Chen et al.
18237	Biologically Inspired Mechanisms for Adversari...	Manish Reddy Vuyyuru et al.
19079	Lipschitz Bounds and Provably Robust Training ...	Vishaal Krishnan et al.
18867	Automatic Perturbation Analysis for Scalable C...	Kaidi Xu et al.
17515	Election Coding for Distributed Learning: Prot...	Jy-yong Sohn et al.
16807	Maximum-Entropy Adversarial Data Augmentation ...	Long Zhao et al.
18266	Practical No-box Adversarial Attacks against DNNs	Qizhang Li et al.
16872	Adversarially Robust Few-Shot Learning: A Meta...	Micah Goldblum et al.
17522	GNNGuard: Defending Graph Neural Networks agai...	Xiang Zhang et al.
16975	Fast Adversarial Robustness Certification of N...	Sascha Saralajew et al.
17076	Learning Black-Box Attackers with Transferable...	Jiancheng YANG et al.
17122	On the Stability and Convergence of Robust Adv...	Kaiqing Zhang et al.
19008	Adversarial Attacks on Deep Graph Matching	Zijie Zhang et al.
17291	Contrastive Learning with Adversarial Examples	Chih-Hui Ho et al.
17947	Adversarial Crowdsourcing Through Robust Rank-...	Qianqian Ma et al.
17567	Diversity can be Transferred: Output Diversifi...	Yusuke Tashiro et al.
18094	Robust and Heavy-Tailed Mean Estimation Made S...	Sam Hopkins et al.

NeurIPS Paper ID	Paper Title	Authors
17791	On 1/n neural representation and robustness	Josue Nassar et al.
18662	HYDRA: Pruning Adversarially Robust Neural Net...	Vikash Sehwag et al.
18763	The Complexity of Adversarially Robust Proper ...	Ilias Diakonikolas et al.
18173	Adversarial robustness via robust low rank rep...	Pranjal Awasthi et al.
18058	Targeted Adversarial Perturbations for Monocul...	Alex Wong et al.
18208	AdvFlow: Inconspicuous Black-box Adversarial A...	Hadi Mohaghegh Dolatabadi et al.
16955	Once-for-All Adversarial Training: In-Situ Tra...	Haotao Wang et al.
18049	Adversarial Example Games	Joey Bose et al.
17792	Boosting Adversarial Training with Hypersphere...	Tianyu Pang et al.
18205	A Game Theoretic Analysis of Additive Adversar...	Ambar Pal et al.
18005	On the Loss Landscape of Adversarial Training:...	Chen Liu et al.
18143	Smoothed Geometry for Robust Attribution	Zifan Wang et al.
18299	On Adaptive Attacks to Adversarial Example Def...	Florian Tramer et al.
17851	The Statistical Cost of Robust Kernel Hyperpar...	Raphael Meyer et al.
17285	Trade-offs and Guarantees of Adversarial Repre...	Han Zhao et al.
17175	Adversarial Attacks on Linear Contextual Bandits	Evrard Garcelon et al.
17026	Robust large-margin learning in hyperbolic space	Melanie Weber et al.
18174	Dual Manifold Adversarial Robustness: Defense ...	Wei-An Lin et al.
18269	Consistency Regularization for Certified Robus...	Jongheon Jeong et al.
16974	Backpropagating Linearly Improves Transferabil...	Yiwen Guo et al.
17212	GreedyFool: Distortion-Aware Sparse Adversaria...	Xiaoyi Dong et al.
17206	An Efficient Adversarial Attack for Tree Ensem...	Chong Zhang et al.
17181	Robustness of Bayesian Neural Networks to Grad...	Ginevra Carbone et al.
17871	Online Robust Regression via SGD on the l1 loss	Scott Pesme et al.
17769	Adversarial Robustness of Supervised Sparse Co...	Jeremias Sulam et al.
17145	BERT Loses Patience: Fast and Robust Inference...	Wangchunshu Zhou et al.
18393	A General Method for Robust Learning from Batches	Ayush Jain et al.
18800	Over-parameterized Adversarial Training: An An...	Yi Zhang et al.
17964	Reducing Adversarially Robust Learning to Non-...	Omar Montasser et al.
18072	Robust Federated Learning: The Case of Affine ...	Amirhossein Reisizadeh et al.
18740	Reliable Graph Neural Networks via Robust Aggr...	Simon Geisler et al.
16819	Towards More Practical Adversarial Attacks on ...	Jiaqi Ma et al.
18236	Boundary thickness and robustness in learning ...	Yaoqing Yang et al.
17897	Distributionally Robust Local Non-parametric C...	Viet Anh Nguyen et al.
16965	On the Trade-off between Adversarial and Backd...	Cheng-Hsin Weng et al.
18190	MetaPoison: Practical General-purpose Clean-la...	W. Ronny Huang et al.
18869	Certifiably Adversarially Robust Detection of ...	Julian Bitterwolf et al.
18413	Adversarially-learned Inference via an Ensembl...	Adarsh K Jeewajee et al.
18283	Perturbing Across the Feature Hierarchy to Imp...	Nathan Inkawhich et al.