EFSA: Towards Event-Level Financial Sentiment Analysis

Abstract

In this paper, we extend financial sentiment analysis (FSA) to event-level since events usually serve as the subject of the sentiment in financial text. Though extracting events from the financial text may be conducive to accurate sentiment predictions, it has specialized challenges due to the lengthy and discontinuity of events in a financial text. To this end, we reconceptualize the event extraction as a classification task by designing a categorization comprising coarse-grained and fine-grained event categories. Under this setting, we formulate the **E**vent-Level **F**inancial **S**entiment **A**nalysis (**EFSA** for short) task that outputs quintuples consisting of (company, industry, coarse-grained event, fine-grained event, sentiment) from financial text. A large-scale Chinese dataset containing 12, 160 news articles and 13, 725 quintuples is publicized as a brand new testbed for our task. A four-hop Chain-of-Thought LLM-based approach is devised for this task. Systematically investigations are conducted on our dataset, and the empirical results demonstrate the benchmarking scores of existing methods and our proposed method can reach the current state-of-the-art. Our dataset and framework implementation are available at https://anonymous.4open.science/r/EFSA-645E

1 Introduction

Since Robert F. Engle was awarded the Nobel Prize because he researched the influence of news on financial market volatility (Engle and Ng, 1993), it catalyzed a surge in academic interest in Financial Sentiment Analysis (FSA) (Luo et al., 2018; Xing et al., 2020; Du et al., 2022). FSA holds significant importance within the application domain of sentiment analysis (Du et al., 2022), encompassing the study of financial textual sentiment (Kearney and Liu, 2014) within news to forecast financial market dynamics. Recall that it is the events described in

Figure 1: An example of Event-level Financial Sentiment Analysis from financial news. There could be multiple entities associated with their events with different sentiments.

the financial texts and the related sentiments that dominate the impact of financial news on market volatility (Xing et al., 2020), the primary focus of FSA should sit on events extraction and related sentiment analysis.

However, most existing FSA studies focus on predicting entities and sentiments while neglecting the analysis of events within financial texts. To name some, FiQA (Maia et al., 2018), an open challenge financial news dataset, is designed to analyze sentiment corresponding to a certain entity. SEntFiN (Sinha et al., 2022) is a news headline dataset for entity analysis, including entity recognition from a predefined list and related sentiment analysis. A most recent FSA benchmark, namely Fin-Entiy (Tang et al., 2023), aims to jointly predict the entities and the associated sentiments from financial news. Nevertheless, financial text's senti-

ments frequently link to particular events. For example, in Figure 1, the same entity *Nvidia* exhibits distinctly opposite sentiments due to two different events: *stock price movement* and *profit forecast*. From this example, we can be aware that the event usually serves as the subject of the sentiment in financial text, while the entity is the target of the emotional impact. Extracting events from financial text may be conducive to accurate sentiment predictions.

To this end, we aim to discover the events in financial text to provide an easier financial sentiment prediction. An intuitive way to identify an event from financial text is extracting a specific text span from the original text just like existing aspect-based sentiment analysis (ABSA) that finds both aspect and opinion terms from customer's comments (Pontiki et al., 2016; Zhang et al., 2022; Yu et al., 2023). However, direct adapting approaches of ABSA for this task could be ineffective even infeasible due to the events in the financial text being overlong and discontinuous (c.f. Figure 1). We will provide a further discussion about the similarities and differences between ABSA and our task in Section 2.3.

In this paper, based on our observations, we provide an alternative setting for FSA and propose a novel task, named **E**vent-Level **F**inancial **S**entiment **A**nalysis (**EFSA**), involving the prediction of quintuples (company, sector, coarse-grained event, fine-grained event, sentiment). Here we have enhanced the FSA tasks in two facets. First, to overcome the difficulties associated with extracting events from financial texts, we reconceptualize the event extraction task as a classification task. We design a categorization comprising coarse-grained and fine-grained event categories specifically for various events in financial news. Besides, we construct a knowledge-based rule to classify companies by industry, enabling FSA to elevate to higher dimensions, such as indices or sector markets. Our task setting can offer substantial practical value in financial applications, including stock trading, stock market anomaly attribution analysis, enterprise risk management, etc. Figure 1 presents example quintuples in our EFSA task.

To support this task, we annotated a large-scale dataset from Chinese financial news. The dataset includes $12,160$ news articles, selected from an initial set of over $50,000$ articles collected from mainstream Chinese financial news websites. Detailed annotations were conducted based on the above task settings. To the best of our knowledge, this dataset is a large-scale fine-grained annotated dataset for FSA and the largest Chinese dataset in the event-level financial sentiment analysis domain.

We conducted comprehensive experiments to benchmark our dataset. Empirical results demonstrate the EFSA task presents a significant challenge, even for advanced large language models (LLMs) such as GPT-4, primarily due to the complexity of simultaneously predicting two categories and the fact that the sentiments in financial texts are primarily implicit. Recent studies on implicit sentiments underscore the efficacy of the Chain-of-Thought (CoT) approach in reasoning implicit sentiments in fine-grained sentiment analysis (Fei et al., 2023). Consequently, we devise a framework utilizing a 4-hop Chain of Thought (CoT) prompt based on LLMs, achieving the highest level of performance recorded for our task.

The main contributions of our work can be summarized as follows:

- We propose a novel Event-Level Financial Sentiment Analysis task for financial sentiment analysis, named EFSA, including the prediction of quintuples consisting of (company, industry, coarse-grained event, fine-grained event, and sentiment).

- We publicize the largest-scale Chinese financial corpus to support the EFSA task.

- We conduct systemically benchmark experiments to investigate the efficacy of existing methods for the EFSA task and introduce a novel LLM-based framework reaching the current state-of-the-art.

2 Problem Formulation and Discussion

In this section, we formulate the EFSA task and differentiate it from the traditional ABSA task.

2.1 Problem Formulation

The problem of an Event-Driven Financial Sentiment Analysis (**EFSA**) is formulated as follows: Given an input financial news context x contains n words, EFSA aims to predict a set of quintuples (c, i, e^1, e^2, s), corresponding to (*company, industry, coarse-grained event, fine-grained event, sentiment polarity*). Here, *company c* is a text span within the sentence. Each *company c* is categorized into a specific *industry i* by knowledge-based rules. *Coarse-grained event e^1* and *fine-grained event e^2*

Task	Output
EFSA	(c, i, e^1, e^2, s)
Coarse-grained EFSA	(c, i, e^1, s)
Fine-grained EFSA	(c, i, e^2, s)
Entity-Level FSA	(c, i, s)

Table 1: The sub-tasks of EFSA

belong to two distinct predefined event type sets E^1 and E^2, where E^2 is a finer-grained division of E^1. $s \in \{$positive, negative, neutral$\}$ denotes the sentiment polarity.

2.2 The Sub-tasks of EFSA

The EFSA task could be further divided into two event-level sub-tasks, namely Coarse-grained EFSA (C-EFSA) and Fine-grained EFSA (F-EFSA), along with an entity-level FSA task. These tasks are outlined in Table 1. Due to the granularity difference of events categorization within different tasks, the difficulty of the three tasks, C-EFSA, F-EFSA, and complete EFSA, exhibits an increasing trend. This enables FSA researchers to conduct experiments on tasks of varying difficulty levels and financial practitioners to analyze market conditions at different event granularities. Additionally, our dataset can also support the existing FSA task. By disregarding event labels, our task can be simplified to a purely entity-level FSA task.

2.3 Relatedness to ABSA Task

Here, we discuss the similarities and differences between our EFSA task and the ABSA task.

Recall that ABSA aims to identify sentiment elements related to a specific text, which could either be single or multiple elements, including the dependency relations among them (Zhang et al., 2022). These sentiment elements comprise aspect terms, sometimes aspect categories, opinion terms, and aspect-level sentiment. Among them, aspect and opinion terms are specific text spans within a sentence, and identifying them is an extraction task. Determining aspect categories and sentiments are usually classification tasks.

Although EFSA and ABSA appear to be similar in form, as they both involve extracting the subject of sentiment from the original text, i.e. companies and aspect terms, and identifying sentiment-related phrases (events or opinion terms), and finally determining sentiment, EFSA presents two main differences. Firstly, the events in EFSA may be ex-

tremely long and discontinuous, which results in our formulation simplifying the event extraction to a classification task. Few existing ABSA approaches can address such change without any modification. Secondly, the financial context makes its mapping from events to sentiments unique in EFSA. The mapping is constructed on domain expertise rather than subjective emotional expressions. These two reasons essentially differentiate EFSA from ABSA.

While the sub-tasks of EFSA exhibit a certain degree of similarity to the ABSA task. For instance, the entity-level FSA can be addressed by most current ABSA approaches. Hence, in subsequent experiments in Section 4.1, we benchmark several applicable ABSA baselines on our dataset.

3 Dataset

Financial sentiment indicators are categorized into market-derived sentiment and human-annotated sentiments (Luo et al., 2018). The market-derived sentiment is estimated based on market dynamics such as stock price changes and trading volume, potentially incorporating noise from other sources (Fei et al., 2023). Therefore, we employed manual labeling conducted by experts in the financial field to ensure the creation of a high-quality dataset. Specifically, the data construction process is elaborated in detail from the following three aspects: data collection, annotation, and distribution.

3.1 Data Collection

We collected over $50,000$ financial news articles from various reputable Chinese news outlets from their publicly accessible websites. Each collected article in the dataset includes several elements: URL, publish time, title, and news body. To control the task's complexity, we limited our selection to a news body comprising no more than 300 Chinese characters. Based on the original data, we manually conducted data cleaning and filtering, retaining only high-quality data. Consequently, a total of $12,160$ articles were earmarked for annotation.

3.2 Data Annotation

Labeling System. To address the complex spectrum of event types in financial news, we have developed a detailed event taxonomy by professional financial practitioners. This taxonomy comprises seven coarse-grained categories: *Financial Affairs, Shareholder Affairs, Stock Affairs, Compliance and*

Figure 2: The statistics of data distribution of our dataset. (a) presents a nested pie chart that illustrates the distribution of event labels. The inner layer and the outer layer represent the distribution of coarse- and fine-grained events; the dark and light shades of the same color represent the coarse-grained event and its subdivided fine-grained events. (b), (c), (d), and (e) present the distribution among different publish times, overall sentiments, news body length, and sentiment distribution of each coarse-grained event. (f) presents the distribution of industries, where various colors denote 32 distinct industries. The size of the color blocks in (a) and (f) represents the data volume.

Credit, Management Affairs, Business Operations and *Financing and Investment*, and further extends to 43 fine-grained categories. The complete event taxonomy is presented in Appendix A. We encourage FSA researchers to annotate or augment existing datasets with additional annotations, according to our publicized labeling system. For sentiment labels, we adopted a three-category sentiment polarity classification consisting of positive, neutral, and negative. Each company was classified into a industry referencing the Shenwan Industry Classification Standard[1].

Annotation Platform. To streamline the data annotation process, we developed a specialized annotation platform tailored to our task requirements. This platform presents news bodies to annotators as input, enabling them to choose specific text spans within the news article for company labels and to directly assign labels for events, sentiments, and industries within the system.

The annotation platform enables collaborative annotation through a two-step process: labeling and reviewing. Each news article is first labeled by an annotator and then reviewed by a reviewer. If errors are found, the data is reassigned for reannotation. In cases of disagreement, a third annotator is tasked with resolution. This ensures the accuracy of each data is rigorously assessed by at least two individuals.

Labeling Evaluation Metrics. To ensure consistency across various annotations, we tasked multiple annotators with independently labeling the same article set. Following previous work (Hripcsak and Rothschild, 2005; Barnes et al., 2018), we use different metrics to measure the inter-annotator agreement of different annotation tasks. We employ the *AvgAgr* metric (Wiebe et al., 2005) to evaluate span extraction annotation consistency. The *AvgAgr* score of *Company* is 0.65. For classification annotation consistency score, we employ *Fleiss' Kappa* (Fleiss, 1971) to evaluate. The *Fleiss' Kappa* scores of classification annotation are as follows: *event* (0.62), *sentiment* (0.67), and *industry* (0.70). The results, which fall between 0.61 and 0.8, demonstrate a substantial agreement(Landis JRKoch, 1977) among different annotators.

---

[1]The Shenwan Industry Classification is a widely used industry classification standard consisting of 32 industry categories. It was proposed by Shenwan Hongyuan Securities for financial investment management and research. https://www.swsresearch.com/institute_sw/allIndex/downloadCenter/industryType

3.3 Data Distribution

We balanced the distribution of different elements in our dataset to ensure a proportional data distribution. Specifically, we balanced the following label distributions

Figure 2 (a) demonstrates the substantial uniformity of coarse- and fine-grained event distribution. For each fine-grained event, there is a sufficient amount of data to support, ensuring no instances no data shortage exists for any particular category. Most of our data's publication times span from 2021 to 2023. As shown in Figure 2 (b), We balanced the distribution of years to reflect market dynamics evenly across different periods. We restricted the length of the news context to 300 Chinese characters. Besides, we balanced the distribution of context length to manage the complexity of the task (c.f. Figure 2 (d)), with the average length of the news body in our dataset being 148.5. Furthermore, we balanced the overall sentiment distribution and the sentiment distribution of each coarse-grained event. Figure 2 (c) and (e) show that our dataset achieves a balance in overall sentiment distribution while also ensuring that there are no significant imbalances in sentiment distribution within specific coarse-grained events. For fine-grained events, given that certain events have specific sentiment tendencies, such as *Legal Affairs* often corresponding to negative emotions, we did not balance the sentiment distribution of each fine-grained event. We also calculated the distribution of industries (c.f. Figure 2 (f)) to ensure our dataset comprehensively and uniformly covers a wide range of sectors.

4 Experimental Evaluation

In this section, we benchmark EFSA with some widely used language models. In the following part, we will introduce the benchmark methods first, then detail our proposed framework, and finally present the evaluation metrics.

4.1 Benchmark Methods

We mainly benchmark two groups of pre-trained language models, including Large Language Models (LLMs) and Small Language Models (SLMs).

LLMs. We selected Chinese LLMs in general domain with strong performance and financial domain-specific LLMs. We interacted with the LLMs by constructing prompts to instruct LLMs to generate structured outputs. Our specific prompts

Figure 3: An illustration of the four-hop CoT framework. E^1, E^2, S respectively denotes the set of coarse-grained events, fine-grained events and sentiment polarities, respectively.

are reported in Appendix B. Particularly, we fine-tuned the open-source, deployable general domain LLMs using LoRA (Hu et al., 2021) on our dataset.

(1) **ChatGPT** (Brown et al., 2020). We interacted with ChatGPT by querying the API interface. Due to the cost constraint, we randomly selected 2,000 entries from our dataset for evaluation. We evaluated gpt-3.5-turbo and gpt-4-turbo-preview[2] on this subset under both zero- and 3-shot settings.

(2) **ChatGLM** (Du et al., 2021) is a bilingual language model, supporting both Chinese and English, built on the General Language Model (GLM) framework. We evaluated Chatglm-3 on our dataset, which achieved the best performance on the Chinese LLM evaluation benchmark C-EVAL (Huang et al., 2023). We further evaluated the performance of the latest ChatGLM-4 released on January 2024 by querying interface glm-4 provided by ZHIPU AI open platform. This method stands out as one of the LLMs known for its robust Chinese language alignment capabilities.

(3) **Llama2-Chinese** employs a Chinese instruction set for LoRA fine-tuning on Llama2-Chinese-7b (Touvron et al., 2023) to enhance its alignment with Chinese and capabilities for Chinese dialogue.

(4) **Baichuan2** (Yang et al., 2023) is a Chinese and English bilingual language model. It achieved the best performance among models of the same size on standard benchmarks (C-Eval (Huang et al.,

---

[2]The latest model interface provided by OpenAI currently points to gpt-3.5-turbo-0613 and gpt-4-0125-preview.

2023), MMLU (Hendrycks et al., 2020), etc).

(5) **QwenLM** (Bai et al., 2023) is a bilingual language model proficient in both Chinese and English, which achieves better performance than LLaMA2-70B on all tasks and outperforms GPT-3.5 on 7 out of 10 benchmarks (Bai et al., 2023).

(6) **DISC-FinLLM** (Chen et al., 2023) is a financial domain-specific LLM fine-tuned by Baichuan2-13B-Chat with LoRA on using various financial task open datasets.

(7) **Xuanyuan** (Zhang and Yang, 2023) is a financial domain-specific LLM derived through incremental pre-training based on LLma2. It exhibits significant enhancements in both Chinese language proficiency and financial capabilities.

SLMs. Since Zhang et al. (2021b)'s pioneering application of generative methods to ABSA through the construction of generative paradigms, the SOTA leaderboard of ABSA has been consistently dominated by generative methods (Gou et al., 2023; Wang et al., 2022). Given the similarities between our sub-tasks and the ABSA task, we benchmarked several advanced SLMs that achieved promising performance on ABSA.

Leveraging the GAS's framework (Zhang et al., 2021b), we benchmarked the performance of the **mT5-large** and **BART-large-chinese** (Zhang et al., 2021a) models on Entity-level sub-task. We also benchmark **E2E-BERT** (Li et al., 2019) on this sub-task. We randomly split 80% data for training and the left 20% part is for testing. It is noted that the original training hyperparameters are used for each respective model.

4.2 Our Framework

Given Chain of Thought (CoT)'s success in analyzing implicit sentiment (Fei et al., 2023) and the inherent chained progression relationship between coarse- and fine-grained events in the EFSA task, we devised a four-hop CoT framework for our task. It involves four steps. **Step 1.** Utilize a news article as input and instruct LLM to identify the company mentioned within the text. **Step 2.** Subsequently, use the news article and the identified companies as input. Instruct the LLM to choose a corresponding event from a predefined set of coarse-grained events. **Step 3.** Use news article and (company, coarse-grained-event) tuple as input. Instruct LLM to choose a corresponding event from a predefined set of fine-grained events. **Step 4.** Use news article and (company, coarse-grained event, fine-grained event) triplet as input. Instruct LLM to choose a

corresponding sentiment of the triplet.

Figure 3 illustrates our four-hop CoT framework. The details of the four-hop CoT prompt are displayed in Appendix B. Based on this framework, we employed dialogue fine-tuning on deployable LLMs to evaluate effectiveness.

4.3 Evaluation Metrics

We combine the proposed framework with the aforementioned LMs on different tasks and compute the F1 scores for evaluation. Notably, due to the presence of geographic names, stock codes, and other identifiers in the news text's company labels, a company prediction is considered correct if it is included within the gold label. Predictions of events and sentiments must be exactly matched with the gold label to be considered correct.

5 Experimental Results

5.1 Main Results and Analysis

The results of different EFSA sub-tasks are reported in Table 2. There are two notable observations. First, the performance across sub-tasks to the complete EFSA task exhibits a trend of declining scores, consistent with the escalating difficulty of the tasks. Second, the overall scores of the entity-level task significantly surpass event-level tasks, which reveals the inherent complexity and challenges of our event-level tasks. We make a more comprehensive comparison of various methods below.

General Domain LLMs. LLMs (ChatGPT, GPT-4, and GLM-4) under zero-shot settings fail to produce satisfactory results. Few-shot settings can enhance their performance, with particularly noticeable improvements for event classification tasks and slight improvements for sentiment analysis tasks. This may be attributed to the inherent capabilities of larger-parameter LLMs in sentiment analysis. Few-shot demonstrations primarily boost the LLMs' proficiency in our specialized event classification tasks.

Fine-tuning LLMs can significantly improve performance scores by enhancing both domain-specific ability and capability for structured output. Smaller-parameter LLMs (e.g. ChatGLM3-6B) under zero-shot settings tend to produce outputs at will, often deviating from the instructions of structured output, which presents substantial challenges in statistically scoring model performance and poor performance scores.

Settings	Methods	Entity-Level FSA	C-EFSA	F-EFSA	EFSA
	• *General Domain LLMs*				
zero-shot	ChatGPT	58.47	37.92	36.96	26.17
	GPT-4	60.72	48.48	45.45	36.10
	GLM-4	71.25	57.31	52.72	49.41
3-shot	ChatGPT	58.92	39.24	37.13	27.57
	GPT-4	61.38	51.43	49.53	39.24
	GLM-4	70.39	56.97	54.90	50.68
LoRa fine-tune	ChatGLM3-6B-Chat	76.83	62.26	53.11	51.18
	Baichuan2-13B-Chat	**86.41**	71.82	67.79	67.06
	Qwen-7B-Chat	86.14	73.22	67.32	67.28
	Llama2-Chinese-7B-Chat	61.55	43.84	36.71	36.28
	• *Financial Domain LLMs*				
zero-shot	DISC-FinLLM	63.74	32.43	22.45	19.25
	Xuanyuan	64.15	22.39	16.41	7.85
	• *SLMs*				
-	E2E-BERT	73.77	-	-	-
	GAS-T5	69.75	-	-	-
	GAS-BART	50.89	-	-	-
	• *Our Framework*				
4-hop CoT	GPT-4	63.28	55.64	53.24	53.24
	ChatGLM3-6B-Chat	78.93	70.61	65.19	65.19
	Baichuan2-13B-Chat	81.74	75.66	69.52	69.52
	Qwen-7B-Chat	83.28	**76.03**	**71.43**	**71.43**
	Llama2-Chinese-7b-Chat	61.47	51.62	23.44	23.44

Table 2: Comparison results on different EFSA tasks. The reported scores are F1 scores over one run. '-' denotes that the corresponding results are not available. The best results are bolded. We employ dialogue LoRa fine-tuning based on our framework, which enables the original model to achieve significant score improvements. With the 4-hop CoT framework, the F-EFSA's score is identical to the EFSA's. This is because the accurate prediction of fine-grained events is built upon the correct prediction of coarse-grained events.

Financial Domain-Specific LLMs. Financial domain-specific LLMs are fine-tuned or pre-trained on open-source financial domain datasets based on general domain LLMs. Our benchmark results exhibit the enhanced performance of domain-specific LLMs relative to the original base models under the zero-shot settings (DISC vs. Baichuan, Xuanyuan vs. Llama), suggesting that domain-specific can significantly enhance their domain-specific ability. Furthermore, domain-specific LLMs demonstrate a commendable capability for structured output, which may be attributed to other structured tasks within their training datasets. However, financial domain-specific LLMs do not outperform LLMs that are fine-tuned on our dataset. Our dataset can serve as a rich resource to facilitate the advancement of financial domain-specific LLMs.

SLMs. The benchmark scores of SLMs underscore that SLMs outstrip the performance of zero-shot LLMs, affirming the conclusions presented in Zhang et al. (2023)'s study. However, due to the constraints imposed by task difficulty, the quantity of parameters has delimited the upper potential of the model. Consequently, the performance of SLMs does not surpass fine-tuned LLMs.

Our Framework. Our Chain of Thought (CoT) framework augments the efficacy of non-open-source LLMs through prompt-based adjustments alone. For open-source LLMs, the dialogue fine-tuning empowers the foundational model to realize more substantial score enhancements, particularly notable in models with initially subpar performance (e.g., Llama). Notably, the CoT framework hurts entity-level FSA tasks. This negative influence may be because the comprehensive CoT sequence spans from company identification to event prediction and ultimately to sentiment analysis, while direct inference from company to sentiment may lead LLMs astray, culminating in counterproductive effects.

5.2 Case Study

To better demonstrate the effectiveness of our framework, we perform a case study on GPT-4, as shown in Figure 3. As shown in Example 1, GPT-4 correctly predicted fine-grained events but made mistakes in predicting coarse-grained events, confusing the two difficult-to-distinguish categories

Figure 4: Examples provided include the input news text, the corresponding gold labels, and the predicted quantities. The red font denotes the incorrect part of the prediction

of *shareholder affairs* and *stock affairs*. It is possibly due to the multiple occurrences of *stock* in the text leading to misdirection. Under our CoT framework, in the second hop of reasoning from company to coarse-grained events, GPT-4 focuses more on events directly related to the company itself, thereby making correct judgments. The CoT framework can prevent a situation where the predictions for fine-grained events are correct, yet those for coarse-grained events are not. For sentiment prediction, an inexperienced LLM can easily be misled by *the company receives a notice of share reduction*. However, under the CoT framework, GPT-4 pays more attention to the sentiment of the fine-grained event (*Stock Holding Adjustment*) itself and can deduce the correct sentiment from the subsequent information that there was no actual share reduction action.

Error Analysis. We observed that LLMs sometimes produce outputs beyond the defined label sets, specifically illustrated in example-2 and -3 from our error study. LLMs may alter the fixed label instead of outputting as instructed. This observation aligns with Zhang et al. (2021a)'s previous research, highlighting the nature of the generation modeling since it does not perform "extraction" in the given sentence. This phenomenon is more pronounced in LLMs with smaller parameter sizes and can be mitigated through fine-tuning. Similar to instructing LLMs toward structured outputs, fine-tuning significantly enhances the ability of smaller-parameter LLMs to output as required.

6 Related Work

Previous research on the FSA dataset has concentrated on sentence or document level (Takala et al., 2014; Malo et al., 2014; Cortis et al., 2017; Sinha et al., 2022). This is based on an assumption that the given text conveys a single sentiment towards a certain topic. Recent FSA datasets exhibit a trend towards progressively finer granularity. However, fine-grained datasets (Maia et al., 2018; Tang et al., 2023) mostly focus on entities and sentiments, neglecting the concern of events. Furthermore, the resources for fine-grained FSA datasets are still limited (Du et al., 2022). Following Du et al. (2022), we summarize the most widely used and recent FSA benchmark datasets in Appendix C

7 Conclusion

In this paper, we present EFSA, a novel task for Financial Sentiment Analysis (FSA), which deepens FSA to the event level. To support this task, we constructed the largest annotated Chinese dataset from a large-scale financial news corpus. We evaluated this task on widely used both small and large language models to present benchmark scores on the proposed dataset. Additionally, we designed a 4-hop reasoning prompting framework based on existing LLMs to resolve this task. Our experiments demonstrate the challenge of EFSA and the effectiveness of our proposed approach. Our work opens a new avenue in FSA and offers significant value to the entire financial domain.

Limitations

Due to budget constraints, we only conducted experiments on a subset of our dataset using LLMs that have not been open-sourced yet(Chatgpt, GPT-4, GLM-4), on a single run. This may result in bias in our evaluation scores.

Ethics Statement

The collected data originated entirely from publicly accessible websites. Our datasets do not disseminate personal information and are devoid of content that could potentially harm any individual or community. The annotators are undergraduate students, which are credited as authors of the paper, and compensated in accordance with regulations. Please note that our data is intended solely as an open-source dataset resource to foster the advancement of FSA research. Any illegal use of this data is strictly prohibited.

References

Jinze Bai, Shuai Bai, Yunfei Chu, Zeyu Cui, Kai Dang, Xiaodong Deng, Yang Fan, Wenbin Ge, Yu Han, Fei Huang, et al. 2023. Qwen technical report. *arXiv preprint arXiv:2309.16609*.

Jeremy Barnes, Patrik Lambert, and Toni Badia. 2018. Multibooked: A corpus of basque and catalan hotel reviews annotated for aspect-level sentiment classification. *arXiv preprint arXiv:1803.08614*.

Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, et al. 2020. Language models are few-shot learners. *Advances in neural information processing systems*, 33:1877–1901.

Wei Chen, Qiushi Wang, Zefei Long, Xianyin Zhang, Zhongtian Lu, Bingxuan Li, Siyuan Wang, Jiarong Xu, Xiang Bai, Xuanjing Huang, et al. 2023. Disc-finllm: A chinese financial large language model based on multiple experts fine-tuning. *arXiv preprint arXiv:2310.15205*.

Keith Cortis, André Freitas, Tobias Daudert, Manuela Huerlimann, Manel Zarrouk, Siegfried Handschuh, and Brian Davis. 2017. Semeval-2017 task 5: Fine-grained sentiment analysis on financial microblogs and news. In *Proceedings of the 11th international workshop on semantic evaluation (SemEval-2017)*, pages 519–535.

Kelvin Du, Frank Xing, Rui Mao, and Erik Cambria. 2022. Financial sentiment analysis: Techniques and applications.

Zhengxiao Du, Yujie Qian, Xiao Liu, Ming Ding, Jiezhong Qiu, Zhilin Yang, and Jie Tang. 2021. Glm: General language model pretraining with autoregressive blank infilling. *arXiv preprint arXiv:2103.10360*.

Robert F Engle and Victor K Ng. 1993. Measuring and testing the impact of news on volatility. *The journal of finance*, 48(5):1749–1778.

Hao Fei, Bobo Li, Qian Liu, Lidong Bing, Fei Li, and Tat-Seng Chua. 2023. Reasoning implicit sentiment with chain-of-thought prompting. *arXiv preprint arXiv:2305.11255*.

Joseph L Fleiss. 1971. Measuring nominal scale agreement among many raters. *Psychological bulletin*, 76(5):378.

Zhibin Gou, Qingyan Guo, and Yujiu Yang. 2023. Mvp: Multi-view prompting improves aspect sentiment tuple prediction. *arXiv preprint arXiv:2305.12627*.

Dan Hendrycks, Collin Burns, Steven Basart, Andy Zou, Mantas Mazeika, Dawn Song, and Jacob Steinhardt. 2020. Measuring massive multitask language understanding. *arXiv preprint arXiv:2009.03300*.

George Hripcsak and Adam S Rothschild. 2005. Agreement, the f-measure, and reliability in information retrieval. *Journal of the American medical informatics association*, 12(3):296–298.

Edward J Hu, Yelong Shen, Phillip Wallis, Zeyuan Allen-Zhu, Yuanzhi Li, Shean Wang, Lu Wang, and Weizhu Chen. 2021. Lora: Low-rank adaptation of large language models. *arXiv preprint arXiv:2106.09685*.

Yuzhen Huang, Yuzhuo Bai, Zhihao Zhu, Junlei Zhang, Jinghan Zhang, Tangjun Su, Junteng Liu, Chuancheng Lv, Yikai Zhang, Jiayi Lei, et al. 2023. C-eval: A multi-level multi-discipline chinese evaluation suite for foundation models. *arXiv preprint arXiv:2305.08322*.

Colm Kearney and Sha Liu. 2014. Textual sentiment in finance: A survey of methods and models. *International Review of Financial Analysis*, 33:171–185.

GG Landis JRKoch. 1977. The measurement of observer agreement for categorical data. *Biometrics*, 33(1):159174.

Xin Li, Lidong Bing, Wenxuan Zhang, and Wai Lam. 2019. Exploiting bert for end-to-end aspect-based sentiment analysis. *arXiv preprint arXiv:1910.00883*.

Ling Luo, Xiang Ao, Feiyang Pan, Jin Wang, Tong Zhao, Ningzi Yu, and Qing He. 2018. Beyond polarity: Interpretable financial sentiment analysis with hierarchical query-driven attention. In *IJCAI*, pages 4244–4250.

Macedo Maia, Siegfried Handschuh, André Freitas, Brian Davis, Ross McDermott, Manel Zarrouk, and Alexandra Balahur. 2018. Www'18 open challenge: financial opinion mining and question answering. In *Companion proceedings of the the web conference 2018*, pages 1941–1942.

Pekka Malo, Ankur Sinha, Pekka Korhonen, Jyrki Wallenius, and Pyry Takala. 2014. Good debt or bad debt: Detecting semantic orientations in economic texts. *Journal of the Association for Information Science and Technology*, 65(4):782–796.

Maria Pontiki, Dimitris Galanis, Haris Papageorgiou, Ion Androutsopoulos, Suresh Manandhar, Mohammed AL-Smadi, Mahmoud Al-Ayyoub, Yanyan Zhao, Bing Qin, Orphée De Clercq, et al. 2016. Semeval-2016 task 5: Aspect based sentiment analysis. In *ProWorkshop on Semantic Evaluation (SemEval-2016)*, pages 19–30. Association for Computational Linguistics.

Ankur Sinha, Satishwar Kedas, Rishu Kumar, and Pekka Malo. 2022. Sentfin 1.0: Entity-aware sentiment analysis for financial news. *Journal of the Association for Information Science and Technology*, 73(9):1314–1335.

Pyry Takala, Pekka Malo, Ankur Sinha, and Oskar Ahlgren. 2014. Gold-standard for topic-specific sentiment analysis of economic texts. In *LREC*, volume 2014, pages 2152–2157.

Yixuan Tang, Yi Yang, Allen H Huang, Andy Tam, and Justin Z Tang. 2023. Finentity: Entity-level sentiment classification for financial texts. *arXiv preprint arXiv:2310.12406*.

Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shruti Bhosale, et al. 2023. Llama 2: Open foundation and fine-tuned chat models. *arXiv preprint arXiv:2307.09288*.

Zengzhi Wang, Rui Xia, and Jianfei Yu. 2022. Unified-absa: A unified absa framework based on multi-task instruction tuning. *arXiv preprint arXiv:2211.10986*.

Janyce Wiebe, Theresa Wilson, and Claire Cardie. 2005. Annotating expressions of opinions and emotions in language. *Language resources and evaluation*, 39:165–210.

Frank Xing, Lorenzo Malandri, Yue Zhang, and Erik Cambria. 2020. Financial sentiment analysis: an investigation into common mistakes and silver bullets. In *Proceedings of the 28th international conference on computational linguistics*, pages 978–987.

Aiyuan Yang, Bin Xiao, Bingning Wang, Borong Zhang, Ce Bian, Chao Yin, Chenxu Lv, Da Pan, Dian Wang, Dong Yan, et al. 2023. Baichuan 2: Open large-scale language models. *arXiv preprint arXiv:2309.10305*.

Guoxin Yu, Lemao Liu, Haiyun Jiang, Shuming Shi, and Xiang Ao. 2023. Making better use of training corpus: Retrieval-based aspect sentiment triplet extraction via label interpolation. In *Findings of the Association for Computational Linguistics: ACL 2023*, pages 4914–4927.

Wenxuan Zhang, Yang Deng, Xin Li, Yifei Yuan, Lidong Bing, and Wai Lam. 2021a. Aspect sentiment quad prediction as paraphrase generation. *arXiv preprint arXiv:2110.00796*.

Wenxuan Zhang, Yue Deng, Bing Liu, Sinno Jialin Pan, and Lidong Bing. 2023. Sentiment analysis in the era of large language models: A reality check. *arXiv preprint arXiv:2305.15005*.

Wenxuan Zhang, Xin Li, Yang Deng, Lidong Bing, and Wai Lam. 2021b. Towards generative aspect-based sentiment analysis. In *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing (Volume 2: Short Papers)*, pages 504–510.

Wenxuan Zhang, Xin Li, Yang Deng, Lidong Bing, and Wai Lam. 2022. A survey on aspect-based sentiment analysis: Tasks, methods, and challenges. *IEEE Transactions on Knowledge and Data Engineering*.

Xuanyu Zhang and Qing Yang. 2023. Xuanyuan 2.0: A large chinese financial chat model with hundreds of billions parameters. In *Proceedings of the 32nd ACM International Conference on Information and Knowledge Management*, pages 4435–4439.

A   Event Taxonomy

The event taxonomy is translated from Chinese; for more accurate and detailed information and the full text of annotation guidance, please refer to our open-source website. https://anonymous.4open.science/r/EFSA-645E

Financial Affairs
- Profit Announcement
- Profit Forecast
- Other Financial Affairs

Shareholder Affairs
- Stock Holding Adjustment
- Shareholder Pledge
- Release of Pledge
- Other Shareholder Affairs

Stock Affairs
- Stock Price Movement
- Equity Incentives Employee Stock Ownership Plans
- Stock Dividend
- Stock Buyback

- Stock Status
- Restricted Shares Release
- Other Stock Affairs

Business Operations
- Product Dynamics
- Capacity Changes
- Initiating Cooperation
- Technical Quality Control, Qualification Changes
- Government Subsidies
- New Company Establishment
- Institutional Research
- Intellectual Property
- Sales, Market Share Changes
- Project Bidding
- Project Dynamics
- Other Business Operations Affairs

Compliance and Credit
- Company Litigation
- Rating Adjustment
- Legal Affairs
- Clarification Announcements
- Regulatory Inquiries
- Case Investigations
- Administrative Penalties
- Other Compliance and Credit Affairs

Management Affairs
- Employee Dynamics
- Directors, Supervisors, and Senior Executives Dynamics

Financing and Investment
- Company Listing
- Mergers and Acquisitions
- Investment Events
- Stock Issuance
- Financing and Margin Trading
- Capital Flows
- Other Financing and Investment Affairs

B Prompt

Quintuple Instruction Prompt

Assuming you are a fine-grained sentiment analysis model in the finance domain, I will give you a list of primary events, a list of secondary events, a list of sentiment polarities, and some related financial news. Please analyze which company's event is mentioned in this financial news, then determine which primary event this event belongs to, further determine the secondary event based on the primary event, and finally identify the event's sentiment polarity.

Primary Event List: ['Financial Affairs', 'Shareholder Affairs', 'Stock Affairs', 'Management Affairs', 'Compliance and Credit', 'Business Operations', 'Financing and Investment'].

Secondary Event List: ['Profit Announcement', 'Profit Forecast', 'Other Financial Affairs', 'Stock Holding Adjustment', 'Shareholder Pledge', 'Release of Pledge', 'Other Shareholder Affairs', 'Stock Price Movement', 'Stock Status', 'Restricted Shares Release', 'Stock Buyback', 'Equity Incentives Employee Stock Ownership Plans', 'Restricted Stock Release', 'Stock Dividend', 'Other Stock Affairs', 'Directors, Supervisors, and Senior Executives Dynamics', 'Employee Dynamics', 'Regulatory Inquiries', 'Company Litigation', 'Case Investigations', 'Administrative Penalties', 'Clarification Announcements', 'Legal Affairs', 'Rating Adjustment', 'Other Compliance and Credit Affairs', 'Project Bidding', 'Other Business Operations Affairs', 'Initiating Cooperation', 'New Company Establishment', 'Sales, Market Share Changes', 'Intellectual Property', 'Technical Quality Control, Qualification Changes', 'Government Subsidies', 'Institutional Research', 'Capacity Changes', 'Project Dynamics', 'Product Dynamics', 'Capital Flows', 'Investment Events', 'Financing and Margin Trading', 'Company Listing', 'Mergers and Acquisitions', 'Stock Issuance', 'Other Financing and Investment Affairs'].

Sentiment Polarity List: ['Positive', 'Negative', 'Neutral'].

Please answer in the form of a list of quadruples [(Company Name, Primary Event, Secondary Event, Sentiment Polarity)].

CoT Instruction Prompt Step1 Assuming you are a fine-grained sentiment analysis model in the finance domain, I will give you a piece of financial news, and you will determine the events of which companies are mentioned.

Financial news as follows: [context]

Which company's event is described in the above financial news? Only answer with the company name, if there are multiple company names, separate them with commas. Do not add extra information.

Step2 Assuming you are a fine-grained sentiment analysis model in the finance domain, I will give you a piece of financial news and the company

Benchmark Dataset	Entries number	Annotation Type	Data source
Topic-Specific Sentiment Analysis (Takala et al., 2014)	297	Document-level (Topic)	News
PhraseBank (Malo et al., 2014)	4,846	Sentence-Level Polarity (sentiment polarity)	News Headlines
SemEval 2017 Task 5 (Cortis et al., 2017)	2,836	Sentence-Level (entity, sentiment score)	News headlines and Posts
SEntFiN (Sinha et al., 2022)	10,753	Sentence-Level (sentiment polarity)	News headlines
FiQA Task 1 (Maia et al., 2018)	1,173	Aspect-Level (entity, aspect, sentiment score)	News
FinEntity (Tang et al., 2023)	979	Aspect-Level (entity, sentiment polarity)	News
Ours	12,160	Event-Level (company, industry, coarse-grained event, fine-grained event, sentiment polarity)	News

Table 3: FSA Benchmark Datasets.

name, and you will determine the primary event in the financial news for this company.

Financial news as follows: [context]

What is the primary event occurring to [response1] in the above financial news? Please select from the following list of primary events: ['Financial Affairs', 'Shareholder Affairs', 'Stock Affairs', 'Management Affairs', 'Compliance and Credit', 'Business Operations', 'Financing and Investment']. You must choose from the given list of primary events, output in the form of a tuple (Company Name, Primary Event). Do not add extra information.

Step3 Assuming you are a fine-grained sentiment analysis model in the finance domain, I will give you a piece of financial news, the company name, and the primary event, and you will determine the secondary event for the company.

Financial news as follows: [context]

The primary event occurring to [response1] in the above financial news is [response2], please select the corresponding secondary event from the following list of secondary events. [Appropriate Secondary Event List] You must choose from the given list of secondary events, output in the form of a tuple (Company Name, Primary Event, Secondary Event). Do not add extra information.

Step4 Assuming you are a fine-grained sentiment analysis model in the finance domain, I will give you a piece of financial news, the mentioned company, the primary and secondary events, and you will determine the sentiment polarity of this financial news event.

Financial news as follows: [context]

The primary event occurring to [response1] in the above financial news is [response2], and the secondary event is [response3].

Please select the appropriate sentiment from ['Positive', 'Negative', 'Neutral'], output in the form of a quadruple (Company Name, Primary Event, Secondary Event, Sentiment Polarity).

C FSA Benchmark Datasets

Table 3 summarize the most widely used and recent FSA benchmark datasets