Name of Project:
Will be Provided in the Final Version

Author1[1], Author2[2], Author3[1],
Author4[2], Author5[1], Author6[2],
Author7[2], Author8[1], Author9[2],
Author10[2], Author11[1], Author12[2],
[1] Affiliation1, City1, Country1
[2] Affiliation2, City2, Country2
[3] Affiliation3, City3, Country3
[4] Affiliation4, City4, Country4
{email1, email2, email3}@address1
{email4, email5, email6}@address2
{email7, email8, email9}@address3
{email10, email11, email12}@address4

Abstract

This paper describes a collaborative European project whose aim was to gather open source Natural Language Processing (NLP) tools and make them accessible as running services and easy to try out in the European Language Grid (ELG). The motivation of the project was to increase inclusiveness and accessibility for more European languages and make it easier for developers to use the underlying tools in their own applications. The project resulted in the containerization of 60 existing NLP tools for 16 languages, all of which are now currently running as services in the ELG platform.

1 Introduction

Universities and other research institutions in Europe, and sometimes companies, are nowadays often publishing open source Natural Language Processing (NLP) software on various platforms, primarily GitHub. This software is often associated with research papers and, in the best case, also linked to other sharing platforms, such as CLARIN[1] or META-SHARE[2]. GitHub is, however, often the only place in which the tools are available. If a user finds a tool with a suitable license, it may still be difficult to determine if the tool works as intended. The threshold for trying out these NLP tools can also be high due to the reliance on various dependencies that may not be compatible with other desired tools or the tools are simply not up to date. Reproducibility of results is important in NLP but currently many results cannot be reproduced, even if the code is available. For example, Wieling et al. (2018) were only able to reproduce the same results in 1 out of 10 experiments.

In this paper, we describe a collaborative European project, *Name of Project: Will be Provided in the Final Version*, carried out by four partners, i.e. research institutions and private companies in Finland, Estonia, Iceland, and Spain. The main aim of the project was to increase accessibility of NLP tools for more European languages by a) making the tools available as running services in the European Language Grid[3] (ELG), and, additionally, registering them in ELRC-SHARE[4] for higher visibility and reach; b) providing a tested container image which takes care of any dependencies and provides a logical handling of the data inputs and outputs, should the users want to use the container in their own computing environment; and c) providing workshops about the containerization of the tools, uploading the tools to the ELG, and finally showcasing how the tools can be integrated for different purposes.

The project has deployed services in the ELG for 16 languages (see Section 4). For many languages, there is a distinct lack of resources in the current academic NLP, which is mostly focused on development for the English language[5]. High-

---

[1] http://clarin.eu/
[2] http://www.meta-share.org/
[3] https://live.european-language-grid.eu/
[4] https://elrc-share.eu/
[5] See, for example, NLPProgress, https:

lighting the efforts made for low-resource languages is paramount to foster the development and usage of these resources by both the academic community and the industry.

Each underlying open source tool was implemented as a microservice (see Section 2.1) using Docker (see Section 3.3) for containerization. This allows developers, who need functionality from the various tools, to design their NLP applications as a collection of loosely coupled services. In total, our project has resulted in the containerization of 60 existing NLP tools, all of which are currently running as services accessible through the ELG.

2 Background

Nowadays, software is often distributed to the end users via the Internet, rather than having the users install the software on their local machines. This method of distribution is called software-as-a-service or SaaS. Many large commercial organisations offer cloud platforms for distributing software, e.g. AI and NLP as SaaS, to the end users, and on some platforms it is possible for other organisations than the platform provider to upload their own tools for further distribution.

In this section, we provide the reader with basic information on the concept of microservices, the ELG cloud platform, and ELRC-SHARE.

2.1 Microservices

The microservice architectural style for software development has been defined as "[..] an approach to developing a single application as a suite of small services, each running in its own process and communicating with lightweight mechanisms, often an HTTP resource API" (Lewis and Fowler, 2014).

One of the advantages of microservices is that they can be updated without the need of re-deploying the application that uses them. Another advantage is that different services can be implemented in different programming languages. In the contrasting monolithic architectural style, an application is built as a single executable unit (often using a single programming language). Any changes to the functionality demand building and deploying a new version of the application.

According to Francesco et al. (2017), "[m]icroservice architectures are particularly suitable for cloud infrastructures, as they greatly

//nlpprogress.com/

benefit from the elasticity and rapid provisioning of resources."

2.2 European Language Grid

The ELG is a scalable cloud platform, which hosts tools, data sets, and records of Language Technology (LT) projects and LT providers in official 24 EU languages and many additional ones. The goal of the ELG is to become the primary platform for LT, including NLP and speech technologies, in Europe. An important part of the purpose of ELG is to support digital language equality, "i.e., to create a situation in which all languages are supported through technologies equally well" (Rehm et al., 2021). The ELG platform is growing continuously and they foresee a need to evolve in the following areas: hardware capacity and cost distribution, hardware acceleration (no GPU support yet), integration and deployment support, and workflow support (Kintzel et al., 2023).

ELG provides resources for developers to easily integrate a service: A (micro)service running in the ELG is wrapped with the ELG LT Service API and packaged in a Docker container. Both of these steps are carried out by the developer of the service. Thereafter, the container is integrated into the ELG which means that it can be called through the API or tried out using a web UI. All APIs are https-based and use JSON as the primary data representation format. For easily creating an application that offers an ELG-compatible service, Java- and Python-based libraries are available (Galanis et al., 2023).

2.3 ELRC-SHARE

ELRC-SHARE is a repository, maintained by the European Language Resource Coordination (ELRC)[6], for documenting, storing and accessing language data and tools in all EU languages, Norwegian Bokmål, Norwegian Nynorsk, and Icelandic. The original intent of the repository was to obtain and store data and tools that contribute to the European Commission's automated `eTranslation` platform[7], but the scope has broadened to include other LT tools as well. Approximately 80% of the language resources are freely usable outside ELRC (Marra et al., 2022).

---

[6]https://www.lr-coordination.eu/
[7]https://webgate.ec.europa.eu/etranslation/public/welcome.html

3 Project Execution

Our two year project started in March 2021. The goal of the project (described in Section 1) included several stages. In the first stage, we sought out open source tools that might be of potential interest. We prioritized those that are actively maintained or developed. This was carried out both by bottom-up search on the software sharing platforms (primarily GitHub), and by contacting research institutions in the targeted regions. In parallel, we also collected standard or available test data sets for the tools. This initial phase was followed by testing the set of collected tools on the existing test data. If many tools existed for the same task, a selection was made based on metrics performance and language coverage. After all tools were tested and selected, we started containerizing the tools and expose a web service API for each of them on the ELG. Finally, we stored metadata information of each tool in ELRC-SHARE. Our dissemination activities ran parallel to making the tools available: We held workshops on different themes of the project, ranging from dockerization of the tools to demonstrating their functionality and use case integration.

3.1 Hunting for tools

At the start of the project, there was an initial assumption made that university labs or individual programmers were storing interesting and useful tools on local disks. These tools could then be made public via the project. However, the reality was different: source code was always in GitHub[8] or GitLab[9]. The focus therefore quickly shifted to verifying that the tools were functioning well.

To find interesting tools, we sent emails to university contacts, browsed university web repositories and arXiv, did online searches with relevant keywords and looked up conference proceedings and journal articles for interesting repositories. Then, we went through each promising repository to see first if all the relevant parts for running the tool were available. This was followed by an initial compilation of the tool and ensuring that we obtained the same or at least similar results as the original authors, if the test data was available. If not, we gathered examples to ensure the test results seemed reasonable.

---

[8]http://github.com/
[9]http://gitlab.com/

3.2 Testing and documenting

To make a third-party tool available for the wider public involves providing documentation, which minimally describes the following: a) What the purpose of the tool is; b) how to run the tool; c) specification of the tool input and output formats and error handling; d) the original authors of the tool; and e) what kind of a licence or terms of use the tool has.

Often these points have already been addressed by the authors of the tool, although the amount of details vary. We sometimes had to fill in missing information (most notably the licence) and come up with our own wording about the purpose and place of the tool in the ecosystem of the LT field of the particular language.

For our university partners, creating the unified documentation for the microservices revealed that some tools with similar functionality had differing output types without an explicit reason why. This was explicitly notable for morpho-syntactic categories for Estonian. An additional benefit of the project was that they were also able to provide a dedicated resource for comparing these morpho-syntactic category systems which in turn should lower the barrier for using LTs. Automated conversion from one system to another is not possible, but Partner X[10] also provided an additional website as a resource to be used as a reference.

3.3 Dockerization

We used Docker[11] for developing, distributing and running the NLP tools (in the ELG). Docker has in recent years been established as a convenient solution for making it easier to create, deploy, and run applications by using containers. Containers allow developers to package up an application with all requirements, such as libraries and other dependencies, and distribute it as a single stand-alone package. Docker is a good option for a platform independent solution for making NLP tools available for both researchers and software developers.

Each of the selected NLP tool was dockerized by building a container with the tool itself along with an http API that gives people/programs outside the container access to the tool. All of the images for our tools are shared in the Docker Hub[12], world's largest library for container images. The

---

[10]Will be specified in the final version.
[11]https://www.docker.com/
[12]https://hub.docker.com/

difficulty of dockerizing a given NLP tools was dependent on how easy it was to give the API in the container access to the tool. Once the API was able to receive output from the NLP tool, all that was left was to make sure that the output from the API was in accordance to the ELG specification.

For each service integrated to the ELG, we also provide metadata, which contains a link to the code repository of the underlying tool.

4 The NLP Tools

In our project, we have dockerized 60 existing NLP tools, in 16 languages: Catalan: 2; English: 2; Estonian: 11; Faroese: 1; Finnish: 4; Galician: 1; Basque: 1; Icelandic: 11; Komi: 1; Latvian: 3; Lithuanian: 2; Northern Sami: 2; Norwegian: 1; Portuguese: 6; Spanish: 5; and Swedish: 3. Additionally, we provided four multilingual tools. Whilst the majority these tools come from European institutions, the project also contains relevant results from South American countries (Brazil, Chile and Uruguay).

The list of NLP tools is very diverse, covering from low level (e.g. PoS taggers, morphological analyzers, NERs and parsers) to high level applications (e.g. question answering (QA) and audio processing), as well as others with very niche results (detection of false friends and text generation of proverbs given a short text)[13].

5 Getting the Tools into Use

There is a high risk that new tools made for low-resource languages will be unknown by the community. A tool might just be a one time release for an academic publication that is later discontinued, or it might not have gathered the attention needed for a continued development. For the purpose of getting tools into use, we held three types of workshops: First we had an early awareness workshop, in which we provided hands-on guidance on how to release available tools as Docker images. During the second year, we held two workshops focusing on how to make tools available in the ELG platform. Finally, at the end of the project, we held workshops which summarized our work and demonstrated how the tools we provided can be integrated into LT applications.

In what follows, we describe some of these pilot integration cases. In each of these cases, it was easy to "plug in" a container with a well defined API, and then handle the input and output in the process pipeline.

A language identification tool was utilized in two different cases: In a translation process, we utilized it to make sure the the input to an NMT model was actually in the correct language, as the original texts may contain sentences in other languages. This improved the quality of the NMT. This tool was also found useful in an online library platform, where publishers provide large amounts of e-books. Sometimes the metadata provided by the publisher does not match the language of the actual e-book, yielding erroneous behavior, for example, in screen readers. Another use case consisted of filtering badly formed questions that were automatically generated by a Neural Question Generator (NQG). Its input is a text span and a target answer and it generates a question, using a Spanish QA tool. Here, the QA tool removes questions in which the answer obtained is different from the one originally used by the NQG to generate the question.

At the online library platform, we also piloted aligning audio books and e-books, to allow seamless switching from text to audio and back, using an audio alignment tool. This tool was not designed for this kind of task originally, but, nevertheless, it allowed testing potential new features for the platform. Furthermore, we also tested NER and linking to ontologies to further improve the searchability within an e-book or audio book.

6 Conclusion

In this paper, we have described a collaborative project which succeeded in making 60 NLP tools available as microservices in the ELG platform. We also described the microservice principles and the European platforms that record or host these microservices, and the steps to get the tools into these platforms.

We recommend that researchers continue this work by providing their tools as Docker images and as compatible services in the ELG platform to increase their impact in the European community. This requires a little more effort, but when planned ahead, yields also benefits. Making tools available as microservices enables a low-threshold testing, which in turn results in more users, including users that might not be experts of that field – this should benefit the whole European community.

---

[13]The list of dockerized tools is available at `www.provided-in-final-version`.

References

Paolo Di Francesco, Ivano Malavolta, and Patricia Lago. 2017. https://doi.org/10.1109/ICSA.2017.24 Research on Architecting Microservices: Trends, Focus, and Potential for Industrial Adoption. In *2017 IEEE International Conference on Software Architecture (ICSA)*, pages 21–30.

Dimitris Galanis, Penny Labropoulou, Ian Roberts, Miltos Deligiannis, Leon Voukoutis, Katerina Gkirtzou, Rémi Calizzano, Athanasia Kolovou, Dimitris Gkoumas, and Stelios Piperidis. 2023. https://doi.org/10.1007/978-3-031-17258-8 Contributing to the european language grid as a provider. In *European Language Grid: A Language Technology Platform for Multilingual Europe*, pages 67–93, Online. Springer International Publishing.

Florian Kintzel, Rémi Calizzano, and Georg Rehm. 2023. https://doi.org/10.1007/978-3-031-17258-8 Cloud Infrastructure of the European Language Grid. In *European Language Grid: A Language Technology Platform for Multilingual Europe*, pages 95–106, Online. Springer International Publishing.

James Lewis and Martin Fowler. 2014. http://martinfowler.com/articles/microservices.html Microservices: a definition of this new architectural term.

Eileen Marra, Andrea Lösch, Stefania Racioppa, Hélène Mazo, Maria Giagkou, Dimitra Anastasiou, Natassa Avraamides, Carl Frederik Bach Kirchmeier, Yngvil Beyer, António Branco, Virginijus Dadurkevičius, Hristina Dobreva, Rickard Domeij, Jane Dunne, Kristine Eide, Maria Gavriilidou, Stanislava Graf, Dagmar Gromann, Thibault Grouas, Normunds Grūzītis, Jan Hajič, Barbara Heinisch, Veronique Hoste, Simon Krek, Gauti Kristmannsson, Svetla Koeva, Anna Kotarska, Kaisamari Kuhmonen, Krister Lindén, Teresa Lynn, Kinga Matyus, Maite Melero, Laura Mihăilescu, Željka Motika, Tríona Ní Mhathuna, Micheál Ó Conaire, Maciej Ogrodniczuk, Jon Arild Olsen, Michael Rosner, Elisa Schnell, Maria Skeppstedt, Alexandra Soska, Donatienne Spiteri, Marko Tadić, Carole Tiberius, Dan Tufiş, Andrius Utka, Tamás Váradi, Kadri Vare, Andreas Witt, Josephine Worm Andersson, François Yvon, Jānis Ziediņš, Bódi Zoltán, and Miroslav Zumrík. 2022. AI for Multilingual Europe – Why Language Data Matters. White paper, ELRC Consortium. 3rd edition.

Georg Rehm, Stelios Piperidis, Kalina Bontcheva, Jan Hajic, Victoria Arranz, Andrejs Vasiļjevs, Gerhard Backfried, Jose Manuel Gomez-Perez, Ulrich Germann, Rémi Calizzano, Nils Feldhus, Stefanie Hegele, Florian Kintzel, Katrin Marheinecke, Julian Moreno-Schneider, Dimitris Galanis, Penny Labropoulou, Miltos Deligiannis, Katerina Gkirtzou, Athanasia Kolovou, Dimitris Gkoumas, Leon Voukoutis, Ian Roberts, Jana Hamrlova, Dusan Varis, Lukas Kacena, Khalid Choukri, Valérie Mapelli, Mickaël Rigault, Julija Melnika, Miro Janosik, Katja Prinz, Andres Garcia-Silva, Cristian Berrio, Ondrej Klejch, and Steve Renals. 2021. https://doi.org/10.18653/v1/2021.eacl-demos.26 European Language Grid: A Joint Platform for the European Language Technology Community. In *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: System Demonstrations*, pages 221–230, Online. Association for Computational Linguistics.

Martijn Wieling, Josine Rawee, and Gertjan van Noord. 2018. Reproducibility in Computational Linguistics: Are We Willing to Share? *Computational Linguistics*, 44(4):641–649.