On the Future of Standard Compliance in the Large Language Model Era

Abstract

Technical standards, or simply *standards*, are established, documented guidelines that facilitate the interoperability, quality, and accuracy of systems and processes. In recent years, we have witnessed an emerging *paradigm shift* in which the adoption of AI, specifically large language models (LLMs), has increased significantly, spreading implementation interests across standards-driven industries, including engineering, law, healthcare, education, security, and defense. This position paper aims to incite fruitful discussions from both the NLP and interdisciplinary communities on *how the use of LLMs is shaping the future of standard compliance*. To support the discussion, we assess the criticality levels of different standards across domains and sectors and complement them by grading the compliance capabilities of state-of-the-art LLMs. We also outline potential challenges and opportunities for standard compliance tasks and provide actionable recommendations for entities involved in developing and enforcing standard compliance. We anticipate that this area of research on the intersection of standard compliance and LLMs will set the precedent in developing safer and trustworthy AI-based systems across standard and regulation-driven industries in the near future.

1 Introduction

The industries of the modern world rely on systematic processes for the efficient production of goods and services guided through **standards**. According to the International Organization for Standardization (ISO)[1], standards refer to a general form of document-form specifications, rules, and guidelines specialized across various domains and sectors such as healthcare, education, engineering, law, sciences, security, and defense. For example, in the aviation and aerospace industries, any technical instruction manual produced must conform to

Figure 1: We describe an emerging **paradigm shift** where LLMs are being explored to assist with compliance tasks. By advancing standard alignment research, we anticipate strengthened compliance capabilities in parallel with the increased adoption of LLMs across sectors and domains. We pattern our temporal observation within the near-to-midterm realized capabilities of LLMs conceptualized in (Eiras et al., 2024).

recognized constrained language standards such as ASD-STE100 Simplified Technical English (STE)[2] developed and maintained by the Aerospace, Security and Defence Industry Association of Europe (ASD, formerly AECMA). In the education domain, teachers in charge of developing curriculum materials must follow standards such as the Common European Framework of Reference for Languages (CEFR)[3] in Europe or the Common Core State Standards (CCS)[4] in the US to produce high-quality classroom content.

At its core, standards are typically composed of carefully defined technical *specifications* for measurements and design that can be used to validate regulatory and operational compliance (ASTM International, 2025). In recent years, experts, prac-

---

[1] https://www.iso.org/standards.html

[2] https://www.asd-ste100.org/

[3] https://www.coe.int/en/web/common-european-framework-reference-languages

[4] https://www.thecorestandards.org/read-the-standards/

titioners, and users across various domains and sectors have shown interest in adopting LLMs due to their capabilities, including the ability to follow complex instructions and generate human-like writing. For example, a survey by the Department for Education revealed that 62% of primary and secondary teachers in the UK have reported using LLM-based tools to help create new educational content and lessons for classroom use (Department for Education, 2024). Complementary to this, recent studies on controlled text generation show that commercial and open-weight LLMs such as Llama2 (Touvron et al., 2023) and GPT-4 (Achiam et al., 2023) can be systematically steered with prompts to produce high-quality content and obtain high expert human evaluations (Imperial et al., 2024; Malik et al., 2024). We see this as a promising research direction, which we refer to as **standard alignment**, where the goal is to make LLMs *learn* how to faithfully follow standards and their constraints when performing tasks.

In this paper, we analyze a changing landscape—a *paradigm shift*—in regulatory and operational compliance through standards. We present various case studies that support the paradigm shift, including those in healthcare, education, safety, finance, and engineering sectors. We outline the challenges and opportunities of standard alignment for LLMs, the transformative benefits that can lead to increased adoption if successfully implemented, and provide recommendations for stakeholders involved. To further the discussions on how we approach standard alignment, we introduce C3F, a joint high-level CRITICALITY AND COMPLIANCE CAPABILITIES FRAMEWORK for assessing the criticality levels of 30 diverse standards used across various sectors and domains, as well as the current compliance capabilities of 15 foundational and specialized state-of-the-art LLMs. In summary, we take the following position that **advancing standard alignment research is key to accelerating multi-sectoral adoption of LLMs for standard compliance**.

2 The Standard Operational Compliance Landscape

To set the stage, we discuss preliminary information covering the common definitions and processes comprising standard development, including the entities involved in their conception and their various purposes.

Figure 2: The general process of standard development. Standards can be created either by government and regulatory bodies as a product of legislation or through industry associations and academic expert groups to ensure interoperability and quality of systems and processes.

2.1 Defining A Standard

Standards are established to provide specifications in natural language for measuring quality and proof of compliance with regulations. In line with this, we consider standards as *expert-defined* documents since one typically needs substantial knowledge within a domain or sector to propose measurable requirements and regulatory orders for compliance from users, industries, and organizations (Demortain, 2008).

To cater to the diverse and overlapping notions of standards, this paper does not restrict the scope of standards to those created by international and regional standard-developing organizations (SDOs), such as ISO, IEEE, ETSI, or NIST. We also include formally documented rules coined under related terms like *frameworks*, *guidelines*, *policies*, *constitutions*, and *checklists*, which are often used in interdisciplinary domains as forms of standards themselves since they observe an objectively similar nature and usage. In summary, to unify the overlapping characteristics, a documented set of guidelines can be considered a standard if it conforms to the following:

1. **Anatomy**: Standards are composed of well-defined specifications and procedures documenting measurable requirements for a given product or process.

2. **Purpose**: Standards serve specific purposes

for various domains and sectors, such as introducing a formal language of communication, ensuring compatibility checks, enforcing a list of rules, and assuring compliance with policies or regulations.

3. **Recognition**: Standards are developed and recognized by members and constituents of a private or public domain, sector, organization, or regulatory body.

2.2 Standards as Co-Regulation and Co-Integration Tools

A standard may be developed publicly or privately through government initiatives, regulatory bodies, unions, organizations, private industries, or expert groups. A hierarchical visualization of standard development is shown in Figure 2. In legislation, a standard may be paired with specific laws as a form of a **co-regulation tool** which, if successfully fulfilled, can serve as a *form of compliance with related state or nation-wide jurisdictions* (Pouget and Zuhdi, 2024). In this case, a regulatory body may appoint one or more SDOs to initiate the workflow of creating a specific standard that contains the legal requirements that must be included in line with the law. An example of these standards includes the well-known ISO/IEC 27001:2022, which defines measures for Personally Identifiable Information (PII) controllers and processors of any information security management system (ISMS) in response to the EU General Data Protection Regulation (GDPR) for data privacy and protection (ISO/IEC 27001:2022).

On the other hand, standards developed through non-legislative initiatives can serve as a **co-integration tool** which focuses on organization- or community-wide *interoperability and harmonization of systems and processes*. A well-known example is the Web Standards developed by the World Wide Web Consortium (W3C)[5], which maintains all technical specifications, guidelines, and protocols for web-based technologies, including HTML. These standards and technologies are globally recognized and form the core building blocks of the Web or Internet.

3 Paradigm Shift with Large Language Models

A **paradigm shift** occurs when a dominant standard practice becomes incompatible due to some emerging technological phenomenon, facilitating the adoption of new forms of conceptualization and practices (Kuhn, 1970; Tapscott and Caston, 1994). In this paper, the emerging paradigm shift we examine centers on how experts, practitioners, and users actively explore various ways to integrate standard specifications into LLMs to assist with compliance-based tasks. As state-of-the-art LLMs become increasingly capable in task generalization, complex instruction-following, and problem-solving, regulatory and operational compliance through standard alignment with LLMs is poised to be one of the key drivers of their adoption across various domains and sectors. We encapsulate this projection in Figure 1.

3.1 Shift in Standard Conformity Assessment

Conformity assessment pertains to how implementing organizations and users measure the level to which their products or services meet a standard's requirements. This process is often formally known as *certification*[6] and depends on several factors, including the level of conformity required by the standard and common assessment norms in specific domains or sectors. We highlight notable works across various domains in automating conformity assessment with LLMs below:

Data Privacy Regulations. Regulations for protecting private and personal information, such as the General Data Protection Regulation (GDPR) (Regulation, 2016) for the EU and the Health Insurance Portability and Accountability Act (HIPAA) (Act, 1996) for the US, have served as references for automating compliance checks using LLMs. Recent works, such as the GoldCoin Fan et al. (2024) and PrivaCI-Bench Li et al. (2025), have evaluated a number of LLMs, including Llama2, DeepSeek-R1, and GPT-4, for privacy violation classification, using HIPAA as a reference. Likewise, Zoubi et al. (2024) and Zhu et al. (2024) introduced PrivT5 and LegiLM, new specialized fine-tuned models trained from compilations of GDPR-related legal content such as case laws and data-sharing contracts, and also reported state-of-the-art performance in tasks including agreement validation and clause retrieval.

Financial and Accounting Report Standards. The International Financial Reporting Standards

---

[5]https://www.w3.org/standards/

[6]https://www.iso.org/conformity-assessment.html

(IFRS) provide a standardized method for evaluating a company's financial performance, ensuring compliance with national and international regulations (Posner, 2010). Auditing financial documents for compliance is considered labor-intensive, and the exploration of AI-driven solutions has been evident in recent years (Albuquerque and Gomes Dos Santos, 2024). The work of Berger et al. (2023) in collaboration with PwC Germany reported the effectiveness of GPT-4 for compliance validation of text sections from financial reports concerning IFRS and Germany's Handelsgesetzbuch or Commercial Code (HGB) through template-based prompting, while noting the need for a major improvement in robustness before deploying to real-world scenarios.

Operational Design Standards for Driving Autonomous Systems. Beyond text-only applications, LLMs have also been explored and have shown promising results for compliance assessment in vision-language settings. Hildebrandt et al. (2024) examined the use of OpenAI's ChatGPT-4V (OpenAI, 2023) and Vicuna (Chiang et al., 2023) integration to check the compliance of compiled sensor image data from self-driving cars with respect to Operational Design Domains (ODDs). ODDs are documented standards provided by manufacturers (e.g., Tesla or GMC) that describe specific conditions under which a self-driving car may operate safely and within its designed function (e.g., *the vehicle must not be driven at night*). This work also supports compliance checking of ODDs using vision-enhanced LLMs with high accuracy between ≈85%-94% across 11 weather, environment, and roadway dimensions.

3.2 Shift in Standard-Aligned Generation

State-of-the-art LLMs like GPT models can be easily prompted to create content using a predefined set of rules (Liu and Demberg, 2023; Zhou et al., 2023b). This degree of control, achieved through simple interactions via a chat interface, has been pivotal to the preliminary adoption of these models across various domains and sectors. We highlight previous studies that focused on improving LLMs' capabilities to generate content that conforms to the standards automatically:

Education and Language Proficiency Frameworks. Content-based standards serve as a meter to ensure that classroom resources, such as reading and activity books, meet specific research-based quality criteria (La Marca et al., 2000; Sadler, 2017). Content standards like the Common European Framework of Reference for Languages (CEFR) are among the most used resources for automatic educational content generation using LLMs. The combined recent works of Imperial et al. (2024), Malik et al. (2024), and Glandorf and Meurers (2024) have all explored a wide range of LLMs, including Llama, GPT-4, and Mistral, using specifications from CEFR in prompts to steer for desired granularities, including target complexity, grammar rules, structure, and levels of meaning. Experts in language testing using CEFR have also favored how GPT-4 can achieve a certain level of completeness, fluency, and coherence in generated texts (Imperial et al., 2024).

Medical Reporting and Appraisal Standards. Checklists and reporting standards drive high-quality documentation and appraisal in the medical literature. Sanmarchi et al. (2024) explored ChatGPT's capabilities to reformulate the STROBE checklist (Von Elm et al., 2007) to analyze epidemiology studies related to COVID-19 vaccinations in 68 countries. The results supported ChatGPT's potential as an assistant in setting up epidemiological observational research, but cautioned against its tendency to produce inconsistent responses when analyzing methods. Likewise, Muluk (2024) also used ChatGPT for customizing checklists related to managing patient-specific musculoskeletal injections that also conform to the METRICS standard (Sallam et al., 2024), which supported the model's potential for streamlining easily verifiable tasks in clinical practices, such as preparing medical checklists.

Industry Safety Policies. Recent works have explored integrating industry safety policies into LLMs to improve their capability to generate content that adheres to these specifications. Examples of these include Anthropic's Constitutional AI (Bai et al., 2022), OpenAI's Deliberative Alignment (Guan et al., 2024), and Cos-Align (Zhang et al., 2024). For these methods, LLMs are optimized to interpret the company's safety specifications and reason over them when responding to potentially harmful prompts. One advantage of OpenAI's Deliberative Alignment method is that its models have been optimized to identify which policy specifications are relevant to produce a safe and compliant response, rather than reviewing the full policy at every iteration.

4 Opportunities with Standard Alignment Research

We provide an in-depth discussion of the technical advantages that make standard alignment a promising research direction. Prioritizing these opportunities will be crucial for enabling wider and safer multi-sectoral adoption of LLMs in the future.

Standard Alignment Can Improve Oversight, Transparency, and Auditing In high-stakes domains, human oversight of AI-based systems or interfaces is crucial for transparency and auditing (Bowman et al., 2022; Kenton et al., 2024), and is now a major requirement for high-risk systems by recent AI regulations, such as the EU AI Act (European Parliament and Council, 2024). To address this, standard alignment can be viewed as another form of *practical oversight method* where users can control how LLMs produce outputs by updating the specifications of standards, and being able to trace back deviations. This feature is extremely valuable in areas such as bias mitigation (Gallegos et al., 2024), fairness evaluations (Teo et al., 2024), and domain-specific tasks related to healthcare, finance, and legal decision-making (Bowman et al., 2022; Meskó and Topol, 2023; Mökander et al., 2023).

Standard Alignment Can Strengthen User Trust Building user trust is considered one of the most elusive challenges in the design of AI-based systems, as it can dictate the lifeline of how these systems will be adopted and used (Riegelsberger et al., 2005; Kizilcec, 2016; Schmidt et al., 2020). Bridging the same rules and regulations that domain experts follow, in the form of standards to control LLMs, can potentially *enhance process-based user trust*. For example, a medical expert may feel much more confident in using a specialized open model like Meditron (Chen et al., 2023) to complete or assist with their tasks than in using a black-box general-purpose model, simply from knowing that the former has undergone further training using massive collections of clinical guidelines and medical papers with which the expert is familiar. This level of transparency, given to domain experts, can be highly beneficial for earning and strengthening user trust, as it assures them of certainty in the performance expectations and design of standard-aligned LLMs (Kizilcec, 2016).

Standard Alignment Can Reduce Risk of LLM Inaccuracies The results of the State of AI in 2024 by McKinsey revealed that *inaccuracy*—the tendency of LLMs to produce factually incorrect and unexpected results— is one of the highest risk factors hindering adoption across major organizations and industries. Such risks can cause a domino effect, including losing user trust, causing harm, and financial losses for consumers and businesses if not properly mitigated and controlled (McKinsey & Company, 2024). In line with this, the standard alignment of LLMs can contribute to *reducing inaccuracies by pairing it with architectural enhancements* such as scaling and finetuning with massive collections of domain-specific data to improve domain knowledge, as evidenced in previous works on education (Imperial and Tayyar Madabushi, 2023; Imperial et al., 2024), legal (Zhu et al., 2024; Fan et al., 2024), and medicine (Chen et al., 2023). Additionally, multi-sectoral businesses leveraging LLM-based systems can use standard alignment techniques (see Appendix B) to align their systems and services to conform to domain-specific regulations, thereby providing quality assurance to clients and consumers.

5 CRITICALITY AND COMPLIANCE CAPABILITIES FRAMEWORK (C3F)

The level of sensitivity and compliance requirements varies by standard and depends on its purpose and scope. For example, coding standards such as Python Enhancement Proposals (PEP) are less sensitive and critical than healthcare standards like the HIPAA Privacy Rule. Thus, for experts, practitioners, and users exploring using LLMs as an assistant with compliance-based tasks, it is crucial to know *both* the documented capabilities of the LLMs they plan to use for experiments *and* the level of standard compliance they use as a benchmark for success or failure.

To address this challenge, we propose C3F, a joint high-level CRITICALITY AND COMPLIANCE CAPABILITIES FRAMEWORK in Figure 3, which aims to provide guidance in categorizing the current capabilities of modern LLMs in standard alignment as well as assess the different levels of criticality of standards across domains and sectors. In the succeeding sections, we provide a more in-depth discussion of the two components of C3F.

5.1 Assessment of Compliance Capabilities

We define compliance capabilities as an *aggregation of a model's documented capabilities for compliance-based tasks* across various publications

Figure 3: **The CRITICALITY AND COMPLIANCE CAPABILITIES FRAMEWORK (C3F).** We introduce a joint high-level framework as a guide for assessing current state-of-the-art foundational and specialized LLMs based on their (**Top**) documented compliance capabilities in assessing compliance with standards from previous literature, as well as (**Bottom**) the estimated criticality levels of standards from domains and sectors based on the permissible error level an LLM can commit and the potential consequences in the case of non-compliance.

and recognition from the NLP and interdisciplinary communities. These capabilities can range from effectiveness in producing standard-compliant outputs based on simple to complex instruction following, generalization of domain knowledge, and producing reasoning steps to justify decisions. For C3F, we propose a high-level, four-stage assessment scheme to measure an LLM's compliance capabilities in an increasing linear fashion, as shown in Figure 3. We draw motivation on this particular skill assessment of LLMs from previous works such as Morris et al. (2024) for levels of general intelligence and Eiras et al. (2024) for risks and openness.

5.2 Assessment of Criticality Levels

We define the criticality levels of standards as *a measure of their task-based sensitivity*, which can be determined by the allowable margin of error for a hypothetical LLM assisting with standard compliance tasks. For C3F, in parallel with compliance capabilities, we also propose a similar high-level

four-stage assessment scheme illustrating the reduction of allowable errors as the criticality of standards increases, as shown in Figure 3.

In assessing the criticality of standards, we should consider two variables: the *consequences of harm* and the *scale of harm*. The former describes the level of potential damage that non-compliance with standards can cause, while the latter considers the number of people who might be harmed by an error resulting from non-compliance (Al Atassi et al., 2024). For example, an error in a patient-facing scenario in healthcare, due to the misinterpretation of a standard guideline, might endanger one person. In contrast, an error in a nuclear energy scenario might endanger or kill thousands. Both can potentially lead to death, but the scale varies between the two.

6 Case Studies

We demonstrate the application of C3F in assessing compliance capabilities of LLMs and criticality of

standards in preliminary use cases with respect to domain expertise.

6.1 Non-Specialist Assessment of Globally Recognized LLMs and Standards

Given our extensive collective background in AI and NLP, we conduct a self-assessment of 15 globally recognized frontier and specialized LLMs, as shown in Table 1 in the Appendix. We classify all top-of-the-line frontier LLM families (e.g., Gemini, GPT, Claude, DeepSeek) in the `Advanced` category due to their high performance on general and domain-specific LLM benchmarks, which often translate to high compliance and instruction-following capabilities supported by literature (Zeng et al., 2025; Yao et al., 2025; Imperial and Madabushi, 2025). LLMs under the `Specialized` category are often developed and released by academic stakeholders or in collaboration with sector-specific industries. These LLMs often exhibit significantly improved performance across domain-specific tasks due to additional fine-tuning or optimization with domain-specific data (e.g., massive legal data used by Colombo et al. (2024) for instruction-tuning SaulLM-54B) using LLMs from the `Baseline` category.

On the standards side, we used the standard criticality level component of C3F to evaluate 15 non-specialist standards, guidelines, and frameworks across media, software technology, and education as listed in Table 2 in the Appendix. We consider these standards to be non-specialist in this paper's context, given that they are generally known to the public and frequently applied in low-stakes scenarios (e.g., developing a website that meets W3C or Section 508 accessibility standards) without major serious consequences for non-compliance. Based on our assessment and collective experience working with these standards, most of them fall into the `Minimal` category. Our assessments for these standards are based solely on the tasks for which they are frequently used, such as content creation, documentation enhancements, and compatibility checks, and do not apply to specific edge cases.

6.2 Specialist Assessment of Healthcare and Pharmaceutical Standards

In contrast to assessing non-specialist standards, we collaborated with a healthcare practitioner and researcher from [REDACTED][7] to provide a pre-

---

[7]The affiliation will be de-anonymized upon publication.

liminary expert-level assessment of the criticality of the standards used and recognized in the healthcare and pharmaceutical industries. The expert agreed with the purpose of the two criticality variables mentioned previously (consequences of harm and the scale of harm) and considered this in their evaluation.

We report the 15 specialist high-stakes standards classified by the expert in Table 3 in the Appendix. From the result, we observe that the majority of healthcare-related standards and guidelines fall into the `High` category, emphasizing the significant criticality and high level of oversight required when using them while two were only classified as `Moderate`, as they are only checklist-based standards used in quality assessment. Aside from the evaluation, we also requested that the expert provide verbatim feedback on the practical utility of C3F. We highlight the actual feedback below:

> "Currently, there is a lot of interest and unstandardised research in the processing and provision of various types of healthcare information with AI. As this is not an area of expertise for most healthcare professionals, a framework such as C3F is *potentially very useful*. It allows healthcare professionals to link their **assessment of criticality** to AI experts' **assessments of compliance**. This will support the selection of an appropriate model and workflow for each application and help to standardise the development of this new field."

Overall, we view this assessment and feedback as strong support for our position and the usability of C3F in setting a precedent for discussing how LLMs can be applied in standards-driven domains, particularly in the healthcare and pharmaceutical industries and beyond.

7 Risks, Responsibilities, and Recommendations

We outline the potential risks and key responsibilities of each stakeholder group and provide recommendations that align with evolving practices in regulatory and operational compliance.

For Government and Regulatory Bodies Regulations established by governing bodies can be considered one of the major drivers of standard development (see Section 2). However, two of the

main concerns with regulations are the *risk of rigid standardization*, which may compromise innovation efforts and hinder or slow down the beneficial applications of AI (Aghion et al., 2023), and the *risk of regulatory gaps* due to vague stipulations and the unrealistic technical feasibility of legislation (Pouget, 2023). To address these, we recommend periodic *regulatory and policy adaptation* to revisit existing regulations and critically discuss how the evolving capabilities and roles of LLMs impact compliance practices with these regulations. Likewise, legislation aimed at developing a unified *meta-standard* can also be enacted to assist professional regulatory bodies in effectively updating their professional guidelines for specific workforces that will experience significant job augmentations with the use of LLMs (e.g., physicians now using LLMs to support clinical decision-making), to uphold ethical principles and ensure human oversight (Hashem et al., 2024).

For Standard-Developing Orgs, Industry, and Academic Expert Groups Rethinking the conventional standard development process (see Figure 2) due to the shift in compliance practices with LLMs might be a major but necessary step for SDOs, industry associations, and academic expert groups. This is important to prevent the regulatory authority of technical standards from the *risk of being uninformative* for users wanting clear guidelines for standard compliance amid the progress of LLMs. We recommend establishing a dedicated committee responsible for updating and initiating maintenance revisions of existing published standards. These domain-specific committees may conduct their own studies and collaborate with other stakeholders to *closely monitor current practices, available tools, and acknowledge limitations* in using LLMs for standard compliance (Manheim et al., 2024).

For LLM Researchers and Model Developers As more LLMs are used in critical high-risk domains such as healthcare or law, model explainability and interpretability will be an important research direction. Increased scientific works in these areas are crucial to reduce the *risk of eroding trust* among domain users who will use this technology. Thus, we recommend using standard compliance as an impactful case study of *explaining* the black-box nature of LLMs. Since standards can be considered as co-regulation tools, developing novel approaches such as automatic audit trail generation for decisions made by standard-aligned LLMs and providing human-readable explanations is vital for their wider interdisciplinary and multi-sectoral adoption (Mökander et al., 2023; Song and Shmatikov, 2019).

For Regulated Entities, Practitioners, and Users The final stakeholder group that will arguably experience the most significant impact from LLMs is the regulated entities, experts, practitioners, and users. Our most important recommendation is to *practice and uphold the highest form of responsibility and accountability* in using LLMs to comply with regulatory and operational requirements (Coeckelbergh, 2020). To reduce the *risk of misuse and over-reliance*, we also recommend that users build a *solid, domain-specific foundation of AI literacy*, which is expected from an ideal domain expert who acknowledges both advantages and disadvantages of available technical resources used in their domain.

8 Outlook

LLMs are transforming how we work and perform day-to-day tasks and will continue to do so in the near future. In this paper, we view such a transformation as a paradigm shift and discuss how supporting this change can be considered a fundamental step toward *controlled and safe multi-sectoral adoption of LLMs through advancing standard alignment research*. Based on our position, we make **two calls to action** across all stakeholder groups involved in the development of standards and LLMs:

1. We encourage all stakeholders to collectively recognize the paradigm shift introduced by LLMs, which can serve as a powerful tool for assisting with compliance with regulations, provided they are used responsibly and ethically.

2. We advocate for a global, unified effort among stakeholders to ensure that LLMs remain a force for good in regulated domains.

We look forward to welcoming new research ideas, global partnerships, initiatives, and collaborations, whether they complement or contrast with the position we introduced, in line with the promising direction of standard alignment of LLMs for regulatory and operational compliance.

Limitations

With the respect to shaping the position of the paper, C3F is intended to be a *high-level* guiding framework to open discussions on preliminary assessment of characteristics of LLMs (capabilities) and target standards (criticality level) for all concerned stakeholders including regulatory bodies, industry and academic standard developers, researchers, practitioners, and users. Thus, any form of quantitative validations is purposefully not covered in this work, as this requires upfront knowledge on what specific standard compliance or standard-aligned generation tasks with respect to a given use case context which is extremely subjective across domains. The framework is not prescriptive and is meant to set the tone of the discussion with this position paper, which will effectively inform and guide domain experts towards important aspects to consider (e.g., criticality, current capabilities, margin of error, compute resources) for compliance-related tasks that leverage LLMs (Homewood et al., 2025).

References

Josh Achiam, Steven Adler, Sandhini Agarwal, Lama Ahmad, Ilge Akkaya, Florencia Leoni Aleman, Diogo Almeida, Janko Altenschmidt, Sam Altman, Shyamal Anadkat, and 1 others. 2023. GPT-4 Technical Report. *arXiv preprint arXiv:2303.08774*.

Act. 1996. Health Insurance Portability and Accountability Act of 1996. *Public law*, 104:191.

Philippe Aghion, Antonin Bergeaud, and John Van Reenen. 2023. The impact of regulation on innovation. *American Economic Review*, 113(11):2894–2936.

Rached Al Atassi, Wing Shun Chan, Zivile Jurjonaite, Rahel Kahsay, Emily Samson, and Matthew D Jones. 2024. Validity and reliability of a method to estimate the potential harm of medication errors by considering both the likelihood and degree of harm. *International Journal of Pharmacy Practice*, page riae074.

Fábio Albuquerque and Paula Gomes Dos Santos. 2024. Exploring ChatGPT's capabilities in solving accounting standards problems: the case of IAS 37. *Cogent Education*, 11(1):2412492.

ASTM International. 2025. Form and Style for ASTM Standards. Accessed: 2025-01-23.

Yuntao Bai, Saurav Kadavath, Sandipan Kundu, Amanda Askell, Jackson Kernion, Andy Jones, Anna Chen, Anna Goldie, Azalia Mirhoseini, Cameron McKinnon, and 1 others. 2022. Constitutional AI: Harmlessness from AI Feedback. *arXiv preprint arXiv:2212.08073*.

Robin Beer, Alexander Feix, Tim Guttzeit, Tamara Muras, Vincent Müller, Maurice Rauscher, Florian Schäffler, and Welf Löwe. 2024. Examination of Code generated by Large Language Models. *arXiv preprint arXiv:2408.16601*.

Armin Berger, Lars Hillebrand, David Leonhard, Tobias Deuser, Thiago Bell Felix De Oliveira, Tim Dilmaghani, Mohamed Khaled, Bernd Kliem, Rudiger Loitz, Christian Bauckhage, and 1 others. 2023. Towards Automated Regulatory Compliance Verification in Financial Auditing with Large Language Models. In *2023 IEEE International Conference on Big Data (BigData)*, pages 4626–4635. IEEE Computer Society.

Samuel R Bowman, Jeeyoon Hyun, Ethan Perez, Edwin Chen, Craig Pettit, Scott Heiner, Kamilė Lukošiūtė, Amanda Askell, Andy Jones, Anna Chen, and 1 others. 2022. Measuring Progress on Scalable Oversight for Large Language Models. *arXiv preprint arXiv:2211.03540*.

Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, and 1 others. 2020. Language Models are Few-Shot Learners. *Advances in Neural Information Processing Systems*, 33:1877–1901.

Zeming Chen, Alejandro Hernández Cano, Angelika Romanou, Antoine Bonnet, Kyle Matoba, Francesco Salvi, Matteo Pagliardini, Simin Fan, Andreas Köpf, Amirkeivan Mohtashami, and 1 others. 2023. MEDITRON-70B: Scaling Medical Pretraining for Large Language Models. *arXiv preprint arXiv:2311.16079*.

Wei-Lin Chiang, Zhuohan Li, Zi Lin, Ying Sheng, Zhanghao Wu, Hao Zhang, Lianmin Zheng, Siyuan Zhuang, Yonghao Zhuang, Joseph E Gonzalez, and 1 others. 2023. Vicuna: An open-source chatbot impressing gpt-4 with 90%* chatgpt quality. *See https://vicuna. lmsys. org (accessed 14 April 2023)*, 2(3):6.

Mark Coeckelbergh. 2020. Artificial Intelligence, Responsibility Attribution, and a Relational Justification of Explainability. *Science and Engineering Ethics*, 26(4):2051–2068.

Pierre Colombo, Telmo Pires, Malik Boudiaf, Rui Filipe Coimbra Pereira de Melo, Gabriel Hautreux, Etienne Malaboeuf, Johanne Charpentier, Dominic Culver, and Michael Desa. 2024. SaulLM-54B & SaulLM-141B: Scaling Up Domain Adaptation for the Legal Domain. In *The Thirty-eighth Annual Conference on Neural Information Processing Systems*.

Antonia Creswell and Murray Shanahan. 2022. Faithful Reasoning Using Large Language Models. *arXiv preprint arXiv:2208.14271*.

Iria da Cunha. 2022. Un redactor asistido para adaptar textos administrativos a lenguaje claro. *Procesamiento del Lenguaje Natural*, 69:39–49.

Mishca de Costa, Muhammad Anwar, Daniel Lau, and Issam Hammad. 2024. Classification of Safety Events at Nuclear Sites using Large Language Models. *arXiv preprint arXiv:2409.00091*.

David Demortain. 2008. Standardising through concepts: The power of scientific experts in international standard-setting. *Science and Public Policy*, 35(6):391–402.

Department for Education. 2024. Generative AI in education: educator and expert views. Government report, Department for Education.

Francisco Eiras, Aleksandar Petrov, Bertie Vidgen, Christian Schroeder De Witt, Fabio Pizzati, Katherine Elkins, Supratik Mukhopadhyay, Adel Bibi, Botos Csaba, Fabro Steibel, Fazl Barez, Genevieve Smith, Gianluca Guadagni, Jon Chun, Jordi Cabot, Joseph Marvin Imperial, Juan A. Nolazco-Flores, Lori Landay, Matthew Thomas Jackson, and 5 others. 2024. Position: Near to Mid-term Risks and Opportunities of Open-Source Generative AI. In *Proceedings of the 41st International Conference on Machine Learning*, volume 235 of *Proceedings of Machine Learning Research*, pages 12348–12370. PMLR.

Sabina Elkins, Ekaterina Kochmar, Jackie CK Cheung, and Iulian Serban. 2024. How Teachers Can Use Large Language Models and Bloom's Taxonomy to Create Educational Quizzes. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 38, pages 23084–23091.

European Parliament and Council. 2024. Regulation (EU) 2024/1689 of the European Parliament and of the Council of 13 June 2024 laying down harmonised rules on Artificial Intelligence (Artificial Intelligence Act) and amending certain Union Legislative Acts. https://eur-lex.europa.eu/eli/reg/2024/1689/oj. OJ L 2024/1689, 12.7.2024, p. 1–88.

Wei Fan, Haoran Li, Zheye Deng, Weiqi Wang, and Yangqiu Song. 2024. GoldCoin: Grounding large language models in privacy laws via contextual integrity theory. In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pages 3321–3343, Miami, Florida, USA. Association for Computational Linguistics.

Isabel O. Gallegos, Ryan A. Rossi, Joe Barrow, Md Mehrab Tanjim, Sungchul Kim, Franck Dernoncourt, Tong Yu, Ruiyi Zhang, and Nesreen K. Ahmed. 2024. Bias and Fairness in Large Language Models: A Survey. *Computational Linguistics*, 50(3):1097–1179.

Dominik Glandorf and Detmar Meurers. 2024. Towards Fine-Grained Pedagogical Control over English Grammar Complexity in Educational Text Generation. In *Proceedings of the 19th Workshop on Innovative Use of NLP for Building Educational Applications (BEA 2024)*, pages 299–308, Mexico City, Mexico. Association for Computational Linguistics.

Melody Y Guan, Manas Joglekar, Eric Wallace, Saachi Jain, Boaz Barak, Alec Heylar, Rachel Dias, Andrea Vallone, Hongyu Ren, Jason Wei, and 1 others. 2024. Deliberative Alignment: Reasoning Enables Safer Language Models. *arXiv preprint arXiv:2412.16339*.

Shibo Hao, Tianyang Liu, Zhen Wang, and Zhiting Hu. 2023. ToolkenGPT: Augmenting Frozen Language Models with Massive Tools via Tool Embeddings. *Advances in Neural Information Processing Systems 36 (NeurIPS 2023)*, 36:45870–45894.

Yasmin Hashem, Saba Esnaashari, David Morgan, James Francis, Alexander Poletaev, Francesca Enock, and Jonathan Bright. 2024. One in Four UK Doctors Are Using Artificial Intelligence: Exploring Doctors' Perspectives on AI After the Emergence of Large Language Models.

Julio Hernandez, Delaram Golpayegani, and Dave Lewis. 2024. An Open Knowledge Graph-Based Approach for Mapping Concepts and Requirements between the EU AI Act and International Standards. *arXiv preprint arXiv:2408.11925*.

Carl Hildebrandt, Trey Woodlief, and Sebastian Elbaum. 2024. ODD-diLLMma: Driving Automation System ODD Compliance Checking using LLMs. In *2024 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, pages 13809–13816. IEEE.

Kenji Hirata, Yusuke Matsui, Akira Yamada, Tomoyuki Fujioka, Masahiro Yanagawa, Takeshi Nakaura, Rintaro Ito, Daiju Ueda, Shohei Fujita, Fuminari Tatsugami, and 1 others. 2024. Generative AI and large language models in nuclear medicine: current status and future prospects. *Annals of Nuclear Medicine*, pages 1–12.

Aidan Homewood, Sophie Williams, Noemi Dreksler, John Lidiard, Malcolm Murray, Lennart Heim, Marta Ziosi, Seán Ó hÉigeartaigh, Michael Chen, Kevin Wei, Christoph Winter, Miles Brundage, Ben Garfinkel, and Jonas Schuett. 2025. Third-party compliance reviews for frontier AI safety frameworks. *arXiv preprint arXiv:2505.01643*.

Jie Huang and Kevin Chen-Chuan Chang. 2023. Towards Reasoning in Large Language Models: A Survey. In *Findings of the Association for Computational Linguistics: ACL 2023*, pages 1049–1065, Toronto, Canada. Association for Computational Linguistics.

Joseph Marvin Imperial, Gail Forey, and Harish Tayyar Madabushi. 2024. Standardize: Aligning language models with expert-defined standards for content generation. In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pages 1573–1594, Miami, Florida, USA. Association for Computational Linguistics.

Joseph Marvin Imperial and Harish Tayyar Madabushi. 2025. Scaling Policy Compliance Assessment in Language Models with Policy Reasoning Traces. *arXiv preprint arXiv:2509.23291*.

Joseph Marvin Imperial and Harish Tayyar Madabushi. 2023. Flesch or fumble? evaluating readability standard alignment of instruction-tuned language models. In *Proceedings of the Third Workshop on Natural Language Generation, Evaluation, and Metrics (GEM)*, pages 205–223, Singapore. Association for Computational Linguistics.

ISO/IEC 27001:2022. 2022. Information security, cybersecurity and privacy protection — information security management systems — requirements.

Hamish Ivison, Yizhong Wang, Jiacheng Liu, Zeqiu Wu, Valentina Pyatkin, Nathan Lambert, Noah A Smith, Yejin Choi, and Hannaneh Hajishirzi. 2024. Unpacking DPO and PPO: Disentangling Best Practices for Learning from Preference Feedback. *arXiv preprint arXiv:2406.09279*.

Sebastian Joseph, Lily Chen, Jan Trienes, Hannah Göke, Monika Coers, Wei Xu, Byron Wallace, and Junyi Jessy Li. 2024. FactPICO: Factuality Evaluation for Plain Language Summarization of Medical Evidence. In *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 8437–8464, Bangkok, Thailand. Association for Computational Linguistics.

Zachary Kenton, Noah Yamamoto Siegel, Janos Kramar, Jonah Brown-Cohen, Samuel Albanie, Jannis Bulian, Rishabh Agarwal, David Lindner, Yunhao Tang, Noah Goodman, and 1 others. 2024. On scalable oversight with weak LLMs judging strong LLMs. In *The Thirty-eighth Annual Conference on Neural Information Processing Systems*.

René F Kizilcec. 2016. How Much Information? Effects of Transparency on Trust in an Algorithmic Interface. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems*, pages 2390–2395.

Thomas Kuhn. 1970. The Nature of Scientific Revolutions. *Chicago: University of Chicago*, 197(0).

Paul M La Marca, Doris Redfield, and Phoebe C Winter. 2000. State Standards and State Assessment Systems: A Guide to Alignment. Series on Standards and Assessments. *Non-Journal*.

Harrison Lee, Samrat Phatale, Hassan Mansoor, Thomas Mesnard, Johan Ferret, Kellie Ren Lu, Colton Bishop, Ethan Hall, Victor Carbune, Abhinav Rastogi, and 1 others. 2024. RLAIF vs. RLHF: Scaling Reinforcement Learning from Human Feedback with AI Feedback. In *Forty-first International Conference on Machine Learning*.

Patrick Lewis, Ethan Perez, Aleksandra Piktus, Fabio Petroni, Vladimir Karpukhin, Naman Goyal, Heinrich Küttler, Mike Lewis, Wen-tau Yih, Tim Rocktäschel, and 1 others. 2020. Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks. *Advances in Neural Information Processing Systems*, 33:9459–9474.

Haoran Li, Wenbin Hu, Huihao Jing, Yulin Chen, Qi Hu, Sirui Han, Tianshu Chu, Peizhao Hu, and Yangqiu Song. 2025. PrivaCI-bench: Evaluating privacy with contextual integrity and legal compliance. In *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 10544–10559, Vienna, Austria. Association for Computational Linguistics.

Zhuoyan Li, Hangxiao Zhu, Zhuoran Lu, and Ming Yin. 2023. Synthetic data generation with large language models for text classification: Potential and limitations. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 10443–10461, Singapore. Association for Computational Linguistics.

Zeyi Liao and Huan Sun. 2024. AmpleGCG: Learning a Universal and Transferable Generative Model of Adversarial Suffixes for Jailbreaking Both Open and Closed LLMs. In *First Conference on Language Modeling*.

Dongqi Liu and Vera Demberg. 2023. ChatGPT vs human-authored text: Insights into controllable text summarization and sentence style transfer. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 4: Student Research Workshop)*, pages 1–18, Toronto, Canada. Association for Computational Linguistics.

Andres M. Bran, Sam Cox, Oliver Schilter, Carlo Baldassari, Andrew D White, and Philippe Schwaller. 2024. Augmenting large language models with chemistry tools. *Nature Machine Intelligence*, pages 1–11.

Ali Malik, Stephen Mayhew, Christopher Piech, and Klinton Bicknell. 2024. From tarzan to Tolkien: Controlling the language proficiency level of LLMs for content generation. In *Findings of the Association for Computational Linguistics: ACL 2024*, pages 15670–15693, Bangkok, Thailand. Association for Computational Linguistics.

David Manheim, Sammy Martin, Mark Bailey, Mikhail Samin, and Ross Greutzmacher. 2024. The Necessity of AI Audit Standards Boards. *arXiv preprint arXiv:2404.13060*.

McKinsey & Company. 2024. The State of AI in Early 2024: Gen AI Adoption Spikes and Starts to Generate Value. Accessed: 2025-01-22.

Bertalan Meskó and Eric J Topol. 2023. The imperative for regulatory oversight of large language models (or generative AI) in healthcare. *NPJ Digital Medicine*, 6(1):120.

Lester James V Miranda, Yizhong Wang, Yanai Elazar, Sachin Kumar, Valentina Pyatkin, Faeze Brahman, Noah A Smith, Hannaneh Hajishirzi, and Pradeep Dasigi. 2024. Hybrid Preferences: Learning to Route Instances for Human vs. AI Feedback. *arXiv preprint arXiv:2410.19133*.

Swaroop Mishra, Daniel Khashabi, Chitta Baral, Yejin Choi, and Hannaneh Hajishirzi. 2022. Reframing Instructional Prompts to GPTk's Language. In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 589–612, Dublin, Ireland. Association for Computational Linguistics.

Jakob Mökander, Jonas Schuett, Hannah Rose Kirk, and Luciano Floridi. 2023. Auditing Large Language Models: A Three-Layered Approach. *AI and Ethics*, pages 1–31.

Tomas Bueno Momcilovic, Dian Balta, Beat Buesser, Giulio Zizzo, and Mark Purcell. 2024. Developing Assurance Cases for Adversarial Robustness and Regulatory Compliance in LLMs. In *2024 IEEE 35th International Symposium on Software Reliability Engineering Workshops (ISSREW)*, pages 209–215. IEEE.

Meredith Ringel Morris, Jascha Sohl-Dickstein, Noah Fiedel, Tris Warkentin, Allan Dafoe, Aleksandra Faust, Clement Farabet, and Shane Legg. 2024. Position: Levels of AGI for Operationalizing Progress on the Path to AGI. In *Forty-first International Conference on Machine Learning*.

Selkin Yilmaz Muluk. 2024. Enhancing Musculoskeletal Injection Safety: Evaluating Checklists Generated by Artificial Intelligence and Revising the Preformed Checklist. *Cureus*, 16(5):e59708.

OpenAI. 2023. GPT-4V System Card. Accessed: 2025-01-14.

Long Ouyang, Jeffrey Wu, Xu Jiang, Diogo Almeida, Carroll Wainwright, Pamela Mishkin, Chong Zhang, Sandhini Agarwal, Katarina Slama, Alex Ray, and 1 others. 2022. Training language models to follow instructions with human feedback. *Advances in Neural Information Processing Systems*, 35:27730–27744.

Andrea Papenmeier, Dagmar Kern, Gwenn Englebienne, and Christin Seifert. 2022. It's Complicated: The Relationship between User Trust, Model Accuracy and Explanations in AI. *ACM Transactions on Computer-Human Interaction (TOCHI)*, 29(4):1–33.

Elliot Posner. 2010. Sequence as Explanation: The International Politics of Accounting Standards. *Review of International Political Economy*, 17(4):639–664.

Hadrien Pouget. 2023. The EU's AI Act Is Barreling Toward AI Standards That Do Not Exist. *Lawfare*. Accessed: 2025-01-24.

Hadrien Pouget and Ranj Zuhdi. 2024. AI and Product Safety Standards under the EU AI Act. Accessed: 2025-01-07.

Rafael Rafailov, Archit Sharma, Eric Mitchell, Christopher D Manning, Stefano Ermon, and Chelsea Finn. 2024. Direct Preference Optimization: Your Language Model is Secretly a Reward Model. *Advances in Neural Information Processing Systems*, 36.

Ori Ram, Yoav Levine, Itay Dalmedigos, Dor Muhlgay, Amnon Shashua, Kevin Leyton-Brown, and Yoav Shoham. 2023. In-Context Retrieval-Augmented Language Models. *Transactions of the Association for Computational Linguistics*, 11:1316–1331.

James Reason. 1990. The contribution of latent human failures to the breakdown of complex systems. *Philosophical Transactions of the Royal Society of London. B, Biological Sciences*, 327(1241):475–484.

Protection Regulation. 2016. Regulation (EU) 2016/679 of the European Parliament and of the Council. *Regulation (EU)*, 679:2016.

Jens Riegelsberger, M Angela Sasse, and John D McCarthy. 2005. The Mechanics of Trust: A Framework for Research and Design. *International Journal of Human-Computer Studies*, 62(3):381–422.

D Royce Sadler. 2017. Academic achievement standards and quality assurance. *Quality in Higher Education*, 23(2):81–99.

Malik Sallam, Muna Barakat, Mohammed Sallam, and 1 others. 2024. A Preliminary Checklist (METRICS) to Standardize the Design and Reporting of Studies on Generative Artificial Intelligence–Based Models in Health Care Education and Practice: Development Study Involving a Literature Review. *Interactive Journal of Medical Research*, 13(1):e54704.

Francesco Sanmarchi, Andrea Bucci, Andrea Giovanni Nuzzolese, Gherardo Carullo, Fabrizio Toscano, Nicola Nante, and Davide Golinelli. 2024. A step-by-step researcher's guide to the use of an AI-based transformer in epidemiology: an exploratory analysis of ChatGPT using the STROBE checklist for observational studies. *Journal of Public Health*, 32(9):1761–1796.

Timo Schick, Jane Dwivedi-Yu, Roberto Dessì, Roberta Raileanu, Maria Lomeli, Eric Hambro, Luke Zettlemoyer, Nicola Cancedda, and Thomas Scialom. 2023. Toolformer: Language Models Can Teach Themselves to Use Tools. *Advances in Neural Information Processing Systems*, 36:68539–68551.

Philipp Schmidt, Felix Biessmann, and Timm Teubner. 2020. Transparency and trust in artificial intelligence systems. *Journal of Decision Systems*, 29(4):260–278.

Mohammed Latif Siddiq, Beatrice Casey, and Joanna Santos. 2023. A lightweight framework for high-quality code generation. *arXiv preprint arXiv:2307.08220*.

Congzheng Song and Vitaly Shmatikov. 2019. Auditing Data Provenance in Text-Generation Models. In *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, pages 196–206.

Don Tapscott and Art Caston. 1994. Paradigm Shift: The New Promise of Information Technology. *Economic Development Journal of Canada*, pages 62–66.

Christopher Teo, Milad Abdollahzadeh, and Ngai-Man Man Cheung. 2024. On Measuring Fairness in Generative Models. *Advances in Neural Information Processing Systems*, 36.

Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shruti Bhosale, and 1 others. 2023. Llama 2: Open Foundation and Fine-Tuned Chat Modelss. *arXiv preprint arXiv:2307.09288*.

Erik Von Elm, Douglas G Altman, Matthias Egger, Stuart J Pocock, Peter C Gøtzsche, and Jan P Vandenbroucke. 2007. The Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) statement: guidelines for reporting observational studies. *The Lancet*, 370(9596):1453–1457.

Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Fei Xia, Ed Chi, Quoc V Le, Denny Zhou, and 1 others. 2022. Chain-of-Thought Prompting Elicits Reasoning in Large Language Models. *Advances in Neural Information Processing Systems*, 35:24824–24837.

Shunyu Yao, Noah Shinn, Pedram Razavi, and Karthik Narasimhan. 2025. τ-bench: A Benchmark for Tool-Agent-User Interaction in Real-World Domains. In *The Thirteenth International Conference on Learning Representations*.

Jiacheng Ye, Jiahui Gao, Qintong Li, Hang Xu, Jiangtao Feng, Zhiyong Wu, Tao Yu, and Lingpeng Kong. 2022. ZeroGen: Efficient Zero-shot Learning via Dataset Generation. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 11653–11669, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.

Yi Zeng, Yu Yang, Andy Zhou, Jeffrey Ziwei Tan, Yuheng Tu, Yifan Mai, Kevin Klyman, Minzhou Pan, Ruoxi Jia, Dawn Song, and 1 others. 2025. AIR-BENCH 2024: A Safety Benchmark based on Regulation and Policies Specified Risk Categories. In *The Thirteenth International Conference on Learning Representations*.

Jingyu Zhang, Ahmed Elgohary, Ahmed Magooda, Daniel Khashabi, and Benjamin Van Durme. 2024. Controllable Safety Alignment: Inference-Time Adaptation to Diverse Safety Requirements. *arXiv preprint arXiv:2410.08968*.

Chunting Zhou, Pengfei Liu, Puxin Xu, Srinivasan Iyer, Jiao Sun, Yuning Mao, Xuezhe Ma, Avia Efrat, Ping Yu, LILI YU, Susan Zhang, Gargi Ghosh, Mike Lewis, Luke Zettlemoyer, and Omer Levy. 2023a. LIMA: Less Is More for Alignment. In *Advances in Neural Information Processing Systems*, volume 36, pages 55006–55021. Curran Associates, Inc.

Wangchunshu Zhou, Yuchen Eleanor Jiang, Ethan Wilcox, Ryan Cotterell, and Mrinmaya Sachan. 2023b. Controlled text generation with natural language instructions. In *Proceedings of the 40th International Conference on Machine Learning*, volume 202 of *Proceedings of Machine Learning Research*, pages 42602–42613. PMLR.

Linkai Zhu, Lu Yang, Chaofan Li, Shanwen Hu, Lu Liu, and Bin Yin. 2024. LegiLM: A Fine-Tuned Legal Language Model for Data Compliance. *arXiv preprint arXiv:2409.13721*.

Andy Zou, Zifan Wang, Nicholas Carlini, Milad Nasr, J Zico Kolter, and Matt Fredrikson. 2023. Universal and Transferable Adversarial Attacks on Aligned Language Models. *arXiv preprint arXiv:2307.15043*.

Mohammad Zoubi, Santosh T.y.s.s, Edgar Rosas, and Matthias Grabmair. 2024. PrivaT5: A generative language model for privacy policies. In *Proceedings of the Fifth Workshop on Privacy in Natural Language Processing*, pages 159–169, Bangkok, Thailand. Association for Computational Linguistics.

A Additional Information on C3F

A.1 Assessing LLM Compliance Capabilities

For the Baseline level, we consider LLMs that have been instruction-tuned as a *minimum qualification skill* for assessing compliance capabilities since the core nature of standards is to conform to their specifications. LLMs can pick up generic domain knowledge from the massive datasets often used for pretraining and additional output optimizations through instruction tuning and preference optimization. This is particularly evident from tasks such as code generation (Siddiq et al., 2023; Beer et al., 2024) and health-related checklists (Sanmarchi et al., 2024; Muluk, 2024). Succeeding levels, including Specialized and Advanced, require further evidence of domain knowledge expertise that outperforms Baseline-level models. LLMs classified as Specialized are typically those that have been additionally fine-tuned with domain-specific gold-standard datasets such as clinical guidelines (Chen et al., 2023) and examples of regulatory compliant documents (Fan et al., 2024). On the other hand, Advanced LLMs are those that can be considered equal to domain experts for the task of standard compliance while also being capable of justifying or reasoning over decisions with constraints from standards. Lastly, we consider Adaptive as the final level an LLM can obtain, which should exhibit the highest form of capability via generalization of multiple expert-level knowledge across domains. No existing LLM is currently classified under this level.

A.2 Assessing Criticality of Standards

We consider Minimal criticality level as the least sensitive and can be used for LLM-based experiments without requiring in-depth domain knowledge or expert oversight. Non-compliance can also be easily detected with existing rule-based software. This includes standards such as coding conventions (e.g., Python Enhancement Proposals) or writing and formatting guidelines (e.g., Plain Language, SMILES in Chemistry). For Moderate, there are potential risks associated with non-compliance but they can easily be managed and corrected by human experts. Examples in this category include most non-regulatory standards, standards with variations across domains, and standards developed by independent, private-sector organizations primarily used for interoperability, such as PRISMA for reporting systematic review papers and IFRS Accounting Standards in finance. Standards classified under High are those that require high levels of accuracy and may pose significant consequences in case of non-compliance. Most patient-facing healthcare standards classified in this category include the SPIRIT Checklist, which is used for transparency of clinical trial protocols; GDPR and HIPAA for data protection and privacy; and the USDA Food Safety Documentation. Lastly, the highest criticality level a standard can be classified as is Extreme, which is reserved for situations with zero margin of error allowed, and non-compliance may result in catastrophic and potentially irreversible consequences. This includes standards under the chemical, biological, radiological, and nuclear (CBRN) umbrella, such as the Safety Standards developed by the International Atomic Energy Agency and the Joint Operating Principles for Emergency Services, which pertain to documenting CBRN-related emergency responses. Such a high degree of sensitivity and criticality is necessary to include, as works on LLMs, are already gaining research attention and preliminary works (de Costa et al., 2024; Hirata et al., 2024).

B Technical Methods Towards Standard Alignment

We provide supplementary information on promising novel technical and algorithmic methods that can be explored (but are not limited to) further improving the standard alignment of LLMs and cater to their inherent complexities as discussed in Section 4. Some of these approaches may have been preliminarily explored by recent works for selected domains with available machine-readable standards data. Collaborations between AI and interdisciplinary areas can foster further advancements and open more novel approaches toward standard alignment.

Constraint and Knowledge Representations Specifications from standards can be represented as a form of a structured set of constraints either as input or as part of an embedded training regime for aligning LLMs. The simplest example of this is through in-context learning (ICL), where constraints are framed as prompts in an instruction-like manner with specific informative examples provided to show the target output required from the model (Brown et al., 2020; Mishra et al., 2022). This has been done on works such as the production of high-quality standard-conforming educational

content with CEFR and Bloom's Taxonomy (Imperial et al., 2024; Malik et al., 2024; Elkins et al., 2024) and rewriting complex texts to conform to government-mandated plain languages guidelines (da Cunha, 2022; Joseph et al., 2024). The advantage of ICL is its simplicity, which can easily be explored by non-technical domain users with any arbitrary LLM-based chat interface (e.g., ChatGPT) and can be attributed to how the paradigm shift started (see Section 3). More advanced levels of representation focus on transforming standards into knowledge graphs and ontologies. An example of this is the work by Hernandez et al. (2024), where they transformed the text content of the EU AI Act into a high-level knowledge graph to show links between defined terms and their associated requirements from the Act's statements for compliance checking.

Post-Training Improvements Post-training has become one of the major foci in ML research since the release of preference optimization techniques like RLHF (Ouyang et al., 2022) and DPO (Rafailov et al., 2024) combined with supervised finetuning (SFT) to improve the response alignment of LLMs with respect to task requirements. All Baseline models in Table 1 have undergone post-training through SFT. For standard alignment, post-processing can potentially be emulated by aggregating prompt and response pairs that conform to the specifications of a standard and then finetuning a pretrained model with this data. An example reference for this is OpenAI's Deliberative Alignment method (Guan et al., 2024) where an LLM is trained with chain-of-thought (CoT) style prompts (Wei et al., 2022) can identify whether which safety policy specification is applicable when identifying whether to respond to a prompt or not. However, for researchers who want to explore this approach, one caveat is that it will require at least 1,000 instances of very high-quality, expert-level pairwise data to achieve relatively decent performance (Zhou et al., 2023a). Nonetheless, combinations of post-training techniques (e.g., SFT + DPO with standard-aligned preference pairs + CoT prompting) are viable approaches for improving an LLM's standard compliance capabilities.

Synthetic Data Generation Synthetic data generation using modern LLMs that have undergone processes such as larger scaling, instruction-tuning, and preference optimization often outperform other data augmentation techniques for downstream tasks (Ye et al., 2022; Li et al., 2023). In standard alignment of LLMs, researchers can explore several options related to synthetic data generation to improve compliance capabilities. First, in parallel with post-training enhancements from above, using synthetic data in the form of standard compliant and non-compliant examples can be a practical choice to optimize a model's generation qualities. This approach has been applied by Fan et al. (2024), where they generated synthetic case scenarios for GDPR and HIPAA Privacy Rules to finetune smaller LLMs for compliance detection. Moreover, recent works have documented higher performance for models that have been finetuned with a combination of high-quality expert data and machine-generated data in alignment tasks which makes the process of compiling standard-aligned feedback data relatively easier (Miranda et al., 2024; Ivison et al., 2024; Lee et al., 2024).

Retrieval and Tool Augmentation Augmenting LLMs, particularly LLMs, with external tools to enhance their problem-solving capabilities has gained increasing research attention in recent years. The use of tools such as calculators, search engines, and API function calls has been shown to improve the zero-shot performance of LLMs across question-answering downstream tasks requiring up-to-date information (Hao et al., 2023; Schick et al., 2023). In the case of standard alignment, syntactic content-based standards such as the CEFR and CCS standards (see Table 2 for reference) requiring specific characteristics of texts such as sentence lengths to measure complexity can greatly benefit from an LLM that knows how to call a calculator tool to approximate how long sentences should be generated. Moreover, a search engine tool can also help LLMs access updated versions of standard specifications from its original web sources as prior version checking. On the other hand, another approach that can improve LLMs' domain knowledge is to encapsulate it in a retrieval-augmented generation (RAG) ecosystem where auxiliary retrievers that have access to external knowledge bases that can be added to as context to prompts (Lewis et al., 2020; Ram et al., 2023).

Reasoning Capabilities Whether LLMs, such as LLMs, can reason or not is a highly debated topic in current ML research. Reasoning is an inherent ability that plays a crucial role in how humans solve problems through critical thinking (Huang and Chang, 2023). Previous research often claims

that such capability can be triggered in different ways, such as providing intermediary reasoning steps to prompts (Wei et al., 2022) or using arbitrary models to select and infer reasoning steps from context information (Creswell and Shanahan, 2022). Assuming LLMs can actually reason, in standard alignment, such skill may play an important role in deciding which standard specifications are required to be followed and which ones can be disregarded safely, given the additional context information of a task. Preliminary work in this direction includes OpenAI's Deliberative Alignment method (Guan et al., 2024) where an LLM is optimized to reason over which safety policy specifications should be followed and which can be ignored using their o-series models. As such, LLMs rated Advanced and Adaptive in C3F should document convincing reasoning capabilities across applicable tasks.

Adversarial and Compliance Robustness Testing Standard compliance is inherently synergistic and collaborative between regulators and standard developers, as well as regulated entities, practitioners, and users, as this form of ecosystem provides mutual benefits, including interoperability of processes and conformity to regulations. However, research in improving compliance robustness due to regulatory shifts or changes in constraints and adversarial testing can be extended to standard alignment of LLMs to holistically measure their compliance capabilities under unseen test cases. Very recent works that have led this direction include (Momcilovic et al., 2024), where they proposed a framework leveraging on layered guardrails—inspired by the Swiss cheese model from cybersecurity (Reason, 1990)—that can be integrated with chat-based LLMs to mitigate potential attacks which allows them to maintain compliance to the EU AI Act. On the other hand, (Zou et al., 2023) and (Liao and Sun, 2024) both proposed universal and transferable methods for automatically generating suffixes which can be used for adversarial and robustness of open and closed LLMs. These methods can be seamlessly integrated to form standard-specific adversarial prompt datasets to benchmark compliance capabilities of LLMs as it scales from Baseline to Advanced (and even Adaptive) based on C3F in Section 5.

Considerations in Future Technical Enhancements While the scope of this section focuses on evolving approaches in alignment, reasoning, retrieval, data augmentation, tool integration, and benchmarking that can be explored to further enhance the compliance capabilities of LLMs, the central aspect that will remain constant as we progress in the future in this direction is the standards themselves. Standards will always remain a resource solely created by human domain experts that any form of LLMs or technical advancement that will be integrated into LLMs, regardless of any level of measured intelligence, must conform to and remain absolute compliant with if it will be deployed as an assistant to any tasks requiring compliance.

C Alternative Views

While we emphasized and supported our position in the previous sections, we present two alternative views that we consider equally valid and necessary to ensure a healthy discussion about the ideas presented in this paper.

Standard Alignment May Be Superficial. LLMs are susceptible to non-factual, hallucinated responses if they lack sufficient domain knowledge for various tasks. Deploying LLM-based assistants, particularly those classified below the Adaptive level in compliance capabilities in C3F, is not realistic since AI in general is known to struggle with *very specific edge cases* and *context-dependent ambiguities* that only experienced domain experts can realistically resolve. In response to this, we emphasize that LLMs *should not* be deployed to take a significant portion of work from domain experts, but rather, to act as *first-line assistants* in managing automatic, repetitive preliminary tasks, thereby allowing domain experts to focus on other parts of their work. We emphasize that maintaining *human oversight is crucial for any AI-based workflow*, as indicated in the critical levels assessment of standards in C3F.

Standard Alignment Creates False Sense of Security. Optimizing LLMs to follow rigid standards might result in users and practitioners being too *overreliant* on these systems. Even if users are domain experts themselves, they can be subjected to a *false notion of security* from an overconfident model, which might lead to reduced human vigilance and possibly cause major to catastrophic errors due to non-compliance. In response to this, we acknowledge that *trust is a multifaceted concept*, particularly for AI systems (Papenmeier et al.,

2022). As discussed in Section 7, our position on aligning LLMs with standards requires strong collaborative efforts across all stakeholders in designing *user-centric approaches*. This recommendation is crucial, as it enables regulated entities, practitioners, and users to actively engage in the *standard alignment process* for LLMs, where they can understand the importance of human oversight and accountability in using these systems, as well as the potential risks associated with overreliance.

D Full Assessment Results of LLMs and Standards via C3F

As discussed in Section 5, we provide the full list of the 15 selected foundational and domain-optimized LLMs assessed based on their compliance capabilities and the 30 selected standards from non-specialist and specialist evaluations across multiple disciplines for their criticality levels.

MODEL FAMILY	DEVELOPER	DOMAIN	OPENNESS	COMPLIANCE
GEMINI SERIES (3.0, 2.5, 2.0)	Google	General	Commercial	Advanced
O-SERIES (O1, O3, O4)	OpenAI	General	Commercial	Advanced
GPT SERIES (5, 4.1, 4O)	OpenAI	General	Commercial	Advanced
DEEPSEEK SERIES (V3, R1)	DeepSeek-AI	General	Open Weight	Advanced
CLAUDE SERIES (OPUS, HAIKU, SONNET 4.5)	Anthropic	General	Commercial	Advanced
LLAMA SERIES (3.3, 3.1, 2)	Meta	General	Open Weight	Baseline
GEMMA SERIES (2, 1)	Google	General	Open Weight	Baseline
MISTRAL SERIES (LARGE, SMALL)	Mistral	General	Commercial	Baseline
QWEN SERIES (3, 2.5, 2)	Alibaba Cloud	General	Open Weight	Baseline
MEDITRON 70B	Chen et al. (2023)	Healthcare	Open Code	Specialized
GOLDCOIN-LLAMA	Fan et al. (2024)	Healthcare, Legal	Open Code	Specialized
LEGILM	Zhu et al. (2024)	Legal	Open Code	Specialized
CHEMCROW	M. Bran et al. (2024)	Chemistry	Open Code	Specialized
STANDARDIZE-LLAMA	Imperial et al. (2024)	Education	Open Code	Specialized
SAULLM 54B	Colombo et al. (2024)	Legal	Open Code	Specialized

Table 1: We used the **compliance capabilities** component of C3F in Figure 3 to assess the 15 models and model families. We also include information on their respective domains (in the case of Specialized models) and accessibility (Open Weight, Open Code, or Commercial). The first section of the table includes industry-released LLMs, while the second section is more focused on Specialized models commonly led by academic and research groups targeting specific domains and sectors. Note that the models and their current compliance capability labels in this table serve as a non-exhaustive example and can be extended or reassessed as supporting literature is released.

STANDARD	DOMAIN	DEVELOPER	OPENNESS	CRITICALITY
Simplified Molecular Input Line Entry System (SMILES)	Chemistry	David Weininger	Public	Minimal
Associated Press Stylebook	Media and Communications	Associated Press	Commercial	Minimal
Plain Language Standards	Media and Communications	(region-specific)	Public	Minimal
Text Encoding Initiative	Software and Technology	TEI Consortium	Public	Minimal
ISO/IEC Systems and Software Engineering Documentation	Software and Technology	International Electrotechnical Commission	Commercial	Minimal
IFRS Accounting Standards	Finance	International Financial Reports Standards	Public	Minimal
FAIR Data Principles Documentation	Software and Technology	GO FAIR Initiative	Public	Minimal
OpenAPI Specification (OAS)	Software and Technology	SmartBear Software	Public	Minimal
Section 508 Compliance Documentation	Software and Technology	US Government	Public	Minimal
Python Enhancement Proposals	Software and Technology	Python	Public	Minimal
Web Standards	Software and Technology	W3C	Public	Minimal
Common European Framework of Reference for Languages (CEFR)	Education	Council of Europe	Public	Minimal
Common Core Standards (CCS)	Education	National Governors Association, Council of Chief State School Officers	Public	Minimal
ASD-STE100 Simplified Technical English (STE)	General, Engineering	Aerospace, Security and Defence Industries Association of Europe	Public	Minimal
BBC Content Standards	Media and Communications	Office of Communications	Public	Moderate

Table 2: Our **non-specialist assessment** of the criticality levels of 15 globally-recognized low-stakes standards and frameworks across software and technology, media, education, government, and engineering domains based on C3F in Figure 3. We include supporting information, including the organization or initiative that led to the development of the standard, as well as its accessibility (Public or Commercial). Note that this assessment serves as a non-exhaustive example and can be extended or reassessed as more standards in the domains are released.

Standard	Domain	Developer	Openness	Criticality
Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA)	Healthcare	PRISMA Initiative	Public	Moderate
Standards for Quality Improvement Reporting Excellence (SQUIRE)	Healthcare	SQUIRE Initiative	Public	Moderate
Systematized Nomenclature of Medicine Clinical Terms (SNOMED CT)	Healthcare	National Health Service	Public	High
NHS Health Content Standards	Healthcare, Government	National Health Service	Public	High
HIPAA Privacy Rule	Healthcare, Government	US Government	Public	High
International Classification of Diseases (ICD) Standard	Healthcare, Government	Centers for Disease Control and Prevention	Public	High
Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) Guidelines	Healthcare	STROBE Initiative	Public	High
Case Report Guidelines (CARE)	Healthcare	CARE Initiative	Public	High
Standard Protocol Items: Recommendations for Interventional Trials (SPIRIT)	Healthcare	SPIRIT Initiative	Public	High
Digital Imaging and Communications in Medicine (DICOM)	Software and Technology, Healthcare	National Electrical Manufacturers Association	Public	High
USDA Food Safety Documentation	Healthcare, Government	US Government	Public	High
AGREE Reporting Checklist	Healthcare	International Appraisal of Guidelines, Research and Evaluation (AGREE)	Public	High
NICE Process and Methods	Healthcare	National Institute for Health and Care Excellence	Public	High
Consolidated Standards of Reporting Trials (CONSORT)	Healthcare	CONSORT Group	Public	High
GDPR Documentation Standard	Legal, Healthcare	European Union	Public	High

Table 3: A healthcare expert's **specialist assessment** of the criticality levels of 15 globally-recognized high-stakes standards and frameworks used in medical and pharmaceutical industries for both professional practices and research based on C3F in Figure 3. Note that this assessment serves as a non-exhaustive example and can be extended or reassessed as more standards in the domain are released.