Neural Causal Structure Discovery from Interventions

Anonymous authors
Paper under double-blind review

Abstract

Recent promising results have generated a surge of interest in continuous optimization methods for causal discovery from observational data. However, there are theoretical limitations on the identifiability of underlying structures obtained solely from observational data. Interventional data, on the other hand, provides richer information about the underlying data-generating process. Nevertheless, extending and applying methods designed for observational data to include interventions is a challenging problem. To address this issue, we propose a general framework based on neural networks to develop models that incorporate both observational and interventional data. Notably, our method can handle the challenging and realistic scenario where the identity of the intervened upon variable is unknown. We evaluate our proposed approach in the context of graph recovery, both de novo and from a partially-known edge set. Our method achieves strong benchmark results on various structure learning tasks, including structure recovery of synthetic graphs as well as standard graphs from the Bayesian Network Repository.

1 Introduction

Structure discovery concerns itself with the recovery of the graph structure of Bayesian networks from data. When Bayesian networks are used to model cause-effect relationships and are augmented with the notion of *interventions* and counterfactuals, they can be represented as structural causal models (SCM). While Bayesian networks can uncover statistical correlations between factors, SCMs can be used to answer higher-order questions of cause-and-effect, up in the ladder of causation (Pearl & Mackenzie, 2018). Causal structure learning using SCMs has been attempted in several disciplines including biology (Sachs et al., 2005; Hill et al., 2016), weather forecasting (Abramson et al., 1996) and medicine (Lauritzen & Spiegelhalter, 1988; Korb & Nicholson, 2010).

Structure can be learned from observational or interventional data. Observational data is sampled from the distribution without interventions; alone, it contains only limited information about the underlying causal graph (Spirtes et al., 2000). Without making restrictive assumptions about the data generating process Shimizu et al. (2006), interventional data is needed in order to fully identify the true causal graph Eberhardt & Scheines (2007); Eberhardt (2012); Eberhardt et al. (2012).

Recently, there has been a surge of interest in using continuous optimization methods, often involving neural networks, to discover causal relationships from observational data Zheng et al. (2018); Yu et al. (2019). These methods frame the search for a causal graph or directed acyclic graph (DAG) as a continuous optimization problem, avoiding the need to search through a super-exponential number of graphs Heinze-Deml et al. (2018a). While these methods have shown competitive performance compared to classic causal discovery approaches, they are limited to working with only observational data. Our proposed method Structure Discovery from Interventions (SDI) is among the first causal discovery methods based on neural networks that utilize both observational and interventional data. Several subsequent works have built upon our proposed method, SDI. For instance, some works have explored the use of different gradient estimates (Brouillard et al., 2020; Lippe et al., 2021), while others have applied SDI in the active causal learning setting to determine where to intervene (Scherrer et al., 2021).

We introduce a novel neural network-based method for causal discovery called Structure Discovery from Interventions (SDI). Unlike previous methods, SDI utilizes both observational and interventional data. Our

model outperforms previous methods on both synthetic and naturalistic Causal Bayesian Networks (CBNs). In addition, interventions in the real world may be performed by unknown agents, making them unknown interventions. Our model, SDI, can handle such unknown interventions by predicting the index of the node where the intervention may have occurred.

In some cases, the graph structure may be partially provided but needs to be completed. An example is protein structure learning in biology, where we may have definite knowledge about some parts of the protein-protein interaction structure but need to fill out other parts. We refer to this as partial graph completion. In this setting, we evaluate our model and demonstrate its strong performance.

To summarize, the main contributions of the paper is as follows. 1) We propose a novel neural network based causal discovery algorithm SDI, which leverages both observational and interventional data. 2) We show that SDI outperforms previous methods on both synthetic data, as well as naturalistic data. 3) We show that SDI is effective even in the presence of unknown interventions. 4) We demonstrate that SDI generalizes well to unseen interventions. 5) We show that SDI is effective for partial graph discovery.

2 Background

Causal modeling. A Structural Causal Model (SCM) (Pearl, 1995; Peters et al., 2017) over a finite number M of random variables X_i is a set of structural assignments

$$X_i := f_i(X_{pa(i,C)}, N_i) \ , \quad \forall i \in \{0, \ldots, M-1\} \tag{1}$$

where N_i is jointly-independent noise and $pa(i, C)$ is the set of parents (direct causes) of variable i under hypothesized configuration C of the SCM directed acyclic graph, i.e., $C \in \{0,1\}^{M \times M}$, with $c_{ij} = 1$ if node i has node j as a parent (equivalently, $X_j \in X_{pa(i,C)}$; i.e. X_j is a direct cause of X_i). In our setup, all variables are observed.

Intervention. According to Eaton and Murphy (Eaton & Murphy, 2007b), there are several types of interventions that may be available, including:

No intervention: where only observational data is obtained from the ground truth model.

Hard/perfect intervention: where the value of one or more variables is fixed, and then ancestral sampling is performed on the remaining variables.

Soft/imperfect intervention: where the conditional distribution of the variable on which the intervention is performed is altered.

Unknown intervention: where the learner does not know which variable was directly affected by the intervention.

In this work, we permit interventions on all variables. Furthermore, we use soft interventions because they include hard interventions as a limiting case and are thus more general.

Identifiability. In a purely-observational setting, it is known that causal graphs can be distinguished only up to a Markov equivalence class. In order to identify the true causal graph structure, intervention data is needed (Eberhardt et al., 2006; Eberhardt & Scheines, 2007; Eberhardt et al., 2012; Eberhardt, 2012). When an infinite amount of single-node interventional data samples are available, the underlying causal graph can be identified Eberhardt et al. (2006). Empirically, we have observed that even with a small number of samples per intervention, our model can make reasonable predictions, and its performance improves as more data becomes available.

Structure discovery using continuous optimization. Structure discovery is a search problem though the super-exponentially sized space of all possible directed acyclic graphs (DAGs). Previous continuous-optimization structure learning works (Zheng et al., 2018; Yu et al., 2019; Lachapelle et al., 2019) mitigate the problem of searching in the super-exponential set of graph structures by considering the degree to which a hypothesis graph violates "DAG-ness" as an additional penalty to be optimized. Despite the success of

these methods, their ability for causal discovery is significantly limited because they can only operate on observational data.

3 Related Work

The recovery of the underlying structural causal graph from observational and interventional data is a fundamental problem (Pearl, 1995; 2009; Spirtes et al., 2000). Different approaches have been studied: score-based, constraint-based, asymmetry-based and continuous optimization methods. Score-based methods search through the space of all possible directed acyclic graphs (DAGs) representing the causal structure based on some form of scoring function for network structures (Heckerman et al., 1995; Chickering, 2002; Tsamardinos et al., 2006; Hauser & Bühlmann, 2012; Goudet et al., 2017; Cooper & Yoo, 1999; Zhu & Chen, 2019). Constraint-based methods (Spirtes et al., 2000; Sun et al., 2007; Zhang et al., 2012; Monti et al., 2019; Zhu & Chen, 2019) infer the DAG by analyzing conditional independences in the data. Eaton & Murphy (2007c) use dynamic programming techniques to accelerate Markov Chain Monte Carlo (MCMC) sampling in a Bayesian approach to structure learning for discrete variable DAGs. Asymmetry-based methods (Shimizu et al., 2006; Hoyer et al., 2009; Peters et al., 2011; Daniusis et al., 2012; Budhathoki & Vreeken, 2017; Mitrovic et al., 2018) assume asymmetry between cause and effect in the data and try to use this information to estimate the causal structure. Peters et al. (2016); Ghassami et al. (2017); Rojas-Carulla et al. (2018) exploit invariance across environments to infer causal structure, which faces difficulty scaling due to the iteration over the super-exponential set of possible graphs. Mooij et al. (2016) propose a modelling framework that leverages existing methods while being more powerful and applicable to a wider range of settings. Recently, (Zheng et al., 2018; Yu et al., 2019; Lachapelle et al., 2019) framed the structure search as a continuous optimization problem, however, the methods only uses observational data and are non-trivial to extend to interventional data. In our paper, we present a method that uses continuous optimization methods that works on both observational and interventional data.

For interventional data, it is often assumed that the models have access to full intervention information, which is rare in the real world. Rothenhäusler et al. (2015) have investigated the case of additive shift interventions, while Eaton & Murphy (2007b) have examined the situation where the targets of experimental interventions are imperfect or uncertain. This is different from our setting where the intervention is unknown to start with and is assumed to arise from other agents and the environment. Bengio et al. (2019) propose a meta-learning framework for learning causal models from interventional data. However, the method Bengio et al. (2019) explicitly models every possible set of parents for every child variable and attempts to distinguish the best amongst the combinatorially many such parent sets. It cannot scale beyond trivial graphs and only 2 variable experiments are presented in the paper. Several subsequent studies have built upon our proposed method SDI. Some of these studies have modified the gradient estimate (Brouillard et al., 2020; Lippe et al., 2021), while others have utilized SDI in the active causal learning setting to determine where to intervene (Scherrer et al., 2021).

Learning based methods have been proposed (Guyon, 2013; 2014; Lopez-Paz et al., 2015) and there also exist recent approaches using the generalization ability of neural networks to learn causal signals from purely observational data (Kalainathan et al., 2018; Goudet et al., 2018). Neural network methods equipped with learned masks, such as (Ivanov et al., 2018; Li et al., 2019; Yoon et al., 2018; Douglas et al., 2017), exist in the literature, but only a few (Kalainathan et al., 2018) have been adapted to causal inference. This last work is, however, tailored for causal inference on continuous variables and from observations only. Adapting it to a discrete-variable setting is made difficult by its use of a Generative Adversarial Network (GAN) Goodfellow et al. (2014) framework.

4 Structure Discovery from Interventions (SDI)

The proposed model, SDI, is a neural-network-based approach for causal discovery that integrates both observational and interventional data. The model models the causal mechanisms (conditional probability distributions) and the causal graph structure using two distinct sets of parameters. We refer to the parameters that capture the conditional probability between variables and their causal parents as *functional parameters*,



Figure 1: Our proposed method SDI. Phase 1 fits the MLP (functional) parameters on observational data. Phase 2 samples a small set of graphs under the model's current belief about the edge structure, and then scores these graphs against interventional data and assigns rewards according to graphs' ability to predict interventions. These rewards are then used to update the beliefs about the edge structure. If the believed edge probabilities have all saturated near 0 or 1, the method has converged.

denoted by θ. The other set of parameters that describe the causal graph structure are referred to as *structural parameters*, represented by γ. The structural parameters γ correspond to the learned adjacency matrix that encodes the graph structure of the SCM. Details given below.

Parametrization. Given a graph of M variables, the structural parameter γ is a matrix $\mathbb{R}^{M\times M}$ such that $\sigma(\gamma_{ij})$ is our belief in random variable X_j being a direct cause of X_i, where $\sigma(x) = 1/(1+\exp(-x))$ is the sigmoid function. The matrix $\sigma(\gamma)$ is thus a softened *adjacency matrix*.

The set of all functional parameters θ comprises the parameters θ_i that model the conditional probability distribution of X_i given its parent set $X_{\mathrm{pa}(i,C)}$, with $C \sim \mathrm{Ber}(\sigma(\gamma))$ a hypothesized configuration of the SCM's DAG.

Hypothesis. According to the ICM principle Schölkopf et al. (2012b), the causal generative process of a system's variables comprises autonomous modules that operate independently of one another. In probabilistic terms, this means that each variable's conditional distribution, given its causes (i.e., its mechanism), does not affect or influence the other mechanisms. Therefore, by having the SCM and knowledge of performed interventions, we can precisely predict unseen interventions. Based on this assumption, we hypothesize that the graph structure that better predicts unseen interventions is more likely to reflect the correct causal structure. This assumption has been verified experimentally for 2 variable cases in Bengio et al. (2019).

Following the aforementioned hypothesis, we adopt a two-phase training approach for our model, as illustrated in Figure 1. Since the structural and functional parameters are interdependent and influence each other, we train them in alternating phases, akin to a block coordinate descent optimization.



Figure 2: MLP Model Architecture for $M = 3$, $N = 2$ (`fork3`) SCM. The model computes the conditional probabilities of A, B, C given their parents using a stack of three independent MLPs. The MLP input layer uses an adjacency matrix sampled from $\text{Ber}(\sigma(\gamma))$ as an input mask to force the model to make use only of parent nodes to predict their child node.

In the first phase, we train the functional parameters using observational data to infer the relationships between variables. In the second phase, we sample a few graphs from the model's current belief of the graph structure and evaluate their performance in predicting unseen intervention outcomes. We use this evaluation as a reward signal to update our structure parameters γ. We will now elaborate on the aforementioned process in detail.

Model. Shown in Figure 2, our model consists of N MLPs, where N is the number of variables in the graph. Let $\theta_i = \{\texttt{W0}_i, \texttt{B0}_i, \texttt{W1}_i, \texttt{B1}_i\}$ define a stack of M one-hidden-layer MLPs, one for each random variable X_i. A more appropriate model, such as a CNN, can be chosen using domain-specific knowledge; the primary advantage of using MLPs is that the hypothesized DAG configurations c_{ij} can be readily used to mask the inputs of MLP i, as shown in Figure 2.

To force the structural equation f_i corresponding to X_i to rely exclusively on its direct ancestor set $\text{pa}(i, C)$ under hypothesis adjacency matrix C (See Eqn. 1), the one-hot input vector X_j for variable X_i's MLP is masked by the Boolean element c_{ij}. An example of the multi-MLP architecture with M=3 categorical variables of N=2 categories is shown in Figure 2. For more details, refer to Appendix A.4.

4.1 Phase 1: Distribution Fitting

During Phase 1, the functional parameters θ are trained to learn causal mechanisms (conditional probability distributions) by fitting them to observational data. To be specific, they maximize the likelihood of randomly drawn observational data under graphs randomly drawn from our current beliefs about the edge structure. We draw graph configurations $C_{ij} \sim \text{Ber}(\sigma(\gamma_{ij}))$ and batches of observational data from the SCM, then maximize the log-likelihood of the batch under that configuration using stochastic gradient descent (SGD). The use of graph configurations sampling from Bernoulli distributions is analogous to dropout on the inputs

of the functional models (in our implementation, MLPs), giving us an ensemble of neural networks that can model the observational data.

4.2 Phase 2: Graph Learning

During Phase 2, several graph configurations are sampled from the current edge beliefs parametrized by γ, and scored on data samples drawn from the intervened SCM.

To be more specific, we first sample p graph configurations from the current edge beliefs (structural parameters γ). We then obtain k data samples from an intervention and compute the log-likelihood of the intervened data under the sampled graph configurations. However, we make one modification: we mask the contribution of the intervened (or predicted-intervened) random variable X_i to the total log-likelihood of the sample.

Since X_i was intervened upon (using a Pearl do-operation, soft or hard), the values obtained for that variable should be treated as fixed rather than contributors to the total log-likelihood of the sample, and a correction gradient should not propagate through it (because the variable's CPT or MLP did not actually determine the outcome). It is assumed that the intervention is known at this stage, and we will explain in Section 4.2.1 how we predict the intervention when it is unknown.

4.2.1 Credit Assignment to Structural Parameters

The scores of the interventional data over various graph configurations are aggregated into a gradient for the structural parameters γ. Because a discrete Bernoulli random sampling process was used to sample graph configurations under which the log-likelihoods were computed, we require a gradient estimator to propagate gradient through to the γ structural parameters. Several alternatives exist, but we adopt for this purpose the REINFORCE-like gradient estimator g_{ij} with respect to γ_{ij} proposed by Bengio et al. (2019):

$$g_{ij} = \frac{\sum_k (\sigma(\gamma_{ij}) - c_{ij}^{(k)}) \mathcal{L}_{C,i}^{(k)}(X)}{\sum_k \mathcal{L}_{C,i}^{(k)}(X)}, \quad \forall i, j \in \{0, \ldots, M-1\} \tag{2}$$

where the $^{(k)}$ superscript indicates the values obtained for the k-th draw of C under the current edge beliefs parametrized by γ. Therefore, $\mathcal{L}_{C,i}^{(k)}(X)$ can be read as the log-likelihood of variable X_i in the data sample X under the k'th configuration, $C^{(k)}$, drawn from our edge beliefs. Using the estimated gradient, we then update γ with SGD, and return to Phase 1 of the continuous optimization process.

Acyclic Constraint. We include a regularization term $J_{\text{DAG}}(\gamma)$ that penalizes length-2 cycles in the learned adjacency matrix $\sigma(\gamma)$, with a tunable strength λ_{DAG}. The regularization term is $J_{\text{DAG}}(\gamma) = \sum_{i \neq j} \cosh(\sigma(\gamma_{ij})\sigma(\gamma_{ji})), \quad \forall i, j \in \{0, \ldots, M-1\}$ and is derived from Zheng et al. (2018). The details of the derivation are in the Appendix. We explore several different values of λ_{DAG} and their effects in our experimental setup. Suppression of longer-length cycles was not found to be worthwhile for the increased computational expense.

Predicting Intervention. If the target of the intervention is known, then no prediction is needed. If the target of the intervention is not known, it is *predicted* using a simple heuristic. A small number of interventional data samples are drawn from the SCM and more graphs are sampled from our current edge beliefs. The average log-likelihood of each individual variable X_i across the samples is then computed using the functional model parameters θ fine-tuned on observational data in Phase 1. The variable X_i showing the greatest deterioration in log-likelihood is assumed to be the target because the observational distribution most poorly predicts that variable.

5 Experimental Setup and Results

We first evaluate the proposed method on a synthetic dataset where we have control over the number of variables and causal edges in the ground-truth SCM. This allows us to analyze the performance of the



Figure 3: Cross entropy (CE) and Area-Under-Curve (AUC/AUROC) for edge probabilities of learned graph against ground-truth for synthetic SCMs. Error bars represent $\pm 1\sigma$ over PRNG seeds 1-5. **Left to right**: `chainM`, `jungleM`, `fullM`, $M = 3 \ldots 13$. Graphs (3-13 variables) all learn perfectly with AUROC reaching 1.0. However, denser graphs (fullM) take longer to converge.

proposed method under various conditions. We then evaluate the proposed method on real-world datasets from the BnLearn dataset repository. We also consider the two variations: Recovering only part of the graph (when the rest is known), and exploiting knowledge of the intervention target.

The summary of our findings is: 1) We show strong results for graph recovery for all synthetic graphs in comparisons with other baselines, measured by Hamming distance. 2) The proposed method achieves high accuracy on partial graph recovery for large, real-world graphs. 3) The proposed method's intervention target prediction heuristic closes the gap between the known- and unknown-target intervention scenarios. 4) The proposed method generalizes well to unseen interventions. 5) The proposed method's time-to-solution scaling appears to be driven by the number of edges in the groundtruth graph moreso than the number of variables.

Hyperparameters. Hyperparameters for all experiments were kept identical unless otherwise stated. We study the effect of DAG and sparsity penalties in the following paragraph. For more details on hyperparameter setup, please refer to Appendix §A.5 .

Data. Ground-truth SCM models are parametrized either as conditional probability tables (CPTs) with parameters from BnLearn (in the case of real-world graphs), or as a second stack of MLPs with randomly-initialized functional parameters θ_{GT} and the desired adjacency matrix γ_{GT}. For synthetic data, in order to conduct a systematic analysis of our model's performance, we evaluate its performance on different graph structures, such as chains, jungles, full graphs, and others. For further details, please refer to the explanation provided in Appendix A.6.

Interventions. In all experiments, at most one (soft) intervention is concurrently performed. To simulate a soft intervention on variable X_i, we reinitialize its ground-truth conditional distribution's MLP parameters or CPT table randomly, while leaving the other variables untouched. For more details about the interventions, please refer to Appendix A.2.

5.1 Synthetic Datasets

We first evaluate the model's performance on several randomly-initialized SCMs with specific, representative graph structures. Since the number of possible DAGs grows super-exponentially with the number of variables, for M=4 up to 13 a selection of representative and edge-case DAGs are chosen. `chainM` and `fullM` (M=3-13) are the minimally- and maximally-connected M-variable DAGs, while `treeM` and `jungleM` are tree-like intermediate graphs. `colliderM` is the $(M-1) \to 1$ collider graph. The details of the setup is in Appendix A.6.

Results. The model can recover most synthetic DAGs with high accuracy, as measured by Structural Hamming Distance (SHD) between learned and ground-truth DAGs. Table 1 shows our proposed method outperforming all other baseline methods, and learns all graphs perfectly for 3 to 13 variables (excepting

full). For DAGs ranging from 3 to 8 variables, the AUROCs all eventually reach 1.0 (indicating perfect classification into edge/non-edge; Refer to Figure 3). For both large ($M > 10$) and dense DAGs (e.g. full13) the model begins encountering difficulties, as shown in Table 1 and Appendix §A.6.1.

Small graphs ($M < 10$) are less sensitive than larger ones to our hyperparameters, notably the sparsity and acyclic regularization (§4.2.1) terms. In §A.5, we perform an analysis of these hyperparameters.

Method	Asia	Sachs	collider	chain	jungle	collider	full
M	8	11	8	13	13	13	13
Zheng et al. (2018)	14	22	18	39	22	24	71
Yu et al. (2019)	10	19	7	14	16	12	77
Heinze-Deml et al. (2018b)	8	17	7	12	12	7	28
Peters et al. (2016)	5	17	2	2	8	2	16
Eaton & Murphy (2007a)	0	OOM	7	OOM	OOM	OOM	OOM
Proposed Method (sdi)	0	6	0	0	0	0	7

Table 1: **Baseline comparisons:** Structural Hamming Distance (SHD) (lower is better) for learned and ground-truth edges on various graphs from both synthetic and real datasets, compared to (Peters et al., 2016), (Heinze-Deml et al., 2018b), (Eaton & Murphy, 2007b), (Yu et al., 2019) and (Zheng et al., 2018). The proposed method (SDI) is run on random seeds $1 - 5$ and we pick the worst performing model out of the random seeds in the table. OOM: out of memory. Our proposed method correctly recovers the true causal graph, with the exception of Sachs and full13, and it significantly outperforms all other baseline methods.

5.2 Real-World Datasets: BnLearn

The Bayesian Network Repository is a collection of commonly-used causal Bayesian networks from the literature, suitable for Bayesian and causal learning benchmarks. We evaluate the proposed method on the Earthquake (Korb & Nicholson, 2010), Cancer (Korb & Nicholson, 2010), Asia (Lauritzen & Spiegelhalter, 1988) and Sachs (Sachs et al., 2005) datasets (M =5, 5, 8 and 11-variables respectively, maximum in-degree 3) in the BnLearn dataset repository.

Results. As shown in Table 1, the proposed method perfectly recovers the DAG of Asia, while making a small number of errors (SHD=6) for Sachs (11-variables). It thus significantly outperforms all other baselines models. Figures 7 & 8 visualize what the model has learned at several stages of learning. Results for Cancer and Asia can be found in the appendices, Figure 15 and 16.

5.3 Comparisons with other methods

As shown in Table 1, we compared the proposed SDI method to ICP ((Peters et al., 2016)), non-linear ICP ((Heinze-Deml et al., 2018b)), and (Eaton & Murphy, 2007b; Zheng et al., 2018; Yu et al., 2019) on Asia (Lauritzen & Spiegelhalter, 1988), Sachs (Sachs et al., 2005) and representative synthetic graphs. Eaton & Murphy (2007b) handles uncertain interventions and Peters et al. (2016), Heinze-Deml et al. (2018b) handles unknown interventions. However, neither attempts to predict the intervention. As shown in Table 1, we significantly outperform ICP, non-linear ICP, and the methods in (Yu et al., 2019) and (Zheng et al., 2018). Furthermore, Eaton & Murphy (2007b) runs out of memory for graphs larger than $M = 10$ because modelling of uncertain interventions is done using "shadow" random variables (as suggested by the authors), and thus recovering the DAG internally requires solving a $d = 2M$-variable problem. Their method's extremely poor time- and space-scaling of $O(d2^d)$ makes it unusable beyond $d > 20$.

For SDIs, we threshold our edge beliefs at $\sigma(\gamma) = 0.5$ to derive a graph, but the continued decrease of the cross-entropy loss (Figure 3) hints at SDI's convergence onto the correct causal model. Please refer to Appendix §A.8 for full details and results.

5.4 Generalization to Previously Unseen Interventions

It is often argued that machine learning approaches based purely on capturing joint distributions do not necessarily yield models that generalize to unseen experiments, since they do not explicitly model changes through interventions. By way of contrast, causal models use the concept of interventions to explicitly model changing environments and thus hold the promise of robustness even under distributional shifts (Pearl, 2009; Schölkopf et al., 2012a; Peters et al., 2017). To test the robustness of causal modelling to previously unseen interventions (new values for an intervened variable), we evaluate a well-trained causal model against a variant, non-causal model trained with $c_{ij} = 1,\ i \neq j$. An intervention is performed on the SCM, fresh interventional data is drawn from it, and the models, with knowledge of the intervention target, are asked to predict the other variables given their parents. The average log-likelihoods of the data under both models are computed and contrasted. The intervention variable's contribution to the log-likelihood is masked. For all 3-variable graphs (`chain3`, `fork3`, `collider3`, `confounder3`), the causal model attributes higher log-likelihood to the intervention distribution's samples than the non-causal variant, thereby demonstrating causal models' superior generalization ability in transfer tasks. Table 2 collects these results.

Table 2: **Evaluating the consequences of a previously unseen intervention:** (test log-likelihood under intervention)

	fork3	chain3	confounder3	collider3
Baseline	-0.5036	-0.4562	-0.3628	-0.5082
sdi	-0.4502	-0.3801	-0.2819	-0.4677

5.5 Variant: Predicting interventions

In Phase 2 (§4.2), we use a simple heuristic to predict the intervention target variable. Experiments show that this heuristic functions well in practice, yielding correct predictions far more often than by chance alone (Table 3). Guessing the intervention variable randomly, or not guessing it at all, leads to a significant drop in the model performance, even for 3-variable graphs (Figure 10 Left). Training SDI with intervention prediction closely tracks training with leaked knowledge of the ground-truth intervention on larger, 7-variable graphs (Figure 10 Right).

Table 3: **Intervention Prediction Accuracy:** (identify on which variable the intervention took place)

3 variables	**4 variables**	**5 variables**	**8 variables**
95 %	93 %	85 %	71 %

5.6 Variant: Partial Graph Recovery

Instead of learning causal structures *de novo*, we may have partial information about the black-box SCM and may only need to fill in missing information (§**??**). An example is protein structure discovery in biology, where some causal relationships have been definitely established and others remain open hypotheses. This is an easier task compared to full graph recovery, since the model only has to search for missing edges.

We evaluate the proposed method on Barley (Kristensen & Rasmussen, 2002) ($M = 48$) and Alarm (Beinlich et al., 1989) ($M = 37$) from the BnLearn repository. The model is asked to predict 50 edges from Barley and 40 edges from Alarm. The model reached $\geq 90\%$ accuracy on both datasets, as shown in Table 4.

Table 4: **Partial Graph Recovery** on Alarm (Beinlich et al., 1989) and Barley (Kristensen & Rasmussen, 2002). The model is asked to predict 50 edges in Barley and 40 edges in Alarm. The accuracy is measured in Structural Hamming Distance (SHD). SDI achieved over 90% accuracy on both graphs.

Graph	**Alarm**	**Barley**
Number of variables	37	48
Total Edges	46	84
Edges to recover	40	50
Recovered Edges	37	45
Errors (in SHD)	3	5

5.7 Ablation and analysis

As shown in Figure 11, larger graphs (such as $M > 6$) and denser graphs (such as `full8`) are progressively more difficult to learn. For denser graphs, the learned models have higher sample complexity, higher variance and slightly worse results. Refer to Appendix §A.9 for complete results on all graphs.

Importance of regularization. Valid configurations C for a causal model are expected to be a) sparse and b) acyclic. To promote such solutions, we introduce DAG and sparsity regularization with tunable hyperparameters. For all experiments, we set the DAG penalty to 0.5 and sparsity penalty to 0.1. We run ablation studies on different values of the regularizers and study their effect. We find that smaller graphs are less sensitive to different values of regularizer than larger graphs. For details, refer to Appendix §A.13.

Importance of dropout. To train functional parameter for an observational distribution, sampling adjacency matrices is required. We "drop out" each edge (with a probability of $\sigma(\gamma)$) in our experiments during functional parameter training of the conditional distributions of the SCM. Please refer to Appendix §A.14 for a more detailed analysis.

6 Conclusion

In this work, we introduced an experimentally successful method (SDI) for causal structure discovery using continuous optimization, combining information from both observational and interventional data. We show in experiments that it can recover true causal structure, that it generalizes well to unseen interventions, that it compares very well against the start-of-the-art causal discovery methods on real world datasets, and that it scales even better on problems where only part of the graph is known.

References

Bruce Abramson, John Brown, Ward Edwards, Allan Murphy, and Robert L Winkler. Hailfinder: A bayesian system for forecasting severe weather. *International Journal of Forecasting*, 12(1):57–71, 1996.

Ingo A Beinlich, Henri Jacques Suermondt, R Martin Chavez, and Gregory F Cooper. The alarm monitoring system: A case study with two probabilistic inference techniques for belief networks. In *AIME 89*, pp. 247–256. Springer, 1989.

Yoshua Bengio, Tristan Deleu, Nasim Rahaman, Rosemary Ke, Sébastien Lachapelle, Olexa Bilaniuk, Anirudh Goyal, and Christopher Pal. A meta-transfer objective for learning to disentangle causal mechanisms. *arXiv preprint arXiv:1901.10912*, 2019.

Philippe Brouillard, Sébastien Lachapelle, Alexandre Lacoste, Simon Lacoste-Julien, and Alexandre Drouin. Differentiable causal discovery from interventional data. *Advances in Neural Information Processing Systems*, 33:21865–21877, 2020.

Kailash Budhathoki and Jilles Vreeken. Causal inference by stochastic complexity. *arXiv:1702.06776*, 2017.

David Maxwell Chickering. Optimal structure identification with greedy search. *Journal of machine learning research*, 3(Nov):507–554, 2002.

Gregory F. Cooper and Changwon Yoo. Causal Discovery from a Mixture of Experimental and Observational Data. In *Proceedings of the Fifteenth Conference on Uncertainty in Artificial Intelligence*, UAI'99, pp. 116–125, San Francisco, CA, USA, 1999.

Povilas Daniusis, Dominik Janzing, Joris Mooij, Jakob Zscheischler, Bastian Steudel, Kun Zhang, and Bernhard Schölkopf. Inferring deterministic causal relations. *arXiv preprint arXiv:1203.3475*, 2012.

Laura Douglas, Iliyan Zarov, Konstantinos Gourgoulias, Chris Lucas, Chris Hart, Adam Baker, Maneesh Sahani, Yura Perov, and Saurabh Johri. A universal marginalizer for amortized inference in generative models. *arXiv preprint arXiv:1711.00695*, 2017.

Daniel Eaton and Kevin Murphy. Belief net structure learning from uncertain interventions. *J Mach Learn Res*, 1:1–48, 2007a.

Daniel Eaton and Kevin Murphy. Exact bayesian structure learning from uncertain interventions. In *Artificial Intelligence and Statistics*, pp. 107–114, 2007b.

Daniel Eaton and Kevin Murphy. Bayesian structure learning using dynamic programming and MCMC. In *Uncertainty in Artificial Intelligence*, pp. 101–108, 2007c.

Frederick Eberhardt. Almost optimal intervention sets for causal discovery. *arXiv preprint arXiv:1206.3250*, 2012.

Frederick Eberhardt and Richard Scheines. Interventions and causal inference. *Philosophy of Science*, 74(5): 981–995, 2007.

Frederick Eberhardt, Clark Glymour, and Richard Scheines. N-1 experiments suffice to determine the causal relations among n variables. *Innovations in machine learning*, 194:97–112, 2006.

Frederick Eberhardt, Clark Glymour, and Richard Scheines. On the number of experiments sufficient and in the worst case necessary to identify all causal relations among n variables. *arXiv preprint arXiv:1207.1389*, 2012.

AmirEmad Ghassami, Saber Salehkaleybar, Negar Kiyavash, and Kun Zhang. Learning causal structures using regression invariance. In *Advances in Neural Information Processing Systems*, pp. 3011–3021, 2017.

Ian Goodfellow, Jean Pouget-Abadie, Mehdi Mirza, Bing Xu, David Warde-Farley, Sherjil Ozair, Aaron Courville, and Yoshua Bengio. Generative adversarial nets. In *Advances in neural information processing systems*, pp. 2672–2680, 2014.

Olivier Goudet, Diviyan Kalainathan, Philippe Caillou, Isabelle Guyon, David Lopez-Paz, and Michèle Sebag. Causal generative neural networks. *arXiv preprint arXiv:1711.08936*, 2017.

Olivier Goudet, Diviyan Kalainathan, Philippe Caillou, Isabelle Guyon, David Lopez-Paz, and Michele Sebag. Learning functional causal models with generative neural networks. In *Explainable and Interpretable Models in Computer Vision and Machine Learning*, pp. 39–80. Springer, 2018.

Isabelle Guyon. Cause-effect pairs kaggle competition, 2013. *URL https://www. kaggle. com/c/cause-effect-pairs*, pp. 165, 2013.

Isabelle Guyon. Chalearn fast causation coefficient challenge, 2014. *URL https://www. codalab. org/competitions/1381*, pp. 165, 2014.

Alain Hauser and Peter Bühlmann. Characterization and greedy learning of interventional markov equivalence classes of directed acyclic graphs. *Journal of Machine Learning Research*, 13(Aug):2409–2464, 2012.

David Heckerman, Dan Geiger, and David M Chickering. Learning bayesian networks: The combination of knowledge and statistical data. *Machine learning*, 20(3):197–243, 1995.

Christina Heinze-Deml, Marloes H Maathuis, and Nicolai Meinshausen. Causal structure learning. *Annual Review of Statistics and Its Application*, 5:371–391, 2018a.

Christina Heinze-Deml, Jonas Peters, and Nicolai Meinshausen. Invariant causal prediction for nonlinear models. *Journal of Causal Inference*, 6(2), 2018b.

Steven M Hill, Laura M Heiser, Thomas Cokelaer, Michael Unger, Nicole K Nesser, Daniel E Carlin, Yang Zhang, Artem Sokolov, Evan O Paull, Chris K Wong, et al. Inferring causal molecular networks: empirical assessment through a community-based effort. *Nature methods*, 13(4):310–318, 2016.

Patrik O Hoyer, Dominik Janzing, Joris M Mooij, Jonas Peters, and Bernhard Schölkopf. Nonlinear causal discovery with additive noise models. In *Advances in neural information processing systems*, pp. 689–696, 2009.

Oleg Ivanov, Michael Figurnov, and Dmitry Vetrov. Variational autoencoder with arbitrary conditioning. *arXiv preprint arXiv:1806.02382*, 2018.

Diviyan Kalainathan, Olivier Goudet, Isabelle Guyon, David Lopez-Paz, and Michèle Sebag. Sam: Structural agnostic model, causal discovery and penalized adversarial learning. *arXiv preprint arXiv:1803.04929*, 2018.

Diederik P Kingma and Jimmy Ba. Adam: A method for stochastic optimization. *arXiv preprint arXiv:1412.6980*, 2014.

Kevin B Korb and Ann E Nicholson. *Bayesian artificial intelligence*. CRC press, 2010.

Kristian Kristensen and Ilse A Rasmussen. The use of a bayesian network in the design of a decision support system for growing malting barley without use of pesticides. *Computers and Electronics in Agriculture*, 33 (3):197–217, 2002.

Sébastien Lachapelle, Philippe Brouillard, Tristan Deleu, and Simon Lacoste-Julien. Gradient-based neural dag learning. *arXiv preprint arXiv:1906.02226*, 2019.

Steffen L Lauritzen and David J Spiegelhalter. Local computations with probabilities on graphical structures and their application to expert systems. *Journal of the Royal Statistical Society: Series B (Methodological)*, 50(2):157–194, 1988.

Yang Li, Shoaib Akbar, and Junier B Oliva. Flow models for arbitrary conditional likelihoods. *arXiv preprint arXiv=1909.06319*, 2019.

Phillip Lippe, Taco Cohen, and Efstratios Gavves. Efficient neural causal discovery without acyclicity constraints. *arXiv preprint arXiv:2107.10483*, 2021.

David Lopez-Paz, Krikamol Muandet, Bernhard Schölkopf, and Iliya Tolstikhin. Towards a learning theory of cause-effect inference. In *International Conference on Machine Learning*, pp. 1452–1461, 2015.

Jovana Mitrovic, Dino Sejdinovic, and Yee Whye Teh. Causal inference via kernel deviance measures. In *Advances in Neural Information Processing Systems*, pp. 6986–6994, 2018.

Ricardo Pio Monti, Kun Zhang, and Aapo Hyvarinen. Causal discovery with general non-linear relationships using non-linear ica. *arXiv preprint arXiv:1904.09096*, 2019.

Joris M Mooij, Sara Magliacane, and Tom Claassen. Joint causal inference from multiple contexts. *arXiv preprint arXiv:1611.10351*, 2016.

Judea Pearl. Causal diagrams for empirical research. *Biometrika*, 82(4):669–688, 1995.

Judea Pearl. *Causality*. Cambridge university press, 2009.

Judea Pearl and Dana Mackenzie. *The book of why: the new science of cause and effect*. Basic Books, 2018.

J. Peters, J. M. Mooij, D. Janzing, and B. Schölkopf. Identifiability of causal graphs using functional models. In *Proceedings of the 27th Annual Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 589–598, 2011.

Jonas Peters, Peter Bühlmann, and Nicolai Meinshausen. Causal inference by using invariant prediction: identification and confidence intervals. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 78(5):947–1012, 2016.

Jonas Peters, Dominik Janzing, and Bernhard Schölkopf. *Elements of causal inference: foundations and learning algorithms*. MIT press, 2017.

Mateo Rojas-Carulla, Bernhard Schölkopf, Richard Turner, and Jonas Peters. Invariant models for causal transfer learning. *The Journal of Machine Learning Research*, 19(1):1309–1342, 2018.

Dominik Rothenhäusler, Christina Heinze, Jonas Peters, and Nicolai Meinshausen. Backshift: Learning causal cyclic graphs from unknown shift interventions. In *Advances in Neural Information Processing Systems*, pp. 1513–1521, 2015.

Karen Sachs, Omar Perez, Dana Pe'er, Douglas A Lauffenburger, and Garry P Nolan. Causal protein-signaling networks derived from multiparameter single-cell data. *Science*, 308(5721):523–529, 2005.

Nino Scherrer, Olexa Bilaniuk, Yashas Annadani, Anirudh Goyal, Patrick Schwab, Bernhard Schölkopf, Michael C Mozer, Yoshua Bengio, Stefan Bauer, and Nan Rosemary Ke. Learning neural causal models with active interventions. *arXiv preprint arXiv:2109.02429*, 2021.

Bernhard Schölkopf, Dominik Janzing, Jonas Peters, Eleni Sgouritsa, Kun Zhang, and Joris Mooij. On causal and anticausal learning. In J. Langford and J. Pineau (eds.), *Proceedings of the 29th International Conference on Machine Learning (ICML)*, pp. 1255–1262, New York, NY, USA, 2012a. Omnipress.

Bernhard Schölkopf, Dominik Janzing, Jonas Peters, Eleni Sgouritsa, Kun Zhang, and Joris Mooij. On causal and anticausal learning. *arXiv preprint arXiv:1206.6471*, 2012b.

Shohei Shimizu, Patrik O Hoyer, Aapo Hyvärinen, and Antti Kerminen. A linear non-gaussian acyclic model for causal discovery. *Journal of Machine Learning Research*, 7(Oct):2003–2030, 2006.

Peter Spirtes, Clark N Glymour, Richard Scheines, David Heckerman, Christopher Meek, Gregory Cooper, and Thomas Richardson. *Causation, prediction, and search*. MIT press, 2000.

Xiaohai Sun, Dominik Janzing, Bernhard Schölkopf, and Kenji Fukumizu. A kernel-based causal learning algorithm. In *Proceedings of the 24th international conference on Machine learning*, pp. 855–862. ACM, 2007.

Ioannis Tsamardinos, Laura E Brown, and Constantin F Aliferis. The max-min hill-climbing bayesian network structure learning algorithm. *Machine learning*, 65(1):31–78, 2006.

Jinsung Yoon, James Jordon, and Mihaela Van Der Schaar. Gain: Missing data imputation using generative adversarial nets. *arXiv preprint arXiv:1806.02920*, 2018.

Yue Yu, Jie Chen, Tian Gao, and Mo Yu. Dag-gnn: Dag structure learning with graph neural networks. *arXiv preprint arXiv:1904.10098*, 2019.

Kun Zhang, Jonas Peters, Dominik Janzing, and Bernhard Schölkopf. Kernel-based conditional independence test and application in causal discovery. *arXiv preprint arXiv:1202.3775*, 2012.

Xun Zheng, Bryon Aragam, Pradeep K Ravikumar, and Eric P Xing. DAGs with NO TEARS: Continuous optimization for structure learning. In *Advances in Neural Information Processing Systems*, pp. 9472–9483, 2018.

Shengyu Zhu and Zhitang Chen. Causal discovery with reinforcement learning. *arXiv preprint arXiv:1906.04477*, 2019.