FONDUE: an algorithm to automatically find the dimensionality of the latent representations of variational autoencoders

Anonymous authors
Paper under double-blind review

Abstract

When training a variational autoencoder (VAE) on a given dataset, determining the number of latent variables requires human supervision and to fully train one or more VAEs. In this paper, we explore ways to simplify this time-consuming process through the lens of the polarised regime. Specifically, we show that the discrepancies between the variance of the mean and sampled representations of a VAE reveal the presence of passive variables in the latent space, which, in well-behaved VAEs, indicates a superfluous number of dimensions. After formally demonstrating this phenomenon, we use it to propose FONDUE: an unsupervised algorithm which efficiently finds a suitable number of latent dimensions without fully training any models. We additionally show that FONDUE can be extended in a number of ways, providing a principled and unified method for selecting the number of latent dimensions for VAEs and deterministic autoencoders.

1 Introduction

"How many latent variables should I use for this model?" is the question that many practitioners using variational autoencoders (VAEs) or autoencoders (AEs) have to deal with. When the task has been studied before, this information is available in the literature for the specific architecture and dataset used. However, when it has not, answering this question becomes more complicated. Indeed, the current methods to estimate the latent dimensions require human supervision and at least one fully trained model (Doersch, 2016; Mai Ngoc & Hwang, 2020; Yu & Príncipe, 2019; Boquet et al., 2021). Moreover, most of the proposed solutions are not theoretically grounded.

One could wonder if, instead of looking for an appropriate number of dimensions, it would be sufficient to use a very large number of latent dimensions in all cases. However, beside defeating the purpose of learning compressed representations, this may lead to a range of issues. For example, one would obtain lower accuracy on downstream tasks (Mai Ngoc & Hwang, 2020) and—if the number of dimensions is sufficiently large—very high reconstruction loss (Doersch, 2016). This would also hinder the interpretability of downstream task models such as linear regression, prevent investigating the learned representation with latent traversal (Locatello et al., 2019b), and increase the correlation of the latent representations (Bonheme & Grzes, 2021).

Well-behaved VAEs have been shown to learn in a polarised regime (Dai & Wipf, 2018) where superfluous dimensions—the passive variables—are "ignored" by the decoder during reconstruction. This regime leads to discrepancies between the mean and sampled representations, which are indicative of the amount of passive variables present in the latent representation (Bonheme & Grzes, 2021). Thus, one can reasonably assume that a "good" number of latent dimensions corresponds to the maximum number of active variables (i.e., variables used by the decoder for reconstruction) a model can learn before the appearance of passive variables.

In this paper, we demonstrate that the amount of passive variables present in a latent representation can easily be detected by analysing the discrepancies between the mean and sampled representations. Specifically, we

show that one can bound the difference between the traces of the covariance matrices of both representations. Based on this property, we then design a simple yet efficient unsupervised algorithm which fulfills the criteria of the current methods (i.e., low reconstruction loss, high accuracy on downstream tasks, high compression, etc.), without requiring to fully train any models.

Our contributions are as follows:

(i) We prove that the discrepancies between the mean and sampled representations of well-behaved VAEs can be used to monitor the type of variables (active or passive) learned by a VAE.

(ii) Based on this theoretical insight, we propose FONDUE: an algorithm which automatically finds the number of latent dimensions that leads to a low reconstruction loss and good accuracy. In opposition to current methods (Doersch, 2016; Mai Ngoc & Hwang, 2020; Yu & Príncipe, 2019; Boquet et al., 2021), it does not require human supervision or to fully train multiple models.

(iii) The library created for this experiment is available in supplemental work and can be reused with other models or techniques (see paragraph on extending FONDUE of Section 3) for further research in the domain. A notebook illustrating the usage of FONDUE can also be found at `https://anonymous.4open.science/r/fondue-demo-CD5A`.

Notational considerations Throughout this paper, we will use the superscript $^{(i)}$ to denote the values obtained for the ith sample $\mathbf{x}^{(i)}$ of the random variable $\mathbf{x}$, and represent the jth dimension of a vector representation using the subscript $_j$. Similarly, given a subset of indexes $\boldsymbol{a} = 1, \cdots, k$, the superscript $^{(\boldsymbol{a})}$ will denote the values obtained for the samples $\mathbf{x}^{(1,\dots,k)}$ of the random variable $\mathbf{x}$, and the subscript $_{\boldsymbol{a}}$ will represent the dimensions $1, ..., k$ of a vector representation. We will also use a shortened version of the mean, variance and sampled representations, such that $\boldsymbol{\mu} \triangleq \boldsymbol{\mu}(\mathbf{x};\phi)$, $\boldsymbol{\sigma} \triangleq diag[\boldsymbol{\Sigma}(\mathbf{x};\phi)]$, and $\mathbf{z} \triangleq \boldsymbol{\mu} + \boldsymbol{\epsilon}\boldsymbol{\sigma}^{1/2}$, respectively. Similarly, for a specific sample i, $\mathbf{x}^{(i)}$, $\boldsymbol{\mu}^{(i)} \triangleq \boldsymbol{\mu}(\mathbf{x}^{(i)};\phi)$, $\boldsymbol{\sigma}^{(i)} \triangleq diag[\boldsymbol{\Sigma}(\mathbf{x}^{(i)};\phi)]$ and $\mathbf{z}^{(i)} \triangleq \boldsymbol{\mu}^{(i)} + \boldsymbol{\epsilon}^{(i)}(\boldsymbol{\sigma}^{(i)})^{1/2}$.

2 Background

2.1 Intrinsic dimension estimation

It is generally assumed that a dataset $\boldsymbol{X} = \{\mathbf{x}^{(i)}\}_{i=0}^{h}$ of h i.i.d. data examples $\mathbf{x}^{(i)} \in \mathbb{R}^m$ is a locally smooth non-linear transformation g of a lower-dimensional dataset $\boldsymbol{Y} = \{\mathbf{y}^{(i)}\}_{i=0}^{h}$ of h i.i.d. samples $\mathbf{y}^{(i)} \in \mathbb{R}^d$, where $d \leqslant m$ (Campadelli et al., 2015; Chollet, 2021). The goal of Intrinsic dimension (ID) estimation is to recover d given $\boldsymbol{X}$. In recent years, these techniques have successfully been applied to deep learning to empirically show that the intrinsic dimension of images was much lower than their extrinsic dimension (i.e., the number of pixels) (Gong et al., 2019; Ansuini et al., 2019; Pope et al., 2021). Based on these findings, we will use Intrinsic Dimension Estimates (IDEs) as the initial number of dimensions n for FONDUE in Section 3.2. In practice, we compute the IDEs using two ID estimation techniques: Maximum Likelihood Estimation (Levina & Bickel, 2004) and TwoNN (Facco et al., 2017). See Appendix E and Campadelli et al. (2015) for more details on ID estimation techniques.

2.2 Non-Variational Autoencoders

Deep deterministic autoencoders (AEs) (Kramer, 1991) can be thought of as a non-linear version of PCA (Baldi & Hornik, 1989). They are composed of an encoder $f_{\boldsymbol{\phi}}(\mathbf{x})$ which maps an input $\mathbf{x}$ to a compressed representation $\mathbf{z}$, and a decoder $g_{\boldsymbol{\theta}}(\mathbf{z})$ which attempts to reconstruct $\mathbf{x}$ from a compressed representation $\mathbf{z}$. AEs are optimised to minimise the reconstruction error $\mathcal{L}(\mathbf{x}, g_{\boldsymbol{\theta}}(\mathbf{z}))$ (e.g., MSE).

2.3 Variational Autoencoders

VAEs (Kingma & Welling, 2014; Rezende & Mohamed, 2015) are deep probabilistic generative models based on variational inference. The encoder maps an input $\mathbf{x}$ to a latent representation $\mathbf{z}$, and the decoder attempts

to reconstruct $\mathbf{x}$ using $\mathbf{z}$. This can be optimised by maximising $\mathcal{L}$, the evidence lower bound (ELBO)

$$\mathcal{L}(\boldsymbol{\theta}, \boldsymbol{\phi}; \mathbf{x}) = \underbrace{\mathbb{E}_{q_{\boldsymbol{\phi}}(\mathbf{z}|\mathbf{x})}[\log p_{\boldsymbol{\theta}}(\mathbf{x}|\mathbf{z})]}_{\text{reconstruction term}} - \underbrace{D_{\mathrm{KL}}\big(q_{\boldsymbol{\phi}}(\mathbf{z}|\mathbf{x}) \parallel p(\mathbf{z})\big)}_{\text{regularisation term}}, \tag{1}$$

where $p(\mathbf{z})$ is generally modelled as a standard multivariate Gaussian distribution $\mathcal{N}(\mathbf{0}, \boldsymbol{I})$ to permit a closed form computation of the regularisation term (Doersch, 2016). The regularisation term can be further penalised by a weight β (Higgins et al., 2017) such that

$$\mathcal{L}(\boldsymbol{\theta}, \boldsymbol{\phi}; \mathbf{x}) = \underbrace{\mathbb{E}_{q_{\boldsymbol{\phi}}(\mathbf{z}|\mathbf{x})}[\log p_{\boldsymbol{\theta}}(\mathbf{x}|\mathbf{z})]}_{\text{reconstruction term}} - \underbrace{\beta D_{\mathrm{KL}}\big(q_{\boldsymbol{\phi}}(\mathbf{z}|\mathbf{x}) \parallel p(\mathbf{z})\big)}_{\text{regularisation term}}, \tag{2}$$

reducing to equation 1 when $\beta = 1$ and to a deterministic autoencoder when $\beta = 0$ (where only the reconstruction loss is optimised).

2.4 Polarised regime

The polarised regime (a.k.a selective posterior collapse) is the ability of VAEs to "shut down" superfluous dimensions of their sampled latent representations $\mathbf{z}$ while providing a high precision on the remaining variables (Rolinek et al., 2019; Dai & Wipf, 2018; Dai et al., 2020). As a result, for each input $\mathbf{x}^{(i)}$, the sampled representation can be separated into two subsets of variables, active and passive. The active variables correspond to the subset of the latent representation that is needed for the reconstruction. Because active variables of sampled representation have a low variance, they are very similar to their mean representation. Indeed, as $\boldsymbol{\sigma}^{(i)} \ll 1$, we have $\mathbf{z}^{(i)} = \boldsymbol{\mu}^{(i)} + \boldsymbol{\epsilon}^{(i)}(\boldsymbol{\sigma}^{(i)})^{1/2} \approx \boldsymbol{\mu}^{(i)}$. In opposition, the passive variables do not have any influence on the decoder and are thus only optimised with respect to the KL divergence. Thus, they have a variance close to 1 and a mean close to 0 such that $\mathbf{z}^{(i)} = \boldsymbol{\mu}^{(i)} + \boldsymbol{\epsilon}^{(i)}(\boldsymbol{\sigma}^{(i)})^{1/2} \approx \boldsymbol{\epsilon}^{(i)}$.

Bonheme & Grzes (2021) proposed an extension of the polarised regime for multiple data examples. They hypothesised that the polarised regime could lead to three cases: (1) a variable is active for all the data samples, (2) a variable is passive for all the data samples, (3) a variable is mixed: passive for some samples and active for others. This results in the following definition.

Definition 1 (Polarised regime of $\mathbf{z}$ over $\boldsymbol{X}$ (Bonheme & Grzes, 2021, Theorem 5))**.** *When a VAE learns in a polarised regime, its sampled representation* $\mathbf{z}$ *is composed of a set of passive, active and mixed variables* $\mathbb{V}_p \cup \mathbb{V}_a \cup \mathbb{V}_m$ *such that, over* $\boldsymbol{X} = \{\mathbf{x}^{(i)}\}_{i=1}^{h}$*:*

(i) $p(\mathbf{z}_j) \approx p(\boldsymbol{\epsilon}_j) \quad \forall\, j \in \mathbb{V}_p,$

(ii) $p(\mathbf{z}_j) \approx p(\boldsymbol{\mu}_j) \quad \forall\, j \in \mathbb{V}_a,$

(iii) $p(\mathbf{z}_j) = c\, p(\boldsymbol{\epsilon}_j) + (1-c)\, p(\boldsymbol{\mu}_j) \quad \forall\, j \in \mathbb{V}_m,$

where $0 < c < 1$.

They concluded that mixed and passive variables were responsible for any discrepancies between the mean and sampled representations. This finding will be the base of our analysis in Section 3.

Assumptions In the rest of this paper, we assume that the considered models are learning under the polarised regime, which naturally happens for reasonable values of β (i.e., when β is not large enough to lead to posterior collapse). This requirement can be made without loss of generality as it has been shown that the polarised regime was necessary for VAEs to learn properly (Dai & Wipf, 2018; Dai et al., 2018; 2020).

2.5 Related work

To the best of our knowledge, the literature on finding an appropriate number of latent dimensions for VAEs is limited, and the existing techniques—mostly designed for deterministic autoencoders—generally rely on approaches requiring human supervision. A great majority of these techniques are based on the Elbow (a.k.a. scree plot) method (James et al., 2013) which visually finds the point where a curve "bends" before diminishing returns occur.

Elbow method using the reconstruction error Doersch (2016) trained multiple models with different numbers of latent dimensions and selected the ones with the lowest reconstruction error. They noted that models' performances were noticeably worse when using extreme numbers of latent dimensions n. In their experiment, this happened for $n < 4$ and $n > 10,000$ on MNIST.

Elbow method using the accuracy on downstream tasks Mai Ngoc & Hwang (2020) suggested to train multiple models with different numbers of latent dimensions, and then compare the accuracy of the latent representations on a downstream task. They observed that while a higher number of latent dimensions could lead to a lower reconstruction error, it generally caused instability on downstream tasks. They thus concluded that the best number of latent dimensions for VAEs should be the one with the smallest classification variance and the highest accuracy, and they obtained similar results for AEs.

Elbow method based on the Structure Preservation Index In the context of deterministic autoencoders trained on textual data, Gupta et al. (2016) proposed to apply the Elbow method to the Structure Preservation Index (SPI) instead of the reconstruction loss. The idea of SPI is to capture structural distortions between the input documents and their reconstruction. It is defined as follows:

$$SPI = \frac{1}{h} \sum_{i,j} \|\boldsymbol{D}_{ij} - \hat{\boldsymbol{D}}_{ij}\|, \tag{3}$$

where $\boldsymbol{D}_{ij}$ is the cosine similarity between the documents $\mathbf{x}^{(i)}$ and $\mathbf{x}^{(j)}$, and $\hat{\boldsymbol{D}}_{ij}$ is calculated the same way with the reconstructed documents $\hat{\mathbf{x}}^{(i)}$ and $\hat{\mathbf{x}}^{(j)}$.

Human supervision based on the information plane Yu & Príncipe (2019) studied the information of the input preserved by the bottleneck layer $\mathbf{z}$ of stacked autoencoders (Vincent et al., 2010) using the information plane spanned by $\mathrm{I}(\mathbf{x}, \mathbf{z})$ and $\mathrm{I}(\hat{\mathbf{x}}, \mathbf{z})$, where $\mathrm{I}(\cdot, \cdot)$ denotes mutual information. In order to approximate the true entropy, they used a kernel estimator of the Rényi's α-order entropy. Specifically, given the samples $\boldsymbol{X} = \left\{\mathbf{x}^{(i)}\right\}_{i=1}^{h}$ of a random variable $\mathbf{x}$, a positive definite kernel κ, the resulting Gram matrix $\boldsymbol{K}$ where $\boldsymbol{K}_{i,j} \stackrel{\text{def}}{=} \kappa(\mathbf{x}^{(i)}, \mathbf{x}^{(j)})$, and its normalised version $\boldsymbol{A}_{i,j} \stackrel{\text{def}}{=} \frac{\boldsymbol{K}_{i,j}}{h\sqrt{\boldsymbol{K}_{i,i}\boldsymbol{K}_{j,j}}}$, the entropy estimator is

$$S_\alpha(\boldsymbol{A}) \stackrel{\text{def}}{=} \frac{1}{1-\alpha} \log_2 \left(\sum_{i=1}^{h} \lambda_i(\boldsymbol{A})^\alpha \right), \tag{4}$$

where $\lambda_i(A)$ denotes the ith eigenvalue of $\boldsymbol{A}$.

Similarly, the joint entropy is estimated by

$$S_\alpha(\boldsymbol{A}, \boldsymbol{B}) \stackrel{\text{def}}{=} S_\alpha \left(\frac{\boldsymbol{A} \odot \boldsymbol{B}}{Tr(\boldsymbol{A} \odot \boldsymbol{B})} \right), \tag{5}$$

where $\odot$ denotes the Hadamard product,' and A and B are normalised Gram matrices as before. From Equations 4 and 5, one can thus obtain the mutual information,

$$\mathrm{I}_\alpha(\boldsymbol{A}, \boldsymbol{B}) \stackrel{\text{def}}{=} S_\alpha(\boldsymbol{A}) + S_\alpha(\boldsymbol{B}) - S_\alpha(\boldsymbol{A}, \boldsymbol{B}). \tag{6}$$

In their experiment, Yu & Príncipe (2019) set $\alpha = 1.01$ and chose a Radial Basis Function (RBF) kernel, such that, given $\boldsymbol{X} \in \mathbb{R}^{h \times m}$

$$\kappa(\mathbf{x}^{(i)}, \mathbf{x}^{(j)}) = \exp \left(-\frac{\|\mathbf{x}^{(i)} - \mathbf{x}^{(j)}\|^2}{2s^2} \right), \tag{7}$$

where $\|\cdot\|^2$ is the squared Euclidean distance. s is estimated based on Silverman's rule of thumb for Gaussian density estimation (Silverman, 1998), such that $s \stackrel{\text{def}}{=} \sigma(\boldsymbol{X}) h^{-1/(4+m)}$ where σ denotes the standard deviation. The authors observed that for a large enough n, the information plane started to display curved patterns and concluded that a good number of latent dimensions n corresponded to the information plane just before the appearance of this change of pattern, which can be seen as an application of the Elbow method. The proposed technique requires to fully train multiple models and visually inspect the information planes obtained for different n.

Automated evaluation based on information theory Yu & Príncipe (2019) observed that, from the data preprocessing inequality, $\mathrm{I}(\mathbf{x}, \hat{\mathbf{x}}) \geqslant \mathrm{H}(\mathbf{z})$. From this, Boquet et al. (2021) proposed to automatically find the number of latent dimensions of deterministic autoencoders by comparing the values of $\mathrm{I}(\mathbf{x}, \hat{\mathbf{x}})$ and $\mathrm{H}(\mathbf{z})$. While no formal proof was provided, they hypothesised that given an optimal number of dimensions n^*, any number of latents $n < n^*$ would result in $\mathrm{I}(\mathbf{x}, \hat{\mathbf{x}}) > \mathrm{H}(\mathbf{z})$, and any $n \geqslant n^*$ would lead to $\mathrm{I}(\mathbf{x}, \hat{\mathbf{x}}) \approx \mathrm{H}(\mathbf{z})$. From this, they proposed to do a binary search over a sorted array of latent dimensions $\boldsymbol{n} = [1, ..., n]$ defined by the user. At each iteration, they trained a new autoencoder with a bottleneck size $\boldsymbol{n}_i$, estimated $\mathrm{I}(\mathbf{x}, \hat{\mathbf{x}})$ and $\mathrm{H}(\mathbf{z})$ for each batch, and averaged the results over each epoch. Each model was fully trained unless $\mathrm{I}(\mathbf{x}, \hat{\mathbf{x}}) \approx \mathrm{H}(\mathbf{z})$ (i.e., the algorithm requires at least one fully trained model). As Yu & Príncipe (2019), they used a kernel estimator of the Rényi's α-order entropy with an RBF kernel but with the order of $\alpha = 2$. We will refer to their algorithm as the Information Bottleneck (IB) algorithm in the rest of the paper.

Differences with our contribution The work the most closely related to ours is the IB algorithm of Boquet et al. (2021) which is the only one proposing some level of automation. However, our contribution differs from theirs in several aspects: 1) our approach is based on the polarised regime, not on information theory; 2) we provide a theoretical justification of our algorithm and a proof of convergence while this was left for future work in Boquet et al. (2021); 3) our solution is generally faster than the IB algorithm as we do not require to fully train one or more models; 4) our approach is completely unsupervised while the IB algorithm requires human supervision to select a range of likely latent dimensions.

3 Mean and sampled representations under the polarised regime

As we have seen in Section 2.4, the polarised regime leads to discrepancies between mean and sampled representations (Locatello et al., 2019a) which can be indicative of the type of variables learned by a VAE (Bonheme & Grzes, 2021). The aim of this section is to provide some theoretical insight into how the different types of variables impact the difference between the two representations.

Specifically, we will study the difference between the traces of the covariance matrices of both representations when the latent variables are composed of a combination of different types of variables. This will allow us to use bounded quantities to detect when passive variables start appearing. From this, we will show that the bounds of this difference are specific to the types of variables present in the latent representations.

Finally, to illustrate a possible usage of these bounds, we will propose an algorithm for Facilely Obtaining the Number of Latent Dimensions by Unsupervised Estimation (FONDUE) which can quickly provide an estimate of the maximum number of latent dimensions that a VAE can have without containing any (unused) passive variables. The proofs of all the propositions and theorems of this section can be found in Appendix A, and the impact of FONDUE on the reconstruction and downstream task performance will further be studied in the next section.

3.1 Identifying the types of variables learned

In this section we will derive the difference between the traces of the covariance matrices of $\boldsymbol{\mu}$ and $\mathbf{z}$ when the latent representation is composed of: 1) only active variables, 2) active and passive variables, 3) active and mixed variables. From these results we will then present the bounds of the difference between the traces of the covariance matrices of $\boldsymbol{\mu}$ and $\mathbf{z}$ at $n+1$ latent variables when 1) n is the maximal number of active variables, and 2) n is the maximal number of non-passive variables. We will see in Section 3.2 that these two cases will inform the choice of the threshold value for FONDUE. The proofs of all the following propositions and theorems can be found in Appendix A.1. To make the distinction between the cross-covariance matrices and variance-covariance matrices clear, we will use $Cov[\mathbf{a}, \mathbf{b}]$ for the former and $Var[\mathbf{a}] \stackrel{\text{def}}{=} Cov[\mathbf{a}, \mathbf{a}]$ for the latter.

First, let us consider the case where all variables are active. As mentionned in Section 2.4, in this case $\mathbf{z} \approx \boldsymbol{\mu}$. Thus, Proposition 1 trivially follows:

Proposition 1. *If all the n latent variables of a VAE are active, then $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \approx 0$.*

When the latent representation is composed of active and passive variables only, one can decompose the variances into active and passive parts. Then, recalling that passive variables have a variance of 1 in sampled representations and close to 0 in mean representations, and using Proposition 1 again for the active part, it follows that:

Proposition 2. *If s of the n latent variables of a VAE are passive and the remaining $n-s$ variables are active, then $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \approx s$.*

While mixed variables (i.e., variables that are passive for some input and active for others) are less trivial to analyse, using the same techniques as Proposition 2, and recalling that mixed variables come from a mixture distribution, we have:

Proposition 3. *If s of the n latent variables of a VAE are mixed and the remaining $n-s$ variables are active, then $0 < Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) < s$.*

We are now interested in how the difference of the traces evolves when we increase the number of latent dimensions. When we have n active variables, we know form Proposition 1 that the difference of trace will be close to 0. Using Propositions 2 and 3 with $s = 1$, we know that if the next variable is not active, the difference will increase by at most 1.

Theorem 1. *n is the maximal number of dimensions for which a VAE contains only active variables if*

- *for $\mathbf{z}, \boldsymbol{\mu} \in \mathbb{R}^n$, $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \approx 0$,*
- *and for $\mathbf{z}, \boldsymbol{\mu} \in \mathbb{R}^{n+1}$, $0 < Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \leqslant 1$.*

When we have n non-passive variables, using Proposition 3 with $s \leqslant n$, the difference of the trace will be between higher than 0 but lower than n. Using Proposition 2 with $s = 1$, we know that if the next variable is passive, the difference will increase by 1.

Theorem 2. *n is the maximal number of dimensions for which a VAE contains only non-passive variables if*

- *for $\mathbf{z}, \boldsymbol{\mu} \in \mathbb{R}^n$, $0 \leqslant Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) < n$,*
- *and for $\mathbf{z}, \boldsymbol{\mu} \in \mathbb{R}^{n+1}$, $1 \leqslant Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) < n+1$.*

A useful property of Theorems 1 and 2 is that they hold very early in training (Bonheme & Grzes, 2022). Thus, while they can be useful by themselves to study the type of representations learned by an already trained VAE, we believe that they can also help to design new tools to improve models' quality. For example, by providing an estimation of the maximum number of non-passive latent dimensions that a VAEs can reach for a given dataset. We will see in Section 3.2 that this can be done in an unsupervised way, without fully training any models or manually applying the Elbow method.

3.2 Finding the number of dimensions by unsupervised estimation

As discussed in Section 3.1, the traces of the covariance matrices of the mean and sampled representations start to diverge when non-active variables appear, and this is already visible after the first epochs of training (Bonheme & Grzes, 2022). We can thus use Theorems 1 and 2 to find the number of latent dimensions retaining the most information while remaining highly compressed (i.e., no passive variables).

For example, let us consider a threshold $t = 1$. We know from Theorem 1 that if the difference between traces is lower than or equal to t for n latent dimensions but higher than t for $n+1$ latent dimensions, then n is the largest number of dimensions for which the latent representation contains only active variables. If, on the other hand we allow t to be higher, the model can encode additional non-active variables, as per Theorem 2. After selecting a suitable value for t depending on the desired level of compression, we can thus iteratively check the difference between traces for different values of n after training each model for a few steps until we obtain the largest n for which the difference is lower than the threshold t that we defined. To this aim, we propose an algorithm to Facilely Obtain the Number of latent Dimensions by Unsupervised Estimation (FONDUE).

Theorem 3. *Any execution of FONDUE (Algorithm 1) returns the largest number of dimensions n for which $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \leqslant t$:*

- *If $t < 1$, FONDUE returns the maximal number of latent dimensions for which a VAE contains only active variables.*
- *If $t \geqslant 1$, FONDUE returns the maximal number of latent dimensions for which a VAE contains only non-passive variables.*

Sketch Proof. In Algorithm 1, we define a lower and upper bound of n, l and u, and update the predicted number of latent variables n until, after i iterations, $n_i = l_i$. Using the loop invariant $l_i \leqslant n_i \leqslant u_i$, we can show that the algorithm terminates when $l_i = n_i = \text{floor}\left(\frac{l_i+u_i}{2}\right)$, which can only be reached when $u_i = n_i+1$, that is, when n_i is the maximum number of latent dimensions for which we have $Tr(Var[\mathbf{z}])-Tr(Var[\boldsymbol{\mu}]) \leqslant t$. The threshold t is determined according to Theorems 1 and 2, as discussed above. See Appendix A.6 for the full proof. □

How does FONDUE work? FONDUE will seek to reach the maximum number of dimensions for which the difference between $Tr(Var[\mathbf{z}])$ and $Tr(Var[\boldsymbol{\mu}])$ is lower than or equal to the threshold t, as illustrated in Figure 1. The number of dimensions is first initialised to the IDE of the dataset IDE_{data}. Then, at each iteration, FONDUE will train a VAE for a few epochs (generally just two) and retrieve the mean and sampled representations corresponding to 10,000 data examples. We then compute the traces of the covariance matrices of the mean and sampled representations (i.e., $Tr(Var[\mathbf{z}])$ and $Tr(Var[\boldsymbol{\mu}])$) and the difference between them. If this difference is lower than or equal to the threshold, we set our lower bound to the current number of latent dimensions and train a VAE again with twice the number of latents, as illustrated in Figure 2. If the difference is higher than the threshold, we set the current number of latent dimensions to our upper bound and train a VAE again with half of the sum of the lower and upper bound, as illustrated in Figure 3. We iterate these two steps until our current number of latent dimensions is the largest possible dimensionality for which the difference is smaller than or equal to the threshold.



Figure 1: Traces of the covariance matrices of the mean and sampled representations of VAEs trained on Celeba with an increasing number of latent dimensions n. FONDUE retrieves the largest n for which the difference is smaller or equal to a given threshold t.

Extending FONDUE Note that one could use different flavours of FONDUE by replacing the difference $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}])$ by any metric as long as its score is 1) consistently lower than some threshold t before a "good" n and higher or equal afterwards, 2) stable early in the training. One such example is $IDE_{\mathbf{z}} - IDE_{\boldsymbol{\mu}}$ which generally provides consistent results with the original algorithm as shown in Appendix F. We will see in Section 4.2 that the information theoretic metric of Boquet et al. (2021) can also be readily integrated into FONDUE.

Algorithm 1 FONDUE

procedure FONDUE(t, IDE_{data}, e)
  $l \leftarrow 0$ ▷ Lower bound
  $u \leftarrow \infty$ ▷ Upper bound
  $n \leftarrow IDE_{data}$ ▷ Current number of latent dimensions
  $m \leftarrow \{\}$
  while $n \neq l$ **do**
    $Tr(Var[\mathbf{z}]), Tr(Var[\boldsymbol{\mu}]) \leftarrow$ GET-MEM(m, n, e)
    if $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \leqslant t$ **then** ▷ Figure 2
      $l \leftarrow n$
      $n \leftarrow \min(n \times 2, u)$
    else ▷ Figure 3
      $u \leftarrow n$
      $n \leftarrow \text{floor}\left(\frac{l+u}{2}\right)$
    end if
  end while
  return n
end procedure

Algorithm 2 GET-MEM

procedure GET-MEM(m, n, e)
  if $m[n] = \emptyset$ **then**
    $vae \leftarrow$ TRAIN-VAE($dim = n, n_epochs = e$)
    $Tr(Var[\mathbf{z}]), Tr(Var[\boldsymbol{\mu}]) \leftarrow Traces(vae)$
    $m[n] \leftarrow Tr(Var[\mathbf{z}]), Tr(Var[\boldsymbol{\mu}])$
  end if
  return $m[n]$
end procedure



Figure 2: Update l and increase n until $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) > t$.



Figure 3: Update u and decrease n until $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \leqslant t$.

4 Experimental setup

After computing the IDEs of the datasets on which the models will be trained, we will use them to initialise FONDUE. We will then assess the performances of FONDUE by comparing it with the existing techniques of dimension selection discussed in Section 2.5. This will be done by ensuring that the number of dimensions selected by the Elbow method for reconstruction and downstream tasks is consistent with the values proposed by FONDUE, and by comparing the results obtained with FONDUE and the IB algorithm of Boquet et al. (2021).

4.1 General setup

Datasets We use three datasets with an increasing number of intrinsic dimensions: Symmetric solids (Murphy et al., 2021), dSprites (Higgins et al., 2017), and Celeba (Liu et al., 2015). The numbers of generative factors of the first two datasets are 2 and 5, respectively, and the IDE of these two datasets should be close to these values. While we do not know the generative factors of Celeba, Pope et al. (2021) reported an IDE of 26 when using $k = 20$ neighbours with MLE, indicating a higher number of intrinsic dimensions than dSprites and Symsol.

Data preprocessing Each image is resized to $64 \times 64 \times c$, where $c = 1$ for Symmetric solids and dSprites, and $c = 3$ for Celeba. We also removed duplicate images (i.e., cases where different rotations resulted in the same image) and labels from Symmetric solids and created a reduced version: `symsol_reduced` which is available at `https://t.ly/G7Qp`.

VAE training We use the β-VAE architecture detailed in Higgins et al. (2017) for all the datasets, together with the standard learning objective of VAEs, as presented in Equation 1. Each VAE is trained 5 times with a number of latent dimensions $n = 3, 6, 8, 10, 12, 18, 24, 32, 42$ on every dataset. For Celeba, which has the highest IDE, we additionally train VAEs with latent dimensions $n = 52, 62, 100, 150, 200$.

Estimations of the ID For all the datasets, we estimate the ID using 10,000 data examples. As in Pope et al. (2021), the MLE scores are computed with an increasing number of neighbours $k = 3, 5, 10, 20$. Moreover, we repeat the MLE computations 3 times with different seeds to detect any variance in estimates.

Downstream tasks To monitor how good the learned latent representations are on downstream tasks, we train gradient boosted trees to classify the labels of each dataset based on the mean representations. Each label is learned as a separate classification task, and we evaluate the results on a dataset based on the averaged test accuracy over all these tasks, similarly to (Locatello et al., 2019a;b).

4.2 Comparing FONDUE with the IB algorithm

As the IB algorithm is the most closely related to FONDUE, we will compare the results of both algorithms. However, we will see that a few modifications to the IB algorithm are required to ensure a fair comparison.

Why the IB algorithm cannot be directly compared with FONDUE Because the IB algorithm performs binary search over a user-defined array of likely dimensions, its execution time is greatly dependent on the size of this array. For example, searching for the best number of dimensions between 1 and 10 will generally be quicker than searching the best number of dimensions between 1 and 200. Moreover, there is no guarantee that the selected range contains a "good" number of dimensions. Thus, the human supervision plays an important role in the quality of the IB algorithm predictions, making it unpractical to compare with a fully unsupervised algorithm such as FONDUE. Furthermore, each time the number of dimensions considered is lower than the target number of dimensions, a VAE model will be fully trained. As we will see, FONDUE is quicker than fully training one model, which makes the IB algorithm much slower than ours on average.

Using FONDUE$_{IB}$ for a fair comparison The IB algorithm relies on the assumption that if the current number of dimensions n is lower than the target number of dimensions n^*, $\mathrm{H}(\mathbf{z}) - \mathrm{I}(\mathbf{x}, \hat{\mathbf{x}}) < 0$ and $\mathrm{H}(\mathbf{z}) - \mathrm{I}(\mathbf{x}, \hat{\mathbf{x}}) \approx 0$ otherwise. One can thus directly use this inequality to provide an alternative version of FONDUE, FONDUE$_{IB}$, which will also be completely unsupervised and will not require to fully train one or more models. This is done by replacing $Tr(Var[\mathbf{z}])$ and $Tr(Var[\boldsymbol{\mu}])$ by $\mathrm{H}(\mathbf{z})$ and $\mathrm{I}(\mathbf{x}, \hat{\mathbf{x}})$ in the original algorithm, as illustrated in Algorithms 3 and 4. In Boquet et al. (2021), the scores of $\mathrm{H}(\mathbf{z})$ and $\mathrm{I}(\mathbf{x}, \hat{\mathbf{x}})$ are truncated to 2 decimals, making $\mathrm{H}(\mathbf{z}) - \mathrm{I}(\mathbf{x}, \hat{\mathbf{x}}) < 0$ equivalent to $\mathrm{H}(\mathbf{z}) - \mathrm{I}(\mathbf{x}, \hat{\mathbf{x}}) \leqslant -0.01$. We thus set the threshold to $t = -0.01$ for FONDUE$_{IB}$ and keep the original truncation. As in Boquet et al. (2021), we use an RBF kernel and set $\alpha = 2$.

Additional details on our implementation can be found in Appendix C and our code is available in supplemental work, and a demonstration of FONDUE is available in a notebook at `https://anonymous.4open.science/r/fondue-demo-CD5A`.

5 Results

In this section, we will analyse the results of the experiments detailed in Section 4. First, we will review the IDE of the different datasets in Section 5.1 obtained from MLE and TwoNN, the two ID estimators discussed

in Section 2.1. Then, in Section 5.2, we will evaluate the results of FONDUE by comparing the selected number of dimensions with the reconstruction loss and downstream task accuracy.

Algorithm 3 FONDUE$_{IB}$

procedure FONDUE$_{IB}(t, IDE_{data}, e)$
  $l \leftarrow 0$
  $u \leftarrow \infty$
  $n \leftarrow IDE_{data}$
  $m \leftarrow \{\}$
  while $n \neq l$ **do**
    $\mathrm{H}(\mathbf{z}), \mathrm{I}(\mathbf{x}, \hat{\mathbf{x}}) \leftarrow \text{GET-MEM}_{\text{IB}}(m, n, e)$
    if $\mathrm{H}(\mathbf{z}) - \mathrm{I}(\mathbf{x}, \hat{\mathbf{x}}) \leqslant t$ **then**
      $l \leftarrow n$
      $n \leftarrow \min(n \times 2, u)$
    else
      $u \leftarrow n$
      $n \leftarrow \text{floor}\left(\frac{l+u}{2}\right)$
    end if
  end while
  return n
end procedure

Algorithm 4 GET-MEM$_{IB}$

procedure GET-MEM$_{IB}(m, n, e)$
  if $m[n] = \emptyset$ **then**
    $vae \leftarrow$ TRAIN-VAE$(dim = n, n_epochs = e)$
    $\mathrm{H}(\mathbf{z}), \mathrm{I}(\mathbf{x}, \hat{\mathbf{x}}) \leftarrow IB(vae)$
    $m[n] \leftarrow \mathrm{H}(\mathbf{z}), \mathrm{I}(\mathbf{x}, \hat{\mathbf{x}}$
  end if
  return $m[n]$
end procedure

5.1 Estimating the intrinsic dimensions of the datasets



Figure 4: IDEs of dSprites, Celeba, and Symsol using different ID estimation methods.

As mentioned in Section 4, we have selected 3 datasets of increasing intrinsic dimensionality: Symsol (Murphy et al., 2021), dSprites (Higgins et al., 2017), and Celeba (Liu et al., 2015). Following Karbauskaitė et al. (2011), we will retain for our analysis the MLE estimates which are stable for the largest number of k values. We can see in Figure 4 that the MLE estimations become stable when k is between 10 and 20, similar to what was reported by Levina & Bickel (2004). These IDEs are also generally close to TwoNN estimations, except for Celeba, where TwoNN seems to overestimate the ID, as reported by Pope et al. (2021).

Celeba's IDE was previously estimated to be 26 for MLE with $k = 20$ (Pope et al., 2021) neighbours, and we know that Symsol and dSprites have 2 and 5 generative factors, respectively. We thus expect their IDEs to be close to these values. We can see in Figure 4 that MLE and TwoNN overestimate the IDs of Symsol and dSprites, with IDEs of 4 and 11 instead of the expected 2 and 5. Our result for Celeba is close to Pope et al. (2021) with an estimate of 22; the slight difference may be attributed to the difference in our averaging process (Pope et al. (2021) used the averaging described by MacKay & Ghahramani (2005) instead of the original averaging of Levina & Bickel (2004)).



(a) Symsol (b) dSprites (c) Celeba

Figure 5: Reconstruction loss and accuracy obtained for generation and downstream tasks of **VAEs** for Symsol, dSprites, and Celeba with an increasing number of latent variables. The plain and dashed vertical lines indicate the number of dimensions found by FONDUE and FONDUE$_{IB}$.

Because stability is more important than overestimation for our purposes, in the rest of this paper, we will consider the IDEs obtained from MLE with $k = 20$. Specifically, we will initialise FONDUE with $n = 4$ for Symsol, $n = 11$ for dSprites and $n = 22$ for Celeba.

5.2 Evaluating FONDUE

Using the IDEs reported in the previous section to initialise FONDUE, we will now report the results of FONDUE and FONDUE$_{IB}$ for the considered datasets.

Obtaining stable estimates To ensure stable estimates, we computed FONDUE multiple times, gradually increasing the number of epochs e until the predicted dimensionality n stopped changing. As reported in Table 1, the results were already stable after two epochs[1]. We set a fixed threshold of $t = 1$ in all our experiments and used memoisation (see Algorithm 2) to avoid unnecessary retraining and speed up Algorithm 1. For FONDUE$_{IB}$ we followed the same process, with a fixed threshold of $t = -0.01$.

Analysing the results of FONDUE As shown in Table 1, the execution time for finding the number of dimensions for one dataset is much shorter than for fully training one model, which is approximately 2h using the same GPUs. Moreover, on dSprites and Celeba, FONDUE finds the number of dimensions corresponding to low reconstruction loss and good accuracy, which is consistent with the results obtained manually from the Elbow methods (Doersch, 2016; Mai Ngoc & Hwang, 2020). It is worth noting that the number of dimensions provided by FONDUE for dSprites is also close to the dimensionality of 10 generally used in the literature (Higgins et al., 2017; Burgess et al., 2018; Kim & Mnih, 2018; Locatello et al., 2019b). When compared to FONDUE, FONDUE$_{IB}$ is always slower. Furthermore, we can see in Figure 5 that it displays an inconsistent behaviour, overestimating the number of dimensions for dSprites and underestimating them for Celeba. Both FONDUE and FONDUE$_{IB}$ overestimate the number of dimensions for Symsol, with a stronger overestimation of FONDUE$_{IB}$. Indeed, it is apparent in Figure 5a that 15 dimensions would be enough to ensure a low reconstruction error and a high accuracy, but FONDUE overestimates it by 4 dimensions and this overestimation is doubled by FONDUE$_{IB}$. We hypothesise that the performance of both FONDUE versions may be impacted by noisy environments as the VAEs trained on Symsol present the largest variance of reconstruction loss. Despite this, Figure 5 shows that FONDUE estimates generally locate the Elbow point correctly, ignoring diminishing returns for more complex datasets like Figure 5c. It thus consistently provides a number of dimensions corresponding to a good trade-off between low reconstruction loss and high accuracy, which is not always the case with FONDUE$_{IB}$.

Can FONDUE be applied to other architectures and learning objectives? We can see in Figure 6 that FONDUE estimates also provide good results for deterministic AEs with equivalent architectures to the VAEs. Overall, these results indicate that the dimensionality selected by FONDUE can be reused for AEs

[1]Note that the numbers of epochs given in Table 1 correspond to the minimum number of epochs needed for FONDUE to be stable. For example, if we obtain the same score after 1 and 2 epochs, the number of epochs given in Table 1 is 1.

Table 1: Number of latent variables n obtained with FONDUE and FONDUE$_{IB}$. The results are averaged over 10 seeds, and computation times are reported for NVIDIA A100 GPUs. The computation time is given for one run of the algorithm over the minimum number of epochs needed to obtain a stable score.

	Dataset	n (avg ± SD)	Time/run	Models trained	Epochs/training
FONDUE	Symsol	19.1 ± 0.7	6 min	8	1
FONDUE	dSprites	10.9 ± 0.7	42 min	4	2
FONDUE	Celeba	32.6 ± 0.7	17 min	6	2
FONDUE$_{IB}$	Symsol	23.3 ± 0.5	40 min	8	6
FONDUE$_{IB}$	dSprites	15.7 ± 0.5	52 min	5	2
FONDUE$_{IB}$	Celeba	18.4 ± 0.7	21 min	5	3

trained on the same dataset with an identical architecture. FONDUE also seems to be robust to architectural changes as reported in Appendix D.



(a) Symsol (b) dSprites (c) Celeba

Figure 6: Reconstruction loss and accuracy obtained for generation and downstream tasks of **deterministic AEs** for Symsol, dSprites, and Celeba with an increasing number of latent variables. The plain and dashed vertical lines indicate the number of dimensions found by FONDUE and FONDUE$_{IB}$ for VAEs with the same architectures.

6 Conclusion

By studying the effect of the polarised regime on the mean and sampled representations, we have shown that one can detect the types of variables (active, passive or mixed) learned by VAEs. These observations lead to FONDUE: an algorithm which can find the number of latent dimensions after which the mean and sampled representations start to strongly diverge. Increasing the number of dimensions beyond this number will result in adding passive or mixed variables which will generally not contribute much to the reconstruction quality and downstream task accuracy. Hence, FONDUE will locate the Elbow point of the performance curves. After proving the correctness of our algorithm, we have shown that it is a faster, automated and unsupervised alternative to existing methods which does not require to fully train any model, is not impacted by architectural changes, and can be used for deterministic AEs.

Future work While FONDUE has been demonstrated to be an efficient algorithm, it could be improved and extended in several ways: 1) we have shown that the dimensions given by FONDUE could also be used for deterministic AEs, but it would be interesting to see if this applies to a larger range of unsupervised models (e.g., GANs, clustering methods, etc.); 2) FONDUE can be extended in a number of ways by replacing the difference of Trace in Algorithm 2 by any function that reliably provides different results in mean and sampled representations early in the training process, as illustrated with IDEs in Appendix F. These extensions could be beneficial both in terms of execution time (if the function is faster or convergence is reached earlier) and complementary theoretical insights (if the function is also theoretically grounded).

References

Alessio Ansuini, Alessandro Laio, Jakob H. Macke, and Davide Zoccolan. Intrinsic dimension of data representations in deep neural networks. In *Advances in Neural Information Processing Systems*, volume 32, 2019.

Sanjeev Arora, Nadav Cohen, and Elad Hazan. On the optimization of deep networks: Implicit acceleration by overparameterization. In Jennifer Dy and Andreas Krause (eds.), *Proceedings of the 35th International Conference on Machine Learning*, volume 80 of *Proceedings of Machine Learning Research*, pp. 244–253. PMLR, 2018.

Pierre Baldi and Kurt Hornik. Neural networks and principal component analysis: Learning from examples without local minima. *Neural networks*, 2(1):53–58, 1989.

Lisa Bonheme and Marek Grzes. Be More Active! Understanding the Differences between Mean and Sampled Representations of Variational Autoencoders. *arXiv e-prints*, 2021.

Lisa Bonheme and Marek Grzes. How do variational autoencoders learn? insights from representational similarity. *arXiv e-prints*, 2022.

Guillem Boquet, Edwar Macias, Antoni Morell, Javier Serrano, and Jose Lopez Vicario. Theoretical tuning of the autoencoder bottleneck layer dimension: A mutual information-based algorithm. In *2020 28th European Signal Processing Conference (EUSIPCO)*, pp. 1512–1516, 2021.

Christopher P. Burgess, Irina Higgins, Arka Pal, Loic Matthey, Nick Watters, Guillaume Desjardins, and Alexander Lerchner. Understanding Disentangling in β-VAE. *arXiv e-prints*, 2018.

P. Campadelli, E. Casiraghi, C. Ceruti, and A. Rozza. Intrinsic dimension estimation: Relevant techniques and a benchmark framework. *Mathematical Problems in Engineering*, 2015, 2015.

F. Chollet. *Deep Learning with Python, Second Edition*. Manning, 2021. ISBN 9781617296864.

Bin Dai and David Wipf. Diagnosing and Enhancing VAE Models. In *International Conference on Learning Representations*, volume 6, 2018.

Bin Dai, Yu Wang, John Aston, Gang Hua, and David Wipf. Connections with Robust PCA and the Role of Emergent Sparsity in Variational Autoencoder Models. *Journal of Machine Learning Research*, 19(41): 1–42, 2018.

Bin Dai, Ziyu Wang, and David Wipf. The Usual Suspects? Reassessing Blame for VAE Posterior Collapse. In *Proceedings of the 37th International Conference on Machine Learning*, 2020.

Carl Doersch. Tutorial on Variational Autoencoders. *arXiv e-prints*, 2016.

Elena Facco, Maria dÉrrico, Alex Rodriguez, and Alessandro Laio. Estimating the intrinsic dimension of datasets by a minimal neighborhood information. *Scientific Reports*, 7(1), 2017.

Sixue Gong, Vishnu Naresh Boddeti, and Anil K Jain. On the intrinsic dimensionality of image representations. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 3987–3996, 2019.

Parth Gupta, Rafael E. Banchs, and Paolo Rosso. Squeezing bottlenecks: Exploring the limits of autoencoder semantic representation capabilities. *Neurocomputing*, 175:1001–1008, 2016. ISSN 0925-2312.

Irina Higgins, Loic Matthey, Arka Pal, Christopher Burgess, Xavier Glorot, Matthew Botvinick, Mohamed Shakir, and Alexander Lerchner. β-VAE: Learning Basic Visual Concepts with a Constrained Variational Framework. In *International Conference on Learning Representations*, volume 5, 2017.

Gareth James, Daniela Witten, Trevor Hastie, and Robert Tibshirani. *An introduction to statistical learning*, volume 112. Springer, 2013.

Rasa Karbauskaitė, Gintautas Dzemyda, and Edmundas Mazėtis. Geodesic distances in the maximum likelihood estimator of intrinsic dimensionality. *Nonlinear Analysis*, 16(4):387–402, 2011.

Hyunjik Kim and Andriy Mnih. Disentangling by Factorising. In *Proceedings of the 35th International Conference on Machine Learning*, volume 80 of *Proceedings of Machine Learning Research*, 2018.

Diederik P. Kingma and Max Welling. Auto-Encoding Variational Bayes. In *International Conference on Learning Representations*, volume 2, 2014.

Mark A Kramer. Nonlinear principal component analysis using autoassociative neural networks. *AIChE journal*, 37(2):233–243, 1991.

Elizaveta Levina and Peter J. Bickel. Maximum Likelihood Estimation of Intrinsic Dimension. In *Advances in Neural Information Processing Systems*, volume 16, 2004.

Ziwei Liu, Ping Luo, Xiaogang Wang, and Xiaoou Tang. Deep learning face attributes in the wild. In *ICCV*, 2015.

Francesco Locatello, Gabriele Abbati, Thomas Rainforth, Stefan Bauer, Bernhard Schölkopf, and Olivier Bachem. On the Fairness of Disentangled Representations. In *Advances in Neural Information Processing Systems*, volume 32, 2019a.

Francesco Locatello, Stefan Bauer, Mario Lucic, Gunnar Raetsch, Sylvain Gelly, Bernhard Schölkopf, and Olivier Bachem. Challenging Common Assumptions in the Unsupervised Learning of Disentangled Representations. In *Proceedings of the 36th International Conference on Machine Learning*, volume 97 of *Proceedings of Machine Learning Research*, 2019b.

David J.C. MacKay and Zoubin Ghahramani. Comments on 'Maximum Likelihood Estimation of Intrinsic Dimension' by E. Levina and P. Bickel (2004), 2005. URL `http://www.inference.org.uk/mackay/dimension/`.

Kien Mai Ngoc and Myunggwon Hwang. Finding the best k for the dimension of the latent space in autoencoders. In *Computational Collective Intelligence*, pp. 453–464. Springer International Publishing, 2020. ISBN 978-3-030-63007-2.

Kieran Murphy, Carlos Esteves, Varun Jampani, Srikumar Ramalingam, and Ameesh Makadia. Implicit representation of probability distributions on the rotation manifold. In *International Conference on Machine Learning*, 2021.

Phillip Pope, Chen Zhu, Ahmed Abdelkader, Micah Goldblum, and Tom Goldstein. The Intrinsic Dimension of Images and Its Impact on Learning. In *International Conference on Learning Representations*, volume 9, 2021.

Danilo Rezende and Shakir Mohamed. Variational Inference with Normalizing Flows. In *Proceedings of the 32nd International Conference on Machine Learning*, volume 37 of *Proceedings of Machine Learning Research*, 2015.

Michal Rolinek, Dominik Zietlow, and Georg Martius. Variational Autoencoders Pursue PCA Directions (by Accident). In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 2019.

Karthik Abinav Sankararaman, Soham De, Zheng Xu, W. Ronny Huang, and Tom Goldstein. The impact of neural network overparameterization on gradient confusion and stochastic gradient descent. In Hal Daumé III and Aarti Singh (eds.), *Proceedings of the 37th International Conference on Machine Learning*, volume 119 of *Proceedings of Machine Learning Research*, pp. 8469–8479. PMLR, 2020.

Bernard W. Silverman. *Density estimation for statistics and data analysis*. Routledge, 1998.

Pascal Vincent, Hugo Larochelle, Isabelle Lajoie, Yoshua Bengio, and Pierre-Antoine Manzagol. Stacked denoising autoencoders: Learning useful representations in a deep network with a local denoising criterion. *Journal of Machine Learning Research*, 11(110):3371–3408, 2010.

Shujian Yu and José C. Príncipe. Understanding autoencoders with information theoretic concepts. *Neural Networks*, 117:104–123, 2019. ISSN 0893-6080.

A Proofs

A.1 Proof of Proposition 1

Proof. We know from the polarised regime that when a latent representation is only composed of active variables, $\mathbf{z} \approx \boldsymbol{\mu}$ (Dai & Wipf, 2018; Rolinek et al., 2019; Bonheme & Grzes, 2021). Thus, $Var[\mathbf{z}] \approx Var[\boldsymbol{\mu}]$ and $Tr(Var[\mathbf{z}]) \approx Tr(Var[\boldsymbol{\mu}])$. □

A.2 Proof of Proposition 2

Proof. Let us consider the partitioned matrices

$$Var[\mathbf{z}] = \left[\begin{array}{c|c} Var[\mathbf{z}_{\boldsymbol{a}}] & Cov[\mathbf{z}_{\boldsymbol{a}}, \mathbf{z}_{\boldsymbol{p}}] \\ \hline Cov[\mathbf{z}_{\boldsymbol{p}}, \mathbf{z}_{\boldsymbol{a}}] & Var[\mathbf{z}_{\boldsymbol{p}}] \end{array}\right], \tag{8}$$

and

$$Var[\boldsymbol{\mu}] = \left[\begin{array}{c|c} Var[\boldsymbol{\mu}_{\boldsymbol{a}}] & Cov[\boldsymbol{\mu}_{\boldsymbol{a}}, \boldsymbol{\mu}_{\boldsymbol{p}}] \\ \hline Cov[\boldsymbol{\mu}_{\boldsymbol{p}}, \boldsymbol{\mu}_{\boldsymbol{a}}] & Var[\boldsymbol{\mu}_{\boldsymbol{p}}], \end{array}\right] \tag{9}$$

where $\cdot_{\boldsymbol{a}}$ and $\cdot_{\boldsymbol{p}}$ denote the subsets of active and passive variables, respectively. We know from Definition 1 that $Var[\mathbf{z}_{\boldsymbol{p}}] \approx \boldsymbol{I}_{s\times s}$ and $Var[\boldsymbol{\mu}_{\boldsymbol{p}}] \approx \mathbf{0}_{s\times s}$ (Rolinek et al., 2019; Dai & Wipf, 2018; Bonheme & Grzes, 2021). Thus,

$$\begin{aligned} Tr(Var[\mathbf{z}]) &= Tr(Var[\mathbf{z}_{\boldsymbol{a}}]) + Tr(Var[\mathbf{z}_{\boldsymbol{p}}]), && (10)\\ &\approx Tr(Var[\mathbf{z}_{\boldsymbol{a}}]) + Tr(\boldsymbol{I}_{s\times s}), && (11)\\ &= Tr(Var[\mathbf{z}_{\boldsymbol{a}}]) + s, && (12) \end{aligned}$$

and

$$\begin{aligned} Tr(Var[\boldsymbol{\mu}]) &= Tr(Var[\boldsymbol{\mu}_{\boldsymbol{a}}]) + Tr(Var[\boldsymbol{\mu}_{\boldsymbol{p}}]), && (13)\\ &\approx Tr(Var[\boldsymbol{\mu}_{\boldsymbol{a}}]) + Tr(\mathbf{0}_{s\times s}), && (14)\\ &= Tr(Var[\boldsymbol{\mu}_{\boldsymbol{a}}]). && (15) \end{aligned}$$

Combining equations 12 and 15 and recalling from Proposition 1 that $Tr(Var[\mathbf{z}_{\boldsymbol{a}}]) \approx Tr(Var[\boldsymbol{\mu}_{\boldsymbol{a}}])$, we obtain

$$\begin{aligned} Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) &\approx Tr(Var[\mathbf{z}_{\boldsymbol{a}}]) + s - Tr(Var[\boldsymbol{\mu}_{\boldsymbol{a}}]),\\ &\approx Tr(Var[\mathbf{z}_{\boldsymbol{a}}]) + s - Tr(Var[\mathbf{z}_{\boldsymbol{a}}]),\\ &= s, \end{aligned}$$

as expected. □

A.3 Proof of Proposition 3

Proof. Let us consider the partitioned matrices

$$Var[\mathbf{z}] = \left[\begin{array}{c|c} Var[\mathbf{z}_{\boldsymbol{a}}] & Cov[\mathbf{z}_{\boldsymbol{a}}, \mathbf{z}_{\boldsymbol{m}}] \\ \hline Cov[\mathbf{z}_{\boldsymbol{m}}, \mathbf{z}_{\boldsymbol{a}}] & Var[\mathbf{z}_{\boldsymbol{m}}] \end{array}\right], \tag{16}$$

and

$$Var[\boldsymbol{\mu}] = \left[\begin{array}{c|c} Var[\boldsymbol{\mu_a}] & Cov[\boldsymbol{\mu_a}, \boldsymbol{\mu_m}] \\ \hline Cov[\boldsymbol{\mu_m}, \boldsymbol{\mu_a}] & Var[\boldsymbol{\mu_m}], \end{array}\right] \tag{17}$$

where $\cdot_{\boldsymbol{a}}$ and $\cdot_{\boldsymbol{m}}$ denote the subsets of active and mixed variables, respectively. We know from Definition 1 that each mixed variable $i \in 1, .., s$ is distributed according to mixture distributions such that

$$p(\mathbf{z}_i) = w_i p_{\boldsymbol{a}_i}(\mathbf{z}_i) + (1 - w_i) p_p(\mathbf{z}_i), \tag{18}$$

and

$$p(\boldsymbol{\mu}_i) = w_i p_{\boldsymbol{a}_i}(\boldsymbol{\mu}_i) + (1 - w_i) p_p(\boldsymbol{\mu}_i), \tag{19}$$

where $p_{\boldsymbol{a}_i}(\cdot)$ denotes the active distribution of the ith mixed variable and $p_p(\cdot)$ denotes the passive distribution common to all mixed variables. From Equation 18, we can calculate the mean $\bar{\mathbf{z}}_i$ of the mixed variable $\mathbf{z}_i$:

$$\begin{aligned} \bar{\mathbf{z}}_i &= w_i \bar{\mathbf{z}}_i^{(\boldsymbol{a})} + (1 - w_i) \bar{\mathbf{z}}_i^{(\boldsymbol{p})}, && (20) \\ &\approx w_i \bar{\mathbf{z}}_i^{(\boldsymbol{a})}, && (21) \end{aligned}$$

where $\cdot_i^{(\boldsymbol{a})}$ represents the mixed variable i for which the subset of inputs $(\boldsymbol{a})$ corresponds to the active subpopulation of the latent representations. Similarly, $\cdot_i^{(\boldsymbol{p})}$ correspond to the passive subpopulation of $\mathbf{z}_i$. We obtain the final result in Equation 21 by recalling from the polarised regime that $\mathbf{z}_i^{(\boldsymbol{p})}$ follow a standard Gaussian distribution, $\mathcal{N}(0, 1)$.
Now, let us calculate the variance of $\mathbf{z}_i$, $Var[\mathbf{z}_i]$:

$$\begin{aligned} Var[\mathbf{z}_i] &= \mathbb{E}\left[\mathbf{z}_i^2\right] - \mathbb{E}[\mathbf{z}_i]^2 && (22) \\ &= w_i \mathbb{E}\left[\mathbf{z}_i^{(\boldsymbol{a})^2}\right] + (1 - w_i)\mathbb{E}\left[\mathbf{z}_i^{(\boldsymbol{p})^2}\right] - \bar{\mathbf{z}}_i^2 && (23) \\ &= w_i \left(Var\left[\mathbf{z}_i^{(\boldsymbol{a})}\right]^2 + \bar{\mathbf{z}}_i^{(\boldsymbol{a})^2}\right) + \\ &\quad (1 - w_i)\left(Var\left[\mathbf{z}_i^{(\boldsymbol{p})}\right]^2 + \bar{\mathbf{z}}_i^{(\boldsymbol{p})^2}\right) - \bar{\mathbf{z}}_i^2, && (24) \\ &= w_i Var\left[\mathbf{z}_i^{(\boldsymbol{a})}\right]^2 + w_i \bar{\mathbf{z}}_i^{(\boldsymbol{a})^2} + Var\left[\mathbf{z}_i^{(\boldsymbol{p})}\right]^2 + \\ &\quad \bar{\mathbf{z}}_i^{(\boldsymbol{p})^2} - w_i Var\left[\mathbf{z}_i^{(\boldsymbol{p})}\right]^2 - w_i \bar{\mathbf{z}}_i^{(\boldsymbol{p})^2} - \bar{\mathbf{z}}_i^2, && (25) \\ &\approx w_i Var\left[\mathbf{z}_i^{(\boldsymbol{a})}\right]^2 + w_i \bar{\mathbf{z}}_i^{(\boldsymbol{a})^2} + 1 - w_i - w_i^2 \bar{\mathbf{z}}_i^{(\boldsymbol{a})^2}, && (26) \\ &= w_i Var\left[\mathbf{z}_i^{(\boldsymbol{a})}\right]^2 + w_i \bar{\mathbf{z}}_i^{(\boldsymbol{a})^2}(1 - w_i) + 1 - w_i, && (27) \\ &= \gamma_i + 1 - w_i, && (28) \end{aligned}$$

where $\gamma_i \triangleq w_i Var\left[\mathbf{z}_i^{(\boldsymbol{a})}\right]^2 + w_i \bar{\mathbf{z}}_i^{(\boldsymbol{a})^2}(1 - w_i)$.
From Equation 19, we can calculate the mean of $\boldsymbol{\mu}_i$ in the same way as in Equation 20:

$$\begin{aligned} \bar{\boldsymbol{\mu}}_i &= w_i \bar{\boldsymbol{\mu}}_i^{(\boldsymbol{a})} + (1 - w_i) \bar{\boldsymbol{\mu}}_i^{(\boldsymbol{p})}, && (29) \\ &\approx w_i \bar{\boldsymbol{\mu}}_i^{(\boldsymbol{a})}, && (30) \\ &\approx w_i \bar{\mathbf{z}}_i^{(\boldsymbol{a})}. && (31) \end{aligned}$$

As in Equation 22, the variance of $\boldsymbol{\mu}_i$ is:

$$\begin{aligned} Var[\boldsymbol{\mu}_i] &= w_i \left(Var\left[\boldsymbol{\mu}_i^{(\boldsymbol{a})}\right]^2 + \bar{\boldsymbol{\mu}}_i^{(\boldsymbol{a})^2} \right) + \\ &\quad (1-w_i)\left(Var\left[\boldsymbol{\mu}_i^{(\boldsymbol{p})}\right]^2 + \bar{\boldsymbol{\mu}}_i^{(\boldsymbol{p})^2} \right) - \bar{\boldsymbol{\mu}}_i^2, \end{aligned} \tag{32}$$

$$\approx w_i Var\left[\boldsymbol{\mu}_i^{(\boldsymbol{a})}\right]^2 + w_i \bar{\boldsymbol{\mu}}_i^{(\boldsymbol{a})^2} - \bar{\boldsymbol{\mu}}_i^2, \tag{33}$$

$$\approx w_i Var\left[\boldsymbol{\mu}_i^{(\boldsymbol{a})}\right]^2 + w_i \bar{\mathbf{z}}_i^{(\boldsymbol{a})^2} - w_i^2 \bar{\mathbf{z}}_i^{(\boldsymbol{a})^2}, \tag{34}$$

$$= w_i Var\left[\mathbf{z}_i^{(\boldsymbol{a})}\right]^2 + w_i \bar{\mathbf{z}}_i^{(\boldsymbol{a})^2}(1-w_i), \tag{35}$$

$$= \gamma_i. \tag{36}$$

Using Equation 28, we have

$$Tr(Var[\mathbf{z}]) = Tr(Var[\mathbf{z}_{\boldsymbol{a}}]) + Tr(Var[\mathbf{z}_{\boldsymbol{m}}]), \tag{37}$$

$$\approx Tr(Var[\mathbf{z}_{\boldsymbol{a}}]) + \sum_{i=1}^{s} (\gamma_i + 1 - w_i). \tag{38}$$

In the same way, from Equation 36 we obtain

$$Tr(Var[\boldsymbol{\mu}]) = Tr(Var[\boldsymbol{\mu}_{\boldsymbol{a}}]) + Tr(Var[\boldsymbol{\mu}_{\boldsymbol{m}}]), \tag{39}$$

$$\approx Tr(Var[\mathbf{z}_{\boldsymbol{a}}]) + \sum_{i=1}^{s} \gamma_i. \tag{40}$$

Thus, $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \approx \sum_{i=1}^{s}(1-w_i)$. Given that for all i, $0 < w_i < 1$, for the s mixed variables $0 < \sum_{i=1}^{s}(1-w_i) < s$, and $0 < Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) < s$, as required. □

A.4 Proof of Theorem 1

Proof. We know from Proposition 1 that if all the variables are active, $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \approx 0$. Once their maximum number n is reached, the next variable learned will be either passive or mixed. Recall from Proposition 2 that for $s = 1$ passive variables, $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \approx 1$. Moreover, using Proposition 3 with $s = 1$ mixed variables, $0 < Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) < 1$. As a result, if n is the maximum number of active variables, at $n+1$, $0 < Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \leqslant 1$, where the upper bound is tight when the $(n+1)^{th}$ variable is passive. □

A.5 Proof of Theorem 2

Proof. Here we consider the case where n is the maximum number of mixed and active variables that can be reached. Using Proposition 3 with $0 \leqslant s \leqslant n$, at n we have:

$$0 \leqslant Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) < n, \tag{41}$$

where the lower bound is tight when $s = 0$. As the $(n+1)^{th}$ variable will always be passive, using Proposition 2 with $s = 1$, we obtain

$$1 \leqslant Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) < n+1, \tag{42}$$

as expected. □

A.6 Proof of Theorem 3

This section provides the full proof of Theorem 3. To ease its reading, let us first recall from Theorems 1 and 2 that the mean and sampled representations start to diverge only after the number of latent dimensions has become large enough for non-active variables to appear.

Remark 1. *Given that l and u only take values of latent dimensions for which $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \leqslant t$ and $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) > t$, respectively, Theorems 1 and 2 imply that for all iterations i, $l_i < u_i$.*

Using the loop invariant $l_i \leqslant n_i \leqslant u_i$ for each iteration i, we will now show that Algorithm 1 terminates when $l_i = n_i = \text{floor}\left(\frac{l_i+u_i}{2}\right)$, which can only be reached when $u_i = n_i + 1$, that is when n_i is the maximum number of latent dimensions for which we have $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \leqslant t$.

Proof.

Initialisation: $l_0 = 0, n_0 = IDE_{data}, u_0 = \infty$, thus $l_0 < n_0 < u_0$.

Maintenance: We will consider both branches of the if statement separately:

- For $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \leqslant t$ (lines 9-11), $u_i = u_{i-1}$, $n_i = min(n_{i-1} \times 2, u_i)$, and $l_i = n_{i-1}$. We directly see that $n_i \leqslant u_i$. We know from Remark 1 that $l_i < u_i$ and we also have $l_i < n_{i-1} \times 2$, it follows that $l_i < n_i$. Grouping both inequalities, we get $l_i < n_i \leqslant u_i$.
- For $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) > t$ (lines 12-14), $u_i = p_{i-1}, l_i = l_{i-1}$, and $n_i = \text{floor}\left(\frac{l_i+u_i}{2}\right)$. Using Remark 1 we can directly see that $l_i \leqslant \text{floor}\left(\frac{l_i+u_i}{2}\right) < u_i$ and we obtain $l_i \leqslant n_i < u_i$.

Termination: The loop terminates when $l_i = n_i$. Given that $l_i < n_i$ when $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \leqslant t$, this is only possible when $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) > t$, which is when $n_i = \text{floor}\left(\frac{l_i+u_i}{2}\right)$. We know from Remark 1 that $l_i < u_i$, so we must have $(l_i + u_i) \bmod 2 > 0$. As $a \bmod 2 \in \{0, 1\}$, the only possible value for u_i to satisfy $l_i = n_i = \text{floor}\left(\frac{l_i+u_i}{2}\right)$ is $u_i = n_i + 1$. Thus, n_i is the largest number of latent dimensions for which $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}]) \leqslant t$. □

B Resources

As mentioned in Sections 1 and 4, we released the code of our experiment, a demo of FONDUE and the pre-trained models:

- The demonstration of FONDUE is available at `https://anonymous.4open.science/r/fondue-demo-CD5A`
- `symsol_reduced`, the reduced version of Symmetric solids, can be downloaded using an anonymous Google account using the following tiny URL `https://t.ly/G7Qp`
- The code can be found in supplemental work
- Our pre-trained models are large and could not be shared with the reviewers using an anonymous link. The URL to the models will, however, be available in the non-anonymised version of this paper.

The 300 models correspond to 5 runs of VAEs trained with:

- 8 choices of latent dimensions for Symsol and dSprites, using convolutional and fully-connected architectures, resulting in 160 models
- 14 choices of latent dimensions for Celeba, using convolutional and fully-connected architectures, resulting in 140 models

The total 300 pre-trained models were then used to compute estimate IDs as described below. Note that while these models would save some computational time if used to reproduce the experiment, they are only provided to reduce the carbon footprint of reproducing the experiment as one could easily retrain the models using the details of our implementation.

C Experimental setup

Our implementation uses the same hyperparameters as Locatello et al. (2019b), as listed in Table 2. We reimplemented the Locatello et al. (2019b) code base, designed for Tensorflow 1, in Tensorflow 2 using Keras. The model architectures used are also similar, as described in Table 3 and 4. We used the convolutional architecture in the main paper and the fully-connected architecture in Appendix D. Each model is trained 5 times with seed values from 0 to 4. Every image input is normalised to have pixel values between 0 and 1. TwoNN is used with an anchor of 0.9, and the hyperparameters for MLE can be found in Table 5. More details about these two ID estimators can be found in Section 2.1 and Appendix E.

Table 2: VAEs hyperparameters

Parameter	Value
Batch size	64
Latent space dimension	3, 6, 8, 10, 12, 18, 24, 32. For Celeba only: 42, 52, 62, 100, 150, 200
Optimizer	Adam
Adam: β_1	0.9
Adam: β_2	0.999
Adam: ϵ	1e-8
Adam: learning rate	0.0001
Reconstruction loss	Bernoulli
Training steps	300,000
Train/test split	90/10
β	1

Table 3: Architecture

Encoder	Decoder
Input: $\mathbb{R}^{64\times63\times channels}$	$\mathbb{R}^{10}$
Conv, kernel=4×4, filters=32, activation=ReLU, strides=2	FC, output shape=256, activation=ReLU
Conv, kernel=4×4, filters=32, activation=ReLU, strides=2	FC, output shape=4x4x64, activation=ReLU
Conv, kernel=4×4, filters=64, activation=ReLU, strides=2	Deconv, kernel=4×4, filters=64, activation=ReLU, strides=2
Conv, kernel=4×4, filters=64, activation=ReLU, strides=2	Deconv, kernel=4×4, filters=32, activation=ReLU, strides=2
FC, output shape=256, activation=ReLU, strides=2	Deconv, kernel=4×4, filters=32, activation=ReLU, strides=2
FC, output shape=2x10	Deconv, kernel=4×4, filters=channels, activation=ReLU, strides=2

Table 4: Fully-connected architecture

Encoder	Decoder
Input: $\mathbb{R}^{64\times63\times channels}$	$\mathbb{R}^{10}$
FC, output shape=1200, activation=ReLU	FC, output shape=256, activation=tanh
FC, output shape=1200, activation=ReLU	FC, output shape=1200, activation=tanh
FC, output shape=2x10	FC, output shape=1200, activation=tanh

Table 5: MLE hyperparameters

Parameter	Value
k	3, 5, 10, 20
anchor	0.8
seed	0
runs	5

Table 6: Number of latent variables n obtained with FONDUE and FONDUE$_{IB}$ for **fully-connected VAEs**. The results are averaged over 10 seeds, and computation times are reported for NVIDIA A100 GPUs. The computation time is given for one run of the algorithm over the minimum number of epochs needed to obtain a stable score.

	Dataset	n (avg ± SD)	Time/run	Models trained	Epochs/training
FONDUE	Symsol	7.6 ± 0.7	9 min	5	3
FONDUE	dSprites	5.2 ± 0.6	16 min	5	1
FONDUE	Celeba	22.0 ± 0.	23 min	6	4
FONDUE$_{IB}$	Symsol	11 ± 0.5	14 min	6	4
FONDUE$_{IB}$	dSprites	12.3 ± 0.5	28 min	5	2
FONDUE$_{IB}$	Celeba	16.4 ± 0.7	5 min	5	1

D FONDUE on fully-connected architectures

We report the results obtained by FONDUE for fully-connected (FC) architectures in Table 6 and Figure 7. As shown in Table 6, the execution time for estimating the number of dimensions for one dataset is much shorter than for training one model (this is approximately 2h on the same GPUs), consistently with convolutional VAEs. As in Section 5.2, FONDUE correctly finds the number of latent dimensions that would be selected by elbow methods, as shown in Figure 7. FONDUE$_{IB}$ predictions are more consistent with those of FONDUE for FC architectures, except for dSprites where the number of dimensions is largely overestimated.

As in Section 5.2, we gradually increase the number of epochs until FONDUE reaches a stable estimation of the latent dimensions. As these models have fewer parameters than the convolutional architecture used in Section 5.2, they converge more slowly and need to be trained for more epochs on Celeba and Symsol before reaching a stable estimation (Arora et al., 2018; Sankararaman et al., 2020). As before, FONDUE$_{IB}$ generally requires more epochs than FONDUE to converge, except for Celeba.

Overall, we can see that FONDUE also provides good results on the FC architectures, despite a slower convergence, showing robustness to architectural changes.

E Additional details on ID estimation

In this section, we will detail two ID estimation techniques which use the statistical properties of the neighbourhood of each data point to estimate d, and provide good results for approximating the ID of deep neural network representations and deep learning datasets (Ansuini et al., 2019; Gong et al., 2019; Pope et al., 2021).

E.1 Maximum Likelihood Estimation

Levina & Bickel (2004) modelled the neighbourhood of a given point $\boldsymbol{X}_i$ as a Poisson process in a d-dimensional sphere $S_{\boldsymbol{X}_i}(R)$ of radius R around $\boldsymbol{X}_i$. This Poisson process is denoted $\{N(t, \boldsymbol{X}_i), 0 \leqslant t \leqslant R\}$, where $N(t, \boldsymbol{X}_i)$ is a random variable representing the number of neighbours of $\boldsymbol{X}_i$ within a radius t, and is



(a) Symsol (b) dSprites (c) Celeba

Figure 7: Reconstruction loss and accuracy obtained for generation and downstream tasks of **fully-connected VAEs** for test data from Symsol, dSprites, and Celeba with an increasing number of latent variables. The plain and dashed vertical lines indicate the number of dimensions found by FONDUE and FONDUE$_{IB}$.

distributed according to a Poisson distribution[2]. This Poisson process, $\{N(t, \boldsymbol{X}_i), 0 \leqslant t \leqslant R\}$, will count the total number of points falling into the successive d-dimensional spheres of radius $0 \leqslant t \leqslant R$.

Intuitively, when $d = 3$ this can be thought of as an onion to which we add an outer peel for each increasing radius value t, until we reach the maximum radius R. Thus, each $N(t, \boldsymbol{X}_i)$ will give us a snapshot of the number of points contained in all the peels stacked so far in the onion of radius t. As $N(t, \boldsymbol{X}_i)$ is a function of the surface area of the sphere, its rate is a function of d and one can estimate d using MLE. However, we generally cannot access all the existing neighbours of $\boldsymbol{X}_i$ in a given radius without infinite data, so we approximate the process using a fixed number of neighbours.

More formally, each point $\boldsymbol{X}_j \in S_{\boldsymbol{X}_i}(R)$ is thus considered as an event, its arrival time $t = T(\boldsymbol{X}_i, \boldsymbol{X}_j)$ being the Euclidean distance from $\boldsymbol{X}_i$ to its jth neighbour $\boldsymbol{X}_j$. By expressing the rate $\lambda(t, \boldsymbol{X}_i)$ of the process $N(t, \boldsymbol{X}_i)$ as a function of the surface area of the sphere—and thus relating $\lambda(t, \boldsymbol{X}_i)$ to d—they obtain a maximum likelihood estimation (MLE) of the ID d:

$$\bar{d}_R(\boldsymbol{X}_i) = \left[\frac{1}{N(R, \boldsymbol{X}_i)} \sum_{j=1}^{N(R, \boldsymbol{X}_i)} \log \frac{R}{T(\boldsymbol{X}_i, \boldsymbol{X}_j)} \right]^{-1}. \tag{43}$$

Equation 43 is then simplified by fixing the number of neighbours, k, instead of the radius R of the sphere, such that

$$\bar{d}_k(\boldsymbol{X}_i) = \left[\frac{1}{k-1} \sum_{j=1}^{k-1} \log \frac{T(\boldsymbol{X}_i, \boldsymbol{X}_k)}{T(\boldsymbol{X}_i, \boldsymbol{X}_j)} \right]^{-1}, \tag{44}$$

where the last summand is omitted, as it is zero for $j = k$. The final IDE $\bar{d}_k$ is the averaged score over n data examples (Levina & Bickel, 2004)

$$\bar{d}_k = \frac{1}{n} \sum_{i=1}^{n} \bar{d}_k(\boldsymbol{X}_i). \tag{45}$$

To obtain an accurate estimation of the ID with MLE, it is very important to choose a sufficient number of neighbours k to form a dense small sphere (Levina & Bickel, 2004). On one hand, if k is too small, MLE will generally underestimate the ID, and suffer from high variance (Levina & Bickel, 2004; Campadelli et al., 2015; Pope et al., 2021). On the other hand, if k is too large, the ID will be overestimated (Levina & Bickel, 2004; Pope et al., 2021).

[2]Note that this does not imply any distributional assumption about the dataset

A worked example Now, let us consider the point $\boldsymbol{X}_i = (0,0,0)$ and 3 closest neighbours $\boldsymbol{Y} = \{(0,1,0)(1,0,0),(2,0,0)\}$. We have $N(t=1,X_i)=2$ and $N(t=2,X_i)=3$ because $\boldsymbol{Y}_1,\boldsymbol{Y}_2$ are within a radius $t=1$ of $\boldsymbol{X}_i$, and all $\boldsymbol{Y}_j$ are within a radius $t=2$.

Using the distances between $\boldsymbol{X}_i$ and its neighbours, $T(\boldsymbol{X}_i,\boldsymbol{Y}_j)$, the dimensionality can be estimated by Equation 44 as follows

$$\begin{aligned}\bar{d}_3(\boldsymbol{X}_i) &= \left[\frac{1}{2}\sum_{j=1}^{2}\log\frac{T(\boldsymbol{X}_i,\boldsymbol{Y}_3)}{T(\boldsymbol{X}_i,\boldsymbol{Y}_j)}\right]^{-1}, \\ &= \left[\frac{1}{2}\sum_{j=1}^{2}\log\frac{2}{T(\boldsymbol{X}_i,\boldsymbol{Y}_j)}\right]^{-1}, \\ &= [\log 2]^{-1}, \\ &\approx 3.3,\end{aligned} \tag{46}$$

which is reasonably close to the true data ID.

To make sure that the estimate is stable, we repeat this estimation over multiple data points and average the results as per Equation 45.

E.2 TwoNN

Facco et al. (2017) proposed an estimation of the ID based on the ratio of the two nearest neighbours of $\boldsymbol{X}_i$, $r_{\boldsymbol{X}_i} = \frac{T(\boldsymbol{X}_i,\boldsymbol{X}_l)}{T(\boldsymbol{X}_i,\boldsymbol{X}_j)}$, where $\boldsymbol{X}_j$ and $\boldsymbol{X}_l$ are the first and second closest neighbours of $\boldsymbol{X}_i$, respectively. r follows a Pareto distribution with scale $s=1$ and shape d, and its density function $f(r)$ is

$$f(r) = \frac{ds^d}{r^{d+1}} = dr^{-(d+1)}. \tag{47}$$

Its cumulative distribution function is thus

$$F(r) = 1 - \frac{s^d}{r^d} = 1 - r^{-d}, \tag{48}$$

and, using Equation 48, one can readily obtain $d = \frac{-\log(1-F(r))}{\log r}$. From this, we can see that d is the slope of the straight line passing through the origin, which is given by the set of coordinates $\mathbb{S} = \{(\log r_{\boldsymbol{X}_i}, -\log(1-F(r_{\boldsymbol{X}_i}))\,) \mid i = 1,\cdots,m\}$, and can be recovered by linear regression.

As TwoNN uses only two neighbours, it can be sensitive to outliers (Facco et al., 2017) and do not perform well on high ID (Pope et al., 2021), overestimating the ID in both cases.

E.3 Ensuring an accurate analysis

Given the limitations previously mentioned, we take two remedial actions to guarantee that our analysis is as accurate as possible. To provide an IDE which is as accurate as possible with MLE, we will measure the MLE with an increasing number of neighbours and, similar to Karbauskaitė et al. (2011), retain the IDE which is stable for the largest number of k values. TwoNN will be used as a complementary metric to validate our choice of k for MLE. In case of significant discrepancies with a significantly higher TwoNN IDE, we will rely on the results provided by MLE.

F FONDUE based on intrisic dimension estimation

In this section, we are interested in replacing $Tr(Var[\mathbf{z}]) - Tr(Var[\boldsymbol{\mu}])$ by $IDE_{\mathbf{z}} - IDE_{\boldsymbol{\mu}}$ in Algorithm 1. While we will not provide a formal proof of the relationship between the polarised regime and ID estimation, we will show that ID estimation match the constraints discussed in Section 3.2 as it is 1) sensitive to the

different types of variables in mean and sampled representations 2) stable early during the training. We generally obtain similar results as in Section 5, and any discrepancies may be attributed to the choice of t value as, in opposition to Section 3.2, we lack a principled way of choosing it.

F.1 IDEs of the mean and sampled representations of VAEs

Mean and sampled representations have different IDEs Looking into the IDEs of mean and sampled representations in Figure 8, we see a clear pattern emerges: when increasing the number of latent variables, the IDEs remain similar up to a point, then abruptly diverge. As discussed in Section 2.4, once a VAE has enough latent variables to encode the information needed by the decoder, the remaining variables will become passive to minimise the KL divergence in Equation 2. This phenomenon will naturally occur when we increase the number of latent variables. We can thus hypothesise that the difference between the mean and sampled IDEs grows with the number of mixed and passive variables. This is verified by computing the number of active, mixed, and passive variables using the method of Bonheme & Grzes (2021), as shown in Figure 9.



(a) Symsol (b) dSprites (c) Celeba

Figure 8: IDE of the mean and sampled representations of VAEs trained with an increasing number of latent dimensions n. (a), (b), and (c) shows the results on Symsol, dSprites, and Celeba, respectively.



(a) Symsol (b) dSprites (c) Celeba

Figure 9: Quantity of active, mixed, and passive variables of VAEs trained with an increasing number of latent dimensions n. (a), (b), and (c) show the results on Symsol, dSprites, and Celeba.

The IDEs of the model's representations do not change much after the first epoch The IDEs of the different layers do not change much after the first epoch for well-performing models (see Figure 10). However, for Celeba, whose number of latent dimensions is lower than the data IDE and thus cannot reconstruct the data well, the IDEs tend to change more in the early layers of the encoder, displaying a higher variance.



Figure 10: The evolution over multiple epochs of the IDE of the representations learned by VAEs using 10 latent variables on Symsol, dSprites, and Celeba.

F.2 FONDUE with IDE

As discussed above, the IDEs of the mean and sampled representations start to diverge when (unused) passive variables appear, and this is already visible after the first epochs of training. The difference of IDEs between the mean and sampled representations thus meet the two criteria for extension listed in Section 3.2 and can be used as a new flavour of FONDUE, FONDUE$_{IDE}$. As for FONDUE$_{IB}$, we simply replace the difference between traces by the difference between IDEs as shown in Algorithms 5 and 6.

Algorithm 5 FONDUE$_{IDE}$

procedure FONDUE$_{IDE}(t, IDE_{data}, e)$
  $l \leftarrow 0$
  $u \leftarrow \infty$
  $n \leftarrow IDE_{data}$
  $m \leftarrow \{\}$
  while $n \neq l$ **do**
    $IDE_z, IDE_\mu \leftarrow$ GET-MEM(m, n, e)
    if $IDE_z - IDE_\mu) \leqslant t$ **then**
      $l \leftarrow n$
      $n \leftarrow \min(n \times 2, u)$
    else
      $u \leftarrow n$
      $n \leftarrow \text{floor}\left(\frac{l+u}{2}\right)$
    end if
  end while
  return n
end procedure

Algorithm 6 GET-MEM$_{IDE}$

procedure GET-MEM(m, n, e)
  if $m[n] = \emptyset$ **then**
    $vae \leftarrow$ TRAIN-VAE$(dim = n, n_epochs = e)$
    $IDE_z, IDE_\mu \leftarrow IDEs(vae)$
    $m[n] \leftarrow IDE_z, IDE_\mu$
  end if
  return $m[n]$
end procedure

How to select a suitable value of t? As we do not have a theoretical relationship between IDE and the polarised regime, it is more complicated to provide a principled way to select the threshold of FONDUE$_{IDE}$. While t was set to a fixed value of 1 as in Section 4, one could wonder if this would be a good fit for their particular use case. By looking at Figures 8 and 9, one can see that the difference between the IDEs of the

Table 7: Number of latent variables n obtained with FONDUE and FONDUE$_{IDE}$. The results are averaged over 10 seeds, and computation times are reported for NVIDIA A100 GPUs. The computation time is given for one run of the algorithm over the minimum number of epochs needed to obtain a stable score.

	Dataset	n (avg $\pm$ SD)	Time/run	Models trained	Epochs/training
FONDUE	Symsol	19.1 $\pm$ 0.7	6 min	8	1
FONDUE	dSprites	10.9 $\pm$ 0.7	42 min	4	2
FONDUE	Celeba	32.6 $\pm$ 0.7	17 min	6	2
FONDUE$_{IDE}$	Symsol	12.6 $\pm$ 0.5	10 min	6	2
FONDUE$_{IDE}$	dSprites	10.1 $\pm$ 0.7	42 min	4	2
FONDUE$_{IDE}$	Celeba	34.7 $\pm$ 1.0	32 min	6	4



(a) Symsol (b) dSprites (c) Celeba

Figure 11: Reconstruction loss and accuracy obtained for generation and downstream tasks of **VAEs** for Symsol, dSprites, and Celeba with an increasing number of latent variables. The plain and dashed vertical lines indicate the number of dimensions found by FONDUE and FONDUE$_{IDE}$.

mean and sampled representations is generally close to the number of additional mixed and passive variables. Thus, t represents this number of "extra variables" (mixed and passive) that we want to allow the model to use, indicating that the threshold obtained for FONDUE is readily applicable to FONDUE$_{IDE}$.

Obtaining stable estimates As in Section 5, to ensure stable estimates, we computed FONDUE multiple times, gradually increasing the number of epochs e until the predicted p stopped changing. As reported in Table 7, the results were generally stable after two epochs, except for Celeba which needed four.

Analysing the results of FONDUE As shown in Table 7, the execution time of FONDUE$_{IDE}$ for finding the number of dimensions for one dataset is much shorter than for fully training one model (approximately 2h using the same GPUs) but generally longer than the original FONDUE algorithm. Moreover, one can see in Figure 11 that the number of latent dimensions predicted by FONDUE and FONDUE$_{IDE}$ are very close for dSprites and Celeba. FONDUE$_{IDE}$ also performs better on Symsol with a number of dimensions closer to what would be chosen with the elbow method. We hypothesise that FONDUE$_{IDE}$ may cope better with more noisy setups where multiple runs of a VAE reach very different reconstruction loss. It could thus be interesting to investigate ID estimation through the lens of the polarised regime to provide a more robust alternative to FONDUE with theoretical guarantees.

G Additional results

This section provides additional observations of the IDEs of VAEs which are complementary to Appendix F but not necessary for understanding FONDUE$_{IDE}$.

What happens in the case of posterior collapse? By using a β-VAE with very large β (e.g., $\beta = 20$), one can induce posterior collapse, where a majority of the latent variables become passive and prevent



(a) Symsol



(b) dSprites



(c) Celeba



(d) β-VAE trained on dSprites with 10 latent variables and $\beta = 20$.

Figure 12: IDEs of VAEs trained with an increasing number of latent dimensions n. (a), (b), and (c) show the results on Symsol, dSprites, and Celeba, respectively. (d) shows the results of β-VAEs trained on dSprites with 10 latent variables and $\beta = 20$ to cause posterior collapse.

the decoder from accessing sufficient information about the input to provide a good reconstruction. This phenomenon is illustrated in Figure 12d, where the IDEs of the encoder representations are similar to what one would obtain for a well performing model in the first 5 layers, indicating that these early layers of the encoder still encode some useful information about the data. The IDEs then drop in the last three layers of the encoder, indicating that most variables are passive, and only a very small amount of information is retained. The IDE of the sampled representation (see *sampled* in Figure 12d) is then artificially inflated by the passive variables and becomes very close to the number of dimensions n. From this, the decoder is unable to learn much and has thus a low IDE, close to the IDE of the mean representation (see the points on the RHS of Figure 12d).

The IDEs of the encoder representations decrease, but the IDEs of the decoder representations stay constant We can see in Figure 12 that the IDE of the representations learned by the encoder decreases until we reach the mean and variance layers, which is consistent with the observations reported for classification (Ansuini et al., 2019). Interestingly, for dSprites and Symsol, when the number of latent variables is at least equal to the IDE of the data, the IDE of the mean and variance representations is very close to the true data ID. After a local increase of the IDE in the sampled representations, the IDE of the decoder representations stays close to the IDE of the mean representations and does not change much between layers.