

Beyond Distribution Shift: Shortcut Learning Through the Lens of Training Dynamics

Anonymous authors

Paper under double-blind review

Abstract

Deep Neural Networks (DNNs) are prone to learning *shortcut* patterns that damage the generalization of the DNN during deployment. This paper aims to better understand shortcut learning through the lens of the learning dynamics of the internal neurons during the training process. We make the following observations: (1) While previous works treat shortcuts as synonymous with spurious correlations, we emphasize that not all spurious correlations are shortcuts. We show that shortcuts are only those spurious features that are “easier” than the core features. (2) We build upon this premise and use *instance difficulty* methods (like Prediction Depth (Baldock et al., 2021)) to quantify “easy” and to identify this behavior during the training phase. (3) We empirically show that shortcut learning can be detected by observing the learning dynamics of the DNN’s *early layers*. In other words, easy features learned by the initial layers of a DNN early during the training are potential shortcuts. We verify our claims on medical and vision datasets, both simulated and real, and justify the empirical success of our hypothesis by showing the theoretical connections between Prediction Depth and information-theoretic concepts like \mathcal{V} -usable information (Ethayarajh et al., 2021). Lastly, our experiments show the insufficiency of monitoring only accuracy plots during training (as is common in machine learning pipelines). We highlight the need for monitoring early training dynamics using example difficulty metrics.

1 Introduction

Shortcuts are spurious features that perform well on standard benchmarks but fail to generalize to real-world settings (Geirhos et al., 2020). Deep neural networks (DNNs) tend to rely on shortcuts even in the presence of *core* features that generalize well, which poses serious problems when deploying them in safety-critical applications such as finance, healthcare, and autonomous driving (Geirhos et al., 2020; Oakden-Rayner et al., 2020; DeGrave et al., 2021). Previous works view shortcut learning as a distribution shift problem (Kirichenko et al., 2022; Wiles et al., 2021; Bellamy et al., 2022; Adnan et al., 2022). However, we show that not all spurious correlations are shortcuts. Models suffer from shortcut learning only when the spurious features are much easier to learn than signals that generalize well. We show how monitoring example difficulty metrics like Prediction Depth (PD) (Baldock et al., 2021) can reveal valuable insights into shortcut learning quite early during the training process. Early detection of shortcut learning is helpful as it can help develop intervention schemes to fix the shortcut early. To the best of our knowledge, we are the first to detect shortcut learning by monitoring the training dynamics of the model.

Geirhos et al. (2020) define shortcuts as spurious correlations that exist in standard benchmarks but fail to hold in more challenging test conditions, like real-world settings. The emphasis on shortcuts being synonymous with spurious correlations has led to the widespread adoption of viewing shortcut learning as a distribution shift problem (Bellamy et al., 2022; Wiles et al., 2021; Adnan et al., 2022; Kirichenko et al., 2022). While the distribution shift explains part of the story, we emphasize that what is equally important for shortcut learning is the difficulty of the spurious features themselves (see Fig-1). Previous works like Shah et al. (2020); Scimeca et al. (2021) hint at this. But we take this line of thought further by viewing shortcut learning as a phenomenon that impacts the dataset difficulty, which can be captured by monitoring early training dynamics.




Figure 1: An illustration of how the causal view of shortcut learning is insufficient. In the causal view, training and testing are different graphical models between input (x), output (y), and the spurious feature (s). If x can predict s , and y is not causally related to s on the test data, then s is viewed as a shortcut. (A) The figure shows two scenarios for even-odd classification. Scenario 1 shows a dataset where all even numbers have a spurious composite number (located at the top-left), and odd numbers have a prime number. Scenario 2 shows a dataset where all odd numbers have a spurious white patch. The spurious white patch is an easy feature, so the model uses it as a shortcut. Whereas classifying prime numbers, as shown in scenario 1, is challenging. So the model ignores such spurious features. This shows not all spurious correlations are shortcuts.

The premises that support our hypothesis are as follows: **(P1)** Shortcuts are only those spurious features that are “easier” to learn than the core features (see Fig-1). **(P2)** Initial layers of a DNN tend to learn easy features, whereas the later layers tend to learn the harder ones (Zeiler & Fergus, 2014; Baldock et al., 2021). **(P3)** Easy features are learned much earlier than the harder ones during training (Mangalam & Prabhu, 2019; Rahaman et al., 2019). Premises **(P1-3)** lead us to conjecture that: “Easy features learned by the initial layers of a DNN early during the training are potential shortcuts.”

We make the following observations. First, when the spurious features are *known*, the paper sheds light on when and if we should be concerned about learning shortcuts. We show that a mismatch in the joint distribution of the input, spurious feature, and label between test and training data is insufficient to explain the shortcut learning phenomenon. It also depends on the model’s architecture and training dynamics (section-4.1). Second, when the spurious feature is *unknown* a priori, but a human user has an intuition about the difficulty of the task in comparison to some reference tasks, the proposed metric can be used to detect shortcut learning patterns during training (figure-4). Third, we empirically show that our hypothesis works well on medical and vision datasets (sections-4.2,A.3), both simulated and real, regardless of the DNN architecture used. We justify this empirical success by theoretically connecting prediction depth with information-theoretic concepts like \mathcal{V} -usable information (Ethayarajh et al., 2021) (sections-3,A.1). Lastly, our experiments highlight that monitoring only accuracy during training, as is common in machine learning pipelines, is insufficient. In addition, we need to monitor the learning dynamics of the model using suitable instance difficulty metrics to detect shortcut learning (section-4.3). This could save time and computational costs and help develop reliable models that do not rely on spurious features.

2 Related Work

Not all spurious correlations are shortcuts: Geirhos et al. (2020) define shortcuts as spurious correlations that exist in standard benchmarks but fail to hold in more challenging test conditions. Wiles et al. (2021) view shortcut learning as a distribution shift problem where two or more attributes are correlated

during training but are independent in the test data. Bellamy et al. (2022) use causal diagrams to explain shortcuts as spurious correlations that hold during training but not during deployment. All these papers characterize shortcuts purely as a consequence of distribution shift; methods exist to build models robust to such shifts (Arjovsky et al., 2019; Krueger et al., 2021; Puli et al., 2022). In contrast, we stress that not all spurious correlations are shortcuts. Rather only those spurious features that are easier than the core features are potential shortcuts (see Fig-1). Previous works like Shah et al. (2020); Scimeca et al. (2021) hint at this by saying that DNNs are biased towards simple solutions, and Dagaev et al. (2021) use the “too-good-to-be-true” prior to emphasize that simple solutions are unlikely to be valid across contexts. Veitch et al. (2021) distinguish various model features using tools from causality and stress test the models for counterfactual invariance. Other works in natural language inference, visual question answering, and action recognition, also assume that simple solutions could be potential shortcuts (Sanh et al., 2020; Li & Vasconcelos, 2019; Clark et al., 2019; Cadene et al., 2019; He et al., 2019). We take this line of thought further by viewing shortcuts as simple solutions or, more explicitly, easy features, which affect the early training dynamics of the model. We suggest using suitable example difficulty metrics to measure this effect.

Estimating Example Difficulty: There are different metrics in the literature for measuring instance-specific difficulty (Agarwal et al., 2022; Hooker et al., 2019; Lalor et al., 2018). Jiang et al. (2020) train many models on data subsets of varying sizes to estimate a consistency score that captures the probability of predicting the true label for a particular example. Toneva et al. (2018) define example difficulty as the minimum number of iterations needed for a particular example to be predicted correctly in all subsequent iterations. Agarwal et al. (2022) propose a VoG (variance-of-gradients) score which captures example difficulty by averaging the pre-softmax activation gradients across training checkpoints and image pixels. Feldman & Zhang (2020) use a statistical viewpoint of measuring example difficulty and develop influence functions to estimate the actual leave-one-out influences for various examples. Ethayarajh et al. (2021) use an information-theoretic approach to propose a metric called pointwise \mathcal{V} -usable information (PVI) to compute example difficulty. Baldock et al. (2021) define prediction depth (PD) as the minimum number of layers required by the DNN to classify a given input and use this to compute instance difficulty. In our experiments, we use the PD metric to provide a proof of concept for our hypothesis.

Monitoring Training Dynamics: Other works that monitor training dynamics have a significantly different goal than ours. While we monitor training dynamics to detect shortcut learning, Rabanser et al. (2022) use neural network training dynamics for selective classification. They use the disagreement between the ground truth label and the intermediate model predictions to reject examples and obtain a favorable accuracy/coverage trade-off. Feng & Tu (2021) use a statistical physics-based approach to study the training dynamics of stochastic gradient descent (SGD). While they study the effect of mislabeled data on SGD training dynamics, we study the effect of shortcut learning on the early-time learning dynamics of DNNs. Hu et al. (2020) use the early training dynamics of neural networks to show that a simple linear model can often mimic the learning of a two-layer fully connected neural network. Adnan et al. (2022) have a similar goal as ours and use mutual information to monitor shortcut learning. However, computing mutual information is intractable for high-dimensional data, and hence their work is only limited to infinite-width neural networks that offer tractable bounds for this computation. Our work, on the contrary, is more general and holds for different neural network architectures and datasets.

3 Background and Methodology

In this section, we formalize the notion of spurious features, shortcuts, and task difficulty. Let P_{tr} and P_{te} be the training and test distributions defined over the random variables \mathbf{X} (input), \mathbf{y} (label), and \mathbf{s} (*latent* spurious feature).

Definition-1 (Spurious Feature \mathbf{s}): A latent feature \mathbf{s} is called spurious if it is correlated with label \mathbf{y} in the training data but not in the test data. Specifically, the joint probability distributions P_{tr} and P_{te} can be factorized as follows.

$$P_{tr}(\mathbf{X}, \mathbf{y}, \mathbf{s}) = P_{tr}(\mathbf{X}|\mathbf{s}, \mathbf{y})P_{tr}(\mathbf{s}|\mathbf{y})P_{tr}(\mathbf{y})$$

$$P_{te}(\mathbf{X}, \mathbf{y}, \mathbf{s}) = P_{tr}(\mathbf{X}|\mathbf{s}, \mathbf{y})P_{te}(\mathbf{s})P_{tr}(\mathbf{y}).$$

The variable \mathbf{s} appears to be causally related to \mathbf{y} but is not. This is shown in Fig-1. We also need a notion of task difficulty. The difficulty of a task depends on the model and data distribution (\mathbf{X}, \mathbf{y}) .

Definition-2 (Task Difficulty Ψ): Let $\Psi_{\mathcal{M}}^P(\mathbf{X} \rightarrow \mathbf{y})$ indicates the difficulty of predicting $\mathbf{X} \rightarrow \mathbf{y}$ for a model \mathcal{M} , where $\mathbf{X}, \mathbf{y} \sim P$. Consider a joint distribution $(\mathbf{X}, \mathbf{y}, \mathbf{t}) \sim P$ for two tasks, \mathbf{t} , and \mathbf{y} . Then, $\Psi_{\mathcal{M}}^P(\mathbf{X} \rightarrow \mathbf{y}) > \Psi_{\mathcal{M}}^P(\mathbf{X} \rightarrow \mathbf{t})$ indicates that the task $\mathbf{X} \rightarrow \mathbf{y}$ is harder than $\mathbf{X} \rightarrow \mathbf{t}$ for a given model \mathcal{M} .

Definition-3 (Shortcut): The spurious feature \mathbf{s} is a potential shortcut for model \mathcal{M} iff $\Psi_{\mathcal{M}}^{P_{tr}}(\mathbf{X} \rightarrow \mathbf{y}) > \Psi_{\mathcal{M}}^{P_{tr}}(\mathbf{X} \rightarrow \mathbf{s})$. In other words, given the input \mathbf{X} , predicting spurious feature \mathbf{s} is easier for \mathcal{M} than predicting the true label \mathbf{y} .

The definitions make it clear that “shortcut” is not just related to the dataset alone but is also closely tied to the model and the task. What is a shortcut for one model may not be so for another. E.g., consider input $X = \{x_1, x_2, \dots, x_n\}$ that can be viewed as both a vector or a set. Consider two models, f_1 , which is a permutation-invariant function (like Deep Sets (Zaheer et al., 2017)), and f_2 is a coordinate-sensitive function (e.g., MLP). If the spurious feature is always in x_1 , it can be a shortcut for f_2 , but may not be so for f_1 because f_1 is coordinate agnostic. In fact one can show (Zaheer et al., 2017) that $f_1 = \rho(\sum_i \phi(x_i))$ for suitable transformations ϕ and ρ .

We now explain two metrics (Prediction Depth and \mathcal{V} -Usable Information) to measure $\Psi_{\mathcal{M}}^P$. Baldock et al. (2021) proposed the notion of Prediction Depth (PD) to estimate example difficulty. The PD of input is defined as the minimum number of layers required by the model to classify the input. Our work relies on monitoring early training dynamics using example difficulty metrics, and we use PD estimation for this purpose. The PD metric is also well-suited for our work as it is defined for easy inputs even when the DNN is not fully trained. We use a binary classification setting to explain the concepts used in this section.

Notion of Prediction Depth: The PD is defined by building k -NN classifiers on the embedding layers of the model. The PD is simply the earliest layer after which all subsequent k -NN predictions remain the same (0 or 1):

$$\text{PD} = \min \arg \max_n \left[\prod_{i=n}^N f_{knn}(\phi^i) + \prod_{i=n}^N (1 - f_{knn}(\phi^i)) \right],$$

f_{knn} is a k -NN classifier that outputs 0 or 1 based on a given threshold (see Appendix-A.6 for details), ϕ^i is the feature embedding for the given input at layer- i , and N is the index of the final layer of the model. The lower the PD of input, the easier it is to classify. We also use the notion of undefined PD to work with models that are not fully trained. We treat k -NN predictions close to 0.5 (for a binary classification setting) as invalid. If the k -NN predictions for the last three layers (for a given input to the model) are invalid, we treat the PD of the input as undefined (see Appendix-A.6). Figure-2 illustrates how to read the PD plots used in our experiment.

Notion of \mathcal{V} -Usable Information: The Mutual Information between input and output, $I(X; Y)$, is invariant with respect to lossless encryption of the input, i.e., $I(\tau(X); Y) = I(X; Y)$. Such a definition assumes unbounded computation and is counter-intuitive to define task difficulty as heavy encryption of X does not change the task difficulty. The notion of “Usable Information” introduced by Xu et al. (2020) assumes bounded computation based on the model family \mathcal{V} under consideration. Usable information is measured under a framework called *predictive \mathcal{V} -information* (Xu et al., 2020). Ethayarajh et al. (2021) introduce *pointwise \mathcal{V} -information* (PVI) for measuring example difficulty.

$$\begin{aligned} \text{PVI}(x \rightarrow y) &= -\log_2 g[\phi](y) + \log_2 g'[x](y), \\ \text{s.t. } g, g' &\in \mathcal{V} \end{aligned} \tag{1}$$

The function g is trained on (ϕ, y) input-label pairs, where ϕ is a null input that provides no information about the label y . g' is trained on (x, y) pairs from the training data. Lower PVI instances are harder for




Figure 2: Examples of PD plots (for DenseNet-121) at different stages of the training process. The red bar indicates samples with undefined PD, and the dotted vertical line indicates the mean PD of the plot. Notice that the undefined samples (shown in red) slowly accumulate in layer 88 as training progresses. This is because the model needs more time to learn the challenging samples which accumulate at higher prediction depth, i.e., later layers.

\mathcal{V} and vice-versa. Since the first term in Eq-1 corresponding to g is independent of the input x , we only consider the second term having g' in our experiments. In what follows, we relate the notions of PD and \mathcal{V} -usable information. We use \mathcal{V}_{cnn} (of finite depth and width) in our proof as our experiments mainly use CNN architectures.

Proposition 1: (Informal) Consider two datasets: $D_s \sim P_{tr}(\mathbf{X}, \mathbf{y})$ with spurious features and $D_i \sim P_{te}(\mathbf{X}, \mathbf{y})$ without them. For some mild assumptions on PD (see Appendix-A.1), if the mean PD of D_s is less than the mean PD of D_i , then the \mathcal{V}_{cnn} -usable-information for D_s is larger than the \mathcal{V}_{cnn} -usable-information for D_i : $\mathcal{I}_{\mathcal{V}_{cnn}}^{D_s}(X \rightarrow Y) > \mathcal{I}_{\mathcal{V}_{cnn}}^{D_i}(X \rightarrow Y)$.

See proof in Appendix-A.1. The proposition intuitively implies that a sufficient gap between the mean PD of spurious and core features can result in spurious features having more \mathcal{V}_{cnn} -usable information than core features. In such a scenario, the model will be more inclined to learn spurious features instead of core ones. This proposition justifies using the PD metric to detect shortcut learning, as demonstrated in the following experiments.

4 Experiments

We set up four experiments to evaluate our hypothesis. *First*, we consider two kinds of datasets, one where the spurious feature is easier than the core feature and another where the spurious feature is harder. We train a classifier on each dataset and observe that the model can learn the easy spurious feature but not the harder one. This experiment demonstrates that not all spurious correlations are shortcuts, but only those spurious features that are easier than the core features are potential shortcuts. *Second*, we use medical and vision datasets to demonstrate how monitoring the learning dynamics of the initial layers can reveal suspicious shortcut learning activity. We show that an early peak in the PD plot indicates potential shortcuts, and visualization techniques like grad-CAM can provide intuition about the feature used at that layer. *Third*, we show how shortcuts can often be detected relatively early during training. This is because initial layers which learn the shortcuts converge very early during the training. We observe this by monitoring PD plots across training epochs. In all of our experiments, the shortcut is revealed by the PD plot within two epochs of training. *Fourth*, we show that datasets with easy spurious features have more “usable information” (Ethayarajh et al., 2021) compared to their counterparts without such features. Due to higher usable information, the model requires fewer layers to classify the images with spurious features. We use this experiment to empirically justify Proposition-1 outlined in Appendix-A.1.




Figure 3: Dominoes Dataset

Table 1: Results for the Dominoes experiment averaged across 4-runs. Numbers in bracket show mean-PD (dataset difficulty). Core-only accuracy indicates the model’s reliance on core features. Models achieve high core-only accuracy when spurious features are harder than core features.

Dataset (Spurious-Core)	Is spurious harder than core?	Test Accuracy	Core-only Accuracy
CIF(6.8) - FMN(3.9)	yes	99.12±0.27%	98.95±0.30%
MN(2.2) - FMN(3.9)	no	99.95±0.05%	50.75±2.96%
CIF(6.8) - KMN(5)	yes	98.91±0.16%	98.30±1.08%
MN(2.2) - KMN(5)	no	99.97±0.05%	50.48±2.64%
CIF(6.8) - MN(2.2)	yes	99.74±0.07%	99.5±0.66%
KMNpatch(1.1) - MN(2.2)	no	99.97±0.04%	68.78±20.03%

4.1 Not all spurious correlations are shortcuts

We use the Dominoes binary classification dataset (formed by concatenating two datasets vertically; see Fig-3) similar to the setup of Kirichenko et al. (2022). The bottom (top) image acts as the core (spurious) feature. Images are of size 64×32 . We construct three pairs of domino datasets such that each pair has both a hard and an easy spurious feature with respect to the common core feature (see Table-1). We use classes $\{0,1\}$ for MNIST and SVHN, $\{\text{coat}, \text{dress}\}$ for FMNIST, and $\{\text{airplane}, \text{automobile}\}$ for CIFAR10. We also include two classes from Kuzushiji-MNIST (or KMNIST) and construct a modification of this dataset called KMNpatch, which has a spurious patch feature (5x5 white patch on the top-left corner) for one of the two classes of KMNIST. The spurious features are perfectly correlated with the target. The order of dataset difficulty based on the mean-PD is as follows: KMNpatch(1.1) < MNIST(2.2) < FMNIST(3.9) < KMNIST(5) < SVHN(5.9) < CIFAR10(6.8). We use a ResNet18 model and measure the test and core-only accuracies. The test accuracy is measured on a held-out dataset sampled from the same distribution. For the core-only accuracy, we blank out the spurious feature (top-half image) by replacing it with zeroes (same as Kirichenko et al. (2022)). The higher the core-only accuracy, the lesser the model’s reliance on the spurious feature.

Table 1 shows that all datasets achieve a high test accuracy as expected. The core-only accuracy stays high (>98%) for datasets where the spurious feature is harder to learn than the core feature, indicating the model’s high reliance on core features. When the spurious feature is easier than the core, the model learns to leverage them, and hence the core-only accuracy drops to nearly random chance ($\sim 50\%$). Interestingly, the KMNpatch-MN results have a much higher core-only accuracy ($\sim 69\%$) and a more significant standard deviation. We explain this phenomenon in Appendix-A.7. This experiment demonstrates that a spurious feature that is harder than the core feature fails to act as a shortcut that the model can leverage to “cheat”.

4.2 Monitoring Initial Layers Can Reveal Suspicious Shortcut Learning Activity

Synthetic Shortcut on Toy Dataset: To provide a proof of concept, we demonstrate our method on the Kuzushiji-MNIST (KMNIST) (Clanuwat et al., 2018) dataset comprising Japanese Hiragana characters. The dataset has ten classes and images of size 28×28 , similar to MNIST. We insert a white patch (spurious feature) at a particular location for each of the ten classes. The location of the patch is class-specific. We train two VGG16 models, one on the KMNIST with a patch shortcut (\mathcal{M}_{sh}) and another on the original KMNIST without the patch (\mathcal{M}_{orig}).

Fig-4 shows the prediction depth (PD) plots for this experiment. The vertical dashed lines show the mean PD for each plot. Fig-4D shows that KMNIST with patch has a much lower mean PD than all the other datasets, and the PD plot is also highly skewed towards the initial layers. This suspicious behavior is because the white patch is a very easy feature, and hence the model only needs a single layer to detect it. The Grad-CAM maps for layer-1 confirm this by showing that \mathcal{M}_{sh} focuses mainly on the patch (see Fig-4D), and hence the test accuracy on the original KMNIST images is very low ($\sim 8\%$). The PD plot for \mathcal{M}_{orig} (see Fig-4E) is not as skewed toward lower depth as the plot for \mathcal{M}_{sh} . This is expected as \mathcal{M}_{orig} is not looking at the spurious patch and therefore utilizes more layers to make the prediction. The mean PD for \mathcal{M}_{orig}




Figure 4: Top row shows three reference datasets and their corresponding prediction depth (PD) plots. The datasets are ordered based on their difficulty (measured using mean PD shown by dotted vertical lines): KMN w/ sh.(1.1) < MNIST(2.2) < FMNIST(3.9) < KMN w/o sh.(5) < SVHN(5.9) < CIFAR10(6.8). The bottom row shows the effect of the shortcut on the KMNIST dataset. The yellow region on the axis indicates the expected difficulty of classifying KMNIST. While the original KMNIST lies in the yellow region, the shortcut significantly reduces the task difficulty. The Grad-CAM shows that the model focuses on the spurious patch.

suggests that the original KMNIST is harder than Fashion-MNIST but easier than CIFAR10. \mathcal{M}_{orig} also achieves a higher test accuracy ($\sim 98\%$).

This experiment demonstrates how models that learn spurious features (\mathcal{M}_{sh}) exhibit PD plots that are suspiciously skewed towards the initial layers. The skewed PD plot should raise concerns, and visualization techniques like Grad-CAM can aid our intuition about what spurious feature the model may be utilizing at any given layer.

Semi-Synthetic Shortcut on Medical Datasets: We follow the procedure by DeGrave et al. (2021) to create the ChestX-ray14/GitHub-COVID dataset. This dataset comprises Covid19 positive images from Github Covid repositories and negative images from ChestX-ray14 dataset (Wang et al., 2017b). In addition, we also create the Chex-MIMIC dataset following the procedure by Puli et al. (2022). This dataset comprises 90% images of Pneumonia from Chexpert (Irvin et al., 2019) and 90% healthy images from MIMIC-CXR (Johnson et al., 2019). We train two DenseNet121 models, \mathcal{M}_{covid} on the ChestX-ray14/GitHub-COVID dataset, and \mathcal{M}_{chex} on the Chex-MIMIC dataset. We use DenseNet121, a common and standard architecture for medical image analysis. Images are resized to 512×512 .

Fig-5 shows the PD plots for \mathcal{M}_{chex} and \mathcal{M}_{covid} . Both the plots are highly skewed towards initial layers, similar to the KMNIST with patch shortcut in Fig-4D. This again indicates that the models are using very easy features to make the predictions, which is concerning as the two tasks (pneumonia and covid19 detection) are hard tasks even for humans. Examining the Grad-CAM maps at layer-4 reveals that these models focus on spurious features outside the lung region, which are irrelevant because both diseases are known to affect mainly the lungs. The reason for this suspicious behavior is that, in both these datasets, the healthy and diseased samples have been acquired from two different sources. This creates a spurious feature because source-specific attributes or tokens are predictive of the disease and can be easily learned, as pointed out by DeGrave et al. (2021).




Figure 5: PD plots for two DenseNet-121 models trained on Chex-MIMIC and ChestX-ray14/GitHub-COVID datasets are shown in the figure, along with their corresponding Grad-CAM visualizations. Both PD plots exhibit a very high peak in the initial layers (1 to 4), indicating that the models use very easy features to make the predictions.

Real Shortcut on Medical Dataset: For this experiment, we use the NIH dataset (Wang et al., 2017a) which has the popular chest drain spurious feature (for Pneumothorax detection) (Oakden-Rayner et al., 2020). Chest drains are used to treat positive Pneumothorax cases. Therefore, the presence of a chest drain in the lung is positively correlated with the presence of Pneumothorax and can be used by the deep learning model (Oakden-Rayner et al., 2020). Appendix-A.5 outlines the procedure we use to obtain chest drain annotations for the NIH dataset. We train a DenseNet121 model (\mathcal{M}_{nih}) for Pneumothorax detection on NIH images of size 128×128 .




Figure 6: Shortcut learning on NIH dataset. (A) PD plot for DenseNet-121 trained on NIH shows prominent peaks in the initial layers. (B, C) Grad-CAM reveals that the initial layers use irrelevant artifacts and chest drains as shortcuts for classification. (D) The chest drain spurious feature affects the AUC performance of the model. The X-axis (Y-axis) shows the false positive (true positive) rate.

Fig-6A shows the PD plot for \mathcal{M}_{nih} . We observe that the distribution is not as skewed as the plots in the previous experiments. This is because all the images come from a single dataset (NIH). However, we do see suspicious peaks at the initial layers. Pneumothorax classification is challenging even for radiologists; hence, peaks at the initial layers raise suspicion. The Grad-CAM maps in Figs-6B & 6C reveal that the initial layers look at irrelevant artifacts and chest drains in the image. This provides evidence for shortcut learning happening in the initial layers. Fig-6D shows that the AUC performance is 0.94 when the diseased patients have a chest drain and 0.74 when they don't. In both cases, the set of healthy patients remains the same. This observation is consistent with the findings of Oakden-Rayner et al. (2020) and indicates that the model looks at chest drains to classify positive Pneumothorax cases.

The above experiments demonstrate how a peak located in the initial layers of the PD plot should raise suspicion, especially when the classification task is challenging. Visualization techniques like Grad-CAM




Figure 7: Evolution of PD plot across epochs shows the training dynamics of the DNN on the NIH dataset. The initial peaks (layers-4&40) are relatively stable throughout training, whereas the later peaks (layer-88) change with time. The initial layers learn the easy shortcuts, which can be detected early during the training. Samples with undefined PD (shown in red) take more time to converge and eventually accumulate in the later layers (layer 88 in this case).

can further aid our intuition and help identify the shortcuts being learned by the model. This approach works well even for realistic scenarios and challenging spurious features (like chest drain for Pneumothorax classification), as shown above. Appendix-A.3 includes additional results on vision datasets.

4.3 Detecting Shortcuts Early

Fig-7 shows the evolution of the PD plot across epochs for \mathcal{M}_{nih} (which is the model used in Fig-6). This visualization helps us observe the training dynamics of the various layers. The red bar in the PD plots shows the samples with undefined prediction depths.

These plots reveal several useful insights into the learning dynamics of the model. Firstly, we see three prominent peaks in epoch-1 at layers-4,40,88 (see Fig-7A). The magnitude of the initial peaks (like layers-4&40) remains nearly constant throughout the training. These peaks correspond to shortcuts, as discussed in the previous section. This indicates that easy shortcuts can often be identified early (epoch-1 in this case). Fig-8 shows the PD plots at epoch-2 for other datasets with shortcuts. It is clear from Fig-8 that the suspiciously high peak at the initial layer is visible in the *second epoch* itself. The Grad-CAM maps reveal that this layer looks at irrelevant artifacts in the dataset. This behavior is seen in all datasets shown in Fig-8.




Figure 8: Epoch-2 PD plots for various datasets with shortcuts. The high spurious peak in the initial layer is visible in all the datasets indicating that shortcuts can be detected early during the training.

Secondly, we also see that accuracy or AUC plots do not reveal shortcut learning patterns. We need to monitor the training dynamics using suitable metrics (like PD) to detect this behavior. Thirdly, the red peak (undefined samples) decreases in magnitude with time, and we see a proportional increase in the layer-88 peak. This corroborates well with the observation that later layers take more time to converge (Rahaman et al., 2019; Mangalam & Prabhu, 2019; Zeiler & Fergus, 2014). Therefore, samples with higher PD are initially undefined and do not appear in the PD plot. Nonetheless, samples with lower PD show up very early during the training, which helps us detect shortcuts early. Early detection can consequently help develop intervention schemes that fix the shortcut early.

4.4 Prediction Depth $\approx \mathcal{V}$ -Usable Information

Table-2 measures the influence of spurious features on NIH and KMNIST using PD and PVI metrics. All diseased patients in the “NIH w/ Spurious feat.” dataset have a chest drain, whereas all diseased patients in the “NIH w/o Spurious feat.” dataset have no chest drain. The set of healthy patients is common for the two datasets. The KMNIST datasets are the same as those used in Section-4.2. We use VGG16 for KMNIST and DenseNet121 for NIH. Other training details are the same as Section-4.2.

Table 2: Effect of Spurious features on Prediction Depth and the negative conditional \mathcal{V} -entropy ($-H_{\mathcal{V}_{cnn}}(Y | X)$). The label marginal distributions are the same with or without the spurious feature, and thus the negative conditional \mathcal{V} -entropy is proportional to \mathcal{V} -information.

Dataset	mean PD	$-H_{\mathcal{V}_{cnn}}(Y X)$
NIH w/ Spurious feat.	53.43	-0.1171
NIH w/o Spurious feat.	75.33	-0.2321
KMNIST w/ Spurious feat.	1.06	-0.0024
KMNIST w/o Spurious feat.	5.25	-0.0585

Table-2 shows that datasets with spurious features (D_s) have smaller mean PD values than their counterparts without such features (D_i). Proposition-1 (see Section-3, Appendix-A.1) shows that a sufficient gap between the mean PDs of D_s and D_i causes the \mathcal{V} -Information of D_s to be greater than D_i . Table-2 confirms this in a medical-imaging dataset with a real chest drain spurious feature, and we see that the mean “usable information” increases when there is a spurious feature. This implies that the model learns spurious features as they have more usable information than the core features. We investigate this relationship between PD and \mathcal{V} -information in more detail in Appendix-A.4. Ethayarajh et al. (2021) also show that \mathcal{V} -information is positively correlated with test accuracy. This explains the significant change in AUC observed in Fig-6D. Proposition 1 bridges the gap between the notions of PD and \mathcal{V} -usable information. This connection between \mathcal{V} -information and PD indicates that monitoring early training dynamics using PD not only helps detect shortcut learning but also bears insights into the dataset’s difficulty (in information-theoretic terms) for a given model class.

5 Conclusion

We study shortcut learning by monitoring the early training dynamics of DNNs. We empirically show that not all spurious correlations are shortcuts and shortcut learning occurs only when the spurious features are easier than the core features. “*Potential shortcuts can be found by monitoring the easy features learned by the initial layers of a DNN early during the training.*” We validate this hypothesis on real medical and vision datasets. We show that shortcuts are learned quite early during the training and one can detect shortcut learning by monitoring the early training of DNNs using instance difficulty metrics like Prediction Depth (PD). Further, we show a theoretical connection between PD and \mathcal{V} -information to support our empirical results. Datasets with spurious features have more \mathcal{V} -information causing the model to learn the shortcut. To conclude, relying only on accuracy plots is insufficient, and we recommend monitoring the DNN training dynamics using additional metrics like PD for the early detection of shortcuts.

References

- Mohammed Adnan, Yani Ioannou, Chuan-Yung Tsai, Angus Galloway, HR Tizhoosh, and Graham W Taylor. Monitoring shortcut learning using mutual information. *arXiv preprint arXiv:2206.13034*, 2022.
- Chirag Agarwal, Daniel D’souza, and Sara Hooker. Estimating example difficulty using variance of gradients. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 10368–10378, 2022.
- Martin Arjovsky, Léon Bottou, Ishaan Gulrajani, and David Lopez-Paz. Invariant risk minimization. *arXiv preprint arXiv:1907.02893*, 2019.
- Robert Baldock, Hartmut Maennel, and Behnam Neyshabur. Deep learning through the lens of example difficulty. *Advances in Neural Information Processing Systems*, 34:10876–10889, 2021.
- David Bellamy, Miguel A Hernán, and Andrew Beam. A structural characterization of shortcut features for prediction. *European Journal of Epidemiology*, 37(6):563–568, 2022.
- Remi Cadene, Corentin Dancette, Matthieu Cord, Devi Parikh, et al. Rubi: Reducing unimodal biases for visual question answering. *Advances in neural information processing systems*, 32, 2019.
- Kamalika Chaudhuri and Sanjoy Dasgupta. Rates of convergence for nearest neighbor classification. *Advances in Neural Information Processing Systems*, 27, 2014.
- Tarin Clanuwat, Mikel Bober-Irizar, Asanobu Kitamoto, Alex Lamb, Kazuaki Yamamoto, and David Ha. Deep learning for classical japanese literature. *arXiv preprint arXiv:1812.01718*, 2018.
- Christopher Clark, Mark Yatskar, and Luke Zettlemoyer. Don’t take the easy way out: Ensemble based methods for avoiding known dataset biases. *arXiv preprint arXiv:1909.03683*, 2019.
- Nikolay Dagaev, Brett D Roads, Xiaoliang Luo, Daniel N Barry, Kaustubh R Patil, and Bradley C Love. A too-good-to-be-true prior to reduce shortcut reliance. *arXiv preprint arXiv:2102.06406*, 2021.
- Alex J DeGrave, Joseph D Janizek, and Su-In Lee. Ai for radiographic covid-19 detection selects shortcuts over signal. *Nature Machine Intelligence*, 3(7):610–619, 2021.
- Kawin Ethayarajh, Yejin Choi, and Swabha Swayamdipta. Information-theoretic measures of dataset difficulty. *arXiv preprint arXiv:2110.08420*, 2021.
- Vitaly Feldman and Chiyuan Zhang. What neural networks memorize and why: Discovering the long tail via influence estimation. *Advances in Neural Information Processing Systems*, 33:2881–2891, 2020.
- Yu Feng and Yuhai Tu. Phases of learning dynamics in artificial neural networks in the absence or presence of mislabeled data. *Machine Learning: Science and Technology*, 2(4):043001, 2021.
- Robert Geirhos, Jörn-Henrik Jacobsen, Claudio Michaelis, Richard Zemel, Wieland Brendel, Matthias Bethge, and Felix A Wichmann. Shortcut learning in deep neural networks. *Nature Machine Intelligence*, 2(11):665–673, 2020.
- Ingo Gühring, Mones Raslan, and Gitta Kutyniok. Expressivity of deep neural networks. *arXiv preprint arXiv:2007.04759*, 2020.
- He He, Sheng Zha, and Haohan Wang. Unlearn dataset bias in natural language inference by fitting the residual. *arXiv preprint arXiv:1908.10763*, 2019.
- Sara Hooker, Aaron Courville, Gregory Clark, Yann Dauphin, and Andrea Frome. What do compressed deep neural networks forget? *arXiv preprint arXiv:1911.05248*, 2019.
- Wei Hu, Lechao Xiao, Ben Adlam, and Jeffrey Pennington. The surprising simplicity of the early-time learning dynamics of neural networks. *Advances in Neural Information Processing Systems*, 33:17116–17128, 2020.

- Jeremy Irvin, Pranav Rajpurkar, Michael Ko, Yifan Yu, Silvana Ciurea-Ilcus, Chris Chute, Henrik Marklund, Behzad Haghgoo, Robyn Ball, Katie Shpanskaya, et al. Chexpert: A large chest radiograph dataset with uncertainty labels and expert comparison. In *Proceedings of the AAAI conference on artificial intelligence*, volume 33, pp. 590–597, 2019.
- Saahil Jain, Ashwin Agrawal, Adriel Saporta, Steven QH Truong, Du Nguyen Duong, Tan Bui, Pierre Chambon, Yuhao Zhang, Matthew P Lungren, Andrew Y Ng, et al. Radgraph: Extracting clinical entities and relations from radiology reports. *arXiv preprint arXiv:2106.14463*, 2021.
- Ziheng Jiang, Chiyuan Zhang, Kunal Talwar, and Michael C Mozer. Characterizing structural regularities of labeled data in overparameterized models. *arXiv preprint arXiv:2002.03206*, 2020.
- Alistair EW Johnson, Tom J Pollard, Nathaniel R Greenbaum, Matthew P Lungren, Chih-ying Deng, Yifan Peng, Zhiyong Lu, Roger G Mark, Seth J Berkowitz, and Steven Horng. Mimic-cxr-jpg, a large publicly available database of labeled chest radiographs. *arXiv preprint arXiv:1901.07042*, 2019.
- Polina Kirichenko, Pavel Izmailov, and Andrew Gordon Wilson. Last layer re-training is sufficient for robustness to spurious correlations. *arXiv preprint arXiv:2204.02937*, 2022.
- David Krueger, Ethan Caballero, Joern-Henrik Jacobsen, Amy Zhang, Jonathan Binas, Dinghuai Zhang, Remi Le Priol, and Aaron Courville. Out-of-distribution generalization via risk extrapolation (rex). In *International Conference on Machine Learning*, pp. 5815–5826. PMLR, 2021.
- John P Lalor, Hao Wu, Tsendsuren Munkhdalai, and Hong Yu. Understanding deep learning performance through an examination of test set difficulty: A psychometric case study. In *Proceedings of the Conference on Empirical Methods in Natural Language Processing. Conference on Empirical Methods in Natural Language Processing*, volume 2018, pp. 4711. NIH Public Access, 2018.
- Yi Li and Nuno Vasconcelos. Repair: Removing representation bias by dataset resampling. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pp. 9572–9581, 2019.
- Karttikeya Mangalam and Vinay Uday Prabhu. Do deep neural networks learn shallow learnable examples first? 2019.
- Luke Oakden-Rayner, Jared Dunnmon, Gustavo Carneiro, and Christopher Ré. Hidden stratification causes clinically meaningful failures in machine learning for medical imaging. In *Proceedings of the ACM conference on health, inference, and learning*, pp. 151–159, 2020.
- Aahlad Manas Puli, Lily H Zhang, Eric Karl Oermann, and Rajesh Ranganath. Out-of-distribution generalization in the presence of nuisance-induced spurious correlations. In *International Conference on Learning Representations*, 2022.
- Stephan Rabanser, Anvith Thudi, Kimia Hamidieh, Adam Dziedzic, and Nicolas Papernot. Selective classification via neural network training dynamics. *arXiv preprint arXiv:2205.13532*, 2022.
- Nasim Rahaman, Aristide Baratin, Devansh Arpit, Felix Draxler, Min Lin, Fred Hamprecht, Yoshua Bengio, and Aaron Courville. On the spectral bias of neural networks. In *International Conference on Machine Learning*, pp. 5301–5310. PMLR, 2019.
- Victor Sanh, Thomas Wolf, Yonatan Belinkov, and Alexander M Rush. Learning from others’ mistakes: Avoiding dataset biases without modeling them. *arXiv preprint arXiv:2012.01300*, 2020.
- Luca Scimeca, Seong Joon Oh, Sanghyuk Chun, Michael Poli, and Sangdoo Yun. Which shortcut cues will dnn choose? a study from the parameter-space perspective. *arXiv preprint arXiv:2110.03095*, 2021.
- Ramprasaath R Selvaraju, Michael Cogswell, Abhishek Das, Ramakrishna Vedantam, Devi Parikh, and Dhruv Batra. Grad-cam: Visual explanations from deep networks via gradient-based localization. In *Proceedings of the IEEE international conference on computer vision*, pp. 618–626, 2017.

- Harshay Shah, Kaustav Tamuly, Aditi Raghunathan, Prateek Jain, and Praneeth Netrapalli. The pitfalls of simplicity bias in neural networks. *Advances in Neural Information Processing Systems*, 33:9573–9585, 2020.
- Mariya Toneva, Alessandro Sordoni, Remi Tachet des Combes, Adam Trischler, Yoshua Bengio, and Geoffrey J Gordon. An empirical study of example forgetting during deep neural network learning. *arXiv preprint arXiv:1812.05159*, 2018.
- Victor Veitch, Alexander D’Amour, Steve Yadlowsky, and Jacob Eisenstein. Counterfactual invariance to spurious correlations: Why and how to pass stress tests. *arXiv preprint arXiv:2106.00545*, 2021.
- Xiaosong Wang, Yifan Peng, Le Lu, Zhiyong Lu, Mohammadhadi Bagheri, and Ronald M Summers. Chestx-ray8: Hospital-scale chest x-ray database and benchmarks on weakly-supervised classification and localization of common thorax diseases. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 2097–2106, 2017a.
- Xiaosong Wang, Yifan Peng, Le Lu, Zhiyong Lu, Mohammadhadi Bagheri, and Ronald M Summers. Chestx-ray8: Hospital-scale chest x-ray database and benchmarks on weakly-supervised classification and localization of common thorax diseases. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 2097–2106, 2017b.
- Olivia Wiles, Sven Goyal, Florian Stimberg, Sylvestre Alvisé-Rebuffi, Ira Ktena, Taylan Cemgil, et al. A fine-grained analysis on distribution shift. *arXiv preprint arXiv:2110.11328*, 2021.
- Yilun Xu, Shengjia Zhao, Jiaming Song, Russell Stewart, and Stefano Ermon. A theory of usable information under computational constraints. *arXiv preprint arXiv:2002.10689*, 2020.
- Manzil Zaheer, Satwik Kottur, Siamak Ravanbakhsh, Barnabas Poczos, Russ R Salakhutdinov, and Alexander J Smola. Deep sets. *Advances in neural information processing systems*, 30, 2017.
- Matthew D Zeiler and Rob Fergus. Visualizing and understanding convolutional networks. In *European conference on computer vision*, pp. 818–833. Springer, 2014.
- Xingxuan Zhang, Linjun Zhou, Renzhe Xu, Peng Cui, Zheyang Shen, and Haoxin Liu. Nico++: Towards better benchmarking for domain generalization. *arXiv preprint arXiv:2204.08040*, 2022.

A Appendix

A.1 Proof of Proposition-1

Proposition A.1. *Given two datasets, D_s with spurious features and D_i without them, we assume the following:*

1. (Well-Trained Model Assumption) *The part of the network from any representation to the label is one of the functions that compute \mathcal{V} -information.*
2. (Function Class Complexity Assumption) *Assume that there exists a $K \in \{1, N\}$ such that V_{cnn} of depth $N - K$ is deep enough to be a strictly larger function class than V_{knn} with a fixed neighbor size (29 in this paper). Assume that this V_{knn} is a larger function class than a linear function.*
3. (Controlled Confidence Growth Assumption) *For both datasets $D \in \{D_s, D_i\}$, assume that the for all $k \in \{1, \dots, N\}$,*

$$\tau \leq \mathcal{I}_{V_{knn}}^D(\phi_k) - \mathcal{I}_{V_{knn}}^D(\phi_{k-1}) \leq \epsilon$$

4. (Prediction Depth Separation Assumption) *Let L be an integer such that, $L \leq K$ and $L < N - \psi \max_y (-\log p(Y = y))$. Note that $p(Y = y)$ is simply the prevalence of class y . Let there exist a gap in prediction depths of samples in D_s and D_i : $\psi \in (0, 0.5)$ such that $1 - \psi$ fraction of D_s has prediction depth $\leq L$ and $1 - \psi$ fraction of D_i has prediction depth $> K$.*

Then, for a model class of N -layer CNNs, we show that the \mathcal{V}_{cnn} -information for D_s is greater than \mathcal{V}_{cnn} -information for D_i :

$$\mathcal{I}_{V_{cnn}}^{D_s}(X \rightarrow Y) \geq \mathcal{I}_{V_{cnn}}^{D_i}(X \rightarrow Y)$$

Proof. Before proceeding to the proof, we attempt to justify and reason about the above assumptions.

Assumption-1 states a property of trained neural networks in the context of usable information. Let $f(X)$ be a trained neural network. Consider splitting the network into the representation $\phi_k(X)$ at the k^{th} layer and the rest of the network as a function applied to $\phi_k(X)$: i.e., $f(X) = f_k \circ \phi_k(X)$. Then we assume that $f_k(\cdot)$ is the function that achieves the \mathcal{V}_{cnn} of size(n-k)-information between $\phi_k(X)$ and Y (Ethayarajh et al., 2021; Xu et al., 2020). The function that computes \mathcal{V} -information must achieve a minimum cross-entropy (Ethayarajh et al., 2021). So if we train $f(X)$ by minimizing the cross-entropy loss, $f_k(\cdot)$ must converge to a function that achieves the \mathcal{V}_{cnn} of size(n-k)-information between $\phi_k(X)$ and Y .

Assumption-2 implies that the CNN class in \mathcal{V}_{cnn} is deep enough such that the network after the K^{th} layer can approximate a k -NN classifier with 29 neighbors; (K here is same as the K in assumption-4). This is also a reasonable assumption (Chaudhuri & Dasgupta, 2014; Gühring et al., 2020). Chaudhuri & Dasgupta (2014) lower bounds the error for k -NN classifiers for a fixed k , and Gühring et al. (2020) shows the depth expressivity of CNN classifiers. Assumption-3 states that the difference in \mathcal{V}_{knn} -information between intermediate layers does not explode indefinitely and thus can be bounded by some positive quantities τ and ϵ .

Assumption-4 is also easily satisfied. For example, if the smallest prevalence class in the dataset has a prevalence greater than $\frac{1}{1000}$, then assumption-4 boils down to saying $L < N - 0.5 * \max_y (-\log p(Y = y)) = N - 3.45$, where L is the low PD value caused by spurious features in D_s , and N is the total number of layers in the CNN. All our datasets satisfy the class prevalence $> \frac{1}{1000}$ constraint. Even diseases like pneumothorax which are rare, have a class prevalence of at least $\frac{1}{30}$ in both NIH and MIMIC-CXR. And $L < N - 3.45$ is easily satisfied in all our experiments. For e.g., see Fig-5 where 80% (or $1 - \psi = 0.8$) of the samples have PD ≤ 16 . So $L = 16, N = 121$ (for Densenet-121) easily satisfies $16 < 121 - 3.45$.

Now we elaborate on the proof of the proposition given the four assumptions. We proceed in two parts: first, we lower bound \mathcal{V}_{cnn} -information for D_s , and then we upper bound \mathcal{V}_{cnn} for D_i .

Assumption 3 implies:

$$(B - A)\tau \leq \sum_{k=A}^B \tau \leq \mathcal{I}_{\mathcal{V}_{knn}}^D(\phi_k) - \mathcal{I}_{\mathcal{V}_{knn}}^D(\phi_{k-1}) \leq (B - A)\epsilon$$

Note: (A, B) are just placeholders for the min and max indices over which the summation is defined. They are replaced by $(L + 1, K)$ and $(K + 1, N)$ below while trying to lower bound $\mathcal{I}_{\mathcal{V}_{cnn}}^{D_s}$ and upper bound $\mathcal{I}_{\mathcal{V}_{cnn}}^{D_i}$ respectively.

PD - PVI connection. Note that by definition, when the prediction depth is k for a sample X , then $PVI_{knn}(\phi_k(X)) \geq \delta$ but $PVI_{knn}(\phi_{k-1}(X)) < \delta$. This follows from how we compute PD (see Section-3 in the main paper, and Appendix-A.6).

Lower bounding $\mathcal{I}_{\mathcal{V}_{cnn}}^{D_s}$

$$\begin{aligned} \mathcal{I}_{\mathcal{V}_{cnn}}^{D_s} &= \mathcal{I}_{\mathcal{V}_{cnn} \text{ of depth } N-K}^{D_s}(\phi_K) && \{\text{Assumption-1}\} \\ &\geq \mathcal{I}_{\mathcal{V}_{knn}}^{D_s}(\phi_K) && \{\text{Assumption-2}\} \\ &= \mathcal{I}_{\mathcal{V}_{knn}}^{D_s}(\phi_L) + \sum_{k=L+1}^K \mathcal{I}_{\mathcal{V}_{knn}}^D(\phi_k) - \mathcal{I}_{\mathcal{V}_{knn}}^D(\phi_{k-1}) && \{\text{Telescoping Sum}\} \\ &\geq \mathcal{I}_{\mathcal{V}_{knn}}^{D_s}(\phi_L) + (K - L)\tau && \{\text{Assumption-3}\} \\ &\geq \psi \min_{X, Y \in D_s, pd \geq L} PVI_{knn}(X \rightarrow Y) \\ &\quad + (1 - \psi) \min_{X, Y \in D_s, pd < L} PVI_{knn}(X \rightarrow Y) + (K - L)\tau && \{\text{Prediction Depth Separation}\} \\ &\geq 0 * \psi + \delta * (1 - \psi) + (K - L)\tau && \{\text{Prediction Depth Separation}\} \end{aligned}$$

Upper bounding $\mathcal{I}_{\mathcal{V}_{cnn}}^{D_i}$

$$\begin{aligned} \mathcal{I}_{\mathcal{V}_{cnn}}^{D_i} &\leq \mathcal{I}_{\mathcal{V}_{knn}}^{D_i}(\phi_N) && \{\text{Assumption-2}\} \\ &= \mathcal{I}_{\mathcal{V}_{knn}}^D(\phi_K) + \sum_{k=K+1}^N \mathcal{I}_{\mathcal{V}_{knn}}^D(\phi_k) - \mathcal{I}_{\mathcal{V}_{knn}}^D(\phi_{k-1}) && \{\text{Telescoping Sum}\} \\ &\leq \mathcal{I}_{\mathcal{V}_{knn}}^D(\phi_K) + (N - K)\epsilon && \{\text{Assumption-3}\} \\ &\leq (N - K)\epsilon + \psi \max_{X, Y \in D_i, pd(X) \leq K} PVI_{\mathcal{V}_{knn}}^D(\phi_K(X) \rightarrow Y) \\ &\quad + (1 - \psi) \max_{X, Y \in D_i, pd(X) > K} PVI_{\mathcal{V}_{knn}}^D(\phi_K(X) \rightarrow Y) && \{\text{Prediction Depth Separation}\} \\ &\leq (N - K)\epsilon + \psi \max_y (-\log p(Y = y)) \\ &\quad + (1 - \psi) \max_{X, Y \in D_i, pd(X) > K} PVI_{\mathcal{V}_{knn}}^D(\phi_K(X) \rightarrow Y) && \{\text{PVI} \leq -\log p(Y = y)\} \\ &\leq (N - K)\epsilon + \psi \max_y (-\log p(Y = y)) + (1 - \psi)\delta && \{\text{PD-PVI connection for } pd > K\} \end{aligned}$$

The proof follows by comparing the lower bound on $\mathcal{I}_{\mathcal{V}_{cnn}}^{D_s}$ and the upper bound on $\mathcal{I}_{\mathcal{V}_{cnn}}^{D_i}$. Intuitively what this means is that when there is a sufficiently large gap in the mean PD between D_s and D_i , then the \mathcal{V} -information of D_s exceeds the \mathcal{V} -information of D_i , which is why the model prefers learning the spurious feature and using them as shortcuts rather than using the core features for the task.

□

A.2 Grad-CAM Visualization

PD plots help us understand the model layers actively used for classifying different images. To further aid our intuition, we visualize the Grad-CAM outputs for the model’s arbitrary layer k by attaching a soft-KNN head. Let g_{knn} denote the soft and differentiable version of k-NN. We compute g_{knn} as follows:

$$g_{knn}(\phi_q^k; \phi_{i \in \{1,2,\dots,m\}}^k) = \frac{\sum_{j \in \mathcal{N}(\phi_q^k, 1)} \exp^{-\|\phi_q^k - \phi_j^k\|/s}}{\sum_{j \in \mathcal{N}(\phi_q^k, :)} \exp^{-\|\phi_q^k - \phi_j^k\|/s}}$$

This function makes the KNN differentiable and can be used to compute Grad-CAM (Selvaraju et al., 2017). We use the \mathcal{L}_1 norm for all distance computations. ϕ_q^k corresponds to feature at layer- k for query image x_q . Let $\phi_{i \in \{1,2,\dots,m\}}^k$ be the training data for KNN. Let \mathcal{N} denote the neighborhood function. $\mathcal{N}(\phi_q^k, :)$ returns the indices of K-nearest neighbors for ϕ_q^k . $\mathcal{N}(\phi_q^k, 1)$ returns indices of images with positive label ($y = 1$) from the set of K-nearest neighbors for ϕ_q^k . s is the median for the set of \mathcal{L}_1 norms $\{\|\phi_q^k - \phi_j^k\|\}$ for $j \in \mathcal{N}(\phi_q^k, :)$.

A.3 Vision Experiments

We use the *NICO++* (Non-I.I.D. Image dataset with Contexts) dataset Zhang et al. (2022) to create multiple spurious datasets (Cow vs. Bird; Dog vs. Lizard) such that the context/background is spuriously correlated with the target. *NICO++* is a Non-I.I.D image dataset that uses context to differentiate between the test and train distributions. This forms an ideal setup to investigate what spurious correlations the model learns during training. We follow the procedure outlined by Puli et al. (2022) to create datasets with spurious correlations (90% prevalence) in the training data. The test data has the relationship between spurious attributes and the true labels flipped. This is similar to the Chex-MIMIC dataset illustrated in section-4.2. We test our hypothesis using ResNet-18 and VGG16. We train our models for 30 epochs using an Adam optimizer and a base learning rate of 0.01. We choose the best checkpoint using early stopping.




Figure 9: Cow vs. Birds classification on *NICO++* dataset. (A) Training data contains images of cows on grass and birds on water (correlation strength=0.9). The model achieves 97.2% training accuracy. (B) PD plot for ResNet-18 reveals a spurious peak at layer-1, indicating the model’s heavy reliance on very simple (potentially spurious) features. (C) GradCAM plots for layer 1 reveal that the model mainly relies on the spurious background to make its predictions. (D) Consequently, the model achieves a test accuracy of only 59.9% on test data where the spurious correlation is flipped (i.e., cows (birds) are found on water (grass)).

Figures-9,11 show PD plots and train/test accuracies for models that learn the spurious background feature present in the *NICO++* dataset. While all models achieve $> 85\%$ training accuracy, they have poor accuracies ($< 50\%$) on the test data where the spurious correlation is flipped. This can be seen simply by observing the PD plots for the model on the training data. The plots are skewed towards the initial layers indicating that the model relies heavily on very simple (potentially spurious) features for the task. GradCAM maps also confirm that the model often focuses on the background context rather than the foreground object of interest.




Figure 10: Balanced dataset for Cow vs. Birds classification task on NICO++ dataset. (A) The training dataset contains a balanced distribution of cows and birds found on water and grass (each group has an equal number of images). (B) The balanced dataset shifts the PD plot towards the later layers (compared to Fig-9B, indicating that the model relies lesser on spurious features). (C) This consequently results in an improved test accuracy of 80.2% (as compared to 59.9% in Fig-9D for the spurious dataset).




Figure 11: Dog vs. Lizard classification with a spurious background feature on NICO++ dataset. (A) Training data contains images of outdoor dogs and lizards on rock (correlation strength=0.9). The spurious background color/texture reveals the foreground object. The model achieves 87.2% training accuracy. (B) PD plot for ResNet-18 reveals a spurious peak at layer-1, indicating the model’s reliance on simple (potentially spurious) features. (C) The low test accuracy confirms this (63.9%). The test data has the spurious correlation flipped (i.e., images contain dogs on rock and lizards found outdoors.)

We further observe in Fig-10 that balancing the training data (to remove the spurious correlation) results in a model with improved test accuracy (80.2%) as expected. This is also reflected in the PD plot (Fig-10B), where we see that the distribution of the peaks, as well as the mean PD, shift proportionately towards the later layers, indicating that the model now relies lesser on the spurious features.

By monitoring PD plots during training and using suitable visualization techniques, we show that one can obtain useful insights about the spurious correlations that the model may be learning. This can also help the user make an educated guess about the generalization behavior of the model during deployment.

A.4 Empirical Relationship: PD vs \mathcal{V} -information

In Section-4.4 we explore the relationship between PD and \mathcal{V} -information. To empirically confirm these results, we further investigate this relationship on four additional datasets: KMNIST, FMNIST, SVHN, and CIFAR10. We train a VGG16 model on these datasets for ten epochs using an Adam optimizer and a base learning rate of 0.01. We use a bar plot to show the correlation between PD and \mathcal{V} -entropy. We group PD into intervals of size four and compute the mean \mathcal{V} -entropy for samples lying in this PD interval.




Figure 12: The bar plots show a positive correlation between PD and Conditional \mathcal{V} -entropy. Samples with higher PD also have a higher \mathcal{V} -entropy resulting in lower usable information for models like VGG16.

In Section-4.4, we find that PD is positively correlated with \mathcal{V} -information, and the results shown in Fig-12 further confirm this observation. Instance difficulty increases with PD, and the usable information decreases with an increase in \mathcal{V} -entropy. It is, therefore, clear from Fig-12 that samples with a higher difficulty (PD value) have lower usable information, which is not only intuitive but also provides empirical support to Proposition-1 in Appendix-A.1.

A.5 Chest Drain Annotations for NIH Dataset

To reproduce the results by Oakden-Rayner et al. (2020), we need chest drain annotations for the NIH dataset (Wang et al., 2017a), which is not natively provided. To do this, we use the MIMIC-CXR dataset (Johnson et al., 2019), which has rich meta-data information in radiology reports. We collaborate with radiologists to identify terms related to Pneumothorax from the MIMIC-CXR reports. These include pigtail catheters, pleural tubes, chest tubes, thoracostomy tubes, etc. We collect chest drain annotations for MIMIC-CXR by parsing the reports for these terms using the RadGraph NLP pipeline (Jain et al., 2021). Using these annotations, we train a DenseNet121 model to detect chest drains relevant to Pneumothorax. Finally, we run this trained model on the NIH dataset to obtain the needed chest drain annotations. We use these annotations to get the results shown in Fig - 6D, which closely reproduces the results obtained by Oakden-Rayner et al. (2020).

A.6 Notion of Undefined Prediction Depth

Section-3 shows how we compute PD in our experiments. While fully trained models give valid PD values, our application requires working with arbitrary deep-learning models that are not necessarily fully trained. We, therefore, introduce the notion of undefined PD by treating k -NN predictions close to 0.5 (for a binary classification setting) as invalid. We define a δ such that $|f_{knn}(x) - 0.5| < \delta$ implies an invalid k -NN output. We use $\delta = 0.1$ and $k = 29$ in our experiments. If any k -NN predictions for the last three layers are invalid, we treat the PD of the input image to be undefined. To work with high-resolution images (like 512×512), we downsample the spatial resolution of all training embeddings to 8×8 before using the k -NN classifiers on the intermediate layers. We empirically see that our results are insensitive to k in the range $[5, 30]$.

A.7 A PD Perspective for Feature Learning

Table 1 shows that the core-only accuracy stays high ($>98\%$) for datasets where the spurious feature is harder to learn than the core feature. When the spurious feature is easier than the core, the model learns to leverage them, and hence the core-only accuracy drops to nearly random chance ($\sim 50\%$). Interestingly, the KMNpatch-MN results have a much higher core-only accuracy ($\sim 69\%$) and a more significant standard deviation. This is because the choice of features that the model chooses to learn depends on the PD distributions of the core and spurious features. We provide three different perspectives on why KMNpatch-MN runs have better results.

PD Distribution Perspective: The KMNpatch-MN domino dataset has a smaller difference in the core-spurious mean PDs ($2.2 - 1.1 = 1$), as compared to other datasets (for e.g., MN-KMN has a difference of $5 - 2.2 = 2.8$ in their mean PDs). The closer the PD distributions of the core and spurious features are, the more the model treats them equivalently. Therefore, in the case of the KMNpatch-MN, we empirically observe that different initializations (random seeds) lead to different choices the model makes in terms of core or spurious features. This is why the standard deviation of KMNpatch-MN is high (20.03) compared to the other experiments.

Theoretical Perspective (Proposition-1): This is not surprising and, in fact, corroborates quite well with Proposition-1 in Appendix-A.1. The Prediction Depth Separation Assumption suggests that without a sufficient gap in the mean PDs of the core and spurious features, one cannot concretely assert anything about their ordinal relationship in terms of their usable information. In other words, spurious features will have higher usable information (for a given model) than the core features only if the spurious features have a sufficiently lower mean PD as compared to the core features. On the other hand, as the core and spurious features become comparable in terms of their difficulty, the model begins to treat them equivalently.

Loss Landscape Perspective: (*this is a conjecture; we do not have empirical evidence*) The loss landscape is a function of the model and the dataset. The solutions in the landscape that are reachable by the model depend on the optimizer and the training hyperparameters. Given a model and a set of training hyperparameters, we conjecture that the diversity (in terms of the features that the model learns during training) of the solutions in the landscape increase as the distance (difference in mean PD) between the core and spurious features decreases. This diversity manifests as the model’s choice of using core vs. spurious features and could potentially result in a higher standard deviation of core-only accuracy across initializations.

A.8 Code Reproducibility

The code, along with the Python package list and environment files, have been submitted as a zip file in the supplementary section.