
A Global Depth-Range-Free Multi-View Stereo Transformer Network with Pose Embedding

Yitong Dong^{1*} Yijin Li^{1*} Zhaoyang Huang² Weikang Bian²
Jingbo Liu¹ Hujun Bao¹ Zhaopeng Cui¹ Hongsheng Li² Guofeng Zhang^{1†}
¹State Key Lab of CAD&CG, Zhejiang University ²CUHK MMLab

Abstract

In this paper, we propose a novel multi-view stereo (MVS) framework that gets rid of the depth range prior. Unlike recent prior-free MVS methods that work in a pair-wise manner, our method simultaneously considers all the source images. Specifically, we introduce a Multi-view Disparity Attention (MDA) module to aggregate long-range context information within and across multi-view images. Considering the asymmetry of the epipolar disparity flow, the key to our method lies in accurately modeling multi-view geometric constraints. We integrate pose embedding to encapsulate information such as multi-view camera poses, providing implicit geometric constraints for multi-view disparity feature fusion dominated by attention. Additionally, we construct corresponding hidden states for each source image due to significant differences in the observation quality of the same pixel in the reference frame across multiple source frames. We explicitly estimate the quality of the current pixel corresponding to sampled points on the epipolar line of the source image and dynamically update hidden states through the uncertainty estimation module. Extensive results on the DTU dataset and Tanks&Temple benchmark demonstrate the effectiveness of our method. The code is available at our project page: <https://zju3dv.github.io/GD-PoseMVS/>.

1 Introduction

Multi-view stereo matching (MVS) is a crucial technique in 3D reconstruction, which aims to recover robust and reliable 3D representations from multiple RGB images [1; 2; 3]. Traditional methods [4; 5; 6] rely on hand-crafted similarity metrics and regularizations to compute dense correspondences between the input images. These methods are prone to degradation in challenging scenarios, such as varying illumination, textureless regions, and occlusion regions. Recently, learning-based methods [7; 8; 9; 10; 11] directly learn discriminative features from the input images through neural networks such as CNN and Transformers. By sampling some possible depth hypothesis within a given depth range, they warp the features from the source images to the reference view (i.e., the plane sweep algorithm [12]) and compute the cost volume, which is then regularized also through the neural network to obtain the final depth maps. However, obtaining a suitable depth range is non-trivial when applied in real-world scenarios while these methods are generally sensitive to the depth range, which limits their application.

To get rid of the dependence on depth range, some methods [13; 14; 15] transform the regression problem in the given depth space into a matching problem on the epipolar lines. Similar to optical flow [16] and feature matching [17; 18; 19; 20], these methods also adopt a pair-wise manner. For example, DispMVS [14] computes the depth map of the source image multiple times through pairs

*Equal contribution

†Corresponding author

that contain different source images and computes the final depth map by weight of sum. However, the pair-wise manner neglects the inter-image correspondence between the source images and could lead to sub-optimal solutions. Meanwhile, although DispMVS mitigates the influence of depth priors on constructing the 3D cost volume, its initialization based on depth range can still lead to significant performance degradation when the depth range error is too large, as shown in Fig. 1.

We argue that these methods need to consider all the source images at the same time. Our ideas are inspired by the recent methods [21; 22] of optical flow which concurrently estimate optical flows for multiple frames by sufficiently exploiting temporal cues. However, we find these frameworks cannot be trivially applied in the task of multi-view stereo. The reasons are twofold. First, a strong cue in the multi-frame optical flow estimation is that the flow originating from the same pixel belongs to a continuous trajectory in the temporal dimension. Additionally, the frames are sequentially aligned along this temporal dimension. Such inductive bias makes it easy to learn. But in the context of multi-view stereo, the source images may be captured in no particular order, lacking a similar constraint of continuity. Unlike optical flow, the input images in multi-view stereo are unordered. These distinctions pose a significant challenge when attempting to adapt the multi-frame optical flow framework for use in multi-view stereo. Second, the arbitrary positions and viewing angles of the source images, coupled with potentially large temporal gaps between captures, exacerbate issues such as varying illumination, significant viewport differences, and occlusions which call for new designs.

Based on the above observations, in this paper, we propose a novel framework that gets rid of the depth range assumption. Unlike some recent methods [13; 14; 15] that work in a pair-wise manner, the proposed method estimates the depth maps of a reference image by simultaneously considering all the source images. To address the first issue, we design careful injection of geometric information into disparity features using 3D pose embedding, followed by multi-frame information interaction through an attention module. Subsequently, we encode multi-view relative pose information and geometric relationships between specific sampled points into 3D pose embedding, which is subsequently transferred to the Multi-view Disparity Attention (MDA) module. This method efficiently incorporates the relationship between depth and pixels within the network, facilitating improved information integration across multiple frames. Second, to mitigate the challenge of fluctuating image quality stemming from occlusion and other factors, we maintain and update the disparity hidden features to reflect the depth uncertainty of the current sampling point for each iteration. We design the disparity feature encoding module to learn disparity features along the epipolar lines of multi-view frames. This approach enables us to explicitly characterize occlusion scenarios for each pixel across diverse source images and dynamically adapt them during epipolar disparity flow updates. Consequently, the auxiliary information is furnished for subsequent information fusion within the module. Furthermore, we designed a novel initialization method to further eliminate the influence of the depth range compared to DispMVS [14].

In summary, our contributions can be highlighted as follows: (1) A multi-view disparity transformer network, which facilitates the fusion of information across multi-view frames, (2) A specially designed 3D pose embedding which is utilized to implicitly construct relationships of the epipolar disparity flow among multi-view frames, and (3) An uncertainty estimation module and dynamically updated hidden states representing the quality of source images during iterations. We evaluate our method against other MVS methods on the DTU dataset [23] and Tanks&Temple dataset [24], and demonstrate its generalization in Fig. 1.

2 Related Work

2.1 Traditional MVS

Multi-View Stereo has been developed for many years and has many downstream or related applications such as simultaneous localization and mapping (SLAM) [25], visual localization [26], 3D reconstruction [27; 28], 3D generation [29] and scene understanding [30]. Traditional methods for Multi-View Stereo (MVS) can generally be categorized into three classes: volumetric, point cloud-based, and 2D depth map-based methods. Volumetric methods [31; 32] typically partition the 3D space into voxels and annotate them as either interior or exterior to the object surface. Point cloud-based methods [33; 34] directly optimize the point cloud coordinates of objects in 3D space. Depth map-based methods [2; 4; 35; 6] first estimate 2D depth corresponding to images and then




Figure 1: The robustness testing on the depth range. Under identical training configurations, our method exhibits superior robustness to variations in depth range compared with two state-of-the-art methods [13; 14]. The red markings denote the actual depth range used during training.

fuse the 2D depths of the same scene to obtain a 3D point cloud. However, these traditional methods remain constrained by manually crafted image features and similarity matrices.

2.2 Deep learning based MVS

CNN-based MVS methods generally leverage convolutional neural networks to construct and refine 3D cost volume [36; 37; 11; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47]. For instance, [38] uses isotropic and anisotropic 3D convolution-based learning networks to estimate the depth map. [40] introduces a pixel-wise network to obtain visibility. [11] applies a multi-stage CNN framework to enable reconstruction. [44] and [45] build a kind of pyramid to realize 3D cost volume. Similarly, [46] proposes a sparse-to-dense CNN framework when constructing the 3D cost volume.

RNN-based methods mainly exploit recurrent network structures [48; 49] to regularize 3D cost volume [50; 51; 52; 9; 13; 53; 54]. For example, [50] utilizes recurrent encoder-decoder structure and 2D CNN framework to solve large-scale MVS reconstruction. [51] introduces a scalable RNN-based MVS framework. IterMVS [13] uses a GRU-based estimator to encode the probability distribution of depth. Compared with 3D CNN, RNN highly reduces the memory requirement, which makes it more suitable for large-scale MVS reconstruction [55].

Transformer is popular in 3D vision tasks [56; 57; 58; 59], and first introduced into the field of MVS reconstruction by [10] due to its ability to capture global context information. Transformer is incorporated into feature encoding [10; 60; 61] to capture features within and between input images. The succeeding work [62] implements a transformer to assign weights to different pixels in the aggregating process. [63] employs an Epipolar Transformer to perform non-local feature augmentation. However, these deep learning-based MVS methods commonly exhibit sensitivity to the depth range, thereby restricting their broad applicability.

Scale-agnostic MVS methods infer the depth information from the movement along epipolar lines to reduce the heavy dependence of depth range priors. Several methods [14; 15] perform 2D sampling between two frames and iteratively update flows to find the matching points. Specifically, DispMVS [14] is randomly initialized within the depth range and performs depth fusion by utilizing a weighted sum. RAMDepth [15] selects a random source image in each iteration. However, both methods fail to fully exploit multi-frame constraints during the flow updates due to the mismatch of 3D information at sampling points. In this paper, we enhance the epipolar matching process by simultaneously considering multi-frame information.

3 Method

Given a reference image $I_0 \in \mathbb{R}^{H \times W \times 3}$ and multi-view source images $\{I_i\}_{i=1}^{N-1} \in \mathbb{R}^{H \times W \times 3}$ as input, the task of MVS is to calculate the depth map of the reference image. We treat MVS as a matching problem: for a pixel point p_r in the reference image, we identify the corresponding point p_s in the source image, then we can get depth by triangulation. Given the initial matching point p_s^0 obtained by the initial depth, we adopt an iterative update strategy. Since the matching point lies on the epipolar line of the source image, the one-degree-of-freedom epipolar disparity flow is used




Figure 2: Overview of our method. We introduce the disparity feature encoding module to encode viewpoint quality differences, and the Multi-view Disparity Attention (MDA) module to facilitate information interaction between multi-view images. The MDA module is depicted in Fig. 3. Starting from an initial depth map D_0 , the epipolar disparity flows are iteratively updated and fused to the depth of the next stage.

to represent the network’s iterative updates. The epipolar disparity flow $e_s^k \in \mathbb{R}^{H \times W \times 1}$ is 1-d flow along the epipolar line on the source image during each iteration:

$$e_s^k = \vec{e}_{dir} \cdot (p_s^k - p_s^0), \quad (1)$$

where \vec{e}_{dir} is the normalized direction vector of the epipolar line, \cdot is the dot product of vectors, and k is the iteration time. Different from previous methods [14; 13], we fully eliminate the dependence on depth range during initialization and achieve synchronous updating of the epipolar disparity flow across multi-view images. This is done by our design of disparity information interaction.

The overall pipeline of our method is illustrated in Fig. 2. The proposed method starts from a feature extraction module to extract multi-scale features (Sec. 3.1). Then, we discuss how to initialize the depth map without depth range (Sec. 3.2) and perform feature encoding (Sec. 3.3). To facilitate information fusion across multi-view source images, we introduce the Multi-view Disparity Attention (MDA) module (Sec. 3.4), enhanced with Pose Embedding. Finally, the features enhanced by the MDA module are fed into a GRU module to update the epipolar disparity flow, as described (Sec. 3.5), which is then fused to generate the depth map.

3.1 Feature Extraction

Following previous methods [10; 13; 60; 64], we employ convolutional neural networks (CNNs) for image feature extraction. Moreover, we adopt a coarse-to-fine strategy to extract multi-scale image features. Specifically, we utilize two share-weighted feature extraction modules to extract image features $F_0^l \in \mathbb{R}^{H \times W \times C}$ and $\{F_i^l\}_{i=1}^{N-1} \in \mathbb{R}^{H \times W \times C}$ and a context feature extraction module to extract context features.

3.2 Initialization

Differing from DispMVS [14], we design a novel initialization method without depth range to further mitigate the influence of depth priors. Specifically, we select an initial position along the epipolar line and then convert it into the depth map. First, we derive the correspondence between depth and position along the epipolar line. Given a pixel p_r of the reference image I_0 , the geometric constrain between it and the warped pixel p_s of the source image I_i can be written as:

$$K_i^{-1} p_s d_s = R \cdot (K_0^{-1} p_r d_r) + T, \quad (2)$$

where d_r denotes the depth in reference view, d_s denotes the depth in source view. R and t denote the rotation and translation between the reference and the source view, K_0^{-1} and K_i^{-1} denote the intrinsic matrices of the reference and the source view. Let $T = (t_x, t_y, t_z)^T$, $K_i^{-1} p_s = (p_{sx}, p_{sy}, p_{sz})^T$ and $R \cdot K_0^{-1} p_r = (p_{rx}, p_{ry}, p_{rz})^T$, we can associate d_r and d_s with pixel coordinates:

$$d_r = \begin{cases} (t_x p_{sz} - t_z p_{sx}) / (p_{sx} p_{rz} - p_{sz} p_{rx}), & \left| \vec{f}_{xr \rightarrow xs}(p_r) \geq \vec{f}_{yr \rightarrow ys}(p_r) \right| \\ (t_y p_{sz} - t_z p_{sy}) / (p_{sy} p_{rz} - p_{sz} p_{ry}), & \text{otherwise} \end{cases} \quad (3)$$

$$d_s = \begin{cases} (t_x p_{rz} - t_z p_{rx}) / (p_{sx} p_{rz} - p_{sz} p_{rx}), & \left| \vec{f}_{xr \rightarrow xs}(p_r) \geq \vec{f}_{yr \rightarrow ys}(p_r) \right| \\ (t_y p_{rz} - t_z p_{ry}) / (p_{sy} p_{rz} - p_{sz} p_{ry}), & \text{otherwise} \end{cases} \quad (4)$$

where \vec{f} is a 2D flow vector along the epipolar line that provides flow in the x dimension $\vec{f}_{xr \rightarrow xs}(p_r)$ and y dimension $\vec{f}_{yr \rightarrow ys}(p_r)$. To obtain an appropriate initial position, we first determine the geometrically valid range along the epipolar line, which has not been considered in other works [53; 14]. If a point is observable in the current view, it must have physical significance, meaning it must lie in front of the camera. Therefore, we identify the search range along the epipolar line on the source image that satisfies the condition $d_r > 0, d_s > 0$. We obtain the initial position p_s^0 by selecting the mid-point in search range along epipolar line.

3.3 Disparity Hidden State Based Feature Encoding

Due to occlusion, moving objects, blurring, or other factors violating the multi-view geometry assumptions, the quality of sampling points from different source images varies, which limits the network’s performance in depth estimation. To address this issue, we extract uncertainty information from the sampling point feature and encode it with cost volume as epipolar disparity feature F_i^d . As shown in Fig. 2, we design the disparity hidden state H_i^d to maintain the sampling information of the current source image and update it during iterations by incorporating new uncertainty information.

Cost Volume Construction. For each source image, after determining the position p_s^t for the current iteration, we uniformly sample M points around p_s^t along the epipolar line at each scale with a distance of one pixel. By constructing a 4-layer pyramid feature using average pooling, uniform pixel sampling at different levels allows for a larger receptive field. The sampling interval in 2D is fixed. Given image features F_0^l and $\{F_i^l\}_{i=1}^{N-1}$, we obtain the features of M sampled points in the source image through interpolation and calculate the visual similarity. The cost volume $V \in \mathbb{R}^{H \times W \times M}$ is constructed by computing the dot product between pairs of image feature vectors:

$$V_i(p_r) = \sum_{r \in R} \langle F_{I_0}(p_r) \cdot F_{I_i}(p_s^k + r) \rangle, \quad (5)$$

where R represents the set of sampling points uniformly sampled along the epipolar line in the source image, and M denotes the number of sample points.

Disparity Feature Encoding with Uncertainty. When estimating the epipolar disparity flow from multi-view frames, it is essential to encode the differences between source images caused by variations in occlusion situations and image quality. Motivated by this, we conduct disparity hidden state $H_i^d \in \mathbb{R}^{H \times W \times C}$ to explicitly represent the situation of point p_r relative to the source image. Motivated by this, we introduce a disparity hidden state $H_i^d \in \mathbb{R}^{H \times W \times C}$ to explicitly represent the condition of points relative to the multi-view source images. H_i^d is randomly initialized and consecutively updated throughout the iterative process. We introduce a variance-based uncertainty estimation module to encode the correlation features, which is formulated as follows:

$$U_i = 1 - \sigma \left(\sum (V_i - \bar{V}_i)^2 \right), \quad (6)$$

where V_i denotes the cost volume of source image, \bar{V}_i denotes the average value of V_i , and $\sigma(\cdot)$ is the sigmoid function. Then, the uncertainty U_i , the disparity hidden state of the previous iteration, the correlation features and the epipolar disparity flows are fed into the convolutional layers to generate epipolar disparity feature F_i^d and update the disparity hidden state H_i^d .

3.4 Multi-view Stereo Transformer

DispMVS estimates the epipolar disparity flow from each two-frame image pair $\{I_0, I_i\}_{i=1}^{N-1}$, which overlooks the abundant multi-view information. Inspired by VideoFlow [21], we estimate the epipolar




Figure 3: Illustration of MDA module. After concatenating features with 3D pose embedding and 2D normalized positional encoding, we achieve intra-image and inter-image information interaction through self-attention and cross-attention. As shown in the right figure, 3D pose embedding encodes relative pose and pixel geometric information into the features to enhance the learning capability of the attention mechanism.

flow of multi-view images simultaneously. However, since multiple source images are not sequentially arranged and points uniformly 2D sampled across source images can not establish robust 3D spatial correspondences, directly learning the continuity between flows, as [21], does not work.

Therefore, unlike [13; 10], etc., we design some special structures for information aggregation among multi-view images. Although the depths of sampled points along epipolar lines do not correspond, we observe that there is a regular pattern in the direction of depths along epipolar lines. As shown in Fig. 3, We design Multi-view Disparity Attention to learn the global information and utilize pose embedding to implicitly model the correspondence between pixel coordinates and depth on multiple source images, enabling the network to learn the direction and scale relationship of corresponding flows across different source images.

Multi-view Disparity Attention. To effectively capture extensive global information across epipolar disparity features from different views, we leverage the Multi-view Disparity Attention (MDA) module to further enhance the disparity features. We utilize an attention module to globally interact with disparity features of multi-view source images, thereby achieving multi-view feature fusion.

Given epipolar disparity features $\{F_i^d\}_{i=1}^{N-1}$, we first use self-attention to achieve intra-image information interaction. We concatenate epipolar disparity features $F_i^d \in \mathbb{R}^{H \times W \times C}$ and set $H \times W$ the as sequence length L , generating $F^d \in \mathbb{R}^{(N-1) \times (H \times W) \times C}$.

Then we use cross-attention to achieve inter-frame information interaction and learn the relations among multi-view. We concatenate epipolar disparity features F_i^d and set the number of source images $N - 1$ the as sequence length L , generating $F^d \in \mathbb{R}^{(H \times W) \times (N-1) \times C}$.

To reduce computation cost, for the self-attention we use a linear transformer to compute attention, which replaces the original kernel function with:

$$\text{Attention}(Q, K, V) = \Phi(Q) (\Phi(K^T) V), \quad (7)$$

where $\Phi(\cdot) = \text{relu}(\cdot) + 1$ and $\text{relu}(\cdot)$ represents the activation function of exponential linear units.

Pose Embedding. Due to the depths of sampling points varying for different source images, we utilize pose embedding to construct implicit disparity relationships among multi-view frames. To effectively convey useful information to the attention module, we categorize the features of pose embedding into two types: multi-view relative pose information and geometric information between specific sampled points. Fig. 3 illustrates the variables used to construct the pose embedding.

On one hand, the multi-view relative pose information between cameras contains crucial information about disparity features. By explicitly injecting relative poses into the attention module, the network can learn image-level geometric constraints. We represent the angle $\theta^{0,i}$ between rays as embedding. Inspired by [65], we encode the rotation matrix and translation matrix between the reference and the source view into the relative pose distance $P^{0,i}$:

$$P^{0,i} = \sqrt{\|t^{0,i}\|^2 + \frac{2}{3} \text{tr}(\mathbb{I} - R^{0,i})}, \quad (8)$$

On the other hand, we encode the geometric information between specific sampled points. Due to our incorporation of pixel-level attention in addition to inter-frame attention, it is necessary to encode not

only image-level camera poses but also the pixel-level information corresponding to sampled points. It is important to note that for each pixel in the reference image and its corresponding sampled point in the source image, we can obtain the corresponding 3D point coordinates P through triangulation based on stereo geometry. Accordingly, we encode the 2D coordinates p_s of the source image, the depth d_r from the perspective of the reference image, and the depth d_s from the perspective of the source image, thereby transforming the 3D information into corresponding relationships on the 2D plane. Moreover, we encode the normalized direction r_0, r_i to the 3D location of a point.

3.5 Iterative Updates

In the GRU updating process, we iteratively update the epipolar disparity flow $e_s^{k+1} = e_s^k + \Delta e_s$ obtained from the MDA module for each source image. In each iteration, the input to the update operator includes 1) the hidden state; 2) the disparity feature output from the MDA module; 3) the current epipolar flow; and 4) the context feature of the reference image. The output of the update operator includes 1) a new hidden state; 2) an increment to the disparity flow; and 3) the weight of disparity flow for multi-view images. We derive the depth from the disparity flow and employ a weighted sum to integrate the depth across multi-view source images. After fusion, the depth is converted back to disparity flow to perform the next iteration.

3.6 Loss Function

Similar to [14], we output depth after each iteration and construct the loss function accordingly. We construct the depth L1 loss. The loss function is represented in Eq. 9:

$$loss = \sum_{j=t_c, t_f} \sum_{0 \leq k < j} \gamma^k |\text{norm}(gt_r) - \text{norm}(d_r^k)|, \quad (9)$$

where t_c, t_f are iterations at the coarse and fine stage, γ is a hyper-parameter which is set to 0.9.

4 Experiments

In this section, we first introduce the datasets (Sec. 4.1), followed by the implementation details of the experiment (Sec. 4.2). Subsequently, we delineate the experimental performance (Sec. 4.3) and conduct ablation experiments to validate the efficacy of each proposed module (Sec. 4.4).

4.1 Datasets

DTU dataset [23] is an indoor multi-view stereo dataset captured in well-controlled laboratory conditions, which contains 128 different scenes with 49 views under 7 different lighting conditions. Following MVSNet [8], we partitioned the DTU dataset into 79 training sets, 18 validation sets, and 22 evaluation sets. BlendedMVS dataset [66] is a large-scale outdoor multi-view stereo dataset that contains a diverse array of objects and scenes, with 106 training scenes and 7 validation scenes. Tanks and Temples [24] is a public multi-view stereo benchmark captured under outdoor real-world conditions. It contains an intermediate subset of 8 scenes and an advanced subset of 6 scenes.

4.2 Implementation Details

Implemented by PyTorch [67], two models are trained on the DTU dataset and large-scale Blended-MVS dataset, respectively. On the DTU dataset, we set the image resolution as 512×640 and the number of input images as 5 for the training phase. On the BlendedMVS dataset, we set the image resolution as 768×576 and the number of input images as 5 for the training phase. For all models, we use the AdamW optimizer with an initial learning rate of 0.0002 that halves every four epochs for 16 epochs. The training procedure is finished on two A100 with $t_c = 8, t_f = 2$. For depth filtering and fusion, we process 2D depth maps to generate point clouds and compare them with ground truth.

4.3 Experimental Performance

In this section, we compare our method with other state-of-the-art methods and scale-agnostic methods. Existing methods are categorized into traditional methods [2; 35], 3D cost-volume



Figure 4: Some qualitative results of the proposed method on DTU and Tanks and Temples datasets.

Table 1: The Quantitative point cloud evaluation results on DTU evaluation set. The lower the Accuracy (Acc), Completeness (Comp), Overall, the better. We split methods into four categories and highlight the best in bold for each.

Method	ACC.(mm)↓	Comp.(mm)↓	Overall(mm)↓
Gipuma [2]	0.283	0.873	0.578
COLMAP [35]	0.400	0.664	0.532
MVSNet [8]	0.396	0.527	0.462
AA-RMVSNet [9]	0.376	0.339	0.357
PatchmatchNet [53]	0.427	0.277	0.352
UniMVSNet [41]	0.352	0.278	0.315
TransMVSNet [10]	0.321	0.289	0.305
MVSTER* [68]	0.340	0.266	0.303
GeoMVS [69]	0.331	0.259	0.295
GBiNet [47]	0.315	0.262	0.289
MVSFormer++[71]	0.309	0.252	0.281
IterMVS [13]	0.373	0.354	0.363
CER-MVS [70]	0.359	0.305	0.332
RAMDepth [15]	0.447	0.278	0.362
DispMVS [14]	0.354	0.324	0.339
Ours	0.338	0.331	0.335

methods[8; 53; 9; 68; 47; 10; 69; 61], RNN-based methods [13; 70] and scale-agnostic methods [15; 14]. Methods that leverage scene depth range have an advantage as they can utilize accurate and robust information, thereby mitigating outliers, especially in textureless regions.

Evaluation on DTU. We evaluate the proposed method on the evaluation set of DTU dataset. We set the image resolution as 864×1152 and the number of input images as 5. As shown in Table 1, our method has the best overall performance among depth-range-free methods. CER-MVS [70] and MVSFormer++ [61] demonstrate superior performance; however, they are heavily dependent on the accuracy of the depth range. Our approach outperforms when compared with depth range-free methods like DispMVS [14] and RAMDepth [15], which demonstrates the effectiveness of our method in exploiting correlations among multi-view frames.

Evaluation on Tanks and Temples. Since the Tanks and Temples dataset does not provide training samples, we use a model pre-trained on the BlendedMVS dataset for testing. We set the image resolution as 864×1152 and the number of input images as 7 for the evaluation phase. Table 2 presents the comparison between our method and other state-of-the-art methods. Our method achieves the best performance among scale-agnostic methods [14]. Since RAMDepth [15] has not provided results on the Tanks and Temples dataset and source code, we are unable to make a comparison. Although our method exhibits a certain gap when compared to state-of-the-art methods [70; 61] based on precise depth priors, it demonstrates superior robustness across a broader depth range.

We visualize point clouds generated on DTU and Tanks and Temples dataset in Fig. 4, which demonstrates that our method is capable of constructing a comprehensive and precise point cloud.

4.4 Ablation Study

In this subsection, we conduct ablation studies of our model trained on DTU [23] datasets to discuss the effectiveness of core parts of our method. The implemented baseline is basically based on DispMVS [14]. All the experiments are performed with the same hyperparameters.

Table 2: The Quantitative point cloud evaluation results on Tanks and Temples benchmark. The metric is F-score and "Mean" refers to the average F-score of all scenes (higher is better). We split methods into four categories and highlight the best in bold for each.

Method	advanced							intermediate								
	Mean	Aud.	Bal.	Cou.	Mus.	Pal.	Tem.	Mean	Fam.	Fra.	Hor.	Lig.	M60	Pan.	Pla.	Tra.
COLMAP [35]	27.24	16.02	25.23	34.70	41.51	18.05	27.94	42.14	50.41	22.25	26.63	56.43	44.83	46.97	48.53	42.04
MVSNet [8]	-	-	-	-	-	-	-	43.48	55.99	28.55	25.07	50.79	53.96	50.86	47.90	34.69
PatchmatchNet [53]	32.31	23.69	37.73	30.04	41.80	28.31	32.29	53.15	66.99	52.64	43.24	54.87	52.87	49.54	54.21	50.81
AA-RMVSNet [9]	33.53	20.96	40.15	32.05	46.01	29.28	32.71	61.51	77.77	59.53	51.53	64.02	64.05	59.47	60.85	54.90
MVSTER [68]	37.53	26.68	42.14	35.65	49.37	32.16	39.19	60.92	80.21	63.51	52.30	61.38	61.47	58.16	58.98	51.38
GBi-Net [47]	37.32	29.77	42.12	36.30	47.69	31.11	36.93	61.42	79.77	67.69	51.81	61.25	60.37	55.87	60.67	53.89
TransMVSNet [10]	37.00	24.84	44.59	34.77	46.49	34.69	36.62	63.52	80.92	65.83	56.94	62.54	63.06	60.00	60.20	58.67
GeoMVSNet [69]	41.52	30.23	46.53	39.98	53.05	35.98	43.34	65.89	81.64	67.53	55.78	68.02	65.49	67.19	63.27	58.22
MVSFormer++ [61]	41.70	30.39	45.85	39.35	53.62	35.34	45.66	67.03	82.87	68.90	64.21	68.65	65.00	66.43	60.07	60.12
IterMVS [13]	33.24	22.95	38.74	30.64	43.44	28.39	35.27	56.94	76.12	55.80	50.53	56.05	57.68	52.62	55.70	50.99
CER-MVS [70]	40.19	25.95	45.75	39.65	51.75	35.08	42.97	64.82	81.16	64.21	50.43	70.73	63.85	63.99	65.90	58.25
DispMVS [14]	34.90	26.09	38.01	33.19	44.90	28.49	38.75	59.07	74.73	60.67	54.13	59.58	58.02	53.39	58.63	53.42
Ours	35.95	26.75	40.22	33.87	45.78	29.58	39.50	59.27	75.05	61.63	53.15	60.24	58.44	53.34	58.79	53.54

Table 3: Quantitative evaluation of the effectiveness of each component of the model was conducted on the DTU dataset. The lower the Accuracy (Acc), Completeness (Comp), Overall, the better.

Pose Embedding	Uncertainty	Disparity Hidden State	Acc.(mm)↓	Comp.(mm)↓	Overall(mm)↓
✓			0.363	0.382	0.372
	✓		0.356	0.384	0.370
✓	✓		0.370	0.354	0.362
✓		✓	0.336	0.378	0.357
✓	✓	✓	0.338	0.331	0.335

Pose Embedding. We conducted ablation experiments to validate the effectiveness of the pose embedding. Specifically, within the multi-view attention module, we remove 3D pose embedding and retain only the original 2D position encoding of attention. As shown in Table 3, after applying pose embedding, the overall performance improves by 9.46%. The result indicates that the current task heavily relies on the relative pose and geometric information contained in the pose embedding. Without incorporating geometric constraints across multi-view source images, typically achieved through pose embedding, the performance of Transformer in this task may degrade significantly.

Disparity Feature Encoding coupling with Uncertainty. Following [14], we further attempt to remove uncertainty estimation and disparity hidden state and directly perform feature encoding on disparity flow and cost volume. As shown in Table 3, with the disparity feature encoding coupling with uncertainty, the overall performance improves by 9.95%. The result validates the effectiveness of the module, demonstrating that explicitly estimating the quality of sampled points on the epipolar line of source images and updating the disparity hidden state in the network is effective. Additionally, we designed two separate ablation experiments, removing the uncertainty and disparity feature hidden states, to further evaluate the impact of these two modules on the network. The uncertainty and disparity feature hidden states improved the overall performance by 6.16% and 7.46%, respectively. Compared to the performance without disparity feature encoding coupling with uncertainty, this demonstrates the effectiveness of the uncertainty and disparity feature hidden state updating modules.

4.5 Depth Range

In this section, we compare the generalization of different networks to depth range. We don't compare with RAMDepth [15] in the ablation studies due to the lack of its source code. We select several state-of-the-art methods (GeoMVS [69], MVSFormer++ [61]), RNN-based methods (IterMVS [13], CER-MVS [70]) and depth-range-free method (DispMVS [14]) to conduct experiments to evaluate the generalization of depth range. Our main comparison is with depth-range-free methods [14], which reduce dependence on depth priors through network design. All methods are trained on DTU dataset with the same depth range and subsequently inference under different depth ranges.

Table 4: Quantitative evaluation of the sensitivity of methods to depth range. The results for Accuracy (Acc), Completeness (Comp), and Overall are presented in millimeters (mm).

Depth Range	Method	Acc.↓	Comp.↓	Overall↓
(425mm, 935mm)	IterMVS[13]	0.373	0.354	0.363
	DispMVS[14]	0.354	0.324	0.339
	CER-MVS[70]	0.359	0.305	0.332
	GeoMVS[69]	0.331	0.259	0.295
	MVSFormer++[71]	0.309	0.252	0.281
	Ours	0.338	0.331	0.335
(212.5mm, 1870mm)	IterMVS[13]	0.532	1.471	1.002
	DispMVS[14]	0.348	0.404	0.376
	CER-MVS[70]	1.805	1.161	1.483
	GeoMVS[69]	0.435	0.619	0.527
	MVSFormer++[71]	0.478	0.359	0.418
	Ours	0.338	0.331	0.335
(141.6mm, 2805mm)	IterMVS[13]	0.935	6.985	3.960
	DispMVS[14]	0.314	0.671	0.493
	CER-MVS[70]	11.464	12.683	12.073
	GeoMVS[69]	0.602	1.663	1.133
	MVSFormer++[71]	0.739	0.820	0.780
	Ours	0.338	0.331	0.335

Table 5: The influence of the depth range obtained from COLMAP of methods. The results for Accuracy (Acc), Completeness (Comp), and Overall are presented in millimeters (mm).

Depth Range	Method	Acc.↓	Comp.↓	Overall↓
GT	IterMVS[13]	0.373	0.354	0.363
	DispMVS[14]	0.354	0.324	0.339
	CER-MVS[70]	0.359	0.305	0.332
	GeoMVS[69]	0.331	0.259	0.295
	MVSFormer++[71]	0.309	0.252	0.281
	Ours	0.338	0.331	0.335
COLMAP	IterMVS[13]	0.454	1.486	0.970
	DispMVS[14]	0.339	0.372	0.356
	CER-MVS[70]	0.816	0.326	0.571
	GeoMVS[69]	0.374	0.415	0.394
	MVSFormer++[71]	0.361	0.319	0.340
	Ours	0.338	0.331	0.335

For methods [13; 70; 69; 61] that rely on depth range prior for depth sampling, whether based on RNN or Transformer, they may exhibit better performance with accurate depth priors. However, as shown in Table 4, there is a marked decline in performance for these methods with larger depth range. Although DispMVS [14] showed insensitivity to depth range, its performance still exhibited a certain degree of decline with larger depth ranges. In contrast, our method, which is independent of depth range, maintained consistent performance regardless of changes in depth range.

It is crucial to emphasize that the depth range provided by the dataset is exceptionally accurate. For instance, the ground truth for the Tanks-and-Temples dataset is captured using an industrial laser scanner. However, in practical applications, while Structure-from-Motion (SfM) can derive depth ranges from sparse feature points, the resulting depth estimates are often prone to inaccuracies. These inaccuracies arise from the inherent sparsity of feature points, as well as challenges such as occlusion and suboptimal viewpoint selection. To verify the robustness of the MVS models in practical applications, we use the depth range obtained from COLMAP to replace the depth range ground truth (GT). As shown in Table 5, there is a significant decline in performance for GeoMVS [69], MVSFormer++ [61], IterMVS [13] and CER-MVS [70] when we use the depth range obtained from COLMAP. DispMVS [14] also exhibits a certain degree of decline. In contrast, our method maintained consistent performance. This result further demonstrates the necessity of eliminating the depth range.

5 Conclusion

We propose a prior-free multi-view stereo framework that simultaneously considers all the source images. To fully fuse the information from disordered and arbitrarily posed source images, we propose a 3D-pose-embedding-aided and uncertainty-driven transformer-based network. Extensive experiments show that our methods achieve state-of-the-art performances among the prior-free methods and exhibit greater robustness to the depth range prior. **Limitations:** The proposed method cannot run in real-time (i.e., 30 FPS), which could limit its application in mobile devices or other time-sensitive scenarios. Besides, our method shows a performance gap compared to SOTA cost-volume-based methods on the mainstream benchmark, despite these methods relying on highly precise depth range priors. In the future work, we hope to close the gap.

Acknowledgement

This work was partially supported by NSF of China (No. 61932003).

References

- [1] Robust Multiview Stereopsis. Accurate, dense, and robust multiview stereopsis. *IEEE TRANSACTIONS ON PATTERN ANALYSIS AND MACHINE INTELLIGENCE*, 32(8), 2010.
- [2] Silvano Galliani, Katrin Lasinger, and Konrad Schindler. Massively parallel multiview stereopsis by surface normal diffusion. In *Proceedings of the IEEE International Conference on Computer Vision*, pages 873–881, 2015.
- [3] Johannes L Schönberger, Enliang Zheng, Jan-Michael Frahm, and Marc Pollefeys. Pixelwise view selection for unstructured multi-view stereo. In *Computer Vision—ECCV 2016: 14th European Conference, Amsterdam, The Netherlands, October 11–14, 2016, Proceedings, Part III 14*, pages 501–518. Springer, 2016.
- [4] Qingshan Xu and Wenbing Tao. Multi-scale geometric consistency guided multi-view stereo. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 5483–5492, 2019.
- [5] Andrea Romanoni and Matteo Matteucci. Tapa-mvs: Textureless-aware patchmatch multi-view stereo. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pages 10413–10422, 2019.
- [6] Qingshan Xu and Wenbing Tao. Planar prior assisted patchmatch multi-view stereo. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 34, pages 12516–12523, 2020.
- [7] Xiaodong Gu, Zhiwen Fan, Siyu Zhu, Zuozhuo Dai, Feitong Tan, and Ping Tan. Cascade cost volume for high-resolution multi-view stereo and stereo matching. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pages 2495–2504, 2020.
- [8] Yao Yao, Zixin Luo, Shiwei Li, Tian Fang, and Long Quan. Mvsnet: Depth inference for unstructured multi-view stereo. In *Proceedings of the European Conference on Computer Vision (ECCV)*, September 2018.
- [9] Zizhuang Wei, Qingtian Zhu, Chen Min, Yisong Chen, and Guoping Wang. Aa-rmvsnet: Adaptive aggregation recurrent multi-view stereo network. In *Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV)*, pages 6187–6196, October 2021.
- [10] Yikang Ding, Wentao Yuan, Qingtian Zhu, Haotian Zhang, Xiangyue Liu, Yuanjiang Wang, and Xiao Liu. Transmvsnet: Global context-aware multi-view stereo network with transformers. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 8585–8594, June 2022.
- [11] Shuo Cheng, Zexiang Xu, Shilin Zhu, Zhuwen Li, Li Erran Li, Ravi Ramamoorthi, and Hao Su. Deep stereo using adaptive thin volume representation with uncertainty awareness. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2020.
- [12] Robert T Collins. A space-sweep approach to true multi-image matching. In *Proceedings CVPR IEEE computer society conference on computer vision and pattern recognition*, pages 358–363. Ieee, 1996.
- [13] Fangjinhua Wang, Silvano Galliani, Christoph Vogel, and Marc Pollefeys. Itermvs: Iterative probability estimation for efficient multi-view stereo. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 8606–8615, June 2022.
- [14] Qingsong Yan, Qiang Wang, Kaiyong Zhao, Bo Li, Xiaowen Chu, and Fei Deng. Rethinking disparity: a depth range free multi-view stereo based on disparity. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 37, pages 3091–3099, 2023.
- [15] Andrea Conti, Matteo Poggi, Valerio Cambareri, and Stefano Mattoccia. Range-agnostic multi-view depth estimation with keyframe selection. *arXiv preprint arXiv:2401.14401*, 2024.

- [16] Zhaoyang Huang, Xiaoyu Shi, Chao Zhang, Qiang Wang, Yijin Li, Hongwei Qin, Jifeng Dai, Xiaogang Wang, and Hongsheng Li. Flowformer: A transformer architecture and its masked cost volume autoencoding for optical flow. *arXiv preprint arXiv:2306.05442*, 2023.
- [17] Junjie Ni, Yijin Li, Zhaoyang Huang, Hongsheng Li, Hujun Bao, Zhaopeng Cui, and Guofeng Zhang. Pats: Patch area transportation with subdivision for local feature matching. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 17776–17786, 2023.
- [18] Weikang Bian, Zhaoyang Huang, Xiaoyu Shi, Yitong Dong, Yijin Li, and Hongsheng Li. Context-pips: Persistent independent particles demands context features. *Advances in Neural Information Processing Systems*, 36, 2024.
- [19] Hongjia Zhai, Xiyu Zhang, Zhao Boming, Hai Li, Yijia He, Zhaopeng Cui, Hujun Bao, and Guofeng Zhang. Splatloc: 3d gaussian splatting-based visual localization for augmented reality. *arXiv preprint arXiv:2409.14067*, 2024.
- [20] Junjie Ni, Guofeng Zhang, Guanglin Li, Yijin Li, Xinyang Liu, Zhaoyang Huang, and Hujun Bao. Eto: Efficient transformer-based local feature matching by organizing multiple homography hypotheses. *arXiv preprint arXiv:2410.22733*, 2024.
- [21] Xiaoyu Shi, Zhaoyang Huang, Weikang Bian, Dasong Li, Manyuan Zhang, Ka Chun Cheung, Simon See, Hongwei Qin, Jifeng Dai, and Hongsheng Li. Videoflow: Exploiting temporal cues for multi-frame optical flow estimation. *arXiv preprint arXiv:2303.08340*, 2023.
- [22] Michal Neoral, Jan Šochman, and Jiří Matas. Continual occlusion and optical flow estimation. In *Asian Conference on Computer Vision*, pages 159–174. Springer, 2018.
- [23] Henrik Aanæs, Rasmus Ramsbøl Jensen, George Vogiatzis, Engin Tola, and Anders Bjarholm Dahl. Large-scale data for multiple-view stereopsis. *International Journal of Computer Vision*, 120:153–168, 2016.
- [24] Arno Knapitsch, Jaesik Park, Qian-Yi Zhou, and Vladlen Koltun. Tanks and temples: Benchmarking large-scale scene reconstruction. *ACM Transactions on Graphics (TOG)*, 36(4):1–13, 2017.
- [25] Xinyang Liu, Yijin Li, Yanbin Teng, Hujun Bao, Guofeng Zhang, Yinda Zhang, and Zhaopeng Cui. Multi-modal neural radiance field for monocular dense slam with a light-weight tof sensor. In *Proceedings of the IEEE/CVF international conference on computer vision*, pages 1–11, 2023.
- [26] Zhaoyang Huang, Han Zhou, Yijin Li, Bangbang Yang, Yan Xu, Xiaowei Zhou, Hujun Bao, Guofeng Zhang, and Hongsheng Li. Vs-net: Voting with segmentation for visual localization. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 6101–6111, 2021.
- [27] Shuo Chen, Mao Peng, Yijin Li, Bing-Feng Ju, Hujun Bao, Yuan-Liu Chen, and Guofeng Zhang. Multi-view neural 3d reconstruction of micro-and nanostructures with atomic force microscopy. *Communications Engineering*, 3(1):131, 2024.
- [28] Zhichao Ye, Chong Bao, Xin Zhou, Haomin Liu, Hujun Bao, and Guofeng Zhang. Ec-sfm: Efficient covisibility-based structure-from-motion for both sequential and unordered images. *IEEE Transactions on Circuits and Systems for Video Technology*, 34(1):110–123, 2023.
- [29] Xiaoliang Ju, Zhaoyang Huang, Yijin Li, Guofeng Zhang, Yu Qiao, and Hongsheng Li. Diffindscene: Diffusion-based high-quality 3d indoor scene generation. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 4526–4535, 2024.
- [30] Bangbang Yang, Yinda Zhang, Yijin Li, Zhaopeng Cui, Sean Fanello, Hujun Bao, and Guofeng Zhang. Neural rendering in a room: amodal 3d understanding and free-viewpoint rendering for the closed scene composed of pre-captured objects. *ACM Transactions on Graphics (TOG)*, 41(4):1–10, 2022.

- [31] Steven M Seitz and Charles R Dyer. Photorealistic scene reconstruction by voxel coloring. *International Journal of Computer Vision*, 35:151–173, 1999.
- [32] Ilya Kostrikov, Esther Horbert, and Bastian Leibe. Probabilistic labeling cost for high-accuracy multi-view reconstruction. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pages 1534–1541, 2014.
- [33] Maxime Lhuillier and Long Quan. A quasi-dense approach to surface reconstruction from uncalibrated images. *IEEE transactions on pattern analysis and machine intelligence*, 27(3): 418–433, 2005.
- [34] Yasutaka Furukawa and Jean Ponce. Accurate, dense, and robust multiview stereopsis. *IEEE transactions on pattern analysis and machine intelligence*, 32(8):1362–1376, 2009.
- [35] Johannes L Schonberger and Jan-Michael Frahm. Structure-from-motion revisited. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pages 4104–4113, 2016.
- [36] Keyang Luo, Tao Guan, Lili Ju, Yuesong Wang, Zhuo Chen, and Yawei Luo. Attention-aware multi-view stereo. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2020.
- [37] Hongwei Yi, Zizhuang Wei, Mingyu Ding, Runze Zhang, Yisong Chen, Guoping Wang, and Yu-Wing Tai. Pyramid multi-view stereo net with self-adaptive view aggregation. In *Computer Vision—ECCV 2020: 16th European Conference, Glasgow, UK, August 23–28, 2020, Proceedings, Part IX 16*, pages 766–782. Springer, 2020.
- [38] Keyang Luo, Tao Guan, Lili Ju, Haipeng Huang, and Yawei Luo. P-mvsnet: Learning patch-wise matching confidence aggregation for multi-view stereo. In *Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV)*, October 2019.
- [39] Jingyang Zhang, Yao Yao, Shiwei Li, Zixin Luo, and Tian Fang. Visibility-aware multi-view stereo network, 2020.
- [40] Qingshan Xu and Wenbing Tao. Pvsnet: Pixelwise visibility-aware multi-view stereo network, 2020.
- [41] Rui Peng, Rongjie Wang, Zhenyu Wang, Yawen Lai, and Ronggang Wang. Rethinking depth estimation for multi-view stereo: A unified representation. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 8645–8654, June 2022.
- [42] Youze Xue, Jiansheng Chen, Weitao Wan, Yiqing Huang, Cheng Yu, Tianpeng Li, and Jiayu Bao. Mvsrnf: Learning multi-view stereo with conditional random fields. In *Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV)*, October 2019.
- [43] Xinjun Ma, Yue Gong, Qirui Wang, Jingwei Huang, Lei Chen, and Fan Yu. Epp-mvsnet: Epipolar-assembling based depth prediction for multi-view stereo. In *Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV)*, pages 5732–5740, October 2021.
- [44] Jiayu Yang, Wei Mao, Jose M. Alvarez, and Miaomiao Liu. Cost volume pyramid based depth inference for multi-view stereo. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2020.
- [45] Xiaodong Gu, Zhiwen Fan, Siyu Zhu, Zuozhuo Dai, Feitong Tan, and Ping Tan. Cascade cost volume for high-resolution multi-view stereo and stereo matching. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2020.
- [46] Zehao Yu and Shenghua Gao. Fast-mvsnet: Sparse-to-dense multi-view stereo with learned propagation and gauss-newton refinement. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2020.
- [47] Zhenxing Mi, Chang Di, and Dan Xu. Generalized binary search network for highly-efficient multi-view stereo. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 12991–13000, June 2022.

- [48] Xingjian Shi, Zhoung Chen, Hao Wang, Dit-Yan Yeung, Wai-Kin Wong, and Wang-chun Woo. Convolutional lstm network: A machine learning approach for precipitation nowcasting. *Advances in neural information processing systems*, 28, 2015.
- [49] Kyunghyun Cho, Bart van Merriënboer, Caglar Gulcehre, Dzmitry Bahdanau, Fethi Bougares, Holger Schwenk, and Yoshua Bengio. Learning phrase representations using rnn encoder-decoder for statistical machine translation, 2014.
- [50] Jin Liu and Shunping Ji. A novel recurrent encoder-decoder structure for large-scale multi-view stereo reconstruction from an open aerial dataset. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2020.
- [51] Yao Yao, Zixin Luo, Shiwei Li, Tianwei Shen, Tian Fang, and Long Quan. Recurrent mvsnets for high-resolution multi-view stereo depth inference. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2019.
- [52] Jianfeng Yan, Zizhuang Wei, Hongwei Yi, Mingyu Ding, Runze Zhang, Yisong Chen, Guoping Wang, and Yu-Wing Tai. Dense hybrid recurrent multi-view stereo net with dynamic consistency checking. In *European conference on computer vision*, pages 674–689. Springer, 2020.
- [53] Fangjinhua Wang, Silvano Galliani, Christoph Vogel, Pablo Speciale, and Marc Pollefeys. Patchmatchnet: Learned multi-view patchmatch stereo. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 14194–14203, June 2021.
- [54] Michael Bleyer, Christoph Rhemann, and Carsten Rother. Patchmatch stereo-stereo matching with slanted support windows. In *Bmvc*, volume 11, pages 1–11, 2011.
- [55] Qingtian Zhu, Chen Min, Zizhuang Wei, Yisong Chen, and Guoping Wang. Deep learning for multi-view stereo via plane sweep: A survey. *arXiv preprint arXiv:2106.15328*, 2021.
- [56] Kai Zhang, Sai Bi, Hao Tan, Yuanbo Xiangli, Nanxuan Zhao, Kalyan Sunkavalli, and Zexiang Xu. Gs-irm: Large reconstruction model for 3d gaussian splatting. *arXiv preprint arXiv:2404.19702*, 2024.
- [57] Yijin Li, Zhaoyang Huang, Shuo Chen, Xiaoyu Shi, Hongsheng Li, Hujun Bao, Zhaopeng Cui, and Guofeng Zhang. Blinkflow: A dataset to push the limits of event-based optical flow estimation. In *2023 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, pages 3881–3888. IEEE, 2023.
- [58] Yijin Li, Yichen Shen, Zhaoyang Huang, Shuo Chen, Weikang Bian, Xiaoyu Shi, Fu-Yun Wang, Keqiang Sun, Hujun Bao, Zhaopeng Cui, Guofeng Zhang, and Hongsheng Li. Blinkvision: A benchmark for optical flow, scene flow and point tracking estimation using rgb frames and events. In *European conference on computer vision*. Springer, 2024.
- [59] Yijin Li, Xinyang Liu, Wenqi Dong, Han Zhou, Hujun Bao, Guofeng Zhang, Yinda Zhang, and Zhaopeng Cui. Deltar: Depth estimation from a light-weight tof sensor and rgb image. In *European conference on computer vision*, pages 619–636. Springer, 2022.
- [60] Chenjie Cao, Xinlin Ren, and Yanwei Fu. Mvsformer: Multi-view stereo by learning robust image features and temperature-based depth. *arXiv preprint arXiv:2208.02541*, 2022.
- [61] Chenjie Cao, Xinlin Ren, and Yanwei Fu. Mvsformer++: Revealing the devil in transformer’s details for multi-view stereo. *arXiv preprint arXiv:2401.11673*, 2024.
- [62] Jie Zhu, Bo Peng, Wanqing Li, Haifeng Shen, Zhe Zhang, and Jianjun Lei. Multi-view stereo with transformer. *arXiv preprint arXiv:2112.00336*, 2021.
- [63] Tianqi Liu, Xinyi Ye, Weiyue Zhao, Zhiyu Pan, Min Shi, and Zhiguo Cao. When epipolar constraint meets non-local operators in multi-view stereo. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pages 18088–18097, 2023.
- [64] Zachary Teed and Jia Deng. Raft: Recurrent all-pairs field transforms for optical flow. In *Computer Vision—ECCV 2020: 16th European Conference, Glasgow, UK, August 23–28, 2020, Proceedings, Part II 16*, pages 402–419. Springer, 2020.

- [65] Arda Duzceker, Silvano Galliani, Christoph Vogel, Pablo Speciale, Mihai Dusmanu, and Marc Pollefeys. Deepvideomvs: Multi-view stereo on video with recurrent spatio-temporal fusion. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 15324–15333, 2021.
- [66] Yao Yao, Zixin Luo, Shiwei Li, Jingyang Zhang, Yufan Ren, Lei Zhou, Tian Fang, and Long Quan. Blendedmvs: A large-scale dataset for generalized multi-view stereo networks. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2020.
- [67] Adam Paszke, Sam Gross, Francisco Massa, Adam Lerer, James Bradbury, Gregory Chanan, Trevor Killeen, Zeming Lin, Natalia Gimelshein, Luca Antiga, et al. Pytorch: An imperative style, high-performance deep learning library. *Advances in neural information processing systems*, 32, 2019.
- [68] Xiaofeng Wang, Zheng Zhu, Guan Huang, Fangbo Qin, Yun Ye, Yijia He, Xu Chi, and Xingang Wang. Mvster: Epipolar transformer for efficient multi-view stereo. In *European Conference on Computer Vision*, pages 573–591. Springer, 2022.
- [69] Zhe Zhang, Rui Peng, Yuxi Hu, and Ronggang Wang. Geomvsnet: Learning multi-view stereo with geometry perception. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 21508–21518, 2023.
- [70] Zeyu Ma, Zachary Teed, and Jia Deng. Multiview stereo with cascaded epipolar raft. In *European Conference on Computer Vision*, pages 734–750. Springer, 2022.
- [71] Chenjie Cao, Xinlin Ren, and Yanwei Fu. Mvsformer++: Revealing the devil in transformer’s details for multi-view stereo. *arXiv preprint arXiv:2401.11673*, 2024.

NeurIPS Paper Checklist

1. Claims

Question: Do the main claims made in the abstract and introduction accurately reflect the paper's contributions and scope?

Answer: [Yes]

Justification: We claim the contributions and scope of this paper in the abstract and introduction, specifically in line 4 and 22.

Guidelines:

- The answer NA means that the abstract and introduction do not include the claims made in the paper.
- The abstract and/or introduction should clearly state the claims made, including the contributions made in the paper and important assumptions and limitations. A No or NA answer to this question will not be perceived well by the reviewers.
- The claims made should match theoretical and experimental results, and reflect how much the results can be expected to generalize to other settings.
- It is fine to include aspirational goals as motivation as long as it is clear that these goals are not attained by the paper.

2. Limitations

Question: Does the paper discuss the limitations of the work performed by the authors?

Answer: [Yes]

Justification: In Section 5, Conclusion, we discuss the limitations of this work.

Guidelines:

- The answer NA means that the paper has no limitation while the answer No means that the paper has limitations, but those are not discussed in the paper.
- The authors are encouraged to create a separate "Limitations" section in their paper.
- The paper should point out any strong assumptions and how robust the results are to violations of these assumptions (e.g., independence assumptions, noiseless settings, model well-specification, asymptotic approximations only holding locally). The authors should reflect on how these assumptions might be violated in practice and what the implications would be.
- The authors should reflect on the scope of the claims made, e.g., if the approach was only tested on a few datasets or with a few runs. In general, empirical results often depend on implicit assumptions, which should be articulated.
- The authors should reflect on the factors that influence the performance of the approach. For example, a facial recognition algorithm may perform poorly when image resolution is low or images are taken in low lighting. Or a speech-to-text system might not be used reliably to provide closed captions for online lectures because it fails to handle technical jargon.
- The authors should discuss the computational efficiency of the proposed algorithms and how they scale with dataset size.
- If applicable, the authors should discuss possible limitations of their approach to address problems of privacy and fairness.
- While the authors might fear that complete honesty about limitations might be used by reviewers as grounds for rejection, a worse outcome might be that reviewers discover limitations that aren't acknowledged in the paper. The authors should use their best judgment and recognize that individual actions in favor of transparency play an important role in developing norms that preserve the integrity of the community. Reviewers will be specifically instructed to not penalize honesty concerning limitations.

3. Theory Assumptions and Proofs

Question: For each theoretical result, does the paper provide the full set of assumptions and a complete (and correct) proof?

Answer: [Yes]

Justification: We present the theoretical derivation of the depth range in Section 3.2 and the Appendix.

Guidelines:

- The answer NA means that the paper does not include theoretical results.
- All the theorems, formulas, and proofs in the paper should be numbered and cross-referenced.
- All assumptions should be clearly stated or referenced in the statement of any theorems.
- The proofs can either appear in the main paper or the supplemental material, but if they appear in the supplemental material, the authors are encouraged to provide a short proof sketch to provide intuition.
- Inversely, any informal proof provided in the core of the paper should be complemented by formal proofs provided in appendix or supplemental material.
- Theorems and Lemmas that the proof relies upon should be properly referenced.

4. Experimental Result Reproducibility

Question: Does the paper fully disclose all the information needed to reproduce the main experimental results of the paper to the extent that it affects the main claims and/or conclusions of the paper (regardless of whether the code and data are provided or not)?

Answer: [Yes]

Justification: The paper fully disclose all the experimental information in Sec. 4.3.

Guidelines:

- The answer NA means that the paper does not include experiments.
- If the paper includes experiments, a No answer to this question will not be perceived well by the reviewers: Making the paper reproducible is important, regardless of whether the code and data are provided or not.
- If the contribution is a dataset and/or model, the authors should describe the steps taken to make their results reproducible or verifiable.
- Depending on the contribution, reproducibility can be accomplished in various ways. For example, if the contribution is a novel architecture, describing the architecture fully might suffice, or if the contribution is a specific model and empirical evaluation, it may be necessary to either make it possible for others to replicate the model with the same dataset, or provide access to the model. In general, releasing code and data is often one good way to accomplish this, but reproducibility can also be provided via detailed instructions for how to replicate the results, access to a hosted model (e.g., in the case of a large language model), releasing of a model checkpoint, or other means that are appropriate to the research performed.
- While NeurIPS does not require releasing code, the conference does require all submissions to provide some reasonable avenue for reproducibility, which may depend on the nature of the contribution. For example
 - (a) If the contribution is primarily a new algorithm, the paper should make it clear how to reproduce that algorithm.
 - (b) If the contribution is primarily a new model architecture, the paper should describe the architecture clearly and fully.
 - (c) If the contribution is a new model (e.g., a large language model), then there should either be a way to access this model for reproducing the results or a way to reproduce the model (e.g., with an open-source dataset or instructions for how to construct the dataset).
 - (d) We recognize that reproducibility may be tricky in some cases, in which case authors are welcome to describe the particular way they provide for reproducibility. In the case of closed-source models, it may be that access to the model is limited in some way (e.g., to registered users), but it should be possible for other researchers to have some path to reproducing or verifying the results.

5. Open access to data and code

Question: Does the paper provide open access to the data and code, with sufficient instructions to faithfully reproduce the main experimental results, as described in supplemental material?

Answer: [No]

Justification: We plan to release the code and detailed results later.

Guidelines:

- The answer NA means that paper does not include experiments requiring code.
- Please see the NeurIPS code and data submission guidelines (<https://nips.cc/public/guides/CodeSubmissionPolicy>) for more details.
- While we encourage the release of code and data, we understand that this might not be possible, so “No” is an acceptable answer. Papers cannot be rejected simply for not including code, unless this is central to the contribution (e.g., for a new open-source benchmark).
- The instructions should contain the exact command and environment needed to run to reproduce the results. See the NeurIPS code and data submission guidelines (<https://nips.cc/public/guides/CodeSubmissionPolicy>) for more details.
- The authors should provide instructions on data access and preparation, including how to access the raw data, preprocessed data, intermediate data, and generated data, etc.
- The authors should provide scripts to reproduce all experimental results for the new proposed method and baselines. If only a subset of experiments are reproducible, they should state which ones are omitted from the script and why.
- At submission time, to preserve anonymity, the authors should release anonymized versions (if applicable).
- Providing as much information as possible in supplemental material (appended to the paper) is recommended, but including URLs to data and code is permitted.

6. Experimental Setting/Details

Question: Does the paper specify all the training and test details (e.g., data splits, hyper-parameters, how they were chosen, type of optimizer, etc.) necessary to understand the results?

Answer: [Yes]

Justification: The paper specify all the training and test details in Sec. 4.2.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The experimental setting should be presented in the core of the paper to a level of detail that is necessary to appreciate the results and make sense of them.
- The full details can be provided either with the code, in appendix, or as supplemental material.

7. Experiment Statistical Significance

Question: Does the paper report error bars suitably and correctly defined or other appropriate information about the statistical significance of the experiments?

Answer: [No]

Justification: The experiments in this paper do not require error bars to test the validity.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The authors should answer "Yes" if the results are accompanied by error bars, confidence intervals, or statistical significance tests, at least for the experiments that support the main claims of the paper.
- The factors of variability that the error bars are capturing should be clearly stated (for example, train/test split, initialization, random drawing of some parameter, or overall run with given experimental conditions).
- The method for calculating the error bars should be explained (closed form formula, call to a library function, bootstrap, etc.)
- The assumptions made should be given (e.g., Normally distributed errors).
- It should be clear whether the error bar is the standard deviation or the standard error of the mean.

- It is OK to report 1-sigma error bars, but one should state it. The authors should preferably report a 2-sigma error bar than state that they have a 96% CI, if the hypothesis of Normality of errors is not verified.
- For asymmetric distributions, the authors should be careful not to show in tables or figures symmetric error bars that would yield results that are out of range (e.g. negative error rates).
- If error bars are reported in tables or plots, The authors should explain in the text how they were calculated and reference the corresponding figures or tables in the text.

8. Experiments Compute Resources

Question: For each experiment, does the paper provide sufficient information on the computer resources (type of compute workers, memory, time of execution) needed to reproduce the experiments?

Answer: [Yes]

Justification: The paper provide sufficient information on the computer resources in Sec. 4.2.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The paper should indicate the type of compute workers CPU or GPU, internal cluster, or cloud provider, including relevant memory and storage.
- The paper should provide the amount of compute required for each of the individual experimental runs as well as estimate the total compute.
- The paper should disclose whether the full research project required more compute than the experiments reported in the paper (e.g., preliminary or failed experiments that didn't make it into the paper).

9. Code Of Ethics

Question: Does the research conducted in the paper conform, in every respect, with the NeurIPS Code of Ethics <https://neurips.cc/public/EthicsGuidelines>?

Answer: [Yes]

Justification: The research conducted in the paper conforms with the NeurIPS Code of Ethics <https://neurips.cc/public/EthicsGuidelines>.

Guidelines:

- The answer NA means that the authors have not reviewed the NeurIPS Code of Ethics.
- If the authors answer No, they should explain the special circumstances that require a deviation from the Code of Ethics.
- The authors should make sure to preserve anonymity (e.g., if there is a special consideration due to laws or regulations in their jurisdiction).

10. Broader Impacts

Question: Does the paper discuss both potential positive societal impacts and negative societal impacts of the work performed?

Answer: [NA]

Justification: There is no societal impact of the work performed.

Guidelines:

- The answer NA means that there is no societal impact of the work performed.
- If the authors answer NA or No, they should explain why their work has no societal impact or why the paper does not address societal impact.
- Examples of negative societal impacts include potential malicious or unintended uses (e.g., disinformation, generating fake profiles, surveillance), fairness considerations (e.g., deployment of technologies that could make decisions that unfairly impact specific groups), privacy considerations, and security considerations.

- The conference expects that many papers will be foundational research and not tied to particular applications, let alone deployments. However, if there is a direct path to any negative applications, the authors should point it out. For example, it is legitimate to point out that an improvement in the quality of generative models could be used to generate deepfakes for disinformation. On the other hand, it is not needed to point out that a generic algorithm for optimizing neural networks could enable people to train models that generate Deepfakes faster.
- The authors should consider possible harms that could arise when the technology is being used as intended and functioning correctly, harms that could arise when the technology is being used as intended but gives incorrect results, and harms following from (intentional or unintentional) misuse of the technology.
- If there are negative societal impacts, the authors could also discuss possible mitigation strategies (e.g., gated release of models, providing defenses in addition to attacks, mechanisms for monitoring misuse, mechanisms to monitor how a system learns from feedback over time, improving the efficiency and accessibility of ML).

11. Safeguards

Question: Does the paper describe safeguards that have been put in place for responsible release of data or models that have a high risk for misuse (e.g., pretrained language models, image generators, or scraped datasets)?

Answer: [NA] .

Justification: The paper poses no such risks.

Guidelines:

- The answer NA means that the paper poses no such risks.
- Released models that have a high risk for misuse or dual-use should be released with necessary safeguards to allow for controlled use of the model, for example by requiring that users adhere to usage guidelines or restrictions to access the model or implementing safety filters.
- Datasets that have been scraped from the Internet could pose safety risks. The authors should describe how they avoided releasing unsafe images.
- We recognize that providing effective safeguards is challenging, and many papers do not require this, but we encourage authors to take this into account and make a best faith effort.

12. Licenses for existing assets

Question: Are the creators or original owners of assets (e.g., code, data, models), used in the paper, properly credited and are the license and terms of use explicitly mentioned and properly respected?

Answer: [Yes]

Justification: Yes, the creators or original owners of the assets (e.g., code, data, models) used in the paper are properly credited. The citations for these assets can be found in Sec. 3 and Sec. 4.1.

Guidelines:

- The answer NA means that the paper does not use existing assets.
- The authors should cite the original paper that produced the code package or dataset.
- The authors should state which version of the asset is used and, if possible, include a URL.
- The name of the license (e.g., CC-BY 4.0) should be included for each asset.
- For scraped data from a particular source (e.g., website), the copyright and terms of service of that source should be provided.
- If assets are released, the license, copyright information, and terms of use in the package should be provided. For popular datasets, paperswithcode.com/datasets has curated licenses for some datasets. Their licensing guide can help determine the license of a dataset.

- For existing datasets that are re-packaged, both the original license and the license of the derived asset (if it has changed) should be provided.
- If this information is not available online, the authors are encouraged to reach out to the asset’s creators.

13. **New Assets**

Question: Are new assets introduced in the paper well documented and is the documentation provided alongside the assets?

Answer: [No]

Justification: We are currently organizing assets and will release them together later.

Guidelines:

- The answer NA means that the paper does not release new assets.
- Researchers should communicate the details of the dataset/code/model as part of their submissions via structured templates. This includes details about training, license, limitations, etc.
- The paper should discuss whether and how consent was obtained from people whose asset is used.
- At submission time, remember to anonymize your assets (if applicable). You can either create an anonymized URL or include an anonymized zip file.

14. **Crowdsourcing and Research with Human Subjects**

Question: For crowdsourcing experiments and research with human subjects, does the paper include the full text of instructions given to participants and screenshots, if applicable, as well as details about compensation (if any)?

Answer: [NA]

Justification: The paper does not involve crowdsourcing nor research with human subjects.

Guidelines:

- The answer NA means that the paper does not involve crowdsourcing nor research with human subjects.
- Including this information in the supplemental material is fine, but if the main contribution of the paper involves human subjects, then as much detail as possible should be included in the main paper.
- According to the NeurIPS Code of Ethics, workers involved in data collection, curation, or other labor should be paid at least the minimum wage in the country of the data collector.

15. **Institutional Review Board (IRB) Approvals or Equivalent for Research with Human Subjects**

Question: Does the paper describe potential risks incurred by study participants, whether such risks were disclosed to the subjects, and whether Institutional Review Board (IRB) approvals (or an equivalent approval/review based on the requirements of your country or institution) were obtained?

Answer: [NA]

Justification: The paper does not involve crowdsourcing nor research with human subjects.

Guidelines:

- The answer NA means that the paper does not involve crowdsourcing nor research with human subjects.
- Depending on the country in which research is conducted, IRB approval (or equivalent) may be required for any human subjects research. If you obtained IRB approval, you should clearly state this in the paper.
- We recognize that the procedures for this may vary significantly between institutions and locations, and we expect authors to adhere to the NeurIPS Code of Ethics and the guidelines for their institution.
- For initial submissions, do not include any information that would break anonymity (if applicable), such as the institution conducting the review.