

ON NON-RANDOM MISSING LABELS IN SEMI-SUPERVISED LEARNING

Xinting Hu¹ Yulei Niu^{1*} Chunyan Miao¹ Xian-Sheng Hua² Hanwang Zhang¹

¹Nanyang Technological University, ²Damo Academy, Alibaba Group

xinting001@e.ntu.edu.sg, yn.yuleiniu@gmail.com

{ascymiao, hanwangzhang}@ntu.edu.sg, xiansheng.hxs@alibaba-inc.com

ABSTRACT

Semi-Supervised Learning (SSL) is fundamentally a missing label problem, in which the label Missing Not At Random (MNAR) problem is more realistic and challenging, compared to the widely-adopted yet naïve Missing Completely At Random assumption where both labeled and unlabeled data share the same class distribution. Different from existing SSL solutions that overlook the role of “class” in causing the non-randomness, *e.g.*, users are more likely to label popular classes, we explicitly incorporate “class” into SSL. Our method is three-fold: 1) We propose Class-Aware Propensity (CAP) score that exploits the unlabeled data to train an improved classifier using the biased labeled data. 2) To encourage rare class training, whose model is low-recall but high-precision that discards too many pseudo-labeled data, we propose Class-Aware Imputation (CAI) that dynamically decreases (or increases) the pseudo-label assignment threshold for rare (or frequent) classes. 3) Overall, we integrate CAP and CAI into a Class-Aware Doubly Robust (CADR) estimator for training an unbiased SSL model. Under various MNAR settings and ablations, our method not only significantly outperforms existing baselines, but also surpasses other label bias removal SSL methods.

1 INTRODUCTION

Semi-supervised learning (SSL) aims to alleviate the strong demand for large-scale labeled data by leveraging unlabeled data (Zhu, 2008; Yang et al., 2021). Prevailing SSL methods first train a model using the labeled data, then uses the model to *impute* the missing labels with the predicted pseudo-labels for the unlabeled data (Van Buuren, 2018), and finally combine the true- and pseudo-labels to further improve the model (Sohn et al., 2020; Berthelot et al., 2019a). Ideally, the “improve” is theoretically guaranteed if the missing label imputation is perfect (Grandvalet & Bengio, 2005); otherwise, imperfect imputation causes the well-known *confirmation bias* (Arazo et al., 2019; Sohn et al., 2020). In particular, the bias is even more severe in practice because the underlying assumption that the labeled and unlabeled data are drawn from the same distribution does not hold. We term this scenario as label Missing Not At Random (MNAR) (Hernán & Robins, 2020), as compared to the naïve assumption called label Missing Completely At Random (MCAR).

MNAR is inevitable in real-world SSL due to the limited label annotation budget (Rosset et al., 2005)—uniform label annotations that keep MCAR are expensive. For example, we usually deploy low-cost data collecting methods like crawling social media images from the Web (Mahajan et al., 2018). However, the high-quality labels appear to be severely imbalanced over classes due to the imbalanced human preferences for the “class” (Misra et al., 2016; Colléony et al., 2017). For example, people are more willing to tag a “Chihuahua” rather than a “leatherback” (a huge black turtle) since the former is more lovely and easier to recognize. Thus, the imputation model trained by such biased supervision makes the model favoring “Chihuahua” rather than “leatherback”. The “Chihuahua”-favored pseudo-labels, in turn, negatively reinforce the model confidence in the false “Chihuahua” belief and thus exacerbate the confirmation bias.

We design an experiment on CIFAR-10 to further illustrate how existing state-of-the-art SSL methods, *e.g.*, FixMatch (Sohn et al., 2020), fail in the MNAR scenario. As shown in Figure 1(a), the

*Now in Columbia University




Figure 1: Visualization of an MNAR example and its experimental results on CIFAR-10. (a) Class distribution of the labeled and unlabeled training data. (b) Test accuracy of the supervised model using FixMatch and our CAP (Section 4.1). (c) The distribution of FixMatch’s confidence scores on unlabeled data. Samples with confidence larger than a fixed threshold (0.95, yellow line) are imputed. The corresponding box-plots display the (minimum, first quartile, median, third quartile, maximum) summary. The confidence-axis is not equidistant scaling for better visualization.

overall training data is uniformly distributed over classes, but the labeled data is long-tailed distributed, which simulates the imbalanced class popularity. Trained on such MNAR training data, FixMatch even magnifies the bias towards the popular classes and ignores the rare classes (Figure 1(b)). We point out that the devil is in the imputation. As shown in Figure 1(c), the confidence scores of FixMatch for popular classes are much higher than those for rare classes (*i.e.*, averagely >0.95 vs. <0.05). Since FixMatch adopts a fixed threshold for the imputation samples selection, *i.e.*, only the samples with confidence larger than 0.95 are imputed, FixMatch tends to impute the labels of more samples from the popular classes, which still keeps the updated labels with the newly added pseudo-labels long-tailed. As a result, FixMatch is easily trapped in MNAR.

In fact, MNAR has attracted broad attention in statistics and Inverse Propensity Weighting (IPW) is one of the commonly used tools to tackle this challenge (Seaman & White, 2013; Jones et al., 2006). IPW introduces a weight for each training sample via its propensity score, which reflects how likely the label is observed (*e.g.*, its popularity). In this way, IPW makes up a pseudo-balanced dataset by duplicating each labeled data inversely proportional to its propensity—less popular samples should draw the same attention as the popular ones—a more balanced imputation. To combine the IPW true labels and imputed missing labels, a Doubly Robust (DR) estimator is used to guarantee a robust SSL model if either IPW or imputation is unbiased (Seaman & Vansteelandt, 2018; Vansteelandt et al., 2010).

However, the above framework overlooks the role of “class” in causing the MNAR problem of SSL (Section 3), and we therefore propose a unified Class-Aware Doubly Robust (CADR) framework to address this challenge (Section 4). CADR removes the bias from both the supervised model training and the unlabeled data imputation ends. For the former end, we propose Class-Aware Propensity (CAP) that exploits the unlabeled data to train an improved classifier using the biased labeled data (Section 4.1). We use an efficient moving averaging strategy to estimate the propensity. For the latter end, we design Class-Aware Imputation (CAI) that dynamically adjusts the pseudo-label assignment threshold with class-specific confidence scores to mitigate the bias in imputation (Section 4.2). Intuitively, CAI lowers the threshold requirement of rare class samples to balance with frequent class samples. Experiments on several image classification benchmarks demonstrate that our CADR framework achieves a consistent performance boost and can effectively tackle the MNAR problem. Besides, as MCAR is a special case of MNAR, our method maintains the competitive performance in the conventional SSL setting.

The key contributions of this work are summarized as follows:

- We propose a realistic and challenging label Missing Not At Random (MNAR) problem for semi-supervised learning, which is not extensively studied in previous work. We systematically analyze the bias caused by non-random missing labels.
- We propose a unified doubly robust framework called Class-Aware Doubly Robust (CADR) estimator to remove the bias from both the supervised model training end—by using Class-Aware Propensity (CAP), and the unlabeled data imputation end—by using Class-Aware Imputation (CAI).
- Our proposed CADR achieves competitive performances in both MNAR and conventional label Missing Completely At Random (MCAR).

2 RELATED WORKS

Missing Not At Random. Missing data problems are ubiquitous across the analysis in social, behavioral, and medical sciences (Enders, 2010; Heckman, 1977). When data is not missing at random, estimations based on the observed data only results in bias (Heckman, 1977). The solutions are three-fold: 1) *Inverse probability weighting* (IPW) assigns weights to each observed datum based on the propensity score, *i.e.*, the probability of being observed. A missing mechanism-based model is used to estimate the sample propensity, such as a logistic regression model (Rosset et al., 2005; Wang et al., 1997) or a robit regression model (Kang & Schafer, 2007; Liu, 2005). 2) *Imputation* methods aim to fill in the missing values to produce a complete dataset (Kenward & Carpenter, 2007; Little & Rubin, 2014). An imputation model is regressed to predict the incomplete data from the observed data in a deterministic (Kovar & Whitridge., 1995) or stochastic (Lo et al., 2019) way. 3) As the propensity estimation or the regressed imputation are easy to be biased, *doubly robust* estimators propose to integrate IPW and imputation with double robustness (Seaman & Vansteelandt, 2018; Vansteelandt et al., 2010; Jonsson Funk et al., 2011): the capability to maintain unbiased when either the propensity or imputation model is biased. In this work, as the image labels are missing not at random, we design the class-aware propensity and imputation considering the causal role of label classes in missing, avoiding the uncertain model specification and generating unbiased estimation. These two class-aware modules can be naturally integrated into a doubly robust estimator.

Semi-Supervised Learning (SSL). It aims to exploit unlabeled data to improve the model learned on labeled data. Prevailing SSL methods (Sohn et al., 2020; Berthelot et al., 2019b;a) share a similar strategy: training a model with the labeled data and generating pseudo-labels for unlabeled data based on the model predictions. Pseudo-labeling methods (Lee, 2013; Xie et al., 2020; Rizve et al., 2021) predict pseudo-labels for unlabeled data and add them to the training data for re-training. Consistency-regularization methods (Sajjadi et al., 2016; Laine & Aila, 2016; Berthelot et al., 2019b) apply a random perturbation to an unlabeled image and then use the prediction as the pseudo-label of the same image under a different augmentation. Recent state-of-the-art SSL methods (Sohn et al., 2020; Berthelot et al., 2019a) combine the two existing techniques and predict improved pseudo-labels. However, when labels are missing at random, these methods can be inefficient as the model learned on labeled data is biased and significantly harms the quality of pseudo labels. Though some works also notice the model bias (Wei et al., 2021; Kim et al., 2020), they neglect the causal relationship between the bias and the missing label mechanism in SSL, which is systematically discussed in our work.

3 MISSING LABELS IN SEMI-SUPERVISED LEARNING

In semi-supervised learning (SSL), the training dataset D is divided into two disjoint sets: a labeled dataset D_L and an unlabeled data D_U . We denote D_L as $\{(x^{(i)}, y^{(i)})\}_{i=1}^{N_L}$ (usually $N_L \ll N$) where $x^{(i)} \in \mathbb{R}^d$ is a sample feature and $y^{(i)} \in \{0, 1\}^C$ is its one-hot label over C classes, and D_U as $\{(x^{(i)})\}_{i=N_L+1}^N$ where the remaining $N - N_L$ labels are missing in D_U . We further review SSL as a label missing problem, and define a *label missing indicator* set M with $m^{(i)} \in \{0, 1\}$, where $m^{(i)} = 1$ denotes the label is missing (*i.e.*, unlabeled) and $m^{(i)} = 0$ denotes the label is not missing (*i.e.*, labeled). In this way, we can rewrite the dataset as $D = (X, Y, M) = \{(x^{(i)}, y^{(i)}, m^{(i)})\}_{i=1}^N$.

Traditional SSL methods assume that M is independent with Y , *i.e.*, the labels are Missing Completely At Random (MCAR). Under this assumption, prevailing SSL algorithms can be summarized as the following multi-task optimization of the supervised learning and the unlabeled imputation:

$$\hat{\theta} = \arg \min_{\theta} \sum_{(x,y) \in D_L} \mathcal{L}_s(x, y; \theta) + \sum_{x \in D_U} \mathcal{L}_u(x; \theta), \quad (1)$$

where \mathcal{L}_s and \mathcal{L}_u are the loss function designed separately for supervised learning on labeled data ($M = 0$) and regression imputation on unlabeled data ($M = 1$). In general, SSL methods first train a model with parameters $\hat{\theta}$ using \mathcal{L}_s on D_L , then *impute* the missing labels (Van Buuren, 2018) by predicting the pseudo-labels $\hat{y} = f(x; \hat{\theta})$, and finally combine the true- and pseudo-labels to further improve the model for another SSL loop, *e.g.*, another optimization iteration of Eq. (1). The implementation of \mathcal{L}_s and \mathcal{L}_u are open. For example, \mathcal{L}_s is normally the standard cross-entropy

loss, and \mathcal{L}_u can be implemented as squared L_2 loss (Berthelot et al., 2019b) or cross-entropy loss (Berthelot et al., 2019a; Sohn et al., 2020).

As you may expect, the key to stable SSL methods is the unbiasedness of the imputation model. When M is independent with Y , we have $P(Y|X=x, M=0) = P(Y|X=x)$, and thus

$$\begin{aligned} \mathbb{E}[\hat{y}] &= \mathbb{E}[y|\hat{\theta}] = \sum_{(x,y) \in D_L} y \cdot P(y|x) = \sum_{(x,y) \in D} y \cdot P(y|x, M=0) \\ &= \sum_{(x,y) \in D} y \cdot P(y|x) = \mathbb{E}[y], \end{aligned} \quad (2)$$

which indicates that the model is an ideally unbiased estimator, and the imputed labels are unbiased. However, such MCAR assumption is too strong and impractical. For example, annotators may tend to tag a specific group of samples due to their preferences or experiences. This motivates us to ask the following realistic but overlooked question: *what if M is dependent with Y , i.e., the labels are missing not at random (MNAR)?* In this case, we have $P(Y|X=x, M=0) \neq P(Y|X=x)$, and thus

$$\begin{aligned} \mathbb{E}[\hat{y}] &= \sum_{(x,y) \in D} y \cdot P(y|x, M=0) = \sum_{(x,y) \in D} y \cdot P(y|x) \cdot \frac{P(M=0|x, y)}{P(M=0|x)} \\ &\neq \sum_{(x,y) \in D} y \cdot P(y|x) = \mathbb{E}[y]. \end{aligned} \quad (3)$$

We can see it is no longer unbiased, further leading to biased imputed labels. As a result, the bias will be increasingly enhanced with the joint optimization loop in Eq. (1) moving forward. This analysis indicates that previous SSL methods are not applicable for the MNAR problem as they overlook the role of “class” Y in causing the non-randomness of M . In the following, we will introduce our Class-Aware Doubly Robust framework that targets at an unbiased estimator.

4 CLASS-AWARE DOUBLY ROBUST FRAMEWORK

As discussed above, both the supervised learning and regression imputation in previous SSL methods suffer from the biased label estimation for MNAR. In this section, we proposed a doubly robust estimator that explicitly incorporates “class” into SSL and mitigates the bias from both sides.

4.1 CLASS-AWARE PROPENSITY FOR LABELED DATA

Traditional SSL methods estimate the model parameters via maximum likelihood estimation on the labeled data:

$$\hat{\theta} = \arg \max_{\theta} \log P(Y|X, M=0; \theta) = \arg \max_{\theta} \sum_{(x,y) \in D_L} \log P(y|x; \theta) \quad (4)$$

Since $\hat{\theta}$ is estimated over D_L rather than the entire D , the difference between D_L and D determines the unbiasedness of $\hat{\theta}$. As analyzed in Section 3, $\hat{\theta}$ is an unbiased estimator if the labels Y and their missing indicators M are independent, i.e., MCAR. However, when M is dependent with Y , i.e., MNAR, we have $P(y|x; M=0) \neq P(y|x)$. In this case, $\hat{\theta}$ is no longer unbiased.

Inspired by causal inference (Pearl et al., 2016), we establish a structural causal model for MNAR to analyze the causal relations between X , Y and M shown in Figure 2. First, $X \rightarrow Y$ denotes that each image determines its own label. Second, $Y \rightarrow M$ denotes that the missing of label is dependent with its category. For example, popular pets like cat and dog attracts people to tag more often. We observe a chain structure of $X \rightarrow Y \rightarrow M$, which obtains an important conditional independence rule (Pearl et al., 2016): Variables A and B are conditionally independent given C , if there is only one unidirectional path between A and B , and C is any set of variables intercepting the path. Based on this rule, we have




Figure 2: Structural Causal Model for MNAR. U_X , U_Y and U_M denote the exogenous variables.

$P(X|Y, M = 0) = P(X|Y)$ when conditioning on Y , *i.e.*, the path between X and M is blocked by Y . In this way, we can obtain the unbiased $\hat{\theta}$ on the labeled subset of data by maximizing $P(X|Y)$:

$$\hat{\theta} = \arg \max_{\theta} \log P(X|Y; \theta) = \arg \max_{\theta} \sum_{(x,y) \in D_L} \log P(x|y; \theta) \quad (5)$$

$$= \arg \max_{\theta} \sum_{(x,y) \in D_L} \log \frac{P(y|x; \theta)P(x; \theta)}{P(y; \theta)} \quad (6)$$

$$= \arg \max_{\theta} \sum_{(x,y) \in D_L} \log \frac{P(y|x; \theta)}{P(y; \theta)} \quad (7)$$

$$= \arg \max_{\theta} \sum_{(x,y) \in D_L} \log P(y|x; \theta) \cdot \frac{\log P(y|x; \theta) - \log P(y; \theta)}{\log P(y|x; \theta)} \quad (8)$$

$$\triangleq \arg \max_{\theta} \sum_{(x,y) \in D_L} \log P(y|x; \theta) \cdot \frac{1}{s(x, y)}. \quad (9)$$

Eq. (5) to Eq. (6) holds by Bayes' rule; Eq. (6) to Eq. (7) holds because x is sampled from an empirical distribution and $p(x; \theta)$ is thus constant. Eq.(7) to Eq.(9) shows the connection with Inverse Probability Weighting, where we estimate the propensity score $s(x, y)$ for image x as $\frac{\log P(y|x; \theta)}{\log P(y|x; \theta) - \log P(y; \theta)}$. Comparing the training objectives in Eq. (9) with Eq. (4), our estimation can be understood as adjusting the original $P(y|x; \theta)$ by a class-aware prior $P(y; \theta)$ for each labeled data (x, y) .

To estimate $P(y; \theta)$, *i.e.*, the marginal distribution $P(Y = y)$ with the current parameters θ , a straightforward solution is to go through the whole dataset and calculate the mean probability of all the data. However, during the training stage, θ is updated step by step, and it is impractical to go thorough the whole dataset in each iteration considering the memory and computational cost. An alternative solution is to estimate the propensity within a mini-batch. Although the cost is saved, it faces a risk of high-variance estimation.

To resolve the dilemma, we propose to use a moving averaging strategy over all the mini-batches. Specifically, we keep a buffer $\hat{P}(Y)$ to estimate $P(Y; \theta_t)$ and continuously update it by $P(Y; B_t, \theta_t)$, which is estimated with the current mini-batch of B_t samples and parameters θ_t at t -th iteration:

$$\hat{P}(Y) \leftarrow \mu \hat{P}(Y) + (1 - \mu)P(Y; B_t, \theta_t), \quad (10)$$

where $\mu \in [0, 1)$ is a momentum coefficient.

4.2 CLASS-AWARE IMPUTATION FOR UNLABELED DATA

As discussed in Section 1, the imputation model in traditional SSL is biased towards popular classes, and so are the imputed labels. Although our proposed CAP can mitigate the preference bias during the supervised learning stage, the model can still tend to impute popular class that achieves a high confidence score. To further alleviate the bias in the imputation stage, we propose to remove the inferior imputed labels from \hat{Y} . Traditional models like FixMatch adopt a fixed threshold for imputation samples selection, which aims to reserve the accurate imputed labels and discard the noisy ones. However, as shown in Figure 1 (c), for specific classes, an extremely small number of imputed labels can meet the requirement while most are discarded. In fact, as observed in previous works (Wei et al., 2021), these discarded predictions still hold nearly perfect precision. Based on these observations, we believe that a fixed threshold is too coarse to impute missing labels.

To tackle this challenge, we propose a Class-Aware Imputation (CAI) strategy that dynamically adjusts the pseudo-label assignment threshold for different classes. Let C_x denote the potential imputed label for image x , *i.e.*, $C_x = \arg \max_y P(y|x; \theta)$. We use a class-aware threshold $\tau(x)$ for image x as:

$$\tau(x) = \tau_o \cdot \left(\frac{\hat{P}(C_x)}{\max_{y \in \{1, \dots, C\}} \hat{P}(y)} \right)^\beta, \quad (11)$$

where τ_o is the conventional threshold, β is a hyper-parameter, and $\hat{P}(y)$ is the class-aware propensity for class y estimated by CAP. Intuitively, our class-aware threshold would set a higher requirement for popular classes and a lower requirement for rare classes, allowing more samples from rare

classes to be imputed. With the gradual removal of bias from the training process, the performance gap between classes also shrinks, and both popular and rare classes can be fairly treated. Furthermore, when labels are missing completely at random (MCAR), our CIA can be degraded to the conventional imputation like previous works, as $\hat{P}(Y)$ is uniform over all classes.

4.3 CLASS-AWARE DOUBLY ROBUST ESTIMATOR

Note that CAP and CAI mitigate the bias in supervised learning and imputation regression. Thanks to the theory of double robustness (Seaman & Vansteelandt, 2018; Vansteelandt et al., 2010), we can incorporate CAP and CAI into a Class-Aware Doubly Robust (CADR) estimator. Theoretically, the CADR combination has a lower tail bound than applying each of the components alone (Wang et al., 2019). Besides, it provides our learning system with double robustness: the capability to remain unbiased if either CAP or CAI is unbiased.

Following the formulation of DR estimator, we first rewrite the training objective of CAP and CAI in semi-supervised learning as:

$$\mathcal{L}_{\text{CAP}} = \frac{1}{N} \sum_{i=1, \dots, N} \frac{(1 - m^{(i)}) \mathcal{L}_s(x^{(i)}, y^{(i)})}{p^{(i)}} \quad (12)$$

$$\mathcal{L}_{\text{CAI}} = \frac{1}{N} \sum_{i=1, \dots, N} (m^{(i)} \mathcal{L}_u(x^{(i)}, q^{(i)}) \mathbb{I}(\text{con}(q^{(i)}) > \tau(x^{(i)})) + (1 - m^{(i)}) \mathcal{L}_s(x^{(i)}, y^{(i)})), \quad (13)$$

where $m^{(i)}$ is the missing state, $p^{(i)}$ is the propensity score, $q^{(i)}$ is the imputed label with confidence $\text{con}(q^{(i)})$, and $\mathbb{I}(\cdot)$ is the indicator function. As introduced in Section 4.1, we estimate the propensity score $p^{(i)}$ as $s(x^{(i)}, y^{(i)})$ in CAP. Then the optimization of CADR estimator is implemented as

$$\hat{\theta}_{\text{CADR}} = \arg \min_{\theta} \mathcal{L}_{\text{CADR}} = \arg \min_{\theta} \mathcal{L}_{\text{CAP}} + \mathcal{L}_{\text{CAI}} + \mathcal{L}_{\text{supp}}, \quad (14)$$

$$\text{where } \mathcal{L}_{\text{supp}} = \frac{1}{N} \sum_{i=1, \dots, N} \left((1 - m^{(i)} - \frac{1 - m^{(i)}}{p^{(i)}}) \mathcal{L}_u(x^{(i)}, q^{(i)}) \mathbb{I}(\text{con}(q^{(i)}) > \tau) \right. \\ \left. - \frac{1}{N} \sum_{i=1, \dots, N} (1 - m^{(i)}) \mathcal{L}_s(x^{(i)}, y^{(i)}), \right) \quad (15)$$

which is a supplementary loss to guarantee the unbiasedness. In this design, $\mathcal{L}_{\text{CAI}} + \mathcal{L}_{\text{supp}}$ is expected to be 0 given correct CAP, and $\mathcal{L}_{\text{CAP}} + \mathcal{L}_{\text{supp}}$ is expected to be 0 given correct CAI. These results guarantee the double robustness in case that either the propensity or imputation is inaccurate.

5 EXPERIMENTS

5.1 EXPERIMENTAL SETUP

Datasets. We evaluate our method on four image classification benchmark datasets: CIFAR-10, CIFAR-100 (Krizhevsky, 2012), STL-10 (Coates et al., 2011) and mini-ImageNet (Vinyals et al., 2016). CIFAR-10(-100) is composed of 60,000 images of size 32×32 from 10 (100) classes and each class has 5,000 (500) training images and 1,000 (100) samples for evaluation. STL-10 dataset has 5,000 labeled images and 100,000 unlabeled images of size 64×64 . mini-ImageNet is a subset of ImageNet (Deng et al., 2009). It contains 100 classes where each class has 600 images of size 84×84 . Follows previous SSL works (Hu et al., 2021; Iscen et al., 2019), we select 500 images from each class for training and 100 images per class for testing.

MNAR Settings. Since the training data is class-balanced in all datasets, we randomly select a class-imbalanced subset as the labeled data to mimic the label missing not at random (MNAR). For a dataset containing C classes, the number of labeled data in each class N_i are calculated as $N_i = N_{max} \cdot \gamma^{-\frac{i-1}{C-1}}$. $N_1 = N_{max}$ is the maximum number of labeled data among all the classes, and γ describes the imbalance ratio. $\gamma = 1$ when the labeled data is balanced over classes, and larger γ indicates more imbalanced class distribution. Figure 1(a) shows an example of the data distribution when $\gamma = N_{max} = 50$ in CIFAR-10. We also consider other MNAR settings where the unlabeled data is also imbalanced, *i.e.*, the imbalance ratio of unlabeled data γ_u does not equal to 1.

To ensure the number of unlabeled data is much larger than the labeled, we set the least number of labeled data over all classes as 1, and the largest number of unlabeled data to its original size.

Training Details. Following previous works (Berthelot et al., 2019b; Sohn et al., 2020; Hu et al., 2021), we used Wide ResNet (WRN)-28-2 for CIFAR-10, WRN-28-8 for CIFAR-100, WRN-37-2 for STL-10 and ResNet-18 for mini-Imagenet. Since our methods are implemented as a plug-in module to FixMatch, common network hyper-parameters, *e.g.*, learning rates, batch-sizes, are the same as their original settings (Sohn et al., 2020). For each dataset, our model and FixMatch are trained 2^{17} iterations in MNAR and 2^{20} steps in ordinary SSL cases ($\gamma = 1$).

Method	CIFAR-10			CIFAR-100			STL-10		mini-ImageNet	
	$\gamma = 20$	50	100	50	100	200	50	100	50	100
II Model	21.59	27.54	30.39	24.95	29.93	33.91	31.89	34.69	11.77	15.30
MixMatch	26.63	31.28	28.02	37.82	41.32	42.92	28.98	28.31	13.12	18.30
ReMixMatch	41.84	38.44	38.20	42.45	39.71	39.22	41.33	39.55	22.64	23.50
FixMatch	56.26	65.61	72.28	50.51	48.82	50.62	47.22	57.01	23.56	26.57
+ CREST	51.10	55.40	63.60	40.30	46.30	49.60	–	–	–	–
+ DARP	63.14	70.44	74.74	38.87	40.49	44.15	39.66	39.72	–	–
+ CADR (Ours)	79.63	93.79	93.97	59.53	60.88	63.30	70.29	76.70	29.07	32.78

Table 1: A Comparison of mean accuracies (%). We alter the imbalance ratio γ of labeled data and leave the unlabeled data balanced ($\gamma_u = 1$). We keep $N_{max} = \gamma$ so that the least number of labeled data among all the classes is always 1.

5.2 RESULTS AND ANALYSES

Comparison with State-of-The-Art Methods. To demonstrate the effectiveness of our method, we compared it with multiple baselines using the same network architecture, including CREST (Wei et al., 2021) and DARP (Kim et al., 2020) that aims to handle unbalanced semi-supervised learning. All the methods are implemented based on their public codes. Table 1 shows the results on all the datasets with different levels of imbalanced label ratios. While CREST and DARP fail to correct the severely biased learning process, our method outperforms all the baselines by large margins across all the settings. The reason is that though CREST and DARP handle the unbalanced labeled data, they mainly focus on the case where the unlabeled data is equally unbalanced. As the labeled and the unlabeled data share the same class distribution, the pseudo-labels they used are not as misleading as in our cases. Thus the bias removal is not critically emphasized by their algorithms. On CIFAR-10 and CIFAR-100, we boost the mean accuracy of FixMatch by 24.41% and 11.26% on average. On STL-10 and more challenging mini-ImageNet, our improvements are also substantial (21.38% and 5.86%). Specifically, Figure 3 shows the convergence trend and confusion matrices under one MNAR scenario ($\gamma = N_{max} = 50$). As one can observe, the performance of FixMatch is boosted mainly due to the de-biased estimation for the labeled-data-rare classes.

Individual Effectiveness of Each Component. Table 2 shows the results of using Class-Aware Propensity (CAP) and Class-Aware Imputation (CAI) alone and together in trivial ($\mathcal{L}_{CAP} + \mathcal{L}_{CAI}$, w/o CADR) and our DR combination ($\mathcal{L}_{CAP} + \mathcal{L}_{CAI} + \mathcal{L}_{supp}$, w/ CADR). We can observe that the improvement of using either CAP and CAI alone is distinguishable, demonstrating that both CAP and CAI achieve bias-removed estimation. Combining CAI and CAP, our CADR exhibits




Figure 3: (a): the convergence trends of FixMatch and our method. (b) and (c): the confusion matrices of FixMatch and ours. Results are on CIFAR-10 ($\gamma = N_{max} = 50$).

Method	CIFAR-10			CIFAR-100			STL-10		mini-ImageNet	
	$\gamma=20$	50	100	50	100	200	50	100	50	100
FixMatch	56.26	65.61	72.28	50.51	48.82	50.62	47.22	57.01	23.56	26.57
w/ CAP	79.38	89.50	93.95	55.72	58.53	<u>63.07</u>	69.97	77.69	<u>28.54</u>	<u>32.23</u>
w/ CAI	79.02	88.15	93.86	<u>58.55</u>	<u>59.80</u>	58.26	70.64	71.21	27.15	30.94
w/o CADR	<u>79.43</u>	<u>89.53</u>	94.10	57.93	59.50	62.78	70.17	75.44	25.54	31.66
w/ CADR	79.63	93.79	<u>93.97</u>	59.53	60.88	63.30	<u>70.29</u>	<u>76.70</u>	29.07	32.78

Table 2: The individual performance of our proposed Class-Aware Propensity (CAP) and Class-Aware Imputation (CAI) alone and together in trivial combination (w/o CADR) and CADR combination (w/ CADR). We marked the **best** and second-best accuracies.

steady improvement over the baseline. We found that our CADR is consistently among the best or second-best performance, agnostic to the value of γ and the performance gap between individual components. When the label data is more imbalanced, *e.g.*, $\gamma = 100$, CAP outperforms CAI by large margins on CIFAR-100 (63.07% vs. 58.26%), STL-10 (77.69% vs. 71.21%), and mini-ImageNet (32.23% vs. 30.94%), and our CADR outperforms the trivial combination by 0.52% \sim 1.26%. The special case is $\gamma = 100$ on CIFAR-10, where the trivial combination slightly beats CADR (93.97% vs. 94.10%), and the gap between CAP and CAI is also small (93.96% vs. 93.86%). These results empirically verified our theoretical analysis and the robustness of our CADR, that is, CADR maintains unbiasedness when either CAP or CAI is unbiased. To sum up, CADR can provide a reliable solution with robust performance and bring convenience to real applications.

Comparison with More Baselines. Apart from CREST and DARP, we further compare with some re-balancing techniques adopted in long-tailed fully-supervised learning in Table 3. They are 1) *re-weighting* (Cui et al., 2019): re-weighting labeled sample according to the inverse of the number of labeled data in each class, 2) *re-sampling*: re-sampling the labeled data to construct a balanced labeled set, and 3) *LA* (Menon et al., 2020): using logits adjusted softmax cross-entropy loss that applies a label-dependent offset to logits for each labeled sample. However, under MNAR, where the model is biased by supervised learning and unlabeled data imputation together, only dealing with the supervised process without considering the whole data distribution gives inferior results. A recent work, DASH (Xu et al., 2021) also proposed to use a dynamic threshold in filtering imputed labels. Compared to their work, our threshold is both dynamic and class-aware, and our CADR outperforms DASH by a large margin.

Method	Accuracy (%)
FixMatch	65.61
+ CREST	55.40 (-10.21)
+ DARP	70.44 (+4.83)
+ re-weighting	66.03 (+0.42)
+ re-sampling	65.49 (-0.12)
+ LA loss ($\tau=1$)	60.22 (-5.39)
+ DASH	65.62 (+0.01)
+ CAP (Ours)	89.50 (+23.89)
+ CAI (Ours)	88.15 (+22.54)
+ CADR (Ours)	93.79 (+28.18)

Table 3: Comparison with multiple baseline methods. Experiments are conducted on CIFAR-10 ($\gamma = N_{max} = 50$).

More MNAR Settings. In Figure 4, we show more different MNAR scenarios. Figure 4(a) shows the case where the unlabeled data is imbalanced. γ_u denotes the imbalance ratio of unlabeled data,




Figure 4: More MNAR settings. Evaluation of average accuracies (Mean Accu) (%) / geometric mean accuracies (GM Accu) (%) using our method and FixMatch when a) varying imbalance ratio γ_u of the unlabeled data; b) selecting a sub-set randomly as labeled data. Experiments are conducted on (a) CIFAR-10 with $N_{max} = \gamma_l = 50$, and (b) CIFAR-100 with 5,000 labeled samples.

and those unlabeled data is inversely imbalanced (the rarest class in labeled data is the most frequent in unlabeled data) when $\gamma_u < 1$. Apart from the artificially designed imbalanced distribution, Figure 4(b) describes the results under the case where we label a random subset of data unaware of class distribution of the whole data. Without strictly selecting labeled data following the class distribution, the class distribution of labeled data can also be different from the unlabeled data. To show our effectiveness in producing unbiased predictions, we also report geometric mean accuracy (GM Accu) (Kubat, 2000; Kim et al., 2020). The overall results demonstrate that our method is robust to the distribution perturbation of both labeled and unlabeled data. Specifically, the significantly improved GM Accuracy shows that the class-wise accuracy obtained through our unbiased estimation is both high and in good balance.

Compatibility with Conventional Settings. As discussed in Section 3, our method degrades to the original FixMatch implementation when labels are missing completely at random (MCAR). Table 4 demonstrates the compatibility to MCAR of our methods: our results are consistent with the performance of FixMatch when labeled data are uniformly sampled from each class. Particularly, when provided with the extremely limited number of labeled data (CIFAR-10, #labels = 40), our performance is better than FixMatch (94.41% to 91.96%). The reason is that compared to FixMatch, our method is more robust to the data variance among mini-batches with the moving averaged propensity in such few-shot labeled data learning.

Method	CIFAR-10			CIFAR-100			STL-10
	#labels=40	250	4,000	400	2,500	10,000	1,000
FixMatch	88.61 \pm 3.35	94.93 \pm 0.33	95.69 \pm 0.15	50.05 \pm 3.01	71.36 \pm 0.24	76.82 \pm 0.11	94.83 \pm 0.63
CADR (Ours)	94.41	94.35	95.59	52.90	70.61	76.93	95.35

Table 4: Comparisons of average accuracies with labels missing completely at random (MCAR). Performances of Fixmatch are the reported results in their paper (Sohn et al., 2020). #labels denotes the overall number of the labeled data.

Ablation Studies of Hyper-parameters. We conducted ablation studies on two hyper-parameters: the moving average momentum μ for calculating class-aware propensity (Table 5), and the threshold scaling coefficient β for class-aware imputation (Table 6). Table 5 shows the effectiveness of the moving average strategy comparing results of different momentum values, where “0” denotes no moving average. As shown in Table 6, when β is too small (0.2), the requirement of confidence for rare classes lowers marginally, and thus the selected imputed labels still bear bias. Specifically, using the distribution of the labeled data to re-scale the threshold is not promising, while our method dynamically updating the threshold with training is adaptive and effective.

μ	0.999	0.99	0.9	0
Accuracy(%)	89.35	89.50	89.46	88.39

Table 5: Evaluation with varying moving averaging coefficient μ for CAP. Experiments are conducted on CIFAR-10 ($\gamma = N_{max} = 50$).

β	0.2	0.5	1.0	label
Accuracy(%)	65.79	88.15	88.11	71.86

Table 6: Evaluation with different threshold coefficient β for CAI. “label” means following the distribution of the labeled data. Experiments are conducted on CIFAR-10 ($\gamma = N_{max} = 50$).

6 CONCLUSION

In this work, we presented a principled approach to handle the non-random missing label problem in semi-supervised learning. First, we proposed Class-Aware Propensity (CAP) to train an improved classifier using the biased labeled data. Our CAP exploits the class distribution information of the unlabeled data to achieve unbiased missing label imputation. Second, we proposed Class-Aware Imputation (CAI) that dynamically adjusts the threshold in filtering pseudo-labels of different classes. Finally, we combined CAP and CAI into a doubly robust estimator (CADR) for the overall SSL model. Under various label missing not at random (MNAR) settings for several image classification benchmarks, we demonstrated that our method gains a significant and robust improvement over existing baselines. For future work, we are interested in incorporating 1) the selection bias theory (Bareinboim et al., 2014) of the missing data mechanisms and 2) the causal direction between label and data (Kügelgen et al., 2020), into semi-supervised learning.

REFERENCES

- Eric Arazo, D. Ortego, Paul Albert, Noel O'Connor, and Kevin McGuinness. Pseudo-labeling and confirmation bias in deep semi-supervised learning. *arXiv preprint arXiv:1908.02983*, 2019.
- E. Bareinboim, J. Tian, and J. Pearl. Recovering from selection bias in causal and statistical inference. In *Proceedings of the 28th AAAI Conference on Artificial Intelligence*, 2014.
- David Berthelot, Nicholas Carlini, Ekin D. Cubuk, Alex Kurakin, Kihyuk Sohn, Han Zhang, and Colin Raffel. ReMixMatch: Semi-Supervised Learning with Distribution Alignment and Augmentation Anchoring. In *International Conference on Learning Representations*, 2019a.
- David Berthelot, Nicholas Carlini, Ian Goodfellow, Nicolas Papernot, Avital Oliver, and Colin Raffel. Mixmatch: A holistic approach to semi-supervised learning. In *Advances in Neural Information Processing Systems*, 2019b.
- Adam Coates, Andrew Ng, and Honglak Lee. An analysis of single-layer networks in unsupervised feature learning. In *International Conference on Artificial Intelligence and Statistics*, 2011.
- Agathe Colléony, Susan Clayton, Denis Couvet, Michel Saint Jalme, and Anne-Caroline Prévot. Human preferences for species conservation: Animal charisma trumps endangered status. In *Biological Conservation*, 2017.
- Yin Cui, Menglin Jia, Tsung-Yi Lin, Yang Song, and Serge Belongie. Class-balanced loss based on effective number of samples. In *IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2019.
- Jia Deng, Wei Dong, Richard Socher, Li-Jia Li, Kai Li, and Fei Fei Li. ImageNet: a Large-Scale Hierarchical Image Database. In *IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2009.
- Craig K. Enders. Applied Missing Data Analysis. *Guilford Press*, 2010.
- Yves Grandvalet and Yoshua Bengio. Semi-supervised Learning by Entropy Minimization. In *Advances in Neural Information Processing Systems*, 2005.
- James Heckman. Sample Selection Bias As a Specification Error (with an Application to the Estimation of Labor Supply Functions). In *National Bureau of Economic Research, Inc, NBER Working Papers*, 1977.
- MA Hernán and JM Robins. Causal inference: What if. *Boca Raton: Chapman & Hall/CRC*, 2020.
- Zijian Hu, Zhengyu Yang, Xuefeng Hu, and Ram Nevatia. SimPLE: Similar Pseudo Label Exploitation for Semi-Supervised Classification. In *IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2021.
- Ahmet Iscen, Giorgos Tolias, Yannis Avrithis, and Ondrej Chum. Label Propagation for Deep Semi-Supervised Learning. In *IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2019.
- Andrew Jones, Xander Koolman, and Nigel Rice. Health-related non-response in the british household panel survey and european community household panel: Using inverse-probability-weighted estimators in non-linear models. *Journal of the Royal Statistical Society Series A*, 2006.
- Michele Jonsson Funk, Daniel Westreich, Chris Wiesen, Til Stürmer, M Brookhart, and Marie Davidian. Doubly robust estimation of causal effects. *American journal of epidemiology*, 2011.
- Joseph D. Y. Kang and Joseph L. Schafer. Demystifying Double Robustness: A Comparison of Alternative Strategies for Estimating a Population Mean from Incomplete Data. *Statistical Science*, 2007.
- Michael Kenward and James Carpenter. Multiple imputation: Current perspectives. *Statistical methods in medical research*, 2007.

- Jaehyung Kim, Youngbum Hur, Sejun Park, Eunho Yang, Sung Hwang, and Jinwoo Shin. Distribution aligning refinery of pseudo-label for imbalanced semi-supervised learning. In *Advances in Neural Information Processing Systems*, 2020.
- J.G. Kovar and P. Whitridge. Imputation of business survey data. *Business Survey Methods*. B.G. Cox et al. (eds.), 1995.
- Alex Krizhevsky. Learning Multiple Layers of Features from Tiny Images. *Tech. Rep., University of Toronto*, 2012.
- M. Kubat. Addressing the curse of imbalanced training sets: One-sided selection. *International Conference on Machine Learning*, 2000.
- Julius Kügelgen, Alexander Mey, Marco Loog, and Bernhard Schölkopf. Semi-supervised learning, causality, and the conditional cluster assumption. In *Conference on Uncertainty in Artificial Intelligence*, pp. 1–10. PMLR, 2020.
- Samuli Laine and Timo Aila. Temporal ensembling for semi-supervised learning. In *International Conference on Learning Representations*, 2016.
- Dong-Hyun Lee. Pseudo-label : The simple and efficient semi-supervised learning method for deep neural networks. *ICML 2013 Workshop : Challenges in Representation Learning (WREPL)*, 2013.
- R.J.A. Little and Donald Rubin. Statistical analysis with missing data. *New York: John Wiley & Sons*, 2014.
- Chuanhai Liu. Robit regression: A simple robust alternative to logistic and probit regression. *DOI:10.1002/0470090456.CH21*, 2005.
- Andrew Lo, Kien Siah, and Chi Wong. Machine learning with statistical imputation for predicting drug approval. *Harvard Data Science Review*, 2019.
- Dhruv Kumar Mahajan, Ross B. Girshick, Vignesh Ramanathan, Kaiming He, Manohar Paluri, Yixuan Li, Ashwin Bharambe, and Laurens van der Maaten. Exploring the limits of weakly supervised pretraining. In *European Conference on Computer Vision*, 2018.
- Aditya Menon, Sadeep Jayasumana, Ankit Rawat, Himanshu Jain, Andreas Veit, and Sanjiv Kumar. Long-tail learning via logit adjustment. In *International Conference on Learning Representations*, 2020.
- Ishan Misra, C. Lawrence Zitnick, Margaret Mitchell, and Ross Girshick. Seeing through the human reporting bias: Visual classifiers from noisy human-centric labels. In *IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2016.
- Judea Pearl, Madelyn Glymour, and Nicholas P Jewell. *Causal inference in statistics: A primer*. John Wiley & Sons, 2016.
- Nayeem Rizve, Kevin Duarte, Yogesh Rawat, and Mubarak Shah. In defense of pseudo-labeling: An uncertainty-aware pseudo-label selection framework for semi-supervised learning. In *International Conference on Learning Representations*, 2021.
- Saharon Rosset, Ji Zhu, Hui Zou, and Trevor Hastie. A method for inferring label sampling mechanisms in semi-supervised learning. In *Advances in Neural Information Processing Systems*, 2005.
- Mehdi Sajjadi, Mehran Javanmardi, and Tolga Tasdizen. Regularization with stochastic transformations and perturbations for deep semi-supervised learning. In *Advances in Neural Information Processing Systems*, 2016.
- Shaun R Seaman and Stijn Vansteelandt. Introduction to double robust methods for incomplete data. *Statistical science: a review journal of the Institute of Mathematical Statistics*, 2018.
- Shaun R Seaman and Ian R. White. Review of inverse probability weighting for dealing with missing data. *Statistical Methods in Medical Research*, 2013.

- Kihyuk Sohn, David Berthelot, Chun-Liang Li, Zizhao Zhang, Nicholas Carlini, Ekin D. Cubuk, Alex Kurakin, Han Zhang, and Colin Raffel. Fixmatch: Simplifying semi-supervised learning with consistency and confidence. In *Advances in Neural Information Processing Systems*, 2020.
- S. Van Buuren. Flexible imputation of missing data. *Chapman & Hall/CRC Interdisciplinary Statistics*, 2018.
- S. Vansteelandt, J. Carpenter, and M. G. Kenward. Analysis of incomplete data using inverse probability weighting and doubly robust estimators. *Methodology: European Journal of Research Methods for the Behavioral and Social Sciences*, 2010.
- Oriol Vinyals, Charles Blundell, Timothy Lillicrap, koray kavukcuoglu, and Daan Wierstra. Matching Networks for One Shot Learning. In *Advances in Neural Information Processing Systems*, 2016.
- C. Y. Wang, Suojin Wang, Lue-Ping Zhao, and Shyh-Tyan Ou. Weighted semiparametric estimation in regression analysis with missing covariate data. *Journal of the American Statistical Association*, 1997.
- Xiaojie Wang, Rui Zhang, Yu Sun, and Jianzhong Qi. Doubly robust joint learning for recommendation on data missing not at random. In *Proceedings of the 36th International Conference on Machine Learning*, 2019.
- Chen Wei, Kihyuk Sohn, Clayton Mellina, Alan Yuille, and Fan Yang. Crest: A class-rebalancing self-training framework for imbalanced semi-supervised learning. In *IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2021.
- Qizhe Xie, Minh-Thang Luong, Eduard Hovy, and Quoc V. Le. Self-Training With Noisy Student Improves ImageNet Classification. In *IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2020.
- Yi Xu, Lei Shang, Jinxing Ye, Qi Qian, Yu-Feng Li, Baigui Sun, Hao Li, and Rong Jin. Dash: Semi-supervised learning with dynamic thresholding. In *International Conference on Machine Learning*, 2021.
- Xiangli Yang, Zixing Song, Irwin King, and Zenglin Xu. A Survey on Deep Semi-supervised Learning. *arXiv preprint, arXiv:2103.00550*, 2021.
- Xiaojin Zhu. Semi-supervised learning literature survey. *Comput Sci, University of Wisconsin-Madison*, 2008.