

IMPLICIT SEARCH VIA DISCRETE DIFFUSION: A STUDY ON CHESS

Anonymous authors

Paper under double-blind review

ABSTRACT

In the post-AlphaGo era, there has been a resurgence of interest in search techniques like Monte Carlo Tree Search (MCTS) within the realm of Large Language Models (LLMs). This renewed attention is driven by the recognition that current next-token prediction models often lack the ability for long-term planning. Is it possible to instill search-like abilities within the models to enhance their planning abilities without relying on explicit search? We propose DIFFUSEARCH, a model that does *implicit search* by looking into the future world via discrete diffusion modeling. We instantiate DIFFUSEARCH on a classical board game, Chess, where explicit search is known to be essential. Through extensive controlled experiments, we show DIFFUSEARCH outperforms both the searchless and explicit search-enhanced policies. Specifically, DIFFUSEARCH outperforms the one-step policy by 19.2% and the MCTS-enhanced policy by 14% on action accuracy. Furthermore, DIFFUSEARCH demonstrates a notable 30% enhancement in puzzle-solving abilities compared to explicit search, along with a significant 540 Elo increase in game-playing strength assessment.

1 INTRODUCTION

Search is central to problem-solving in AI (Russell & Norvig, 2010). One of the most notable examples is IBM’s Deep Blue (Campbell et al., 2002), which performs extensive search over a large space through a strong search algorithm (alpha-beta pruning; Knuth & Moore 1975), defeated the world chess champion Garry Kasparov in 1997. The advent of neural networks brings a new intuition which is to search more effectively. A noteworthy advancement in this progression is exemplified by AlphaGo (Silver et al., 2016) and its successors (Silver et al., 2017b;a), where the policy is guided by an extra value network through Monte Carlo Tree Search (MCTS; Coulom 2006; Browne et al. 2012). By explicitly searching into the future, the decision to be taken can be iteratively refined (Silver et al., 2016; 2017b;a; Schrittwieser et al., 2020).

Recent research on Large Language Models (LLMs) demonstrates the utilization of a similar framework. Although scale-up, the autoregressive one-step policy addresses only a portion of the problems and relies on explicit search on complex tasks (Hao et al., 2023; Yao et al., 2024; Zhao et al., 2024; Trinh et al., 2024, *inter alia*), highlighting their inherent limitations in long-term planning (Valmeekam et al., 2022; Bubeck et al., 2023; Bachmann & Nagarajan, 2024). This explicit search-demanding approach, however, is not quite satisfactory, as the recursive invocation of a value model during searching results in a rapid accumulation of errors (Asadi et al., 2019; Xiao et al., 2019; Lambert et al., 2022) and increased inference costs for long-horizon rollouts (Yao et al., 2024). Given the essence of explicit search (e.g., MCTS) over one-step policies lies in iteratively looking into the future and leveraging the future to enhance the next token (or action) prediction, our research question is:

Can the policy model predict and utilize the future by itself without relying on explicit search?

This paper explores the potential transition from utilizing an explicit search algorithm (e.g., MCTS) over the one-step policy to implicitly searching over future representations by teaching the policy to predict and utilize the future. Firstly, to reduce the difficulty of future prediction, we take inspiration from diffusion models (Sohl-Dickstein et al., 2015; Ho et al., 2020), which perform a multi-step generative process for sample generation. Secondly, to iterative refine the current policy prediction

054 based on future information, we directly rely on the internal bidirectional self-attention mecha-
 055 nism (Vaswani et al., 2017) and the multi-step diffusion generative process. Finally, we represent
 056 the future to be learned and predicted with the multi-step interaction information between policy
 057 and the world (e.g., states and actions), such that the generation of the future shares similar spirits
 058 as implicit searching in the future world. We name our approach as DIFFUSEARCH, a method that
 059 looks into the future world via diffusion modeling without any explicit search. Alternatively, DIF-
 060 FUSEARCH can be seen as containing a world model (Ha & Schmidhuber, 2018) that predicts the
 061 future. However, rather than having a separate world model simulating the environment’s transition
 062 dynamics and another policy performing action prediction through interaction with the world model
 063 using planning algorithms such as value iteration (Puterman, 2014) or MCTS (Schrittwieser et al.,
 064 2020), DIFFUSEARCH internalizes the world model directly within the policy without intermediate
 065 components.

066 We take a specific focus on the chess-playing task, where explicit search is known to be essen-
 067 tial (Campbell et al., 2002; Silver et al., 2017a). The ideas and techniques learned in this con-
 068 trolled task may eventually be useful in natural-language settings as well. We conduct extensive
 069 experiments and take a deep look into various paradigms to represent and learn the future. When
 070 measured by action accuracy, DIFFUSEARCH outperforms the one-step policy (Ruoss et al., 2024)
 071 by 19.2%, and MCTS-enhanced policy by 14%. DIFFUSEARCH demonstrates a 30% increase in
 072 puzzle-solving capabilities in comparison to explicit search. Furthermore, it attains a higher level of
 073 game-playing proficiency, as evidenced by a 540 more Elo rating, which showcases the potential of
 074 substituting explicit search with a learned discrete diffusion model that looks into the future world.

075 Our contributions include: 1) we propose DIFFUSEARCH to foresee and utilize future information
 076 via diffusion modeling as an alternative to explicit search via designed search algorithms (§3); 2) we
 077 instantiate DIFFUSEARCH for chess-playing and demonstrate its superior performance compared to
 078 both the one-step policy and the MCTS-powered policy in a rigorous evaluation, such as solving
 079 over 30% more puzzles and 540 Elo playing strength in the tournament (§4.2); 3) we provide a de-
 080 tailed analysis of the design considerations for future representation and diffusion modeling (§4.3),
 081 as well as unveiling the working mechanism and appealing advantage compared to MCTS-based
 082 policy regarding effectiveness and efficiency (§4.4). These findings demonstrate the possibility of
 083 moving from the one-step policy with explicit search algorithms to the future world-aware policy
 084 with implicit search ability. All associated code is made publicly at Anonymous.

085 2 PRELIMINARIES

086
 087 This section introduces key concepts and notations in the chess-playing problem and diffusion mod-
 088 eling.

089
 090 **Problem Setting** Chess, along with other games of perfect information like checkers, othello,
 091 backgammon, and Go, fits the framework of alternating Markov games (Littman, 1994). In chess,
 092 there exists a state space \mathcal{S} , an action space \mathcal{A} , a state transition function $f(s, a)$ that determines
 093 the subsequent state after taking action a in state s , and two reward functions $r^0(s)$ and $r^1(s)$
 094 representing the two players’ reward in state s (rewards being zero except at the final time-step). The
 095 outcome of the game $o_i = \pm 1$ is the terminal reward at the end of the game from the perspective of
 096 the current player at time-step i . Chess is also a zero-sum game which indicates $r^0(s) = -r^1(s)$. A
 097 policy $p(a|s)$ is a probability distribution over actions space \mathcal{A} . A value function $v^p(s)$ represents
 098 the expected outcome when all actions for both players adhere to policy p , denoted as $v^p(s) =$
 099 $\mathbb{E}[o_i | s_i = s, a_{i..I} \sim p]$. The goal is to build a policy that, when actions are taken based on it, results
 100 in the highest possible final outcome.

101
 102 **Discrete Diffusion Modeling** Discrete diffusion models (Sohl-Dickstein et al., 2015; Hooge-
 103 boom et al., 2021; Austin et al., 2021) are a class of latent variable models characterized by a
 104 forward and a backward Markov process. Suppose $\mathbf{x}_0 \sim q(\mathbf{x}_0)$ is a discrete random variable with
 105 K possible categories and represented as a one-hot vector. The forward process $q(\mathbf{x}_{1:T}|\mathbf{x}_0) =$
 106 $\prod_{t=1}^T q(\mathbf{x}_t|\mathbf{x}_{t-1})$ corrupts the original data \mathbf{x}_0 into a sequence of increasingly noisy latent variables
 107 $\mathbf{x}_{1:T} := \mathbf{x}_1, \dots, \mathbf{x}_T$. The learned backward process $p_\theta(\mathbf{x}_{0:T}) = p(\mathbf{x}_T) \prod_{t=1}^T p_\theta(\mathbf{x}_{t-1}|\mathbf{x}_t)$ gradu-
 ally denoises the latent variables to the data distribution. In order to optimize the generative model

$p_{\theta}(\mathbf{x}_0)$ to fit the data distribution $q(\mathbf{x}_0)$, we typically optimize a variational upper bound on the negative log-likelihood due to the intractable marginalization:

$$L_{\text{vb}} = \mathbb{E}_{q(\mathbf{x}_0)} \left[\underbrace{D_{\text{KL}}[q(\mathbf{x}_T|\mathbf{x}_0)||p(\mathbf{x}_T)]}_{L_T} + \sum_{t=2}^T \underbrace{\mathbb{E}_{q(\mathbf{x}_t|\mathbf{x}_0)} [D_{\text{KL}}[q(\mathbf{x}_{t-1}|\mathbf{x}_t, \mathbf{x}_0)||p_{\theta}(\mathbf{x}_{t-1}|\mathbf{x}_t)]]}_{L_{t-1}} - \underbrace{\mathbb{E}_{q(\mathbf{x}_1|\mathbf{x}_0)} [\log p_{\theta}(\mathbf{x}_0|\mathbf{x}_1)]}_{L_0} \right], \quad (1)$$

where L_T is a constant when a fixed prior $p(\mathbf{x}_T)$ is employed. In discrete diffusion, both the forward and backward distribution are defined as categorical distribution, e.g., $q(\mathbf{x}_t|\mathbf{x}_{t-1}) = \text{Cat}(\mathbf{x}_t; \mathbf{p} = \mathbf{Q}_t^T \mathbf{x}_{t-1})$ and $p_{\theta}(\mathbf{x}_{t-1}|\mathbf{x}_t) = q(\mathbf{x}_{t-1}|\mathbf{x}_t, f(\mathbf{x}_t; \theta))$ (Hoogeboom et al., 2021), where \mathbf{Q}_t is a pre-defined transition matrix of size $K \times K$. Therefore, the forward process posterior $q(\mathbf{x}_{t-1}|\mathbf{x}_t, \mathbf{x}_0)$ and each KL term can be calculated analytically. We provide more details about discrete diffusion in Appendix A.1.

3 METHODOLOGY

In this section, we introduce DIFFUSESEARCH, an approach that looks into the future world via discrete diffusion modeling without any explicit search at inference time. We focus on the chess-playing task and show the comparison between explicit search and implicit search in Figure 1.

3.1 MODELING

In order to endow the model with the capability to predict and utilize the future, we consider training the model in a supervised way following (Ruoss et al., 2024), leaving self-play training from scratch (Silver et al., 2017b) for future work. We provide the current state s_i as the history representation following prior studies (Silver et al., 2016; 2017b; Ruoss et al., 2024). For future world representation, we consider a variety of alternative variants, such as purely future actions (denoted as $s\text{-aa}$), action-states (denoted as $s\text{-asa}$), and action-state-values (denoted as $s\text{-arsar}$, etc). We analyze the performance of different future paradigms in Section §4.3. The $s\text{-asa}$ approach is ultimately chosen as our modeling paradigm considering the effectiveness and simplicity. The policy distribution at state s_i considering the future is given by:

$$p_{\theta}(a_i, s_{i+1}, a_{i+1}, \dots, s_{i+h-1}, a_{i+h-1} | s_i), \quad (2)$$

where $h > 1$ is the future horizon.

3.2 TRAINING

In order to train a policy that models Eq.(2), we consider a supervised training approach leveraging Stockfish (Romstad et al., 2008). We utilize Stockfish 16, currently the world’s strongest search-based engine, as an oracle to label board states extracted from randomly selected games on lichess.org. We approximate the optimal policy π^* with π^{SF} and obtain each action by taking $a_j^{SF} = \arg \max_{a_j} Q^{SF}(s_j, a_j)$. For a given world horizon h , we construct a dataset $\mathcal{D} = \{(s_i, (a_i^{SF}, s_{i+1}, a_{i+1}^{SF}, \dots, s_{i+h-1}, a_{i+h-1}^{SF}))\}$, where the oracle future path means playing some move that has the maximum evaluation for the best opponent’s reply for both players.

An intuitive way to use \mathcal{D} is to train a network to directly predict the entire concatenated next action and future sequence $a_i^{SF} \parallel z_i^{SF} (z_i^{SF} := s_{i+1} \parallel a_{i+1}^{SF} \parallel \dots \parallel s_{i+h-1} \parallel a_{i+h-1}^{SF})$. Nonetheless,




Figure 1: Method comparison between explicit search and implicit search.

Algorithm 1 DIFFUSEARCH Training

Input: dataset $\mathcal{D} = \{(s, (a, z))\}$, neural network $f(\cdot; \theta)$, timesteps T .
Output: model parameters θ .
Denote state length $l = |s|$;
repeat
 Draw $(s, (a, z)) \sim \mathcal{D}$ and obtain $\mathbf{x}_{0,1:N} = s \parallel a \parallel z$ (\parallel : concat);
 Draw $t \in \text{Uniform}(\{1, \dots, T\})$;
 Draw $\mathbf{x}_{t,n} \sim q(\mathbf{x}_{t,n} | \mathbf{x}_{0,n})$ for $n \in \{l+1, \dots, N\}$;
 $L(\theta) = -\lambda_t \sum_{n=l+1}^N \mathbb{1}_{\mathbf{x}_{t,n} \neq \mathbf{x}_{0,n}} \mathbf{x}_{0,n}^\top \log f(\mathbf{x}_{t,n}; \theta)$;
 Minimize $L(\theta)$ with respect to θ ;
until converged

Algorithm 2 DIFFUSEARCH Inference

Input: board state s , trained network $f(\cdot; \theta)$, timesteps T .
Output: next action a .
Denote state length $l = |s|$;
Initialize $\mathbf{x}_{T,1:l} = s$ and $\mathbf{x}_{T,l+1:N} \sim q_{\text{noise}}$;
for $t = T, \dots, 1$ **do**
 for $n = l+1, \dots, N$ **do**
 Draw $\tilde{\mathbf{x}}_{0,n} \sim \text{Cat}(f(\mathbf{x}_{t,n}; \theta))$;
 Draw $\mathbf{x}_{t-1,n} \sim q(\mathbf{x}_{t-1,n} | \mathbf{x}_{t,n}, \tilde{\mathbf{x}}_{0,n})$;
 end for
end for
Return $a = \mathbf{x}_{0,l+1}$.

we observe that this approach not only fails to predict the future but also impedes the learning of the next action a_i^{SF} (see Section §4.3). Therefore, we resort to diffusion modeling (Sohl-Dickstein et al., 2015) as a powerful sequence modeling approach with strong expressive capabilities. The bidirectional multi-layer self-attention and iterative denoising mechanism are expected to enhance the prediction of the next action by considering future information. Specifically, we consider discrete diffusion modeling and streamline L_{vb} in Eq.(1) into a weighted cross-entropy loss motivated by Austin et al. (2021); Zheng et al. (2023); Shi et al. (2024); Sahoo et al. (2024). The KL term $D_{\text{KL}}[q(\mathbf{x}_{t-1} | \mathbf{x}_t, \mathbf{x}_0) || p_\theta(\mathbf{x}_{t-1} | \mathbf{x}_t)]$ for each individual random variable is simplified as $-\lambda_t \mathbb{1}_{\mathbf{x}_t \neq \mathbf{x}_0} \mathbf{x}_0^\top \log f(\mathbf{x}_t; \theta)$, where and L_{vb} becomes:

$$L_{vb} = -\mathbb{E}_{q(\mathbf{x}_0)} \sum_{t=1}^T \lambda_t \mathbb{E}_{q(\mathbf{x}_t | \mathbf{x}_0)} \mathbb{1}_{\mathbf{x}_t \neq \mathbf{x}_0} \mathbf{x}_0^\top \log f(\mathbf{x}_t; \theta), \quad (3)$$

where $\lambda_t = \frac{\alpha_{t-1} - \alpha_t}{1 - \alpha_t} \in (0, 1]$ is a time-dependent reweighting term that assigns lower weight for noisier \mathbf{x}_t , and $\alpha_t \in [0, 1]$ belongs to a predefined noise scheduler that controls the level of noise in \mathbf{x}_t at timestep t . We explore multiple variants of λ_t in Section §4.3. To enable conditional training with a given state, we freeze the state tokens and perform denoising on the next action a_i^{SF} and all futures tokens z_i^{SF} . We provide detailed derivations in Appendix A.2.

3.3 INFERENCE

During inference, taking $\arg \max_{a_i} p_\theta(a_i | s_i)$ as in one-step policy in DIFFUSEARCH requires marginalizing over all future with horizon h , i.e., $p_\theta(a_i | s_i) = \sum_{z_i} p_\theta(a_i, z_i | s_i)$, which is intractable due to the exponential-growing search space when h goes larger, e.g., the game tree contains b^h nodes and the branching factor b is around 31 on average in chess (Barnes, 2019). One simplified approach to comparing actions is to measure the best future if one action is taken, which can be reflected by the joint probability $p_\theta(a_i, z_i | s_i)$. Therefore, we resort to $\arg \max_{a_i, z_i} p_\theta(a_i, z_i | s_i)$, which does not involve marginalization and can be achieved by sampling from the trained model. During diffusion sampling, we adopt an easy-first decoding strategy (Savinov et al., 2021; Chang et al., 2022), which achieves better performance compared to the random decoding approach employed by Austin et al. (2021). Specifically, at diffusion timestep t , the tokens within the least $100 * \frac{t-1}{T} \%$ predictive log-likelihood are selected to be reset to the noise state. To change search depth, we mainly train separate models on \mathcal{D} with different h , and study a single model on \mathcal{D} with mixed h in Appendix B.1. We elaborate the training and inference algorithm in Algorithm 1 and Algorithm 2, respectively.

4 EXPERIMENTS

4.1 SETUP

Baselines We compare our model with three Transformer models proposed in Ruoss et al. (2024): State-action model (S-A) which learns to predict next move via behavioral cloning; State-value model (S-V) which predicts next move via comparing the value of next states; and Action-value

Table 2: Prediction and playing strength comparison for our model against baselines and the oracle Stockfish 16. The $S-V$ and $SA-V$ models can be seen as depth-one search. The best results are bold.

Agent	Search	Tournament Elo	Accuracy	
			Puzzles	Actions
Stockfish 16 (0.05s) [oracle]	✓	2689	99.10	100.00
Transformer (S-A)		1075	3.95	22.10
Transformer (S-V)	✓	1028	12.20	21.45
Transformer (SA-V)	✓	1294	12.74	31.50
Transformer (100 MCTS simulations)	✓	1186	6.85	27.34
DIFFUSEARCH (Ours)		1728	39.49	41.31

model ($SA-V$) which predicts next move via comparing the value of each legal actions at the current state. We also integrate the trained $S-A$ and $S-V$ models into MCTS following AlphaZero (Silver et al., 2017a).

Data We construct a dataset for supervised training by downloading games from lichess.org recorded in February 2023. When analyzing the scaling behavior, we use up to 100k games, while reverting to the default 10k games for other experiments due to resource constraints. We show the data statistics in Table 1. Following Ruoss et al. (2024), we convert the centipawns returned by Stockfish to the win percentage and then discretize it into 128 bins to represent value in $S-V$ and $SA-V$. We encode the state as a fixed-length FEN string with 77 characters by padding with ‘.’ if needed. Actions are stored in UCI notation with 1968 possible moves in total.

Table 1: Data statistics.

Stage	Records	Games
Train SA-V (100k)	193,189,573	100,000
Train SA-V (10k)	17,448,268	10,000
Train others (100k)	6,564,661	100,000
Train others (10k)	659,576	10,000
Action Test	62,561	1,000
Puzzle Test	36,816	10,000

Implementation Details For all the neural models in this paper, we use the same decoder-only GPT-2 transformer architecture (Vaswani et al., 2017; Radford et al., 2019) for a rigorous comparison. For DIFFUSEARCH, we convert casual attention into full attention without introducing additional learned parameters. We train all baseline models until convergence and set a maximum of 200 epochs for diffusion models due to their slow convergence. We use the Adam optimizer (Kingma & Ba, 2015), a learning rate of $3e-4$, and a batch size of 1024 for all models. By default, we set the horizon h to be 4, the number of network layers to be 8 (with a total parameter size of 7M), the diffusion timesteps to be 20, and an absorbing noise type. By default, 100 simulations are utilized in MCTS-enhanced policy, and its impact is analyzed in Figure 3. We adjust c_{puct} , a constant determining the level of exploration in MCTS, on a held-out set and set it to 0.1 for its superior performance. All experiments are done on 8 NVIDIA V100 32G GPUs.

Evaluation Metrics We mainly consider three metrics to evaluate the policies following (Ruoss et al., 2024): 1) **Action Accuracy**: the percentage of the test set in which the model selects the same action as the ground truth; 2) **Puzzle Accuracy**: the percentage of puzzles where the policy’s action sequence exactly matches the known solution action sequence and we use 10k puzzles with difficulty rated by Elo from 399 to 2867 provided by (Ruoss et al., 2024); 3) **Tournament Elo**: the Elo ratings calculated using BayesElo (Coulom, 2008) in an internal tournament involving all policies, where each pair of policies played 400 games, resulting in a total of 6000 games.

4.2 MAIN RESULTS

We report the prediction and playing strength comparison for our model against baselines in Table 2. Additionally, we report the performance of Stockfish 16 with a time limit of 0.05s per legal move, which stands as the oracle used to generate our dataset. We find DIFFUSEARCH significantly outperforms the $S-A$ model by 653 Elo and 19% action accuracy, indicating the effectiveness of DIFFUSEARCH in improving next action prediction through future prediction. Remarkably, despite utilizing 20 times fewer data records than the $SA-V$ model, our model demonstrates superior

performance with approximately 10% higher action accuracy. Our model demonstrates superior performance over the MCTS-based agent by achieving a higher Elo difference of 542 and an increased action accuracy of 14%. This highlights the effectiveness of DIFFUSEARCH in modeling multi-step simulations when compared with the step-by-step MCTS-enhanced policy, which relies on a robust value model and necessitates a careful balance between the policy and value models.

4.3 ABLATIONS

Future paradigm matters We compare baselines and different future paradigms during the training of DIFFUSEARCH with horizon $h = 4$ in Table 3. For each future paradigm, we compare training with autoregressive Transformer and DIFFUSEARCH. We find that directly performing future action prediction ($S-AA$) (Chi et al., 2023) with DIFFUSEARCH hurts performance compared to $S-A$ due to the difficulty of future move prediction in chess. However, after we integrate future states, we observe significant performance improvements in the comparison between $S-AA$ and $S-ASA$, as well as $S-AVAV$ and $S-AVSAV$. No further improvement is observed when integrating the values in DIFFUSEARCH, which may be attributed to training on the optimal future trajectory rather than all possible trajectories. For training using autoregressive Transformer, we observe that the overall performance hovers around 26%. This performance level is superior to that achieved by $S-A$ (22.1%), attributed to the utilization of more (S, A) pairs (e.g., each $S-ASA$ record containing h (S, A) pairs). However, the performance falls short when compared to DIFFUSEARCH, which underscores the importance of modeling bidirectional context to leverage future information for subsequent action prediction.

Ensuring the validity of future world dynamics is crucial

After we discuss the future paradigm, we now investigate the effect of future quality on performance, as shown in Table 4. We first utilize corrupted state-action sequences for future steps, where actions were randomly selected and subsequent states were unrelated to the chosen actions. This methodology did not yield performance enhancements. Subsequently, we explore selecting random actions and incorporating the resulting state from executing those actions, which notably outperforms the initial strategy. This underscores the significance of aligning states with corresponding actions, mirroring the dynamics of the world. Finally, we investigate incorporating Oracle future actions suggested by Stockfish 16 and observe additional performance improvements compared to the random action selection approach.

Proper discrete diffusion modeling helps Given the dataset \mathcal{D} annotated with future states and actions, we investigate alternative ways to train the model, as presented in Table 5. We first observe it is hard to teach the model to directly output the entire future sequence, leading to lower performance compared to auto-regressive training. Secondly, we employ continuous Gaussian diffusion VDM (Kingma et al., 2021) and observe its superior performance compared to the Direct and auto-regressive methods, but inferior compared to discrete approaches. The absorbing diffusion with reciprocal $\lambda_t = 1/t$ obtained by setting $\alpha_t = 1 - \frac{t}{T}$ in Eq.(3) is a simplified expression from D3PM (Austin et al., 2021), which we find significantly outperforms continuous diffusion. Fi-

Table 3: Action accuracy comparison of baselines and different future paradigms.

Paradigms	Transformer	DIFFUSEARCH
S-A	22.10	-
S-V	21.45	-
SA-V	31.50	-
S-AA	26.62	15.07
S-ASA	27.39	41.31
S-ASS	24.93	41.19
S-AVAV	25.92	17.63
S-AVSAV	25.59	40.69

Table 4: Future world quality in supervising the model for the S-ASA paradigm.

Future Quality	Acc.
Without future world	22.10
+ Corrupted world	22.69
+ Random world	39.47
+ Oracle world	41.31

Table 5: Comparison of training methods. Direct: train the model to predict the entire future sequence at once.

Method	Acc.
Direct	20.61
Auto-regressive	27.39
Gaussian	31.91
Absorbing, $\lambda_t = 1$	39.66
Absorbing, $\lambda_t = 1/t$	39.07
Absorbing, $\lambda_t = 1 - \frac{t-1}{T}$	41.31
Multinomial, $\lambda_t = 1 - \frac{t-1}{T}$	40.08




Figure 2: (Left) Prediction quality analysis for DIFFUSEARCH at different future steps. (Middle) Action accuracy when scaling self-attention layers. (Right) Action accuracy when increasing diffusion timesteps.

nally, we discover a linear λ_t (Bond-Taylor et al., 2022; Zheng et al., 2023) further exceeds the constant and reciprocal ones, as well as the multinomial counterpart.

4.4 ANALYSIS

Does DIFFUSEARCH predict accurate future information? We analyze the percentage of valid actions and the optimal action recommended by Stockfish for each predicted action. Additionally, we assess whether each predicted state is a valid representation and if s_i corresponds to the resulting state when action a_{i-1} is taken at s_{i-1} . The initial state s_0 provided as input is excluded, and the results are presented in the left figure of Figure 2. We observe that the first action, denoted as a_0 , are almost 100% valid. As we progress through future steps, both the valid rate and the optimal rate decline. However, even at $i = 3$, where the valid rate stands at 50%, it surpasses the random move baseline of approximately 1.6% (calculated as the average number of legal actions per move, 31, divided by the total number of moves, 1968). This indicates that the model retains a certain level of predictive capability for future moves, albeit with reduced performance. A similar pattern appears in the evaluation of states, where the accuracy is perfect for the first predicted state s_1 but diminishes in subsequent predictions.

How does DIFFUSEARCH leverage future information? We attribute the future-aware ability of DIFFUSEARCH mainly to self-attention and iterative decoding process, as shown in the middle and right figures of Figure 2, respectively. When employing a single self-attention layer, our model exhibits inferior performance compared to the S-A model, yet surpasses it with two layers. Moreover, its performance steadily enhances as we augment the number of layers. This suggests that with additional layers, there is more chance for the subsequent actions and future to interact reciprocally, akin to the enhancement in the action prediction with increased MCTS simulations. We do not observe a similar upward trend in the performance of S-A model when increasing attention layers as in (Ruoss et al., 2024), possibly indicating that the available data (10k) does not necessitate the integration of more layers. In the right figure of Figure 2, it is evident that employing an appropriate decoding strategy (such as likelihood-based) further enhances next-action prediction as the number of iterations grows. However, the overall improvement is relatively modest compared to increasing the attention layers.

Explicit search vs. Implicit search Based on our previous analysis, we can consider DIFFUSEARCH as performing implicit search through the inner self-attention layers and the multi-step diffusion process. Now, we aim to evaluate the efficiency and effectiveness of this implicit search in comparison to explicit search using MCTS when conducting deeper searches. In DIFFUSEARCH, deeper search is realized by increasing the context length (80 tokens per search depth), whereas in MCTS, it is achieved through running more simulations. In the left figure of Figure 3, it is evident that DIFFUSEARCH exhibits significant enhancement when increasing search depth, while MCTS becomes stagnant after 50 simulations at a search depth of around 4. This could be attributed to the accumulated errors caused by the value network due to a limited horizon. In the middle figure of Figure 3, we measure the latency per move for Transformer with MCTS and DIFFUSEARCH on a single V100 GPU with batch size 1. The performance of Transformer combined with MCTS is




Figure 3: (Left) Action accuracy when increasing average search depth in MCTS through more simulations and DIFFUSEARCH through context length extension. (Middle) Latency measured by ms per second when increasing search depth. (Right) Action accuracy when scaling data size.




Figure 4: Two examples of Transformer (S-A) and DIFFUSEARCH solving challenging puzzles. The predicted next move is in blue for both policies. The predicted future actions from DIFFUSEARCH are in light blue and red representing the two players, respectively, along with the numerical counters 1, 2, and 3 indicating future steps.

notably affected by the necessity of invoking the value network for every simulation. In contrast, DIFFUSEARCH experiences only a slight rise in latency as it requires just one call for greater depth.

Scaling “laws” In Figure 2, the effectiveness of model scaling in DIFFUSEARCH has been observed. Here we explore the impact of increasing the dataset size on the performance. Specifically, we conduct experiments training the DIFFUSEARCH S-ASA model with a horizon of 4 and the Transformer S-A using game sizes ranging from 5k to 100k, as shown in the right figure of Figure 3. Both the Transformer and DIFFUSEARCH models exhibit a log-2 scaling behavior, showing that doubling the training data results in a linear increase in accuracy. Scaling also enhances future prediction significantly, leading to a more valid and accurate representation of future actions and states, as well as a near-perfect level of capturing the state-action transition dynamics, as detailed in Appendix B.2.

Case study We sample several challenging puzzles from Lichess (with Elo ratings above 1800) to compare the predictions of DIFFUSEARCH and Transformer (S-A). Two instances are shown in Figure 4, with additional cases provided in Appendix B.3. DIFFUSEARCH demonstrates superior foresight, accurately predicting critical exchanges and piece sacrifices that lead to long-term strategic advantages. In the left puzzle, DIFFUSEARCH strategically sacrifices the rook to set up a long-term checkmate situation against the opponent. This maneuver compels the opponent to defend and creates an opportunity to capture the queen, facilitating valuable piece exchanges. The S-A model, unfortunately, makes a critical error by focusing on achieving direct checkmate without considering the possibility of the opponent’s queen launching a counterattack. Similarly, in the right puzzle, DIFFUSEARCH anticipates an exchange sacrifice, correctly valuing the long-term positional benefits of opening lines for its rooks. Conversely, the S-A model misjudges the value of this exchange, leading to suboptimal moves. These findings highlight the effectiveness of DIFFUSEARCH in long-term planning without relying on explicit search.

5 RELATED WORK

5.1 NEURAL NETWORKS FOR CHESS

The development of chess AI has undergone a significant transformation, shifting from the explicit design of search strategies and heuristics to the more data-driven and learning-based approaches. The early research, exemplified by Turing’s investigations (Burt, 1955) and NeuroChess (Thrun, 1994), heavily depended on handcrafted search algorithms and heuristics, eventually leading to the development of powerful search engines like Deep Blue (Campbell et al., 2002) and Stockfish (Romstad et al., 2008). However, the emergence of neural network-based approaches, typically AlphaZero (Silver et al., 2017a), marked a paradigm shift, where deep reinforcement learning equipped with Monte Carlo Tree Search (MCTS) enabled the system to learn its own heuristics, i.e., the policy and value networks, without the need for manual design (Klein, 2022; McGrath et al., 2021). The rise of large language models (LLMs) has also inspired innovations in chess AI, such as the evaluation (Toshniwal et al., 2022; Carlini, 2023) and interpretation (Li et al., 2023a; Karvonen, 2024) of LLMs’ ability to play chess, the integration of chess-related text data into training (Feng et al., 2024), and the exploring of searchless models by scaling the policy networks (Ruoss et al., 2024). Despite this, lookahead search methods like beam search (Feng et al., 2024) and even depth-one search with the value network (Ruoss et al., 2024) remain superior to the policy models as action predictors, which is the same as in the AlphaZero era (Silver et al., 2017b; Team., 2018). This underscores the continued significance of lookahead information for move prediction in chess. In contrast to prior research, we explore directly teaching the policy model to look ahead, thereby eliminating the requirement of handcrafted search algorithms or separate value networks.

5.2 DIFFUSION MODELS

Diffusion models (Sohl-Dickstein et al., 2015; Ho et al., 2020; Austin et al., 2021), a powerful class of generative models, have been applied to various fields such as image generation (Dhariwal & Nichol, 2021; Rombach et al., 2022; Croitoru et al., 2023, *inter alia*), text generation (Li et al., 2022; Gong et al., 2022; Zheng et al., 2023; Lou et al., 2023; Ye et al., 2024; Li et al., 2023b, *inter alia*) and reinforcement learning (Janner et al., 2022; Ajay et al., 2022; Chi et al., 2023; Zhu et al., 2023, *inter alia*). Theoretically, diffusion models perform a multi-step denoising process to progressively convert a random noise into a data sample, and the denoising procedure can be seen as parameterizing the gradients of the data distribution (Song & Ermon, 2019), connecting them to score matching (Hyvärinen & Dayan, 2005) and energy-based models (LeCun et al., 2006). Particularly, diffusion models have been shown effective in tasks that require global control and future planning, such as paragraphs generation (Zhang et al., 2023b), trajectory planning (Janner et al., 2022) and robot manipulation (Chi et al., 2023). Different from Diffusion Policy (Chi et al., 2023), DIFFUSEARCH internalizes a world model inside the policy, which we find is crucial in Section §4.3. Furthermore, we focus on exploring diffusion models as a way to substitute for conventional handcrafted search algorithms.

5.3 WORLD MODELS

The primary goal of a world model is to capture the underlying dynamics of the environment and predict the future outcome of certain actions in the context of model-based reinforcement learning (MBRL) (Wang et al., 2019; Moerland et al., 2023). The learned world model can be used for policy optimization of a RL agent (Sutton, 1991; Feinberg et al., 2018; Hafner et al., 2020a) and allow the agent to explicitly reason about the future consequences of its actions (Hafner et al., 2019; Schrittwieser et al., 2020; Ye et al., 2021). Most of the conventional world models (Hafner et al., 2020a;b; 2023) rely on single-step prediction, which suffer from compounding errors (Asadi et al., 2019; Xiao et al., 2019; Lambert et al., 2022). Recently, there has been growing interest in building multi-step world models utilizing diffusion models (Zhang et al., 2023a; Rigter et al., 2023; Jackson et al., 2024; Ding et al., 2024), which, however, separate the world model and policy. Similar to ours, Diffuser (Janner et al., 2022) and Decision Diffuser (DD; Ajay et al. 2022) also unify the world model with the policy. However, the modeling details, training paradigm, and action prediction differ. Specifically, both of them employ continuous diffusion while we use discrete diffusion. In addition, Diffuser trains an unconditioned model and requires a guidance function to obtain desired actions, while we model the best action and future trajectory condition on a given state. DD models

state-only future trajectories and predicts the action through an inverse dynamics model while we model both future states and actions. Finally, the comparison of diffusion world model and explicit search has not been rigorously explored in domains that require precise and sophisticated lookahead such as chess, to the best of our knowledge.

6 CONCLUSION AND DISCUSSION

In this study, we present evidence showcasing the potential transition from employing explicit search on a one-step policy to implicit search within a future-aware policy on the classic board game Chess. The proposed model, DIFFUSEARCH, demonstrates not only superior performance compared to the searchless policy but also the policy empowered by explicit search. We provide extensive experiment to demonstrate and analyze DIFFUSEARCH. More broadly, the ideas and techniques discussed in this controlled task may eventually be valuable in natural language settings to improve the current next-token prediction LLMs as well.

We now discuss some limitations and workarounds in our study. Firstly, one usage of explicit search such as MCTS is to enhance policy performance through self-play training, such that is able to achieve amazing performance without any human supervision (Silver et al., 2017b). However, our model currently relies on an oracle (Stockfish) to provide future supervision. The integration of DIFFUSEARCH with self-play is an interesting direction to explore. Secondly, our model achieves a deeper search by increasing the context length, with the current training limited to a depth of 7, corresponding to a context length of 648. For scenarios requiring more tokens to represent a state or deeper searches, integrating techniques for long-context models may be useful for efficient training or inference (Dao et al., 2022; Gu & Dao, 2023; Xiong et al., 2024; An et al., 2024). Finally, our model’s performance is currently constrained by the relatively small training dataset of up to 100k games due to resource restrictions, considerably less than the 10 million games used in the study by Ruoss et al. (2024). Continuing to scale the model and data remains a valuable direction.

REFERENCES

- Anurag Ajay, Yilun Du, Abhi Gupta, Joshua B Tenenbaum, Tommi S Jaakkola, and Pulkit Agrawal. Is conditional generative modeling all you need for decision-making? In *NeurIPS 2022 Foundation Models for Decision Making Workshop*, 2022.
- Chenxin An, Fei Huang, Jun Zhang, Shansan Gong, Xipeng Qiu, Chang Zhou, and Lingpeng Kong. Training-free long-context scaling of large language models. In *Forty-first International Conference on Machine Learning*, 2024.
- Kavosh Asadi, Dipendra Misra, Seungchan Kim, and Michel L Littman. Combating the compounding-error problem with a multi-step model. *arXiv preprint arXiv:1905.13320*, 2019.
- Jacob Austin, Daniel D. Johnson, Jonathan Ho, Daniel Tarlow, and Rianne van den Berg. Structured denoising diffusion models in discrete state-spaces. In Marc’Aurelio Ranzato, Alina Beygelzimer, Yann N. Dauphin, Percy Liang, and Jennifer Wortman Vaughan (eds.), *Advances in Neural Information Processing Systems 34: Annual Conference on Neural Information Processing Systems 2021, NeurIPS 2021, December 6-14, 2021, virtual*, pp. 17981–17993, 2021.
- Gregor Bachmann and Vaishnavh Nagarajan. The pitfalls of next-token prediction. *arXiv preprint arXiv:2403.06963*, 2024.
- David Barnes. What is the average number of legal moves per turn? <https://chess.stackexchange.com/a/24325>, 2019.
- Sam Bond-Taylor, Peter Hesse, Hiroshi Sasaki, Toby P Breckon, and Chris G Willcocks. Unleashing transformers: Parallel token prediction with discrete absorbing diffusion for fast high-resolution image generation from vector-quantized codes. In *European Conference on Computer Vision*, pp. 170–188. Springer, 2022.
- Cameron B Browne, Edward Powley, Daniel Whitehouse, Simon M Lucas, Peter I Cowling, Philipp Rohlfshagen, Stephen Tavener, Diego Perez, Spyridon Samothrakis, and Simon Colton. A survey

- 540 of monte carlo tree search methods. *IEEE Transactions on Computational Intelligence and AI in*
541 *games*, 4(1):1–43, 2012.
- 542
- 543 Sébastien Bubeck, Varun Chandrasekaran, Ronen Eldan, Johannes Gehrke, Eric Horvitz, Ece Ka-
544 mar, Peter Lee, Yin Tat Lee, Yuanzhi Li, Scott Lundberg, et al. Sparks of artificial general
545 intelligence: Early experiments with gpt-4. *arXiv preprint arXiv:2303.12712*, 2023.
- 546 Cyril Burt. Faster than thought: A symposium on digital computing machines. edited by b. v.
547 bowden. *British Journal of Statistical Psychology*, 1955.
- 548
- 549 Murray Campbell, A. Joseph Hoane Jr., and Feng-Hsiung Hsu. Deep blue. *Artif. Intell.*, 2002.
- 550
- 551 Nicholas Carlini. Playing chess with large language models. <https://nicholas.carlini.com/writing/2023/chess-llm.html>, 2023.
- 552
- 553 Huiwen Chang, Han Zhang, Lu Jiang, Ce Liu, and William T Freeman. Maskgit: Masked generative
554 image transformer. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern*
555 *Recognition*, pp. 11315–11325, 2022.
- 556
- 557 Cheng Chi, Siyuan Feng, Yilun Du, Zhenjia Xu, Eric Cousineau, Benjamin Burchfiel, and Shu-
558 ran Song. Diffusion policy: Visuomotor policy learning via action diffusion. *arXiv preprint*
559 *arXiv:2303.04137*, 2023.
- 560 Rémi Coulom. Efficient selectivity and backup operators in monte-carlo tree search. In *International*
561 *conference on computers and games*, pp. 72–83. Springer, 2006.
- 562
- 563 Rémi Coulom. Whole-history rating: A bayesian rating system for players of time-varying strength.
564 In *Computers and Games*, 2008.
- 565
- 566 Florinel-Alin Croitoru, Vlad Hondru, Radu Tudor Ionescu, and Mubarak Shah. Diffusion models
567 in vision: A survey. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 45(9):
568 10850–10869, 2023.
- 569 Tri Dao, Dan Fu, Stefano Ermon, Atri Rudra, and Christopher Ré. Flashattention: Fast and memory-
570 efficient exact attention with io-awareness. *Advances in Neural Information Processing Systems*,
571 35:16344–16359, 2022.
- 572
- 573 Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. BERT: Pre-training of
574 deep bidirectional transformers for language understanding. In Jill Burstein, Christy Doran, and
575 Tamar Solorio (eds.), *Proceedings of the 2019 Conference of the North American Chapter of*
576 *the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long*
577 *and Short Papers)*, pp. 4171–4186, Minneapolis, Minnesota, June 2019. Association for Com-
578 putational Linguistics. doi: 10.18653/v1/N19-1423. URL <https://aclanthology.org/N19-1423>.
- 579
- 580 Prafulla Dhariwal and Alexander Nichol. Diffusion models beat gans on image synthesis. *Advances*
581 *in neural information processing systems*, 34:8780–8794, 2021.
- 582
- 583 Zihan Ding, Amy Zhang, Yuandong Tian, and Qinqing Zheng. Diffusion world model. *arXiv*
584 *preprint arXiv:2402.03570*, 2024.
- 585
- 586 Vladimir Feinberg, Alvin Wan, Ion Stoica, Michael I Jordan, Joseph E Gonzalez, and Sergey Levine.
587 Model-based value estimation for efficient model-free reinforcement learning. *arXiv preprint*
arXiv:1803.00101, 2018.
- 588
- 589 Xidong Feng, Yicheng Luo, Ziyang Wang, Hongrui Tang, Mengyue Yang, Kun Shao, David Mguni,
590 Yali Du, and Jun Wang. Chessgpt: Bridging policy learning and language modeling. *Advances in*
591 *Neural Information Processing Systems*, 36, 2024.
- 592
- 593 Shansan Gong, Mukai Li, Jiangtao Feng, Zhiyong Wu, and Lingpeng Kong. Diffuseq: Sequence
to sequence text generation with diffusion models. In *The Eleventh International Conference on*
Learning Representations, 2022.

- 594 Albert Gu and Tri Dao. Mamba: Linear-time sequence modeling with selective state spaces. *arXiv*
595 *preprint arXiv:2312.00752*, 2023.
- 596
- 597 David Ha and Jürgen Schmidhuber. World models. *arXiv preprint arXiv:1803.10122*, 2018.
- 598
- 599 Danijar Hafner, Timothy Lillicrap, Ian Fischer, Ruben Villegas, David Ha, Honglak Lee, and James
600 Davidson. Learning latent dynamics for planning from pixels. In *International conference on*
601 *machine learning*, pp. 2555–2565. PMLR, 2019.
- 602 Danijar Hafner, Timothy Lillicrap, Jimmy Ba, and Mohammad Norouzi. Dream to control: Learn-
603 ing behaviors by latent imagination. In *International Conference on Learning Representations*,
604 2020a.
- 605
- 606 Danijar Hafner, Timothy Lillicrap, Mohammad Norouzi, and Jimmy Ba. Mastering atari with dis-
607 crete world models. *arXiv preprint arXiv:2010.02193*, 2020b.
- 608 Danijar Hafner, Jurgis Pasukonis, Jimmy Ba, and Timothy Lillicrap. Mastering diverse domains
609 through world models. *arXiv preprint arXiv:2301.04104*, 2023.
- 610
- 611 Shibo Hao, Yi Gu, Haodi Ma, Joshua Hong, Zhen Wang, Daisy Wang, and Zhiting Hu. Reasoning
612 with language model is planning with world model. In *Proceedings of the 2023 Conference on*
613 *Empirical Methods in Natural Language Processing*, pp. 8154–8173, 2023.
- 614 Jonathan Ho, Ajay Jain, and Pieter Abbeel. Denoising diffusion probabilistic models. In Hugo
615 Larochelle, Marc’Aurelio Ranzato, Raia Hadsell, Maria-Florina Balcan, and Hsuan-Tien Lin
616 (eds.), *Advances in Neural Information Processing Systems 33: Annual Conference on Neural*
617 *Information Processing Systems 2020, NeurIPS 2020, December 6-12, 2020, virtual*, 2020.
- 618
- 619 Emiel Hooeboom, Didrik Nielsen, Priyank Jaini, Patrick Forré, and Max Welling. Argmax flows
620 and multinomial diffusion: Learning categorical distributions. In Marc’Aurelio Ranzato, Alina
621 Beygelzimer, Yann N. Dauphin, Percy Liang, and Jennifer Wortman Vaughan (eds.), *Advances in*
622 *Neural Information Processing Systems 34: Annual Conference on Neural Information Process-*
623 *ing Systems 2021, NeurIPS 2021, December 6-14, 2021, virtual*, pp. 12454–12465, 2021.
- 624 Aapo Hyvärinen and Peter Dayan. Estimation of non-normalized statistical models by score match-
625 ing. *Journal of Machine Learning Research*, 6(4), 2005.
- 626
- 627 Matthew Thomas Jackson, Michael Tryfan Matthews, Cong Lu, Benjamin Ellis, Shimon Whiteson,
628 and Jakob Foerster. Policy-guided diffusion. *arXiv preprint arXiv:2404.06356*, 2024.
- 629 Michael Janner, Yilun Du, Joshua B Tenenbaum, and Sergey Levine. Planning with diffusion for
630 flexible behavior synthesis. *arXiv preprint arXiv:2205.09991*, 2022.
- 631
- 632 Adam Karvonen. Emergent world models and latent variable estimation in chess-playing language
633 models. *arXiv preprint arXiv:2403.15498*, 2024.
- 634
- 635 Diederik Kingma, Tim Salimans, Ben Poole, and Jonathan Ho. Variational diffusion models. *Ad-*
636 *vances in neural information processing systems*, 34:21696–21707, 2021.
- 637 Diederik P. Kingma and Jimmy Ba. Adam: A method for stochastic optimization. In *ICLR (Poster)*,
638 2015.
- 639
- 640 Dominik Klein. Neural networks for chess. *arXiv:2209.01506*, 2022.
- 641
- 642 Donald E Knuth and Ronald W Moore. An analysis of alpha-beta pruning. *Artificial intelligence*, 6
643 (4):293–326, 1975.
- 644 Nathan Lambert, Kristofer Pister, and Roberto Calandra. Investigating compounding prediction
645 errors in learned dynamics models. *arXiv preprint arXiv:2203.09637*, 2022.
- 646
- 647 Yann LeCun, Sumit Chopra, Raia Hadsell, M Ranzato, and Fugie Huang. A tutorial on energy-based
learning. *Predicting structured data*, 1(0), 2006.

- 648 Kenneth Li, Aspen K. Hopkins, David Bau, Fernanda B. Viégas, Hanspeter Pfister, and Martin
649 Wattenberg. Emergent world representations: Exploring a sequence model trained on a synthetic
650 task. In *ICLR*, 2023a.
- 651
- 652 Xiang Lisa Li, John Thickstun, Ishaan Gulrajani, Percy Liang, and Tatsunori B Hashimoto.
653 Diffusion-lm improves controllable text generation. In *Conference on Neural Information Pro-
654 cessing Systems, NeurIPS*, 2022.
- 655
- 656 Yifan Li, Kun Zhou, Wayne Xin Zhao, and Ji-Rong Wen. Diffusion models for non-autoregressive
657 text generation: A survey. *arXiv preprint arXiv:2303.06574*, 2023b.
- 658
- 659 Michael L Littman. Markov games as a framework for multi-agent reinforcement learning. In
660 *Machine learning proceedings 1994*, pp. 157–163. Elsevier, 1994.
- 661
- 662 Aaron Lou, Chenlin Meng, and Stefano Ermon. Discrete diffusion language modeling by estimating
663 the ratios of the data distribution. *ArXiv preprint*, abs/2310.16834, 2023.
- 664
- 665 Thomas McGrath, Andrei Kaphishnikov, Nenad Tomasev, Adam Pearce, Demis Hassabis, Been
666 Kim, Ulrich Paquet, and Vladimir Kramnik. Acquisition of chess knowledge in alphazero.
667 *arXiv:2111.09259*, 2021.
- 668
- 669 Thomas M Moerland, Joost Broekens, Aske Plaat, Catholijn M Jonker, et al. Model-based rein-
670 forcement learning: A survey. *Foundations and Trends® in Machine Learning*, 16(1):1–118,
671 2023.
- 672
- 673 Martin L Puterman. *Markov decision processes: discrete stochastic dynamic programming*. John
674 Wiley & Sons, 2014.
- 675
- 676 Alec Radford, Jeffrey Wu, Rewon Child, David Luan, Dario Amodei, Ilya Sutskever, et al. Language
677 models are unsupervised multitask learners. *OpenAI blog*, 1(8):9, 2019.
- 678
- 679 Marc Rigter, Jun Yamada, and Ingmar Posner. World models via policy-guided trajectory diffusion.
680 *arXiv preprint arXiv:2312.08533*, 2023.
- 681
- 682 Robin Rombach, Andreas Blattmann, Dominik Lorenz, Patrick Esser, and Björn Ommer. High-
683 resolution image synthesis with latent diffusion models. In *Proceedings of the IEEE/CVF confer-
684 ence on computer vision and pattern recognition*, pp. 10684–10695, 2022.
- 685
- 686 Tord Romstad, Marco Costalba, Joona Kiiski, Gary Linscott, Yu Nasu, Motohiro Isozaki, Hisayori
687 Noda, and et al. Stockfish, 2008. URL <https://stockfishchess.org>.
- 688
- 689 Anian Ruoss, Grégoire Delétang, Sourabh Medapati, Jordi Grau-Moya, Li Kevin Wenliang, Elliot
690 Catt, John Reid, and Tim Genewein. Grandmaster-level chess without search. *arXiv preprint
691 arXiv:2402.04494*, 2024.
- 692
- 693 Stuart J. Russell and Peter Norvig. Artificial intelligence - a modern approach, third international
694 edition. 2010. URL <https://api.semanticscholar.org/CorpusID:262339890>.
- 695
- 696 Subham Sekhar Sahoo, Marianne Arriola, Yair Schiff, Aaron Gokaslan, Edgar Marroquin, Justin T
697 Chiu, Alexander Rush, and Volodymyr Kuleshov. Simple and effective masked diffusion language
698 models. *arXiv preprint arXiv:2406.07524*, 2024.
- 699
- 700 Nikolay Savinov, Junyoung Chung, Mikolaj Binkowski, Erich Elsen, and Aaron van den Oord. Step-
701 unrolled denoising autoencoders for text generation. In *International Conference on Learning
Representations*, 2021.
- 702
- 703 Julian Schrittwieser, Ioannis Antonoglou, Thomas Hubert, Karen Simonyan, Laurent Sifre, Simon
704 Schmitt, Arthur Guez, Edward Lockhart, Demis Hassabis, Thore Graepel, et al. Mastering atari,
705 go, chess and shogi by planning with a learned model. *Nature*, 588(7839):604–609, 2020.
- 706
- 707 Jiaxin Shi, Kehang Han, Zhe Wang, Arnaud Doucet, and Michalis K Titsias. Simplified and gener-
708 alized masked diffusion for discrete data. *arXiv preprint arXiv:2406.04329*, 2024.

- 702 David Silver, Aja Huang, Chris J Maddison, Arthur Guez, Laurent Sifre, George Van Den Driessche,
703 Julian Schrittwieser, Ioannis Antonoglou, Veda Panneershelvam, Marc Lanctot, et al. Mastering
704 the game of go with deep neural networks and tree search. *nature*, 529(7587):484–489, 2016.
705
- 706 David Silver, Thomas Hubert, Julian Schrittwieser, Ioannis Antonoglou, Matthew Lai, Arthur Guez,
707 Marc Lanctot, Laurent Sifre, Dhharshan Kumaran, Thore Graepel, Timothy P. Lillicrap, Karen
708 Simonyan, and Demis Hassabis. Mastering chess and shogi by self-play with a general reinforc-
709 e-ment learning algorithm. *arXiv:1712.01815*, 2017a.
- 710 David Silver, Julian Schrittwieser, Karen Simonyan, Ioannis Antonoglou, Aja Huang, Arthur Guez,
711 Thomas Hubert, Lucas Baker, Matthew Lai, Adrian Bolton, et al. Mastering the game of go
712 without human knowledge. *nature*, 550(7676):354–359, 2017b.
- 713 Jascha Sohl-Dickstein, Eric Weiss, Niru Maheswaranathan, and Surya Ganguli. Deep unsupervised
714 learning using nonequilibrium thermodynamics. In *International conference on machine learn-*
715 *ing*, pp. 2256–2265. PMLR, 2015.
- 716 Yang Song and Stefano Ermon. Generative modeling by estimating gradients of the data distribution.
717 In Hanna M. Wallach, Hugo Larochelle, Alina Beygelzimer, Florence d’Alché-Buc, Emily B.
718 Fox, and Roman Garnett (eds.), *Advances in Neural Information Processing Systems 32: Annual*
719 *Conference on Neural Information Processing Systems 2019, NeurIPS 2019, December 8-14,*
720 *2019, Vancouver, BC, Canada*, pp. 11895–11907, 2019.
- 721 Jianlin Su, Murtadha Ahmed, Yu Lu, Shengfeng Pan, Wen Bo, and Yunfeng Liu. Roformer: En-
722 hanced transformer with rotary position embedding. *Neurocomputing*, 568:127063, 2024.
- 723 Richard S Sutton. Dyna, an integrated architecture for learning, planning, and reacting. *ACM Sigart*
724 *Bulletin*, 2(4):160–163, 1991.
- 725 Leela Chess Zero Team. Leela chess zero, 2018. URL <https://lczero.org>.
- 726 Sebastian Thrun. Learning to play the game of chess. In *NIPS*, 1994.
- 727 Shubham Toshniwal, Sam Wiseman, Karen Livescu, and Kevin Gimpel. Chess as a testbed for
728 language model state tracking. In *AAAI*, 2022.
- 729 Trieu H Trinh, Yuhuai Wu, Quoc V Le, He He, and Thang Luong. Solving olympiad geometry
730 without human demonstrations. *Nature*, 625(7995):476–482, 2024.
- 731 Karthik Valmeekam, Alberto Olmo, Sarath Sreedharan, and Subbarao Kambhampati. Large lan-
732 guage models still can’t plan (a benchmark for llms on planning and reasoning about change). In
733 *NeurIPS 2022 Foundation Models for Decision Making Workshop*, 2022.
- 734 Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N. Gomez,
735 Lukasz Kaiser, and Illia Polosukhin. Attention is all you need. In Isabelle Guyon, Ulrike von
736 Luxburg, Samy Bengio, Hanna M. Wallach, Rob Fergus, S. V. N. Vishwanathan, and Roman
737 Garnett (eds.), *Advances in Neural Information Processing Systems 30: Annual Conference on*
738 *Neural Information Processing Systems 2017, December 4-9, 2017, Long Beach, CA, USA*, pp.
739 5998–6008, 2017.
- 740 Tingwu Wang, Xuchan Bao, Ignasi Clavera, Jerrick Hoang, Yeming Wen, Eric Langlois, Shunshi
741 Zhang, Guodong Zhang, Pieter Abbeel, and Jimmy Ba. Benchmarking model-based reinforc-
742 e-ment learning. *arXiv preprint arXiv:1907.02057*, 2019.
- 743 Chenjun Xiao, Yifan Wu, Chen Ma, Dale Schuurmans, and Martin Müller. Learning to combat
744 compounding-error in model-based reinforcement learning. *arXiv preprint arXiv:1912.11206*,
745 2019.
- 746 Wenhan Xiong, Jingyu Liu, Igor Molybog, Hejia Zhang, Prajjwal Bhargava, Rui Hou, Louis Martin,
747 Rashmi Rungta, Karthik Abinav Sankararaman, Barlas Oguz, et al. Effective long-context scaling
748 of foundation models. In *Proceedings of the 2024 Conference of the North American Chapter of*
749 *the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long*
750 *Papers)*, pp. 4643–4663, 2024.

756 Shunyu Yao, Dian Yu, Jeffrey Zhao, Izhak Shafran, Tom Griffiths, Yuan Cao, and Karthik
757 Narasimhan. Tree of thoughts: Deliberate problem solving with large language models. *Ad-
758 vances in Neural Information Processing Systems*, 36, 2024.
759

760 Jiacheng Ye, Shansan Gong, Liheng Chen, Lin Zheng, Jiahui Gao, Han Shi, Chuan Wu, Zhenguo
761 Li, Wei Bi, and Lingpeng Kong. Diffusion of thoughts: Chain-of-thought reasoning in diffusion
762 language models. *arXiv preprint arXiv:2402.07754*, 2024.

763 Weirui Ye, Shaohuai Liu, Thanard Kurutach, Pieter Abbeel, and Yang Gao. Mastering atari games
764 with limited data. *Advances in Neural Information Processing Systems*, 34:25476–25488, 2021.
765

766 Lunjun Zhang, Yuwen Xiong, Ze Yang, Sergio Casas, Rui Hu, and Raquel Urtasun. Learn-
767 ing unsupervised world models for autonomous driving via discrete diffusion. *arXiv preprint
768 arXiv:2311.01017*, 2023a.

769 Yizhe Zhang, Jiatao Gu, Zhuofeng Wu, Shuangfei Zhai, Joshua M. Susskind, and Navdeep Jaitly.
770 PLANNER: Generating diversified paragraph via latent language diffusion model. In *Thirty-
771 seventh Conference on Neural Information Processing Systems*, 2023b.
772

773 Zirui Zhao, Wee Sun Lee, and David Hsu. Large language models as commonsense knowledge for
774 large-scale task planning. *Advances in Neural Information Processing Systems*, 36, 2024.

775 Lin Zheng, Jianbo Yuan, Lei Yu, and Lingpeng Kong. A reparameterized discrete diffusion model
776 for text generation. *ArXiv preprint*, abs/2302.05737, 2023.
777

778 Zhengbang Zhu, Hanye Zhao, Haoran He, Yichao Zhong, Shenyu Zhang, Yong Yu, and Weinan
779 Zhang. Diffusion models for reinforcement learning: A survey. *arXiv preprint arXiv:2311.01223*,
780 2023.
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809

A DERIVATIONS

A.1 DISCRETE DIFFUSION

In this section, we provide a detailed derivation of the representation for distributions used in the objective Eq.(1), which we bring here for a better illustration:

$$L_{vb} = \mathbb{E}_{q(\mathbf{x}_0)} \left[\underbrace{D_{\text{KL}}[q(\mathbf{x}_T|\mathbf{x}_0)||p(\mathbf{x}_T)]}_{L_T} + \sum_{t=2}^T \underbrace{\mathbb{E}_{q(\mathbf{x}_t|\mathbf{x}_0)} [D_{\text{KL}}[q(\mathbf{x}_{t-1}|\mathbf{x}_t, \mathbf{x}_0)||p_{\theta}(\mathbf{x}_{t-1}|\mathbf{x}_t)]]}_{L_{t-1}} \right. \\ \left. - \underbrace{\mathbb{E}_{q(\mathbf{x}_1|\mathbf{x}_0)} [\log p_{\theta}(\mathbf{x}_0|\mathbf{x}_1)]}_{L_0} \right].$$

where L_T is a constant when a fixed prior $p(\mathbf{x}_T)$ is employed. In discrete diffusion, both the forward and backward distribution are defined as categorical distribution, e.g., $q(\mathbf{x}_t|\mathbf{x}_{t-1}) = \text{Cat}(\mathbf{x}_t; \mathbf{p} = \mathbf{Q}_t^{\top} \mathbf{x}_{t-1})$ and $p_{\theta}(\mathbf{x}_{t-1}|\mathbf{x}_t) = q(\mathbf{x}_{t-1}|\mathbf{x}_t, f(\mathbf{x}_t; \theta))$ (Hooigeboom et al., 2021), where \mathbf{Q}_t is a pre-defined $K \times K$ transition matrix and K is the size of categories.

The posterior $q(\mathbf{x}_{t-1}|\mathbf{x}_t, \mathbf{x}_0)$ Starting from \mathbf{x}_0 , we obtain the following t -step marginal and posterior at time $t - 1$:

$$q(\mathbf{x}_t|\mathbf{x}_0) = \text{Cat} \left(\mathbf{x}_t; \mathbf{p} = \overline{\mathbf{Q}}_t^{\top} \mathbf{x}_0 \right), \quad \text{with } \overline{\mathbf{Q}}_t = \mathbf{Q}_1 \mathbf{Q}_2 \dots \mathbf{Q}_t \\ q(\mathbf{x}_{t-1}|\mathbf{x}_t, \mathbf{x}_0) = \frac{q(\mathbf{x}_t|\mathbf{x}_{t-1}, \mathbf{x}_0)q(\mathbf{x}_{t-1}|\mathbf{x}_0)}{q(\mathbf{x}_t|\mathbf{x}_0)} = \text{Cat} \left(\mathbf{x}_{t-1}; \mathbf{p} = \frac{\mathbf{Q}_t \mathbf{x}_t \odot \overline{\mathbf{Q}}_{t-1}^{\top} \mathbf{x}_0}{\mathbf{x}_t^{\top} \overline{\mathbf{Q}}_t^{\top} \mathbf{x}_0} \right), \quad (4)$$

where $q(\mathbf{x}_t|\mathbf{x}_{t-1}, \mathbf{x}_0) = q(\mathbf{x}_t|\mathbf{x}_{t-1})$ due to the Markov property of the forward process. The KL divergence between q and p_{θ} can be computed by simply summing over all possible values of each random variable. The cumulative products $\overline{\mathbf{Q}}_t$, which can be computed in closed form or precomputed for all t depending on the choice \mathbf{Q}_t , may be prohibitive for large T and number of categories. Therefore, two commonly used forms of \mathbf{Q} are introduced by Hooigeboom et al. (2021) and Austin et al. (2021), which ensures $\overline{\mathbf{Q}}_t$ can still be computed efficiently, allowing the framework to scale to a larger number of categories.

Multinomial diffusion The transition matrix initially proposed for the binary scenario by Sohl-Dickstein et al. (2015) and later expanded to categorical by Hooigeboom et al. (2021) can be represented as a $K \times K$ matrix:

$$[\mathbf{Q}_t]_{ij} = \begin{cases} 1 - \frac{K-1}{K} \beta_t & \text{if } i = j \\ \frac{1}{K} \beta_t & \text{if } i \neq j \end{cases}.$$

This transition matrix can also be written as $(1 - \beta_t)I + \beta_t \mathbf{1}\mathbf{1}^{\top}/K$, where $\mathbf{1}$ is a column vector of all ones. The transition matrices $\overline{\mathbf{Q}}$ can be computed in closed form. Denote the vector represents the uniform noise distribution as $q_{\text{noise}} = \mathbf{1}/K$. In each step, we transition to another token with probability β_t and stay the same with probability $1 - \beta_t$. After t steps, the only operative quantity is the probability of not yet having transitioned to another token, given by $\alpha_t = \prod_{i=0}^t (1 - \beta_i)$. Therefore, we derive:

$$\overline{\mathbf{Q}}_t = \alpha_t I + (1 - \alpha_t) \mathbf{1} q_{\text{noise}}^{\top}, \quad (5)$$

where setting $q_{\text{noise}} = \mathbf{1}/K$ gives the $\overline{\mathbf{Q}}_t$ for multinomial diffusion.

Absorbing diffusion For diffusion models with an absorbing state m , the following matrix is introduced by Austin et al. (2021):

$$[\mathbf{Q}_t]_{ij} = \begin{cases} 1 & \text{if } i = j = m \\ 1 - \beta_t & \text{if } i = j \neq m \\ \beta_t & \text{if } j = m, i \neq m \end{cases}.$$

The transition matrix can also be written as $(1 - \beta_t)I + \beta_t \mathbf{1}e_m^\top$, where e_m is a vector with a one on the absorbing state m and zeros elsewhere. Since m is an absorbing state, the corruption process converges not to a uniform distribution but to the point-mass distribution on m . For text generation, m is the [MASK] token and this leads to a BERT-like training objective (Devlin et al., 2019), while masks tokens according to some schedule and learns to denoise them iteratively. Similar as in multinomial diffusion, we set $q_{\text{noise}} = e_m$ for absorbing diffusion, where e_m is a one-hot vector on the [MASK] token, and obtain \mathbf{Q}_t based on Eq.(5).

A.2 A SIMPLIFIED OBJECTIVE

The categorical distribution parameterized by \mathbf{p} for each variable that follows $q(\mathbf{x}_{t-1}|\mathbf{x}_t, \mathbf{x}_0)$ based on Eq.(4) is given as:

$$\begin{aligned} \mathbf{p} &= \frac{\mathbf{Q}_t \mathbf{x}_t \odot \overline{\mathbf{Q}}_{t-1}^\top \mathbf{x}_0}{\mathbf{x}_t^\top \overline{\mathbf{Q}}_t^\top \mathbf{x}_0} \\ &= \frac{[(1 - \beta_t)\mathbf{x}_t + \beta_t \sigma_{\mathbf{x}_t} \mathbf{1}] \odot [\alpha_{t-1} \mathbf{x}_0 + (1 - \alpha_{t-1})q_{\text{noise}}]}{\alpha_t \mathbf{x}_t^\top \mathbf{x}_0 + (1 - \alpha_t) \mathbf{x}_t^\top q_{\text{noise}}} \\ &= \frac{(1 - \beta_t)\alpha_{t-1} \mathbf{x}_t \odot \mathbf{x}_0 + (1 - \beta_t)(1 - \alpha_{t-1}) \mathbf{x}_t \odot q_{\text{noise}} + \beta_t \alpha_{t-1} \sigma_{\mathbf{x}_t} \mathbf{1} \odot \mathbf{x}_0 + \beta_t (1 - \alpha_{t-1}) \sigma_{\mathbf{x}_t} \mathbf{1} \odot q_{\text{noise}}}{\alpha_t \mathbf{x}_t^\top \mathbf{x}_0 + (1 - \alpha_t) \mathbf{x}_t^\top q_{\text{noise}}} \\ &= \frac{(1 - \beta_t)\alpha_{t-1} \mathbf{x}_t \odot \mathbf{x}_0 + (1 - \beta_t)(1 - \alpha_{t-1}) \sigma_{\mathbf{x}_t} \mathbf{x}_t + \beta_t \alpha_{t-1} \sigma_{\mathbf{x}_t} \mathbf{x}_0 + \beta_t (1 - \alpha_{t-1}) \sigma_{\mathbf{x}_t} q_{\text{noise}}}{\alpha_t \mathbf{x}_t^\top \mathbf{x}_0 + (1 - \alpha_t) \sigma_{\mathbf{x}_t}}, \end{aligned}$$

where $\sigma_{\mathbf{x}_t} := q_{\text{noise}}(\mathbf{u} = \mathbf{x}_t)$ represents the probability of noise drawn from q_{noise} being equal to \mathbf{x}_t . Note $\mathbf{x}_t \odot \mathbf{x}_0 = 0$ if $\mathbf{x}_t \neq \mathbf{x}_0$ otherwise 1. Thus the computation of \mathbf{p} that parameterize $q(\mathbf{x}_{t-1}|\mathbf{x}_t, \mathbf{x}_0)$ breaks down into two cases:

$$\mathbf{p} = \begin{cases} \eta_t \mathbf{x}_t + (1 - \eta_t) q_{\text{noise}}, & \text{if } \mathbf{x}_t = \mathbf{x}_0 \\ \lambda_t \mathbf{x}_0 + (1 - \lambda_t) q_{\text{noise}}(\mathbf{x}_t), & \text{if } \mathbf{x}_t \neq \mathbf{x}_0, \end{cases}$$

where $\eta_t := 1 - \frac{\beta_t(1 - \alpha_{t-1})q_{\text{noise}}(\mathbf{u} = \mathbf{x}_t)}{\alpha_t + (1 - \alpha_t)q_{\text{noise}}(\mathbf{u} = \mathbf{x}_t)}$, $\lambda_t := \frac{\alpha_{t-1} - \alpha_t}{1 - \alpha_t}$, and $q_{\text{noise}}(\mathbf{x}_t) = (1 - \beta_t)\mathbf{x}_t + \beta_t q_{\text{noise}}$ denotes a noise distribution that interpolates between \mathbf{x}_t and q_{noise} .

Since we set $p_\theta(\mathbf{x}_{t-1}|\mathbf{x}_t) = q(\mathbf{x}_{t-1}|\mathbf{x}_t, f(\mathbf{x}_t; \theta))$, the KL divergence between $q(\mathbf{x}_{t-1}|\mathbf{x}_t, \mathbf{x}_0)$ and $p_\theta(\mathbf{x}_{t-1}|\mathbf{x}_t)$ becomes 0 when $\mathbf{x}_t = \mathbf{x}_0$. In the case of absorbing diffusion, $\mathbf{x}_t = q_{\text{noise}} = e_m$ if $\mathbf{x}_t \neq \mathbf{x}_0$ and $q_{\text{noise}}(\mathbf{x}_t) = q_{\text{noise}}$. \mathbf{p} has probability λ_t on index \mathbf{x}_0 and $1 - \lambda_t$ on the absorbing state. The model $f(\mathbf{x}_t; \theta)$ has zero-probability on the absorbing state as it never predicts the mask token. Therefore, $p_\theta(\mathbf{x}_{t-1}|\mathbf{x}_t)$ also has $1 - \lambda_t$ probability on the absorbing state. Putting them together, we derive the KL divergence as:

$$\begin{aligned} D_{\text{KL}}[q(\mathbf{x}_{t-1}|\mathbf{x}_t, \mathbf{x}_0)||p_\theta(\mathbf{x}_{t-1}|\mathbf{x}_t)] &= \mathbf{1}_{\mathbf{x}_t \neq \mathbf{x}_0} [\lambda_t \log \frac{\lambda_t}{f(\mathbf{x}_t; \theta)_{\mathbf{x}_0}} + (1 - \lambda_t) \log \frac{1 - \lambda_t}{1 - \lambda_t}] \\ &= -\lambda_t \mathbf{1}_{\mathbf{x}_t \neq \mathbf{x}_0} \mathbf{x}_0^\top \log f(\mathbf{x}_t; \theta) + C, \end{aligned}$$

where $\mathbf{1}_{\mathbf{x}_t \neq \mathbf{x}_0}$ is 1 if $\mathbf{x}_t \neq \mathbf{x}_0$ otherwise 0, and C is a constant. Moreover, given $\alpha_0 = 1$ by definition and therefore $\lambda_0 = 1$, L_0 in Eq.(1) can also be written into the final formulation:

$$L_{\text{vb}} = -\mathbb{E}_{q(\mathbf{x}_0)} \sum_{t=1}^T \lambda_t \mathbb{E}_{q(\mathbf{x}_t|\mathbf{x}_0)} \mathbf{1}_{\mathbf{x}_t \neq \mathbf{x}_0} \mathbf{x}_0^\top \log f(\mathbf{x}_t; \theta)$$

For \mathbf{x}_0 that represents a sequence of random variables $\mathbf{x}_0 = (\mathbf{x}_{0,1}, \dots, \mathbf{x}_{0,N})$, we can add all computed losses for each token, arriving at the final expression for the whole sequence:

$$L_{\text{vb}} = -\mathbb{E}_{q(\mathbf{x}_0)} \sum_{n=1}^N \sum_{t=1}^T \lambda_t \mathbb{E}_{q(\mathbf{x}_{t,n}|\mathbf{x}_{0,n})} \mathbf{1}_{\mathbf{x}_{t,n} \neq \mathbf{x}_{0,n}} \mathbf{x}_{0,n}^\top \log f(\mathbf{x}_{t,n}; \theta).$$

For multinomial diffusion, we follow Zheng et al. (2023) to adopt a reparameterized form, which results in the above formulation as well.

B ADDITIONAL EXPERIMENTS

B.1 DYNAMIC SEARCH DEPTH IN DIFFUSEARCH

Table 6: Action accuracy when increasing implicit search depth by extending context length. We compare training separate models on \mathcal{D} with different horizon h and a single model on \mathcal{D} with $h = 4$. For the single model, predicting future steps equal to or larger than 4 requires the model’s extrapolation ability.

Future Step	Length	Separate Model	Single Model
0	88	23.36	34.71
1	168	37.35	38.11
2	248	38.82	37.41
3	328	41.31	36.99
4	408	39.34	36.78
5	488	40.87	36.02
6	568	41.04	34.56
7	648	41.69	32.72

In explicit search algorithms, the search depth is predefined either through an exact parameter as in depth-first search, or a related parameter such as the number of simulations as in MCTS. In DIFFUSEARCH, the deeper search is achieved by extending the context length of the input. In this section, we present the results of training a single model for dynamic search depth, compared with separate models in the previous sections. We convert the learned position embedding to RoPE (Su et al., 2024), enabling the utilization of a context length beyond what was encountered during training at inference time. During training, a horizon h is randomly chosen from the interval $[1, 4]$ for each data to expose the model to various input lengths. As shown in Table 6, the single model surpasses the one-step policy with a lookahead of up to 5 future steps, exceeding the training stage’s future step of 3. Nonetheless, a diminishing trend emerges as we escalate the search depth, possibly attributed to the constrained training data and limited context extension capability of the current RoPE-based model. We leave more effective context extension beyond training stage for implicit search to future work.

B.2 SCALING BEHAVIOR WITH MORE DATA

Table 7: Detailed action accuracy with increasing mode size on 10k and 100k games.

Model Layers	Transformer S-A	DIFFUSEARCH S-ASA
<i>10k games (660k records)</i>		
1	21.92	11.97
2	23.28	26.61
4	23.05	36.49
8	22.10	41.31
16	21.55	42.87
<i>100k games (6.6M records)</i>		
1	29.62	11.32
2	35.40	31.27
4	36.93	42.57
8	36.58	48.66
16	35.03	51.89

Improved next-action accuracy In Table 7, we show the comparison of Transformer S-A and DIFFUSEARCH S-ASA when scaling data and model size. We can see the performance of DIFFUSEARCH consistently improves with more data and model layers, while that of Transformer S-A converges with 2 layers with 10k games and 4 layers with 100k games. Further increasing model size is still useful for DIFFUSEARCH under both data-limited (e.g., 10k games) and relatively data-sufficient (e.g., 100k games) scenarios.

Table 8: Detailed percentage of future predictions with increasing mode size on 10k and 100k games for DIFFUSEARCH with horizon $h = 4$. Best a_i percentage when future step $i = 0$ is equivalent to action accuracy.

Future Step	Valid a_i	Best a_i	Valid s_i	Match $a_{i-1}-s_i$
<i>10k games (660k records)</i>				
0	98.40	41.31	100.00	-
1	79.33	20.72	97.35	37.22
2	50.40	4.60	53.59	6.74
3	50.07	3.00	51.26	3.30
<i>100k games (6.6M records)</i>				
0	99.85	48.66	100.00	-
1	99.72	32.52	99.89	99.12
2	99.67	19.67	99.88	99.13
3	99.17	13.85	99.92	93.71

Improved future accuracy In Table 8, we show the quality of predicted futures for DIFFUSEARCH with horizon $h = 4$. We find when we scale data to 100k games (6.6M records), almost all the future actions are valid (i.e., legal), future states are valid (i.e., the predicted states tokens correctly represent a valid board state), and the action-state transition dynamics are well learned. Moreover, the best action percentage (i.e., action accuracy) also improves greatly compared to that in the 10k games setting. This demonstrates the potential of accurate future world modeling through model scaling.

B.3 ADDITIONAL CASES

We provide prediction of Transformer (S-A) and DIFFUSEARCH on more challenging puzzles in Figure 5.




Figure 5: Additional prediction cases on challenging puzzles.