# **Dual Graph Diffusion Model for Social Recommendation**

Anonymous Author(s)

# Abstract

1

Graph-based social recommender systems utilize user-item interaction graphs and user-user social graphs to model user preferences. However, their performance can be limited by redundant and noisy information in these two graphs. Although several recommender studies on data denoising exist, most either rely on heuristic assumptions, which limit their adaptability, or use a single model that combines denoising and recommendation, potentially imposing substantial demands on the model capacity. To address these issues, we propose a dual Graph Diffusion Social Recommender (GDSR), which consists of two steps: graph denoising and user preference prediction. First, we design a denoising module which exploits a dual diffusion model to alleviate noises in the interaction and social graphs by performing multi-step noise diffusion and removal. We develop three kinds of conditions to guide our dual graph diffusion paradigm and propose a cross-domain signal guidance mechanism to enhance the structure of denoised graphs. Second, we devise a recommender module that employs a dual graph learning structure on denoised graphs to generate recommendations. Moreover, we use additional supervision signals from the diffusion-enhanced data augmentation to introduce a graph contrastive learning task, enhancing the recommender module's representation quality and robustness. Experiment results show the effectiveness of our GDSR. We release the anonymous code for reproducibility at https://anonymous.4open.science/r/GDSR-www.

# Keywords

Recommender Systems, Denoising.

#### 1 Introduction

Social recommender systems, which are designed based on social influence and homophily theories [30, 31], utilize user-item interaction data and user social networks for recommendation. Early efforts utilize matrix factorization to integrate social data into useritem interaction modeling [11, 16, 28]. Recently, graph-based social recommenders, which utilize graph neural networks (GNNs) to model user high-order preferences and social influence propagation in the interaction bipartite graph and social graph structures, have become mainstream and achieved impressive progress [21, 37]. Despite their effectiveness, the performance of graph-based social recommenders can be limited by the presence of redundant

and noisy information in both the user-item interaction graph and the social graph. Specifically, interaction data may not accurately

55 WWW, 28 April - 2 May 2025, Sydney, Australia

57 https://doi.org/XXXXXXXXXXXXXX58

reflect users' true preferences due to inadvertent or erroneous interaction behaviors [32, 40]. Furthermore, recommender models may be biased by fake interactions created by malicious users [10, 57]. Additionally, social relations might also be inaccurately established, as users on social media might unintentionally follow or be followed by bots or fake accounts [24, 29], introducing bias into user modeling. Compared to traditional social recommenders, graph-based ones are potentially more vulnerable to such noise due to their neighborhood aggregation-based message-passing mechanism in GNNs, which enlarges the impact of noise on learning user and item representations. Thus, enhancing the robustness of graph-based social recommenders against noise in graphs is crucial. 59

60 61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

Previous methods to reduce noise in recommendation data are typically classified into two categories [58]. One school is based on data cleaning, which includes resampling [3, 4] and reweighting [34, 44, 47] strategies. Resampling identifies noise and focuses on cleaner data for model training, while reweighting uses all the data but assigns lower weights to potentially noisy data. However, since these methods often depend on heuristic assumptions [44, 47] related to noise distribution, data cleaning-based methods require fine-grained adjustments to suit different backend models or datasets, limiting their adaptability [58]. The second research line is from the model perspective, enhancing the inherent noise resistance of recommenders [9, 48, 51]. Specifically, these methods first augment data by adding random noise [51] or discarding positive signals [9, 48], and then train recommender models with the augmented data to learn robust data representations. However, these model perspective-based approaches rely on a single model to reduce noisy data and generate recommendations, which may impose substantial demands on the model representation ability.

Diffusion model (DM) is a powerful type of generative model that has achieved state-of-the-art results in various research domains [25, 35, 36, 41]. DMs operate through forward and reverse processes, both of which inherently enhance denoising capabilities [13, 58]. In the forward process, DMs continuously introduce noise with controllable scales, which increases noise diversity. In the reverse process, DMs simplify the denoising task by breaking it down into multiple steps, each reducing the denoising difficulty. Recently, several studies attempt to integrate DMs with recommender systems [20, 22, 45, 58]. However, we believe they are not well-suited for graph-based social recommendation. Specifically, they do not focus on denoising from a graph structure perspective, and they lack specific adaptations (e.g., condition guidance) designed for the social recommendation task. The above analysis inspired us to design a DM paradigm specifically tailored for social recommendation.

To this end, in this paper, we propose a new graph-based social recommendation method called dual Graph Diffusion Social Recommender (GDSR), which contains a denoising module and a recommendation module. (1) In the denoising module, we design a dual DM structure, including a collaborative diffusion model (CDM) and a social diffusion model (SDM), to denoise the user-item interaction graph and the user-user social graph. Specifically, CDM

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

<sup>56 © 2025</sup> Copyright held by the owner/author(s). Publication rights licensed to ACM. ACM ISBN 978-1-4503-XXXX-X/18/06

and SDM first corrupt the initial interaction and social graphs by 117 gradually injecting Gaussian noises, respectively. After multiple 118 119 noise accumulation, CDM and SDM iteratively remove noises by using a denoising neural network to generate denoised interaction 120 and social graphs. To guide the reverse denoising process, we de-121 sign three types of conditional information: global graph semantics, personalized information, and cross-domain knowledge signals, 123 rather than relying solely on pure noise. Additionally, we develop a 124 125 signal guidance mechanism that establishes collaboration between 126 the CDM and SDM, leveraging cross-domain semantic signals to improve the denoised graph structures. (2) In the recommendation 127 module, based on the denoised graphs, we employ a dual GNN 128 equipped with a gated interaction mechanism to learn user and 129 item representations for recommendation. The gated interaction 130 mechanism facilitates knowledge sharing during the learning pro-131 132 cesses of two graphs. Moreover, we introduce a diffusion-aware graph contrastive learning task that enhances the representation 133 quality and robustness of the recommendation module based on 134 135 diffusion-enhanced data augmentation. We conduct extensive experiments on three datasets, and the results show that our GDSR 136 outperforms several strong baselines. Ablation studies and case 137 138 analyses are further performed to better understand our GDSR 139 design and demonstrate the effectiveness of its key modules.

To summarize, our contributions in this work are as follows:

• We propose a social recommender GDSR, which integrates denoising and recommendation, enhancing data and recommendation quality via a dual DM and graph learning architecture.

 We develop a graph denoising approach that leverages dual DMs with the tailored guidance strategy for social recommendation, effectively alleviating noise in interaction and social graphs.

 We introduce a dual GNN structure with a diffusion-aware graph contrastive learning paradigm to model user preferences.

# 2 Preliminary

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

174

In this section, we first present some key definitions, followed by an introduction to the background of the diffusion model.

#### 2.1 Notation and Problem Formulation

This section introduces the key concepts of the paper and formulates the definition of the social recommendation task. We detail the key notation table of this paper in **Appendix A**.

**User-Item Interaction Graph.** Given a user set  $\mathcal{U}$  and an item set  $\mathcal{V}$ , we define the interaction matrix  $\mathbf{Y} \in \mathbb{R}^{|\mathcal{U}| \times |\mathcal{V}|}$ , where an entry  $y_{uv} = 1$  denotes an interaction relation between user  $u \in \mathcal{U}$ and item  $v \in \mathcal{V}$ , and a value of zero indicates no interaction. From the perspective of graphs, we could transform interaction matrix  $\mathbf{Y}$ into bipartite graph structure  $\mathcal{G}_{\mathcal{B}} = (\mathcal{U} \cup \mathcal{V}, \mathbf{Y})$ .

**User-User Social Graph.** The user social relation can be represented as a matrix  $S \in \mathbb{R}^{|\mathcal{U}| \times |\mathcal{U}|}$ , with  $s_{uu'} = 1$  showing a follow or trust relation between users *u* and *u'*, and zero otherwise. Similarly, matrix S can be converted into a social graph  $\mathcal{G}_S = (\mathcal{U}, S)$ .

**Task Description**. Given the user-item interaction graph  $\mathcal{G}_{\mathcal{B}}$ and user-user social graph  $\mathcal{G}_{\mathcal{S}}$ , our goal is to first generate two denoised graphs  $\mathcal{G}_{\mathcal{B}^*}$  and  $\mathcal{G}_{\mathcal{S}^*}$ , and then learn a prediction function  $\mathcal{F}: \hat{y}_{uv} = \mathcal{F}(u, v | \Theta, Y, \mathcal{G}_{\mathcal{B}^*}, \mathcal{G}_{\mathcal{S}^*})$ , where  $\hat{y}_{uv}$  is the probability that *u* will engage with *v*, and  $\Theta$  is the parameter of function  $\mathcal{F}$ .

#### Anon.

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

#### 2.2 Diffusion Model

Diffusion model (DM) includes forward and reverse processes.

• Forward process. Given a data sample  $x_0$ , the forward process gradually introduces Gaussian noise with controllable scales and steps over *T* iterations, increasing noise diversity [13, 45, 58]. Specifically, the transition from  $x_{t-1}$  to  $x_t$  is defined as follows:

$$\mathcal{N}(\boldsymbol{x}_t | \boldsymbol{x}_{t-1}) = \mathcal{N}(\boldsymbol{x}_t; \ \sqrt{1 - \beta_t \boldsymbol{x}_{t-1}}, \ \beta_t \boldsymbol{I}), \tag{1}$$

where  $t \in \{1, 2, \dots, T\}$  is the diffusion step,  $\beta_t \in (0, 1)$  is the Gaussian noise scale introduced at each step t, I is the identity matrix, and N is the Gaussian distribution and it is used to sample  $\mathbf{x}_t$ .

• **Reverse process.** This process iteratively denoises the noisy data  $\mathbf{x}_T$  according to the sequence  $\mathbf{x}_T \rightarrow \mathbf{x}_{T-1} \cdots \rightarrow \mathbf{x}_0$  [13, 45, 58]. Specifically, DMs learn the denoising process  $\mathbf{x}_t \rightarrow \mathbf{x}_{t-1}$ , as follows:

$$p_{\theta}(\boldsymbol{x}_{t-1}|\boldsymbol{x}_t) = \mathcal{N}(\boldsymbol{x}_{t-1}; \ \boldsymbol{\mu}_{\theta}(\boldsymbol{x}_t, t), \ \boldsymbol{\Sigma}_{\theta}(\boldsymbol{x}_t, t)), \tag{2}$$

where  $\mu_{\theta}(\mathbf{x}_t, t)$  and  $\Sigma_{\theta}(\mathbf{x}_t, t)$  are the mean and covariance values, predicted by a neural network with parameters  $\theta$ . To maintain training stability, the learning of  $\Sigma_{\theta}$  is commonly ignored [13], while mean  $\mu_{\theta}$  can be further factorized as follows:

$$\boldsymbol{\mu}_{\theta}(\boldsymbol{x}_{t},t) = \frac{1}{\sqrt{\alpha_{t}}} \left( \boldsymbol{x}_{t} - \frac{1 - \alpha_{t}}{\sqrt{1 - \bar{\alpha}_{t}}} \boldsymbol{\epsilon}_{\theta}(\boldsymbol{x}_{t},t) \right), \quad (3)$$

where  $\alpha_t = 1 - \beta_t$ ,  $\bar{\alpha}_t = \prod_{t'=1}^t \alpha_{t'}$  and  $\epsilon_{\theta}$  learns to predict the source noise  $\epsilon \sim \mathcal{N}(0, I)$  determining  $\mathbf{x}_t$  from  $\mathbf{x}_0$  [26].

• **Training.** The denoising neural network  $\theta$  can be trained using the following simplified objective function [14, 54]:

$$\mathcal{L}_{\theta} = \mathbb{E}_{t, \epsilon \sim \mathcal{N}(0, I)} \left[ \| \epsilon - \epsilon_{\theta}(\mathbf{x}_{t}, t) \|_{2}^{2} \right], \qquad (4)$$

where *t* is sampled from  $\{1, \ldots, T\}$  uniformly.

# 3 Methodology

Our GDSR consists of two components: a denoising module and a recommendation module. The former devise a dual diffusion model (DM) to denoise the original interaction graph and social graph. The latter introduces a dual graph learning framework with a diffusionaware graph contrastive task to model user preferences based on the denoised graphs. Figure 1 shows the architecture of our GDSR.

### 3.1 Denoising Module

This subsection first introduces the denoising module's two parts: dual DMs and the cross-domain signal guidance mechanism. Next, we describe the training process of the denoising module.

3.1.1 **Dual Diffusion Models**. Inspired by the effectiveness of diffusion models (DMs) in data denoising [13, 35, 36, 45], we propose a dual DM structure consisting of a collaborative diffusion model (CDM) and a social diffusion model (SDM). This dual structure aims to mitigate the negative impact of irrelevant or noisy data in social recommendation. Specifically, CDM generates a denoised interaction graph  $\mathcal{G}_{\mathcal{B}^*}$  from the original interaction graph  $\mathcal{G}_{\mathcal{B}}$ . Similarly, the SDM denoises the original social graph  $\mathcal{G}_{\mathcal{S}}$  to obtain a cleaner graph  $\mathcal{G}_{\mathcal{S}^*}$ . Both CDM and SDM employ a forward process that gradually introduces noise to the initial graph data. Then, they utilize a reverse process to gradually recover original graphs, effectively reducing the impact of noisy signals. Next, we introduce the forward and reverse processes for our dual DM model.

Dual Graph Diffusion Model for Social Recommendation

WWW, 28 April - 2 May 2025, Sydney, Australia



Figure 1: The structure of our GDSR, which contains a denoising module ((a)&(b)) and a recommendation module ((c)&(d)).

• Forward process. In CDM, we use  $C_0 = \{c_{u,0}\}_{u=1}^{|\mathcal{U}|}$  to denote user neighborhoods in  $\mathcal{G}_{\mathcal{B}}$ , where  $c_{u,0} = [c_u^1, c_u^2, \cdots, c_u^{|\mathcal{V}|}]$  is user *u*'s neighbors over item set  $\mathcal{V}$  and  $c_u^i = 1$  or 0 implies whether *u* interacts with item *i* or not. Starting with the state  $C_0$ , the forward transition is performed independently on each user neighborhood as:

$$q(C_t | C_{t-1}) = \prod_{u=1}^{|\mathcal{U}|} q(c_{u,t} | c_{u,t-1}) = \prod_{u=1}^{|\mathcal{U}|} \mathcal{N}(c_{u,t}; \sqrt{1 - \beta_t} c_{u,t-1}, \beta_t I),$$
(5)

Similarly, in SDM, user neighborhoods in  $\mathcal{G}_S$  is denoted as  $S_0 = \{s_{u,0}\}_{u=1}^{|\mathcal{U}|}$ , where  $s_{u,0} = [s_u^1, s_u^2, \cdots, s_u^{|\mathcal{U}|}]$  denotes user *u*'s neighbors over user set  $\mathcal{U}$  and  $s_u^j = 1$  or 0 indicates whether user *u* has social relation with user *j* or not. The forward transition in SDM is as:

$$q(S_t | S_{t-1}) = \prod_{u=1}^{|\mathcal{U}|} q(s_{u,t} | s_{u,t-1}) = \prod_{u=1}^{|\mathcal{U}|} \mathcal{N}(s_{u,t}; \sqrt{1 - \beta_t} s_{u,t-1}, \beta_t I).$$
(6)

• **Reverse process.** After obtaining the noise-added user interaction neighbor  $C_T$ , we denoise them in the reverse process, as:

$$p_{\theta}(C_{t-1}|C_t) = \prod_{u=1}^{|\mathcal{U}|} p_{\theta}(c_{u,t-1}|C_t) = \prod_{u=1}^{|\mathcal{U}|} \mathcal{N}(c_{u,t-1}; \mu_{\theta}(C_t, t), \Sigma_{\theta}(C_t, t)).$$

where  $\mu_{\theta}$  and  $\Sigma_{\theta}$  denote the Gaussian parameters outputted by the our denoising neural network in CDM with parameter  $\theta$ .

Similarly, in SDM, the reverse process from  $S_T$  is defined as:

$$p_{\psi}(S_{t-1}|S_t) = \prod_{u=1}^{|\mathcal{U}|} p_{\psi}(s_{u,t-1}|S_t) = \prod_{u=1}^{|\mathcal{U}|} \mathcal{N}(s_{u,t-1}; \mu_{\psi}(S_t, t), \Sigma_{\psi}(S_t, t)).$$

where  $\psi$  is the parameter in SDM's denoising neural network.

• **Condition Encoders.** In the denoising process, it is crucial to use specific conditions as guidance. In the graph-based social recommendation task, in addition to the step information *t*, we introduce three conditions, including global graph semantics, personalized information, and cross-domain knowledge signals. Specifically, for CDM, the reverse process is rewritten as follows:

$$p_{\theta}(C_{t-1}|C_t) = \prod_{u=1}^{|\mathcal{U}|} p_{\theta}(\boldsymbol{c}_{u,t-1}|\boldsymbol{c}_{u,t}, t, \boldsymbol{g}_{\mathcal{B}}, \boldsymbol{h}_{u,\mathcal{B}}, \boldsymbol{w}_{u,\mathcal{S}}), \quad (7)$$

where  $g_{\mathcal{B}}$  is the global semantics for the bipartite graph, and we define it by applying a pooling operation to embedding matrices  $\mathbf{E}_{u,\mathcal{B}}^*, \mathbf{E}_{v,\mathcal{B}}^*$  in the collaborative domain (*cf.* Eq.(25) in Section 3.2.1):

$$\boldsymbol{g}_{\mathcal{B}} = \operatorname{Pool}(\mathbf{E}_{u,\mathcal{B}}^{*}) + \operatorname{Pool}(\mathbf{E}_{v,\mathcal{B}}^{*}).$$
(8)

Here,  $g_{\mathcal{B}}$  is the graph-level property, which help in understanding the contextual semantics during the denoising process.

In Eq.(7),  $h_{u,\mathcal{B}}$  represents the personalized information condition, and we directly define it using the user embedding  $\mathbf{u}_{\mathcal{B}}^*$  from  $\mathbf{E}_{u,\mathcal{B}}^*$  in the collaborative domain, as  $h_{u,\mathcal{B}} = \mathbf{u}_{\mathcal{B}}^*$ . This condition intuitively reflects user interaction behaviors with items and enables the denoising module to recognize user preferences.

For the cross-domain knowledge  $w_{u,S}$ , it represents the semantic signals of the user in the social domain, a condition unique to the social recommendation task. According to social influence and homophily theories [30, 31], a user's preferences are influenced by those of their friends. Based on this, we define  $w_{u,S}$  as follows:

$$\mathbf{w}_{u,S} = \sum_{i \in \mathcal{N}_u^S} \sum_{j \in \mathcal{N}_i^B} \mathbf{j}_{\mathcal{B}}^*.$$
(9)

where  $\mathbf{j}_{\mathcal{B}}^*$  is embedding of item *j* from  $\mathbf{E}_{v,\mathcal{B}}^*$  (*cf.* Eq.(25)). Here, we aggregate the set of items (i.e.,  $\mathcal{N}_i^{\mathcal{B}}$ ) interacted with by user *u*'s social neighbors (i.e.,  $\mathcal{N}_u^{\mathcal{S}}$ ) as cross-domain guidance.

Similarly, the reverse process in SDM is rewritten as follows:

$$p_{\psi}(\mathcal{S}_{t-1}|\mathcal{S}_t) = \prod_{u=1}^{|\mathcal{U}|} p_{\psi}(s_{u,t-1}|s_{u,t}, t, \boldsymbol{g}_{\mathcal{S}}, \boldsymbol{h}_{u,\mathcal{S}}, \boldsymbol{w}_{u,\mathcal{B}}), \quad (10)$$

where  $g_{S}$ ,  $h_{u,S}$ ,  $w_{u,B}$  are the global graph semantics, personalized information, and cross-domain knowledge signals respectively:

$$g_{\mathcal{S}} = \operatorname{Pool}(\mathbf{E}_{u,\mathcal{S}}^*), \quad \boldsymbol{h}_{u,\mathcal{S}} = \mathbf{u}_{\mathcal{S}}^*, \quad \boldsymbol{w}_{u,\mathcal{B}} = \sum_{i \in \mathcal{N}_u^{\mathcal{B}}} \mathbf{i}_{\mathcal{B}}^*, \quad (11)$$

where  $\mathbf{E}_{u,S}^*$  is the user social embedding matrix (*cf.* Eq.(25)),  $\mathbf{u}_S^*$  is the user social feature from  $\mathbf{E}_{u,S}^*$ , and cross-domain signal  $\mathbf{w}_{u,B}$  is obtained by aggregating the user interaction history (i.e.,  $\mathcal{N}_u^{\mathcal{B}}$ ). • **Training.** To optimize our CDM and SDM, we define the follow-

• Training. To optimize our CDM and SDM, we define the following loss function according to Eq.(4), as:

$$\mathcal{L}_{\text{CDM}} = \sum_{u=1}^{|\mathcal{U}|} \mathbb{E}_t[||f_{\theta}(\boldsymbol{c}_{u,t}, \boldsymbol{g}_{\mathcal{B}}, \boldsymbol{h}_{u,\mathcal{B}}, \boldsymbol{w}_{u,\mathcal{S}}, t) - \boldsymbol{c}_{u,0}||_2^2], \quad (12)$$

$$\mathcal{L}_{\text{SDM}} = \sum_{u=1}^{|\mathcal{U}|} \mathbb{E}_t[||f_{\psi}(\boldsymbol{s}_{u,t}, \boldsymbol{g}_{\mathcal{S}}, \boldsymbol{h}_{u,\mathcal{S}}, \boldsymbol{w}_{u,\mathcal{B}}, t) - \boldsymbol{s}_{u,0}||_2^2].$$
(13)

where  $f_{\theta}$  and  $f_{\psi}$  represent the denoising neural networks for CDM and SDM, respectively. We define them using a two-layer feedforward neural network. Taking  $f_{\theta}$  as an example, its input is the concatenation of the three conditional embeddings  $g_{\mathcal{B}}$ ,  $h_{u,\mathcal{B}}$ , and  $w_{u,\mathcal{S}}$ , along with  $c_{u,t}$  and the embedding of step *t*.

3.1.2 **Denoised Graph Generation**. After training, we generate denoised interaction and social graphs  $\mathcal{G}_{\mathcal{B}^*}$  and  $\mathcal{G}_{\mathcal{S}^*}$ . Taking  $\mathcal{G}_{\mathcal{B}^*}$  as an example, for each user u, CDM first corrupts  $c_{u,0}$  as  $c_{u,0} \rightarrow c_{u,1} \cdots \rightarrow c_{u,T'}$  over T' steps in the forward process. Then, CDM sets  $\tilde{c}_{u,T} = c_{u,T'}$  and performs denoising as

 $\tilde{c}_{u,T} \to \tilde{c}_{u,T-1} \dots \to \tilde{c}_{u,0}$  for *T* steps. Since the original interaction data contains noise and to preserve user preference information [45], we set T' < T. Next, for each user's denoised interaction,  $\tilde{c}_{u,0} = [\tilde{c}_u^1, \tilde{c}_u^2, \dots, \tilde{c}_u^{|\mathcal{V}|}]$ , we design a sampling method to construct the denoised graph. Specifically, for user *u*, we first select a set  $I_u^c$  containing  $k_c$  elements based on  $\tilde{c}_{u,0}$ , as follows:

$$T_{u}^{c} \sim \text{Multinomial}(k_{c}, \pi(\tilde{c}_{u,0})),$$
 (14)

where  $\pi$  is the softmax function and Multinomial refers to sampling  $k_c$  elements based on the probability distribution  $\pi(\tilde{c}_{u,0})$ . We define  $k_c$  as the number of neighbors user u has in the original graph  $\mathcal{G}_{\mathcal{B}}$ .

Next, we form a candidate neighborhood from the items corresponding to the elements of set  $I_u^c$  in  $\tilde{c}_{u,0}$  and take the intersection of this candidate neighborhood with user *u*'s original item neighborhood in  $\mathcal{G}_{\mathcal{B}}$  to obtain the final neighborhood for constructing the denoised graph  $\mathcal{G}_{\mathcal{B}^*}$ . Similarly, we apply the same sampling strategy to construct the denoised social graph  $\mathcal{G}_{\mathcal{S}^*}$ . In this way, our graph generation preserves important information from the original graph while performing denoising and filtering.

3.1.3 **Cross-Domain Signal Guidance Mechanism**. To further guide our dual DM in generating denoised graphs,  $\mathcal{G}_{\mathcal{B}^*}$  and  $\mathcal{G}_{\mathcal{S}^*}$ , suitable for recommendation, we introduce a signal guidance (SG) mechanism. This method establishs communication between CDM and SDM by integrating social signals from SDM into the CDM and collaborative signals from CDM into the SDM.

Specifically, to optimize  $\mathcal{G}_{\mathcal{B}^*}$ , we first introduce the denoised user social relation matrix  $S^*$  from generated  $\mathcal{G}_{S^*}$  to update the predicted user-item relation matrices  $\hat{C}_0$  in the CDM denoising process (by combining the  $\hat{c}_0$  predicted by  $f_{\theta}$ ). Then, we introduce the item feature matrix  $\mathbf{E}^*_{v,\mathcal{B}}$  (cf. Eq.(25)) and apply the graph convolution to obtain a social-aware user feature matrix  $\mathbf{E}_{c(u)}^{\circ} = \mathbf{S}^* \hat{C}_0 \mathbf{E}_{v,\mathcal{B}}^*$ . Next, we introduce user social embeddings  $E_{u,S}^*$  (cf. Eq.(25)) and utilize KL divergence as a constraint to align user embeddings in Eq.(15). This operation injects cross-domain information by aligning the distribution of user embeddings. Similarly, to optimize  $\mathcal{G}_{S^*}$ , we introduce the denoised user-item relation matrix Y\* from generated  $\mathcal{G}_{\mathcal{B}^*}$  and item feature matrix  $\mathbf{E}^*_{v,\mathcal{B}}$  to update user relation matrix  $\hat{S}_0$  in the SDM denoising process (by combining the  $\hat{s}_0$  predicted by  $f_{\psi}$ ) and obtain a collaborative-aware user feature matrix  $\mathbf{E}_{s(u)}^{\circ} =$  $\hat{S}_0 \mathbf{Y}^* \mathbf{E}^*_{v, \mathcal{B}}$ . Then, based on Eq.(16), we align  $\mathbf{E}^{\circ}_{s(u)}$  with the user collaborative feature matrix  $\mathbf{E}_{\mu \ \mathcal{B}}^{*}$  (cf. Eq.(25)).

$$\mathcal{L}_{\mathrm{KL}(C)} = \frac{1}{|\mathcal{U}|} \Big( \pi(\mathbf{E}_{c(u)}^{\circ}) \cdot \big(\log \pi(\mathbf{E}_{c(u)}^{\circ}) - \log \pi(\mathbf{E}_{u,\mathcal{S}}^{*}) \big) \Big), \quad (15)$$

$$\mathcal{L}_{\mathrm{KL}(\mathcal{S})} = \frac{1}{|\mathcal{U}|} \Big( \pi(\mathbf{E}_{s(u)}^{\circ}) \cdot \big(\log \pi(\mathbf{E}_{s(u)}^{\circ}) - \log \pi(\mathbf{E}_{u,\mathcal{B}}^{*}) \big) \Big).$$
(16)

In summary, the above process uses cross-domain relations and knowledge from the recommendation module to constrain  $\hat{C}_0$  and  $\hat{S}_0$ , thereby optimizing denoised graph. In practice, we exploit batch data instead of the entire matrix to improve efficiency. In Section Sections 4.4 and 4.6.2, we validate the effectiveness of this design.

*3.1.4 Denoising Module Training.* To train this module, we integrate losses from dual DM and signal guidance mechanism:

$$\mathcal{L}_{\text{Denoising}} = \mathcal{L}_{\text{CDM}} + \mathcal{L}_{\text{SDM}} + \mathcal{L}_{\text{KL}(C)} + \mathcal{L}_{\text{KL}(S)}.$$
 (17)

#### 3.2 **Recommendation Module**

In this section, we first introduce our dual graph neural network (GNN) for recommendation. Then, we describe the diffusion-aware contrastive learning used for model representation enhancement.

3.2.1 **Dual Graph Neural Networks**. Based on the generated denoised interaction graph  $\mathcal{G}_{\mathcal{B}^*}$  and social graph  $\mathcal{G}_{\mathcal{S}^*}$  in Section 3.1.2, we introduce a dual GNN structure to model user preferences for items. Specifically, given a user  $u_i$  and an item  $v_j$ , we apply a bipartite GNN (i.e., AGG<sub>B</sub>) on graph  $\mathcal{G}_{\mathcal{B}^*}$  to learn their representations in the collaborative space, as follows:

$$\mathbf{u}_{i,\mathcal{B}}^{l} = \mathrm{AGG}_{\mathcal{B}}^{l}(u_{i},\mathcal{G}_{\mathcal{B}^{*}}) = \sum_{\upsilon_{k}\in\mathcal{N}_{u_{i}}^{\mathcal{B}}} \frac{1}{p_{\mathcal{B},ik}} \mathbf{v}_{k,\mathcal{B}}^{l-1}, \quad (18)$$

$$\mathbf{v}_{j,\mathcal{B}}^{l} = \mathrm{AGG}_{\mathcal{B}}^{l}(\upsilon_{j},\mathcal{G}_{\mathcal{B}^{*}}) = \sum_{u_{k}\in\mathcal{N}_{\upsilon_{j}}^{\mathcal{B}}} \frac{1}{p_{\mathcal{B},jk}} \mathbf{u}_{k,\mathcal{B}}^{l-1}, \quad (19)$$

where  $p_{\mathcal{B},ik} = \sqrt{|\mathcal{N}_{u_i}^{\mathcal{B}}|} \sqrt{|\mathcal{N}_{v_k}^{\mathcal{B}}|}$ ,  $p_{\mathcal{B},jk} = \sqrt{|\mathcal{N}_{v_j}^{\mathcal{B}}|} \sqrt{|\mathcal{N}_{u_k}^{\mathcal{B}}|}$  are normalization terms, and  $\mathcal{N}_{u_i}^{\mathcal{B}}$  and  $\mathcal{N}_{v_j}^{\mathcal{B}}$  are neighborhoods for  $u_i$  and  $v_j$  in  $\mathcal{G}_{\mathcal{B}^*}$ .

Additionally, we use another social GNN (i.e., AGG<sub>S</sub>) based on  $\mathcal{G}_{S^*}$  to learn the representation of user  $u_i$  in the social space, as:

$$\mathbf{u}_{i,S}^{l} = \mathrm{AGG}_{S}^{l}(u_{i}, \mathcal{G}_{S^{*}}) = \sum_{u_{j} \in \mathcal{N}_{u_{i}}^{S}} \frac{1}{p_{S,ij}} \mathbf{u}_{j,S}^{l-1}, \qquad (20)$$

where  $p_{S,ij} = \sqrt{|\mathcal{N}_{u_i}^S|} \sqrt{|\mathcal{N}_{u_j}^S|}$  and  $\mathcal{N}_{u_i}^S$  is  $u_i$ 's neighborhood in  $\mathcal{G}_{S^*}$ .

Here, the initial representations of user  $u_i$  and item  $v_j$  are denoted as  $\mathbf{u}_i$  and  $\mathbf{v}_j$ , and they are used as inputs for the dual GNN (i.e.,  $\mathbf{u}_i = \mathbf{u}_{i,\mathcal{B}}^0 = \mathbf{u}_{i,\mathcal{S}}^0$ , and  $\mathbf{v}_j = \mathbf{v}_{j,\mathcal{B}}^0$ ). Compared to the standard GCN [19], we follow the idea in LightGCN [12] and remove the feature transformation and nonlinear activation. Other models (e.g., NGCF [46] and LR-GCCF [2]) can also be employed.

Currently, the bipartite GNN and social GNN independently model  $\mathcal{G}_{\mathcal{B}^*}$  and  $\mathcal{G}_{\mathcal{S}^*}$ , overlooking the potential knowledge signal sharing between them. To capture the interplay between GNNs, we design a gated interaction (GI) mechanism that leverages the user as a bridge. Specifically, the GI mechanism takes user representations  $\mathbf{u}_{i,\mathcal{B}}$  from AGG $_{\mathcal{B}}$  and  $\mathbf{u}_{i,\mathcal{S}}$  from AGG $_{\mathcal{S}}$  at each layer as inputs, and then uses a gating mechanism to model their interactions:

$$\mathbf{u}_{i,\mathcal{B}}^{l,\diamond} = \mathrm{GI}(\mathbf{u}_{i,\mathcal{B}}^{l},\mathbf{u}_{i,\mathcal{S}}^{l})[\mathcal{B}] = \mathrm{G}_{\mathcal{B}} \odot \mathbf{u}_{i,\mathcal{S}}^{l} + (\mathbf{1} - \mathrm{G}_{\mathcal{B}}) \odot \mathbf{u}_{i,\mathcal{B}}^{l}, \quad (21)$$

$$\mathbf{u}_{i,\mathcal{S}}^{l,\diamond} = \mathrm{GI}(\mathbf{u}_{i,\mathcal{B}}^{l}, \mathbf{u}_{i,\mathcal{S}}^{l})[\mathcal{S}] = \mathrm{G}_{\mathcal{S}} \odot \mathbf{u}_{i,\mathcal{B}}^{l} + (\mathbf{1} - \mathrm{G}_{\mathcal{S}}) \odot \mathbf{u}_{i,\mathcal{S}}^{l}, \quad (22)$$

$$G_{\mathcal{B}} = \sigma \left( \mathbf{w}_{g_{\mathcal{B}}}(\mathbf{u}_{i,\mathcal{B}}^{l} \oplus \mathbf{u}_{i,\mathcal{S}}^{l}) \right), \quad G_{\mathcal{S}} = \sigma \left( \mathbf{w}_{g_{\mathcal{S}}}(\mathbf{u}_{i,\mathcal{S}}^{l} \oplus \mathbf{u}_{i,\mathcal{B}}^{l}) \right), \quad (23)$$

where  $\mathbf{u}_{i,\mathcal{B}}^{l,\diamond}, \mathbf{u}_{i,\mathcal{S}}^{l,\diamond}$  are updated embeddings,  $G_{\mathcal{B}}, G_{\mathcal{S}}$  are gated structures,  $\mathbf{w}_{g_{\mathcal{B}}}, \mathbf{w}_{g_{\mathcal{S}}}$  are weight matrices,  $\sigma$  is the sigmoid function, and  $\odot$  and  $\oplus$  are the element-wise product and vector concatenation.

We integrate the GI mechanism into the current dual GNN (i.e., Eqs.(18)-(20)) to capture the interplay between GNNs, We present the matrix form of the layer-wise propagation rules, as follows:

$$\mathbf{E}_{\mathcal{B}}^{l} = \left[\mathbf{E}_{u,\mathcal{B}}^{l}, \mathbf{E}_{v,\mathcal{B}}^{l}\right] = \left(\mathbf{D}_{\mathcal{B}}^{-\frac{1}{2}} \mathbf{A}_{\mathcal{B}} \mathbf{D}_{\mathcal{B}}^{-\frac{1}{2}}\right) \left[\mathrm{GI}(\mathbf{E}_{u,\mathcal{B}}^{l-1}, \mathbf{E}_{u,\mathcal{S}}^{l-1})[\mathcal{B}], \mathbf{E}_{v,\mathcal{B}}^{l-1}\right], \\
\mathbf{E}_{\mathcal{S}}^{l} = \mathbf{E}_{u,\mathcal{S}}^{l} = \left(\mathbf{D}_{\mathcal{S}}^{-\frac{1}{2}} \mathbf{A}_{\mathcal{S}} \mathbf{D}_{\mathcal{S}}^{-\frac{1}{2}}\right) \mathrm{GI}(\mathbf{E}_{u,\mathcal{B}}^{l-1}, \mathbf{E}_{u,\mathcal{S}}^{l-1})[\mathcal{S}].$$
(24)

where  $\mathbf{D}_{\mathcal{B}}$ ,  $\mathbf{D}_{\mathcal{S}}$  are diagonal matrices and  $\mathbf{A}_{\mathcal{B}}$ ,  $\mathbf{A}_{\mathcal{S}}$  are adjacency matrices, for corresponding denoised interaction and social graphs;  $\mathbf{E}_{u,\mathcal{B}}$ ,  $\mathbf{E}_{v,\mathcal{B}}$ , and  $\mathbf{E}_{u,\mathcal{S}}$  are user collaborative embedding matrix from AGG $_{\mathcal{B}}$ , item collaborative embedding matrix from AGG $_{\mathcal{B}}$ , and user social embedding matrix from AGG $_{\mathcal{S}}$ , respectively.

By incorporating the GI mechanism, we facilitate the exchange of relevant information between GNN aggregations. We will analyze the efficacy of this GI mechanism in experiments (*cf.* Section 4.4).

After *L* layers of aggregation, we combine the embeddings from  
each layer to form user collaborative feature 
$$\mathbf{E}_{u,\mathcal{B}}^*$$
 and social feature  
 $\mathbf{E}_{u,\mathcal{S}}^*$ , and item collaborative feature  $\mathbf{E}_{v,\mathcal{B}}^*$ , as follows:

$$\mathbf{E}_{u,\mathcal{B}}^* = \sum_{l=0}^{L} \mathbf{E}_{u,\mathcal{B}}^l, \ \mathbf{E}_{u,\mathcal{S}}^* = \sum_{l=0}^{L} \mathbf{E}_{u,\mathcal{S}}^l, \ \mathbf{E}_{v,\mathcal{B}}^* = \sum_{l=0}^{L} \mathbf{E}_{v,\mathcal{B}}^l.$$
(25)  
Then, we model the user  $u_i$ 's preference for item  $v_i$ , as:

Then, we model the user  $u_i$  s preference for item  $v_j$ , as:

$$\hat{y}_{ij} = \frac{1}{2} \left( \mathbf{u}_{i,\mathcal{B}}^{*\top} \mathbf{v}_{j,\mathcal{B}}^{*} + \mathbf{u}_{i,\mathcal{S}}^{*\top} \mathbf{v}_{j,\mathcal{B}}^{*} \right),$$
(26)

where  $\mathbf{u}_{i,\mathcal{B}}^* = \left[\mathbf{E}_{u,\mathcal{B}}^*\right]_{u_i}, \mathbf{u}_{i,\mathcal{S}}^* = \left[\mathbf{E}_{u,\mathcal{S}}^*\right]_{u_i}, \mathbf{v}_{j,\mathcal{B}}^* = \left[\mathbf{E}_{v,\mathcal{B}}^*\right]_{v_j}$  are feature vectors. Based on the prediction, we define the recommendation loss, as:

$$\mathcal{L}_{\text{REC}} = -\sum_{y_{ij}=1} \log(\hat{y}_{ij}) - \sum_{y_{ij}=0} \log(1 - \hat{y}_{ij}) + \lambda_{\text{r}} ||\Theta||_{2}^{2}, \quad (27)$$

where  $\Theta$  is model parameters and  $\lambda_r$  is the regularization strength.

3.2.2 **Diffusion-aware Contrastive Learning**. Recommender models using contrastive learning can effectively enhance model performance and robustness [20, 56]. We introduce a diffusionaware contrastive learning approach. We consider the graphs after and before denoising in Section 3.1 as contrastive views (i.e.,  $(\mathcal{G}_{\mathcal{B}^*}, \mathcal{G}_{\mathcal{B}})$  and  $(\mathcal{G}_{\mathcal{S}^*}, \mathcal{G}_{\mathcal{S}})$ . We then use the dual GNN in Section 3.2.1 to process these graphs and obtain node representations. Finally, we treat the representations of the same node in different views as positive pairs and those of different nodes as negative pairs.

For users in the contrastive views ( $\mathcal{G}_{\mathcal{B}^*}, \mathcal{G}_{\mathcal{B}}$ ), we define our contrastive loss using the InfoNCE [33], as follows:

$$\mathcal{L}_{\mathrm{CL}_{u}^{\mathcal{B}}} = \sum_{u_{i} \in \mathcal{U}} -\log \frac{\exp\left(\cos\left(\mathbf{u}_{i,\mathcal{B}}^{*}, \mathbf{u}_{i,\mathcal{B}}^{\star}\right)/\tau\right)}{\sum_{u_{i'} \in \mathcal{U}} \exp\left(\cos\left(\mathbf{u}_{i,\mathcal{B}}^{*}, \mathbf{u}_{i',\mathcal{B}}^{\star}\right)/\tau\right)}, \quad (28)$$

where  $\cos(\cdot, \cdot)$  is cosine similarity function,  $\tau$  is the temperature hyper-parameter,  $\mathbf{u}_{i,\mathcal{B}}^*$  and  $\mathbf{u}_{i,\mathcal{B}}^{\star}$  are the representations of user  $u_i$ obtained by processing  $\mathcal{G}_{\mathcal{B}^*}$  and  $\mathcal{G}_{\mathcal{B}}$  using our dual GNN.

Similarly, we obtain the item contrastive loss in views  $(\mathcal{G}_{\mathcal{B}^*}, \mathcal{G}_{\mathcal{B}})$  as  $\mathcal{L}_{\mathrm{CL}_v^{\mathcal{B}}}$ , and the user contrastive loss in views  $(\mathcal{G}_{\mathcal{S}^*}, \mathcal{G}_{\mathcal{S}})$  as  $\mathcal{L}_{\mathrm{CL}_u^{\mathcal{S}}}$ . Combining these terms, we get the final loss of diffusion-aware contrastive task as  $\mathcal{L}_{\mathrm{CL}} = \mathcal{L}_{\mathrm{CL}_u^{\mathcal{B}}} + \mathcal{L}_{\mathrm{CL}_v^{\mathcal{S}}} + \mathcal{L}_{\mathrm{CL}_v^{\mathcal{S}}}$ . The effectiveness of our contrastive learning will be validated in Sections 4.4 and 4.7.

3.2.3 **Recommendation Module Training**. Our recommendation module contains two components: a dual GNN and a diffusionaware contrastive learning task. To train this module, we integrate the losses from both components as follows:

$$\mathcal{L}_{\text{Recommendation}} = \mathcal{L}_{\text{REC}} + \lambda_{\text{CL}} \mathcal{L}_{\text{CL}}, \qquad (29)$$

where hyper-parameter  $\lambda_{CL}$  adjust the contrastive learning strength.

#### 3.3 Model Optimization

To optimize our GDSR model, we integrate the losses from both the denoising module (i.e., Eq.(17)) and the recommendation module (i.e., Eq.(29)). The combined loss is defined as  $\mathcal{L}_{GDSR} = \mathcal{L}_{Denoising} + \mathcal{L}_{Recommendation}$ . We then alternately train the two loss terms. The pseudocode for all the optimization procedure, including denoising and recommendation modules, is provided in **Appendix B**.

#### 3.4 Model Complexity and Generalization

We introduce our GDSR's model complexity and generalization, and time analysis experiments in **Appendix C**.

# 4 Experiment

In this section, we first introduce the experimental setup and then conduct experiments to analyze the effectiveness of our GDSR (anonymous code https://anonymous.4open.science/r/GDSR-WWW).

# 4.1 Experimental Setup

This subsection introduces the datasets, comparison methods, hyperparameter settings, and evaluation metrics.

4.1.1 **Datasets.** We use three real-world datasets: Yelp, Douban, and Flixster, which are collected from online applications and widely used in social recommendation. Each dataset contains the user-item interaction and user social information. More details of the datasets are in **Appendix D.1**. For each dataset, we select 60%, 20%, and 20% of interactions as training, evaluation, and test sets, respectively. Table 1 shows the statistics of the three datasets.

Table 1: Statistical details of the three datasets.

Datasets	# users	# items	# interactions	# social links
Yelp	16,239	14,284	198,397	158,590
Douban	2,848	39,586	894,887	35,770
Flixster	42,935	15,816	2,448,110	517,966

4.1.2 **Comparison Methods.** We compare GDSR with four group methods: (1) graph-based collaborative recommenders (i.e., LR-GCCF [2] and LightGCN [12]), (2) graph-based social recommenders (i.e., GraphRec+ [7] and DiffNet++ [49]), (3) denoising graph-based collaborative recommenders (i.e., RGCF [40], DDRM [58], AdaGCL [17]), and (4) denoising graph-based social recommenders (i.e., GDMSR [34], DSL [43], GDSSL [20], and RecDiff [22]). The characteristics of these baselines are introduced in **Appendix D.2**.

4.1.3 **Hyper-parameter Settings.** For baselines, we implement them based on their source code. More about the implementation details are in **Appendix D.3**. For our GDSR, diffusion step *T* is tuned in {2, 5, 10, 20, 50, 100}. For the noise, its scale *s*, lower bound  $\alpha_{\min}$ , and upper bound  $\alpha_{\max}$  are searched in { $10^{-5}$ ,  $10^{-4}$ ,  $10^{-3}$ ,  $10^{-2}$ ,  $10^{-1}$ }, { $10^{-4}$ ,  $10^{-3}$ ,  $2 \times 10^{-3}$ }, and { $5 \times 10^{-3}$ ,  $10^{-2}$ ,  $2 \times 10^{-2}$ }. In the dual GNN, we set the embedding size as 32 and the aggregation layer as 2. We study the impact of key hyper-parameters in Section 4.5.

*4.1.4* **Evaluation Metrics.** Two scenarios are used to evaluate the model performance: (1) in the top-k recommendation, precision (P@K) and recall (R@K) are utilized as the metrics, where K is set as 10 by default; (2) in click-through rate (CTR) prediction, area under curve (AUC) and accuracy (ACC) are adopted as the metrics.

#### 4.2 Performance Comparison

Tables 2 and 3 present the model performance on the three datasets. We find that: (1) Graph-based social recommenders generally outperform graph-based collaborative recommenders due to the use of additional social information. However, this is not always the case. For example, LightGCN sometimes outperforms DiffNet++ and GraphRec+ on the Yelp and Douban datasets. This suggests that

social connections might contain noise or irrelevant information. (2) Denoising collaborative and social recommenders outperform their respective non-denoising graph-based methods. This further indicates that irrelevant information in user-item interactions and social relations could affect user preference modeling. It also highlights the necessity of denoising both interaction and social data. (3) Our GDSR shows superior performance, indicating the effective-ness of its denoising and recommendation modules. Specifically, in the top-K recommendation, GDSR outperforms the best base-lines with a 4.87%, 2.12%, and 1.48% increase in P@10 on the three datasets, respectively. For CTR prediction, our GDSR achieves aver-age AUC gains of 2.80%, 2.03%, and 1.88% on the three datasets. We will discuss the effectiveness of key designs of GDSR in Section 4.4. 

Table 2: Top-k recommendation results. \* denotes the statistical significance for p < 0.001 compared to the best baseline.

Mathad	Ye	lp	Douban		Flixster	
Methou	P@10	R@10	P@10	R@10	P@10	R@10
LR-GCCF	0.0162	0.0389	0.1823	0.0655	0.1051	0.1196
LightGCN	0.0178	0.0415	0.1969	0.0684	0.1073	0.1224
GraphRec+	0.0170	0.0394	0.1895	0.0662	0.1109	0.1263
DiffNet++	0.0174	0.0409	0.1998	0.0703	0.1087	0.1260
RGCF	0.0182	0.0436	0.2031	0.0697	0.1129	0.1238
DDRM	0.0193	0.0471	0.2110	0.0750	0.1186	0.1289
AdaGCL	0.0185	0.0442	0.2114	0.0761	0.1160	0.1278
GDMSR	0.0179	0.0420	0.2007	0.0708	0.1122	0.1265
DSL	0.0195	0.0458	0.2059	0.0736	0.1174	0.1277
GDSSL	0.0176	0.0416	0.2028	0.0717	0.1180	0.1286
RecDiff	0.0187	0.0423	0.2086	0.0749	0.1195	0.1310
GDSR	0.0206*	0.0497*	0.2162*	0.0781*	0.1217*	0.1383*

Table 3: CTR prediction results. \* denotes the statistical significance for p < 0.001 compared to the best baseline.

Mathad	Ye	Yelp		Douban		ster
Methou	AUC	ACC	AUC	ACC	AUC	ACC
LR-GCCF	0.7658	0.7066	0.8567	0.7869	0.9353	0.8844
LightGCN	0.7820	0.7209	0.8596	0.7964	0.9387	0.8853
GraphRec+	0.7704	0.7110	0.8609	0.7933	0.9472	0.8919
DiffNet++	0.7881	0.7245	0.8710	0.7976	0.9423	0.8928
RGCF	0.8011	0.7388	0.8655	0.7950	0.9436	0.8922
DDRM	0.8093	0.7492	0.8784	0.8015	0.9501	0.8937
AdaGCL	0.8067	0.7397	0.8812	0.8101	0.9589	0.9005
GDMSR	0.7996	0.7303	0.8732	0.7998	0.9490	0.8934
DSL	0.7933	0.7275	0.8798	0.8072	0.9517	0.8960
GDSSL	0.7950	0.7286	0.8763	0.8009	0.9544	0.8968
RecDiff	0.8048	0.7314	0.8801	0.8045	0.9605	0.9096
GDSR	0.8160*	0.7520*	0.8894*	0.8182*	0.9669*	0.9156*
	Method LR-GCCF LightGCN GraphRec+ DiffNet++ RGCF DDRM AdaGCL GDMSR GDSSL RecDiff GDSR	Wethod         Ye           AUC         AUC           LR-GCCF         0.7658           LightGCN         0.7820           GraphRec+         0.7704           DiffNet++         0.7881           RGCF         0.8011           DDRM         0.8093           AdaGCL         0.8067           GDMSR         0.7996           DSL         0.7950           RecDiff         0.8048           GDSR <b>0.8160*</b>	Yelp           AUC         ACC           LR-GCCF         0.7658         0.7066           LightGCN         0.7820         0.7209           GraphRec+         0.7704         0.7110           DiffNet++         0.7881         0.7245           RGCF         0.8011         0.7388           DDRM         0.8093         0.7492           AdaGCL         0.8067         0.7303           DSL         0.7996         0.7303           DSL         0.7933         0.7275           GDSSL         0.7950         0.7286           RecDiff         0.8048         0.7314           GDSR         0.8160*         0.7520*	Yelp         Dou           AUC         ACC         AUC           LR-GCCF         0.7658         0.7066         0.8567           LightGCN         0.7820         0.7209         0.8596           GraphRec+         0.7704         0.7110         0.8609           DiffNet++         0.7881         0.7245         0.8710           RGCF         0.8011         0.7388         0.8655           DDRM         0.8093         0.7492         0.8784           AdaGCL         0.8067         0.7397         0.8812           GDMSR         0.7996         0.7303         0.8732           DSL         0.7933         0.7275         0.8798           GDSSL         0.7950         0.7286         0.8763           RecDiff         0.8048         0.7314         0.8801	Yelp         Douban           AUC         ACC         AUC         ACC           LR-GCCF         0.7658         0.7066         0.8567         0.7869           LightGCN         0.7820         0.7209         0.8596         0.7964           GraphRec+         0.7704         0.7110         0.8609         0.7933           DiffNet++         0.7881         0.7245         0.8710         0.7976           RGCF         0.8011         0.7388         0.8655         0.7950           DDRM         0.8093         0.7492         0.8784         0.8015           AdaGCL         0.8067         0.7307         0.8812         0.8101           GDMSR         0.7996         0.7303         0.8732         0.7998           DSL         0.7950         0.7286         0.8763         0.8009           RecDiff         0.8048         0.7314         0.8801         0.8045           GDSR <b>0.8160* 0.7520* 0.8894*</b> 0.8182*	Method         Yelp         Douban         Flix           AUC         ACC         AUC         ACC         AUC           LR-GCCF         0.7658         0.7066         0.8567         0.7869         0.9353           LightGCN         0.7820         0.7209         0.8596         0.7964         0.9387           GraphRec+         0.7704         0.7110         0.8609         0.7933         0.9472           DiffNet++         0.7881         0.7245         0.8710         0.7976         0.9423           RGCF         0.8011         0.7388         0.8655         0.7950         0.9436           DDRM         0.8093         0.7492         0.8784         0.8015         0.9501           AdaGCL         0.8067         0.7397         0.8812         0.8101         0.9589           GDMSR         0.7996         0.7303         0.8732         0.7998         0.9490           DSL         0.7950         0.7286         0.8763         0.8009         0.9517           GDSSL         0.7950         0.7286         0.8763         0.8009         0.9544           RecDiff         0.8048         0.7314         0.8804         0.8045         0.9605

### 4.3 Performance w.r.t Sparsity Degrees

This subsection studies the performance of GDSR and several repre-sentative baselines (i.e., DiffNet++ [49], AdaGCL [17], and RecDiff [22]) in handling user behavior with varying sparsity levels. Following [17, 46, 49], we group users based on the number of interactions they have in the training set and then evaluate the performance of these user groups in the test set. Specifically, we divide users into three groups while trying to maintain a similar total number of interactions for each group in the test set. We label these groups based on user interaction density, from low to high, as Group 1, Group 2, and Group 3. Figure 2 shows the P@10 results. We find that as interaction density increases, the accuracy of models improves, 



Figure 2: Performance under different sparsity groups.

indicating that high-quality recommendation requires enough useritem interactions. Moreover, our GDSR achieves the best results, showing its robust performance in different levels of data sparsity.

# 4.4 Ablation Study

In this subsection, we conduct ablation experiments to analyze the key design elements of our GDSR model in detail.

4.4.1 **Effect of Model Components**. The denoising and the recommendation modules are two crucial components of our GDSR. To analyze our denoising module, we consider four operations:

- w/o CDM: Removing the collaborative diffusion model (CDM).
- w/o SDM: Removing the social diffusion model (SDM).
- w/o dual DM: Removing the dual diffusion model (dual DM).
- w/o SG: Removing the signal guidance (SG) mechanism.

For the recommendation module, we consider two operations:

- w/o GI: Removing the gated interaction (GI) mechanism.
- w/o DCL: Removing diffusion-aware contrastive learning (DCL).

Table 4 shows the results for P@10 and AUC. From these results, we can draw the following conclusions: (1) For the denoising module, removing the CDM and/or SDM from the dual DM decreases model performance. This indicates the presence of noise in interaction and social graph data, and demonstrates that our dual DM improves model performance by denoising the data. Furthermore, the results validate the effectiveness of the SG mechanism, which guides the dual DM to better denoise the data. (2) For the recommendation module, the lower performance after removing the GI module highlights the importance of modeling information interaction between our dual GNNs. Additionally, the ablation of DGL shows that our diffusion-enhanced data augmentation strategy is crucial for improving model performance. (3) In general, removing any operation from our GDSR method reduces its performance, showing the soundness and effectiveness of our model design.

Table 4: Ablation study of key designs in our GDSR.

Operation	Ye	elp	Douban Flixster		ster	
Operation	P@10	AUC	P@10	AUC	P@10	AUC
w/o CDM	0.0197	0.8065	0.2096	0.8822	0.1205	0.9615
w/o SDM	0.0201	0.8104	0.2130	0.8858	0.1193	0.9601
w/o dual DM	0.0182	0.7944	0.2021	0.8784	0.1128	0.9525
w/o SG	0.0199	0.8094	0.2144	0.8887	0.1205	0.9653
w/o GI	0.0202	0.8123	0.2144	0.8882	0.1206	0.9640
w/o DCL	0.0195	0.8112	0.2137	0.8873	0.1198	0.9624
GDSR	0.0206	0.8160	0.2162	0.8894	0.1217	0.9669

4.4.2 **Plug-In Effect of Denoising Module**. We further analyze our denoising module. This module can be seen as a **plug-and-play** component for denoising user-item interaction graphs and user-user social graphs, thereby enhancing recommendation

Anon

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727

728

729

730

731

732

733

734

735

736

737

738

739

740

741

742

743

744

745

746

743

748

749

750

751

752

753

754

performance. To validate this plug-and-play nature, we integrate our denoising module into two graph-based social recommenders DiffNet++ [49] and GraphRec+ [7]. Two methods use both the interaction and social graphs for recommendation. Figure 3 shows the performance of these two methods, both with and without our denoising module, on the three datasets. The results show that our proposed denoising module consistently improves the performance of two different base models, further validating its effectiveness.



Figure 3: Effect of our denoising module on two different backbones. In each subfigure, P@10 results (red bars) on the left, while AUC results (blue bars) on the right.

## 4.5 Hyper-parameter Sensitivity Analysis

In this section, we analyze several important hyper-parameters in our GDSR. Specifically, we study diffusion step T and noise scale s in the denoising module, and dual GNN layer size L and diffusionaware contrastive learning strength  $\lambda_{CL}$  in the recommendation module. The results on the Douban dataset are shown in Figure 4. The observations can be summarized as: (1) Increasing the diffusion step T initially improves performance, but then it leads to a decrease. In addition, since a larger T increases time costs, we select T = 10 to achieve a balance between nice performance and low costs. (2) As the noise scale s increases, performance improves initially when compared to training without noise, demonstrating the benefits of graph denoising optimization. However, an excessively high noise scale adversely affects performance. Therefore, it is crucial to choose a relatively small noise scale  $s = 10^{-4}$ . (3) Increasing the number of layer L in dual GNN enhances performance to a certain extent, but too many layers will increase the time complexity. In our experiments, setting L = 2 is a nice choice. (4) For the contrastive learning strength  $\lambda_{CL}$ , setting it too high can cause the model to overemphasize the contrastive task, which reduces performance. Conversely, a too-low value may not provide sufficient self-supervised signals. The nice performance is typically achieved with  $\lambda_{CL}$  values between  $10^{-3}$  and  $10^{-2}$ .



Figure 4: Hyper-parameter sensitivity analysis.

# 4.6 Anti-Noise Capacity Analysis

We first study the robustness of our GDSR to noisy interaction and social data. Then, we analyze the denoising effect of GDSR on several specific cases of user-item interactions and social relations. 755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

778

779

780

781

782

783

784

785

786

787

788

789

790

791

792

793

794

795

796

797

798

799

800

801

802

803

804

805

806

807

808

809

810

811

812

4.6.1 Performance w.r.t. Data Noise Degree. In this subsection, we analyze the anti-noise capacity of our GDSR. Specifically, following [17, 22, 40, 43], we replace a certain proportion (i.e., 10% and 20%) of user-item interactions/user-user social relations with noise signals in the interaction graph and social graph, while keeping the test set unchanged. For experiments with noise added to interactions, we compare our GDSR with denoising collaborative recommenders (i.e., RGCF [40] and AdaGCL [17]). For experiments with noise added to social data, we compare our model with denoising social recommenders (i.e., DSL [43] and RecDiff [22]). Additionally, we also include DiffNet++ [49] as a baseline. Figure 5 shows the results on the Douban dataset. Similar results are observed on other datasets, which are not elaborated here due to space limitations. From the results, we find that: (1) Adding noise to the data affects model performance. Moreover, adding noise to interaction data impacts the model more than adding noise to social data, indicating that the model is more sensitive to noise in interaction data in social recommendations. (2) In scenarios where noise is added to user-item interactions, the performance of DiffNet++ declines more than that of RGCF, AdaGCL and, our GDSR. Similarly, when noise is added to social relations, the performance decline of DSL, RecDiff, and GDSR is less than that of DiffNet++. This highlights the importance of anti-noise strategies in maintaining performance. (3) Compared to denoising baselines, our GDSR shows the smallest performance drop, indicating that our denoising strategy effectively mitigates the impact of noise in the interaction and social data.



Figure 5: Model performance w.r.t. interaction and social noise ratio. The bar represents P@10 results and the line represents the percentage of performance degradation.

4.6.2 Case Study. We aim to further investigate the data denoising of our model through a case study. Specifically, in the Yelp dataset, we randomly select two pairs of user-item interactions (i.e.,  $(u_{2865}, i_{4298})$  and  $(u_{4964}, i_{2288}))$  predicted as noise by our model, and two pairs of user-user social relations (i.e.,  $(u_{1982}, i_{9317})$ ) and  $(u_{6115}, i_{5443}))$  also predicted as noise. We introduce the item attribute information (i.e., category and city) to assist in our case study, as shown in Figure 6. Note that these attributes are not provided to our model during training, and they are used here solely for the case study. Figure 6 (a) shows the denoising of user-item interactions. Based on item attributes and user social neighbors, we can rank the preferences of a user's social neighbors for item attributes. We find that the reason for denoising the interaction  $(u_{2865}, i_{4298})$  may be because item  $i_{4298}$  does not match user  $i_{2865}$ 's social neighbors' preferences. The same reasoning applies to the interaction ( $u_{4964}$ ,  $i_{2288}$ ). Figure 6 (b) shows the denoising of social information. We utilize the user's historical preference for item attributes for analysis. The reason for denoising the social relations  $(u_{1982}, i_{9317})$  and  $(u_{6115}, i_{5443})$  may be due to the significant difference in item attribute preferences between the users in each pair.

814

815

816

817

818

819

820

821

822

823

824

825

826

827

828

829

830

831

832

833

834

835

836

837

838

839

840

841

842

843

844

845

846

847

848

849

850

851

852

853

854

855

856

857

858

The above analysis not only reflects the rationale behind our denoising method but also shows that our denoising neural network (i.e.,  $f_{\theta}$  and  $f_{\psi}$ ) and SG mechanism (i.e., Eqs.(15) and (16)) can inject cross-domain signals into the data denoising process.



Figure 6: Case study for our denoising module.

#### **Embedding Analysis** 4.7

In this subsection, we analyze the embeddings generated by our GDSR. Following [23, 59], we plot the embedding distributions of items from the Douban dataset utilizing Gaussian kernel density estimation (KDE) in a 2-dimensional space. We also compare our GDSR with two social recommender baselines DiffNet++ [49] and RecDiff [22]. The results are shown in Figure 7. We find that compared to the two baselines, the embeddings learned by our GDSR are relatively more uniformly distributed. Based on prior research [42, 59], we believe this result shows the advantage of our model in modeling the data feature diversity. We attribute this advantage to our diffusion-aware contrastive learning (i.e., Section 3.2.2). To validate this, we also plot item embeddings generated by GDSR<sub>w/o DCL</sub>, which removes diffusion-aware contrastive learning from GDSR. We observe that the item embedding distribution of GDSR<sub>w/o DCL</sub> is less uniform compared to GDSR. This indicates that our contrastive learning enhances the model representation learning.



Figure 7: Embedding analysis for DiffNet++, RecDiff, GDSR.

#### 5 **Related Work**

This section reviews two relevant research areas: social and denoising recommendation. We discuss another area, contrastive learning in recommendation, in **Appendix E** due to the space limitation.

#### Social Recommendation 5.1

Social recommendation utilizes social information to improve rec-859 ommendation performance [39]. Prior research primarily focuses 860 on employing matrix factorization techniques (e.g., ensemble [27], 861 co-factorization [11], and regularization [28]) for social recommen-862 dation. With the development of deep learning, researchers employ 863 diverse neural components (e.g., attention networks [1], multilayer 864 perceptrons [5], and recurrent neural networks [38]) to design social 865 recommenders. Recently, modeling interaction and social data from 866 a graph perspective has gained traction. These studies utilize graph 867 868 neural networks to enhance representation learning by considering interaction and social graph structures [7, 8, 45]. However, most

871

872

873

874

875

876

877

878

879

880

881

882

883

884

885

886

887

888

889

890

891

892

893

894

895

896

897

898

899

900

901

902

903

904

905

906

907

908

909

910

911

912

913

914

915

916

917

918

919

920

921

922

923

924

925

926

927

928

social recommenders overlook the handling of noise in user-item interactions and social data. To this end, inspired by the success of the diffusion model (DM) in denoising tasks [25, 35, 36, 41], we design a dual DM to generate denoised user-item interaction and social graphs. The results show that our denoising method effectively denoises the recommendation data and improves performance.

## 5.2 Denoising Recommendation

The performance of recommender models could be limited by the presence of redundant and noisy data [24, 32, 57]. To address this issue, current methods are primarily designed from data cleaning and model perspectives [58]. Data cleaning-based methods often rely on specific heuristic assumptions to remove noisy data [3, 4] or assign lower weights to potentially noisy data [34, 44, 47]. However, this approach reduces the adaptability when the dataset or backend model changes. Model perspective methods focus on enhancing the noise resistance of recommenders [9, 43, 48, 51]. However, they typically depend on a single model to convert noisy data into clean data, which makes it challenging to identify noise patterns effectively and places high demands on the model representation capacity. In this paper, we employ the multi-step denoising idea of diffusion models (DMs) to denoise data. In recent years, several approaches explore the use of DMs in recommendation. For example, DiffRec [45] and DDRM [58] integrate DMs into the modeling of user-item interactions. However, they focus solely on the collaborative filtering task. RecDiff [22] and GDSSL [20] use DMs to mitigate social noise. Despite their effectiveness, we believe our GDSR differs from theirs in two key aspects: First, their methods do not incorporate condition guidance relevant to the social recommendation task in their DM design, and they lack specific adaptations tailored to this task. In contrast, our GDSR employs a dual DM specifically designed and customized for social recommendation, incorporating cross-domain guidance strategies (i.e., denoising neural network and signal guidance mechanism) to more effectively guide the denoising process. Second, both methods overlook the noise problem in the interaction graph, while our GDSR mitigates noise in both interaction and social graphs, establishing mutual collaboration between the denoising processes of the two graphs. Experimental results further show that our GDSR outperforms these methods.

#### 6 Conclusion

In this paper, we propose a graph-based social recommender GDSR, which consists of two key steps: graph denoising and recommendation prediction. Our GDSR first leverages dual diffusion models to denoise the user-item interaction and user-user social graphs. To guide our dual diffusion models, we design a denoising neural network and a signal guidance mechanism, both of which inject cross-domain knowledge signals into the diffusion process. Then, based on the denoised graphs, our GDSR introduces a dual graph learning structure to learn user and item representations for recommendation. To enhance the robustness of the model representation, we introduce a diffusion-aware graph contrastive learning task. Experiment results on three real-world datasets show that our GDSR outperforms several state-of-the-art recommender baselines. For future work, we plan to design the latent space diffusion strategy and acceleration algorithm to improve our GDSR's training efficiency.

Dual Graph Diffusion Model for Social Recommendation

WWW, 28 April - 2 May 2025, Sydney, Australia

987

988

989

990

991

992

993

994

995

996

997

998

999

1000

1001

1002

1003

1004

1005

1006

1007

1008

1009

1010

1011

1012

1013

1014

1015

1016

1017

1018

1019

1020

1021

1022

1023

1024

1025

1026

1027

1028

1029

1030

1031

1032

1033

1034

1035

1036

1037

#### 929 References

930

931

932

933

934

935

936

937

938

939

940

941

942

943

944

945

946

947

948

949

950

951

952

953

954

955

956

957

958

959

960

961

962

963

964

965

966

967

968

969

970

971

972

973

974

975

976

977

978

979

980

981

982

983

984

- Chong Chen, Min Zhang, Yiqun Liu, and Shaoping Ma. 2019. Social attentional memory network: Modeling aspect-and friend-level differences in recommendation. In WSDM. 177–185.
- [2] Lei Chen, Le Wu, Richang Hong, Kun Zhang, and Meng Wang. 2020. Revisiting graph based collaborative filtering: A linear residual graph convolutional network approach. In AAAI, Vol. 34. 27–34.
- [3] Jingtao Ding, Fuli Feng, Xiangnan He, Guanghui Yu, Yong Li, and Depeng Jin. 2018. An improved sampler for bayesian personalized ranking by leveraging view data. In WWW. 13–14.
- [4] Jingtao Ding, Guanghui Yu, Xiangnan He, Fuli Feng, Yong Li, and Depeng Jin. 2019. Sampler design for bayesian personalized ranking by leveraging view data. *TKDE* 33, 2 (2019), 667–681.
- [5] Wenqi Fan, Qing Li, and Min Cheng. 2018. Deep modeling of social relations for recommendation. In AAAI, Vol. 32.
- [6] Wenqi Fan, Yao Ma, Qing Li, Yuan He, Eric Zhao, Jiliang Tang, and Dawei Yin. 2019. Graph neural networks for social recommendation. In WWW. 417–426.
- [7] Wenqi Fan, Yao Ma, Qing Li, Jianping Wang, Guoyong Cai, Jiliang Tang, and Dawei Yin. 2020. A graph neural network framework for social recommendations. *TKDE* 34, 5 (2020), 2033–2047.
- [8] Bairan Fu, Wenming Zhang, Guangneng Hu, Xinyu Dai, Shujian Huang, and Jiajun Chen. 2021. Dual side deep context-aware modulation for social recommendation. In WWW. 2524–2534.
- [9] Yunjun Gao, Yuntao Du, Yujia Hu, Lu Chen, Xinjun Zhu, Ziquan Fang, and Baihua Zheng. 2022. Self-guided learning to denoise for robust recommendation. In SIGIR.
- [10] Ihsan Gunes, Cihan Kaleli, Alper Bilge, and Huseyin Polat. 2014. Shilling attacks against recommender systems: a comprehensive survey. Artificial Intelligence Review 42 (2014), 767–799.
- [11] Guibing Guo, Jie Zhang, and Neil Yorke-Smith. 2015. Trustsvd: Collaborative filtering with both the explicit and implicit influence of user trust and of item ratings. In AAAI, Vol. 29.
- [12] Xiangnan He, Kuan Deng, Xiang Wang, Yan Li, Yongdong Zhang, and Meng Wang. 2020. Lightgen: Simplifying and powering graph convolution network for recommendation. In SIGIR. 639–648.
- [13] Jonathan Ho, Ajay Jain, and Pieter Abbeel. 2020. Denoising diffusion probabilistic models. NIPS 33 (2020). 6840–6851.
- [14] Jonathan Ho, Ajay Jain, and Pieter Abbeel. 2020. Denoising diffusion probabilistic models. NIPS 33 (2020), 6840–6851.
- [15] Binbin Hu, Chun Shi, Wayne Xin Zhao, and Philip S Yu. 2018. Leveraging meta-path based context for top-n recommendation with a neural co-attention model. In KDD. 1531–1540.
- [16] Mohsen Jamali and Martin Ester. 2010. A matrix factorization technique with trust propagation for recommendation in social networks. In *RecSys.* 135–142.
- [17] Yangqin Jiang, Chao Huang, and Lianghao Huang. 2023. Adaptive graph contrastive learning for recommendation. In KDD. 4252–4261.
- [18] Mengyuan Jing, Yanmin Zhu, Tianzi Zang, and Ke Wang. 2023. Contrastive self-supervised learning in recommender systems: A survey. TOIS (2023), 1–39.
- [19] Thomas N Kipf and Max Welling. 2016. Semi-supervised classification with graph convolutional networks. arXiv preprint arXiv:1609.02907 (2016).
   [20] Jiuqiang Li and Hongjun Wang. 2024. Graph Diffusive Self-Supervised Learning
- for Social Recommendation. In *SIGIR*. 2442–2446. [21] Xiao Li, Li Sun, Mengjie Ling, and Yan Peng. 2023. A survey of graph neural
- network based recommendation in social networks. *Neurocomputing* (2023). [22] Zongwei Li, Lianghao Xia, and Chao Huang. 2024. RecDiff: Diffusion Model for
- [23] Zihan Lin, Changxin Tian, Yupeng Hou, and Wayne Xin Zhao. 2022. Improving graph collaborative filtering with neighborhood-enriched contrastive learning. In WWW. 2320–2329.
- [24] Yijing Liu, Yan Jia, Qingyin Tan, Zheli Liu, and Luyi Xing. 2022. How Are Your Zombie Accounts? Understanding Users' Practices and Expectations on Mobile App Account Deletion. In 31st USENIX Security Symposium. 863–880.
- [25] Justin Lovelace, Varsha Kishore, Chao Wan, Eliot Shekhtman, and Kilian Q Weinberger. 2024. Latent diffusion for language generation. NIPS 36 (2024).
- [26] Calvin Luo. 2022. Understanding diffusion models: A unified perspective. arXiv preprint arXiv:2208.11970 (2022).
- [27] Hao Ma, Irwin King, and Michael R Lyu. 2009. Learning to recommend with social trust ensemble. In SIGIR. 203-210.
- [28] Hao Ma, Dengyong Zhou, Chao Liu, Michael R Lyu, and Irwin King. 2011. Recommender systems with social regularization. In WSDM. 287–296.
- [29] Wenze Ma, Yuexian Wang, Yanmin Zhu, Zhaobo Wang, Mengyuan Jing, Xuhao Zhao, Jiadi Yu, and Feilong Tang. 2024. MADM: A Model-agnostic Denoising Module for Graph-based Social Recommendation. In WSDM. 501–509.
- [30] Peter V Marsden and Noah E Friedkin. 1993. Network studies of social influence. Sociological Methods & Research 22, 1 (1993), 127–151.
- [31] Miller McPherson, Lynn Smith-Lovin, and James M Cook. 2001. Birds of a feather: Homophily in social networks. Annual review of sociology 27, 1 (2001), 415–444.

- [32] Bhaskar Mehta, Thomas Hofmann, and Wolfgang Nejdl. 2007. Robust collaborative filtering. In *RecSys.* 49–56.
- [33] Aaron van den Oord, Yazhe Li, and Oriol Vinyals. 2018. Representation learning with contrastive predictive coding. arXiv preprint arXiv:1807.03748 (2018).
- [34] Yuhan Quan, Jingtao Ding, Chen Gao, Lingling Yi, Depeng Jin, and Yong Li. 2023. Robust preference-guided denoising for graph based social recommendation. In WWW. 1097–1108.
- [35] Robin Rombach, Andreas Blattmann, Dominik Lorenz, Patrick Esser, and Bjorn Ommer. 2022. High-resolution image synthesis with latent diffusion models. In *CVPR*. 10684–10695.
- [36] Chitwan Saharia, William Chan, Saurabh Saxena, Lala Li, Jay Whang, Emily L Denton, Kamyar Ghasemipour, Raphael Gontijo Lopes, Burcu Karagol Ayan, Tim Salimans, et al. 2022. Photorealistic text-to-image diffusion models with deep language understanding. *NIPS* 35 (2022), 36479–36494.
- [37] Kartik Sharma, Yeon-Chang Lee, Sivagami Nambi, Aditya Salian, Shlok Shah, Sang-Wook Kim, and Srijan Kumar. 2022. A survey of graph neural networks for social recommender systems. arXiv preprint arXiv:2212.04481 (2022).
- [38] Peijie Sun, Le Wu, and Meng Wang. 2018. Attentive recurrent social recommendation. In SIGIR. 185–194.
- [39] Jiliang Tang, Xia Hu, and Huan Liu. 2013. Social recommendation: a review. Social Network Analysis and Mining 3 (2013), 1113–1133.
- [40] Changxin Tian, Yuexiang Xie, Yaliang Li, Nan Yang, and Wayne Xin Zhao. 2022. Learning to denoise unreliable interactions for graph collaborative filtering. In *SIGIR*. 122–132.
- [41] Clement Vignac, Igor Krawczuk, Antoine Siraudin, Bohan Wang, Volkan Cevher, and Pascal Frossard. 2022. Digress: Discrete denoising diffusion for graph generation. In *ICLR*.
- [42] Tongzhou Wang and Phillip Isola. 2020. Understanding contrastive representation learning through alignment and uniformity on the hypersphere. In *ICML*. PMLR.
- [43] Tianle Wang, Lianghao Xia, and Chao Huang. 2023. Denoised self-augmented learning for social recommendation. arXiv preprint arXiv:2305.12685 (2023).
- [44] Wenjie Wang, Fuli Feng, Xiangnan He, Liqiang Nie, and Tat-Seng Chua. 2021. Denoising implicit feedback for recommendation. In WSDM. 373–381.
- [45] Wenjie Wang, Yiyan Xu, Fuli Feng, Xinyu Lin, Xiangnan He, and Tat-Seng Chua. 2023. Diffusion recommender model. In SIGIR. 832–841.
- [46] Xiang Wang, Xiangnan He, Meng Wang, Fuli Feng, and Tat-Seng Chua. 2019. Neural graph collaborative filtering. In SIGIR. 165–174.
- [47] Yu Wang, Xin Xin, Zaiqiao Meng, Joemon M Jose, Fuli Feng, and Xiangnan He. 2022. Learning robust recommenders through cross-model agreement. In WWW. 2015–2025.
- [48] Jiancan Wu, Xiang Wang, Fuli Feng, Xiangnan He, Liang Chen, Jianxun Lian, and Xing Xie. 2021. Self-supervised graph learning for recommendation. In SIGIR. 726–735.
- [49] Le Wu, Junwei Li, Peijie Sun, Richang Hong, Yong Ge, and Meng Wang. 2020. Diffnet++: A neural influence and interest diffusion network for social recommendation. *TKDE* 34, 10 (2020), 4753–4766.
- [50] Le Wu, Peijie Sun, Yanjie Fu, Richang Hong, Xiting Wang, and Meng Wang. 2019. A neural influence diffusion model for social recommendation. In *SIGIR*. 235–244.
- [51] Yao Wu, Christopher DuBois, Alice X Zheng, and Martin Ester. 2016. Collaborative denoising auto-encoders for top-n recommender systems. In WSDM. 153–162.
- [52] Xin Xia, Hongzhi Yin, Junliang Yu, Yingxia Shao, and Lizhen Cui. 2021. Selfsupervised graph co-training for session-based recommendation. In CIKM. 2180– 2190.
- [53] Xu Xie, Fei Sun, Zhaoyang Liu, Shiwen Wu, Jinyang Gao, Jiandong Zhang, Bolin Ding, and Bin Cui. 2022. Contrastive learning for sequential recommendation. In *ICDE*. IEEE, 1259–1273.
- [54] Yiyan Xu, Wenjie Wang, Fuli Feng, Yunshan Ma, Jizhi Zhang, and Xiangnan He. 2024. Diffusion Models for Generative Outfit Recommendation. In *SIGIR*. 1350–1359.
- [55] Junliang Yu, Hongzhi Yin, Jundong Li, Qinyong Wang, Nguyen Quoc Viet Hung, and Xiangliang Zhang. 2021. Self-supervised multi-channel hypergraph convolutional network for social recommendation. In WWW. 413–424.
- [56] Junliang Yu, Hongzhi Yin, Xin Xia, Tong Chen, Jundong Li, and Zi Huang. 2023. Self-supervised learning for recommender systems: A survey. *TKDE* (2023).
- [57] Hengtong Zhang, Changxin Tian, Yaliang Li, Lu Su, Nan Yang, Wayne Xin Zhao, and Jing Gao. 2021. Data poisoning attack against recommender system using incomplete and perturbed data. In *KDD*. 2154–2164.
  [58] Jujia Zhao, Wang Wenjie, Yiyan Xu, Teng Sun, Fuli Feng, and Tat-Seng Chua.
- [58] Jujia Zhao, Wang Wenjie, Yiyan Xu, Teng Sun, Fuli Feng, and Tat-Seng Chua. 2024. Denoising diffusion recommender model. In *SIGIR*. 1370–1379.
  [59] Ding Zou, Wei Wei, Ziyang Wang, Xian-Ling Mao, Feida Zhu, Rui Fang, and
- [59] Ding Zou, Wei Wei, Ziyang Wang, Xian-Ling Mao, Feida Zhu, Rui Fang, and Dangyang Chen. 2022. Improving knowledge-aware recommendation with multilevel interactive contrastive learning. In *CIKM*. 2817–2826.

# 1045 Appendix

In this appendix, we provide additional details omitted from the main paper due to the space limitation. We begin with a table of key notations used in this paper (Appendix A), followed by the optimization processes (Appendix B), and a complexity analysis and generalization discussion (Appendix C) of GDSR. Next, we describe experiment settings in detail (Appendix D). Finally, we introduce supplementary discussions on the related work (Appendix E).

# A. Notation Table

The notations used in this paper are summarized in Table 5.

Table 5: Summary of key notations.

Symbol	Explanation
$\mathcal{U},\mathcal{V}$	user set and item set
Y, S	interaction matrix and social matrix
$\mathcal{G}_{\mathcal{B}},\mathcal{G}_{\mathcal{S}}$	original interaction graph and social graph
$\mathcal{G}_{\mathcal{B}^*}, \mathcal{G}_{\mathcal{S}^*}$	denoised interaction graph and social graph
<i>T</i> , <i>s</i>	diffusion step and noise scale
$\mathbf{u}_i, \mathbf{v}_j$	initial embedding for user $u_i \in \mathcal{U}$ and item $v_j \in \mathcal{V}$
$\mathbf{E}_{u,\mathcal{B}}^*, \mathbf{E}_{v,\mathcal{B}}^*$	user and item collaborative embedding matrices
$\mathbf{E}_{u,S}^{*}$	user social embedding matrix
AGG <sub>B</sub>	Neighborhood aggregation function for graph $\mathcal{G}_{\mathcal{B}^*}$
AGG <sub>S</sub>	Neighborhood aggregation function for graph $\mathcal{G}_{\mathcal{S}^*}$
$\hat{y}_{ij}$	Predicted user $u_i$ 's preference for item $v_j$

# **B.** Optimization of Our GDSR

To optimize our GDSR model, we integrate the losses from both the denoising module (i.e., Eq.(17)) and the recommendation module (i.e., Eq.(29)). The combined loss is defined as follows:

$$\mathcal{L}_{\text{GDSR}} = \mathcal{L}_{\text{Denoising}} + \mathcal{L}_{\text{Recommendation}}.$$
 (30)

We then alternately train the losses of two modules. The pseudocodes of our GDSR are introduced in Algorithms 1-4.

<ul> <li>Input: User and item sets U and V, interaction matrix Y, original interaction graph G<sub>B</sub>, original social graph G<sub>S</sub>, diffusion step T, inference step T', f<sub>θ</sub> in CDM, f<sub>ψ</sub> in SDM, recommendation module parameter Θ, numbers of training Γ<sub>de</sub> and Γ<sub>rec</sub>.</li> <li>1 for number of iterations for GDSR do</li> <li>2 for number of training Γ<sub>de</sub> for denoising do</li> </ul>	A	gorithm 1: Optimization procedure of GDSR
<ul> <li>original interaction graph <i>G</i><sub>B</sub>, original social graph <i>G</i><sub>S</sub>, diffusion step <i>T</i>, inference step <i>T'</i>, <i>f</i><sub>θ</sub> in CDM, <i>f</i><sub>ψ</sub> in SDM, recommendation module parameter Θ, numbers of training Γ<sub>de</sub> and Γ<sub>rec</sub>.</li> <li><b>1 for</b> number of iterations for GDSR <b>do</b></li> <li><b>2 for</b> number of training Γ<sub>de</sub> for denoising <b>do</b></li> </ul>	I	<b>(nput:</b> User and item sets $\mathcal U$ and $\mathcal V$ , interaction matrix <b>Y</b> ,
<ul> <li>G<sub>S</sub>, diffusion step T, inference step T', f<sub>θ</sub> in CDM, f<sub>ψ</sub> in SDM, recommendation module parameter Θ, numbers of training Γ<sub>de</sub> and Γ<sub>rec</sub>.</li> <li>1 for number of iterations for GDSR do</li> <li>2 for number of training Γ<sub>de</sub> for denoising do</li> </ul>		original interaction graph $\mathcal{G}_{\mathcal{B}}$ , original social graph
<ul> <li>f<sub>ψ</sub> in SDM, recommendation module parameter Θ, numbers of training Γ<sub>de</sub> and Γ<sub>rec</sub>.</li> <li>for number of iterations for GDSR do</li> <li>for number of training Γ<sub>de</sub> for denoising do</li> </ul>		$\mathcal{G}_{\mathcal{S}}$ , diffusion step <i>T</i> , inference step <i>T'</i> , $f_{\theta}$ in CDM,
numbers of training $\Gamma_{de}$ and $\Gamma_{rec}$ . <b>1 for</b> number of iterations for GDSR <b>do</b> 2 <b>for</b> number of training $\Gamma_{de}$ for denoising <b>do</b>		$f_{\psi}$ in SDM, recommendation module parameter $\Theta$ ,
<ol> <li>for number of iterations for GDSR do</li> <li>for number of training Γ<sub>de</sub> for denoising do</li> </ol>		numbers of training $\Gamma_{de}$ and $\Gamma_{rec}$ .
<sup>2</sup> <b>for</b> number of training $\Gamma_{de}$ for denoising <b>do</b>	1 <b>f</b>	For number of iterations for GDSR do
	2	<b>for</b> number of training $\Gamma_{de}$ for denoising <b>do</b>
<sup>3</sup> Train the denoising module (Algorithm 2);	3	Train the denoising module (Algorithm 2);
4 end	4	end
5 Generate denoised graphs (Algorithm 3);	5	Generate denoised graphs (Algorithm 3);
<b>for</b> number of training $\Gamma_{rec}$ for recommendation <b>do</b>	6	<b>for</b> number of training $\Gamma_{rec}$ for recommendation <b>do</b>
7 Train the recommendation module (Algorithm 4);	7	Train the recommendation module (Algorithm 4);
8 end	8	end
9 end	9 E	end
<b>Output:</b> User preference prediction function $\mathcal{F}$ .	(	<b>Dutput:</b> User preference prediction function $\mathcal{F}$ .

Algorithm 1 alternately optimizes the denoising module and the recommendation module. Specifically, in each outer loop, we first

train the denoising module using Algorithm 2, then generate the denoised graph using Algorithm 3, and finally train the recommendation model using Algorithm 4. In this paper, we set the number of training iterations for both modules as  $\Gamma_{de} = \Gamma_{rec} = 1$ .

A	lgorithm 2: Denoising Module Training of GDSR
	<b>Input:</b> Original interaction graph $\mathcal{G}_{\mathcal{B}}$ , original social graph $\mathcal{G}_{\mathcal{S}}$ , diffusion step $T$ , $f_{\theta}$ in CDM, $f_{\psi}$ in SDM, user collaborative feature $\mathbf{E}_{u,\mathcal{B}}^*$ , user social feature $\mathbf{E}_{u,\mathcal{S}}^*$ ,
	item collaborative feature $\mathbf{E}_{v,\mathcal{B}}^*$ .
1	Sample a user-item interaction batch $C_u$ from $\mathcal{G}_{\mathcal{B}}$ ;
2	Sample a user-user interaction batch $S_u$ from $\mathcal{G}_S$ ;
3	Sample $t \sim \mathbf{U}(1, T)$ ;
4	Compute $C_{u,t}$ given $C_{u,t-1}$ and $t$ via $q(C_{u,t} C_{u,t-1})$ ;
5	Compute $S_{u,t}$ given $S_{u,t-1}$ and $t$ via $q(S_{u,t} S_{u,t-1})$ ;
6	Calculate $\mathcal{L}_{\text{Denoising}}$ by Eq.(17);
7	Take gradient descent step on $ abla_{ heta}(\mathcal{L}_{ ext{Denoising}})$ and
	$\nabla_{\psi}(\mathcal{L}_{\text{Denoising}})$ to optimize parameters $\theta$ and $\psi$ ;
	<b>Output:</b> Optimized $f_{\theta}$ and optimized $f_{\psi}$ .
A	lgorithm 3: Denoised Graph Generation
	<b>Input:</b> User set $\mathcal{U}$ , original interaction graph $\mathcal{G}_{\mathcal{B}}$ , original
	social graph $\mathcal{G}_{\mathcal{S}}$ , diffusion step T, inference step T',
	optimized $f_{\theta}$ in CDM, optimized $f_{\psi}$ in SDM, user
	conadorative reature $\mathbf{E}_{u,\mathcal{B}}$ , user social reature $\mathbf{E}_{u,\mathcal{S}}$ .
1	forall $u \in \mathcal{U}$ do
2	Sample $\epsilon \sim \mathcal{N}(0, I);$
3	Compute $c_{u,T'}$ given $c_{u,0}$ , $T'$ , $\epsilon$ , and set $c_{u,T} = c_{u,T'}$ ;
4	Compute $s_{u,T'}$ given $s_{u,0}$ , $T'$ , $\epsilon$ , and set $s_{u,T} = s_{u,T'}$ ;
5	for $t = 1, \dots, 1$ do
6	Compute $\tilde{c}_{u,t-1}$ from $\tilde{c}_{u,t}$ via $f_{\theta}$
7	Compute $s_{u,t-1}$ from $s_{u,t}$ via $J\psi$ ;
8	Construct a set of the user densitied interaction
9	construct a set of the user denoised interaction neighborhood based on $\tilde{c}$ as
	Construct a set of the user denoised social
10	neighborhood based on §
10	1  Inclembol  Output  Output
10 11	end
10 11 12	end Construct denoised interaction graph $\mathcal{G}_{\mathcal{B}^*}$ and denoised
10 11 12	end Construct denoised interaction graph $\mathcal{G}_{\mathcal{B}^*}$ and denoised social graph $\mathcal{G}_{\mathcal{S}^*}$ based on user denoised neighbor sets;

# C. Model Complexity and Generalization

In this section, we first analyze the model complexity of our GDSR in terms of model size and time complexity. Then, we discuss the model generalization of our GDSR.

**C.1 Model Size**. The model parameter size of our GDSR is from two parts: (1) For the denoising module, it uses  $O((2 \cdot |\mathcal{U}|) \cdot d_{dm})$  parameters, where  $d_{dm}$  is the hidden space dimension for the dual DM. In practice, a smaller  $d_{dm}$  (e.g., 32) makes our method achieve

1187

1161 nice performance. (2) For the recommendation module, it requires  $O((|\mathcal{U}| + |\mathcal{V}|) \cdot d_{gnn})$  parameters for user and item embedding 1162 1163 matrices and  $O(L \cdot d_{gnn}^2)$  parameters for the weight matrices in 1164 the dual GNN (i.e., from the GI mechanism), where L is the layer 1165 number and  $d_{gnn}$  is the embedding size in dual GNN. Compared 1166 with embedding matrices, weight parameters are lighter and can 1167 be neglected. Generally, the parameter size of the recommendation 1168 module aligns with many GNN-based social recommenders.

A	gorithm 4: Recommendation Module Training of GDSR
Ι	<b>nput:</b> Interaction matrix Y, denoised graphs $\mathcal{G}_{\mathcal{B}^*}$ , $\mathcal{G}_{\mathcal{S}^*}$ .
1 I	nitialize all the parameter $\Theta$ in recommendation module
2 I	Draw a batch of interaction data $Y_b$ from Y;
3 f	forall $(u, v) \in \mathbf{Y}_b$ do
4	Calculate user and item embeddings (i.e., $\mathbf{E}_{\mu \ \beta}^{*}, \mathbf{E}_{\mu \ S}^{*}$
	$\mathbf{E}_{v,\mathcal{B}}^*$ ) based on $\mathcal{G}_{\mathcal{B}^*}, \mathcal{G}_{\mathcal{S}^*}$ via Eqs.(24) and (25);
5	Calculate the user-item interaction prediction (i.e., $\hat{y}_i$
	for user $u_i$ and item $v_j$ ) according to Eq.(26);
6	Calculate loss $\mathcal{L}_{\text{Recommendation}}$ according to Eq.(29) ;
7	Take gradient descent step on $\nabla_{\Theta}(\mathcal{L}_{\text{Recommendation}})$ ;
8 <b>e</b>	nd
(	<b>Dutput:</b> Prediction function $\mathcal{F}(u, v   \Theta, Y, \mathcal{G}_{\mathcal{B}^*}, \mathcal{G}_{\mathcal{S}^*})$ , use
	collaborative features $\mathbf{E}^*_{\mu,\mathcal{B}}$ , user social features
	$\mathbf{E}_{u,\mathcal{S}}^*$ , item collaborative features $\mathbf{E}_{v,\mathcal{B}}^*$ .

C.2 Time Complexity. The time complexity of GDSR comes from 1188 two parts. (1) In the denoising module, our dual DM takes  $O(b \cdot d_{dm} \cdot$ 1189  $|\mathcal{U}|$ ) time for training, where *b* is the batch size. In addition, our 1190 SG mechanism introduces  $O(b^2 \cdot |\mathcal{U}|)$  time for training. (2) In the 1191 1192 recommendation module, the time complexity of our dual GNN is  $O((|\mathcal{E}_{\mathcal{B}^*}| + |\mathcal{E}_{\mathcal{S}^*}|) \cdot (L \cdot d_{gnn} + L \cdot d_{gnn}^2))$ , where  $\mathcal{E}_{\mathcal{B}^*}$  and  $\mathcal{E}_{\mathcal{S}^*}$  are the 1193 edge sets in denoised bipartite and social graphs. For the diffusion-1194 aware contrastive task, the time cost is  $O(b \cdot (|\mathcal{E}_{\mathcal{B}^*}| + |\mathcal{E}_{\mathcal{S}^*}|) \cdot d_{gnn})$ . 1195

1196 C.3 Time Efficiency Analysis. In this section, we conduct experi-1197 ments to further analyze the time efficiency of our GDSR. Following 1198 [22], we record the time cost per epoch during training and the 1199 inference time during testing. We also compare our GDSR with 1200 three representative recommender baselines (i.e., DiffNet++ [49], 1201 AdaGCL [17], and RecDiff [22]). All experiments are conducted on 1202 a Linux server with an Intel(R) Xeon(R) Gold CPU 5218@2.3GHz 1203 and a Quadro RTX 5000 GPU. The experiment results are shown in 1204 Table 5. Generally, during the training phase, we find that AdaGCL, 1205 RecDiff, and GDSR introduce additional time costs for denoising op-1206 erations compared to traditional graph-based social recommenders 1207 DiffNet++, which is because denoising operation requires additional 1208 time costs. During the testing phase, the inference time required 1209 by the models is similar. Generally, we consider the time costs of 1210 our GDSR to be acceptable. In the future, we plan to design the la-1211 tent space diffusion strategy and acceleration algorithms to further 1212 improve the training efficiency of our GDSR. 1213

C.4 Model Generalization. In this paper, we propose a social 1214 recommendation model GDSR, which includes a denoising module 1215 and a recommendation module. GDSR first denoises the interaction 1216 and social graphs, and then generates recommendations based on 1217 1218

1219

1220

1221

1222

1223

1224

1225

1226

1227

1228

1229

1230

1231

1232

1233

1234

1235

1236

1237

1238

1239

1240

1241

1242

1243

1244

1245

1246

1247

1248

1249

1250

1251

1252

1253

1254

1255

1256

1257

1258

1259

1260

1261

1262

1263

1264

1265

1266

1267

1268

1269

1270

1271

1272

1273

Table 6: Running time efficiency analysis about the training time per epoch and testing time (s: second).

Mathad	Yelp		Doub	an	Flixster		
Methou	Train	Test	Train	Test	Train	Test	
DiffNet++	4.552s	1.095s	26.553s	8.832s	75.603s	41.847s	
AdaGCL	102.480s	1.028s	203.869s	7.696s	1175.386s	36.756s	
RecDiff	9.972s	0.881s	31.279s	7.314s	103.485s	35.555s	
GDSR	16.911s	0.980s	78.674s	9.224s	451.197s	40.503s	

the denoised graphs. Although we introduce a specific recommendation module, we believe that the denoising module in GDSR does not rely on a particular backend recommender model. It can be integrated into other social recommenders to enhance performance. For example, experiments in Section 4.4.2 show that after incorporating our denoising module, both GraphRec+ [7] and DiffNet++ [49] backbones achieve improved results, demonstrating the generalization capability of the denoising module. Beyond the backbone model, we also believe that the proposed idea of the dual graph diffusion model can be generalized to other recommendation scenarios.

# **D. Experiment Details**

In this section, we provide details on the datasets, comparison methods, and hyper-parameter settings of comparison methods.

**D.1 Datasets**. We evaluate our experiments on the three real-world datasets from different domains: Yelp business dataset[15], Douban book dataset[55], and Flixster movie dataset<sup>1</sup>. All datasets contain user-item interaction information and social connections between users. The social connections in the Douban dataset are unilateral trust relationships, which means that when user A trusts user B, user B does not necessarily trust user A. Yelp and Flixter datasets have a friendship mechanism that is bilateral for both users.

D.2 Comparison Methods. We compare our GDSR with four group recommendation methods: (1) graph-based collaborative recommenders (i.e., LR-GCCF [2] and LightGCN [12]), (2) graph-based social recommenders (i.e., DiffNet++ [49] and GraphRec+ [7]), (3) denoising graph-based collaborative recommenders (i.e., RGCF [40], DDRM [58], and AdaGCL [17]), and (4) denoising graph-based social recommenders (i.e., GDMSR [34], DSL [43], GDSSL [20], and RecDiff [22]). We also note that DiffRec [45] and SGL [48] are denoising collaborative recommenders. Since DDRM outperforms DiffRec, and both AdaGCL and RGCF achieve better results than SGL, we do not include comparisons with DiffRec and SGL in our experiments. The descriptions for these baselines are listed as follows:

- LR-GCCF utilizes graph neural networks (GNNs) to model the user-item interaction bipartite graph. LR-GCCF first simplifies GNNs by removing non-linear activations, and then introduce a residual network structure for embedding combinations.
- LightGCN, similar to LR-GCCF, also models the user-item interaction graph using a simplified GNN structure. LightGCN removes activation functions and linear transformations, relying solely on neighborhood aggregation for layer-wise propagation.
- GraphRec+, is an upgraded version of GraphRec [6], which uses GNNs to model the interaction graph, social graph, and item relation graph constructed based on collaborative similarities.

<sup>&</sup>lt;sup>1</sup>https://www.flixster.com/

- DiffNet++, an enhanced version of DiffNet [50], uses graph attention networks to model the user-item interaction graph and social graph separately.
- RGCF introduces a denoising method to alleviate noise issues
   from the user-item interaction graph, and then models user preferences for items based on the denoised interaction graph.
- DDRM applies diffusion models to denoise user and item embeddings. In this experiment, we use DDRM+SGL as the instantiation of DDRM due to its notable performance reported in their paper.
- AdaGCL is a graph collaborative filtering-based denoising method
   that incorporates data augmentation through graph denoising
   and generative model-based view generators.
- GDMSR designs a preference-guided graph denoising network
   to denoise the social graph, which generates recommendations
   based on the denoised social graph and user-item interaction
   information. We use DiffNet++ as the backend model for GDMSR.
- DSL alleviates noise issues in the social graph using a crossview denoised self-supervision method and optimizes the recommender model using a multi-task learning strategy.
- GDSSL utilizes a diffusion model to generate a social subgraph
   structure. It then designs a contrastive learning task based on
   this subgraph to enhance the model representation learning.
- RecDiff applies a diffusion model to denoise user representations derived from the social graph, then combines the denoised representations with user-item interaction modeling.

**D.3 Hyper-parameter Settings**. Except for GraphRec+ [7] and GDSSL [20], all other baselines provided their code in their papers. For GraphRec+, we implement it based on the code in GraphRec [6]. For GDSSL, we implement this method ourselves. The settings of key hyper-parameters of these baselines are as follows:

• LR-GCCF: GNN layer size L = 3, embedding size d = 64.

1302

1303

1304

1305

1306

1307

1313

1314

1328

1329

1330

1331

- LightGCN: GNN layer size L = 3, embedding size d = 64.
- DiffNet++: GNN layer size L = 2, embedding size d = 64.
- GraphRec+: GNN layer size L = 1, MLP layer size L' = 2, embedding size d = 64, item similar neighbor size k = 10.
  - RGCF: GNN layer size L = 2, embedding size d = 64, diversity loss coefficient  $\lambda_1 = 0.000001$ , temperature  $\tau = 0.1$ .
- 1315 DDRM: embedding size d = 64, diffusion step T = 10 (on Yelp 1316 and Flixster) or T = 20 (on Douban), noise scale s = 0.001, loss 1317 balance factor  $\lambda = 0.2$ , reweighted factor  $\gamma = 0.9$ .
- 1318• AdaGCL: GNN layer size L = 2, embedding size d = 32 (on1319Douban, Flixster) or d = 64 (on Yelp), SSL strength  $\lambda_1 = 0.1$  (on1320Yelp, Douban) or  $\lambda_1 = 0.01$  (on Flixster), temperature  $\tau = 0.5$ .
- <sup>1321</sup> GDMSR: GNN layer size L = 2, embedding size d = 32, cooptimization weight  $\alpha = 0.5$ , adaptive denoising factor  $\gamma = 0.5$ .
- DSL: GNN layer size L = 2, embedding size d = 32 (on Douban and Flixster) or d = 64 (on Yelp), SSL strength  $\lambda_1 = 0.00001$  (on Yelp and Douban) or  $\lambda_1 = 0.00001$  (on Flixster).
- <sup>1326</sup> GDSSL: GNN layer size L = 2, embedding size d = 64, diffusion <sup>1327</sup> step T = 10, SSL and social task strength  $\lambda_1 = 0.01$ ,  $\lambda_2 = 0.01$ .
  - RecDiff: GNN layer size L = 2, embedding size d = 64, timestep embedding dim d' = 16, diffusion step T = 20, noise scale s = 0.1.

#### E. Contrastive Learning in Recommendation

In recent years, contrastive learning (CL) has emerged as a promis ing approach to enhance recommender systems [18, 56]. CL-based

12

recommendation methods utilize additional supervision signals extracted from raw data, which can mitigate the data sparsity problem and improve model performance. The construction of contrastive views is crucial for CL-based recommenders. One line of current research [48, 53] uses data augmentation to create more views from the original data, while another line of studies [48, 52, 55] focuses on mining different views that exist in the data. Our GDSR aligns more closely with the first research line. Specifically, we first use diffusion models to enhance the original interaction bipartite graph and social graph, obtaining denoised graph structures. We then contrast the representations of user and item nodes in the graph before and after denoising. The node self-discrimination could provide auxiliary supervision signals for recommendation. We believe our diffusion-aware data augmentation paradigm will contribute to the advancement of CL-based recommender systems.

1354

1355

1356

1357

1358

1359

1360

1361

1362

1363

1364

1365

1366

1367

1368

1369

1370

1371

1372

1373

1374

1375

1376

1377

1378

1379

1380

1381

1382

1383

1384

1385

1386

1387

1388

1389

1390

1391

1392

1335

1336

1337

Anon