

Automating pedagogical evaluation of LLM-based conversational agents

Zaki Pauzi^{1,*}, Michael Dodman^{2,†} and Manolis Mavrikis¹

¹*UCL Knowledge Lab, United Kingdom*

²*Faculty AI, United Kingdom*

Abstract

With the growing adoption of large language models (LLMs) in educational settings, there is an urgent need for systematic and scalable evaluation methods. Traditional natural language generation metrics such as BLEU, ROUGE and METEOR excel at measuring surface-level linguistic quality but fall short in evaluating the interactive, adaptive nature of dialogue alignment of conversational agents, particularly in relation to their intended design. To address these gaps, we propose an evaluation strategy that extends beyond technical evaluation (linguistic coherence and semantic relevance). In this pilot study we compare human and LLM-based evaluation of a conversational agent, with a focus on Socratic dialogue as a specific instantiation. Early results indicate that our LLM-as-a-Judge aligns closely to human evaluators for clear, surface-level qualities like encouragement and actionable guidance, but less on subtle pedagogical behaviours such as recognising errors and maintaining natural dialogue flow. These early results underscore the promise of LLM-based evaluators for scalable assessment of tutoring behaviours while highlighting the need for targeted fine-tuning and hybrid approaches to improve nuanced error detection and dialogue coherence.

Keywords

pedagogical rubric, automated evaluation, Socratic dialogue, AI tutor

1. Introduction

With the rapid advancement of artificial intelligence (AI) in education, there has been an increasing interest in developing intelligent tutoring systems to enhance and improve students' learning experiences. One such approach is the AI tutor, which employs the Socratic dialogue method, i.e., encouraging students to think critically by asking thought-provoking questions rather than providing direct answers [1, 2, 3]. Unlike conventional tutoring models that rely on direct explanations or answer provision, Socratic tutors employ dialogue to guide students through self-discovery, prompting reflection and exploration of underlying concepts.

Despite advances in natural language generation (NLG) and large language models (LLMs), existing evaluation metrics such as BLEU, ROUGE, METEOR, and BERTScore predominantly assess surface-level linguistic quality and semantic similarity. While these metrics effectively measure fluency and coherence, they do not capture the adaptive, interactive, and pedagogical nuances inherent in Socratic tutoring. To bridge this gap, we introduce a pedagogically grounded evaluation framework tailored to AI tutors deploying Socratic dialogue.

Our contribution is twofold: first, we propose a rubric that operationalises key dimensions of Socratic tutoring: Mistake Remediation, Scaffolding, Guidance and Actionability, and Coherence and Tone. Second, we present a pilot study contrasting **human annotators'** scoring against those generated by an **LLM-as-a-judge**. By grounding evaluation with pedagogical aspects, our framework provides a holistic, learner-centered approach to assessing AI-driven tutors. This work supports researchers and practitioners in fine-tuning Socratic tutoring systems, ultimately enhancing the quality and effectiveness of AI-mediated tutoring.

EVAL-LAC 2025: 2nd Workshop on Automated Evaluation of Learning and Assessment Content

*Corresponding author.

†Majority of the work was completed while the author was at Faculty AI.

✉ z.pauzi@ucl.ac.uk (Z. Pauzi); mrqdodman@gmail.com (M. Dodman); m.mavrikis@ucl.ac.uk (M. Mavrikis)

id 0000-0003-4032-4766 (Z. Pauzi); 0000-0003-0575-0823 (M. Mavrikis)



© 2025 Copyright for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

2. Background

The AI tutor is built on the principles of Socratic teaching — an approach that uses questioning and dialogue to guide students toward deeper understanding, commonly associated with the objective of developing critical thinking, rather than directly lecturing or providing answers [1, 2, 4]. This AI tutor acts as a teacher’s assistant, helping to extend the teacher’s ability to ask questions while the students are working. By having these conversations, the teacher is able to know the magnitude of a student’s understanding in a particular subject or topic and uncover what their misconceptions are. A key limitation of doing this manually is the enormous amount of time and effort required by teachers to participate in these conversations.

The evaluation of large language models (LLMs) has advanced considerably, particularly in their application to AI tutoring systems. Early approaches relied on traditional natural language generation (NLG) metrics, such as BLEU and ROUGE, which are effective in assessing fluency, but insufficient in capturing the pedagogical effectiveness of AI tutors [5]. To address these shortcomings, Maurya et al. [6] introduced the Unified Evaluation Taxonomy, a framework for systematically assessing AI tutors based on eight pedagogical dimensions: mistake identification, mistake location, revealing the answer, providing guidance, actionability, coherence, tutor tone, and human-likeness. This taxonomy provides a standardised approach to evaluating AI tutors and aligns with established educational best practices.

2.1. Automated technical metrics for assessing dialogue quality

Automated metrics provide quantitative tools to assess the technical quality of dialogue systems, including AI tutors. In assessing the quality of Socratic dialogues, Favero et al. [7] used BERTScore [8], which employs contextual embeddings to evaluate semantic similarity, offering a deeper evaluation of meaning compared to BLEU [9], ROUGE [10], and METEOR [11]. Another recent metric used is DialogRPT, which is tailored for conversational AI. It evaluates response coherence and human-likeness, making it particularly relevant for dialogue-based tutoring systems [6].

These metrics can be valuable for assessing the *technical* aspects of the responses of AI Socratic tutors. However, these automated NLP metrics have limitations when it comes to assessing the *pedagogical* aspects effectively and the interactive nature of AI Socratic tutors. Many of these metrics are based on a comparison with predetermined reference answers, which may not be entirely suitable for Socratic dialogue, where the learning process and the individual exploration of the student are more important than arriving at a specific answer [12].

While technical metrics offer a valuable assessment of the surface-level linguistic quality of the dialogue, they lack the capacity to fully evaluate the pedagogical impact of the Socratic interaction on the student’s learning and cognitive development. This necessitates the consideration of evaluation metrics that incorporate these pedagogical dimensions.

2.2. Pedagogical frameworks and taxonomies for evaluating AI tutors

To address the limitations of technical metrics, pedagogical frameworks and taxonomies offer structured ways to evaluate the educational effectiveness of AI tutors employing Socratic dialogue. One notable approach is the eight dimensions taxonomy for pedagogical abilities proposed in recent research [6]. Grounded in learning sciences principles, this taxonomy provides a standardised approach to evaluating key aspects of the tutoring interaction and the AI’s ability to effectively address student errors. Each dimension is often evaluated using a three-tier labeling system (Yes, To some extent, No), allowing for nuanced assessment of the AI tutors’ pedagogical abilities.

Automated technical metrics offer valuable quantitative data regarding the linguistic quality of the dialogue, including aspects such as fluency, coherence, and semantic similarity [13]. On the other hand, pedagogical frameworks provide qualitative insights into the learning process, focusing on the AI’s ability to guide student thinking, foster critical reasoning, and promote deeper understanding. Human feedback also plays a crucial role in evaluating aspects that automated systems may find challenging

to assess, such as the depth of critical thinking stimulated by the interaction and the overall learning experience from the student’s perspective [14].

3. Rubric for automated evaluation of Socratic dialogue

Drawing upon the previous work from Maurya et al. [6] and learning sciences literature (e.g., [15, 3]), we propose the following set of dimensions, metrics and questions that form our proposed tentative rubric framework (Table 1) for automated evaluation of AI tutors.

Table 1

Rubric for AI tutor evaluation

Dimension	Metric	Question	Answer type
Mistake Remediation	Identifying mistake	Does the tutor correctly recognise that the student has made a mistake?	Yes/No/NA
	Acknowledging mistake	Does the tutor show that they notice the mistake?	Yes/No/NA
Scaffolding	Provision of appropriate support without giving answers directly	Does the tutor help the student without directly giving the answer?	Yes/No
Guidance and Actionability	Provision of guidance to move to the next step	Based on the tutor’s responses in the conversation, is there clear guidance on what the student should do next?	Yes/No
Coherence and Tone	Natural-ness of conversation flow	Is the dialogue between the student and tutor natural?	Yes/No
	Encouraging tone	Overall, Is the tutor’s tone encouraging and supportive?	Yes/No

Our rubric operationalises Socratic tutoring principles by breaking them down into four overarching dimensions—Mistake Remediation, Scaffolding, Guidance and Actionability, and Coherence and Tone—each with specific metrics and binary (Yes/No) judgments, with “NA” (Not Applicable) as an option for Mistake Remediation (when there is no mistake that needs to be remedied). This tool ensures both consistency and pedagogical fidelity across manual and automated evaluations.

3.1. Pilot case study

In our case study, we evaluated the AI tutor built on an EdTech platform supporting students in building concept maps. This tool facilitates the students to define nodes and relationships (concept mapping) based on a topic and/or subject. In this exercise, the students are asked to build and link nodes regarding the topic of “**How do we move our school paper registers to an IT system?**”.

3.2. Dialogue sample creation

We created the dialogue turns using Open AI’s GPT-4o to reflect two versions of interaction scenarios between the student and the tutor: A tutor who is Socratic in their teaching and one who is not. In the system prompt for both versions, the following criteria were explicitly mentioned:

1. Not all metrics presented in our proposed rubric should be satisfied.
2. Each scenario reflects different stages in the concept mapping exercise (i.e., Early, Mid, and End).
3. Add variability in some stages where the tutor fails on some metrics, particularly on the version where the tutor is not being *Socratic*.

The following shows an excerpt of the Early stage dialogue between a student and the AI tutor:

[Start of dialogue]

Tutor: What do you think is the main problem with using paper registers in your school?

Student: They're slow and sometimes teachers forget to fill them out.

Tutor: That's a good observation. How might that affect the school as a whole?

Student: Maybe it causes delays in knowing who's present or absent.

Tutor: Great. Can you think of what kinds of data a digital register system would need to handle?

...

The conversation data used for this evaluation can be found at <https://shorturl.at/qWtNU>¹.

3.3. Human evaluation

A total of 12 human evaluators (graduate-level students and academics in Education and Computer Science) were recruited to assess the AI tutor's performance. Evaluators were shown the rubric (Table 1) and the metrics were explained prior to scoring. Each evaluator then independently rated a sample of 10-turn dialogues for each scenario: Early stage, Mid stage, and End stage. For each dialogue scenario, they answered the six Yes/No questions in Table 1.

3.4. LLM-as-a-Judge evaluation

We prompted a task-specific LLM—LearnLM 2.0 Flash Experimental²—to act as an evaluator using the same rubric metrics. LearnLM is an experimental task-specific model that has been trained to align with learning science principles. The concept and implementation of *LLM-as-a-Judge* is not particularly new in the field of automated evaluation [16, 17]; however, in tasks that require specialised knowledge, the validity of using LLMs as judges remains uncertain, and human experts are still necessary to be in the loop [18]. Our contribution is a pilot study of how humans compare to using LLM as evaluators, specifically in assessing pedagogical effectiveness of AI tutors. The prompt template used can be found at <https://shorturl.at/x2ZnE>³

We ran the prompt in a *vanilla* setting (without any shot example) and collected the model's scoring. We then measured alignment with the human annotations via exact match rate and Cohen's κ per metric, and analysed common error patterns to identify areas for prompt or model improvement. We chose a different LLM to the synthetic sample creation given the inherent bias that exists in LLMs evaluating own generation [19].

4. Early Results and Discussion

In this section, we report on the early results of evaluation between our participants and LLM-as-a-Judge. Figure 1 shows the box plot of Cohen's κ value between the human evaluators and the LLM-as-a-Judge.

The box plot highlights striking differences in how well our LLM evaluator aligns with human judgments across the six metrics. At one end of the spectrum, **Encouraging tone** shows near-perfect agreement (mean $\kappa \approx 0.97$), with nearly all values clustered at or very close to 1.00, indicating that the model almost always matches human evaluators in detecting a supportive, positive tone. Similarly, **Provision of guidance to move to the next step** yields strong consensus (mean $\kappa \approx 0.83$), with most scores between 0.67 and 1.00 and only a single outlier at 0.00.

In contrast, the model struggles with the more nuanced task of mistake remediation: both **Identifying mistake** and **Acknowledging mistake** hover around low medians (≈ 0.20 and 0.28 , respectively),

¹This will be replaced with a more sustaining data repository for the camera version (e.g., Zenodo)

²Technical report: <https://goo.gle/LearnLM-dec24>, API docs: <https://ai.google.dev/gemini-api/docs/learnlm>

³This will be replaced with a more sustaining data repository for the camera version (e.g., Zenodo)




Figure 1: Distribution of Cohen’s κ scores between the LLM-based evaluator and human annotators for each Socratic tutoring metric. Each box represents the interquartile range (IQR) with the median (line) and mean (♦), whiskers extend to the most extreme data points not considered outliers, and individual markers denote outliers.

feature wide ranges extending slightly below zero, and even exhibit negative outliers—signalling occasional direct disagreement with human raters. **Provision of appropriate support without giving answers directly** (median $\kappa \approx 0.62$) shows generally reliable but imperfect alignment, while **Natural-ness of conversation flow** proves the *most variable* metric (mean $\kappa \approx 0.39$, full range 0.00–1.00), suggesting that judgments of conversational coherence are highly subjective and context-dependent.

Overall, these results indicate that our LLM evaluator excels at scoring clear, surface-level qualities like encouragement and actionable guidance, but faces challenges in replicating human sensitivity to subtle pedagogical behaviours such as recognising errors and maintaining natural dialogue flow.

4.1. Limitations

Despite these insights, our study has several limitations. First, our evaluation relies on a small, synthetic corpus of concept-mapping dialogues within a single domain, which may not generalise to other subjects or authentic classroom settings. Second, the binary Yes/No rubric captures only the presence or absence of target behaviours and cannot distinguish varying degrees of instructional quality or nuance. Third, while our LLM-as-a-Judge leverages an education-tuned model, we evaluated it under zero- and few-shot prompting rather than comprehensive fine-tuning on pedagogical annotations, which likely constrained its sensitivity to subtle teaching cues. Finally, variability in human annotator backgrounds and interpretations (particularly around dialogue coherence) introduces additional noise, prompting the need for clearer guidelines and more diverse evaluator pools in future work.

5. Conclusion

In conclusion, early results from our pilot study suggests that LLM evaluators may effectively and efficiently assess clear, surface-level tutoring behaviours but currently fall short on nuanced error recognition and conversational coherence. Future work will focus on further refining the rubric framework, targeted fine-tuning, improved prompting strategies, and hybrid human–LLM workflows to enhance subtle pedagogical judgments. Additionally, extending evaluations to other subject domains and conducting longitudinal studies on student learning outcomes will be critical for building robust, generalisable assessment frameworks.

Acknowledgments

Thanks to TransEET, a HORIZON-WIDERA project funded by the European Union (<https://transeet.eu>), and to CHAILD, A UKRI research project defining and designing Children's agency in the age of AI (<https://chaild.org>).

Declaration on Generative AI

The authors have not employed any Generative AI tools in the writing of this paper.

References

- [1] Y.-R. Ho, B.-Y. Chen, C.-M. Li, Thinking more wisely: using the socratic method to develop critical thinking skills amongst healthcare students, *BMC Medical Education* 23 (2023). URL: <http://dx.doi.org/10.1186/s12909-023-04134-2>. doi:10.1186/s12909-023-04134-2.
- [2] D. R. Oyler, F. Romanelli, The fact of ignorance revisiting the socratic method as a tool for teaching critical thinking, *American Journal of Pharmaceutical Education* 78 (2014) 144. URL: <https://www.sciencedirect.com/science/article/pii/S0002945923040056>. doi:<https://doi.org/10.5688/ajpe787144>.
- [3] N.-T. Le, How do technology-enhanced learning tools support critical thinking?, in: *Frontiers in Education*, volume 4, Frontiers Media SA, 2019, p. 126.
- [4] R. Paul, L. Elder, Critical thinking: The art of socratic questioning, *Journal of developmental education* 31 (2007) 36.
- [5] G. Bonino, G. Sanmartino, G. G. Pinheiro, P. Papotti, R. Troncy, P. Michiardi, Euler: Fine tuning a large language model for socratic interactions, in: *Proceedings of the Second International Workshop on Artificial Intelligence Systems in Education co-located with 23rd International Conference of the Italian Association for Artificial Intelligence (AIxIA 2024)*, volume—of CEUR Workshop Proceedings, 2024.
- [6] K. K. Maurya, K. A. Srivatsa, K. Petukhova, E. Kochmar, Unifying ai tutor evaluation: An evaluation taxonomy for pedagogical ability assessment of llm-powered ai tutors, 2025. URL: <https://arxiv.org/abs/2412.09416>. arXiv:2412.09416.
- [7] L. Favero, J. A. Pérez-Ortiz, T. Käser, N. Oliver, Enhancing critical thinking in education by means of a socratic chatbot, 2024. URL: <https://arxiv.org/abs/2409.05511>. arXiv:2409.05511.
- [8] T. Zhang, V. Kishore, F. Wu, K. Q. Weinberger, Y. Artzi, Bertscore: Evaluating text generation with bert, *arXiv preprint arXiv:1904.09675* (2019).
- [9] K. Papineni, S. Roukos, T. Ward, W.-J. Zhu, Bleu: a method for automatic evaluation of machine translation, in: *Proceedings of the 40th annual meeting of the Association for Computational Linguistics*, 2002, pp. 311–318.
- [10] C.-Y. Lin, Rouge: A package for automatic evaluation of summaries, in: *Text summarization branches out*, 2004, pp. 74–81.
- [11] S. Banerjee, A. Lavie, Meteor: An automatic metric for mt evaluation with improved correlation with human judgments, in: *Proceedings of the acl workshop on intrinsic and extrinsic evaluation measures for machine translation and/or summarization*, 2005, pp. 65–72.
- [12] S. Mehri, J. Choi, L. F. D'Haro, J. Deriu, M. Eskenazi, M. Gasic, K. Georgila, D. Hakkani-Tur, Z. Li, V. Rieser, S. Shaikh, D. Traum, Y.-T. Yeh, Z. Yu, Y. Zhang, C. Zhang, Report from the NSF Future Directions Workshop on Automatic Evaluation of Dialog: Research Directions and Challenges, *arXiv e-prints* (2022) arXiv:2203.10012. doi:10.48550/arXiv.2203.10012. arXiv:2203.10012.
- [13] H. Fakour, M. Imani, Socratic wisdom in the age of ai: a comparative study of chatgpt and human tutors in enhancing critical thinking skills, *Frontiers in Education* 10 (2025). URL: <http://dx.doi.org/10.3389/feduc.2025.1528603>. doi:10.3389/feduc.2025.1528603.

- [14] E. Ilkou, S. Linzbach, J. Wallat, Hybrid evaluation of socratic questioning for teaching, 2024. doi:10.13140/RG.2.2.15670.31049.
- [15] L. Elder, R. P. and, The role of socratic questioning in thinking, teaching, and learning, *The Clearing House: A Journal of Educational Strategies, Issues and Ideas* 71 (1998) 297–301. doi:10.1080/00098659809602729.
- [16] L. Zheng, W.-L. Chiang, Y. Sheng, S. Zhuang, Z. Wu, Y. Zhuang, Z. Lin, Z. Li, D. Li, E. Xing, et al., Judging llm-as-a-judge with mt-bench and chatbot arena, *Advances in Neural Information Processing Systems* 36 (2023) 46595–46623.
- [17] J. Gu, X. Jiang, Z. Shi, H. Tan, X. Zhai, C. Xu, W. Li, Y. Shen, S. Ma, H. Liu, et al., A survey on llm-as-a-judge, *arXiv preprint arXiv:2411.15594* (2024).
- [18] A. Szymanski, N. Ziems, H. A. Eicher-Miller, T. J.-J. Li, M. Jiang, R. A. Metoyer, Limitations of the llm-as-a-judge approach for evaluating llm outputs in expert knowledge tasks, in: *Proceedings of the 30th International Conference on Intelligent User Interfaces, IUI '25*, Association for Computing Machinery, New York, NY, USA, 2025, p. 952–966. URL: <https://doi.org/10.1145/3708359.3712091>. doi:10.1145/3708359.3712091.
- [19] B. Abeysinghe, R. Circi, The challenges of evaluating llm applications: An analysis of automated, human, and llm-based approaches, *arXiv preprint arXiv:2406.03339* (2024).