

Divide and Rule: Effective Pre-Training for Context-Aware Multi-Encoder Translation Models

Anonymous ACL submission

Abstract

Multi-encoder models are a broad family of context-aware neural machine translation systems that aims to improve translation quality by encoding document-level contextual information alongside the current sentence. The context encoding is undertaken by *contextual parameters*, trained on document-level data. In this work, we discuss the difficulty of training these parameters effectively, due to the sparsity of the words in need of context (i.e., the training signal), and their relevant context. We propose to pre-train the contextual parameters over split sentence pairs, which makes an efficient use of the available data for two reasons. Firstly, it increases the contextual training signal by breaking intra-sentential syntactic relations, and thus pushing the model to search the context for disambiguating clues more frequently. Secondly, it eases the retrieval of relevant context, since context segments become shorter. We propose four different splitting methods, and evaluate our approach with BLEU and contrastive test sets. Results show that it consistently improves learning of contextual parameters, both in low and high resource settings.

1 Introduction

Neural machine translation (NMT) has seen substantial improvements in recent years, fostered by the advent of the Transformer model (Vaswani et al., 2017). A remaining challenge for modern machine translation (MT) is the ability to contextualize translation of the current sentence with the other sentences in the document (Läubli et al., 2018). For this reason, contextual NMT has recently triggered a lot of attention and many approaches have been proposed in the literature. A common taxonomy (Kim et al., 2019; Li et al., 2020) divides them in two broad categories: single-encoder (concatenation) approaches (Tiedemann and Scherrer, 2017; Agrawal et al., 2018; Ma et al., 2020; Zhang

et al., 2020) and multi-encoder approaches (Jean et al., 2017; Tu et al., 2017; Bawden et al., 2018; Miculicich et al., 2018; Voita et al., 2018; Maruf et al., 2019a; Zheng et al., 2020). Multi-encoder models are more flexible and can be more efficient than concatenation approaches, but they have been criticized as being mere regularization methods (Kim et al., 2019; Li et al., 2020). In some cases, they have even been shown to perform worse than sentence-level systems on discourse-aware targeted test suites (Lopes et al., 2020).

In this work, we address this criticism by showing that training multi-encoder models is difficult because of two reasons: (i) the sparsity of *contextual training signal*, i.e. the signal that pushes systems to translate in a context-aware fashion, which comes from the words that need context to be correctly translated; (ii) the sparsity of relevant context words, the ones needed to disambiguate translation. A trivial way to improve context-aware learning is by increasing the amount of document-level training data. Large document-level parallel corpora are not always available, but some works have proposed data augmentation techniques to remedy this lack (Sugiyama and Yoshinaga, 2019; Stojanovski et al., 2020; Huo et al., 2020). However, as we will show in our experimental section, this solution is not efficient and often sub-optimal. We therefore introduce a novel pre-training strategy, *divide and rule (d&r)*, that is based on a simple and yet powerful technique to augment the contextual training signal and to ease learning efficiently: splitting parallel sentences in segments (see Figure 1). Simply put, feeding a context-aware model with a sequence of incomplete, shorter, consecutive segments, forces it to look for context (i.e., surrounding segments) more frequently, and makes it easier to retrieve relevant context because segments are shorter. This results in faster and improved learning. We pre-train multi-encoder models on split datasets and evaluate them in two ways: BLEU score, and

$S^{i,1}$ He said that it was a project of peace
 $S^{i,2}$ and unity and that it brought people together .
 $T^{i,1}$ Il disait que c' était un projet de paix
 $T^{i,2}$ et d' unité et qu' il réunissait les gens .
 $S^{j,1}$ I think single-cell organisms **are**
 $S^{j,2}$ possible within two years .
 $T^{j,1}$ Je pense que les organismes unicellulaires
 $T^{j,2}$ **sont** possibles dans 2 ans .

Figure 1: Example of sentence pairs from En→Fr IWSLT17, after being tokenized and split in the middle. After the splitting, some syntactic relations span across two segments (underlined). Also, some source-side words are not parallel with their reference (**in bold**).




Figure 2: Multi-encoder approach integrating context outside the decoder.

083 contrastive test sets for discourse phenomena.

084 Our main contributions are the following: (i)
 085 we show that context-aware multi-encoder models
 086 need to be trained carefully, because the contextual
 087 training signal is sparse, as well as the context ele-
 088 ments useful for contextualization; (ii) we propose
 089 the *d&r* pre-training strategy, which fosters train-
 090 ing of contextual parameters by splitting sentences
 091 into segments, with four splitting variants; (iii) we
 092 support this strategy with an analysis of the impact
 093 of splitting on the distribution of discourse phenom-
 094 ena; (iv) we demonstrate that this strategy is both
 095 effective and efficient, as it allows multi-encoder
 096 models to learn better and faster than by simply
 097 increasing the training data.

098 2 Background

099 2.1 Single-encoder approaches

100 The most straightforward approach to context-
 101 aware NMT consists in concatenating the con-
 102 text to the current sentence before feeding it to
 103 the standard encoder-decoder architecture (Tiede-
 104 mann and Scherrer, 2017; Agrawal et al., 2018;
 105 Junczys-Dowmunt, 2019; Ma et al., 2020; Zhang
 106 et al., 2020). A special token is introduced to mark
 107 the boundaries between sentences. Generation can
 108 then follow two strategies: the *many-to-many* strat-
 109 egy consists in translating all the source sentences,
 110 and then discarding contextual sentences; the *many-*
 111 *to-one* strategy consists in translating the current
 112 sentence only. The modeling capacity of concate-
 113 nation methods is limited to few sentences because
 114 the complexity of attention scales quadratically
 115 with sentence length, although some recent works
 116 try to solve this constraint (Tay et al., 2020).

117 2.2 Multi-encoder approaches

118 Multi-encoder models couple a self-standing
 119 sentence-level NMT system, with parameters θ_S ,
 120 with additional parameters for modeling the context
 121 either on source side, target side, or both. We refer
 122 to these parameters as the *contextual parameters*
 123 θ_C . The full context-aware architecture has param-
 124 eters $\Theta = [\theta_S; \theta_C]$. Most of the multi-encoder
 125 models can be described as instances of two archi-
 126 tectural families (Kim et al., 2019), that only
 127 differ in the way the encoded representations of the
 128 context and the current sentence are integrated.

129 **Outside integration.** In this approach, depicted
 130 in Figure 2, the encoded representations are merged
 131 outside the decoder (Maruf et al., 2018; Voita et al.,
 132 2018; Zhang et al., 2018; Miculicich et al., 2018;
 133 Maruf et al., 2019a; Zheng et al., 2020). This can
 134 happen in different ways, such as by simple con-
 135 catenation of the encodings, or with a gated sum.

136 **Inside integration.** Here the decoder attends
 137 to the context representations directly, using its
 138 internal representation of the decoded history as
 139 query (Tu et al., 2018; Kuang et al., 2018; Bawden
 140 et al., 2018; Voita et al., 2019b; Tan et al., 2019).

141 Many of these works found it useful to share
 142 parameters of current-sentence and context en-
 143 coders (Voita et al., 2018; Li et al., 2020). In this
 144 way, the amount of contextual parameters to learn,
 145 $|\theta_C|$, and the computational cost are drastically re-
 146 duced. Shared representation can also be cached to
 147 be re-used and further processed by contextual pa-
 148 rameters without the need of re-encoding sentences
 149 from scratch, which represents an advantage with
 150 respect to single-encoder approaches. Most of the
 151 approaches proposed in the literature focus on a
 152 few previous sentences, where most of the relevant
 153 context is concentrated.

Two-step training. Multi-encoder models are commonly trained following a two-step strategy (Tu et al., 2018; Zhang et al., 2018; Miculicich et al., 2018; Li et al., 2020). The first step consists in training θ_S independently on a sentence-level parallel corpus \mathcal{C}_S . Secondly, contextual parameters θ_C are trained on a document-level parallel corpus \mathcal{C}_D , while fine-tuning or freezing θ_S . Note that \mathcal{C}_S can also include sentences from \mathcal{C}_D .

2.3 Evaluating context-aware MT

Novel MT systems are usually evaluated by computing BLEU (Papineni et al., 2002) on the test data. However, BLEU is ill-equipped to capture the improvements achieved by context-aware MT (Hardmeier, 2012), because contextualization can improve the translation of only a small fraction of the words in a document, while most of the words can be correctly translated without knowing the context. For instance, only a fraction of the anaphoric pronouns in a document has its nominal antecedent outside its own sentence. However, despite being sparse, these few cases strongly impact the quality of translation (Läubli et al., 2018; Popescu-Belis, 2019). Consequently, a number of discourse-targeted test sets and automatic metrics have been proposed to measure improvements in context-aware MT (Maruf et al., 2019b), the most widely adopted ones being contrastive test sets.

Contrastive test sets (Bawden et al., 2018; Müller et al., 2018; Voita et al., 2019a) consist of a number of source sentences, each paired with a correct translation and some incorrect ones. Models are assessed on their ability to rank first the correct translation. In many cases, this can be identified only by looking at context, which is provided for both source and target sides. Therefore, the ranking accuracy reflects the context-modeling ability of the evaluated translation system.

3 The double challenge of sparsity

Some works criticized multi-encoder methods (Kim et al., 2019; Li et al., 2020), arguing that they do not improve sentence-level baselines in terms of BLEU when the baseline is well regularized. When there are improvements, it is argued that the context-encoder simply works as a noise-generator that makes training more robust, and the improvements are not due to better context-modeling. Along this path, Lopes et al. (2020) showed that multi-encoder architectures struggle to

model contextual information, and even deteriorate the performance of a sentence-level baseline on contrastive test sets. In fact, many proponents of multi-encoder models only show BLEU improvements, without providing any kind of targeted evaluation. This doesn't allow a direct evaluation of their context-modeling capability. We posit that training the contextual parameters of multi-encoder models is non-trivial because of two challenges: (i) the sparsity of the training signal, which comes from the words that need context to be correctly translated (most of the words of a sentence can be translated without context); (ii) the sparsity of context words that are useful for contextualization (most of the context is useless). As such, missing the right experimental setting can bring to unsuccessful training and unconvincing results.

More data? A trivial way to offset sparsity is to increase the volume of training data. In fact, existing works that report strong results with targeted evaluation train their contextual parameters with millions of document-level sentence pairs (Bawden et al., 2018; Müller et al., 2018; Voita et al., 2019b; Zheng et al., 2020; Wong et al., 2020; Kang et al., 2020). In contrast, many works in the literature train models with the TED talks' subtitles released by the IWSLT shared tasks (Cettolo et al., 2012), which only consist of a couple of hundred thousand parallel sentences. In the experimental section, we will show that IWSLT's subtitles are not sufficient to effectively train multi-encoder models. It follows that one can not make fair comparisons between alternative architectures in such experimental settings. On the other hand, we will give an empirical confirmation to the intuition that increasing the volume of training data helps learning contextual parameters. However, this solution is inefficient and only partial for the double sparsity problem, and it is not always possible: large document-level training sets may not be available in many languages. In the following section, we propose a pre-training solution that makes an efficient use of the available data for learning contextual-parameters effectively.

4 Proposed Approach

One way to simulate document-level data is to split sentences in two or more segments (Luong et al., 2016). In this way intra-sentential syntactic relations are broken, and a word previously disambiguated by looking at its neighbours in the

Algorithm 1: Split parallel corpus

```
1: input: Parallel corpus  $\mathcal{C}$ , minimum source  
   length  $l_{min}$ , function wheresplit()  
2: for  $i = 1, \dots, |\mathcal{C}|$  do  
3:   if  $len(S^i) \geq l_{min}$  then  
4:      $m_S, m_T = \text{wheresplit}(S^i, T^i, \dots)$   
5:      $S^{i,1} = S^i_{<m_S}$  and  $S^{i,2} = S^i_{\geq m_S}$   
6:      $T^{i,1} = T^i_{<m_T}$  and  $T^{i,2} = T^i_{\geq m_T}$   
7:   end if  
8: end for  
9: return Split corpus  $\mathcal{C}_D$ 
```

253 sentence, now requires contextual information in
254 order to be correctly translated. Moreover, split-
255 ting sentences increases the concentration of rel-
256 evant context words, as we will show in Section
257 4.2. Within the framework of MT, if we split the
258 source sentence, its corresponding reference has to
259 be split too. The proposed approach, *divide and*
260 *rule (d&r)*, consists in pre-training the model on
261 a dataset \mathcal{C}_D that results from splitting all the sen-
262 tences of a parallel corpus \mathcal{C} that have at least l_{min}
263 tokens, as described by Algorithm 1. Each source-
264 side sentence S^i , with index $i = 1, \dots, |\mathcal{C}|$, is split
265 into $S^{i,1}$ and $S^{i,2}$. Its corresponding reference T^i
266 is split into $T^{i,1}$ and $T^{i,2}$. The resulting corpus is
267 a document-level parallel corpus \mathcal{C}_D , such that, if
268 the original corpus \mathcal{C} was itself document-level,
269 then \mathcal{C}_D keeps the same document boundaries as
270 \mathcal{C} . Figure 1 illustrates two examples of parallel
271 sentences that are split in the middle. In both ex-
272 amples, a context-aware system needs to look at
273 $S^{i,1}$ for translating $S^{i,2}$ correctly, i.e. to look at past
274 context. In the first one, the English neuter pronoun
275 “it” could be translated into “il” or “elle”, according
276 to the gender of its antecedent (there is no singular
277 neuter 3rd-person in French). The antecedent “a
278 project”, which is in the previous segment, allows
279 to disambiguate it into “il”. In the second example,
280 the adjective “possible” can be correctly translated
281 into its plural version “possibles” by looking back
282 at the noun it refers to: “organisms”.

283 4.1 Splitting methods

284 In Algorithm 1, the `wheresplit` function returns the
285 token indices m_S and m_T of S^i and T^i , where the
286 sentence is split. In this work, we propose and
287 experiment with four variants of this function.

288 **Middle-split.** The simplest strategy is to split
289 both the source and the target in the middle. In

this case, `wheresplit = middlesplit(S^i, T^i)` re- 290
turns $m_S = \lfloor len(S^i)/2 \rfloor$ and $m_T = \lfloor len(T^i)/2 \rfloor$. 291
Following this method, it can happen that $S^{i,j}$ and 292
 $T^{i,j}$, with $j = 1, 2$, are not parallel, as illustrated 293
in the second example of Figure 1. The verb “are” 294
belongs to $S^{i,1}$, but its translation “sont” does not 295
belong to its corresponding reference segment $T^{i,1}$. 296
This problem arises whenever the splitting separ- 297
ates a set of words from their reference, which 298
end up in the other segment. Clearly, this method 299
requires that the two languages do not have strong 300
syntactic divergence, to avoid too large mismatches 301
between $S^{i,j}$ and $T^{i,j}$, with $j = 1, 2$. 302

303 **Aligned-split.** As a solution to the misalign-
304 ment problem between source and target segments,
305 we can calculate word alignments A^i , and use
306 them to inform our splitting strategy by setting
307 `wheresplit = alignedsplit(S^i, T^i, A^i)`, where
308 `alignedsplit` splits each sentence close to the mid-
309 dle, while avoiding to separate aligned words in
310 different segments.

311 **Synt-split.** The objective of splitting being to
312 break intra-sentential syntactic and semantic rel-
313 ations in order to force the model to exploit the
314 context more frequently, we can run an NLP toolkit
315 over the training set to retrieve relations L (e.g.
316 syntactic dependencies or coreferences), and then
317 by defining `wheresplit = syntspl(S^i, T^i, L^i)` so
318 that it splits sentences close to the middle, while
319 ensuring that at least a relation is broken whenever
320 possible. Since not all relations raise translation
321 ambiguities when broken, one can choose which
322 of them must be prioritized; in this work we chose
323 pronominal coreferences.

324 **Multi-split.** The aforementioned methods can
325 be extended to splitting sentences in more than two
326 segments. The more we split sentences the more
327 likely it is that context is needed for each segment,
328 hence increasing training signal for contextual pa-
329 rameters.

330 For more details, we refer to Section 6.3, to Ap-
331 pendix A and to our code (will be open-sourced).

332 4.2 Impact on discourse phenomena

333 To give an explicit picture of how and why splitting
334 sentences helps learning contextual parameters, we
335 processed the source training data of IWSLT17
336 with CoreNLP (Manning et al., 2014) and we com-
337 puted some statistics on coreference chains and de-
338 pendency parse trees, before and after applying the
339 *middle-split* method. Statistics show how splitting




Figure 3: IWSLT’s number of antecedents of anaphoric pronouns at a given distance in terms of sentences/segments, normalized by the number of tokens that the model needs to attend for resolving the coreference.

the sentences of a document helps in two ways:

More cases. Splitting generates new cases that require context for disambiguation, making training signal more abundant. When syntactic dependencies are split in two segments, the model needs to access the context for reconstructing the syntactic structure of the source sentence and correctly translate it, as shown in Figure 1. In order to have an idea of the magnitude of this effect, we calculated the percentage of the sentences where the splitting method breaks at least one syntactic dependency between the main verb of the sentence (the root) and : (i) the subject or object (18.1% of the sentences); (ii) any complement (9.5%); (iii) any modifier (9.3%). If we consider all the dependencies with the root, except punctuations, we find that in 84.8% of the sentences at least a syntactic dependency is broken. Given such high proportion, the *middle-split* variant is in fact a good approximation of a syntactically supported splitting approach. These cases add up to the many other cases of broken relations, such as coreferences, which make the overall contextual training signal more abundant.

Denser cases. The splitting also has the effect of shortening the average length of text sequences, which eases the job of context-aware systems because they have to attend to fewer words while looking for context. In Figure 3, we show how many antecedents of an anaphoric pronoun are present in the data at a given distance d , expressed as number of sentences from the current one for original data, and number of segments for split data. $d = 0$ means that both the pronoun and its antecedent are in the same sentence (or segment); $d = 1$ means that the antecedent is in previous sentence (or seg-

ment), and so on. We show statistics up to $d = 3$, which is the maximum context distance that we experiment with. The absolute number of antecedents is normalized by the average length of a sentence or segment. The resulting bar plot shows that splitting sentences into segments makes pronominal antecedents more dense in the set of context tokens that the model is attending, which fosters the learning of contextual parameters. The same effect applies to the other discourse phenomena that require contextual disambiguation.¹

5 Experimental setup

5.1 Data

We conduct experiments for three language pairs English→Russian/German/French on different domains. Following Kim et al. (2019), we pre-train sentence-level baselines on large sentence-level parallel data to make them as robust as possible. In particular, we employ data released by Voita et al. (2019b) for En→Ru (6.0M sentences from OpenSubtitles2018 (Lison et al., 2018)), data from the WMT17² news translation shared task for En→De (~5.2M sentences), and data from WMT14³ for En→Fr (~35.8M sentences). We train the contextual parameters of context-aware models in two settings, while freezing the rest of their parameters:

High resource data. For En→Ru, it consists of the document-level data released by Voita et al. (2019b). For the other two language pairs, we build the training set by assembling (i) News-Commentary-v12 for En→De and News-Commentary-v9 for En→Fr; (ii) Europarl-v7 for En→De/Fr; (iii) TED talks subtitles released by IWSLT17 (Cettolo et al., 2012) for En→De/Fr.

Low resource data. For En→Ru, it consists of a random subset of the high resource documents, amounting to 1/10th of its total. For En→De/Fr, we use IWSLT17’s TED talks alone.

The resulting size of the two training settings after pre-processing is reported in Table 1. In the case of En→De/Fr, baselines and context-aware models that were trained on high resources are also fine-tuned on IWSLT17, so that both high and low resource settings can be bench-marked on the IWSLT17’s test set 2015. Test-sets 2011-2014 are used as development set. For En→Ru, we use the

¹More details are available in Appendix B, along with the same statistics for Opensubtitles2018.

²<http://www.statmt.org/wmt17/translation-task.html>

³<http://www.statmt.org/wmt14/translation-task.html>

	En→Ru	En→De	En→Fr
Low Res	0.15M (8.3)	0.20M (20.8)	0.23M (21.0)
High Res	1.50M (8.3)	2.29M (27.29)	2.31M (27.6)

Table 1: Millions of sentence pairs used for training context-aware models, and their average source length.

dev and test sets provided by Voita et al. (2019b).⁴

5.2 Evaluation

Besides evaluating average translation quality with BLEU (Papineni et al., 2002),⁵ we employ three contrastive test suites for the evaluation of translation of discourse phenomena.⁶

En→Ru EllipsisVP (Voita et al., 2019b). Consisting of 500 examples from OpenSubtitles2018, each containing multiple contrastive hypothesis to evaluate the translation of verb phrase ellipses. Source sentences contain an auxiliary verb (e.g. "do") and an omitted main verb, which can be imputed thanks to one of the preceding three context sentences. Voita et al. (2019b) proposed test sets for the evaluation of other discourse phenomena, but we do not use them because they are conceived for systems using also target-side context.

En→De ContraPro (Müller et al., 2018). A large-scale test set from OpenSubtitles2018 (Lison et al., 2018), that measures translation accuracy of the English anaphoric pronoun *it* into the corresponding German translations *er*, *sie* or *es*. Examples are balanced across the three pronoun classes (4,000 examples each). Each example requires identification of the pronominal antecedent, either in the source or target side, that can be found in the current sentence or any of the previous ones.

En→Fr ContraPro (Lopes et al., 2020). A large-scale test set from OpenSubtitles2018, completely analogous to the previous one but focused on the translation of two English pronouns: *it* and *they*. It consists of 3,500 examples for each target pronoun type: *il* or *elle* for *it*, *ils* or *elles* for *they*.

5.3 Models

We experiment with three models:

K0. A sentence-level baseline, following the *Transformer-base* by Vaswani et al. (2017).

⁴We report in Appendix C a re-cap of the datasets used and details about pre-processing.

⁵Moses' *multi-bleu-detok* (Koehn et al., 2007) for De/Fr, *multi-bleu* on lowercased Ru as Voita et al. (2019b).

⁶Whenever relevant, we calculate the statistical significance of the differences between models' accuracies with the paired McNemar test (McNemar, 1947).

K1. A context aware multi-encoder architecture with *outside integration* (see Section 2.2), that encodes a single past source sentence as context.

K3. A context aware multi-encoder architecture with *outside integration*, that encodes three past source sentences as context.⁷

For both *K1* and *K3*, sentence-level parameters θ_S follow the *Transformer-base* configuration (hidden size of 512, feed forward size of 2048, 6 layers, 8 attention heads, total of 60.7M parameters), while contextual parameters θ_C follow hierarchical architecture with source-side encoder proposed by Miculicich et al. (2018) (hidden size of 512, feed forward size of 2048, 8 attention heads, total of 4.7M parameters).⁸ Context-aware models are trained following the *two-step strategy* described in Section 2.2. Sentence-level parameters θ_S of both *K1* and *K3* are initialized with *K0* and frozen. This has the advantage of saving time and computation, since only a small fraction of parameters (θ_C) is trained (4.7M over a total of 65.2M).

6 Results and Analysis

6.1 Training contextual parameters is hard

In this section we provide evidence about the difficulty of training contextual parameters on document-level data. In the second block of Table 2, after the results of the sentence-level baseline *K0*, we report performance of context-aware models trained on original document-level data, comparing low and high resource settings. When trained on the low resources, models display good BLEU on the test set, generally without strong degradation with respect to *K0*, or even with some improvements. However, such marginal fluctuations in BLEU are difficult to interpret, as they do not necessarily correspond to better or worse translation (Freitag et al., 2020). Accuracy on the contrastive test sets also increases marginally over baseline, if at all, for En→De/Fr. *K1* even shows a slight degradation of performance over the sentence-level baseline for En→Fr. These results highlight the struggle of contextual parameters to learn an appropriate use of context, other than acting as mere regularizers, as it was suggested by Kim et al. (2019) and Li et al. (2020). On Russian instead, models display some improvements

⁷Although the splitting does not increase the number of inter-segment phenomena for $d > 1$, it strengthens the signal by making it more dense (see Section 4.2). Thus, *K3* and any wider-context model can profit from the proposed approach.

⁸Details can be found in Appendix C

Model	Setting	En→De		En→Fr		En→Ru		Avg. Train Hours
		BLEU	ContraPro↑	BLEU	ContraPro↑	BLEU	Ellipsis-VP↑	
<i>Concat2tol</i>	Low Res	33.41	47.38	41.27	80.42	31.12	31.00	1.9
<i>Concat2tol</i>	High Res	33.05	59.49	40.99	85.57	29.92	62.6	7.3
<i>Zhang2018</i>	Low Res	31.03	42.60	40.95	59.00	n.a.	n.a.	n.a.
<i>K0</i>	-	32.97	46.37	41.63	79.46	31.37	25.40	-
<i>K1</i>	Low Res	33.14	47.05	41.93	79.24	30.89	32.20	2.9
<i>K3</i>	Low Res	32.86	46.48	41.40	80.53	31.00	29.20	3.5
<i>K1</i>	High Res	33.16	57.75	41.65	84.32	31.15	44.00	13.0
<i>K3</i>	High Res	33.1	51.14	41.95	82.94	31.23	39.20	16.8
<i>K1-d&r</i>	Low Res	33.44	60.21*	41.78	84.06	31.09	47.00*	6.7
<i>K3-d&r</i>	Low Res	33.36	56.22*	41.68	85.50*	32.12	46.60*	6.4
<i>K1-d&r</i>	High Res	32.82	61.09*	41.81	84.17	31.09	59.40*	16.5
<i>K3-d&r</i>	High Res	33.07	59.56*	41.91	85.66*	31.27	60.40*	22.3

Table 2: BLEU score on testsets and accuracy (%) on contrastive sets. The last column reports the average context-aware training time (in hours), including the time for *d&r* pre-training. The symbol * denotes statistically significant ($p < 0.01$) improvements w.r.t non-*d&r* counterparts (second block) and *K0*.

w.r.t. *K0*. This aligns with our expectations, since En→Ru Low Res has a volume of inter-sentential discourse phenomena such as coreferences that is comparable with En→De/Fr Low Res, but sentences are 2.5x shorter.⁹ In other words, the *double challenge of sparsity* is mitigated on this corpus. When trained on high resources, systems show substantial improvements in their context-modeling capabilities, on all language pairs. Instead, BLEU improves of a few decimal points only, showing its limits to measure improvements in context-aware translation. These results confirm the intuition discussed in Section 3: increasing the volume of data is a first solution to overcome sparsity.

For the sake of benchmarking, we report in the first block the results obtained by two other source-side context-aware models¹⁰ trained on low resource data, following the same experimental setup. *Concat2tol* (our implementation) is a single-encoder approach that concatenates the previous sentence to the current one as context, and outputs the translation for the current one. *Zhang2018*¹¹ is a multi-encoder model that looks at 2 previous sentences as context, proposed by Zhang et al. (2018). *Concat2tol*'s performance on test suites are comparable to *K1/3* on Low Res, or slightly better since concatenation models are less affected by the problem of sparsity. This advantage is better highlighted on the high resource setting, in which *Concat2tol* is stronger on the test suites (although BLEU lacks behind). *Zhang2018* performs very poorly, confirm-

⁹See Table 1; more details can be found in Appendix B

¹⁰We do not compare with target-side approaches as we experimented with source-side only.

¹¹Results reported are by Lopes et al. (2020)

ing the difficulty of multi-encoder models to learn contextualization on low resources and without any help against the problem of sparsity.

6.2 Divide and rule

In this section, we show that the proposed pre-training strategy is a more efficient answer to the double challenge of sparsity than simply adding more data, and one that allows improvements when resources are abundant too. The third block of Table 2 displays performance of models that have undergone *d&r* pre-training on the same document-level data as the models in the previous block, but where sentences were split in two segments following the *middle-split* method with $l_{min} = 7$. After *d&r* pre-training, models have been tuned and evaluated on original, non-split data. The pre-training proves to be very effective, as all models show strong improvements in terms of accuracy on the test suites, with the sole exception of *K1-d&r* on En→Fr High Res. The average improvement is of **+10.79** accuracy points on Low Res, **+8.49** on High Res, showing that *d&r* brings strong improvements even when data are abundant. Interestingly, improvements are not uniformly distributed across language pairs and domains: **+17.20** on average for En→Ru, **+8.67** for En→De, **+3.09** for En→Fr. In terms of BLEU instead, we keep seeing minor fluctuations. This confirms that, while context-aware translation improves dramatically, the average translation quality measured with BLEU stays more or less constant.¹² It is now clear that a proper

¹²To verify that the improvements on test suites after *d&r* pre-training really come from a better use of context, we present in Appendix D an analysis of pronoun translation

	En→De			
	Middle↑	Aligned↑	Synt↑	Multi↑
<i>K1-d&r</i>	60.21	+0.69*	-2.67*	-
<i>K3-d&r</i>	56.22	-1.38*	+1.33*	+1.13*
	En→Fr			
	Middle↑	Aligned↑	Synt↑	Multi↑
<i>K1-d&r</i>	84.06	+0.27	+0.15	-
<i>K3-d&r</i>	85.50	+0.20	+0.33**	-0.09

Table 3: Comparison of accuracy of context-aware pronoun translation (ContraPro) by *d&r* pre-trained models with the *middle-split* method (first column) and the other proposed methods (relative difference). *: $p < 0.01$, **: $p < 0.05$.

comparison between single and multi-encoder models can not be done without proper training of the multi-encoders’ contextual parameters, which targets the problem of sparsity. Here, *d&r* pre-training allows *K1/3* to achieve results on test suites comparable to *Concat2to1* (*K3* is consistently better), along with better BLEU scores (except for *K1* on german).¹³ A comparison between *-d&r* models trained on Low Res against models trained on High Res without *d&r* shows another quality of the *d&r* pre-training strategy: efficiency. The same context-aware models achieve superior performances with 1/10th of the document-level data and a much shorter training time (last column).

6.3 Impact of the splitting method

Following Section 4.1, we study the impact of using a different splitting method other than *middle-split*. All the variants are applied to the En→De/Fr low resource setting (IWSLT), with $l_{min} = 7$, and the *d&r* pre-trained models are evaluated on ContraPro. The *aligned-split* method is based on alignments learned with *fast_align* (Dyer et al., 2013), while for the *synt-split* method we retrieve intra-sentential pronominal coreferences with CoreNLP (Manning et al., 2014), and we try to split them wherever present in a sentence-pair. If there are multiple-occurrences in the same sentence, we split as close to the middle as possible, while attempting to break the maximum number of coreferences.¹⁴ Finally, for the *multi-split* method, we split sentence-pairs in a half for $len(S^i) \geq 7$, and also in three seg-

by antecedent distance, and an ablation study in which we test models on ContraPro with inconsistent context.

¹³A detailed comparison between single and multi-encoder models is beyond the scope of this work.

¹⁴More sophisticated *synt-split* methods could be devised, targeting other discourse phenomena, or several of them at the same time, with different degrees of priority.

ments of identical size for $len(S^i) \geq 15$. The performance differences between models pre-trained with *middle-split* and the other variants are reported in Table 3. As we can see, splitting variants allow small improvements in 7 cases out of 10, although variations are marginal: the simple *middle-split* method seems to be close to optimal already. This observation can be explained by multiple elements. Firstly, *middle-split* produces segment pairs that are already well aligned: most of the source and target segments are aligned with the exception of one or two words, and the fact of having only a few misplaced words might act as a regularization factor. Secondly, *middle-split* breaks a syntactic relation for the vast majority of sentences already, as explained in Section 4.1, which means that improvements achieved with syntactically driven splitting can only be marginal. Thirdly, splitting in more than one segment can be beneficial in some cases, because it allows to break more syntactic relations and increase density of signal, but it also increases the risk of misalignment between source and target, and might make the task too hard. Finally, tools like *fast_align* and CoreNLP are characterized by a certain language-dependent error rate, which affects the performance of the methods. In conclusion, *d&r* pre-training with *middle-split* seems to be the most convenient alternative for most use-cases because of its efficacy, its simplicity and its language-independence. Even though *middle-split* relies on syntactic similarity between target and source languages, this condition is met by a large number of language pairs, in the order of millions, as detailed in Appendix A.

7 Conclusions

Multi-encoder models are a broad family of context-aware NMT models. In this work we have discussed the difficulty of training contextual parameters due to the sparsity of the words in need of context, and their relevant context. We have proposed a pre-training approach called *divide and rule*, based on splitting the training sentences, with four variants. After having analysed the implications of splitting on discourse phenomena, we have shown that *d&r* allows to learn contextual parameters better and faster than by simply adding training data. We have also shown that the simplest and language independent splitting variant, *middle-split*, is a strong baseline that can be easily applied for pre-training any multi-encoder NMT model.

References

648
649
650
651
652
653

Ruchit Rajeshkumar Agrawal, Marco Turchi, and Matteo Negri. 2018. [Contextual Handling in Neural Machine Translation: Look Behind, Ahead and on Both Sides](#). In *Proceedings of the 21st Annual Conference of the European Association for Machine Translation*, pages 11–20, Alacant, Spain.

654
655
656
657
658
659
660
661

Rachel Bawden, Rico Sennrich, Alexandra Birch, and Barry Haddow. 2018. [Evaluating discourse phenomena in neural machine translation](#). In *Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long Papers)*, pages 1304–1313, New Orleans, Louisiana. Association for Computational Linguistics.

662
663
664
665
666
667

Mauro Cettolo, Christian Girardi, and Marcello Federico. 2012. [WIT3: Web inventory of transcribed and translated talks](#). In *Proceedings of the 16th Annual conference of the European Association for Machine Translation*, pages 261–268, Trento, Italy. European Association for Machine Translation.

668
669
670
671

Matthew S. Dryer. 2013a. [Order of Adjective and Noun](#). In *The World Atlas of Language Structures Online*. Max Planck Institute for Evolutionary Anthropology, Leipzig, Germany.

672
673
674
675

Matthew S. Dryer. 2013b. [Order of Adverbial Subordinator and Clause](#). In *The World Atlas of Language Structures Online*. Max Planck Institute for Evolutionary Anthropology, Leipzig, Germany.

676
677
678
679

Matthew S. Dryer. 2013c. [Order of subject, object and verb](#). In *The World Atlas of Language Structures Online*. Max Planck Institute for Evolutionary Anthropology, Leipzig, Germany.

680
681
682
683

Matthew S. Dryer and Martin Haspelmath. 2013. [The World Atlas of Language Structures Online](#). Max Planck Institute for Evolutionary Anthropology, Leipzig, Germany.

684
685
686
687
688
689
690
691

Chris Dyer, Victor Chahuneau, and Noah A. Smith. 2013. [A simple, fast, and effective reparameterization of IBM model 2](#). In *Proceedings of the 2013 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 644–648, Atlanta, Georgia. Association for Computational Linguistics.

692
693
694

David M. Eberhard, Gary F. Simons, and Charles D. Fenning. 2021. [Ethnologue: Languages of the World](#). Library Catalog: www.ethnologue.com.

695
696
697
698
699
700

Markus Freitag, David Grangier, and Isaac Caswell. 2020. [BLEU might be guilty but references are not innocent](#). In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 61–71, Online. Association for Computational Linguistics.

Christian Hardmeier. 2012. [Discourse in Statistical Machine Translation. A Survey and a Case Study](#). *Discours. Revue de linguistique, psycholinguistique et informatique. A journal of linguistics, psycholinguistics and computational linguistics*, (11). 00039 Number: 11 Publisher: Presses universitaires de Caen.

Jingjing Huo, Christian Herold, Yingbo Gao, Leonard Dahlmann, Shahram Khadivi, and Hermann Ney. 2020. [Diving deep into context-aware neural machine translation](#). In *Proceedings of the Fifth Conference on Machine Translation*, pages 604–616, Online. Association for Computational Linguistics.

Sebastien Jean, Stanislas Lauly, Orhan Firat, and Kyunghyun Cho. 2017. [Does Neural Machine Translation Benefit from Larger Context?](#) *arXiv:1704.05135 [cs, stat]*. 00039 arXiv: 1704.05135.

Marcin Junczys-Dowmunt. 2019. [Microsoft translator at WMT 2019: Towards large-scale document-level neural machine translation](#). In *Proceedings of the Fourth Conference on Machine Translation (Volume 2: Shared Task Papers, Day 1)*, pages 225–233, Florence, Italy. Association for Computational Linguistics.

Xiaomian Kang, Yang Zhao, Jiajun Zhang, and Chengqing Zong. 2020. [Dynamic context selection for document-level neural machine translation via reinforcement learning](#). In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 2242–2254, Online. Association for Computational Linguistics.

Yunsu Kim, Duc Thanh Tran, and Hermann Ney. 2019. [When and why is document-level context useful in neural machine translation?](#) In *Proceedings of the Fourth Workshop on Discourse in Machine Translation (DiscoMT 2019)*, pages 24–34, Hong Kong, China. Association for Computational Linguistics.

Philipp Koehn, Hieu Hoang, Alexandra Birch, Chris Callison-Burch, Marcello Federico, Nicola Bertoldi, Brooke Cowan, Wade Shen, Christine Moran, Richard Zens, Chris Dyer, Ondřej Bojar, Alexandra Constantin, and Evan Herbst. 2007. [Moses: Open source toolkit for statistical machine translation](#). In *Proceedings of the 45th Annual Meeting of the Association for Computational Linguistics Companion Volume Proceedings of the Demo and Poster Sessions*, pages 177–180, Prague, Czech Republic. Association for Computational Linguistics.

Shaohui Kuang, Deyi Xiong, Weihua Luo, and Guodong Zhou. 2018. [Modeling coherence for neural machine translation with dynamic and topic caches](#). In *Proceedings of the 27th International Conference on Computational Linguistics*, pages 596–606, Santa Fe, New Mexico, USA. Association for Computational Linguistics.

Samuel Lübbli, Rico Sennrich, and Martin Volk. 2018. [Has machine translation achieved human parity? a](#)

759	case for document-level evaluation. In <i>Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing</i> , pages 4791–4796, Brussels, Belgium. Association for Computational Linguistics.	816
760		817
761		818
762		
763		
764	Bei Li, Hui Liu, Ziyang Wang, Yufan Jiang, Tong Xiao, Jingbo Zhu, Tongran Liu, and Changliang Li. 2020. Does multi-encoder help? a case study on context-aware neural machine translation. In <i>Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics</i> , pages 3512–3518, Online. Association for Computational Linguistics.	819
765		820
766		821
767		822
768		
769		
770		
771	Pierre Lison, Jörg Tiedemann, and Milen Kouylekov. 2018. OpenSubtitles2018: Statistical rescore of sentence alignments in large, noisy parallel corpora. In <i>Proceedings of the Eleventh International Conference on Language Resources and Evaluation (LREC 2018)</i> , Miyazaki, Japan. European Language Resources Association (ELRA).	823
772		824
773		825
774		
775		
776		
777		
778	António Lopes, M. Amin Farajian, Rachel Bawden, Michael Zhang, and André F. T. Martins. 2020. Document-level neural MT: A systematic comparison. In <i>Proceedings of the 22nd Annual Conference of the European Association for Machine Translation</i> , pages 225–234, Lisboa, Portugal. European Association for Machine Translation.	826
779		827
780		828
781		829
782		830
783		831
784		832
785	Minh-Thang Luong, Quoc V. Le, Ilya Sutskever, Oriol Vinyals, and Lukasz Kaiser. 2016. Multi-task Sequence to Sequence Learning. <i>arXiv:1511.06114 [cs, stat]</i> . ArXiv: 1511.06114.	833
786		834
787		835
788		836
789	Shuming Ma, Dongdong Zhang, and Ming Zhou. 2020. A simple and effective unified encoder for document-level machine translation. In <i>Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics</i> , pages 3505–3511, Online. Association for Computational Linguistics.	837
790		838
791		839
792		
793		
794		
795	Christopher Manning, Mihai Surdeanu, John Bauer, Jenny Finkel, Steven Bethard, and David McClosky. 2014. The Stanford CoreNLP natural language processing toolkit. In <i>Proceedings of 52nd Annual Meeting of the Association for Computational Linguistics: System Demonstrations</i> , pages 55–60, Baltimore, Maryland. Association for Computational Linguistics.	840
796		841
797		842
798		843
799		844
800		845
801		846
802		847
803	Sameen Maruf, André F. T. Martins, and Gholamreza Haffari. 2018. Contextual neural model for translating bilingual multi-speaker conversations. In <i>Proceedings of the Third Conference on Machine Translation: Research Papers</i> , pages 101–112, Brussels, Belgium. Association for Computational Linguistics.	848
804		849
805		850
806		851
807		852
808		853
809		854
810	Sameen Maruf, André F. T. Martins, and Gholamreza Haffari. 2019a. Selective attention for context-aware neural machine translation. In <i>Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)</i> , pages 3092–3102, Minneapolis, Minnesota. Association for Computational Linguistics.	855
811		856
812		857
813		858
814		859
815		
	Sameen Maruf, Fahimeh Saleh, and Gholamreza Haffari. 2019b. A Survey on Document-level Machine Translation: Methods and Evaluation. <i>arXiv:1912.08494 [cs]</i> . 00000 arXiv: 1912.08494.	860
		861
		862
		863
	Quinn McNemar. 1947. Note on the sampling error of the difference between correlated proportions or percentages. <i>Psychometrika</i> , 12(2):153–157. 03511.	864
		865
		866
		867
	Lesly Miculicich, Dhananjay Ram, Nikolaos Pappas, and James Henderson. 2018. Document-level neural machine translation with hierarchical attention networks. In <i>Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing</i> , pages 2947–2954, Brussels, Belgium. Association for Computational Linguistics.	868
		869
		870
		871
	Mathias Müller, Annette Rios, Elena Voita, and Rico Sennrich. 2018. A large-scale test set for the evaluation of context-aware pronoun translation in neural machine translation. In <i>Proceedings of the Third Conference on Machine Translation: Research Papers</i> , pages 61–72, Brussels, Belgium. Association for Computational Linguistics.	872
		873
		874
		875
	Myle Ott, Sergey Edunov, Alexei Baevski, Angela Fan, Sam Gross, Nathan Ng, David Grangier, and Michael Auli. 2019. fairseq: A fast, extensible toolkit for sequence modeling. In <i>Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics (Demonstrations)</i> , pages 48–53, Minneapolis, Minnesota. Association for Computational Linguistics.	876
		877
		878
		879
	Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. 2002. Bleu: a method for automatic evaluation of machine translation. In <i>Proceedings of the 40th Annual Meeting of the Association for Computational Linguistics</i> , pages 311–318, Philadelphia, Pennsylvania, USA. Association for Computational Linguistics.	880
		881
		882
		883
	Gabriel Pereyra, George Tucker, Jan Chorowski, Lukasz Kaiser, and Geoffrey Hinton. 2017. Regularizing Neural Networks by Penalizing Confident Output Distributions. <i>arXiv:1701.06548 [cs]</i> . 00464 arXiv: 1701.06548.	884
		885
		886
		887
	Martin Popel and Ondřej Bojar. 2018. Training Tips for the Transformer Model. <i>The Prague Bulletin of Mathematical Linguistics</i> , 110(1):43–70. 00112 arXiv: 1804.00247.	888
		889
		890
		891
	Andrei Popescu-Belis. 2019. Context in Neural Machine Translation: A Review of Models and Evaluations. <i>arXiv:1901.09115 [cs]</i> . 00010 arXiv: 1901.09115.	892
		893
		894
		895
	Yves Scherrer, Jörg Tiedemann, and Sharid Loáigiga. 2019. Analysing concatenation approaches to document-level NMT in two different domains. In <i>Proceedings of the Fourth Workshop on Discourse in</i>	896

872			
873		<i>Machine Translation (DiscoMT 2019)</i> , pages 51–61,	
874		Hong Kong, China. Association for Computational Linguistics.	
875	Rico Sennrich, Barry Haddow, and Alexandra Birch.		
876	2016. Neural machine translation of rare words		
877	with subword units . In <i>Proceedings of the 54th Annual</i>		
878	<i>Meeting of the Association for Computational</i>		
879	<i>Linguistics (Volume 1: Long Papers)</i> , pages 1715–		
880	1725, Berlin, Germany. Association for Computa-		
881	tional Linguistics.		
882	Dario Stojanovski, Benno Krojer, Denis Peskov, and		
883	Alexander Fraser. 2020. ContraCAT: Contrastive		
884	coreference analytical templates for machine transla-		
885	tion . In <i>Proceedings of the 28th International Confer-</i>		
886	<i>ence on Computational Linguistics</i> , pages 4732–		
887	4749, Barcelona, Spain (Online). International Com-		
888	mittee on Computational Linguistics.		
889	Amane Sugiyama and Naoki Yoshinaga. 2019. Data		
890	augmentation using back-translation for context-		
891	aware neural machine translation . In <i>Proceedings</i>		
892	<i>of the Fourth Workshop on Discourse in Machine</i>		
893	<i>Translation (DiscoMT 2019)</i> , pages 35–44, Hong		
894	Kong, China. Association for Computational Lin-		
895	guistics.		
896	Xin Tan, Longyin Zhang, Deyi Xiong, and Guodong		
897	Zhou. 2019. Hierarchical modeling of global con-		
898	text for document-level neural machine transla-		
899	tion . In <i>Proceedings of the 2019 Conference on Empirical</i>		
900	<i>Methods in Natural Language Processing and the</i>		
901	<i>9th International Joint Conference on Natural Lan-</i>		
902	<i>guage Processing (EMNLP-IJCNLP)</i> , pages 1576–		
903	1585, Hong Kong, China. Association for Computa-		
904	tional Linguistics.		
905	Yi Tay, Mostafa Dehghani, Dara Bahri, and Donald		
906	Metzler. 2020. Efficient Transformers: A Survey .		
907	<i>arXiv:2009.06732 [cs]</i> . 00008 arXiv: 2009.06732.		
908	Jörg Tiedemann and Yves Scherrer. 2017. Neural ma-		
909	chine translation with extended context . In <i>Proceed-</i>		
910	<i>ings of the Third Workshop on Discourse in Machine</i>		
911	<i>Translation</i> , pages 82–92, Copenhagen, Denmark.		
912	Association for Computational Linguistics.		
913	Russell S. Tomlin. 2014. <i>Basic Word Order (RLE Lin-</i>		
914	<i>guistics B: Grammar): Functional Principles</i> . Rout-		
915	ledge. Google-Books-ID: OIPIAgAAQBAJ.		
916	Zhaopeng Tu, Yang Liu, Zhengdong Lu, Xiaohua Liu,		
917	and Hang Li. 2017. Context gates for neural ma-		
918	chine translation . <i>Transactions of the Association</i>		
919	<i>for Computational Linguistics</i> , 5:87–99.		
920	Zhaopeng Tu, Yang Liu, Shuming Shi, and Tong Zhang.		
921	2018. Learning to remember translation history with		
922	a continuous cache . <i>Transactions of the Association</i>		
923	<i>for Computational Linguistics</i> , 6:407–420.		
924	Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob		
925	Uszkoreit, Llion Jones, Aidan N. Gomez, Lukasz		
926	Kaiser, and Illia Polosukhin. 2017. Attention is all		
927	you need. In <i>Proceedings of the 31st International</i>		
		<i>Conference on Neural Information Processing Sys-</i>	928
		<i>tems, NIPS’17</i> , pages 6000–6010, Long Beach, Cal-	929
		ifornia, USA. Curran Associates Inc.	930
	Elena Voita, Rico Sennrich, and Ivan Titov. 2019a.		931
	Context-aware monolingual repair for neural ma-		932
	chine translation . In <i>Proceedings of the 2019 Con-</i>		933
	<i>ference on Empirical Methods in Natural Language</i>		934
	<i>Processing and the 9th International Joint Confer-</i>		935
	<i>ence on Natural Language Processing (EMNLP-</i>		936
	<i>IJCNLP)</i> , pages 877–886, Hong Kong, China. As-		937
	sociation for Computational Linguistics.		938
	Elena Voita, Rico Sennrich, and Ivan Titov. 2019b.		939
	When a good translation is wrong in context:		940
	Context-aware machine translation improves on		941
	deixis, ellipsis, and lexical cohesion . In <i>Proceedings</i>		942
	<i>of the 57th Annual Meeting of the Association for</i>		943
	<i>Computational Linguistics</i> , pages 1198–1212, Flo-		944
	rence, Italy. Association for Computational Linguis-		945
	tics.		946
	Elena Voita, Pavel Serdyukov, Rico Sennrich, and Ivan		947
	Titov. 2018. Context-aware neural machine trans-		948
	lation learns anaphora resolution . In <i>Proceedings</i>		949
	<i>of the 56th Annual Meeting of the Association for</i>		950
	<i>Computational Linguistics (Volume 1: Long Papers)</i> ,		951
	pages 1264–1274, Melbourne, Australia. Associa-		952
	tion for Computational Linguistics.		953
	KayYen Wong, Sameen Maruf, and Gholamreza Haf-		954
	fari. 2020. Contextual neural machine translation		955
	improves translation of cataphoric pronouns . In <i>Pro-</i>		956
	<i>ceedings of the 58th Annual Meeting of the Asso-</i>		957
	<i>ciation for Computational Linguistics</i> , pages 5971–		958
	5978, Online. Association for Computational Lin-		959
	guistics.		960
	Jiacheng Zhang, Huanbo Luan, Maosong Sun, Feifei		961
	Zhai, Jingfang Xu, Min Zhang, and Yang Liu. 2018.		962
	Improving the transformer translation model with		963
	document-level context . In <i>Proceedings of the 2018</i>		964
	<i>Conference on Empirical Methods in Natural Lan-</i>		965
	<i>guage Processing</i> , pages 533–542, Brussels, Bel-		966
	gium. Association for Computational Linguistics.		967
	Pei Zhang, Boxing Chen, Niyu Ge, and Kai Fan. 2020.		968
	Long-short term masking transformer: A simple		969
	but effective baseline for document-level neural ma-		970
	chine translation . In <i>Proceedings of the 2020 Con-</i>		971
	<i>ference on Empirical Methods in Natural Language</i>		972
	<i>Processing (EMNLP)</i> , pages 1081–1087, Online. As-		973
	sociation for Computational Linguistics.		974
	Zaixiang Zheng, Xiang Yue, Shujian Huang, Jiajun		975
	Chen, and Alexandra Birch. 2020. Towards Making		976
	the Most of Context in Neural Machine Translation .		977
	In <i>Proceedings of the Twenty-Ninth International</i>		978
	<i>Joint Conference on Artificial Intelligence, IJCAI-</i>		979
	<i>20</i> , pages 3983–3989. International Joint Confer-		980
	ences on Artificial Intelligence Organization.		981

Coreferences - original data			
d	#tokens	Occurrences	
		All	Pronouns
0	21.01	67,864 (3230)	50,556 (2406)
1	42.02	68,703 (1635)	43,220 (1029)
2	63.03	35,780 (568)	21,234 (337)
3	84.04	25,533 (304)	14,284 (170)

Coreferences - split data			
d	#tokens	Occurrences	
		All	Pronouns
0	10.51	32,190 (3063)	24,328 (2315)
1	21.02	54,424 (2589)	37,966 (1806)
2	31.53	37,837 (1200)	23,732 (753)
3	42.04	22,529 (536)	14,035 (334)

Dependency trees	
Split dependency	Occurrences
subj or obj	41,065
complement	21,726
modifier	21,144
any	147,066

Table 4: Number of coreference antecedents at a given distance d from the mention in the current sentence, for both original and split En→Fr IWSLT17. In brackets, the same figure normalized by the average number of tokens that the model has to attend to resolve the coreference (#tokens). At the bottom, the number of sentences for which at least one syntactic dependency is split in two segments when using the split data. The percentage of examples that need context after splitting is 29.17% if we consider pronominal coreferences only, 39.8% if we consider all coreferences.

A Splitting methods

We provide here some extra details on the splitting methods that have been proposed and tested. For full details, we refer to our implementation.

Aligned-split. As already mentioned, we use $\text{wheresplit} = \text{alignedsplit}(S^i, T^i, A^i)$, which takes as input the word alignments A^i :

$$A^i = \{(j, k) | S_j^i \text{ and } T_k^i \text{ are aligned}\},$$

where $j = 1, \dots, |S^i|$ and $k = 1, \dots, |T^i|$ are the indices of the words belonging to S^i and T^i , respectively. alignedsplit initially takes $m_S = \lfloor \text{len}(S^i)/2 \rfloor$ and $m_T = \max\{k : (j, k) \in A^i, j \leq m_S\}$. Then, it checks whether this choice is not breaking apart two aligned words. Formally, it checks that:

$$S_j^i \in S^{i,1} \wedge T_k^i \in T^{i,1} \text{ or } S_j^i \in S^{i,2} \wedge T_k^i \in T^{i,2}. \quad (1)$$

Coreferences - original data			
d	#tokens	Occurrences	
		All	Pronouns
0	8.32	36,628 (4402)	27,179 (3267)
1	16.64	60,204 (3618)	41,652 (2503)
2	24.96	26,397 (1058)	16,142 (647)
3	33.28	11,571 (348)	6,654 (200)

Coreferences - split data			
d	#tokens	Occurrences	
		All	Pronouns
0	4.16	13,322 (3202)	9,134 (2196)
1	8.32	46,227 (5556)	34,104 (4099)
2	12.48	33,566 (2690)	22,676 (1817)
3	16.64	18,961 (1139)	12,248 (736)

Table 5: Same as in table 4 for the Low Res En→Ru.




Figure 4: En-Fr IWSLT vs Low Res En-Ru OpenSubtitles2018: comparison of the number of antecedents of anaphoric pronouns at a given distance in terms of sentences/segments, normalized by the number of tokens that the model needs to attend for resolving the coreference. Since sentences are much shorter in En-Ru data (8.32 vs. 21.02 tokens on average), the density of discourse phenomena within the sentence is much higher.

If this condition is not encountered, it tries to split the sentence pairs in the neighbouring distance, where condition (1) is met. If the condition can not be met (e.g., because one of the two segments would be too short (<3 tokens)), alignedsplit falls back on middlesplit .

Synt-split. In our implementation, the function $\text{wheresplit} = \text{syntsplit}(S^i, T^i, L^i)$ takes as input the coreference relation L^i detected by CoreNLP on the source sentence i . If L^i is not empty, it means that a relevant intra-sentential relation is present (in our experiments, we look at pronominal coreferences). In this case, the algorithm checks whether splitting in the middle ($m_S = \lfloor \text{len}(S^i)/2 \rfloor$) allows to break L^i , i.e., to separate the two related tokens in different segments. If

	Total	$d = 0$	$d = 1$	$d = 2$	$d = 3$	$d > 3$
<i>K0</i>	46.37	83.3	32.4	44.8	48.9	71.9
<i>K1</i>	47.05	82.5	33.9	45.3	48.0	69.9
<i>K3</i>	46.48	82.4	32.8	45.0	48.9	71.7
<i>K1-d&r</i>	60.21	81.1	56.5	44.9	48.7	73.3
<i>K3-d&r</i>	56.22	81.7	46.8	55.2	56.2	72.4
Sample Size	12000	2400	7075	1510	573	442
Relative Size	100.0%	20.0%	59.0%	12.6%	4.8%	3.7%

Table 6: Accuracy(%) of Low Res models on ContraPro En→De by pronoun antecedent distance. The first column represents the weighted average, calculated on the basis of the sample size of each group.

middle-split does not achieve this goal, m_S is set to the closest index from the middle that breaks the relation, except for the case in which breaking the relation would mean generating a too short segment (<3 tokens). In this case, the algorithm falls back to *middle-split*.

A.1 On the scope of middle-split

Even though *middle-split* relies on syntactic similarity between source and target languages, this condition is met by a large number of language pairs, in the order of millions. In fact, there are around 4,000 written languages in the world (Eberhard et al., 2021), and most of them can be grouped in a few types with similar word orders, as shown by the ample literature on word order typologies (Tomlin, 2014; Dryer and Haspelmath, 2013). The primary order of interest is the *constituent order*, concerning the relative order of subject (S), object (O) and verb (V) in a clause. There are seven possible language types with respect to the constituent order (Dryer, 2013c): SOV, SVO, VSO, VOS, OVS, OSV, NDO (non-dominant order). Tomlin (2014) estimates that more than 40% of the world languages belong to the SOV type (languages adopting the SOV order), another 40% belong to the SVO type, while almost 10% of languages adopt VSO order. The other types are rarer. In the previous section, we have shown that the *middle-split* method is beneficial both in the case of language pairs of the same type, that deploy the same constituent order, like En-Fr/Ru, which all adopt SVO order, as well as for languages that belong to different types, as for En-De, where English is SVO and German is NDO, deploying both SOV and SVO according to the use cases (Dryer, 2013c). Similar observations also apply when we look at other word order categories. For instance, when looking at the order of modifiers or adverbials, languages can be clustered in a few types, where the

wide majority of languages belong to the biggest or second biggest type (Dryer, 2013b,a). Therefore, we believe that our method could be beneficial for millions of language pairs, including many low resource languages belonging not only to same word order types, but also slightly different ones (as in the case of SOV and SVO).

B Impact of splitting

In Table 4, we provide details on the syntactic features and the impact of splitting (with *middle-split*) for En→Fr IWSLT17, while Table 5 shows the equivalent figures for the Low Resource subset of En→Ru OpenSubtitles2018. A visual comparison of the two datasets is presented in Figure 4. This complementary information confirms that the *middle-split* method is an effective way to strengthen the contextual training signal and to facilitate its exploitation by context-aware NMT systems, in different text domains.

C Experimental Setup

C.1 Data recap

We recap in Table 7 the datasets that we use at each stage of training and test. The sentence-level training concerns the baselines, whose parameters are also used to initialize the sentence-level encoder and decoder of the context-aware models (Θ_S). Concerning En→Ru, Voita et al. (2019b) released two datasets extracted from OpenSubtitles2018: a document-level dataset of 1.5M sentences with context (document boundaries are available), and a sentence-level dataset of 6M sentences, which includes the sentences of the document-level dataset.

C.2 Data preprocessing

The Opensubtitles2018 release by Voita et al. (2019b) has been already pre-processed. Therefore, we only apply byte pair encoding (Sennrich

	En→Ru		En→De		En→Fr	
	Low Res	Hig Res	Low Res	Hig Res	Low Res	Hig Res
Sentence-level training	OpenSubs2018	OpenSubs2018	WMT17	WMT17	WMT14	WMT14
Context-aware training	1/10th of OpenSubs2018	OpenSubs2018	IWSLT17	News-v12 Europarl-v7 IWSLT17	IWSLT17	News-v9 Europarl-v7 IWSLT17
Fine-tuning	-	-	-	IWSLT17	-	IWSLT17
Test (BLEU)	OpenSubs2018	OpenSubs2018	IWSLT17	IWSLT17	IWSLT17	IWSLT17
Contrastive test	EllipsisVP	EllipsisVP	ContraPro	ContraPro	ContraPro	ContraPro

Table 7: Summary of the datasets used at each stage of training and evaluation of the models.

Model	Setting	En→Ru	En→De	En→Fr
Concat2to1	Low Res	3.624	3.628	3.207
Concat2to1	High Res	3.659	3.734	3.228
<i>K0</i>	-	3.626	3.629	3.230
<i>K1</i>	Low Res	3.599	3.617	3.216
<i>K3</i>	Low Res	3.605	3.618	3.215
<i>K1</i>	High Res	3.596	3.617	3.210
<i>K3</i>	High Res	3.597	3.617	3.211
<i>K1-d&r</i>	Low Res	3.595	3.617	3.213
<i>K3-d&r</i>	Low Res	3.595	3.616	3.212
<i>K1-d&r</i>	High Res	3.593	3.616	3.211
<i>K3-d&r</i>	High Res	3.592	3.615	3.211

Table 8: Corresponding loss on development set for each reported test result with *middle-split*.

P_{len}	En→Ru	En→De	En→Fr
0.6	31.76	32.80	44.47
0.7	31.58	32.76	44.48
0.8	31.47	32.72	44.50
0.9	31.33	32.65	44.53
1	31.23	32.64	44.59
1.1	31.12	32.60	44.59
1.2	31.06	32.57	44.58

Table 9: Performance (BLEU) of *K0* on the development set according to different values of length penalty.

et al., 2016) using 32k merge operations jointly for source and target languages.

The other datasets are tokenized with the Moses toolkit (Koehn et al., 2007), further cleaned by removing long sentences, and byte pair encoded using 32k merge operations jointly for source and target languages. While IWSLT provides document boundaries for TED subtitles, the WMT releases of New-Commentary and Europarl do not provide them. Therefore, a small fraction of sentences in the High Resource setting will be paired with wrong context. However, we found the models to be robust against occasional random con-

text (see also Voita et al. (2018) and Müller et al. (2018)). In order to make the models correctly learn how to translate headlines (the first line in a document), we need to have headlines in the training set. As such, we set artificial document boundaries in News-Commentary and Europarl, following the average document length of TED talks.

C.3 Training and evaluation

All models are implemented in *fairseq* (Ott et al., 2019). After having pre-trained the baseline on 4 Tesla V100 for 200k steps, we train all models on a single Quadro RTX 6000, with a fixed batch size of approximately 16k tokens,¹⁵ as it has been shown that Transformers need a large batch size for achieving the best performance (Popel and Bojar, 2018). We stop training after 5 consecutive non-improving validation steps (in terms of loss on dev). Corresponding validation performance for each reported test result with *middle-split* are reported in Table 8. We train models with the optimizer configuration and learning rate (LR) schedule described in Vaswani et al. (2017). The maximum LR is 0.0007 for baselines on En→Ru/De, 0.001 for models on En→De/Fr low resource settings, and 0.0005 for all the others. In the En→De/Fr High Resource setting, contextual-parameters are finetuned on IWSLT17 with an initial LR of 0.0002 that shrinks by a factor of 0.99 at every epoch. We use label smoothing with an epsilon value of 0.1 (Pereyra et al., 2017) for all settings. Since the sentence-level parameters are pre-trained on a large amount of parallel data (WMT), the models are pretty robust to generalization, and dropout can be set to 0.1, which gave the best results for the non-contextual baseline *K0*. At inference time, we use beam search with a beam of 4 for all mod-

¹⁵The optimizer update is delayed to simulate 16k tokens.

Model	En→De		En→Fr	
	BLEU	ContraPro	BLEU	ContraPro
<i>K0</i>	32.97 (+0.00)	46.37 (0.00)	41.44 (-0.00)	79.46 (0.00)
<i>K1</i>	33.06 (+0.06)	46.7 (-0.35)	41.75 (-0.12)	79.05 (-0.19)
<i>K3</i>	32.73 (-0.13)	46.21 (-0.27)	41.47 (+0.15)	79.24 (-1.29)
<i>K1-d&r</i>	33.1 (-0.34)	47.6 (-12.61)	41.64 (-0.14)	78.94 (-5.12)
<i>K3-d&r</i>	33.05 (-0.31)	47.96 (-8.26)	41.55 (-0.13)	79.05 (-6.45)

Table 10: BLEU and accuracy results on ContraPro (and their changes) when the context provided to the model is inconsistent. All models are trained on the Low Resource setting.

els. We adopt a length penalty (P_{len}) of 0.6 for all models ($P_{len} < 1$ favors shorter sentences), with the exception of En→Fr models, to which we assign $P_{len} = 1$. The LR for training was searched in $\{0.001, 0.0007, 0.0005, 0.0002\}$. The LR achieving the best loss on the validation set after convergence was selected. P_{len} was searched in $\{0.6, 0.7, 0.8, 0.9, 1.0, 1.1, 1.2\}$ for *K0* only (see Table 9). The length penalty resulting in the best BLEU score on the validation set was then used for all models within the same language pair. The other hyperparameters were set according to the relevant literature (Vaswani et al., 2017; Popel and Bojar, 2018; Voita et al., 2019b; Lopes et al., 2020).

D Results Analysis

D.1 Accuracy by antecedent distance

Here, we want to investigate more in details the performance of the proposed approach on the accuracy of ambiguous pronoun translation. We report in Table 6 the accuracy on En→De ContraPro, detailed by varying antecedent distance. We notice that all the improvements achieved by *-d&r* models are related to those pronouns whose antecedent is in the context ($d \geq 1$), which is in line with the expectations of context-aware models exploiting context for disambiguation. *K1-d&r* is very strong in translating pronouns with antecedent distance $d = 1$, surpassing *K0* and *K1* baselines by 22+ points of accuracy. Similarly, *K3-d&r* surpasses baselines by a large margin on $0 \leq d \leq 3$, beating all the other models on $d = 2, 3$, as expected. We notice however that *K3-d&r* lacks behind *K1-d&r* on $d = 1$. On one side, this could be explained by the fact that *K1-d&r* is more specialized at modeling a single past sentence. On the other side, we also notice that the hierarchical context-encoding architecture by Miculicich et al. (2018), at the core of *K3*, is not aware of the distance of the context sentences that are encoded. Hence, we believe that

K3-d&r might perform worse on $d = 1$ than *K1-d&r* because it gives the same importance to further away context ($d = 2, 3$). Since pronouns with antecedent distance $d = 1$ are the most frequent in the test set, *K1-d&r* has the highest average result (reported in “Total”). It has to be noticed also that *K3* is more affected by the challenge of sparsity than *K1*, since it has to spot relevant context among 3x more tokens. This might be the reason why *K3* starts beating *K1* only when the training setting is the most favorable to context-aware learning: with *d&r* pre-training plus high resources.

D.2 Ablation: shuffling context

We want to verify that the proposed approach improves learning by making the context-aware model to rely on its modeling of the context. Table 10 shows the performance of models trained on Low Res, when the evaluation is undertaken by randomly shuffling the context of every sentence with other sentences from the same dataset (c.f. Scherrer et al. (2019)). In brackets, the delta w.r.t. the results with consistent context presented in the main table of the paper. A random context is inconsistent with the current sentence in many cases, and thus misleading for a context-aware system. Indeed, *-d&r* models display a significant drop in accuracy when they are evaluated with inconsistent context, which confirms that they rely on context information to achieve the improvement in pronoun translations. Nonetheless, the same models prove to be robust against being shown a random context as they obtain a similar performance to *K0*. In other words, the splitting method does not produce models that are over reliant on context. This robustness is confirmed by BLEU: the average translation quality is very slightly affected by the shuffling. The changes are so small that are probably negligible. This results also show once again that BLEU is ill-equipped to measuring improvements in document-level translation.