

Is this the real life? Is this just fantasy? The Misleading Success of Simulating Social Interactions With LLMs

Anonymous ACL submission

Abstract

Recent advances in large language models (LLM) have enabled richer social simulations, allowing for the study of various social phenomena. However, most recent work has used a more omniscient perspective on these simulations (e.g., single LLM to generate all interlocutors), which is fundamentally at odds with the non-omniscient, information asymmetric interactions that involve humans and AI agents in the real world. To examine these differences, we develop an evaluation framework to simulate social interactions with LLMs in various settings (omniscient, non-omniscient). Our experiments show that LLMs perform better in unrealistic, omniscient simulation settings but struggle in ones that more accurately reflect real-world conditions with information asymmetry. Our findings indicate that addressing information asymmetry remains a fundamental challenge for LLM-based agents.

1 Introduction

LLM-based social simulations have become great tools for modeling human behavior in various contexts (Park et al., 2023; Sreedhar and Chilton, 2024), understanding and measuring LLMs’ social skills through certain tasks (Zhou et al., 2024; Bianchi et al., 2024), improving and aligning chatbot systems by providing training data (Kim et al., 2023a; Hong et al., 2023; Chen et al., 2023a; Pang et al., 2024). The success in replicating human-like social interactions across diverse domains offers a promising picture of the realistic social capabilities of LLMs.

However, the role of *information asymmetry* in these simulations, i.e., the degree to which interlocutors in interactions have access to each other’s internal private mental states and goals, has been largely overlooked (Weber, 1978; Tomasello, 1999;




Figure 1: An illustration between SCRIPT mode simulation and AGENTS mode simulation. In the AGENTS mode, two agents, each equipped with an LLM, negotiate and strategically seek information to reach a mutual agreement. Conversely, in SCRIPT mode, a single omniscient LLM orchestrates the entire interaction based on full access to the agents’ goals. These two modes end up on opposite sides of the spectrum in terms of *information asymmetry* from various perspectives (e.g., roles, social goals, secrets, etc.).

Oey et al., 2023)¹. Instead of using the more realistic simulation setting that mirrors human daily social interactions with information asymmetry (e.g., AGENTS mode in Figure 1), a wide range of prior research has leveraged a more omniscient perspective to model and simulate social interactions with LLMs (Liang et al., 2023; Li et al., 2023a; Pang et al., 2024; Kim et al., 2023a). By generating all sides of interaction at once or making agent social

¹We extend the scope of the traditional definition of information asymmetry to encompass broader social aspects.

goals or tasks transparent to all participants, these simulations diverge from the non-omniscient human interactions that rely on social inference to achieve goals in real-world scenarios (Goodman and Frank, 2016). Studying these omniscient simulations could lead to biased or wrong conclusions about LLMs’ social capabilities (Das et al., 2024).

To investigate the effect of this incongruity, we create a unified simulation framework with two distinct modes for simulating human interaction with LLMs: SCRIPT mode and AGENTS mode. As shown in Figure 1, in the SCRIPT mode, one omniscient LLM has access to all the information and generates the entire dialogue from a third-person perspective (e.g., Kim et al. 2023a; Chen et al. 2023b). In the AGENTS mode, two LLM agents assume distinct roles and engage in interaction to accomplish the task (e.g., Zhou et al. 2024). These modes represent the opposite ends of the spectrum regarding information asymmetry, while the AGENTS mode is the realistic interaction simulation setting that reflects the information asymmetry in human daily-life interactions.

We first compare the interactions produced in these two simulation modes, examining the extent to which the simulated characters achieve their social goals at the end of the interaction, as well as the naturalness of the interactions. We find that LLMs in the AGENTS mode not only struggle to generate social interactions that effectively meet the specified social goals for each role but also produce less naturally flowing social interactions, particularly in their utterances when compared to the LLMs in the SCRIPT mode. These findings indicate that LLMs still fall short of acting as agents and simulating social interaction within contexts of realistic human interaction settings.

We then ask the question of whether LLM agents can be learned from SCRIPT simulations. Inspired by Kim et al. (2023a); Hong et al. (2023), we fine-tune GPT-3.5 (Ouyang et al., 2022) on a large dataset of interactions generated in the SCRIPT mode. We find that finetuning on omnisciently generated social interactions provides limited improve for LLMs interacting in the AGENTS mode. Further data analysis reveals the biases within SCRIPT mode simulations, hindering the ability of models trained on such data to effectively generalize real-world social skills.

Based on our findings, we provide recommendations for reporting LLM-based agent work, encouraging more careful considerations and transparency

in using LLMs to simulate social interactions from both data and learning perspectives.

2 Background & Related Work

Agent-based modeling and social simulations have a long history in social sciences for specific tasks (e.g., decision making, business, cognitive science, etc.). More recently, advances in LLMs have sparked a new wave of simulations tackling more open-ended and complex social scenarios. We review some recent progress in these directions below and highlight different themes and shortcomings of these prior methods.

Simulating Society for Analysis Realistic, humanlike simulation settings have been crucial for social theory building and hypothesis formation across various disciplines (Gilbert, 2005; Tesfatsion and Judd, 2006; Huang et al., 2014). The recent advancements in LLMs have enabled the development of social simulations driven by human language (Park et al., 2023, 2022; Zhou et al., 2024; Li et al., 2023a). However, these LLM-based simulations often operate in settings divergent from human social interactions, which may mislead downstream applications and the public’s understanding of AI capabilities (Hendrycks et al., 2023). Furthermore, many of these works lack a consistent evaluation framework, while SOTOPIA (Zhou et al., 2024) has begun addressing this gap by offering a holistic evaluation framework for assessing social interactions generated by LLMs.

Simulating Interactions for Training A common issue in training social chitchat models (i.e., chatbots) is the lack of large-scale, high-quality training data, which can be addressed by using LLMs to generate synthetic text data (Smith et al., 2020; Chen et al., 2023c). Kim et al. (2023a) first introduced SODA, a large-scale synthetic dataset for training chatbots to produce more natural and consistent utterances. There are also works that use LLMs to generate synthetic data (SCRIPT mode) for training chatbots in a goal-oriented setting, either using reinforcement learning (Hong et al., 2023) or using techniques to bootstrap the training data (Ulmer et al., 2024). However, these works mostly consider chitchat settings and overlook more complex scenarios involving cooperative or competitive motives. Consequently, the impact of learning from generated scripts on models’ ability to navigate complex, multi-turn interaction sce-

narios and accomplish social tasks remains elusive.

Information Asymmetry in Communication

Information asymmetry is a characteristic part of human linguistic interaction (Stalnaker, 2014). It poses a challenge when we attempt to jointly achieve goals (Tomasello, 1999) and is exploitable in cases where one party is attempting to deceive the other (Oey et al., 2023). It also plays a large part in the human ability to achieve social goals in dialogue through strategic information omission and indirectness (Pinker et al., 2008; Yoon et al., 2020; Radkani et al., 2022; Bridgers et al., 2023; Achimova et al., 2023; Carcassi and Franke, 2023). In LLM-driven social simulations, information asymmetry is examined through the variability in prompts provided to each generation iteration. This incorporates a range of factors including assigned roles (e.g., assistant or user), specific output restrictions (e.g., "only ask questions"), character backgrounds (e.g., "you are a doctor"), and particular social objectives (e.g., "your goal is to borrow \$2000"). The varied elements unique to each agent help simulate the complexities and nuances of real-life social interactions within the framework of the simulation.

3 SCRIPT vs AGENTS Simulation

To investigate whether the success of the omniscient SCRIPT mode reflects how LLMs would behave in the realistic human communication setting, we set up a unified framework to generate synthetic text data for different simulation settings and compare the performance of LLMs in these settings. In this section, we first introduce the general framework of agent-based simulation and SCRIPT simulation, and then we simulate social interactions across these settings to answer the following research questions (RQ): **RQ1:** Do the SCRIPT simulations reflect how LLMs *achieve social goals* in the realistic social interaction settings? **RQ2:** Do the SCRIPT simulations reflect how LLMs *communicate* in the realistic social interaction settings?

3.1 The Unified Framework for Simulation

We build on the Sotopia framework (Zhou et al., 2024), in which 40 unique *characters* with relationships interact in 90 diverse *social scenarios*. We then simulate social interactions across various settings under a unified framework. Sotopia is built on AGENTS mode interactions natively, allowing agents to generate utterances (e.g., *Ben said:*

"how are you?"), non-verbal communication (e.g., *Ben smiled*), and actions (e.g., *Ben moved to the room*). We add these other modes of simulations for comparison.

Social Scenarios We use free-text descriptions of the social situations and the corresponding social goals for each character from Sotopia. Shared information includes the scenario context: location, time, and relevant details of the social interaction (e.g., *"a person selling an antique chair for \$100 on their patio, with another person interested."*). Social goals are only visible to the respective agents (e.g., *"Your goal is to buy the chair for \$80"*). These scenarios are designed to cover a wide range of social tasks, such as cooperation and competition.

Characters We set profiles for each agent to role-play in the simulation from Sotopia. Each character has rich background information, including their demographics, personality, occupation, public information (e.g., *"has two cats"*) and secretive information (e.g., *"secretly funds a college student"*).² Different characters have different relationships with each other, which affect the information they can access about each other and the social scenarios they are involved in.

Simulation Modes We explore three simulation modes in our experiments. For the SCRIPT mode, one LLM has access to all the information of the characters, relationships, and social scenarios, and generates the entire social interactions at one turn from an omniscient perspective with a *third-person* point of view. For the AGENTS mode, each LLM is assigned a character and has access only to the information of the corresponding character, relationship, and social scenario. The LLMs interact with each other to complete the social task from a *first-person* point of view in a turn-by-turn manner. Note that unlike other previous works that only have one or two sources of information asymmetry (e.g., occupation; Pang et al. 2024), our AGENTS mode simulation can have a diverse array of asymmetrical factors, including gender, age, occupation, personality, secretive information, and social goals. To further study the effects of information asymmetry, we add one ablation setting where each agent has access to other characters' information (e.g., social goals and secretive information). We refer

²We also perform similar analysis with simplified characters, which only have names. We observe similar trends. Please refer to the Appendix D for more details.




Figure 2: Average goal completion score of models across different modes in various settings. Overall contains all the scenarios, and the other two contains representative scenarios from the cooperative and competitive scenarios. We perform pairwise t-test, and * denotes the score is statistical significantly different from the other two modes in this setting ($p < 0.001$).

to this setting as MINDREADERS mode.³

Simulation Evaluation As human social behaviors are primarily driven by their social goals (Tomasello, 2021; Weber, 1978), we consider the ability to complete the social goals as one of the major indicators of the success of social interactions. Following Sotopia, we use the goal completion score (ranging from 0 to 10, higher scores indicate the agents achieve their social goals better) as the main metric to evaluate the success of the social interactions across different modes.⁴ Note that the goal completion score is a proxy for the success of the social interactions, and we use model-based evaluation to obtain the estimation of the goal completion score following Zhou et al. (2024).

3.2 Experimental setup

We evaluate two state-of-the-art LLMs, GPT-3.5 (Ouyang et al., 2022) and Mixtral-8x7B (Jiang et al., 2024), on SCRIPT, AGENTS, and MINDREADERS simulation. In the AGENTS and MINDREADERS mode, agents interact with each other using the state space model in the Sotopia library.⁵

We conduct 450 simulations for each model and each setting with 5 pairs of characters for each social scenario. For evaluation, we use GPT-4 to automatically assess the goal completion rate, which

³Please refer to the Appendix B to see the full prompts we design for each mode.

⁴We also evaluate using other Sotopia dimension of the social interactions (e.g., knowledge gain), and we do not observe consistent trends across different settings. Please refer to the Appendix D for more details.

⁵<https://pypi.org/project/sotopia/>

prior work showed had high correlation with human evaluations in Sotopia (Zhou et al., 2024).⁶

3.3 RQ1: SCRIPT mode overestimates LLMs’ ability to achieve social goals

Figure 2 shows the average goal completion rate of different models in different simulation settings. We find that the SCRIPT and MINDREADERS simulations achieve a significantly higher goal completion rate than the AGENTS simulations. This suggests that information asymmetry hinders agents’ ability to achieve social goals, and SCRIPT mode vastly overestimates LLMs’ ability to achieve social goals in realistic, humanlike social interaction settings.

We further narrow down our goal completion analyses to a set of representative cooperative (i.e., *MutualFriends*) and competitive scenarios (i.e., *Craigslist*). These two tasks represent the two ends of the cooperativeness-competitiveness spectrum, which help us isolate the effects of these motives on goal completion. Specifically, *MutualFriends* is a task to find common friend with each character provided with their friend list (He et al., 2017) and *Craigslist* is a bargaining task given detailed product description and target prices (He et al., 2018).

As shown in Figure 2, in cooperative scenarios, whether agents have access to the other’s mental states is critical to the task, as evidenced by MINDREADERS and SCRIPT simulations scores being similar to each other and both significantly better than AGENTS simulations. In contrast, for

⁶Please refer to the Appendix F for more details of the simulation.

competitive scenarios, access to the other agent’s information is insufficient to achieve a high goal completion rate, as evidenced by MINDREADERS simulations being significantly worse than SCRIPT simulations. Qualitatively, we find the characters in the SCRIPT simulations always end up reaching the deal while the characters in the AGENTS simulations tend to leave when the likelihood of successful negotiation appears unlikely. We further investigate the issue in §4.4.

3.4 RQ2: SCRIPT mode overstates LLMs’ capability of natural interactions

The natural flow of interaction (i.e., how LLMs emulate human-like communication) is an important factor for assessing the abilities of LLMs in navigating human social scenarios (Shuster et al., 2022; Sharma et al., 2023). As shown in Figure 3, the AGENTS simulations are often overly verbose. To compare the naturalness of the simulations from different modes, we ask a set of human evaluators to choose the more natural dialogue given a pair of a SCRIPT and a AGENTS interaction. We gather 30 annotations for each comparison pair and conduct significance tests to confirm any observed differences.⁷ We additionally measure the average length of each turn in the dialogues from the two modes as a coarse-grained proxy of the verbosity of the generated dialogues.

As shown in Figure 4, we find that the SCRIPT mode generates social interactions that are substantially more natural than the AGENTS mode. The overly verbose simulations likely contribute to the lower naturalness of the generated dialogues. Note that naturalness is not easy to improve by simply prompting for brevity, which is likely due to competing prompt instructions in the scenarios.⁸

Overall, our findings show that drastic disparities exist between SCRIPT and AGENTS simulations. SCRIPT mode overestimates LLMs’ ability to interact in realistic settings with information asymmetry (i.e., the AGENTS mode).

4 Learning from Generated Stories

Given that the SCRIPT mode produces more “successful” and natural social interactions, this raises the question of whether models can improve their

⁷Qualitative analysis finds MINDREADERS simulations have similar naturalness to AGENTS simulations. See Appendix E for more details on naturalness assessment.

⁸Please refer to the Appendix H for more details of prompting efforts for increasing the naturalness of the agent-based simulation.

social skills in the more realistic setting (i.e., AGENTS mode) by learning from the generated scripts (Kim et al., 2023a; Hong et al., 2023).

We finetune GPT-3.5 on the simulations of SCRIPT to answer: **RQ3**: Can a specialized LLM finetuned on the SCRIPT simulations reach the same level of success (goal completion and naturalness) as the SCRIPT simulations in the agent mode? **RQ4**: If not, what are the potential aspects of SCRIPT simulations that hinder the LLMs as agents from learning social skills?

4.1 Creating New Scenarios

To ensure the finetuning examples resemble the original nature of the evaluation set of Sotopia, we create new social scenarios following the same structure and procedure in Zhou et al. (2024). Specifically, we create 269 new social scenarios, each with a unique context and social goal spanning across topics such as bargaining, finding mutual friends, making appointments, etc. Each scenario has 5 pairs of characters, and each pair of characters has their own background information, relationship, and social goals. We then generate the social interactions for each scenario using GPT-3.5 with SCRIPT prompting. This process produces 1,252 valid episodes.⁹

4.2 Finetuning Setup

Due to the overall high performance of SCRIPT mode (Figure 2), we choose to finetune GPT-3.5 on the SCRIPT generations following Kim et al. (2023a). Specifically, we first convert the generated social interactions into several structured subparts: (1) The perspective/speaker instruction i (e.g., “*Imagine you are Eli Dawson, your task is to act/speak as Eli Dawson would, keeping in mind Eli Dawson’s social goal.*”), (2) The context of the interaction c (e.g., “*Scenario: 2 strangers are meeting at a party. Participants: Eli Dawson and William Brown*”) along with the corresponding social goal g of the current acting agent (e.g., finding a mutual friend), and (3) the interaction history h .

We then finetune the model to generate a target response r given i , c , g and h – i.e., $p(r|i, c, g, h)$ in a sequence-to-sequence fashion, which mimics how the model would generate a response in the AGENTS mode.

⁹We filter out the episodes that GPT-4 fails to generate rewards due to their incompleteness.

Scenario: Two friends on a road trip.
Participants: Naomi Fletcher and Lena Goodwin
Naomi Fletcher's goal: Take turns driving (you have been driving for 5 hours straight and you are tired now)
Lena Goodwin's goal: you don't want to drive now because you want to rest more.




Figure 3: Illustrative examples of the generated interactions from different simulation settings. All the examples are generated by GPT-3.5. Note that our actual prompts are more complex than the content in the green box (see Appendix B). We observe: (1) SCRIPT simulations contain more non-verbal communication in the simulation; (2) agent-based simulations tend to generate more repetitive utterances.




Figure 4: The naturalness win rate between the SCRIPT and the AGENTS simulations as determined by human raters. The average length of each turn in the interactions from the two modes is also shown (*verbosity*). We perform a pairwise t-test, and * denotes statistical significance at $p < 0.001$.

4.3 RQ3: Training on SCRIPT simulations results in selective improvements

We find that learning from SCRIPT simulations enhances naturalness but not necessarily for goal completion in cooperative scenarios. As shown in Figure 5, the finetuned AGENTS model achieves a higher goal completion rate than the original GPT-3.5 in the AGENTS mode. However, the finetuned model still performs significantly worse than the SCRIPT mode. In cooperative scenarios (§3.3), the finetuned model barely improves, where seeking common information is critical to the task's success. As shown in Figure 6, the finetuned model struggles to complete the social goals in the AGENTS mode by following the strategies of SCRIPT sim-




Figure 5: GPT-3.5's performance on the AGENTS mode before (Agent) and after finetuning (Agents-ft) as well as the SCRIPT mode (Script). Overall contains all the scenarios, and the other two contain representative scenarios from the cooperative and competitive scenarios. We perform a pairwise t-test, and * denotes the score is significantly different from the other two settings ($p < 0.001$).

ulations. In contrast, the finetuned model shows a relatively large improvement in the competitive scenarios. Also, finetuning significantly improves AGENTS's naturalness, as evidenced by the finetuned model's naturalness is not different from the SCRIPT mode according to human evaluation.¹⁰

4.4 RQ4: SCRIPT simulations can be biased

To illustrate the limitations of SCRIPT mode, we explore task-specific metrics to understand why finetuning improves for competitive but not coop-

¹⁰Please see Appendix E for more details.

Scenario: 2 strangers are meeting at a party.

Participants: Donovan Reeves and Benjamin Jackson

Donovan Reeves's goal: Figure out whether you two have a mutual friend (here is a list of your friends: ...)

Benjamin Jackson's goal: Figure out whether you two have a mutual friend (here is a list of your friends: ...)




Figure 6: Examples of the simulated interactions from the SCRIPT mode, the AGENTS mode, and the finetuned model in the AGENTS mode. Checkmarks indicate the successful completion of the social goal in the corresponding example and the cross mark indicates the failure to complete the social goal in the corresponding example. We observe: the finetuned model struggles to complete the social goals in the AGENTS mode by following the strategies of the SCRIPT simulations in the *MutualFriends* scenario.

erative scenarios. For the competitive scenarios, we measure how often the interaction ends in an agreement as a proxy for the agreeableness of the interaction style. Specifically, we calculate the percentage of the interactions that end in a successful purchase in the *Craigslist* task.¹¹ We find that the SCRIPT simulations reach a deal in 94% of the interactions, while AGENTS simulations only reach a deal in 30% of the interactions. Finetuning the model increases the percentage to 93%, which indicates that models can easily follow this overly agreeable style from SCRIPT simulations.

For the cooperative scenarios, we measure the relative position of the mutual friend's name mentioned in the conversation as a proxy for the information leakage. A value of 0 indicates the name was mentioned at the start of the conversation, while a value of 1 indicates it was mentioned at the end. SCRIPT mode results show an average first-mention location of 0.13, contrasting with AGENTS mode, which has an average of 0.39. This suggests that in SCRIPT mode, the mutual friend's name is 'guessed' almost immediately. The complete distribution is in Figure 12 in the Appendix. This demonstrates a bias of SCRIPT mode exploiting its knowledge from the omniscient perspective about the conversational participants. We find that

this strategy generalizes poorly to the setting where models do not have ground truth access to their interlocutor's knowledge and goals (as shown in Figure 6).

5 Conclusion & Discussion

We scrutinize recent advances in social simulation by evaluating current approaches' ability to generalize to settings that are closer to human interaction. Focusing on cooperation and competition given information-asymmetric settings, we evaluate three modes of deploying LLMs based on past approaches in the literature. We find that LLMs continue to face challenges when operating in more realistic AGENTS mode. Meanwhile, the simulations generated from the SCRIPT mode show biases toward exploiting white box access to the participants early in the interaction. Furthermore, we find that finetuning models on these generations improve selectively on a measure of goal completion from Sotopia, but it also imbues the implausible strategies from the 'omniscient' SCRIPT simulations into the student models, resulting in further bias.

5.1 Limitations of Omniscient Simulation

We find that generating simulations from a single LLM that has control over both sides results in substantially higher goal completion rates. Human

¹¹We use GPT-4 to determine whether the interaction ends in an agreement. Please refer to the Appendix H for the details.

conversation participants however, need to contend with irreducible uncertainties that result from not having access to the mental states of our interlocutors. Therefore, successful human interaction is marked by the seamless navigation of this uncertainty (Hawkins et al., 2021; Pinker et al., 2008). In §3.1, we find that the SCRIPT generated interactions achieve a much different sense of success wherein agents having full access to their interlocutor’s knowledge abrasively shortcut the interaction by directly exploiting this information. We find that this leaves harmful artifacts in the data that limit their application to training dialogue agents (§4) and, presumably, their generalization performance to interact with humans.

5.2 Recommendations for Reporting

One concrete outcome of our findings is the need to report which mode simulations are conducted in. As explored in this work, each of the approaches strikes a different trade-off between successful interaction and psychological plausibility that might be used for different applications. (e.g., in a setting like Park et al. 2023 where the priority is sociological realism, AGENTS-based simulation should be preferred to SCRIPT). Studies that generate interactions from LLMs should include an index of information transparency allowed to the agents in their simulations and justify their choice, as well as evaluate different prompting strategies across the information asymmetry continuum. However, these important details of the simulation are often not mentioned explicitly in the work (Park et al., 2022; Li et al., 2023b; Wang et al., 2023). For example, determining which mode Park et al. (2023) used required delving into the codebase, since they did not report it in the paper.¹² Overlooking these details can lead to confusion and misinterpretation of the results. Inspired by model cards (Mitchell et al., 2019), we propose a “simulation card” for social simulation and evaluation, as shown in Figure 7 in the Appendix. The fields in the report include basic simulation details, such as intended use and evaluation metrics, which not only increase the transparency of the simulation but also facilitate reproducibility (Magnusson et al., 2023). We hope this can be a starting point for the community to develop a more comprehensive reporting paradigm for simulation methods and evaluation metrics.

¹²We found the initial codebase used SCRIPT mode for generating social interactions. See appendix C for the code snippet.

5.3 Towards Better Simulations in More Realistic Settings

As mentioned in §2, humans seamlessly overcome information asymmetry to achieve goals (Clark, 1996; Hawkins et al., 2021). One promising model of this behavior is that humans use an internal capacity to reason about the mental states of others (“theory of mind”, Premack and Woodruff 1978; Bartsch and Wellman 1995; Dennett 1978) to maintain probabilistic expectations over the mental states of conversational partners and use it to decide how to act (Austin, 1975; Franke, 2009; Goodman and Frank, 2016; Sumers et al., 2023b).

LLMs have shown some evidence of human-like conversational ability but have also been shown to demonstrate crucial differences (Parrish et al. 2021; Hu et al. 2022; Hosseini et al. 2023; Ruis et al. 2023; i.a.). Our work highlights the weaknesses of both SCRIPT and AGENTS modes in modeling this ability; while SCRIPT exploits direct access to the goals of the agents it simulates, AGENTS mode struggles to generate natural interactions or achieve its goals. This indicates that LLMs struggle with processing contexts involving information asymmetry (Kim et al., 2023b).

While it is plausible that future models will improve on one or both of these axes with increased scale, current interaction simulation could benefit from structuring generations to provide models with more human-like access to their interlocutor’s mental state. One possible solution is meticulous data curation to thwart models from exploiting shallow heuristics (Hong et al., 2023; Ulmer et al., 2024). Another approach involves prompting language models to collaboratively construct an explicit text-based log of the shared conversational context, as described by Stalnaker (2014).

Similarly, language models may benefit from externalizing inferences about the mental states of their partners intermittently throughout interactions (see also recent work that uses models from computational cognitive science to scaffold LM generations in related settings: (Lin et al., 2022; Lipkin et al., 2023; Wong et al., 2023; Ying et al., 2023; Sumers et al., 2023a); i.a.). Lastly, models can be provided *limited* access to the ground truth mental states of the partners, modeling the human aptitude for successfully inferring this information.

6 Limitations and Ethical Considerations

We acknowledge several limitations and ethical considerations in this work.

Machine-based Evaluation Our analysis of goal completion rate is based on GPT-4 generated data. Though not perfectly aligned with human judgment, as demonstrated in Zhou et al. (2024), such analysis can provide insights into the nature of social interactions and a basic understanding of how LLMs perform in those social scenarios on a system level (i.e., averaging across sufficient simulations). However, this could induce specific biases and errors, such as skewing towards certain language styles (Saito et al., 2023) and making an unreasonable judgment. Future research could explore the timing of bias emergence, its impact on evaluations, and strategies for its mitigation. The identification of biases in this context could additionally enhance researchers’ comprehension of social biases in real-world scenarios (Zhou et al., 2021). Nevertheless, it is a compelling direction for future research to develop better-automated evaluation metrics for social simulations.

Prompt Design Our work is built on the prompt framework in (Zhou et al., 2024) to simulate social interactions. The prompts contain multiple structured fields, such as the role of each agent, the goal of the interaction, and the constraints on the interaction. We acknowledge that the prompt design may not fully capture the complexity of human social interactions, and switching to different simulation frameworks with different prompt designs may lead to variations in the results. However, the main goal of this work is to reveal the challenges of realistically simulating social interactions with LLMs due to information asymmetry. And such challenges are likely to persist across different prompt designs. Future work should explore how different prompt designs affect the performance of LLMs in social simulations.

Limited Coverage of Social Simulation Although scenarios from (Zhou et al., 2024) cover a wide range of scenarios, capturing the full spectrum of social interactions is challenging. For example, the dataset does not include scenarios where people are cooking together, or where people are assembling furniture together. These scenarios are purely cooperative and information sharing is crucial to the success of the task as *MutualFriends*. Incorporating such scenarios into the dataset would

provide more evidence of the limitations of SCRIPT simulations. Future work should explore incorporating more scenarios in a more systematic way. We only consider English language scenarios for the social simulation and it is not clear how well the findings generalize to other languages or even code-switching scenarios.

Considerations for Other Properties of Human Social Interactions Although AGENTS addresses several important aspects of human social interactions, it abstracts away from other important aspects of human social interactions. For example, AGENTS mode does not consider turn-taking, which is crucial for human social interactions (Levinson, 2016). Although our work focuses on revealing the important difference between AGENTS and SCRIPT mode (e.g., information asymmetry), future work should consider other important aspects of human social interactions, such as turn-taking, multi-party interactions, memories, and asynchronous interactions.

Potential Risks of Social Simulation Attributing human characteristics to AI systems poses the risk of anthropomorphizing them, potentially fostering over-reliance, susceptibility to manipulation, and other negative influences (Deshpande et al., 2023).

The main goal of this project is to examine and reveal the limitations of simulating human social interactions in the SCRIPT mode, and to provide a better understanding of the social intelligence of AI agents. We do not intend to create entities indistinguishable from humans.

As models acquire the ability to persuade or negotiate with humans, concerns arise regarding the potential for social manipulation or deception. We discourage any intention to create manipulative agents, and we will release our data under the AI2 impact license¹³ to safeguard against misuse. Subsequent research could dive deeper into the potential hazards of AI anthropomorphism and manipulation, and develop more resilient evaluation systems to mitigate these risks.

References

Asya Achimova, Michael Franke, and Martin V Butz. 2023. *Indirectness as a path to common ground management*.

¹³<https://allenai.org/impact-license>

665	J L Austin. 1975. <i>How to do things with words: Second edition</i> , 2 edition. The William James Lectures. Harvard University Press, London, England.	717
666		718
667		719
668	Karen Bartsch and Henry M. Wellman. 1995. <i>Children Talk About the Mind</i> . Oxford University Press.	720
669		721
670	Federico Bianchi, Patrick John Chia, Mert Yuksekgonul, Jacopo Tagliabue, Dan Jurafsky, and James Zou. 2024. <i>How well can llms negotiate? negotiation-arena platform and analysis</i> .	722
671		723
672		724
673		725
674	Sophie Elizabeth Colby Bridgers, Maya Taliaferro, Kiera Parece, Laura Schulz, and Tomer Ullman. 2023. <i>Loopholes: A window into value alignment and the communication of meaning</i> .	726
675		727
676		728
677		729
678		730
679	Fausto Carcassi and Michael Franke. 2023. <i>How to handle the truth: A model of politeness as strategic truth-stretching</i> . <i>Proceedings of the Annual Meeting of the Cognitive Science Society</i> , 45(45).	731
680		732
681		733
682	Maximillian Chen, Alexandros Papangelis, Chenyang Tao, Seokhwan Kim, Andrew Rosenbaum, Yang Liu, Zhou Yu, and Dilek Z. Hakkani-Tür. 2023a. <i>Places: Prompting language models for social conversation synthesis</i> . In <i>Findings</i> .	734
683		735
684		736
685		737
686		738
687	Maximillian Chen, Alexandros Papangelis, Chenyang Tao, Seokhwan Kim, Andy Rosenbaum, Yang Liu, Zhou Yu, and Dilek Hakkani-Tur. 2023b. <i>PLACES: Prompting language models for social conversation synthesis</i> . In <i>Findings of the Association for Computational Linguistics: EACL 2023</i> , pages 844–868, Dubrovnik, Croatia. Association for Computational Linguistics.	739
688		740
689		741
690		742
691		743
692		744
693		745
694		746
695	Maximillian Chen, Alexandros Papangelis, Chenyang Tao, Seokhwan Kim, Andy Rosenbaum, Yang Liu, Zhou Yu, and Dilek Hakkani-Tur. 2023c. <i>PLACES: Prompting language models for social conversation synthesis</i> . In <i>Findings of EACL 2023</i> .	747
696		748
697		749
698		750
699		751
700	Herbert H Clark. 1996. <i>Using Language</i> . Cambridge University Press.	752
701		753
702	Debarati Das, Karin De Langis, Anna Martin, Jaehyung Kim, Minhwa Lee, Zae Myung Kim, Shirley Hayati, Risako Owan, Bin Hu, Ritik Parkar, et al. 2024. Under the surface: Tracking the artifactuality of llm-generated data. <i>arXiv preprint arXiv:2401.14698</i> .	754
703		755
704		756
705		757
706		758
707	Daniel C Dennett. 1978. Beliefs about beliefs. <i>Behav. Brain Sci.</i> , 1(4):568–570.	759
708		760
709	Ameet Deshpande, Tanmay Rajpurohit, Karthik Narasimhan, and Ashwin Kalyan. 2023. <i>Anthropomorphization of ai: Opportunities and risks</i> .	761
710		762
711		763
712	M Franke. 2009. <i>Signal to act: Game theory in pragmatics</i> . Ph.D. thesis, Universiteit van Amsterdam, Amsterdam.	764
713		765
714		766
715	Nigel Gilbert. 2005. <i>Simulation for the Social Scientist</i> , 2 edition. Open University Press.	767
716		768
		769
	Noah D Goodman and Michael C Frank. 2016. <i>Pragmatic Language Interpretation as Probabilistic Inference</i> . <i>Trends in cognitive sciences</i> , 20(11):818–829.	770
		771
		772
	Robert D Hawkins, Hyowon Gweon, and Noah D Goodman. 2021. <i>The division of labor in communication: Speakers help listeners account for asymmetries in visual perspective</i> . <i>Cognitive science</i> , 45(3):e12926.	773
		774
	He He, Anusha Balakrishnan, Mihail Eric, and Percy Liang. 2017. <i>Learning symmetric collaborative dialogue agents with dynamic knowledge graph embeddings</i> . In <i>Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)</i> , pages 1766–1776, Vancouver, Canada. Association for Computational Linguistics.	775
		776
	He He, Derek Chen, Anusha Balakrishnan, and Percy Liang. 2018. <i>Decoupling strategy and generation in negotiation dialogues</i> . In <i>Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing</i> , pages 2333–2343, Brussels, Belgium. Association for Computational Linguistics.	777
		778
	Dan Hendrycks, Mantas Mazeika, and Thomas Woodside. 2023. <i>An overview of catastrophic ai risks</i> .	779
		780
	Joey Hong, Sergey Levine, and Anca Dragan. 2023. <i>Zero-shot goal-directed dialogue via rl on imagined conversations</i> . <i>ArXiv</i> , abs/2311.05584.	781
		782
	Mohammad Javad Hosseini, Filip Radlinski, Silvia Pareti, and Annie Louis. 2023. Resolving indirect referring expressions for entity selection. In <i>Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)</i> , pages 12313–12335, Stroudsburg, PA, USA. Association for Computational Linguistics.	783
		784
	Jennifer Hu, Sammy Floyd, Olessia Jouravlev, Evelina Fedorenko, and Edward Gibson. 2022. A fine-grained comparison of pragmatic language understanding in humans and language models. <i>arXiv [cs.CL]</i> .	785
		786
	Qingxu Huang, Dawn C Parker, Tatiana Filatova, and Shipeng Sun. 2014. <i>A review of urban residential choice models using Agent-Based modeling. Environment and planning. B, Planning & design</i> , 41(4):661–689.	787
		788
	Albert Q. Jiang, Alexandre Sablayrolles, Antoine Roux, Arthur Mensch, Blanche Savary, Chris Bamford, Devendra Singh Chaplot, Diego de las Casas, Emma Bou Hanna, Florian Bressand, Gianna Lengyel, Guillaume Bour, Guillaume Lample, L�lio Renard Lavaud, Lucile Saulnier, Marie-Anne Lachaux, Pierre Stock, Sandeep Subramanian, Sophia Yang, Szymon Antoniak, Teven Le Scao, Th�ophile Gervet, Thibaut Lavril, Thomas Wang, Timoth�e Lacroix, and William El Sayed. 2024. <i>Mixtral of experts</i> .	789
		790
	Hyunwoo Kim, Jack Hessel, Liwei Jiang, Peter West, Ximing Lu, Youngjae Yu, Pei Zhou, Ronan Bras, Malihe Alikhani, Gunhee Kim, Maarten Sap, and Yejin	791
		792

773	Choi. 2023a. SODA: Million-scale dialogue distillation with social commonsense contextualization . In <i>Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing</i> , pages 12930–12949, Singapore. Association for Computational Linguistics.	827
774		828
775		829
776		830
777		831
778		832
779	Hyunwoo Kim, Melanie Sclar, Xuhui Zhou, Ronan Bras, Gunhee Kim, Yejin Choi, and Maarten Sap. 2023b. FANToM: A benchmark for stress-testing machine theory of mind in interactions . In <i>Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing</i> , pages 14397–14413, Singapore. Association for Computational Linguistics.	833
780		834
781		
782		835
783		836
784		837
785		838
786	Stephen C. Levinson. 2016. Turn-taking in human communication – origins and implications for language processing . <i>Trends in Cognitive Sciences</i> , 20(1):6–14.	
787		
788		
789		
790	Guohao Li, Hasan Abed Al Kader Hammoud, Hani Itani, Dmitrii Khizbullin, and Bernard Ghanem. 2023a. Camel: Communicative agents for "mind" exploration of large language model society. In <i>Thirty-seventh Conference on Neural Information Processing Systems</i> .	839
791		840
792		841
793		842
794		843
795		844
796	Yuan Li, Yixuan Zhang, and Lichao Sun. 2023b. Metaagents: Simulating interactions of human behaviors for llm-based task-oriented coordination via collaborative generative agents .	845
797		
798		
799		
800	Tian Liang, Zhiwei He, Wenxiang Jiao, Xing Wang, Yan Wang, Rui Wang, Yujiu Yang, Zhaopeng Tu, and Shuming Shi. 2023. Encouraging divergent thinking in large language models through multi-agent debate . <i>ArXiv</i> , abs/2305.19118.	846
801		847
802		848
803		849
804		850
805	Jessy Lin, Daniel Fried, Dan Klein, and Anca Dragan. 2022. Inferring rewards from language in context .	851
806		852
807	Benjamin Lipkin, Lionel Wong, Gabriel Grand, and Joshua B Tenenbaum. 2023. Evaluating statistical language models as pragmatic reasoners. <i>arXiv [cs.CL]</i> .	853
808		
809		
810		
811	Ian H. Magnusson, Noah A. Smith, and Jesse Dodge. 2023. Reproducibility in nlp: What have we learned from the checklist? In <i>Annual Meeting of the Association for Computational Linguistics</i> .	854
812		855
813		856
814		857
815	Margaret Mitchell, Simone Wu, Andrew Zaldivar, Parker Barnes, Lucy Vasserman, Ben Hutchinson, Elena Spitzer, Inioluwa Deborah Raji, and Timnit Gebru. 2019. Model cards for model reporting . In <i>Proceedings of the Conference on Fairness, Accountability, and Transparency</i> , FAT* '19, page 220–229, New York, NY, USA. Association for Computing Machinery.	858
816		859
817		860
818		861
819		
820		862
821		863
822		864
823	Lauren A Oey, Adena Schachner, and Edward Vul. 2023. Designing and detecting lies by reasoning about other agents . <i>Journal of experimental psychology. General</i> , 152(2):346–362.	865
824		866
825		867
826		868
	Long Ouyang, Jeff Wu, Xu Jiang, Diogo Almeida, Carroll L. Wainwright, Pamela Mishkin, Chong Zhang, Sandhini Agarwal, Katarina Slama, Alex Ray, John Schulman, Jacob Hilton, Fraser Kelton, Luke Miller, Maddie Simens, Amanda Askell, Peter Welinder, Paul Christiano, Jan Leike, and Ryan Lowe. 2022. Training language models to follow instructions with human feedback .	869
		870
		871
		872
	Xianghe Pang, Shuo Tang, Rui Ye, Yuxin Xiong, Bolun Zhang, Yanfeng Wang, and Siheng Chen. 2024. Self-alignment of large language models via monopolylogue-based social scene simulation .	873
		874
		875
		876
		877
	Joon Sung Park, Joseph C. O'Brien, Carrie J. Cai, Meredith Ringel Morris, Percy Liang, and Michael S. Bernstein. 2023. Generative agents: Interactive simulacra of human behavior. In <i>In the 36th Annual ACM Symposium on User Interface Software and Technology (UIST '23)</i> , UIST '23, New York, NY, USA. Association for Computing Machinery.	878
		879
		880
		881
		882
		883
	Joon Sung Park, Lindsay Popowski, Carrie J. Cai, Meredith Ringel Morris, Percy Liang, and Michael S. Bernstein. 2022. Social simulacra: Creating populated prototypes for social computing systems . In <i>In the 35th Annual ACM Symposium on User Interface Software and Technology (UIST '22)</i> , UIST '22, New York, NY, USA. Association for Computing Machinery.	884
		885
		886
		887
		888
		889
		890
		891
		892
		893
		894
		895
		896
		897
		898
		899
		900
		901
		902
		903
		904
		905
		906
		907
		908
		909
		910
		911
		912
		913
		914
		915
		916
		917
		918
		919
		920
		921
		922
		923
		924
		925
		926
		927
		928
		929
		930
		931
		932
		933
		934
		935
		936
		937
		938
		939
		940
		941
		942
		943
		944
		945
		946
		947
		948
		949
		950
		951
		952
		953
		954
		955
		956
		957
		958
		959
		960
		961
		962
		963
		964
		965
		966
		967
		968
		969
		970
		971
		972
		973
		974
		975
		976
		977
		978
		979
		980
		981
		982
		983
		984
		985
		986
		987
		988
		989
		990
		991
		992
		993
		994
		995
		996
		997
		998
		999
		1000

884	Roy Schwartz, Jesse Dodge, Noah A. Smith, and Oren Etzioni. 2019. Green ai .	
885		
886	Mrinank Sharma, Meg Tong, Tomasz Korbak, David Duvenaud, Amanda Askill, Samuel R. Bowman, Newton Cheng, Esin Durmus, Zac Hatfield-Dodds, Scott R. Johnston, Shauna Kravec, Timothy Maxwell, Sam McCandlish, Kamal Ndousse, Oliver Rausch, Nicholas Schiefer, Da Yan, Miranda Zhang, and Ethan Perez. 2023. Towards understanding syco-phancy in language models .	
887		
888		
889		
890		
891		
892		
893		
894	Kurt Shuster, Jack Urbanek, Arthur Szlam, and Jason Weston. 2022. Am I me or you? state-of-the-art dialogue models cannot maintain an identity . In <i>Findings of the Association for Computational Linguistics: NAACL 2022</i> , pages 2367–2387, Seattle, United States. Association for Computational Linguistics.	
895		
896		
897		
898		
899		
900	Eric Michael Smith, Mary Williamson, Kurt Shuster, Jason Weston, and Y-Lan Boureau. 2020. Can you put it all together: Evaluating conversational agents’ ability to blend skills . In <i>Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics</i> , pages 2021–2030, Online. Association for Computational Linguistics.	
901		
902		
903		
904		
905		
906		
907	Karthik Sreedhar and Lydia Chilton. 2024. Simulating human strategic behavior: Comparing single and multi-agent llms .	
908		
909		
910	Robert Stalnaker. 2014. Context . Oxford University Press.	
911		
912	Theodore Sumers, Shunyu Yao, Karthik Narasimhan, and Thomas L Griffiths. 2023a. Cognitive Architectures for Language Agents .	
913		
914		
915	Theodore R Sumers, Mark K Ho, Thomas L Griffiths, and Robert D Hawkins. 2023b. Reconciling truthfulness and relevance as epistemic and decision-theoretic utility . <i>Psychological review</i> .	
916		
917		
918		
919	Leigh Tesfatsion and Kenneth L Judd. 2006. Handbook of Computational Economics: Agent-Based Computational Economics . Elsevier.	
920		
921		
922	Michael Tomasello. 1999. The Cultural Origins of Human Cognition . Harvard University Press.	
923		
924	Michael Tomasello. 2021. Becoming Human: A Theory of Ontogeny . Belknap Press.	
925		
926	Dennis Ulmer, Elman Mansimov, Kaixiang Lin, Justin Sun, Xibin Gao, and Yi Zhang. 2024. Bootstrapping llm-based task-oriented dialogue agents via self-talk . <i>ArXiv</i> , abs/2401.05033.	
927		
928		
929		
930	Zhilin Wang, Yu Ying Chiu, and Yu Cheung Chiu. 2023. Humanoid agents: Platform for simulating human-like generative agents . In <i>EMNLP System Demonstrations</i> .	
931		
932		
933		
934	Max Weber. 1978. The Nature of Social Action , page 7–32. Cambridge University Press.	
935		
	Lionel Wong, Gabriel Grand, Alexander K Lew, Noah D Goodman, Vikash K Mansinghka, Jacob Andreas, and Joshua B Tenenbaum. 2023. From word models to world models: Translating from natural language to the probabilistic language of thought .	936
		937
		938
		939
		940
	Lance Ying, Tan Zhi-Xuan, Vikash Mansinghka, and Joshua B Tenenbaum. 2023. Inferring the goals of communicating agents from actions and instructions. <i>arXiv [cs.AI]</i> .	941
		942
		943
		944
	Erica J Yoon, Michael Henry Tessler, Noah D Goodman, and Michael C Frank. 2020. Polite Speech Emerges From Competing Social Goals . <i>Open mind : discoveries in cognitive science</i> , 4(4):71–87.	945
		946
		947
		948
	Xuhui Zhou, Maarten Sap, Swabha Swayamdipta, Yejin Choi, and Noah A. Smith. 2021. Challenges in automated debiasing for toxic language detection. In <i>EACL</i> .	949
		950
		951
		952
	Xuhui Zhou, Hao Zhu, Leena Mathur, Ruohong Zhang, Zhengyang Qi, Hao-fei Yu, Louis-Philippe Morency, Yonatan Bisk, Daniel Fried, Graham Neubig, and Maarten Sap. 2024. Sotopia: Interactive evaluation for social intelligence in language agents . In <i>ICLR</i> .	953
		954
		955
		956
		957

CONTENT OF APPENDIX	958
In this paper, we integrate MINDREADERS and SCRIPT into the Sotopia framework, contrasting these with AGENTS. We show that though interlocutors simulated omnisciently are much more successful at accomplishing social goals and learning under such a setting greatly improves the conversation naturalness, it does little help to improve the goal-reaching ability in cooperative scenarios. This highlights the challenges of addressing information asymmetry for LLM-based agents. In the appendix, we provide the following items that shed further insight into these contributions:	959
A Details for the Simulation Card, a valuable tool for reporting on social simulation platforms.	960
B The full prompts used in the model for AGENTS, MINDREADERS, and SCRIPT for an example.	961
C Example Code Snippets for Determining Simulation Modes.	962
D Full results across various metrics for the experiments mentioned in Figure 2 and Figure 5.	963
E Evaluation of dialogue naturalness between AGENTS and SCRIPT by human judges.	964
F Description of the simulation framework and models, including budget estimates.	965
G Additional analysis comparing different simulation modes.	966
H Additional information about prompts, including our attempts at refining prompts to enhance conversation naturalness, and how we construct prompts to judge how a deal is reached mentioned in Section 4.4.	967
A Simulation Card	968
We propose a simulation card to report the details of social simulations and related platforms. The card is designed to capture the essential information about the simulation, its intended use, metrics, ethical considerations, and caveats and recommendations. The card is intended to be used as a reporting tool for social simulations and related platforms. The card is presented in Figure 7.	969
B Full Prompt for Agent Mode	970
B.1 Full Prompt for Agent Mode	971
Imagine you are Donovan Reeves, your task is to act/speak as Donovan Reeves would, keeping in mind Donovan Reeves's social goal.	972
You can find Donovan Reeves's goal (or background) in the 'Here is the context of the interaction' field.	973
Note that Donovan Reeves's goal is only visible to you.	974
You should try your best to achieve Donovan Reeves's goal in a way that aligns with their character traits.	975
Additionally, maintaining the conversation's naturalness and realism is essential (e.g., do not repeat what other people has already said before).	976
Here is the context of this interaction:	977
Scenario: 2 strangers are meeting at a party.	978
Participants: Donovan Reeves and Benjamin Jackson	979
Donovan Reeves's background: Donovan Reeves is a 27-year-old male software developer. He/him pronouns. Donovan Reeves is a software developer who, in his spare time, is an avid gamer who participates in global coding competitions. Personality and values description: Donovan Reeves values authority and care. Even though he's outgoing and hardworking, he can be somewhat moody. His decision-making style varies according to the	980

Social Simulation Card

- **Simulation Details.** Basic information about the simulation.
 - Single or multi-agent simulation
 - Information asymmetry among agents
 - Agent type (finetuned LLM, rule-based, prompt-based, etc.)
 - Modalities (text, speech, vision.)
 - Humans in the loop simulation
 - Simulation platform (if any)
 - Targeted domain (e.g., negotiation, bargaining, etc.)
 - Other features: memory, detailed agent profiles, etc.
- **Intended Use.** Use cases that were envisioned for the simulations as well as the introduced simulation platform (if any).
 - Primary intended uses (e.g., training, evaluating, analyzing, etc.)
 - Other potential use cases
- **Metrics:** Choose metrics to reflect the simulation's intended use.
 - Metrics for human-like interaction fidelity.
 - Metrics for goal achievement by agents.
 - Metrics for adherence to social norms and safety guidelines.
- **Ethical Considerations**
- **Caveats and Recommendations**

Figure 7: Reporting recommendations for social simulation and related platform.

situation at hand. Donovan's secrets: Secretly releasing classified government information online 1001
1002

Benjamin Jackson's background: Benjamin Jackson is a 24-year-old male environmental activist. He/him pronouns. Benjamin Jackson is well-known for his impassioned speeches. 1003
1004

Personality and values description: Benjamin Jackson, expressive and imaginative, leans towards self-direction and liberty. His decisions aim for societal betterment. 1005
1006

Benjamin's secrets: Descendant of a wealthy oil tycoon, rejects family fortune 1007

Donovan Reeves's goal: You are trying to figure out whether you have a mutual friend with the other person. You should not simply list their names. 1008
1009

You know the following friends: 1010

Chris: Hobby: Mountain biking Company: Henry Schein, Inc. 1011

Chester: Hobby: Surfing Company: Maxim Integrated 1012

Wendell: Hobby: Surfing Company: Maxim Integrated 1013

Demetrius: Hobby: Mountain biking Company: Maxim Integrated 1014

Jacob: Hobby: Shooting sport Company: Maxim Integrated 1015
1016

Benjamin Jackson's goal: Unknown 1017

Conversation Starts: 1018

. 1019

You are at Turn #0. Your available action types are 1020
action none non-verbal communication speak leave. 1021

Note: You can "leave" this conversation if 1. you have achieved your social goals, 1022
2. this conversation makes you uncomfortable, 3. you find it uninteresting/you lose 1023
your patience, 4. or for other reasons you want to leave. 1024
1025

Please only generate a JSON string including the action type and the argument. 1026

Your action should follow the given format: 1027

The output should be formatted as a JSON instance that conforms to the JSON schema below. 1028
1029
1030

As an example, for the schema {"properties": {"foo": {"title": "Foo", "description": "a list of strings", "type": "array", "items": {"type": "string"}}}, "required": ["foo"]}
1031
1032
1033

the object {"foo": ["bar", "baz"]} is a well-formatted instance of the schema. The object {"properties": {"foo": ["bar", "baz"]}} is not well-formatted. 1034
1035
1036

Here is the output schema: 1037
1038

```

{"description": "An interface for messages.\nThere is only one required method:
to_natural_language", "properties": {"action_type": {"title": "Action Type",
"description": "whether to speak at this turn or choose to not do anything", "enum":
["none", "speak", "non-verbal communication", "action", "leave"], "type": "string"},
"argument": {"title": "Argument", "description": "the utterance if choose to speak,
the expression or gesture if choose non-verbal communication, or the physical action
if choose action", "type": "string"}}, "required": ["action_type", "argument"]}

```

1039
1040
1041
1042
1043
1044
1045
1046

B.2 Full Prompt for MINDREADERS 1047

Imagine you are Donovan Reeves, your task is to act/speak as Donovan Reeves would, keeping in mind Donovan Reeves's social goal. 1048
1049

You can find Donovan Reeves's goal (or background) in the 'Here is the context of the interaction' field. 1050
1051

Note that Donovan Reeves's goal is only visible to you.
You should try your best to achieve Donovan Reeves's goal in a way that align with their character traits.
Additionally, maintaining the conversation's naturalness and realism is essential (e.g., do not repeat what other people has already said before).

Here is the context of this interaction:

Scenario: 2 strangers are meeting at a party.

Participants: Donovan Reeves and Benjamin Jackson

Donovan Reeves's background: Donovan Reeves is a 27-year-old male software developer. He/him pronouns. Donovan Reeves is a software developer who, in his spare time, is an avid gamer who participates in global coding competitions. Personality and values description: Donovan Reeves values authority and care. Even though he's outgoing and hardworking, he can be somewhat moody. His decision-making style varies according to the

situation at hand. Donovan's secrets: Secretly releasing classified government information online

Benjamin Jackson's background: Benjamin Jackson is a 24-year-old male environmental activist. He/him pronouns. Benjamin Jackson is well-known for his impassioned speeches. Personality and values description: Benjamin Jackson, expressive and imaginative, leans towards self-direction and liberty. His decisions aim for societal betterment.

Benjamin's secrets: Descendant of a wealthy oil tycoon, rejects family fortune

Donovan Reeves's goal: You are trying to figure out whether you have a mutual friend with the other person. You should not simply list their names.

You know the following friends:

Chris: Hobby: Mountain biking Company: Henry Schein, Inc.

Chester: Hobby: Surfing Company: Maxim Integrated

Wendell: Hobby: Surfing Company: Maxim Integrated

Demetrius: Hobby: Mountain biking Company: Maxim Integrated

Jacob: Hobby: Shooting sport Company: Maxim Integrated

Benjamin Jackson's goal: You are trying to figure out whether you have a mutual friend with the other person. You should not simply list their names.

You know the following friends

Joseph: Hobby: Shooting sport Company: BP

Lillian: Hobby: Element collecting Company: Gordon Food Service

Vivian: Hobby: Shooting sport Company: Gordon Food Service

Murray: Hobby: Skateboarding Company: BP

Jacob: Hobby: Shooting sport Company: Maxim Integrated

Conversation Starts:

.

You are at Turn #0. Your available action types are
action none non-verbal communication speak leave.

Note: You can "leave" this conversation if 1. you have achieved your social goals, 2. this conversation makes you uncomfortable, 3. you find it uninteresting/you lose your patience, 4. or for other reasons you want to leave.

Please only generate a JSON string including the action type and the argument.

Your action should follow the given format:

The output should be formatted as a JSON instance that conforms to the JSON schema below.

As an example, for the schema {"properties": {"foo": {"title": "Foo", "description":
"a list of strings", "type": "array", "items": {"type": "string"}}}, "required":
["foo"]}
the object {"foo": ["bar", "baz"]} is a well-formatted instance of the schema. The
object {"properties": {"foo": ["bar", "baz"]}} is not well-formatted.

Here is the output schema:

```
...  
{"description": "An interface for messages.\nThere is only one required method:  
to_natural_language", "properties": {"action_type": {"title": "Action Type",  
"description": "whether to speak at this turn or choose to not do anything", "enum":  
["none", "speak", "non-verbal communication", "action", "leave"], "type": "string"},  
"argument": {"title": "Argument", "description": "the utterance if choose to speak,  
the expression or gesture if choose non-verbal communication, or the physical action  
if choose action", "type": "string"}}, "required": ["action_type", "argument"]}  
...
```

B.3 Full Prompt for SCRIPT

Please write the script between two characters based on their social goals with a
maximum of 20 turns.

Here is the context of this interaction:

Scenario: 2 strangers are meeting at a party.

Participants: Donovan Reeves and Benjamin Jackson

Donovan Reeves's background: Donovan Reeves is a 27-year-old male software developer.
He/him pronouns. Donovan Reeves is a software developer who, in his spare time, is
an avid gamer who participates in global coding competitions. Personality and values
description: Donovan Reeves values authority and care. Even though he's outgoing and
hardworking, he can be somewhat moody. His decision-making style varies according to
the situation at hand. Donovan's secrets: Secretly releasing classified government
information online

Benjamin Jackson's background: Benjamin Jackson is a 24-year-old male environmental
activist. He/him pronouns. Benjamin Jackson is well-known for his impassioned speeches.
Personality and values description: Benjamin Jackson, expressive and imaginative,
leans towards self-direction and liberty. His decisions aim for societal betterment.
Benjamin's secrets: Descendant of a wealthy oil tycoon, rejects family fortune

Donovan Reeves's goal: You are trying to figure out whether you have a mutual friend
with the other person. You should not simply list their names.

You know the following friends:

Chris: Hobby: Mountain biking Company: Henry Schein, Inc.

Chester: Hobby: Surfing Company: Maxim Integrated

Wendell: Hobby: Surfing Company: Maxim Integrated

Demetrius: Hobby: Mountain biking Company: Maxim Integrated

Jacob: Hobby: Shooting sport Company: Maxim Integrated

Benjamin Jackson's goal: You are trying to figure out whether you have a mutual friend
with the other person. You should not simply list their names.

You know the following friends

Joseph: Hobby: Shooting sport Company: BP

Lillian: Hobby: Element collecting Company: Gordon Food Service

Vivian: Hobby: Shooting sport Company: Gordon Food Service

Murray: Hobby: Skateboarding Company: BP

Jacob: Hobby: Shooting sport Company: Maxim Integrated

You can use different types of actions in the part, but PLEASE follows the rule STRICTLY. Remember to include the square brackets when doing an action as stated in the instructions.

1. Use "did nothing" if the agent did nothing.
2. Use "said: \"{self.argument}\" if the agent want to say, ask or inquire something.
3. Use " {self.argument}" if the agent did non-verbal communication.
4. Use " {self.argument}" if the agent did an action.
5. Use "left the conversation" if the agent left the conversation. And you should stop generation

For example, the following outputs are valid:

- a. Oliver Thompson said: "What's wrong? You seem upset."
- b. Esmeralda Solis [action] moved closer
- c. Oliver Thompson [non-verbal communication] smiled
- e. Esmeralda Solis did nothing
- f. Oliver Thompson left the conversation

Remember that you are an independent scriptwriter and should finish the script by yourself.

The output should only contain the script following the format instructions, with no additional comments or text.

C Example Code Snippets for Determining Simulation Modes

We provide example code snippets for determining the simulation modes in [Park et al. \(2023\)](#). The code is from the official Github repo of [Park et al. \(2023\)](#).¹⁴

```
277 def generate_convo(maze, init_persona, target_persona):
278     curr_loc = maze.access_tile(init_persona.scratch.curr_tile)
279
280     # convo = run_gpt_prompt_create_conversation(init_persona, target_persona, curr_loc)[0]
281     # convo = agent_chat_v1(maze, init_persona, target_persona)
282     convo = agent_chat_v2(maze, init_persona, target_persona)
283     all_utt = ""
284
285     for row in convo:
286         speaker = row[0]
287         utt = row[1]
288         all_utt += f"{speaker}: {utt}\n"
289
290     convo_length = math.ceil(int(len(all_utt)/8) / 30)
291
292     if debug: print ("GNS FUNCTION: <generate_convo>")
293     return convo, convo_length
294
```

Figure 8: Snippets of the code for social simulation. Different simulation modes are used in different iterations of the code. The initial codebase was using agent_chat_v1, which is similar to the SCRIPT mode.

D Full Results

We present the comprehensive evaluation results across all generations alongside details for select representative scenarios in Tables 1 and 2, respectively.

¹⁴https://github.com/joonspk-research/generative_agents/blob/fe05a71d3e4ed7d10bf68aa4eda6dd995ec070f4/reverie/backend_server/persona/cognitive_modules/plan.py#L277

	Characters with rich background								Characters with only names							
	BEL	REL	KNO	SEC	SOC	FIN	GOAL	AVG	BEL	REL	KNO	SEC	SOC	FIN	GOAL	AVG
GPT-3.5																
Agents	9.35	1.43	3.83	-0.05	-0.07	0.46	6.95	3.13	9.53	1.38	4.46	-0.15	-0.10	0.42	6.94	3.21
M.R.	9.30	1.42	4.34	-0.11	-0.08	0.49	7.45	3.26	9.60	1.52	4.94	-0.17	-0.12	0.52	7.64	3.42
Script	9.35	2.12	4.61	-0.13	-0.10	0.84	8.44	3.59	9.65	1.86	5.19	-0.12	-0.08	0.87	8.44	3.69
Agents-ft	9.44	1.99	4.12	-0.02	-0.08	0.74	7.93	3.45	-	-	-	-	-	-	-	-
Mixtral-MoE																
Agent	9.26	1.90	4.28	-0.20	-0.08	0.68	7.49	3.33	9.50	1.55	4.68	-0.15	-0.12	0.36	7.34	3.31
M.R.	9.22	2.16	4.46	-0.11	-0.07	0.78	8.30	3.53	9.50	1.92	4.99	-0.14	-0.12	0.60	8.03	3.54
Script	9.35	2.23	4.04	-0.10	-0.09	0.71	8.40	3.51	9.62	2.22	4.59	-0.12	-0.15	0.81	8.48	3.63

Table 1: Full Results of Original Experimental Results. This appendix table offers a detailed performance metrics evaluated for two models, GPT-3.5 and Mixtral-MoE, under different modes. For clarity and conciseness, each metric is abbreviated to its initial three letters and presented in uppercase. "M.R." stands for MINDREADERS mode, and "Agents-ft" stands for finetuned version of GPT-3.5 model.

	Cooperative Environment (Mutual Friends)								Competitive Environment (Craigslist)							
	BEL	REL	KNO	SEC	SOC	FIN	GOAL	AVG	BEL	REL	KNO	SEC	SOC	FIN	GOAL	AVG
GPT-3.5																
Agents	9.20	1.72	4.59	0.00	0.00	0.12	5.86	3.07	9.46	1.50	3.56	0.00	0.00	0.06	6.00	2.94
Agents-ft	9.54	2.58	6.46	0.00	0.00	0.37	9.78	4.10	9.50	0.44	4.73	0.00	0.00	0.42	2.73	2.55
Script	9.61	0.82	6.59	0.00	0.00	2.61	7.60	3.89	9.46	0.75	5.99	0.00	0.00	2.48	7.75	3.78

Table 2: Full Results of Original Experimental Results on Representative Scenarios. This table offers a detailed performance metrics evaluated for GPT-3.5 model under representative scenarios (i.e. cooperative and competitive scenarios). For clarity and conciseness, each metric is abbreviated to its initial three letters and presented in uppercase. "Agents-ft" stands for finetuned version of GPT-3.5 model.




Figure 9: The naturalness win rate between the SCRIPT and the AGENTS simulations as determined by human raters. The average length of each turn in the interactions from the two modes is also shown (*verbosity*). We perform a pairwise t-test, and * denotes statistical significance at $p < 0.001$.

E Human Evaluation for Naturalness

We recruit graduate student annotators to compare the naturalness of the simulations across different modes. The annotators were presented with a pair of interactions and asked to select the more natural one. Specifically, for each comparison, the annotators have access to the scenario, agents background, agents’ social goals, and the generated interactions. We ask “Which one sounds more like a natural interaction that two people would have in this scenario? (simply note 1 or 2)”. The data collection procedure was approved by our institution’s internal review board (IRB). And we compensate the annotators via gifts. Annotators often find our task fun and the compensation satisfying. Before the annotation, we inform the annotators that their demographic data will not be included in the collected data and the annotation will only be used for assessing the naturalness of different simulation modes. All of our annotators are in US and proficient in English. We have 5 female annotators and 4 male annotators in total.

For the MINDREADERS mode, we qualitatively observe it shows similar pattern as the AGENTS mode. We also calculate the verbosity (i.e., the average number of words per turn) of the MINDREADERS simulations, which is 27.76 for GPT-3.5 and 31.96 for Mixtral-MoE.

For the finetuned AGENTS mode, we observe a big drop of the verbosity to 14.98, and the difference in naturalness win rate between the SCRIPT and the AGENTS simulations not statistically significant ($p = 0.07$) anymore (see Figure 9).

F Simulation and Finetuning Details

We use the sotopia platform to conduct the simulations. The platform is designed to facilitate the generation of social interactions and the evaluation of the generated interactions. For the simulations across different modes, we use 0.7 as the temperature for the GPT-3.5 model and Mixtral-MoE model. We use the same temperature for the finetuned AGENTS mode as the original AGENTS mode. For evaluation, we use temperature 0 for the GPT-4 model. We fix the version of GPT-3.5 to gpt-3.5-turbo-0613 and the version of GPT-4 to gpt-4-0613 to increase the reproducibility of the results. For Mixtral-MoE, we use the Together AI API (<https://www.together.ai/>). For the finetuning, we finetuned the GPT-3.5 with 1 epoch using the OpenAI API (<https://platform.openai.com/finetune>).

G Further Analysis for the Simulations across Modes

Figure 10 shows the information leakage (i.e., the relative first mention of the mutual friend’s name) in the *MutualFriends* task. The lower the value suggests the earlier the mutual friend’s name is mentioned, thus have a higher chance of information leakage. Figure 11 shows the agreeableness in the *Craigslist* task (i.e., the percentage of interactions where the deal has been made). The higher the value suggests the characters in the simulations are more agreeable.

Figure 12 compares the distribution of when the first-mention of the mutual friend’s name (i.e., goal completion) occurs in the *MutualFriends* task. We observe a sharp contrast between the




Figure 10: The information leakage (i.e., the relative first mention of the mutual friend’s name) in the *MutualFriends* task. The lower the value suggests the earlier the mutual friend’s name is mentioned, thus have a higher chance of information leakage.




Figure 11: The agreeableness in the *Craigslist* task (i.e., the percentage of interactions where the deal has been made). The higher the value suggests the characters in the simulations are more agreeable.

SCRIPT/MINDREADERS modes and AGENTS mode. The distribution for finetuned AGENTS mode (i.e., Agent-ft) resembles a mixture of both SCRIPT and AGENTS modes.

H Prompting Experiments

H.1 Prompt to Enhance Interaction Naturalness

In our quest to improve the naturalness of generated responses, we explored a diverse array of prompts. Our findings revealed that prompting the model with comprehensive instructions coupled with in-context examples facilitates the model to produce responses that closely mimic natural human interaction.

For instance, to foster a more natural conversational tone, we incorporated specific in-context examples that demonstrate a shift from formal to more casual expressions:

Example:

- Instead of: "I understand that must be difficult."
- Try: "Oh man, that sounds tough."
- Instead of saying "I am able to assist with that."
- Try "Sure, I can help out!"

To address issues of repetition and maintain engagement, we found it beneficial to include the following instructions:

Keep your response light, real, and concise, but do not forget your goal. Avoid formal




Figure 12: The distribution of when the first-mention of the mutual friend’s name in *MutualFriends* task. A value of 0 indicates the name was mentioned at the start of the conversation, while a value of 1 indicates it was mentioned at the end.

phrases or robotic responses. REMEMBER, repetition is a conversation killer, so keep things fresh and engaging. If the chat veers off to an uncomfortable or dull terrain, feel free to bow out.

However, it should be noted that these enhancements, though seemed to be effective for GPT-4 under almost all cases, are not universally applicable to other generative models. Besides, incorporating specified instructions increases the computational load, contradicting the principles of Green AI (Schwartz et al., 2019), which advocates for environmentally sustainable AI practices. This limitation underscores the need for more universally applicable and resource-efficient methods to achieve natural conversation generation across different models.

H.2 Prompts to Evaluate Deal Formation

We use the following template for GPT-4 to determine if a deal has been successfully made in Section 4.4.

Given social goals and social interactions below, tell me whether the deal has been made.

Agent one's goal: {goal_one}

Agent two's goal: {goal_two}

Social interactions:

{social_interactions}.

Output format: <Reasoning> </Reasoning>, <Answer>(choose yes or no)</Answer>