

CHASING BETTER DEEP IMAGE PRIORS BETWEEN OVER- AND UNDER-PARAMETERIZATION

Anonymous authors

Paper under double-blind review

ABSTRACT

Deep Neural Networks (DNNs) are well-known to act as **over-parameterized** deep image priors (DIP) that regularize various image inverse problems. Meanwhile, researchers also proposed extremely compact, **under-parameterized** image priors (e.g., deep decoder) that are strikingly competent for image restoration too, despite a loss of accuracy. These two extremes push us to think whether there exists a better solution in the middle: *between over- and under-parameterized image priors, can one identify “intermediate” parameterized image priors that achieve better trade-offs between performance, efficiency, and even preserving strong transferability?* Drawing inspirations from the lottery ticket hypothesis (LTH), we conjecture and study a novel “lottery image prior” (**LIP**) by exploiting DNN inherent sparsity, stated as: *given an over-parameterized DNN-based image prior, it will contain a sparse subnetwork that can be trained in isolation, to match the original DNN’s performance when being applied as a prior to various image inverse problems.* Our results validate the superiority of LIPs: we can successfully locate the LIP subnetworks from over-parameterized DIPs at substantial sparsity ranges. Those LIP subnetworks significantly outperform deep decoders under comparably compact model sizes (by often fully preserving the effectiveness of their over-parameterized counterparts), and they also possess high transferability across different images as well as restoration task types. Besides, we also extend LIP to compressive sensing image reconstruction, where a *pre-trained* GAN generator is used as the prior (in contrast to *untrained* DIP or deep decoder), and confirm its validity in this setting too. To our best knowledge, this is the first time that LTH is demonstrated to be relevant in the context of inverse problems or image priors. Codes will be publicly available upon acceptance.

1 INTRODUCTION

Deep neural networks (DNNs) have been powerful tools for solving various image inverse problems such as denoising (Zhang et al., 2017; Guo et al., 2019; Lehtinen et al., 2018; Jiang et al., 2022), inpainting (Pathak et al., 2016; Yu et al., 2018; 2019b), and super-resolution (Ledig et al., 2017; Lim et al., 2017; Zhang et al., 2018). Conventional wisdom believes that is owing to DNNs’ universal approximation ability and learning from massive training data. However, a recent study (Ulyanov et al., 2018) discovered that degraded images can be restored independently using randomly initialized and untrained convolutional neural networks (CNNs) without the supervised training phase, which is called *Deep Image Prior* (DIP). A series of works (Cheng et al., 2019; Gandelsman et al., 2019) have been proposed to improve CNN-based DIPs, which indicates that specific architectures of CNNs have the inductive bias to represent and generate natural images well.

Despite the advantageous performance, most DIP methods use highly **over-parameterized** CNNs with a massive number of parameters (we show this in Table 3 in appendices). Over-parameterization causes computational inefficiency and overfitting (and thus proneness) to noises. This trend has naturally invited the curious question: *does DIP have to be heavily parameterized?* That question is partially answered by Heckel & Hand (2018) by proposing the first **under-parameterized**, non-convolutional neural network for DIP named “deep decoder”. Deep decoder shares across all pixels a linear combination over feature channels in each layer and thus has an extremely compact parameterization. Thanks to its under-parameterization, deep decoder alleviates the “noise overfitting noise” in DIP. However, the empirical performance of deep decoder is often not

on par with overparameterized DIP models, especially on tasks like inpainting and super-resolution. This is potentially attributed to the extremely restricted capacity of deep decoder from the very beginning. The dissatisfaction on both extremes, that is using either over-parameterized CNN DIPs or under-parameterized deep decoders, pushes us to think if there is a better “middle ground”: *Between over- and under-parameterized image priors, can one identify “intermediate” parameterization better trade-offs between performance, efficiency, as well as even preserving strong transferability?*

In this work, we adopt *sparsity* as our main tool for the above question. We seek more compactly parameterized subnetworks by pruning superfluous parameters from the dense over-parameterized CNN DIPs (overview of our work paradigm is shown in Figure 1), essentially viewing pruning as a way to smoothly and flexibly “interpolate” between over- and under-parameterization. We have several motivations for choosing sparsity and pruning from over-parameterization. On one hand, compared with dense and overparameterized DIP models, sparsity saves computations during inference and DIP fitting. Moreover, sparsity can serve as an effective prior that regularizes DNNs to have better robustness to noise (Chen et al., 2022), that is important for DIP which is tasked to distinguish image content from noise. These two blessings combined make sparsity a promising “win-win” for not only DIP efficiency but also performance. On the other hand, unlike deep decoder which sticks to a compact design, exploiting sparsity follows a different “first redundant then compact” training route, which is widely found to enhance performance compared to training a compact model directly from scratch (Zhou et al., 2020). Since overparameterized (especially wide) DNNs have smoother loss surfaces while smaller ones have more rugged landscapes, starting from overparameterization can ease the training difficulty (Safran et al., 2021) and may particularly help the “chaotic” early stage of training (Frankle et al., 2020c).

The recently emerged *Lottery Ticket Hypothesis* (LTH) (Frankle & Carbin, 2018; Frankle et al., 2020a) suggests that every dense DNN has an extremely sparse “matching subnetwork”, that can be trained in isolation to match the original dense DNN’s accuracy. While the vanilla LTH studies training from random scratch, the latest works also extend similar findings to fine-tune the pre-trained models (Chen et al., 2020a; 2021b). LTH has widespread success in image classification, language modeling, reinforcement learning and multi-modal learning, e.g., (Yu et al., 2019a; Renda et al., 2020; Chen et al., 2020a; Gan et al., 2021). Drawing inspirations from the LTH literature, we conjecture and empirically study a novel “lottery image prior” (**LIP**), stated as:

Given an (untrained or trained) over-parameterized DIP, it will have a sparse subnetwork that can be trained in isolation, to match the original DIP’s performance when being applied as a prior to regularizing various image inverse problems. Moreover, its performance shall surpass under-parameterized priors of similar parameter counts.

Diving into this question has two-fold appeals. On the algorithmic side, as the first attempt to investigate LTH in the DIP scenario, it could help us understand how the topology and connectivity of CNN architectures encode natural image priors, and whether “overparameterization + sparsity” make the best DIP recipe. On the practical side, the affirmative answer to this question can lead to finding compact DIP models that are more performant than the deep decoder, hence yielding more computationally efficient solutions for image inverse problems without sacrificing performance.

1.1 SUMMARY OF CONTRIBUTIONS

We now state our intended contributions from two angles: how our work might affect the deep image prior research (application), and the lottery ticket hypothesis research (methodology). To avoid misunderstandings, we want to state again: efficiency is definitely not the key target or motivation. Our key target instead is to verify the existence of a “compact” DIP model that is free from severe overfitting but at the same time different from the deep decoder. We want it partially because the deep decoder is bad in terms of performance (e.g., inpainting and super-resolution). Efficiency is also a natural byproduct that results from pruning and sparsity. Improving efficiency could reduce the single-image inference time of DIP to accelerate restoration and reconstruction, which could be helpful in latency-sensitive applications.

For DIP research community, In between over- and under-parameterized image prior models, we aim to use sparsity to find an intermediate parameterized network. Specifically, compared to **over-parameterized** CNN DIPs:




Figure 1: Overview of our work. Between the **over-** and **under-**parameterized image priors, we aim to find the sparse matching networks with better performances, efficiency and strong transferability.

- We successfully locate the “matching subnetworks”¹ from over-parameterized DIP models by iterative magnitude pruning. Their prevailing existence demonstrates that sparsity, as arguably the most classical natural image prior, remains relevant as a component in DIPs.
- Beyond “matching”, our found LIP subnetworks can even outperform DIP models on several image restoration tasks (shown in Figure 2), which is in line with the previous findings that the sparsity can enhance DNN robustness to noise and degradations Chen et al. (2022).
- Also, the sparse LIP subnetworks are found with powerful transferability across both test images and restoration tasks. Importantly, that amortizes the extra cost of finding the subnetwork per DIP network, by extensively reusing the found sparse mask. It is also neatly aligned with the recent study of LTH transferability (Redman et al., 2022).

Meanwhile, regarding **under-parameterized** image priors such as the deep decoder:

- Our found LIP subnetworks perform remarkably better than the deep decoder of comparable parameter counts, regardless of test images or restoration tasks. It strongly signifies that pruning from over-parameterization is more promising than sticking to under-parameterization: perhaps the first time indicated in the DIP field up to our best knowledge.
- Besides untrained DIP scenarios (over- and under-parameterized), we extend our method to the pre-trained GAN generator as an image prior used in compressive sensing, which further validates the prevalence of LIPs. It is beyond the existing scope of deep decoder.

For the LTH research community, studying this new LIP problem is also **NOT** a naive extension from the existing LTH methods, owing to several technical barriers that we have to cross: We summarize the contributions as follows:

- Till now, LTH has not been demonstrated for image inverse problems or DNN-based priors, to our best knowledge. Most LTH works studied discriminative tasks, with few exceptions (Chen et al., 2021d). It is therefore uncertain whether high-sparsity DNN is still viable for low-level vision tasks such as DIPs. Interestingly though, despite that we demonstrate the existence of LIP, we also find that the LIP matching subnetworks cannot directly transfer to high-level vision tasks such as classification.
- Existing LTH works typically require a training set to locate the sparse subnetwork. In stark contrast, owing to the nature of DIP, we train a DNN to overfit one specific image. While a handful of papers studied LTH in “data diet” settings (Chen et al., 2021a; Paul et al., 2022), this paper pushes the extreme to “one-shot lottery ticket finding” for the first time. We also develop a multi-image variant of LIP which boosts performance in the cross-domain fitting.

¹A matching subnetwork (Frankle & Carbin, 2018) is defined as a pruned subnetwork whose performance can match the original dense one, when separately trained from scratch



Figure 2: **LIP** visual results: inpainting (row 1), super-resolution (rows 2/3) and denoising (row 4). The last column (in blue) intends to display the results with the most extremely sparse subnetwork.

- DIP fitting practically relies on early-stopping to avoid over-fitting noise in images. The same risk exists in our iterative pruning, and we demonstrate how to robustly find the sparse matching subnetwork from one noisy image, without needing a clean reference image.

2 BACKGROUND WORK

2.1 OVER-PARAMETERIZED IMAGE PRIORS

Despite CNNs’ tremendous success on various imaging tasks, their outstanding performance is often attributed to massive data-driven learning. DIP (Ulyanov et al., 2018) pioneered to show that CNN architecture alone has captured important natural image priors: by over-fitting a randomly initialized untrained CNN to a single degraded image (plus some early stopping), it can restore the clean output without accessing ground truth. Follow-up work (Mataev et al., 2019) strengthens DIP performance by incorporating it with the regularization by denoising (RED) framework and a series of works (Mastan & Raman, 2020; 2021) use the contextual feature learning method to achieve the same goal of DIP. Besides natural image restoration, DIP was successfully applied to PET image reconstruction (Gong et al., 2018), dynamic magnetic resonance imaging (Jin et al., 2019), unsupervised image decomposition (Gandelsman et al., 2019) and quantitative phase imaging (Yang et al., 2021).

There have been several efforts toward customizing DIP network architectures. Liu et al. (2019) extends the DIP framework with total variation (TV) and this combination leads to considerable performance gains. Jo et al. (2021) further propose the “stochastic temporal ensemble (STE)” method to prevent DIP models from overfitting noises and thus improving performances. Chen et al. (2020c) proposed a neural architecture search (NAS) algorithm, which searches for an optimal DIP neural architecture from a search space of upsampling cell and residual connections. The searched ‘NAS-DIP’ model can be reused across images and tasks. Arican et al. (2022) observe that different images and restoration tasks often prefer different architectures, and hence design the image-specific NAS to find an optimal DIP network architecture for each specific image. While our work also pursues better DIPs, it substantially differs from those prior arts in terms of model compactness (approaching

the under-parameterization end) and reusability. The simple pruning-based recipe also overcomes any extra design hassle (search space or algorithm) caused by NAS. We compare the results with them in the paragraph “**Comparisons with NAS-DIP and ISNAS-DIP models**” in Appendix B.

2.2 UNDER-PARAMETERIZED IMAGE PRIORS

Recall that, classical image regularizers in the spatial or frequency domains often rely on no learning component (Tomasi & Manduchi, 1998; Sardy et al., 2001; Dabov et al., 2007b), or just a little (Cao et al., 2008; Elad & Aharon, 2006). As another important concern, while over-parameterized DIPs are prone to overfitting the corrupted image, they can generate almost uncorrupted images surprisingly after a few iterations of gradient descent. Inspired by those, Heckel & Hand (2018) pioneered to design a concise and non-convolution neural network as the “prior for image restoration tasks. Such under-parameterized DIPs not only improve the efficiency of DIP-based restoration but also enable researchers to theoretically analyze the signal process. Besides, they find the architecture’s simplicity could effectively avoid overfitting in the restoration process. Heckel & Soltanolkotabi (2019) further analyzed the dynamics of fitting a two-layer convolutional generator to a noisy signal and prove that early-stopped gradient descent denoises/regularizes.

2.3 LOTTERY TICKET HYPOTHESIS

LTH (Frankle & Carbin, 2018) states that the dense, randomly initialized DNN contains a sparse matching subnetwork, which could reach the comparable or even better performance by independently being trained for the same epoch number as the full network do. Since then, the statement has been verified in a variety of fields, such as image classification (Frankle & Carbin, 2018; Liu et al., 2018; Wang et al., 2020; Evci et al., 2019; Frankle et al., 2020d; Savarese et al., 2019; Yin et al., 2019; You et al., 2019; Ma et al., 2021; Chen et al., 2021b), natural language processing (Gale et al., 2019; Chen et al., 2020a), reinforcement learning (Yu et al., 2019a), lifelong learning (Chen et al., 2020b), graph neural networks (Chen et al., 2021c), and adversarial robustness (Cosentino et al., 2019). Rewinding was proposed by (Frankle et al., 2019) to scale up the LTH to large models and datasets. The found matching subnetworks also demonstrate transferability across datasets and tasks (Morcos et al., 2019; Desai et al., 2019).

3 PRELIMINARIES AND APPROACH

3.1 FINDING LOTTERY TICKETS

Algorithm 1 Single Image-based IMP

Input: The desired sparsity s , the random code z , the untrained model f_u .
Output: A sparse DIP model $f(z; \theta \odot m)$ with image prior property.
Initialization: Set $m_u = 1 \in \mathbb{R}^{|\theta|_0}$. Set iteration $i = 0$, training epochs N and $j \in [0, N]$.
while the sparsity of $m_u < s$ **do**
 1. Train the $f_u(z; \theta_0 \odot m_u)$ for N epochs;
 2. Create the mask m'_u ;
 3. Update the mask $m_u = m'_u$;
 4. Set the model parameters: $f(z; \theta_j)$;
 5. create the sparse model: $f(z; \theta_j \odot m_u)$;
 6. $i++$;
end while

Algorithm 2 Weight-sharing IMP

Input: The desired sparsity s , the random code z , the untrained model f_u , \tilde{x} denotes the degraded image and images from n domains $x_a \in \{x_1, x_2, \dots, x_n\}$.
Output: A sparse DIP model $f(z; \theta \odot m)$ with image prior property.
Initialization: Set $m_u = 1 \in \mathbb{R}^{|\theta|_0}$. Set iteration $i = 0$, training epochs N and $j \in [0, N]$.
while the sparsity of $m_u < s$ **do**
 1. $\text{loss} = \sum_{a=1}^n E(f(z; \theta \odot m); \tilde{x}_a)$;
 2. Train the $f_u(z; \theta_0 \odot m_u)$ by Backpropagation (loss) for N epochs;
 3. Update the mask $m_u = m'_u$;
 4. Set the model parameters $f(z; \theta_j)$;
 5. create the sparse model $f(z; \theta_j \odot m_u)$;
 6. $i++$;
end while




Figure 3: Experimental results of finding LIP subnetworks. The first row of the figure summarizes the LTH IMP training loops and the second row denotes the evaluation of found LIP. Note that we compare the LTH IMP with Random Prune (Random) and SNIP (Lee et al., 2018) prune methods, on images from different (F16 and Woman) or same domains (Face2 and Face4). Background task is denoising.

Networks For simplicity, we formulate the dense network output as $f(z, \theta)$, where z is the input tensor and $\theta \in \mathbb{R}^d$ is the model parameters. In the same way, a subnetwork is defined as $f(z, m \odot \theta)$ with the binary mask $m \in \{0, 1\}^d$, where \odot means element-wise product.

Pruning Methods We use the classic *iterative magnitude-based pruning* (IMP) method (Frankle & Carbin, 2018), which iteratively prunes the 20% of the model weight each time. In each IMP iteration, models are trained towards the standard DIP objective to fit the *degraded observations* for a certain number of training steps following the original DIP (Ulyanov et al., 2018). Our basic algorithm performs IMP over just one degraded image, and the algorithm is summarized in Algorithm 1. We further design an extended algorithm, that can perform IMP for DIP over multiple degraded images, through backbone weight sharing: the algorithm is outlined in Algorithm 2 (neither algorithm requires clean images). To show the non-triviality of the identified *matching* subnetworks, we also compare LIP with random pruning and SNIP (Lee et al., 2018), a pruning-at-initialization method. We also derive a new method based on empirical observations to decide when to stop IMP iterations to find matching networks with maximal sparsities without any reference to the clean ground truths. More details are in Appendix B.

Experimental Setup For evaluation models, we use hourglass architecture (Ulyanov et al., 2018) and deep decoder (Heckel & Hand, 2018), as two representative untrained DNN image priors in the over- and under-parameterization ends, respectively. For evaluation datasets, we use the popular Set5 (Bevilacqua et al., 2012) and Set14 (Zeyde et al., 2010). We also evaluate the transferability of subnetworks on image classification datasets such as ImageNet-20 (Deng et al., 2009) and CIFAR10 (Krizhevsky et al., 2009). For metrics, we mainly compare the PSNR and/or SSIM results between the restored image and the ground truth, as in Fig. 11.

The parameter count of the original DIP model is 2.2 million (M); and that of the deep decoder is 0.1 M for denoising and super-resolution experiments, and 0.6 M for inpainting experiments, all following the original settings of (Heckel & Hand, 2018). The model sizes are plotted as horizontal coordinates in the figures. **We run all experiments with 10 different random seeds: every solid curve is plotted over the 10-time average, and the accompanying shadow regions indicate the 10-time variance. Most plots see consistent results across random seed experiments and hence small variances.** All images used are summarized in Fig. 16.

4 LIP IN UNTRAINED IMAGE PRIORS

Existence of LIPs In over-parameterized image priors, we first find the matching subnetworks with LIP property by implementing the single-image IMP on the DIP model. We apply the im-




Figure 4: Experimental Results of Multi LIP on images from same/different domains. We compare Multi LIP with LIP and random prune methods. The background task is denoising.




Figure 5: Transferability (cross tasks) experimental results. We study the transferability of denoising LIP on the restoration tasks such as inpainting and super-resolution (SR); we also study the inpainting and SR LIP on the denoising task. We consider two SR scale factors = 4, 8. We evaluate Multi-LIP subnetworks here.

plemented Algorithm 1 on Set5 and Set14 to obtain the sparse subnetworks² and evaluate these subnetworks on the denoising task. Results of single-image IMP in Fig. 3 (curves in gray colors) verify the existence of LIPs. To be specific, during the IMP finding process, we can find the LIP subnetworks on untrained DIPs at sparsity as high as 86.58%. While at the evaluation stage, the found LIP subnetworks with the modified objectives are still applicable, matching the dense performance at sparsity as high as 83.23%. We also compare the single-image IMP with Random Pruning, and SNIP (Lee et al., 2018). We observe from the first row in Fig. 3 that single-image IMP outperforms them at a wide sparsity range [20%, 96%].

Is Multi-image IMP A Good Extension for Finding LIPs? Like the original DIP, single-image IMP over-fits an untrained DNN on a single image and learns the features in that specific image

²We prune 20% of the remaining weights in each IMP iteration, resulting in sparsity ratios $s_i = 1 - 0.8^i$.




Figure 6: High- and low-level task transferability experiments. We test the denoising LIP on ImageNet-20 (a subset of ImageNet with images resized to 256*256) and CIFAR10 datasets. Note that we replace the last convolutional layer of DIP models with the linear layer and load the same initial weights. We also evaluate the classification LIP on the denoising task.




Figure 7: Layer-wise sparsity ratio results of LIP, SNIP and randomly pruned tickets. Note that we summarize the sparsity ratio of each layer: the ratio of the number of parameters whose values are equal to zero to the number of total parameters of the layer. And the x-axis of these figures is composed of the serial numbers of model layers. We sampled subnetworks with four different sparsities (sparsity = 36%, 59%, 89%, 95%) to observe.

during iterative magnitude pruning loops. To obtain the LIP subnets with more general features, we propose a new *multi-image IMP* (Algorithm 2) for DIP where we replace the DIP objective with the average of multiple images. Note that all images will share the same fixed random code during IMP.

We evaluate the multi-image IMP in two different settings: (i) *cross-domain* setting where we apply the multi-image IMP to the five images from Set5 (Bevilacqua et al., 2012); (2) *single-domain* setting where we apply the multi-image IMP to five images of human faces with glasses. We think images from Set 5 are more diversified because they include bird, butterfly and human face contents. We compare single-image IMP winning tickets found on the F16 and the Woman images from Set5 with the cross-domain ticket, and the single-image IMP winning tickets found on Face-4 and Face-2 images with the single-domain ticket. Results presented in Fig. 4 show that multi-image LIP subnetworks can achieve better performances than dense DIP models and randomly pruned ones in the cross-domain setting.

To What Extent Can LIP tickets Be Transferred? In this part, we evaluate the transferability of LIP for DIP models from three perspectives, i.e., *across images*, *across image restoration task types*, and *from low-level to high-level tasks*.

Observation 1: LIP can transfer across images. As we obtained the multi-image LIPs from Set5, we evaluate them on different images in Fig.4. For instance, Fig. 4(a) shows the evaluation results on F16.png and we found the multi LIPs perform comparably well (better at extreme sparsities) with LIP dedicatedly found on the F16.png (the same phenomenon is reflected on the face-4.png (Fig.4(c)) and face-2.png (Fig.4(d))). This shows that LIP has reasonable transferability across images, even for those coming from slightly different domains.

Observation 2: LIP can transfer across image restoration tasks but not to other high-level tasks. We conduct experiments to verify if a LIP matching subnet identified on one restoration task can be *re-used* in another. Furthermore, if the above question has an affirmative answer, is such transferability sustainable when transferring to or from some high-level tasks such as classification?

To evaluate the transferability of LIP between image restoration tasks, we first find three LIPs for the denoising, inpainting and super-resolution tasks respectively and then transfer between them, as shown in Fig. 5. We observe that a LIP winning ticket transferred from another image restoration task always yields restoration performance comparable with the single-image LIP found on the original task, sometimes even better, for examples in Fig. 5(a) and 5(g).

We then evaluate the transferability of LIP between the denoising task and image classifications on CIFAR-10 and ImageNet-20 datasets. We show the results of transferring the denoising LIP to ImageNet-20 in Fig. 6(c) and CIFAR-10 in 6(a); the CIFAR-10 LIPs to denoising task in Fig. 6(b) and ImageNet LIPs to denoising in Fig.6(d). We find transferring denoising LIP to classification is unsuccessful. Moreover, transferring winning tickets on CIFAR-10 back to the denoising DIP task also fails to generate winning tickets that are comparable with denoising LIPs.

Why is the LIP Subnetwork Special and Good? To answer this, we investigate the inner structures of different subnetworks in Fig. 7. The structure of the LIP subnetwork is drastically different from those found by SNIP and random pruning, in particular the distribution of layer-wise sparsity

ratios. LIP tends to preserve weights of the earlier layers (closer to the input), while pruning the latter layers more aggressively (e.g, Fig. 7(a)). In contrast, SNIP tends to prune much more of the earlier layers compared to the latter ones. Random pruning by default prunes each layer at approximately the same ratio. Comparing the three methods seem to suggest that for finding effective and transferable LIP subnetworks, specifically keeping more weights at earlier layers is important. That is an explainable finding, since for image restoration tasks, the low-level features (color, texture, shape, etc.) presumably matter more and are more transferable, than the high-level features (object categories, etc.). The earlier layers are known to capture more low-level image features, hence contributing more to retraining the image restoration performance with DIP.

The failure of transferring LIP subnetworks to image classification could also be partially explained by the aforementioned sparsity distribution discrepancy: LIP subnetwork tends to prune more weights from later layers, which might damage the network’s capability in capturing semantic features (usually needing mid-to-high network layers). However, we observe that the bottleneck layers with presumably higher levels of pruning/sparsity will carry more contextual information and would lead to better downstream classification. Also, we could finetune on top of the intermediate layers of the model when more level information is needed. We assume that if we want the DIP model to transfer better to the image classification task, adding and finetuning linear layers on top of the intermediate layers (i.e., transferring only the winning tickets of the encoder) will help.

5 EXTENDING LIP TO PRE-TRAINED NEURAL NETWORK PRIORS

Table 1: Results of GAN LIP. We evaluate the LIPs found in PGGAN on the compressed sensing (CS) and the inpainting (I) tasks. The results are based on celebA-HQ dataset (Lee et al., 2020). Note that we use the MSE (per pixel) to evaluate the LIP effectiveness and compare the LIP with random pruning results.

Sparsity	0%	20%	36%	49%	59%	67%	74%
Random-CS	0.0725	0.0963	0.1165	0.1276	0.2184	0.2086	0.3655
LIP-CS	0.0725	0.0744	0.0732	0.0737	0.0711	0.0728	0.0728
Random-I	0.0541	0.0682	0.0748	0.08101	0.1142	0.1904	0.2195
LIP-I	0.0541	0.0542	0.0504	0.0514	0.0506	0.0524	0.0509



(a) PGGAN-Compressive Sensing



(b) PGGAN-Inpainting

Figure 8: Visual results of compressed sensing and inpainting using LIPs. The images framed in red are the reconstruction results of sparse subnetworks, which are better than those of the full model.

Existence of LIP in GANs for Compressive Sensing We use PGGAN (Karras et al., 2017) pre-trained on CelebA-HQ dataset (Lee et al., 2020) as the model in this section. To obtain LIP tickets in pre-trained GANs, we apply the IMP algorithm. In each IMP iteration, PGGAN is first fine-tuned on 40% of images in CelebA-HQ for 30 epochs, has 20% of its remaining weights pruned, and then reset to the pre-trained weights. We only prune the generator in the IMP process because it is found

in (Chen et al., 2021d) that pruning discriminator only has a marginal influence on the quality of the winning tickets. We then evaluate the tickets on the compressive sensing task following the setting in (Jalal et al., 2020): we fix the number of measurements to 1,000 with 20 corrupted measurements, and minimize the MOM objective (Median-of-Means, an algorithm proposed by (Jalal et al., 2020)) for 1,500 iterations to recover the images. We compare the performance (measured in per-pixel reconstruction error) of LIP with the dense baselines in the first row of Table. 1 and provide a visual example in Fig. 8(a). Tickets with higher sparsities can match the reconstruction performance of the dense model, confirming the existence of the winning tickets.

Transfer to other image restoration tasks – inpainting Besides the experiments on the compressed sensing restoration tasks, we also evaluate the effectiveness of GAN LIP on the inpainting task: masking the image and then optimizing the input tensor of the generator in the GAN LIP range to reconstruct the pristine image. More formally, consider the input tensor $z' \in \mathbb{R}^{1 \times 512}$, the pristine image x sampled from CelebA-HQ, inpainting mask A (binary mask), masked image $y = Ax$ and a generator G , then the optimization loss function is: $\|AG(z) - y\|_2$. The results are summarized in Table. 1 and Fig. 8(b), demonstrating the transferability of GAN LIP.

6 CONCLUSION

This paper identifies the new intermediate solution between the under- and over-parameterized DIP regimes. Specifically, we validate the lottery image prior (LIP), a novel, non-trivial extension of the lottery ticket hypothesis to the new domain. We empirically demonstrate the superiority of LIP in image inverse problems: those LIP subnetworks often compare favorably with over-parameterized DIPs, and significantly outperform deep decoders under comparably compact model sizes. They also possess high transferability across different images as well as restoration task types.

REFERENCES

- Metin Ersin Arican, Ozgur Kara, Gustav Bredell, and Ender Konukoglu. Isnas-dip: Image-specific neural architecture search for deep image prior. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 1960–1968, 2022.
- Marco Bevilacqua, Aline Roumy, Christine Guillemot, and Marie Line Alberi-Morel. Low-complexity single-image super-resolution based on nonnegative neighbor embedding. *Proceedings of the British Machine Vision Conference*, 2012.
- Yang Cao, Yupin Luo, and Shiyuan Yang. Image denoising with gaussian mixture model. In *2008 Congress on Image and Signal Processing*, volume 3, pp. 339–343. IEEE, 2008.
- Tianlong Chen, Jonathan Frankle, Shiyu Chang, Sijia Liu, Yang Zhang, Zhangyang Wang, and Michael Carbin. The lottery ticket hypothesis for pre-trained bert networks. *arXiv preprint arXiv:2007.12223*, 2020a.
- Tianlong Chen, Zhenyu Zhang, Sijia Liu, Shiyu Chang, and Zhangyang Wang. Long live the lottery: The existence of winning tickets in lifelong learning. In *International Conference on Learning Representations*, 2020b.
- Tianlong Chen, Yu Cheng, Zhe Gan, Jingjing Liu, and Zhangyang Wang. Data-efficient gan training beyond (just) augmentations: A lottery ticket perspective. *Advances in Neural Information Processing Systems*, 34:20941–20955, 2021a.
- Tianlong Chen, Jonathan Frankle, Shiyu Chang, Sijia Liu, Yang Zhang, Michael Carbin, and Zhangyang Wang. The lottery tickets hypothesis for supervised and self-supervised pre-training in computer vision models. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 16306–16316, 2021b.
- Tianlong Chen, Yongduo Sui, Xuxi Chen, Aston Zhang, and Zhangyang Wang. A unified lottery ticket hypothesis for graph neural networks. In *International Conference on Machine Learning*, pp. 1695–1706. PMLR, 2021c.

- Tianlong Chen, Zhenyu Zhang, Santosh Balachandra, Haoyu Ma, Zehao Wang, Zhangyang Wang, et al. Sparsity winning twice: Better robust generalization from more efficient training. In *International Conference on Learning Representations*, 2022.
- Xuxi Chen, Zhenyu Zhang, Yongduo Sui, and Tianlong Chen. Gans can play lottery tickets too. *arXiv preprint arXiv:2106.00134*, 2021d.
- Yun-Chun Chen, Chen Gao, Esther Robb, and Jia-Bin Huang. Nas-dip: Learning deep image prior with neural architecture search. In *Computer Vision—ECCV 2020: 16th European Conference, Glasgow, UK, August 23–28, 2020, Proceedings, Part XVIII 16*, pp. 442–459. Springer, 2020c.
- Zezhou Cheng, Matheus Gadelha, Subhransu Maji, and Daniel Sheldon. A bayesian perspective on the deep image prior. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 5443–5451, 2019.
- Justin Cosentino, Federico Zaiter, Dan Pei, and Jun Zhu. The search for sparse, robust neural networks. *arXiv preprint arXiv:1912.02386*, 2019.
- Kostadin Dabov, Alessandro Foi, and Karen Egiazarian. Video denoising by sparse 3d transform-domain collaborative filtering. In *2007 15th European Signal Processing Conference*, pp. 145–149. IEEE, 2007a.
- Kostadin Dabov, Alessandro Foi, Vladimir Katkovnik, and Karen Egiazarian. Image denoising by sparse 3-d transform-domain collaborative filtering. *IEEE Transactions on image processing*, 16(8):2080–2095, 2007b.
- Jia Deng, Wei Dong, Richard Socher, Li-Jia Li, Kai Li, and Li Fei-Fei. Imagenet: A large-scale hierarchical image database. In *2009 IEEE conference on computer vision and pattern recognition*, pp. 248–255. Ieee, 2009.
- Shrey Desai, Hongyuan Zhan, and Ahmed Aly. Evaluating lottery tickets under distributional shifts. *arXiv preprint arXiv:1910.12708*, 2019.
- Michael Elad and Michal Aharon. Image denoising via sparse and redundant representations over learned dictionaries. *IEEE Transactions on Image processing*, 15(12):3736–3745, 2006.
- Utku Evci, Fabian Pedregosa, Aidan Gomez, and Erich Elsen. The difficulty of training sparse neural networks. *arXiv preprint arXiv:1906.10732*, 2019.
- Jonathan Frankle and Michael Carbin. The lottery ticket hypothesis: Finding sparse, trainable neural networks. *arXiv preprint arXiv:1803.03635*, 2018.
- Jonathan Frankle, Gintare Karolina Dziugaite, Daniel M Roy, and Michael Carbin. Stabilizing the lottery ticket hypothesis. *arXiv preprint arXiv:1903.01611*, 2019.
- Jonathan Frankle, Gintare Karolina Dziugaite, Daniel Roy, and Michael Carbin. Linear mode connectivity and the lottery ticket hypothesis. In *International Conference on Machine Learning*, pp. 3259–3269. PMLR, 2020a.
- Jonathan Frankle, Gintare Karolina Dziugaite, Daniel M Roy, and Michael Carbin. Pruning neural networks at initialization: Why are we missing the mark? *arXiv preprint arXiv:2009.08576*, 2020b.
- Jonathan Frankle, David J Schwab, and Ari S Morcos. The early phase of neural network training. In *International Conference on Learning Representations*, 2020c.
- Jonathan Frankle, David J Schwab, and Ari S Morcos. The early phase of neural network training. *arXiv preprint arXiv:2002.10365*, 2020d.
- Trevor Gale, Erich Elsen, and Sara Hooker. The state of sparsity in deep neural networks. *arXiv preprint arXiv:1902.09574*, 2019.
- Zhe Gan, Yen-Chun Chen, Linjie Li, Tianlong Chen, Yu Cheng, Shuohang Wang, and Jingjing Liu. Playing lottery tickets with vision and language. *arXiv preprint arXiv:2104.11832*, 2021.

- Yosef Gandelsman, Assaf Shocher, and Michal Irani. "double-dip": Unsupervised image decomposition via coupled deep-image-priors. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 11026–11035, 2019.
- Kuang Gong, Ciprian Catana, Jinyi Qi, and Quanzheng Li. Pet image reconstruction using deep image prior. *IEEE transactions on medical imaging*, 38(7):1655–1665, 2018.
- Shi Guo, Zifei Yan, Kai Zhang, Wangmeng Zuo, and Lei Zhang. Toward convolutional blind denoising of real photographs. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 1712–1722, 2019.
- Reinhard Heckel and Paul Hand. Deep decoder: Concise image representations from untrained non-convolutional networks. *arXiv preprint arXiv:1810.03982*, 2018.
- Reinhard Heckel and Mahdi Soltanolkotabi. Denoising and regularization via exploiting the structural bias of convolutional generators. *arXiv preprint arXiv:1910.14634*, 2019.
- Ajil Jalal, Liu Liu, Alexandros G Dimakis, and Constantine Caramanis. Robust compressed sensing using generative models. *Advances in Neural Information Processing Systems*, 2020.
- Yifan Jiang, Bart Wronski, Ben Mildenhall, Jon Barron, Zhangyang Wang, and Tianfan Xue. Fast and high-quality image denoising via malleable convolutions. *arXiv preprint arXiv:2201.00392*, 2022.
- Kyong Hwan Jin, Harshit Gupta, Jerome Yerly, Matthias Stuber, and Michael Unser. Time-dependent deep image prior for dynamic mri. *arXiv e-prints*, pp. arXiv–1910, 2019.
- Yeonsik Jo, Se Young Chun, and Jonghyun Choi. Rethinking deep image prior for denoising. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pp. 5087–5096, 2021.
- Tero Karras, Timo Aila, Samuli Laine, and Jaakko Lehtinen. Progressive growing of gans for improved quality, stability, and variation. *arXiv preprint arXiv:1710.10196*, 2017.
- Alex Krizhevsky, Geoffrey Hinton, et al. Learning multiple layers of features from tiny images. *Technical report, University of Toronto*, 2009.
- Christian Ledig, Lucas Theis, Ferenc Huszár, Jose Caballero, Andrew Cunningham, Alejandro Acosta, Andrew Aitken, Alykhan Tejani, Johannes Totz, Zehan Wang, et al. Photo-realistic single image super-resolution using a generative adversarial network. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 4681–4690, 2017.
- Cheng-Han Lee, Ziwei Liu, Lingyun Wu, and Ping Luo. Maskgan: Towards diverse and interactive facial image manipulation. In *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2020.
- Namhoon Lee, Thalaisyasingam Ajanthan, and Philip HS Torr. Snip: Single-shot network pruning based on connection sensitivity. *arXiv preprint arXiv:1810.02340*, 2018.
- Jaakko Lehtinen, Jacob Munkberg, Jon Hasselgren, Samuli Laine, Tero Karras, Miika Aittala, and Timo Aila. Noise2noise: Learning image restoration without clean data. *arXiv preprint arXiv:1803.04189*, 2018.
- Bee Lim, Sanghyun Son, Heewon Kim, Seungjun Nah, and Kyoung Mu Lee. Enhanced deep residual networks for single image super-resolution. In *Proceedings of the IEEE conference on computer vision and pattern recognition workshops*, pp. 136–144, 2017.
- Jiaming Liu, Yu Sun, Xiaojian Xu, and Ulugbek S Kamilov. Image restoration using total variation regularized deep image prior. In *ICASSP 2019-2019 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pp. 7715–7719. Ieee, 2019.
- Zhuang Liu, Mingjie Sun, Tinghui Zhou, Gao Huang, and Trevor Darrell. Rethinking the value of network pruning. *arXiv preprint arXiv:1810.05270*, 2018.

- Haoyu Ma, Tianlong Chen, Ting-Kuei Hu, Chenyu You, Xiaohui Xie, and Zhangyang Wang. Good students play big lottery better. *arXiv preprint arXiv:2101.03255*, 2021.
- Indra Deep Mastan and Shanmuganathan Raman. Dcil: Deep contextual internal learning for image restoration and image retargeting. In *Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision*, pp. 2366–2375, 2020.
- Indra Deep Mastan and Shanmuganathan Raman. Deepcfl: Deep contextual features learning from a single image. In *Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision*, pp. 2897–2906, 2021.
- Gary Mataev, Peyman Milanfar, and Michael Elad. Deepred: Deep image prior powered by red. In *Proceedings of the IEEE/CVF International Conference on Computer Vision Workshops*, pp. 0–0, 2019.
- Ari S Morcos, Haonan Yu, Michela Paganini, and Yuandong Tian. One ticket to win them all: generalizing lottery ticket initializations across datasets and optimizers. *arXiv preprint arXiv:1906.02773*, 2019.
- Deepak Pathak, Philipp Krahenbuhl, Jeff Donahue, Trevor Darrell, and Alexei A Efros. Context encoders: Feature learning by inpainting. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 2536–2544, 2016.
- Mansheej Paul, Brett W Larsen, Surya Ganguli, Jonathan Frankle, and Gintare Karolina Dziugaite. Lottery tickets on a data diet: Finding initializations with sparse trainable networks. *arXiv preprint arXiv:2206.01278*, 2022.
- William T Redman, Tianlong Chen, Zhangyang Wang, and Akshunna S Dogra. Universality of winning tickets: A renormalization group perspective. In *International Conference on Machine Learning*, pp. 18483–18498. PMLR, 2022.
- Alex Renda, Jonathan Frankle, and Michael Carbin. Comparing rewinding and fine-tuning in neural network pruning. *arXiv preprint arXiv:2003.02389*, 2020.
- Itay M Safran, Gilad Yehudai, and Ohad Shamir. The effects of mild over-parameterization on the optimization landscape of shallow relu neural networks. In *Conference on Learning Theory*, pp. 3889–3934. PMLR, 2021.
- Sylvain Sardy, Paul Tseng, and Andrew Bruce. Robust wavelet denoising. *IEEE Transactions on Signal Processing*, 49(6):1146–1152, 2001.
- Pedro Savarese, Hugo Silva, and Michael Maire. Winning the lottery with continuous sparsification. *arXiv preprint arXiv:1912.04427*, 2019.
- Hidenori Tanaka, Daniel Kunin, Daniel L Yamins, and Surya Ganguli. Pruning neural networks without any data by iteratively conserving synaptic flow. *Advances in Neural Information Processing Systems*, 33:6377–6389, 2020.
- Carlo Tomasi and Roberto Manduchi. Bilateral filtering for gray and color images. In *Sixth international conference on computer vision (IEEE Cat. No. 98CH36271)*, pp. 839–846. IEEE, 1998.
- Dmitry Ulyanov, Andrea Vedaldi, and Victor Lempitsky. Deep image prior. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 9446–9454, 2018.
- Chaoqi Wang, Guodong Zhang, and Roger Grosse. Picking winning tickets before training by preserving gradient flow. *arXiv preprint arXiv:2002.07376*, 2020.
- Fangshu Yang, Thanh-An Pham, Nathalie Brandenberg, Matthias P Lütolf, Jianwei Ma, and Michael Unser. Robust phase unwrapping via deep image prior for quantitative phase imaging. *IEEE Transactions on Image Processing*, 30:7025–7037, 2021.
- Shihui Yin, Kyu-Hyoun Kim, Jinwook Oh, Naigang Wang, Mauricio Serrano, Jae-Sun Seo, and Jungwook Choi. The sooner the better: Investigating structure of early winning lottery tickets. *arXiv*, 2019.

- Haoran You, Chaojian Li, Pengfei Xu, Yonggan Fu, Yue Wang, Xiaohan Chen, Richard G Baraniuk, Zhangyang Wang, and Yingyan Lin. Drawing early-bird tickets: Towards more efficient training of deep networks. *arXiv preprint arXiv:1909.11957*, 2019.
- Haonan Yu, Sergey Edunov, Yuandong Tian, and Ari S Morcos. Playing the lottery with rewards and multiple languages: lottery tickets in rl and nlp. *arXiv preprint arXiv:1906.02768*, 2019a.
- Jiahui Yu, Zhe Lin, Jimei Yang, Xiaohui Shen, Xin Lu, and Thomas S Huang. Generative image inpainting with contextual attention. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 5505–5514, 2018.
- Jiahui Yu, Zhe Lin, Jimei Yang, Xiaohui Shen, Xin Lu, and Thomas S Huang. Free-form image inpainting with gated convolution. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pp. 4471–4480, 2019b.
- Roman Zeyde, Michael Elad, and Matan Protter. On single image scale-up using sparse-representations. In *International conference on curves and surfaces*, pp. 711–730. Springer, 2010.
- Kai Zhang, Wangmeng Zuo, Yunjin Chen, Deyu Meng, and Lei Zhang. Beyond a gaussian denoiser: Residual learning of deep cnn for image denoising. *IEEE transactions on image processing*, 26(7):3142–3155, 2017.
- Yulun Zhang, Yapeng Tian, Yu Kong, Bineng Zhong, and Yun Fu. Residual dense network for image super-resolution. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 2472–2481, 2018.
- Denny Zhou, Mao Ye, Chen Chen, Tianjian Meng, Mingxing Tan, Xiaodan Song, Quoc Le, Qiang Liu, and Dale Schuurmans. Go wide, then narrow: Efficient training of deep thin networks. In *International Conference on Machine Learning*, pp. 11546–11555. PMLR, 2020.

A MORE DISCUSSIONS OF THE EXPERIMENTS

Images Used in Experiments In Fig. 16, we organize and present the images used in this paper with their names. Note that these images are sampled from Set5 (Bevilacqua et al., 2012) and Set14 (Zeyde et al., 2010) datasets, and we use their default names. Note that these names are used in Section 4 (in curves and analyses). Also, in Table 5, we conduct the evaluation experiments on BM3D (Dabov et al., 2007a), CBM3D (Dabov et al., 2007a) and Set12 (Zhang et al., 2017) datasets for fair comparisons with NAS-DIP and ISNAS-DIP models.

Parameter Redundancy Problem The commonly used hourglass model in DIP (Ulyanov et al., 2018) is highly complex in its parameters. The statistic results of parameter numbers is summarized in Table 3. We compare the parameter numbers of dense DIP models with the identified winning tickets using LIP and discover that the winning tickets could perform better than the full model while containing 2 million parameters fewer. This phenomenon motivates us to suspect that there is a high possibility of finding the matching subnetworks of the pristine dense DIP model, which indicates that the subnetworks may also contain the outstanding image prior property as the dense one does.

As to the under-parameterized image prior networks (e.g., deep decoder), we also count the number of non-zero parameters in Table 2 for a fair comparison in restoration tasks with LIP networks. As shown in the table, for denoising and super-resolution tasks, the number of parameters of the deep decoder is 0.1 million. For inpainting tasks, the parameter number is 0.6 million. Therefore, for denoise and super-resolution tasks, we choose the sparsity 97.19% of LIP for comparisons; for inpainting tasks, we choose the sparsity 73.70% for comparisons.

Table 2: Compare the number of non-zero parameters in Deep Decoder (DD)(Heckel & Hand, 2018) and our LIP tickets. Note that we compare these models on three restoration tasks: Denoising (DN), Super-resolution (SR) and Inpainting (IP). And 'LIP - 97.15%' means the sparsity of the LIP subnet is 97.15%.

Model Structure	DD - 128 (DN, SR)	DD - 320 (IP)	LIP - 97.15% (DN, SR)	LIP - 97.19% (DN, SR)	LIP - 73.79% (IP)	LIP - 79.03% (IP)
Non-zero Parameter Numbers	100224 (0.1M)	619200 (0.6M)	102746 (0.1M)	90923 (0.09M)	608298 (0.6M)	494251 (0.5M)

Table 3: Evaluation of the dense and LIP models on denoising task with the image bird. The LIP tickets achieve comparable results as the dense model when in extreme sparsity (parameter number: 2.2 million vs 0.2 million).

	Dense Model	LIP Matching Subnetwork
Parameter Numbers (non-zero)	2.2 Million	0.2 Million
Performance (PSNR)	30.35	30.61

Definition of Subnetworks and Finding Them Consider a network $f(x; \theta)$ parametered by θ with input x , then a subnetwork is defined as $f(x; m \odot \theta)$, where $\odot \in \{0, 1\}^d$, $d = \|\theta\|_0$ and \odot is the element-wise product. Let $\mathcal{A}_t^T(f(x; \theta))$ to be the training algorithm, that is, training model $f(x; \theta)$ on the specific task \mathcal{T} with t iterations. We also denote the random initialization weight as θ_0 and the pre-trained weight as θ_p ; θ_i as weight at the i -th training iteration and $\mathcal{E}^T(f(x; \theta))$ the model performance evaluation. Following the definitions of Frankle et al. (2020a), we define that if the subnetworks is *matching*, it satisfies the following conditions (we use θ_p for example, to denote a pre-trained lottery ticket (Chen et al., 2020a; 2021b); θ_0 can be defined likewise):

$$\mathcal{E}^T(\mathcal{A}_t^T(f(x; \theta_p))) \leq \mathcal{E}^T(\mathcal{A}_t^T(f(x; m \odot \theta))). \quad (1)$$

That is a matching subnetwork that performs *no worse* than the dense model under the same training algorithm \mathcal{A}^T and the evaluation metric \mathcal{E}^T . Similarly, we define the *winning tickets*: if a *matching* subnetwork $f(x; m \odot \theta)$ has $\theta = \theta_p$, then it is the *winning tickets* under the training algorithm \mathcal{A}^T .




Figure 9: Experiments of the rewind strategy (background task: denoising). Note that we train the model with N epochs in IMP and Rewind_j means rewinding the ticket parameter to θ_j , the weights after $j\% \times N$ steps of training.




Figure 10: Learning curves using four different training targets: a clean image (Baby.png), the same image added with noises, the same randomly scrambled and white noise. Note that we use four different models: the LIP subnetwork ($S = 89\%$), randomly pruned subnetwork ($S = 89\%$), SNIP subnetwork ($S = 89\%$) and the dense model ($S = 0\%$). And we trained them in isolation in the same experimental settings for 10000 iterations.

B ABLATION STUDY OF LIP SUBNETWORKS

The Effect of Weight Rewinding In this part, we study the effect of weight rewinding (Frankle et al., 2019) when applied to the single-image IMP for DIP models. Weight rewinding is proposed to scale LTH up to large models and datasets. Specifically, we say we use $p\%$ weight rewinding if we reset the model weights at the end of each IMP iteration to the weights in the dense model after a $p\%$ ratio of training steps within a standard full training process, instead of the model’s random initialization. For the single-image IMP in DIP, we consider 5%, 10% and 20% weight rewinding schemes. The resulting models are denoted as Rewind_5 , Rewind_{10} and Rewind_{20} , respectively. The results of different weight rewinding schemes are summarized in Fig. 9. We can see that weight rewinding is not beneficial for identifying LIP in the DIP setting. Too much rewinding (10% and 20%) even hurts performance or fails it completely. We conjecture that this is due to the extremely low data complexity in DIP (single image).

Learning Curves of Subnetworks with Different Training Targets To better explain the success of the LIP subnetworks, inspired by Figure 2 of (Ulyanov et al., 2018), we further train the obtained subnetworks (LIP, SNIP and random pruning) with four different targets: 1) a natural image, 2) the same added with noise, 3) the same after randomly permuting the pixels and 4) the white noise. We also train the dense model as the baseline results. The experimental details are summarized in the caption of Fig. 10. We first observe that for LIP, SNIP, and dense models, the optimization converges much faster in case 1) and 2) than in case 3) and 4). But the randomly pruned subnetworks have failed in all cases. Interestingly, we also find that SNIP subnetworks perform similarly to the dense model. Meanwhile, the parameterization of LIP subnetworks offers a higher impedance to noise and a lower impedance to signal than the dense model, which indicates that the separation of high frequency and low frequency is more obvious for winning network architectures.

Does the Pruning Hurt the High-frequency Information of the Model? Also, in order to observe whether the high-frequency information will be lost during the pruning, we apply Fourier Transformation to the Baby figure (described in Fig. 16) and visualize the frequency intensity of the




Figure 11: The learning curve plots when using different subnetworks towards the DIP task. In the figure, S denotes the sparsity of the model. We compare both PSNR and SSIM values. For fair comparisons, we trained these subnetworks on the denoising task on the Baby image with 3000 iterations, then trained in isolation (the iteration number is recommended by (Chen et al., 2020c) to capture the “early-stopping” phenomenon of DIP), and summarized their performances.




Figure 12: Visualize the learning process of the LIP subnetworks. We compare the results of dense model and LIP tickets to study their learning ability toward one image. We use the default optimization iteration numbers (F16.png: 3000 iterations; Snail.png: 2400 iterations) in (Ulyanov et al., 2018).

ground-truth image and the reconstructions from three different subnetworks (LIP, SNIP and random pruning). The results are summarized in Fig. 17 and Fig.18. We found that compared with random pruning, LIP and SNIP can maintain most of the high frequency information in the ground-truth (e.g., in Fig 17, SNIP and LIP can both maintain the high-frequency information at the sparsity of 79%; however, SNIP could lose more high-frequency information than LIP at lower sparsity ratios.).

Learning Curve Comparison of Using Various Subnetworks for the Restoration Task We further compare the training convergence curves of different subnetworks on the restoration task. In Fig. 11, we summarize the convergence of LIP, SNIP and randomly pruned subnetworks on the denoising task, and the experimental details are included in the caption. We use the PSNR and SSIM metrics to measure the quality of the generated images: SSIM is often considered better “perceptually aligned”, by attending more to the contrast in high-frequency regions than PSNR.

At the early stage of optimization, we observe that the learning curves of LIP and SNIP subnetworks are almost overlapped (either PSNR or SSIM curves), while the randomly pruned subnetworks failed to perform comparably with them. Yet when the iterations increase, the SNIP subnetworks start to lag behind the LIP subnetworks (e.g., the largest PSNR gap between the two can reach 3dB and the largest SSIM gap can be 0.7). Only the LIP subnetworks can match the comparable performances of the full model when reaching the 3000-th iteration. Lastly, the SSIM gap is noticeably enlarged at higher sparsity levels (95%) when comparing LIP and SNIP, which implies LIP is better at capturing perceptually aligned details.




Figure 13: Study of early-stopping in IMP loops. For comparisons, we study the IMP loss values and the model performances during single-image IMP loops. We experiment with face3 and face5 images on three restoration tasks (denoising, inpainting and super-resolution). For comparisons, we plot the IMP loss and model performances during IMP loops. Note that we use the yellow star to denote the matching subnetworks and the green star for the dense model.

Visualization Results of the LIP Subnetworks In Fig. 2, we present the restoration results of these subnetworks on tasks such as: denoising, inpainting and super-resolution (factor= 4, 8). We successfully find the LIP subnetworks with high sparsities (e.g., 91.4% for inpainting, 89% for super-resolution and 74% for denoising), they achieve the comparable or better performance than the dense model. Moreover, we show the LIP subnetworks in the extreme sparsity (e.g., sparsity $s = 99.53\%$). We find that the performances of the LIP subnetworks are not largely degraded (e.g., the PSNR value decreases by 1.37 for super-resolution with factor 8.), which demonstrates the LIP subnetworks retain the image prior property of the dense models. In Fig. 12, we visualize the DIP learning process on the denoising task with the LIP subnetworks. And we also compare the learning ability of the dense model and LIP tickets. Interestingly, we find these subnetworks learn the general outline of the image at the early stage of the optimization process (e.g., the outline of the snail’s shell at the first 500 iterations), and then they learn the detailed features of the image objects at the late stages (e.g., the eye features of the snail at the last 400 iterations). The outstanding learning ability also demonstrates their excellent image prior property.

Comparisons with NAS-DIP (Chen et al., 2020c) and ISNAS-DIP (Arican et al., 2022) models. Chen et al. (2022) first builds the searching space for upsampling and residual connections to capture better image priors for the dense DIP model. Arican et al. (2022) first finds that there is a small overlap of the best DIP architectures for different images and restoration tasks (e.g., denoising, inpainting and super-resolution). Therefore, they propose to do the NAS algorithm on DIP frameworks on specific images for computational savings. These methods aim to optimize the architecture of over-parameterized models to achieve better performances, and therefore, the model size of these two networks is still comparable to that of the dense DIP model (they neither compact the model nor prune its layers). In Table 5, we compare the performances of LIP subnetworks (the parameter number is 0.6 million) with DIP, NAS-DIP and ISNAS-DIP models. We find that LIPs can achieve comparable or even better performances than NAS-DIP models (especially on denoising and inpainting tasks). The ISNAS-DIP model gains state-of-the-art performances on restoration tasks such as denoising and inpainting. But when it comes to the super-resolution, LIP subnetworks and the NAS-DIP model outperform the ISNAS-DIP network.

Discussions about the “early-stopping” in the single-image based IMP loops. Similar to the DIP optimization, the single-image based IMP also needs “early-stopping” during the iterative pruning loops, or the final subnetwork will overfit the noises. In Figure 13, we summarize and plot the




Figure 14: Evaluate different LIPs on the baby.png. Note that the background task is denoising.




Figure 15: Evaluate the random structure of the DIP models. We compare the performance of randomly pruned subnetworks with the ones randomly pruned with LIP sparsities. The background task is denoising.

IMP loss and model performances during the iterative magnitude pruning. Specifically, we experiment with face3 and face5 images on three restoration tasks (e.g., denoising, inpainting and super-resolution.). We find that the matching subnetwork (yellow stars in the figure) appears where the value of IMP loss continuously increases two or three times. Based on this observation, we summarize the approach as follows: *To robustly find the matching subnetworks when on the single noisy image IMP loops, one can stop the iterative magnitude pruning when observing the continuous increases in IMP loss values.* However, there may be other ways (based on other signals) to identify the matching subnetworks in the single-image based IMP loops. For example, one can observe the gradient flow or the magnitude of gradients in the IMP loops to find the inner links between these signals and the appearance of matching subnetworks, which will be our future works. So far, the IMP loss value has been the most obvious signal in training loops.

Transferability study of the single-image based LIP subnetworks We evaluate several single-image based LIP subnetworks (Baby-LIP, Bird-LIP, Woman-LIP and Butterfly-LIP) on the Baby.png and compare their performances with Multi-LIP subnetworks. The experimental results are summarized in Fig.14. We found that when the sparsity level is low (0%-40%), the single-LIP subnetworks perform a little worse than the LIPs obtained on Baby.png. When the sparsity level increases (e.g., the number of remaining parameters is less than 0.6 million), they usually tend to perform comparably. Another intriguing phenomenon is that Multi-LIP performs comparably with the LIPs obtained on Baby.png but can perform better than the other LIPs when sparsity level is high, which also demonstrate that Multi-LIP could have better transferability than single-image based LIP subnetworks.

Ablation Study on Random Structures of original DIP models We have compared the randomly pruned subnetworks with LIP ones and have found these randomly pruned sparse networks perform worse, especially at high sparsity levels. This phenomenon indicates that the uniform randomness will lead to inferior performances. But what if we provide the LIP sparsity to the random structure? In Fig. 15, we summarize the experimental results on Baby.png, Bird.png, Woman.png and F16.png. We observed that the randomly pruned subnetworks with LIP sparsity will collapse at a much earlier stage than those that are uniformly randomly pruned. They may have comparable performances when at low sparsity levels (e.g. from 0% to 40%). But the performance curve will quickly fall at high sparsity levels (e.g., from 50% to 90%), which demonstrates that the inner structure of LIP subnetworks is unique.

Comparison with Other State-of-the-art Pruning Methods In the paper, we compare the effectiveness of LIPs with SNIP and random pruning. To better explore the effectiveness of LIP subnetworks, we further compare the sparse models with the ‘‘SynFlow’’ pruning methods Tanaka et al. (2020). The experimental results are summarized in Table.4. We observed that SynFlow subnetworks achieve comparable performances with the dense network and LIPs when at low sparsity levels (e.g., from 0% to 20%). But LIP subnetworks start to win them out when the sparsity level increases (e.g., from 60% to 90%). Also, the LIPs can achieve comparable performances when at extreme sparsities (e.g., when sparsity level equals to 80%). But the ‘‘SynFlow’’ subnetworks have already failed. These phenomena indicate the effectiveness of proposed LIP methods, which also act as side support to Frankle et al. (2020b).

Table 4: Comparison with synaptic-flow pruning method Tanaka et al. (2020). We compare the performances of LIPs and ‘‘SynFlow’’ subnetworks at various sparsity levels. Notice that the background task is denoising and the experiment image is F16.png.

Sparsity (%):	0 (dense)	20	40	50	60	70	80	90
SynFlow	31.06	31.05	30.62	30.54	30.59	30.41	30.11	28.98
LIP	31.06	31.15	31.11	31.12	31.13	31.11	31.03	30.91

Table 5: Comparison results between LIP (sparsity = 73.79%, parameter number = 0.6M), DIP (Ulyanov et al., 2018), NAS-DIP (Chen et al., 2020c) and ISNAS-DIP (Arıcan et al., 2022) models. The evaluation datasets are BM3D (Dabov et al., 2007a), Set12 (Zhang et al., 2017), CBM3D (Dabov et al., 2007a), Set5 (Bevilacqua et al., 2012) and Set14 (Zeyde et al., 2010). And the results of DIP, NAS-DIP and ISNAS-DIP models are directly picked from Table 2 in Arıcan et al. (2022). Since NAS-DIP and ISNAS-DIP both aim to find better architectures to gain better model performances via NAS, their model sizes are comparable to that of the dense DIP network (there are no model compressions during the optimization). And we use ‘‘*’’ to denote this in the table.

Datasets	DIP (2.2M)	LIP (0.6M)	NAS-DIP (*)	ISNAS-DIP (*)
Denoising				
BM3D	27.87	28.27	27.44	28.39
Set12	27.92	28.12	26.88	28.06
CBM3D	28.93	29.45	29.13	30.36
Inpainting				
BM3D	31.04	32.44	30.55	32.90
Set12	31.00	31.78	30.86	32.22
Super-resolution				
Set5 ×4	29.89	30.52	30.66	30.22
Set5 ×8	25.88	26.17	25.88	25.94
Set14 ×4	27.00	27.31	27.36	27.19
Set14 ×8	24.15	24.31	23.96	24.03




Figure 16: Images used in plotting the curves of experiments.




Figure 17: Evaluating the reconstruction images of different subnetworks (LIP, SNIP and random pruning) by FFT (Fast Fourier Transformation) to check whether the high-frequency information has been lost during pruning. Note that we experimented on the `Baby.png`. We found that compared with random pruning, LIP and SNIP can both maintain the high frequency information of the ground-truth. For example, the LIP and SNIP subnetworks both maintain most of the high-frequency information of the ground-truth at the sparsity 79%, but the LIP could also perform well at the sparsity 67% where the SNIP loses more high-frequency information.




Figure 18: we visualize the difference maps between the FFT (Fast Fourier Transformation) results of reconstruction images generated by different methods (e.g., LIP, SNIP and random pruning). For example, ‘LIP - random’ means the difference map between the FFT results of restored images generated by LIP and randomly pruned subnetworks. The brighter color means a larger difference in values. Also, the center of the visualization images represents the image areas with frequency equal to zero and the surrounding parts denote areas with high frequency. We can observe that the reconstructions generated by LIP are consistent with those from other methods in the low-frequency domain (the center area of the FFT map) and mainly differ from other methods in the high-frequency domain.