
SPOTIT : Evaluating Text-to-SQL Evaluation with Formal Verification

Rocky Klopfenstein*

Amherst College

rklopfenstein27@amherst.edu

Yang He*

Simon Fraser University

yha244@sfu.ca

Andrew Tremante*

Amherst College

atremante26@amherst.edu

Yuepeng Wang

Simon Fraser University

yuepeng@sfu.ca

Nina Narodytska

VMware Research by Broadcom

nina.narodytska@broadcom.com

Haoze Wu

Amherst College

VMware Research by Broadcom

hwu@amherst.edu

Abstract

Community-driven Text-to-SQL evaluation platforms play a pivotal role in tracking the state of the art of Text-to-SQL performance. The reliability of the evaluation process is critical for driving progress in the field. Current evaluation methods are largely test-based, which involves comparing the execution results of a generated SQL query and a human-labeled ground-truth on a static test database. Such an evaluation is optimistic, as two queries can coincidentally produce the same output on the test database while actually being different. In this work, we propose a new alternative evaluation pipeline, called SPOTIT, where a formal bounded equivalence verification engine actively searches for a database that differentiates the generated and ground-truth SQL queries. We develop techniques to extend existing verifiers to support a richer SQL subset relevant to Text-to-SQL. A performance evaluation of ten Text-to-SQL methods on the high-profile BIRD dataset suggests that test-based methods can often overlook differences between the generated query and the ground-truth. Further analysis of the verification results reveals a more complex picture of the current Text-to-SQL evaluation.

1 Introduction

Text-to-SQL is one of the fundamental building blocks for designing natural language (NL) interfaces that enable users to access and analyze structured data sources. Translating human questions into executable database queries bridges the gap between non-technical users and complex data systems. Due to its practical relevance for commercial products [1, 4, 33], Text-to-SQL has recently attracted significant attention, leading to the development of a wide range of solutions [31]. New Text-to-SQL frameworks are announced regularly, and thanks to community-driven evaluation platforms such as BIRD [21] and Spider [17], their performance can be benchmarked and compared in near real time. Given the pivotal role these platforms play in tracking the state of the art, the reliability of their evaluation processes is crucial for driving progress in the field.

*Equal contribution.

In this paper, we take a close look at the evaluation process for the accuracy of Text-to-SQL methods. Currently, the process usually involves checking whether the SQL queries generated by a method produce results equivalent to those of the *gold SQLs* (i.e., human-written ground-truth SQLs), under a pre-defined notion of equivalence. Most state-of-the-art evaluation frameworks [17, 21] perform this equivalence check through *testing*: executing both queries on a static test database and comparing the results. If the results match, the generated SQL is labeled as correct. Although widely used in practice, the testing-based approach has clear limitations. Because the check is performed on a single database, two different SQL queries may appear equivalent by chance, purely due to the specific data contained in that database. This raises an important question: when the test-based approach marks a generated SQL as correct, how often does it truly produce the same results as the gold SQL in general? The next broader question is: to what extent can the current evaluation process accurately measure the performance of Text-to-SQL methods?

We investigate these questions by exploring an alternative correctness evaluation methodology. Instead of relying on test databases to assess equivalence, we propose to actively *search* for databases that can differentiate the generated SQL from the gold SQL. The search-based evaluation naturally provides stronger correctness guarantees and enables a more rigorous measurement of accuracy. Since providing complete equivalence guarantee is in general undecidable, we perform SMT-based bounded verification [15], which searches for differentiating databases with specified sizes. We develop a new Text-to-SQL evaluation workflow, SPOTIT, on top of those verification techniques. We significantly extend these techniques to support a new set of SQL operators over strings and dates which are commonly used for Text-to-SQL benchmarks.

Experiments on ten state-of-the-art Text-to-SQL methods on the popular BIRD dataset [21] suggest that the reported accuracy of these methods drops by 11.3%–14.2% when switching from the official test-based evaluation to SPOTIT. The varying levels of decrease in absolute precision also lead to substantial changes in the order of ranking of the Text-to-SQL methods. Moreover, SPOTIT produces minimal differentiating databases, which enables us to pinpoint the sources of inconsistencies between the generated and gold SQLs. Analysis of these databases reveals a more complex picture of the current Text-to-SQL evaluation. To summarize, our contributions include:

- SPOTIT, a new evaluation pipeline for Text-to-SQL powered by formal equivalence verification;
- novel SMT-encoding for a set of SQL operators over strings and dates, and proof of its correctness;
- practical strategies for the efficient deployment of SPOTIT;
- a large-scale evaluation of ten state-of-the-art Text-to-SQL methods on the BIRD dataset, which reveals potential shortcomings of current Text-to-SQL evaluation.

We provide background on Text-to-SQL and formal equivalence checking in App. A and discuss related work in App. B.

2 Motivating examples

Before we describe our new verification-based evaluation pipeline, we first discuss main sources of mismatches between the gold SQL and the generated SQL in Text-to-SQL evaluation. There are three main such sources: (1) NL query N is ambiguous, so both the gold and generated SQL queries are justifiable interpretations; (2) N is unambiguous, but the gold SQL query is incorrect (gold SQLs are created manually and thus prone to human errors); (3) N is unambiguous, the gold SQL query is correct, but the generated SQL query is incorrect. Our framework focuses on checking equivalence between the gold SQL and the generated SQL, treating the latter as the best-effort, semantically correct formalization of N . We show that SPOTIT can successfully detect incorrect generated SQLs that are overlooked by existing test-based evaluation. Perhaps more surprisingly, SPOTIT also allows us to spot the first and second sources of mismatch. Fig. 1 shows one such example. App. C presents another example.

N₁: “Which is the youngest patient with an abnormal anti-ribonuclear protein level?
Please list his or her date of birth.”

```
/*Gold SQL Q*/:
SELECT T1.birthday
FROM patient AS T1
INNER JOIN laboratory AS T2
ON T1.ID = T2.ID
WHERE T2.rnp != '--' OR '+-'
ORDER BY T1.birthday DESC LIMIT 1

/*Generated SQL P*/:
SELECT patient.birthday
FROM patient
INNER JOIN laboratory
ON patient.ID = laboratory.ID
WHERE NOT laboratory.rnp IN ('--', '+-')
ORDER BY patient.birthday
DESC LIMIT 1
```

Figure 1: An example where the generated SQL produces the same output as the gold SQL on the BIRD’s official test database, but SPOTIT finds a database that differentiates the the queries. In this case, the gold SQL is incorrect.

Example 2.1. On the BIRD’s test database, both the gold and the generated SQL queries return “1989-08-28” for query N_1 . However, SPOTIT found a database on which these two queries are not equivalent (Appendix F.1). In fact, we observe that all ten frameworks that we tested generated SQLs that are not equivalent to the gold query. Upon closer inspection, we find that the gold query is incorrect: its WHERE clause is equivalent to $T2.rnp \neq '+' OR FALSE$, as a string literal like $'+-'$ is interpreted as $FALSE$ in a boolean context, which is not the intended behavior. \square

3 SPOTIT: a search-based Text-to-SQL evaluation pipeline

We introduce in App. D.1 new SMT-encoding for a number of SQL operators over string and date types that were not supported by existing bounded equivalence verification methods but frequently appear in Text-to-SQL benchmarks. Our currently supported SQL grammar is presented in Fig. 7. In this section, we overview our verification-based evaluation pipeline SPOTIT and discuss practical implementation strategies. Additional details are described in App. D.2

Fig. 2 presents a high-level workflow of our approach that consists of three conceptual phases.




Figure 2: Three main phases of SPOTIT.

① Input phase. Given a NL question N and its corresponding gold SQL query Q , a Text-to-SQL framework takes as input N and generates a SQL query P . Both Q and P are passed to phase ②.

② Verification phase. The goal is to find a counterexample database instance on which the queries Q and P produce different outputs. For a given bound $k \leq K$, we perform bounded equivalence checking between Q and P . If the queries are proved equivalent, then we increase k by one for the next verification check. Furthermore, we cannot find any counterexample under all bounds and conclude that they are verified up to the bound k . On the other hand, if the queries are proved to be non-equivalent under some bound, we proceed to phase ③ for a further validation of D_{cex} .

③ Validation phase. Given the queries Q and P and a counterexample D_{cex} returned by verification algorithm, we must verify that this counterexample is non-spurious. There are two main reasons spurious counterexamples can arise in the verification engine. Either because some operators are over-approximated in the SMT encoding or the SQL query admits non-deterministic behaviors that cannot be modeled. Therefore, we execute the queries on the counterexample database (e.g., in SQLITE) and check whether the results actually differ. D_{cex} is viewed valid if the results remain different; otherwise, we report this spurious case to the developers.

4 Experimental evaluation

In this section, we investigate the effect of using SPOTIT as the evaluation methodology for Text-to-SQL tasks. We are interested in the following questions:

- How much more SQL queries does our extension of VERIEQL support?
- Can SPOTIT provide more rigorous accuracy evaluation than test-based approaches?
- Can SPOTIT reveal shortcomings in existing Text-to-SQL evaluations?

Experimental Setup. We consider all 1,533 question-SQL pairs from the development set of BIRD [22], a state-of-the-art dataset for evaluating Text-to-SQL methods. We reached out to the

Table 1: The Text-to-SQL methods we evaluated and their acronyms.

Entry	Acronym
Alpha-SQL + Qwen2.5-Coder-32B [18]	ALPHA
CSC-SQL + Qwen2.5-Coder-7B [28]	CSC-7B
CSC-SQL + XiYanSQL [28]	CSC-32B
GenaSQL-1 [12]	GENA-1
GenaSQL-2 [12]	GENA-2
RSL-SQL + GPT-4o [5]	RSL
OmniSQL-32B [19]	OMNI-MAJ
GSR (anonymous authors)	GSR
CHESSir+CG+UT [34]	CHESS
SLM-SQL + Qwen2.5-Coder-1.5B [30]	SLM

Table 2: Performance of Text-to-SQL methods using EX-TEST, EX-SPOTIT, and EX-SPOTIT⁺.

	EX-TEST		EX-SPOTIT		EX-SPOTIT ⁺	
	Acc. (%)	Rank	Acc. (%)	Rank	Acc. (%)	Rank
CSC-32B	71.32	1	58.80	3	57.82	4
GENA-2	70.53	2	59.84	1	59.13	1
ALPHA	69.36	3	55.87	6	55.02	6
GENA-1	69.23	4	59.45	2	59.00	2
CSC-7B	69.17	5	58.54	4	57.95	3
RSL	67.67	6	56.58	5	55.80	5
OMNI-MAJ	66.88	7	54.69	7	54.04	7
GSR	66.49	8	54.56	8	53.72	8
CHESS	63.62	9	52.87	9	52.35	9
SLM	63.43	10	51.37	10	50.98	10

developers of top-performing Text-to-SQL frameworks on the BIRD leaderboard and obtained the generated SQL queries for 10 of them, which constitutes a representative subset of state-of-the-art Text-to-SQL methods. The methods are listed in Tab. 1. We first evaluate the predictions of each method using BIRD’s official test-based execution accuracy metric (EX-TEST), which, as described in Eq. 1, compares the results of executing the generated and gold queries on a given test database. For predictions that are deemed correct by EX-TEST, we apply SPOTIT to perform a more rigorous analysis. We implemented SPOTIT on top of VERIEQL [15], which we extended using the methods described in Sec. D.1. Additional experimental setup is described in App. E.1. Experiments to measure the effect of our extension to the verification engine are presented and discussed in App. E.2. We found that SPOTIT can support a large portion (up to 97%) of evaluated SQL queries.

Comparing test-based evaluation with SPOTIT. We now evaluate the accuracy of each Text-to-SQL method based on EX-TEST, EX-SPOTIT, and EX-SPOTIT⁺. As shown in Tab. 2, the accuracy of each method drops significantly when SPOTIT is used to check query equivalence. For example, the accuracy of CSC-32B drops from 71.32% to 58.80% with SPOTIT, and further to 57.82% when cross-checking is enabled. This means that there are 207 generated SQLs ($1533 * (71.32\% - 57.82\%)$) that passed the test on the official test databases, but were differentiated from the gold SQL by SPOTIT. Overall, SPOTIT resulted in a decrease in accuracy ranging from 9.8% to 13.5%, and cross-checking results in a small further decrease, by up to 1%. Interestingly, the ranking of the Text-to-SQL methods also changes substantially when evaluated under the verification-based metrics, particularly in the top half of the table. These results indicate that test-based methods can often overlook differences between the generated SQL and the gold SQL, which might lead to misrepresentation of the actual performance (both *absolute* and *relative*) of existing Text-to-SQL methods.

Manual inspection of SPOTIT counterexamples. As SPOTIT performs bounded verification, the differentiating databases it finds are guaranteed to be minimal, which makes it easy to analyze them and understand the source of difference between the generated and gold SQLs. We manually examined the counterexamples for a random sample of 50 queries generated by CSC-32B. Fig. 3 shows a breakdown of the primary attributed reasons for those sampled questions. Surprisingly, while incorrect predictions do constitute a significant portion (26%), more often than not, the gold SQL itself is problematic. There are also a small fraction of cases (10%) where the question itself can be interpreted in multiple ways and therefore admits different answers. We discussed examples of an incorrect gold SQL in Sec. 2. Additional examples of each type of issues, along with the differentiating databases found by SPOTIT, are provided and discussed in App. F.

Summary of findings and implications. We summarize the findings of our evaluation of a state-of-the-art Text-to-SQL evaluation dataset BIRD using SPOTIT and discuss their implications.

Finding 1: Existing test-based correctness metrics that involve executing the generated SQL and the gold SQL on static test databases can overlook significant variations in output data returned by the generated and gold SQLs. A search-based evaluation metric, such as SPOTIT, can serve as a practical alternative that provides additional perspectives on the performance of Text-to-SQL methods.




Figure 3: A breakdown of the primary reason for the difference between generated and gold SQLs.

Finding 2: there is a significant number of problematic gold SQLs in existing Text-to-SQL benchmark sets. As shown by examples in Tab. 6 and App. F, in many cases, the issue can be hard to detect, yet can cause significantly different behaviors from the intended one. The presence of incorrect gold SQLs makes it hard to determine the true optimal performance on a benchmark set, as even a perfect Text-to-SQL method cannot achieve 100% accuracy.

Based on our result analysis for CSC-32B, we speculate that when most Text-to-SQL methods disagree with the gold SQL, the gold SQL is likely problematic. To validate this, we count the number of times that a prediction for a question is deemed correct by EX-TEST but incorrect by SPOTIT⁺ across *all* 10 Text-to-SQL methods. As shown in Fig. 4, there are 36 questions on which all methods generated queries that differ from the gold SQL. Manual inspection suggests that 31 of those 36 cases have problematic gold SQLs, 3 have ambiguous questions, and only 2 represent genuine errors in the generated SQLs.

While so far we have focused on incorrect gold SQLs overlooked by EX-TEST, our investigation begs the question: *when the generated query differs from the gold SQL, how often in general is the gold SQL problematic?* Fig. 5 shows the number of times the prediction for a question is deemed incorrect by EX-TEST across the 10 Text-to-SQL methods, for questions where CSC-32B’s predictions failed EX-TEST. There are 294 questions where at least 8 of the other 9 methods also failed EX-TEST. If shared disagreement with gold SQL is also a good indicator for problematic gold SQL in this case, then even a perfect Text-to-SQL method might not be able to achieve an EX-TEST score much higher than 80% on BIRD-dev. As the time of completing this manuscript, the best EX-TEST score for BIRD-dev achieved by any method on the official leaderboard is 76.14%.

Large-scale benchmark sets inevitably contain problematic gold SQLs. Indeed, multiple sources have found examples of problematic gold SQLs in the BIRD dataset [16, 39], and some of them have already been addressed by the maintainers. SPOTIT is the first approach that can provide minimal, easily analyzable databases to differentiate generated and gold SQLs, and can help to systematically uncover problematic gold SQLs.

Finding 3: A substantial number of questions in the Text-to-SQL dataset can be interpreted in different ways, thus admitting different SQL queries. While ambiguity is inherent in natural language, judging the correctness of a generated SQL query based on a single gold SQL query when the natural language question admits multiple interpretations might result in unfair penalization of Text-to-SQL methods.

Finding 4 (for the verification community): SMT-based equivalence checking techniques can already support a large fraction of practical SQL queries. Our results demonstrate that verification can often be completed within seconds. Due to the practical relevance of Text-to-SQL, we believe there is motivation for the verification community to invest more resources to cover a larger fragment of SQL.

5 Conclusion

We presented SPOTIT, the first verification-based evaluation pipeline for Text-to-SQL. We introduced techniques to support a richer SQL grammar, which enabled us to efficiently analyze a large fragment of SQL queries commonly seen in Text-to-SQL tasks. Our initial motivation for developing SPOTIT was to examine the extent to which the accuracy of a Text-to-SQL method is overestimated by test-based evaluation, which is widely adopted as the default metric on high-profile Text-to-SQL evaluation platforms. However, a closer inspection of the verification results revealed a far more complex picture. While SPOTIT can indeed detect incorrect generated SQL queries that were overlooked by test-based methods, a significant portion of the inconsistency between the gold and generated SQLs can be explained by the benchmarks themselves—either due to problematic gold SQLs or due to ambiguous natural language questions. We discussed the implications of and the next steps from our findings, and hope that our work will motivate further work on evaluating and improving Text-to-SQL evaluation frameworks.




Figure 4: A breakdown of questions that passed EX-TEST but failed SPOTIT⁺.




Figure 5: A breakdown of questions for which CSC-32B’s predictions failed EX-TEST.

References

- [1] Amazon. Build a text-to-sql solution for data consistency in generative ai using amazon nova, September 2025.
- [2] Clark Barrett and Cesare Tinelli. Satisfiability modulo theories. In *Handbook of model checking*, pages 305–343. Springer, 2018.
- [3] Team BIRD. Bird-interact: Re-imagine text-to-sql evaluation via lens of dynamic interactions. <https://github.com/bird-bench/BIRD-Interact>, 2025. Accessed: 2025-06-01.
- [4] Team BitsAI. Bits ai:scale your teams with autonomous ai agents across monitoring, development, and security, September 2025.
- [5] Zhenbiao Cao, Yuanlei Zheng, Zhihao Fan, Xiaojin Zhang, Wei Chen, and Xiang Bai. Rsl-sql: Robust schema linking in text-to-sql generation. *arXiv preprint arXiv:2411.00073*, 2024.
- [6] Shuaichen Chang and Eric Fosler-Lussier. How to prompt llms for text-to-sql: A study in zero-shot, single-domain, and cross-domain settings. *arXiv preprint arXiv:2305.11853*, 2023.
- [7] Shumo Chu, Daniel Li, Chenglong Wang, Alvin Cheung, and Dan Suciu. Demonstration of the cosette automated sql prover. In *Proceedings of the 2017 ACM International Conference on Management of Data*, pages 1591–1594, 2017.
- [8] Shumo Chu, Brendan Murphy, Jared Roesch, Alvin Cheung, and Dan Suciu. Axiomatic foundations and algorithms for deciding semantic equivalences of sql queries. *arXiv preprint arXiv:1802.02229*, 2018.
- [9] Shumo Chu, Chenglong Wang, Konstantin Weitz, and Alvin Cheung. Cosette: An automated prover for sql. In *CIDR*, pages 1–7, 2017.
- [10] Shumo Chu, Konstantin Weitz, Alvin Cheung, and Dan Suciu. Hottsql: Proving query rewrites with univalent sql semantics. *Acm sigplan notices*, 52(6):510–524, 2017.
- [11] Leonardo De Moura and Nikolaj Bjørner. Z3: An efficient smt solver. In *International conference on Tools and Algorithms for the Construction and Analysis of Systems*, pages 337–340. Springer, 2008.
- [12] Yusuf Denizay Dönder, Derek Hommel, Andrea W Wen-Yi, David Mimno, and Unso Eun Seo Jo. Cheaper, better, faster, stronger: Robust text-to-sql without chain-of-thought or fine-tuning. *arXiv preprint arXiv:2505.14174*, 2025.
- [13] Xuemei Dong, Chao Zhang, Yuhang Ge, Yuren Mao, Yunjun Gao, lu Chen, Jinshu Lin, and Dongfang Lou. C3: Zero-shot text-to-sql with chatgpt, 2023.
- [14] Yingqi Gao, Yifu Liu, Xiaoxia Li, Xiaorong Shi, Yin Zhu, Yiming Wang, Shiqi Li, Wei Li, Yuntao Hong, Zhiling Luo, Jinyang Gao, Liyu Mou, and Yu Li. A preview of xiyan-sql: A multi-generator ensemble framework for text-to-sql, 2025.
- [15] Yang He, Pinhan Zhao, Xinyu Wang, and Yuepeng Wang. Verieql: Bounded equivalence verification for complex sql queries with integrity constraints. *Proc. ACM Program. Lang.*, 8(OOPSLA1), April 2024.
- [16] Binyuan Hui. Panel of BIRD Annotation Issues. <https://github.com/AlibabaResearch/DAMO-ConvAI/issues/39>, 2024. Accessed: May 2024.
- [17] Fangyu Lei, Jixuan Chen, Yuxiao Ye, Ruisheng Cao, Dongchan Shin, Hongjin Su, Zhaoqing Suo, Hongcheng Gao, Wenjing Hu, Pengcheng Yin, et al. Spider 2.0: Evaluating language models on real-world enterprise text-to-sql workflows. *arXiv preprint arXiv:2411.07763*, 2024.
- [18] Boyan Li, Jiayi Zhang, Ju Fan, Yanwei Xu, Chong Chen, Nan Tang, and Yuyu Luo. Alpha-sql: Zero-shot text-to-sql using monte carlo tree search. *arXiv preprint arXiv:2502.17248*, 2025.
- [19] Haoyang Li, Shang Wu, Xiaokang Zhang, Xinmei Huang, Jing Zhang, Fuxin Jiang, Shuai Wang, Tieying Zhang, Jianjun Chen, Rui Shi, et al. Omnisql: Synthesizing high-quality text-to-sql data at scale. *arXiv preprint arXiv:2503.02240*, 2025.

- [20] Jinyang Li, Binyuan Hui, Ge Qu, Binhu Li, Jiaxi Yang, Bowen Li, Bailin Wang, Bowen Qin, Rongyu Cao, Ruiying Geng, Nan Huo, Xuanhe Zhou, Chenhao Ma, Guoliang Li, Kevin Chen-Chuan Chang, Fei Huang, Reynold Cheng, and Yongbin Li. Can LLM already serve as A database interface? A big bench for large-scale database grounded text-to-sqls. *CoRR*, abs/2305.03111, 2023.
- [21] Jinyang Li, Binyuan Hui, Ge Qu, Binhu Li, Jiaxi Yang, Bowen Li, Bailin Wang, Bowen Qin, Rongyu Cao, Ruiying Geng, Nan Huo, Xuanhe Zhou, Chenhao Ma, Guoliang Li, Kevin Chen-Chuan Chang, Fei Huang, Reynold Cheng, and Yongbin Li. BIRD_SQ. <https://bird-ben.ch.github.io/>, 2024. Accessed: Sep 2025.
- [22] Jinyang Li, Binyuan Hui, Ge Qu, Jiaxi Yang, Binhu Li, Bowen Li, Bailin Wang, Bowen Qin, Ruiying Geng, Nan Huo, et al. Can llm already serve as a database interface? a big bench for large-scale database grounded text-to-sqls. *Advances in Neural Information Processing Systems*, 36:42330–42357, 2023.
- [23] Aiwei Liu, Xuming Hu, Lijie Wen, and Philip S. Yu. A comprehensive evaluation of chatgpt’s zero-shot text-to-sql capability, 2023.
- [24] Yifu Liu, Yin Zhu, Yingqi Gao, Zhiling Luo, Xiaoxia Li, Xiaorong Shi, Yuntao Hong, Jinyang Gao, Yu Li, Bolin Ding, and Jingren Zhou. Xiyansql: A novel multi-generator framework for text-to-sql, 2025.
- [25] Mudathir Mohamed, Andrew Reynolds, Cesare Tinelli, and Clark Barrett. Verifying sql queries using theories of tables and relations. In *Proceedings of 25th Conference on Logic for Pro*, volume 100, pages 445–463, 2024.
- [26] Giovanni Pinna, Yuriy Perezhohin, Luca Manzoni, Mauro Castelli, and Andrea De Lorenzo. Redefining text-to-sql metrics by incorporating semantic and structural similarity. *Scientific Reports*, 15, July 2025.
- [27] Juan Sequeda, Dean Allemand, and Bryon Jacob. A benchmark to understand the role of knowledge graphs on large language model’s accuracy for question answering on enterprise sql databases, 2023.
- [28] Lei Sheng and Shuai-Shuai Xu. Csc-sql: Corrective self-consistency in text-to-sql via reinforcement learning. *arXiv preprint arXiv:2505.13271*, 2025.
- [29] Lei Sheng and Shuai-Shuai Xu. Csc-sql: Corrective self-consistency in text-to-sql via reinforcement learning, 2025.
- [30] Lei Sheng and Shuai-Shuai Xu. Slm-sql: An exploration of small language models for text-to-sql. *arXiv preprint arXiv:2507.22478*, 2025.
- [31] Liang Shi, Zhengju Tang, Nan Zhang, Xiaotong Zhang, and Zhi Yang. A survey on employing large language models for text-to-sql tasks. *ACM Computing Surveys*, 2024.
- [32] Vladislav Shkapenyuk, Divesh Srivastava, Theodore Johnson, and Parisa Ghane. Automatic metadata extraction for text-to-sql, 2025.
- [33] Splunk. Ai assistant in observability cloud, September 2025.
- [34] Shayan Talaei, Mohammadreza Pourreza, Yu-Chen Chang, Azalia Mirhoseini, and Amin Saberi. Chess: Contextual harnessing for efficient sql synthesis. *arXiv preprint arXiv:2405.16755*, 2024.
- [35] Shayan Talaei, Mohammadreza Pourreza, Yu-Chen Chang, Azalia Mirhoseini, and Amin Saberi. Chess: Contextual harnessing for efficient sql synthesis, 2024.
- [36] TiDBCloud. Get Started with Chat2Query API. <https://docs.pingcap.com/tidbcloud/use-chat2query-api>, 2020. Accessed: May 2024.
- [37] Margus Veanes, Nikolai Tillmann, and Jonathan De Halleux. Qex: Symbolic sql query explorer. In *International Conference on Logic for Programming Artificial Intelligence and Reasoning*, pages 425–446. Springer, 2010.

- [38] Shuxian Wang, Sicheng Pan, and Alvin Cheung. Qed: A powerful query equivalence decider for sql. *Proceedings of the VLDB Endowment*, 17(11):3602–3614, 2024.
- [39] Niklas Wretblad, Fredrik Gordh Riseby, Rahul Biswas, Amin Ahmadi, and Oskar Holmström. Understanding the effects of noise in text-to-sql: An examination of the bird-bench benchmark, 2024.
- [40] Bohan Zhai, Canwen Xu, Yuxiong He, and Zhewei Yao. Excot: Optimizing reasoning for text-to-sql with execution feedback, 2025.
- [41] Bin Zhang, Yuxiao Ye, Guoqing Du, Xiaoru Hu, Zhishuai Li, Sun Yang, Chi Harold Liu, Rui Zhao, Ziyue Li, and Hangyu Mao. Benchmarking the text-to-sql capability of large language models: A comprehensive evaluation, 2024.
- [42] Aojun Zhou, Ke Wang, Zimu Lu, Weikang Shi, Sichun Luo, Zipeng Qin, Shaoqing Lu, Anya Jia, Linqi Song, Mingjie Zhan, and Hongsheng Li. Solving challenging math word problems using GPT-4 code interpreter with code-based self-verification. In *The Twelfth International Conference on Learning Representations*, 2024.
- [43] Qi Zhou, Joy Arulraj, Shamkant B Navathe, William Harris, and Jinpeng Wu. Spes: A symbolic approach to proving query equivalence under bag semantics. In *2022 IEEE 38th International Conference on Data Engineering (ICDE)*, pages 2735–2748. IEEE, 2022.

A Preliminaries

We provide background on Text-to-SQL and formal equivalence checking. Due to space limitation, an overview of related work is present in App. B.

Text-to-SQL problem statement. Given a natural language query N and a database D with schema \mathcal{S} , the goal of Text-to-SQL is to map (N, D) to an SQL query Q , such that executing Q on D , denoted $Q(D)$, produces an output relation (table) that answers N .

Text-to-SQL evaluation. The main evaluation mechanism for a Text-to-SQL framework relies on a gold SQL query produced by a human annotator. Hence, for each natural language query N over a database, there exists a gold SQL query Q that represents the human-labelled ground truth of translating N into SQL. Given a generated SQL P and the corresponding gold query Q , current evaluation performs the following check:

$$\text{EX-TEST}(P, Q, D_{\text{test}}) = \begin{cases} 1, & \text{if } \forall r. r \in P(D_{\text{test}}) \leftrightarrow r \in Q(D_{\text{test}}) \\ 0, & \text{otherwise,} \end{cases} \quad (1)$$

where D_{test} is a test database provided by the benchmark set, and r denotes a row in the result table. In words, EX-TEST compares whether the two tables, $P(D_{\text{test}})$ and $Q(D_{\text{test}})$, contain the same set of rows. In order to more rigorously analyze the equivalence between P and Q , we use formal verification to search for a differentiating database D_{cex} such that $\text{EX-TEST}(P, Q, D_{\text{cex}}) = 0$.

Bounded SQL equivalence checking. Given two SQL queries Q_1 and Q_2 over a schema \mathcal{S} and an upper bound K on the relation size, the problem of bounded equivalence checking is to decide whether Q_1 and Q_2 are equivalent, denoted $Q_1 \simeq_{\mathcal{S}, K} Q_2$, for all databases D conforming to \mathcal{S} such that each relation in D has at most K tuples. Formally,

$$Q_1 \simeq_{\mathcal{S}, K} Q_2 \stackrel{\text{def}}{=} \forall D \in \text{Instances}(\mathcal{S}). \forall R \in \text{Relations}(D). |R| \leq K \Rightarrow Q_1(D) = Q_2(D),$$

where $\text{Instances}(\mathcal{S})$ represents all database instances conforming to \mathcal{S} , and $\text{Relations}(D)$ represents all relations in D . In general, the goal is either to prove the bounded equivalence holds, or to find a counterexample database D_{cex} that disproves the equivalence. Compared with unbounded equivalence checking, which is generally undecidable [25], bounded equivalence checking can handle a more expressive SQL subset and is guaranteed to uncover small counterexamples (if they exist). These features make bounded verification suitable for large-scale Text-to-SQL evaluation.

VERIEQL. VERIEQL [15] is a recently proposed bounded equivalence checker for SQL queries and, to the best of our knowledge, supports the most expressive subset of SQL among existing tools. It reduces the verification task to a satisfiability problem by encoding the symbolic execution of the two SQL queries and the *non-equivalence* of the execution results as a satisfiability modulo theories (SMT) formula [2], which can be solved by an off-the-shelf SMT solver [11]. The bounded equivalence property holds if and only if the formula is unsatisfiable, which means it is not possible to find a database that result in different execution results. Otherwise, a satisfying interpretation of the formula can be decoded to a counterexample database. We significantly extend VERIEQL to support our verification use cases.

B Related Work

A large number of Text-to-SQL frameworks have been proposed over the last few years by research groups in academia and industry [6, 13, 14, 23, 24, 27, 29, 32, 35, 36, 40]. However, evaluation frameworks have received much less attention. There are two main publicly available platforms: BIRD-SQL [21] and Spider [17] that are commonly used to evaluate the performance of Text-to-SQL methods. Their evaluation procedure is performed on predefined database instances, whereas SPOTIT searches for a separation database instance. A number of evaluation metrics were proposed to take into account partially correct generated queries [26] or the efficiency of query executions [41]. Recently, [3, 20] proposed an iterative evaluation framework in which the system can interact with the user by asking additional questions (e.g., to resolve ambiguity). However, the final evaluation of the correctness of the generated SQL query is still performed on a static database.

From a verification perspective, there remain two streamlines in equivalence checking for SQL queries: full-fledged and bounded verification. The full-fledged methods [8, 10, 38, 42, 43] encode queries into specific representations (e.g., algebraic expressions [8, 38]) and determine equivalence

N₂: "How many male patients who underwent testing between 1995 and 1997 and were subsequently diagnosed with Behcet disease did not stay in the hospital for treatment?"

```

/*Gold SQL Q*/:
SELECT COUNT(T1.id) FROM patient AS T1
INNER JOIN examination AS T2 ON T1.id = T2.id
WHERE T2.diagnosis = 'Behcet' AND T1.sex = 'M',
AND STRFTIME('%Y', T2.examination_date)
BETWEEN '1995' AND '1997' AND T1.admission = '-';

/*Generated SQL P*/:
SELECT COUNT(DISTINCT patient.id)
FROM patient INNER JOIN examination
ON patient.id = examination.id
WHERE patient.sex = 'M' AND
examination.examination_date
BETWEEN '1995-01-01' AND '1997-12-31',
AND examination.diagnosis = 'Behcet'
AND patient.admission = '-';

```

Figure 6: An example of cases where the generated SQL produces the same output as the gold SQL on the BIRD’s official test database, but SPOTIT finds a database that differentiates the the queries. The parts that explain the mismatch are highlighted. For N_2 , both SQL queries can be right depending on the interpretation of the NL question.

by proving the equivalence of these representations, thereby guaranteeing equivalence of queries for any possible database. However, such methods typically support only a limited subset of SQL and cannot generate counterexamples for non-equivalent queries. In contrast, the bounded verification approaches [7, 9, 15, 37] check equivalence within a finite search space, making them capable of handling larger subsets of SQL and identifying counterexamples. To the best of our knowledge, VERIEQL supports the most expressive SQL fragments and rich integrity constraints, while also offering extensibility for new features [15]. In this work, we significantly extend the VERIEQL framework to support date and string types as well as a number of common operators for the Text-to-SQL evaluation task.

C Motivating examples

Example C.1. Consider another query N_2 : "How many male patients who underwent testing between 1995 and 1997 and were subsequently diagnosed with Behcet disease did not stay in the hospital for treatment?" together with the gold and generated SQL queries (Fig. 6). These two queries both return "2" on the BIRD test database. However, the two queries are clearly not equivalent (*id* is not a primary key of the *examination* table therefore duplicates are allowed): the generated query counts all examinations per patient, whereas the gold query counts only distinct patients. SPOTIT easily found a database that differentiate the two queries (Appendix F.2). Note that depending on the interpretation of the question, both SQL queries can be correct: the gold SQL can be reasonable if the goal is to understand the hospital workload, while the generated SQL can be reasonable if the goal is to understand the number of unique patients. Hence, we conclude that N_2 is ambiguous. \square

D Methodology

D.1 Equivalence Checking for SQL Queries

To understand our extension, let us first walk through Example D.1 to understand how equivalence checking can be encoded as an SMT formula in a verifier like VERIEQL [15].

Example D.1. Consider a schema $\mathcal{S} = \{R \mapsto \{id: \text{int}, dob: \text{date}\}\}$ and the following two queries:

$$Q_1 = \text{SELECT } id \text{ FROM } R \text{ WHERE } id > 1 \quad Q_2 = \text{SELECT } id \text{ FROM } R \text{ WHERE } id > 2$$

We describe how to encode equivalence checking for a bound (K) of 1 as an SMT formula. First, variables are introduced to represent the database and the execution results. This includes a symbolic database $D = \{R \mapsto [t_1]\}$, where $t_1 = [x_1, x_2]$ is a tuple in R , and x_1, x_2 are integer variables. In addition, tuples $t_2 = [x_3]$ and $t_3 = [x_4]$, are introduced to encode query results: $Q_1(D) = [t_2]$ and $Q_2(D) = [t_3]$, where x_3, x_4 are both integer variables. Note that the number of tuples in R is equal to the bound K . Also note that a date (x_2) is represented as an integer, which is sufficient here but not in general. We later introduce precise encoding of date to support richer operations.

Query Q_r	$::=$	$Q \mid \text{OrderBy}(Q, \vec{E}, b)$
Subquery Q	$::=$	$R \mid \Pi_L(Q) \mid \sigma_\phi(Q) \mid \rho_R(Q) \mid Q \oplus Q \mid \text{Distinct}(Q) \mid Q \otimes Q \mid \text{GroupBy}(Q, \vec{E}, L, \phi) \mid \text{With}(\vec{Q}, \vec{R}, Q)$
Attr List L	$::=$	$id(A) \mid \rho_a(A) \mid L, L$
Attr A	$::=$	$\text{Cast}(\phi) \mid E \mid \mathcal{G}(E) \mid A \diamond A$
Pred ϕ	$::=$	$b \mid \text{Null} \mid A \odot A \mid \text{IsNull}(E) \mid \vec{E} \in \vec{v} \mid \vec{E} \in Q \mid \phi \wedge \phi \mid \phi \vee \phi \mid \neg \phi$ $\mid \text{PrefixOf}(s, E) \mid \text{SuffixOf}(s, E) \mid \text{Like}(s, E)$
Expr E	$::=$	$a \mid v \mid E \diamond E \mid \text{ITE}(\phi, E, E) \mid \text{Case}(\phi, \vec{E}, E) \mid \text{SubStr}(E_1, E_2, E_3)$ $\mid \text{Strftime}(\kappa, E) \mid \text{JulianDay}(E) \mid \text{ToInt}(E) \mid \text{ToDate}(E) \mid \text{ToStr}(E)$
Join Op \otimes	$::=$	$\times \mid \bowtie_\phi \mid \bowtie_{\neg\phi} \mid \bowtie_{\phi} \mid \bowtie_{\neg\phi}$
Collection Op \oplus	$::=$	$\cup \mid \cap \mid \setminus \mid \uplus \mid \oplus \mid -$
Arith Op \diamond	$::=$	$+ \mid - \mid \times \mid / \mid \%$
Logic Op \odot	$::=$	$\leq \mid < \mid = \mid \neq \mid > \mid \geq$

$R \in \text{Relation Names}$ $a \in \text{Attribute Names}$ $v \in \{\text{Null}\} \cup \text{Integers} \cup \text{Dates} \cup \text{Strings}$ $b \in \text{Bools}$
 $s \in \text{Strings}$ $\mathcal{G} \in \{\text{Count}, \text{Min}, \text{Sum}, \text{Avg}\}$ $\kappa \in \{\%\text{Y}, \%\text{M}, \%\text{d}\}$

Figure 7: Extended syntax of SQL Queries. New features are in bold.

We now describe the constraints over the variables. The first set of constraints ensures that t_2 and t_3 correctly capture the semantics of Q_1 and Q_2 . In this case, t_2 tuple is constrained by $\Phi_{Q_1} = (x_1 > 1 \rightarrow (x_3 = x_1 \wedge \neg \text{Del}(t_2))) \wedge (x_1 \leq 1 \rightarrow \text{Del}(t_2))$, where Del is an uninterpreted function denoting the non-existence of a symbolic tuple. The formula Φ_{Q_1} ensures that only interpretations satisfying $x > 1$ can populate a concrete tuple; otherwise, Q_1 ’s result is empty. Similarly, t_3 is constrained by $\Phi_{Q_2} = (x_1 > 2 \rightarrow (x_4 = x_1 \wedge \neg \text{Del}(t_3))) \wedge (x_1 \leq 2 \rightarrow \text{Del}(t_3))$.

The second set of constraints encodes that $Q_1(D)$ and $Q_2(D)$ returns different results. In this case, it is simply $t_2 \neq t_3$. The full encoding is a conjunction of all constraints: $\Phi_{Q_1} \wedge \Phi_{Q_2} \wedge (t_2 \neq t_3)$, whose satisfiability can be checked by an SMT solver. A satisfying interpretation to this conjunction corresponds to a database instance that differentiates Q_1 and Q_2 . For example, the queries are not equivalent under the interpretation $\mathcal{I} = \{x_1 \mapsto 2\}$. \square

Extension in SQL encoding. Existing bounded SQL equivalence checker still lacks support for several important features, including precise encoding of dates and strings, which are highly relevant in Text-to-SQL applications. Furthermore, SQL supports computations across many different data types with implicit type casting (e.g., $1 + \text{“a”}$ and $\text{date}(\text{“2000-01-01”}) + \text{“1”}$), which poses significant challenges to establish precise semantics and encodings. To address these limitations and challenges, we introduce techniques to support dates and strings, along with their manipulations, in the SQL equivalence checker VERIEQL. We also introduce type conversions across Null, integers, dates, and strings for implicit type casting. For example, in the gold SQL for N_2 (Fig. 6), the output of the `STRFTIME` function is implicitly converted from a date to an integer.

Fig. 7 presents our supported SQL grammar. Specifically, the query language introduces type conversions among various data types (e.g., `ToInt(E)`, `ToDate(E)`, and `ToString(E)`), which allows us to precisely establish the semantics of dates and strings and enhances the expressiveness of our SQL subset. We also incorporate additional expressions and predicates for data and string manipulations, such as date formatting `Strftime(κ, E)`, Julian day `JulianDay(E)`, string pattern matching `PrefixOf(s, E)`, `SuffixOf(s, E)`, `Like(s, E)`, and string truncation `SubStr(E1, E2, E3)`. The symbolic encoding for these extended expressions and predicates is formally presented in Appendix H.

As an example, we describe how to precisely encode a date variable, which is very common in Text-to-SQL. For instance, the date of birth and the time of a transaction are naturally modeled with the date type. Previously, date was encoded as a single integer variable (see Example D.1). Although this coarse representation still enables the encoding of certain date operations (e.g., comparison), it does not necessarily support all date operations, such as date-formatting, which is used in the gold SQL query for N_2 in Fig. 6. As a date can be viewed as a triplet (year, month, day), we introduce three integer variables y , m , and d , and constrain their values with the following formula Φ :

$$\Phi = \Phi_1 \wedge \Phi_2 \wedge \Phi_3, \text{ where } \Phi_1 = \text{MIN_YEAR} \leq y \leq \text{MAX_YEAR}, \Phi_2 = 1 \leq m \leq 12, \\ \Phi_3 = 1 \leq d \wedge (\bigvee_{c \in \{1, 3, 5, 7, 8, 10, 12\}} m = c \rightarrow d \leq 31) \\ \wedge (m = 2 \rightarrow d \leq 28 + \text{ite}(\text{leap}(y), 1, 0)) \wedge (\bigvee_{c \in \{4, 6, 9, 11\}} m = c \rightarrow d \leq 30)$$

The term $\text{leap}(y)$ encodes the leap year condition: $y \% 4 = 0 \wedge (y \% 100 \neq 0 \vee y \% 400 = 0)$. Constraints Φ_1 , Φ_2 , and Φ_3 restrict the possible values of the year, the month, and the day, respectively. For example Φ_1 specifies the valid range of the year, which is specific to the database engine. For example, SQLITE only accepts dates between “0000-01-01” and “9999-12-31”; in which case

Algorithm 1 Bounded equivalence checking

Require: Database schema \mathcal{S} , gold SQL query Q , generated SQL query P , time limit T , bound K

Ensure: A counterexample D_{cex}

```

1: function EQUIVCHECK( $\mathcal{S}, Q, P, T, K$ )
2:   for  $k \in [1, K]$  do
3:      $D_{\text{cex}} \leftarrow \text{CHECKBOUND}(\mathcal{S}, P, Q, k, T)$ 
4:     if  $\text{res} = \text{EQUIVALENT}$  then continue
5:        $\triangleright$  Bounded equivalence under  $k$ 
6:     else if  $\text{res} = \text{NON-EQUIVALENT}$  then
7:        $\triangleright$  Find a counterexample
8:       Validate the counterexample on the backend DBMS
9:       if  $\neg\text{EX-TEST}(P, Q, D_{\text{cex}})$  then
10:        return  $\{D_{\text{cex}}\}$ 
11:     else break  $\triangleright$  Timeout, unsupported, undecidable queries
12:   return  $\emptyset$ 

```

Algorithm 2 SPOTIT⁺

Require: Database \mathcal{S} , user query N , gold SQL query Q , Text-to-SQL frameworks \mathcal{M} , time limit T and bound K

Ensure: Counterexamples D_{cexs}

```

1: function SPOTIT+( $\mathcal{S}, N, \mathcal{M}, T, K$ )
2:    $D_{\text{cexs}} \leftarrow \emptyset$ 
3:   for  $m \in \mathcal{M}$  do
4:      $P \leftarrow m(\mathcal{S}, N)$   $\triangleright$  Generate SQL query  $P$  using  $m$ 
5:      $D_{\text{cexs}}[m] \leftarrow \text{EQUIVCHECK}(\mathcal{S}, Q, P, T, K)$ 
6:    $\triangleright$  Performing cross-referencing counterexamples
7:    $D_{\text{cexs}}^* \leftarrow \bigcup_{m \in \mathcal{M}} D_{\text{cexs}}[m]$ 
8:   for  $m \in \mathcal{M}$  do
9:     for  $D \in D_{\text{cexs}}^* \setminus D_{\text{cexs}}[m]$  do
10:      if  $\neg\text{EX-TEST}(P, Q, D)$  then
11:         $D_{\text{cexs}}[m] \leftarrow D_{\text{cexs}}[m] \cup \{D\}$ 
12:   return  $D_{\text{cexs}}$ 

```

MIN_YEAR is 0 and MAX_YEAR is 9999. This refined representation allows us to precisely encode a rich set of date operations and analyze more SQL queries compared to the previous encoding.

Equivalence under set semantics. SQL equivalence checkers typically support equivalence under bag semantics and list semantics. However, some Text-to-SQL evaluation platforms, such as BIRD [21], by default adopt equivalence under set semantics (see equation 1). This can be expressed as an SMT constraint. Given two query results with symbolic tables $R_1 = [t_1, \dots, t_n]$ and $R_2 = [r_1, \dots, r_m]$, the condition that R_1 and R_2 are equivalent under set semantics is as follows:

$$\bigwedge_{i=1}^n (\neg\text{Del}(t_i) \rightarrow \bigvee_{j=1}^m (\neg\text{Del}(r_j) \wedge t_i = r_j)) \wedge \bigwedge_{j=1}^m (\neg\text{Del}(r_j) \rightarrow \bigvee_{i=1}^n (\neg\text{Del}(t_i) \wedge r_j = t_i)) \quad (2)$$

On a high level, equivalence is defined by mutual set containment: $R_1 = R_2$ iff $R_1 \subseteq R_2$ and $R_2 \subseteq R_1$. But since some tuples might be deleted due to WHERE clauses, we restrict set containment to non-deleted tuples, i.e., those satisfying $\neg\text{Del}(t)$.

Correctness of the encodings. We now state the correctness of our symbolic encoding for the extended expressions and predicates, as well as the equivalence under set semantics. Proof of these theorems is in Appendix I. As we encode the symbolic execution of queries, to prove the correctness of our approach, we need to show that our symbolic execution coincides with the concrete execution. This involves showing that given an expression E , the satisfying interpretation of E 's symbolic execution result is identical to the concrete execution result of E . Thm. 1 states that formally.

Theorem 1 (Correctness of expression encoding). *Let D be a database over schema \mathcal{S} , xs be a tuple list, and E be an expression. Consider a symbolic database Γ over \mathcal{S} , a list of symbolic tuples \mathcal{T} , and E 's symbolic encoding $\llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}$. For any satisfying interpretation \mathcal{I} with $\mathcal{I}(\Gamma) = D \wedge \mathcal{I}(\mathcal{T}) = xs$, evaluating the expression E over the database D and the tuple list xs yields the interpretation of E 's symbolic encoding $\mathcal{I}(\llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}})$, i.e., $\mathcal{I}(\Gamma) = D \wedge \mathcal{I}(\mathcal{T}) = xs \Rightarrow \llbracket E \rrbracket_{D, xs} = \mathcal{I}(\llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}})$.*

Similarly, given a predicate ϕ , the satisfying interpretation of ϕ 's symbolic execution result is also identical to the concrete execution result of ϕ . This is formally stated in Appendix I. Lastly, we state the correctness of our encoding for equivalence under set semantics.

Theorem 2 (Equivalence under set semantics). *Given two relations $R_1 = [t_1, \dots, t_n]$ and $R_2 = [r_1, \dots, r_m]$, if formula (2) is valid, then R_1 and R_2 are equivalent under set semantics.*

D.2 Additional details on SPOTIT

Alg.1 implements the second and third phases. For a given bound $k \leq K$, it first checks bounded equivalence between Q and P (line 3). If the queries are proven to be non-equivalent (line 6) under some bound, we validate that the counterexample database is indeed a true counterexample (line 9) and return it if this is the case. If the queries are proven to be equivalent in line 3, then we increase k by one for the next verification step. If the verifier cannot find any counterexample under all bounds, Alg.1 returns an empty set. Finally, if the verifier times out on a bound k , or the query is unsupported or undecidable, it also returns an empty set.

Cross-checking counter-examples. One observation we make is that as we progress through the frameworks, we collect a set of counterexamples that separate the gold query from the generated

Figure 8: Percentage of generated-gold SQL pairs supported by SPOTIT⁻ and SPOTIT, as well as the average time (in seconds) of SPOTIT on pairs where a counter-example is found.

Method (# quest.)	SPOTIT ⁻ (%)	SPOTIT (%)	Avg. Time
ALPHA (1064)	84.87	93.89	3.10
CHESS (976)	87.40	97.13	1.40
CSC-32B (1094)	84.83	94.88	3.24
CSC-7B (1061)	85.77	96.14	3.93
GENA-1 (1062)	84.56	94.92	1.01
GENA-2 (1082)	84.47	94.55	0.93
GSR (1020)	84.51	93.63	1.12
OMNI-MAJ (1026)	86.65	95.61	1.36
RSL (1038)	86.03	95.18	1.64
SLM (973)	85.92	94.24	1.36

queries. Hence, we realized that these counterexamples can be reused as checks across all frameworks, as they might generalize across frameworks.

Alg.2 implements SPOTIT with cross-checking. First, it obtains counterexample databases, if they exist, for all frameworks by calling Alg.1 (lines 3–5). Then, it iterates over all frameworks again and tests equivalence between Q and P on these counterexample databases (lines 7–11). Empirically, this improves the effectiveness of our approach.

E Experimental evaluation

E.1 Experimental setup.

The BIRD questions span 11 different databases from different professional domains, such as education, healthcare, and sports. The official BIRD leaderboard² contains over 80 Text-to-SQL methods and are updated frequently. Not all methods are open-source or have predictions publicly available. Therefore, we reached out to the developers of top-performing Text-to-SQL frameworks on the BIRD leaderboard and obtained the generated SQL queries for 10 of them, which constitutes a representative subset of state-of-the-art Text-to-SQL methods.

We consider three variants of SPOTIT: (i) SPOTIT: Alg. 2 instantiated with the extended verification engine but without cross-checking (lines 7–11); (ii) SPOTIT⁻: Alg. 2 instantiated with vanilla VERIEQL and without cross-checking; (iii) SPOTIT⁺: Alg. 2 with cross-checking. We verify each generated-gold SQL pair up to a bound (K) of 5. To generate practically relevant counterexamples, we also extend the verification condition to exclude degenerate counterexamples that result in empty for one SQL and NULL for the other SQL. Each verifier call is given one physical core, 8GB memory, and a CPU timeout of 600 seconds. In practice, a counterexample can typically be found within seconds, as reported below. Experiments were performed on a cluster equipped with Dell PowerEdge R6525 CPU servers featuring 2.6-GHz AMD CPU cores.

E.2 Performance of Verification Engine.

We evaluate the effect of our extensions to the original VERIEQL engine [15] in terms of *coverage*, defined as the fraction of generated-gold-SQL pairs that can be encoded into an SMT query. In addition, we measure the average runtime of SPOTIT on questions where a valid differentiating database is found. The results are shown in Tab. 8. Our extensions significantly increase the coverage of the verification engine on relevant questions (i.e., ones deemed correct by EX-TEST) for each method, allowing us to formally analyze a larger number of generated SQL queries. For example, for CSC-32B, the coverage increases from 84.83% to 94.88%, which corresponds to 110 additional supported questions ((94.88% – 84.83%) * 1094).

The average time taken by SPOTIT to find a counterexample is under 4 seconds for all methods, which, combined with the fact that the analysis for each question can be done in parallel, confirms that SPOTIT is already a practical method for formally comparing generated SQLs with gold SQLs.

²<https://bird-bench.github.io/>

F Examples of inconsistency between predicted and gold SQLs overlooked by EX-TEST

F.1 Example 2.1 (extended)

Tables 3–4 show a counterexample database D_{cex} (these are two relevant tables). The generated SQL P returns no records, since `laboratory.rnp` is equal to `'-'` in the single record that violated `NOT laboratory.rnp IN ('-', '+-')`. In contrast, the gold SQL Q returns `'1000-01-01'`, because the condition `T2.rnp != '-' OR '+-'` is incorrect.

Table 3: patient

id	sex	birthday	description	first_date	admission	diagnosis
0	'1'	'1000-01-01'	'1000-01-01'	'1000-01-01'	'1'	'1'

Table 4: laboratory (skipped irrelevant columns)

id	date	got	gpt	ldh	RNP	...
0	'1000-01-01'	0	0	0	'-'	...

F.2 Example C.1 (extended)

Tables 5–6 show a counterexample database D_{cex} (these are two relevant tables).

The generated SQL P counts two records while the gold SQL Q counts only one record, because the `DISTINCT` operator is applied before counting.

Table 5: examination (skipped irrelevant columns)

id	examination_date	acl_igg	acl_igm	ana	ana_pattern	acl_iga	diagnosis	kct	rvvt	lac	...
1	'1000-01-01'	11	12	0	'1'	0	'1'	'1'	'1'	'1'	...
1	'1000-01-01'	14	15	0	'1'	0	'1'	'1'	'1'	'1'	...

Table 6: patient

id	sex	birthday	description	first_date	admission	diagnosis
0	'1'	'1000-01-01'	'1000-01-01'	'1000-01-01'	'1'	'1'
1	'1'	'1000-01-01'	'1000-01-01'	'1000-01-01'	'1'	'1'

F.3 Additional examples

Example F.1. Consider the question N_3 and the corresponding SQL queries (Figure 9). The differentiating database found by SPOTIT is shown in Tables 7,8, 9. Note that there is a typo in the evidence. According to external medical sources, the normal range of uric acid levels in females should be defined as less than or equal to 6.50, not greater than. The annotator overlooked this typo, and as a result, the gold SQL is clearly incorrect. \square

N_3 : "What is the anti Cardiolipin antibody concentration of the female patient with the highest uric acid level in the normal range?"

Evidence: "Anti Cardiolipin antibody concentration refers to 'aCL IgG', 'aCL IgM', 'aCL IgA'; female patient refers to Sex = 'F'; highest uric acid level in the normal range refers to $\text{MAX}(\text{UA} > 6.50)$;"

```

/*Gold SQL Q*/:
SELECT T3.acl_igg, T3.acl_igm, T3.acl_iga
FROM patient AS T1
INNER JOIN laboratory AS T2 ON T1.id = T2.id
INNER JOIN examination AS T3 ON T3.id = T2.id
WHERE T1.sex = 'F' AND T2.ua > 6.5
ORDER BY T2.ua DESC
LIMIT 1

/*Generated SQL P*/:
SELECT examination.acl_igg, examination.acl_igm, examination.acl_iga
FROM patient
INNER JOIN laboratory ON patient.id = laboratory.id
INNER JOIN examination ON patient.id = examination.id
WHERE patient.sex = 'F' AND laboratory.ua <= 6.5
ORDER BY laboratory.ua DESC
LIMIT 1

```

Figure 9: An example of a query with an incorrect gold SQL.

Table 7: patient (skipped irrelevant columns)

id	sex	...
0	'F'	...

Table 8: laboratory (skipped irrelevant columns)

id	ua	...
0	6.5	...

Table 9: examination (skipped irrelevant columns)

id	acl_igg	acl_igm	acl_iga	...
0	1	1	1	...

Example F.2. Consider the question N_4 and the corresponding SQL queries (Figure 10). The differentiating database found by SPOTIT is shown in Tables 10,11. The natural language question asks for transactions after January 1st, 2012, which requires excluding January 1st, 2012. However, the gold SQL uses a greater-than-or-equal-to condition, which includes 2012/01/01, thus being incorrect. \square

N_4 : "Among the transactions made in gas stations in the Czech Republic, how many took place after 2012/1/1?"
 Evidence: "Country code for Czech Republic is 'CZE'."

```
/*Gold SQL Q*/:
SELECT COUNT(T1.transactionid)
FROM transactions_1k AS T1
INNER JOIN gasstations AS T2 ON T1.gasstationid = T2.gasstationid
WHERE T2.country = 'CZE' AND STRFTIME('%Y', T1.date) ≥ '2012' ;

/*Generated SQL P*/:
SELECT COUNT(*)
FROM transactions_1k AS T
INNER JOIN gasstations AS G ON T.gasstationid = G.gasstationid
WHERE G.country = 'CZE' AND T.date > '2012-01-01' ;
```

Figure 10: An example of a query with an incorrect gold SQL.

Table 10: `transactions_1k` (skipped irrelevant columns)

transaction_id	gasstation_id	date	...
0	0	'2012-01-01'	...

Table 11: `gasstations` (skipped irrelevant columns)

gasstation_id	country	...
0	'CZE'	...

Example F.3. Consider the question N_5 and the corresponding SQL queries (Figure 11). The differentiating database found by SPOTIT is shown in Tables 12,13. This example demonstrates an incorrect gold SQL, which orders by the latest time (DESC) rather than the earlier time (ASC). This directly contradicts the natural language question. \square

N_5 : "Which country's gas station had the first paid customer in 2012/8/25?"
 Evidence: "2012/8/25" can be represented by '2012-08-25'.

```

/*Gold SQL Q*/:
SELECT T2.country
FROM transactions_1k AS T1
INNER JOIN gasstations AS T2 ON T1.gasstationid = T2.gasstationid
WHERE T1.date = '2012-08-25',
ORDER BY T1.time DESC
LIMIT 1;
/*Generated SQL P*/:
SELECT G.country
FROM gasstations AS G
JOIN (
  SELECT gasstationid
  FROM transactions_1k
  WHERE date = '2012-08-25',
  ORDER BY time ASC LIMIT 1
) AS T
ON G.gasstationid = T.gasstationid;

```

Figure 11: An example of a query with an incorrect gold SQL.

Table 12: `transactions_1k` (skipped irrelevant columns)

gasstation_id	date	time	...
0	'2012-08-25'	1	...
0	'2012-08-25'	2	...

Table 13: `gasstations` (skipped irrelevant columns)

gasstation_id	country	...
0	'1'	...

Example F.4. Consider the question N_6 and the corresponding SQL queries (Figure 12). The differentiating database found by SPOTIT is shown in Tables 14, 15. The gold SQL incorrectly encodes the exclusive inequality specified in the natural language question by using the BETWEEN operator, which leads to inclusive bounds. Thus, the gold SQL is incorrect as it includes values outside of the specified range. \square

N_6 : "Please list a patient's platelet level if it is within the normal range and if he or she is diagnosed with MCTD"

Evidence: "PLT > 100 and PLT < 400 means platelet level is within the normal range; PLT < 100 and PLT > 400 means platelet level is not within the normal range; diagnosed with MCTD refers to Diagnosis = 'MCTD';"

```
/*Gold SQL Q*/:
SELECT T2.plt
FROM patient AS T1
INNER JOIN laboratory AS T2 ON T1.id = T2.id
WHERE T1.diagnosis = 'MCTD' AND T2.plt BETWEEN 100 AND 400
/*Generated SQL P*/:
SELECT L.plt
FROM LABORATORY L
INNER JOIN PATIENT P ON L.id = P.id
WHERE P.diagnosis = 'MCTD' AND L.plt > 100 AND L.plt < 400
```

Figure 12: An example of a query with an incorrect gold SQL.

Table 14: `patient` (skipped irrelevant columns)

id	diagnosis	...
0	'MCTD'	...

Table 15: `laboratory` (skipped irrelevant columns)

id	plt	...
0	100	...

Example F.5. Consider the question N_7 and the corresponding SQL queries (Figure 13). The differentiating database found by SPOTIT is shown in Tables 16, 17. In this example, the generated SQL is incorrect as it is clearly missing the `link_to_major` constraint, filtering only by name. \square

N_7 : "Please indicate the college of the person whose first name is Katy with the link to the major 'rec1N0upiVLy5esTO' "

```

/*Gold SQL Q*/:
SELECT T2.college
FROM member AS T1
INNER JOIN major AS T2 ON T2.major_id = T1.link_to_major
WHERE T1.link_to_major = 'rec1N0upiVLy5esTO' AND T1.first_name = 'Katy'

/*Generated SQL P*/:
SELECT major.college
FROM member
INNER JOIN MAJOR ON member.link_to_major = major.major_id
WHERE member.first_name = 'Katy'

```

Figure 13: An example of a query with an incorrect generated SQL.

Table 16: `member` (skipped irrelevant columns)

link_to_major	first_name	...
'1'	'Katy'	...

Table 17: `major` (skipped irrelevant columns)

major_id	college	...
1	'0'	...

Example F.6. Consider the question N_8 and the corresponding SQL queries (Figure 14). The differentiating database found by SPOTIT is shown in Tables 18, 19. In this example, the generated SQL only checks whether the patient was diagnosed with SLE on January 1st, 1997. However, the natural language question also asks for the patient's original diagnose at their first hospital visit. Since the generated SQL doesn't include this condition, it's incorrect as it could return a diagnoses from a later visit rather than the patient's first one. \square

N_8 : "For the patient who was diagnosed SLE on 1997/1/27, what was his/her original diagnose when he/she came to the hospital for the first time?"
 Evidence: "SLE" and original diagnose refers to Diagnosis; 1997/1/27 refers to 'Examination Date' = '1997-01-27'; first came to the hospital refers to patient.'First Date'."

```
/*Gold SQL Q*/:
SELECT T1.diagnosis
FROM patient AS T1
INNER JOIN examination AS T2 ON T1.id = T2.id
WHERE T1.id = (
  SELECT id
  FROM examination
  WHERE examination_date = '1997-01-27' AND diagnosis = 'SLE'
) AND T2.examination_date = T1.first_date;

/*Generated SQL P*/:
SELECT T2.diagnosis
FROM examination AS T1
INNER JOIN patient AS T2 ON T1.id = T2.id
WHERE T1.diagnosis = 'SLE' AND T1.examination_date = '1997-01-27';
```

Figure 14: An example of a query with an incorrect generated SQL.

Table 18: `patient` (skipped irrelevant columns)

id	diagnosis	first_date	...
0	'1'	'1997-01-26'	...

Table 19: `examination` (skipped irrelevant columns)

id	examination_date	diagnosis	...
0	'1997-01-27'	'SLE'	...

Example F.7. Consider the question N_9 and the corresponding SQL queries (Figure 15). The differentiating database found by SPOTIT is shown in Tables 20,21. This is an example of an ambiguous question. The term 'members' can be interpreted in at least two ways: any student who is a part of the club, or more specifically, students in the club with the recorded position of 'member'. While the gold SQL takes the second interpretation, filtering on $T2.position = 'Member'$, it's just as reasonable to assume that all students in the club are members, and leave out a secondary filter. Coupled with the lack of evidence, the resulting difference in queries is most likely due to the ambiguity of the natural language question. Hence, it's been marked as an ambiguous question. \square

N_9 : "List the last name of members with a major in environmental engineering and include its department and college name.
 Evidence: 'Environmental Engineering' is the major name"

```

/*Gold SQL Q*/:
SELECT T2.last_name, T1.department, T1.college
FROM major AS T1
INNER JOIN member AS T2 ON T1.major_id = T2.link_to_major
WHERE T2.position = 'Member' AND T1.major_name = 'Environmental Engineering'

/*Generated SQL P*/:
SELECT T1.last_name, T2.department, T2.college
FROM member AS T1
INNER JOIN major AS T2 ON T1.link_to_major = T2.major_id
WHERE T2.major_name = 'Environmental Engineering'
  
```

Figure 15: An example of an ambiguous question.

Table 20: major (skipped irrelevant columns)

major_id	major_name	department	college	...
0	'Environmental Engineering'	'1'	'1'	...

Table 21: member (skipped irrelevant columns)

last_name	link_to_major	position	...
'1'	0	'1'	...

Example F.8. Consider the question N_{10} and the corresponding SQL queries (Figure 16). The differentiating database found by SPOTIT is shown in Tables 22, 23. This example is marked as ambiguous because the natural language question is underspecified. If the intent is to return the legal status of every valid artifact card, which is a reasonable interpretation, than the generated SQL would be correct. However, if the intent is to return the set of unique legal statuses across valid artifact cards, than the gold SQL is correct. \square

N_{10} : "For artifact type of cards that do not have multiple faces on the same card, state its legalities status for vintage play format."
 Evidence: "Artifact type of cards refers to types = 'Artifact'; card does not have multiple faces on the same card refers to side is NULL; vintage play format refers to format = 'vintage';"

```
/*Gold SQL Q*/:
SELECT DISTINCT T2.status
FROM cards AS T1
INNER JOIN legalities AS T2 ON T1.uuid = T2.uuid
WHERE T1.type = 'Artifact' AND T2.format = 'vintage' AND T1.side IS NULL;

/*Generated SQL P*/:
SELECT T2.status
FROM cards AS T1
JOIN legalities AS T2 ON T1.uuid = T2.uuid
WHERE T1.type = 'Artifact' AND T1.side IS NULL AND T2.format = 'vintage';
```

Figure 16: An example of an ambiguous question.

Table 22: cards (skipped irrelevant columns)

uid	type	side	...
'0'	'Artifact'	NULL	...

Table 23: legalities (skipped irrelevant columns)

uid	format	status	...
'0'	'vintage'	'1'	...
'0'	'vintage'	'1'	...

Example F.9. Consider the question N_{11} and the corresponding SQL queries (Figure 17). The differentiating database found by SPOTIT is shown in Tables 24, 25. This example is considered ambiguous because the natural language question and evidence do not specify a tie-breaking rule. In the case that there are two comments on valid posts with a tied high score, a query with `LIMIT 1` may return either comment. This is why the generated and gold SQL return different results. Since the difference arises solely from a lack of specificity, this example is marked as ambiguous. \square

N_{11} : "Among the posts with views ranging from 100 to 150, what is the comment with the highest score?"
 Evidence: "Views ranging from 100 to 150 refers to `ViewCount BETWEEN 100 and 150`; comment with the highest score refers to `Text where MAX(Score)`;"

```
/*Gold SQL Q*/:
SELECT text
FROM comments
WHERE postId IN (
  SELECT id
  FROM posts
  WHERE viewCount BETWEEN 100 AND 150
) ORDER BY score DESC
LIMIT 1

/*Generated SQL P*/:
SELECT T2.text
FROM posts AS T1
INNER JOIN comments AS T2 ON T1.id = T2.postId
WHERE T1.viewCount BETWEEN 100 AND 150
ORDER BY T2.score DESC
LIMIT 1
```

Figure 17: An example of an ambiguous question.

Table 24: `comments` (skipped irrelevant columns)

postId	score	text	...
0	1	'1'	...
1	1	'2'	...

Table 25: `posts` (skipped irrelevant columns)

id	viewCount	...
0	100	...
1	100	...

G Semantics

$\llbracket E \rrbracket :: \text{Database } D \rightarrow \text{Relation} \rightarrow \text{Value}$

$$\begin{aligned}
\llbracket \text{ToInt}(E) \rrbracket_{D,xs} &= \text{let } v = \llbracket E \rrbracket_{D,xs} \text{ in} \\
&\quad \text{ite}(v = \text{Null} \vee \text{IsInt}(v), v, \\
&\quad \quad \text{ite}(\text{IsStr}(v), \llbracket \text{StrToInt}(v) \rrbracket_{D,xs}, \llbracket \text{DateToInt}(v) \rrbracket_{D,xs})) \\
\llbracket \text{ToDate}(E) \rrbracket_{D,xs} &= \text{let } v = \llbracket E \rrbracket_{D,xs} \text{ in} \\
&\quad \text{ite}(v = \text{Null} \vee \text{IsDate}(v), v, \\
&\quad \quad \text{ite}(\text{IsInt}(v), \llbracket \text{IntToDate}(v) \rrbracket_{D,xs}, \llbracket \text{StrToDate}(v) \rrbracket_{D,xs})) \\
\llbracket \text{ToStr}(E) \rrbracket_{D,xs} &= \text{let } v = \llbracket E \rrbracket_{D,xs} \text{ in} \\
&\quad \text{ite}(v = \text{Null} \vee \text{IsStr}(v), v, \\
&\quad \quad \text{ite}(\text{IsInt}(v), \llbracket \text{IntToStr}(v) \rrbracket_{D,xs}, \llbracket \text{DateToStr}(v) \rrbracket_{D,xs})) \\
\llbracket \text{DateToInt}(vs) \rrbracket_{D,xs} &= \text{ite}(vs = \text{Null}, \text{Null}, vs[0] * 10^4 + vs[1] * 10^2 + vs[2]) \\
\llbracket \text{StrToInt}(s) \rrbracket_{D,xs} &= \text{let} \\
&\quad v = \text{ite}(\text{IsDigits}(s), \text{StrToInt}(s), \\
&\quad \quad \text{ite}(s[0] = “-” \wedge \text{IsDigits}(s[1:]), -\text{StrToInt}(s), 0)) \\
&\quad \text{in } \text{ite}(s = \text{Null}, \text{Null}, v) \\
\llbracket \text{IntToStr}(v) \rrbracket_{D,xs} &= \text{ite}(v = \text{Null}, \text{Null}, \text{IntToStr}(v)) \\
\llbracket \text{DateToStr}(vs) \rrbracket_{D,xs} &= \text{let} \\
&\quad y = \text{IntToStr}(vs[0]), \\
&\quad m = \text{ite}(vs[1] \leq 9, “0” + \text{IntToStr}(vs[1]), \\
&\quad \quad \quad \text{IntToStr}(vs[1])), \\
&\quad d = \text{ite}(vs[2] \leq 9, “0” + \text{IntToStr}(vs[2]), \\
&\quad \quad \quad \text{IntToStr}(vs[2])) \\
&\quad \text{in } \text{ite}(vs = \text{Null}, \text{Null}, y + “-” + m + “-” + d) \\
\llbracket \text{IntToDate}(v) \rrbracket_{D,xs} &= \text{let } v_1 = \lfloor v/10^4 \rfloor, v_2 = \lfloor (v \% 10^4)/10^2 \rfloor, v_3 = v \% 10^2 \text{ in} \\
&\quad \text{ite}(v = \text{Null} \vee \text{IsValidDate}(v), \text{Null}, [v_1, v_2, v_3]) \\
\llbracket \text{StrToDate}(s) \rrbracket_{D,xs} &= \text{let } v = \llbracket \text{StrToInt}(s) \rrbracket_{D,xs} \text{ in} \\
&\quad \text{ite}(s = \text{Null}, \text{Null}, \llbracket \text{IntToDate}(v) \rrbracket_{D,xs}) \\
\llbracket E_1 \diamond E_2 \rrbracket_{D,xs} &= \text{let} \\
&\quad v_1 = \llbracket \text{ToInt}(E_1) \rrbracket_{D,xs} \text{ and } v_2 = \llbracket \text{ToInt}(E_2) \rrbracket_{D,xs}, \\
&\quad \text{in } \text{ite}(v_1 = \text{Null} \vee v_2 = \text{Null}, \text{Null}, v_1 \diamond v_2) \\
\llbracket \text{SubStr}(E_1, E_2, E_3) \rrbracket_{D,xs} &= \text{let} \\
&\quad e_i = \llbracket E_i \rrbracket_{D,xs}, e'_1 = \llbracket \text{ToStr}(e_1) \rrbracket_{D,xs}, l = \text{len}(e'_1), \\
&\quad e'_2 = \llbracket \text{ToInt}(e_2) \rrbracket_{D,xs}, e'_3 = \llbracket \text{ToInt}(e_3) \rrbracket_{D,xs}, \\
&\quad v = \text{ite}(-l \leq e'_2 < 0, e_2 + l, \text{ite}(0 < e'_2 \leq l, e'_2 - 1, l + 1)), \\
&\quad s = \text{ite}(v = 0 \vee v < -l \vee v > l \vee e'_3 \leq 0, \varepsilon, \\
&\quad \quad \quad \text{ite}(e'_3 \geq l - v, e'_1[v:l], e'_1[v:2v + e'_3])) \\
&\quad \text{in } \text{ite}(e_1 = \text{Null} \vee \text{IsStr}(e_2) \vee \text{IsStr}(e_3), \text{Null}, s) \\
\llbracket \text{Strftime}(\kappa, E) \rrbracket_{D,xs} &= \text{let } v = \llbracket \text{ToDate}(E) \rrbracket_{D,xs} \text{ in} \\
&\quad \text{ite}(\kappa = “%Y”, v[0], \text{ite}(\kappa = “%M”, v[1], v[2])) \\
\llbracket \text{JulianDay}(E) \rrbracket_{D,xs} &= \text{let } v = \llbracket E \rrbracket_{D,xs} \text{ in } \text{ToJulianDay}(v), \text{ if } \text{IsDate}(v)
\end{aligned}$$

$\llbracket \phi \rrbracket :: \text{Database } D \rightarrow \text{Relation} \rightarrow \text{Bool} \cup \text{Null}$

$$\begin{aligned}
\llbracket \text{PrefixOf}(s, E) \rrbracket_{D,xs} &= \text{let } v = \llbracket \text{ToStr}(E) \rrbracket_{D,xs} \text{ in } \text{ite}(v = \text{Null}, \text{Null}, \text{PrefixOf}(s, v)) \\
\llbracket \text{SuffixOf}(s, E) \rrbracket_{D,xs} &= \text{let } v = \llbracket \text{ToStr}(E) \rrbracket_{D,xs} \text{ in } \text{ite}(v = \text{Null}, \text{Null}, \text{SuffixOf}(s, v)) \\
\llbracket \text{Like}(s, E) \rrbracket_{D,xs} &= \text{let } v = \llbracket \text{ToStr}(E) \rrbracket_{D,xs} \text{ in } \text{ite}(v = \text{Null}, \text{Null}, \text{RegexMatch}(s, v)) \\
\llbracket E_1 \odot E_2 \rrbracket_{D,xs} &= \text{let } v_1 = \llbracket E_1 \rrbracket_{D,xs} \text{ and } v_2 = \llbracket E_2 \rrbracket_{D,xs} \text{ in} \\
&\quad \text{ite}(v_1 = \text{Null} \vee v_2 = \text{Null}, \perp, v_1 \odot v_2), \text{ if } \text{Type}(v_1) = \text{Type}(v_2)
\end{aligned}$$

Figure 18: Formal semantics for extended expressions and predicates. The `IsValidDate` function checks whether a string represent a date within the supported date range of a database engine. The `ToJulianDay` function converts a date to a Julian day. The definition of these two functions are shown in Appendix I.

H Encoding

$$\begin{aligned}
\llbracket \text{ToInt}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let } v = \llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} \text{ in} \\
&\quad \text{ite}(v = \text{Null} \vee \text{IsInt}(v), v, \\
&\quad \quad \text{ite}(\text{IsStr}(v), \llbracket \text{StrToInt}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}, \llbracket \text{DateToInt}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}})) \\
\llbracket \text{ToDate}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let } v = \llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} \text{ in} \\
&\quad \text{ite}(v = \text{Null} \vee \text{IsDate}(v), v, \\
&\quad \quad \text{ite}(\text{IsInt}(v), \llbracket \text{IntToDate}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}, \llbracket \text{StrToDate}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}})) \\
\llbracket \text{ToStr}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let } v = \llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} \text{ in} \\
&\quad \text{ite}(v = \text{Null} \vee \text{IsStr}(v), v, \\
&\quad \quad \text{ite}(\text{IsInt}(v), \llbracket \text{IntToStr}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}, \llbracket \text{DateToStr}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}})) \\
\llbracket \text{DateToInt}(vs) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{ite}(vs = \text{Null}, \text{Null}, vs[0] * 10^4 + vs[1] * 10^2 + vs[2]) \\
\llbracket \text{StrToInt}(s) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let} \\
&\quad s_1 = s[1:z3.\text{Length}(s)], v_1 = z3.\text{StrToInt}(s_1), \\
&\quad v = \text{ite}(s[0] = “-”, -v_1, z3.\text{StrToInt}(s)), \\
&\quad \Phi = \text{ite}(v < 0, z3.\text{IntToStr}(-v) = v_1, z3.\text{IntToStr}(v) = s), \\
&\quad \text{in } \text{ite}(s = \text{Null}, \text{Null}, \text{ite}(\Phi, v, 0)) \\
\llbracket \text{IntToStr}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{ite}(v = \text{Null}, \text{Null}, z3.\text{IntToStr}(v)) \\
\llbracket \text{DateToStr}(vs) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let } y = z3.\text{IntToStr}(vs[0]), \\
&\quad m = \text{ite}(vs[1] \leq 9, “0” + z3.\text{IntToStr}(vs[1]), \\
&\quad \quad z3.\text{IntToStr}(vs[1])), \\
&\quad d = \text{ite}(vs[2] \leq 9, “0” + z3.\text{IntToStr}(vs[2]), \\
&\quad \quad \quad z3.\text{IntToStr}(vs[2])) \\
&\quad \text{in } \text{ite}(vs = \text{Null}, \text{Null}, y + “-” + m + “-” + d) \\
\llbracket \text{IntToDate}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let } y = \text{fdiv}(v, 10^4), m = \text{fdiv}(v \% 10^4, 10^2), d = v \% 10^2, \\
&\quad \Phi_0 = y \% 4 = 0 \wedge (y \% 100 \neq 0 \vee y \% 400 = 0) \\
&\quad \Phi_1 = \text{MIN_YEAR} \leq y \leq \text{MAX_YEAR}, \\
&\quad \Phi_2 = 1 \leq m \leq 12, \\
&\quad \Phi_3 = 1 \leq d \wedge (\vee_{c \in \{1, 3, 5, 7, 8, 10, 12\}} m = c \rightarrow d \leq 31) \\
&\quad \quad \wedge (m = 2 \rightarrow d \leq 28 + \text{ite}(\Phi_0, 1, 0)) \\
&\quad \quad \wedge (\vee_{c \in \{4, 6, 9, 11\}} m = c \rightarrow d \leq 30) \\
&\quad \text{in } \text{ite}(v = \text{Null} \vee \neg(\Phi_1 \wedge \Phi_2 \wedge \Phi_3), \text{Null}, [y, m, d]) \\
\llbracket \text{StrToDate}(s) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let } v = \llbracket \text{StrToInt}(s) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} \text{ in} \\
&\quad \text{ite}(s = \text{Null}, \text{Null}, \llbracket \text{IntToDate}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}) \\
\llbracket E_1 \diamond E_2 \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let } v_1 = \llbracket \text{ToInt}(E_1) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} \text{ and } v_2 = \llbracket \text{ToInt}(E_2) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}, \\
&\quad \text{in } \text{ite}(v_1 = \text{Null} \vee v_2 = \text{Null}, \text{Null}, v_1 \diamond v_2) \\
\llbracket \text{SubStr}(E_1, E_2, E_3) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let} \\
&\quad e_i = \llbracket E_i \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}, e'_1 = \llbracket \text{ToStr}(e_1) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}, l = z3.\text{Length}(e'_1), \\
&\quad e'_2 = \llbracket \text{ToInt}(e_2) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}, e'_3 = \llbracket \text{ToInt}(e_3) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}, \\
&\quad v = \text{ite}(-l \leq e'_2 < 0, e_2 + l, \text{ite}(0 < e'_2 \leq l, e'_2 - 1, l + 1)), \\
&\quad s = \text{ite}(v = 0 \vee v < -l \vee v > l \vee e'_3 \leq 0, \varepsilon, \\
&\quad \quad \quad \text{ite}(e'_3 \geq l - v, e'_1[v:l], e'_1[v:2v + e'_3])) \\
&\quad \text{in } \text{ite}(e_1 = \text{Null} \vee \text{IsStr}(e_2) \vee \text{IsStr}(e_3), \text{Null}, s) \\
\llbracket \text{Strftime}(\kappa, E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let } v = \llbracket \text{ToDate}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} \text{ in} \\
&\quad \text{ite}(v = \text{Null}, \text{Null}, \\
&\quad \quad \quad \text{ite}(\kappa = “%Y”, v[0], \text{ite}(\kappa = “%M”, v[1], v[2]))) \\
\llbracket \text{JulianDay}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let } v = \llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}, y = \text{ite}(v[1] \leq 2, v[0] - 1, v[0]), \\
&\quad m = \text{ite}(v[1] \leq 2, v[1] + 12, v[1]), d = v[2], \\
&\quad c = 2 - \text{fdiv}(y, 100) + \text{fdiv}(y, 400), \\
&\quad a_1 = \text{fdiv}(36525 * (y + 4716), 10^2), \\
&\quad a_2 = \text{fdiv}(306001 * (m + 1), 10^4), \\
&\quad \text{in } a_1 + a_2 + d + c - 1524.5, \text{ if IsDate}(v)
\end{aligned}$$

Figure 19: Symbolic encoding for extended expressions. The floor division function is defined as $\text{fdiv}(x, y) = \text{ite}(x \% y = 0, x/y, (x - x \% y)/y)$. For clarity, we overload `IsInt`, `IsStr` and `IsDate` to check whether formulas represent integers, strings and dates, respectively. Type conversions and string manipulations are handled using the built-in functions of Z3.

$$\begin{aligned}
\llbracket \text{PrefixOf}(s, E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let } v = \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} \text{ in } \text{ite}(v = \text{Null}, \text{Null}, \text{z3.PrefixOf}(s, v)) \\
\llbracket \text{SuffixOf}(s, E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let } v = \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} \text{ in } \text{ite}(v = \text{Null}, \text{Null}, \text{z3.SuffixOf}(s, v)) \\
\llbracket \text{Like}(s, E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let } v = \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} \text{ in} \\
&\quad \text{ite}(v = \text{Null}, \text{Null}, \text{z3.RegexMatch}(s, v)) \\
\llbracket E_1 \odot E_2 \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} &= \text{let } v_1 = \llbracket E_1 \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} \text{ and } v_2 = \llbracket E_2 \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} \text{ in} \\
&\quad \text{ite}(v_1 = \text{Null} \vee v_2 = \text{Null}, \perp, v_1 \odot v_2), \text{ if } \text{Type}(v_1) = \text{Type}(v_2)
\end{aligned}$$

Figure 20: Symbolic encoding for extended predicates.

I Proof

In this section, we provide the proof of theorems in the main paper.

Theorem 1 (Correctness of expression encoding). *Let D be a database over schema \mathcal{S} , xs be a tuple list, and E be an expression. Consider a symbolic database Γ over \mathcal{S} , a list of symbolic tuples \mathcal{T} , and E 's symbolic encoding $\llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}$. For any satisfying interpretation \mathcal{I} with $\mathcal{I}(\Gamma) = D \wedge \mathcal{I}(\mathcal{T}) = xs$, evaluating the expression E over the database D and the tuple list xs yields the interpretation of E 's symbolic encoding $\mathcal{I}(\llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}})$, i.e., $\mathcal{I}(\Gamma) = D \wedge \mathcal{I}(\mathcal{T}) = xs \Rightarrow \llbracket E \rrbracket_{D, xs} = \mathcal{I}(\llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}})$.*

Lemma 1. *Suppose $\llbracket E \rrbracket_{D, xs} = v$, then $\mathcal{I}(\Gamma) = D \wedge \mathcal{I}(\mathcal{T}) = xs \Rightarrow \llbracket E \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = \mathcal{I}(\llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}})$ is true iff $\llbracket E \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = v$ and $\mathcal{I}(\llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}) = v$.*

Proof. Theorem 1 is proved by proving Lemma 1. By structural induction on E .

1. Base cases and some inductive cases are proved in [15].

2. Inductive case: $E = \text{ToInt}(E)$

$\llbracket \text{ToInt}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} = \text{ite}(v = \text{Null} \vee \text{IsInt}(v), v, \text{ite}(\text{IsStr}(v), \llbracket \text{StrToInt}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}, \llbracket \text{DateToInt}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}))$ where $v = \llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}$ by Figure 19. $\llbracket \text{ToInt}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = \text{ite}(v' = \text{Null} \vee \text{IsInt}(v'), v', \text{ite}(\text{IsStr}(v'), \llbracket \text{StrToInt}(v') \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}, \llbracket \text{DateToInt}(v') \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}))$ where $v' = \llbracket E \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}$ by Figure 18. By inductive hypothesis, we have $\mathcal{I}(v) = \mathcal{I}(\llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}) = \llbracket E \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = v'$. Therefore,

$$\begin{aligned}
\mathcal{I}(\llbracket \text{ToInt}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}) &= \mathcal{I}(\text{ite}(v = \text{Null} \vee \text{IsInt}(v), v, \text{ite}(\text{IsStr}(v), \llbracket \text{StrToInt}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}, \llbracket \text{DateToInt}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}))) \\
&= \text{ite}(\mathcal{I}(v) = \text{Null} \vee \mathcal{I}(\text{IsInt}(v)), \mathcal{I}(v), \text{ite}(\mathcal{I}(\text{IsStr}(v)), \mathcal{I}(\llbracket \text{StrToInt}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}), \mathcal{I}(\llbracket \text{DateToInt}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}))) \\
&= \text{ite}(\mathcal{I}(v) = \text{Null} \vee \text{IsInt}(\mathcal{I}(v)), \mathcal{I}(v), \text{ite}(\text{IsStr}(\mathcal{I}(v)), \llbracket \text{StrToInt}(\mathcal{I}(v)) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}, \llbracket \text{DateToInt}(\mathcal{I}(v)) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})})) \\
&= \text{ite}(v' = \text{Null} \vee \text{IsInt}(v'), v', \text{ite}(\text{IsStr}(v'), \llbracket \text{StrToInt}(v') \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}, \llbracket \text{DateToInt}(v') \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})})) \\
&= \llbracket \text{ToInt}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}
\end{aligned}$$

3. Inductive case: $E = \text{ToDate}(E)$

$\llbracket \text{ToDate}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} = \text{ite}(v = \text{Null} \vee \text{IsDate}(v), v, \text{ite}(\text{IsInt}(v), \llbracket \text{IntToDate}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}, \llbracket \text{StrToDate}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}))$ where $v = \llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}$ by Figure 19. $\llbracket \text{ToDate}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = \text{ite}(v' = \text{Null} \vee \text{IsDate}(v'), v', \text{ite}(\text{IsInt}(v'), \llbracket \text{IntToDate}(v') \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}, \llbracket \text{StrToDate}(v') \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}))$ where $v' = \llbracket E \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}$ by Figure 18. By inductive hypothesis, we have

$\mathcal{I}(v) = \mathcal{I}(\llbracket E \rrbracket_{S,\Gamma,\mathcal{T}}) = \llbracket E \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = v'$. Therefore,

$$\begin{aligned}
\mathcal{I}(\llbracket \text{ToDate}(E) \rrbracket_{S,\Gamma,\mathcal{T}}) &= \mathcal{I}(\text{ite}(v = \text{Null} \vee \text{IsDate}(v), v, \text{ite}(\text{IsInt}(v), \\
&\quad \llbracket \text{IntToDate}(v) \rrbracket_{S,\Gamma,\mathcal{T}}, \llbracket \text{StrToDate}(v) \rrbracket_{S,\Gamma,\mathcal{T}}))) \\
&= \text{ite}(\mathcal{I}(v) = \text{Null} \vee \mathcal{I}(\text{IsDate}(v)), \mathcal{I}(v), \text{ite}(\mathcal{I}(\text{IsInt}(v)), \\
&\quad \mathcal{I}(\llbracket \text{IntToDate}(v) \rrbracket_{S,\Gamma,\mathcal{T}}, \mathcal{I}(\llbracket \text{StrToDate}(v) \rrbracket_{S,\Gamma,\mathcal{T}}))) \\
&= \text{ite}(\mathcal{I}(v) = \text{Null} \vee \text{IsDate}(\mathcal{I}(v)), \mathcal{I}(v), \text{ite}(\text{IsInt}(\mathcal{I}(v)), \\
&\quad \mathcal{I}(\llbracket \text{IntToDate}(v) \rrbracket_{S,\Gamma,\mathcal{T}}, \mathcal{I}(\llbracket \text{StrToDate}(v) \rrbracket_{S,\Gamma,\mathcal{T}}))) \\
&= \text{ite}(v' = \text{Null} \vee \text{IsDate}(v'), v', \text{ite}(\text{IsInt}(v'), \\
&\quad \llbracket \text{IntToDate}(v') \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}, \llbracket \text{StrToDate}(v') \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})})) \\
&= \llbracket \text{ToDate}(E) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}
\end{aligned}$$

4. Inductive case: $E = \text{ToStr}(E)$

$\llbracket \text{ToStr}(E) \rrbracket_{S,\Gamma,\mathcal{T}} = \text{ite}(v = \text{Null} \vee \text{IsStr}(v), v, \text{ite}(\text{IsInt}(v), \llbracket \text{IntToStr}(v) \rrbracket_{S,\Gamma,\mathcal{T}}, \llbracket \text{DateToStr}(v) \rrbracket_{S,\Gamma,\mathcal{T}}))$ where $v = \llbracket E \rrbracket_{S,\Gamma,\mathcal{T}}$ by Figure 19. $\llbracket \text{ToStr}(E) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = \text{ite}(v' = \text{Null} \vee \text{IsStr}(v'), v', \text{ite}(\text{IsInt}(v'), \llbracket \text{IntToStr}(v') \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}, \llbracket \text{DateToStr}(v') \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}))$ where $v' = \llbracket E \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}$ by Figure 18. By inductive hypothesis, we have $\mathcal{I}(v) = \mathcal{I}(\llbracket E \rrbracket_{S,\Gamma,\mathcal{T}}) = \llbracket E \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = v'$. Therefore,

$$\begin{aligned}
\mathcal{I}(\llbracket \text{ToStr}(E) \rrbracket_{S,\Gamma,\mathcal{T}}) &= \mathcal{I}(\text{ite}(v = \text{Null} \vee \text{IsStr}(v), v, \text{ite}(\text{IsInt}(v), \\
&\quad \llbracket \text{IntToStr}(v) \rrbracket_{S,\Gamma,\mathcal{T}}, \llbracket \text{DateToStr}(v) \rrbracket_{S,\Gamma,\mathcal{T}}))) \\
&= \text{ite}(\mathcal{I}(v) = \text{Null} \vee \mathcal{I}(\text{IsStr}(v)), \mathcal{I}(v), \text{ite}(\mathcal{I}(\text{IsInt}(v)), \\
&\quad \mathcal{I}(\llbracket \text{IntToStr}(v) \rrbracket_{S,\Gamma,\mathcal{T}}, \mathcal{I}(\llbracket \text{DateToStr}(v) \rrbracket_{S,\Gamma,\mathcal{T}}))) \\
&= \text{ite}(\mathcal{I}(v) = \text{Null} \vee \text{IsStr}(\mathcal{I}(v)), \mathcal{I}(v), \text{ite}(\text{IsInt}(\mathcal{I}(v)), \\
&\quad \mathcal{I}(\llbracket \text{IntToStr}(v) \rrbracket_{S,\Gamma,\mathcal{T}}, \mathcal{I}(\llbracket \text{DateToStr}(v) \rrbracket_{S,\Gamma,\mathcal{T}}))) \\
&= \text{ite}(v' = \text{Null} \vee \text{IsStr}(v'), v', \text{ite}(\text{IsInt}(v'), \\
&\quad \llbracket \text{IntToStr}(v') \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}, \llbracket \text{DateToStr}(v') \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})})) \\
&= \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}
\end{aligned}$$

5. Inductive case: $E = \text{DateToInt}(vs)$

$\llbracket \text{DateToInt}(vs) \rrbracket_{S,\Gamma,\mathcal{T}} = \text{ite}(vs = \text{Null}, \text{Null}, vs[0]*10^4 + vs[1]*10^2 + vs[2])$ by Figure 19. $\llbracket \text{DateToInt}(vs) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = \text{ite}(vs = \text{Null}, \text{Null}, vs[0] * 10^4 + vs[1] * 10^2 + vs[2])$ by Figure 18. Therefore, $\mathcal{I}(\llbracket \text{DateToInt}(vs) \rrbracket_{S,\Gamma,\mathcal{T}}) = \text{ite}(vs = \text{Null}, \text{Null}, vs[0] * 10^4 + vs[1] * 10^2 + vs[2]) = \llbracket \text{DateToInt}(vs) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}$.

6. Inductive case: $E = \text{StrToInt}(s)$

$\llbracket \text{StrToInt}(s) \rrbracket_{S,\Gamma,\mathcal{T}} = \text{ite}(s = \text{Null}, \text{Null}, \text{ite}(\Phi, v, 0))$ where $s_1 = s[1 : \text{z3.Length}(s)]$, $v_1 = \text{z3.StrToInt}(s_1)$, $v = \text{ite}(s[0] = “-”, -v_1, \text{z3.StrToInt}(s))$, and $\Phi = \text{ite}(v < 0, \text{z3.IntToStr}(-v) = v_1, \text{z3.IntToStr}(v) = s)$ by Figure 19. $\llbracket \text{StrToInt}(s) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = \text{ite}(v' = \text{Null}, \text{Null}, v')$ where $v' = \text{ite}(\text{IsDigits}(s), \text{StrToInt}(s), \text{ite}(s[0] = “-” \wedge \text{IsDigits}(s[1 :]), -\text{StrToInt}(s), 0))$ by Figure 18.

On the one hand, the Z3 builtin function $\text{z3.StrToInt}(s) = \text{StrToInt}(s)$ if $\text{StrToInt}(s) \geq 0$; otherwise, $\text{z3.StrToInt}(s) = -1$. To show our encoding precisely capture semantics of SQL's type conversion from strings to integers, let us discuss it in three cases:

- If $\text{StrToInt}(s) \geq 0$, then $v = \text{z3.StrToInt}(s) = \text{StrToInt}(s)$ and Φ holds. Thus, $\text{ite}(\Phi, v, 0) = v$.
- If $\text{StrToInt}(s) < 0$, then $v = -v_1$ and $\Phi = \top$ where $v_1 = \text{StrToInt}(s[1 :])$. $\text{ite}(\Phi, v, 0) = v = -v_1$.
- If s contains more than digits (e.g., “abc” and “-abc”), MySQL evaluates non-numerical strings to 0 by default. By the semantics of z3.StrToInt , Φ never holds which leads $\text{ite}(\Phi, v, 0) = 0$.

By 6a, 6c and 6c, we known $\text{ite}(\Phi, s, 0)$ precisely captures the semantics of SQL's type conversion from strings to integers.

On the other hand, let us discuss the rule in three cases:

- (a) If $\text{StrToInt}(s) \geq 0$, then $v' = \text{StrToInt}(s)$.
- (b) If $\text{StrToInt}(s) < 0$, then $v' = -\text{StrToInt}(s[1:])$.
- (c) If s contains more than digits (e.g., “abc” and “-abc”), MySQL evaluates non-numerical strings to 0 by default. By the semantics of this rule, $v' = 0$.

By 6a, 6c and 6c, we known v' precisely captures the semantics of *SQL’s type conversion from strings to integers*.

Therefore, $\mathcal{I}(\text{ite}(\Phi, s, 0)) = v'$ and

$$\begin{aligned}\mathcal{I}(\llbracket \text{StrToInt}(s) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}) &= \mathcal{I}(\text{ite}(s = \text{Null}, \text{Null}, \text{ite}(\Phi, v, 0))) \\ &= \text{ite}(s = \text{Null}, \text{Null}, \mathcal{I}(\text{ite}(\Phi, v, 0))) \\ &= \text{ite}(s = \text{Null}, \text{Null}, v') \\ &= \llbracket \text{StrToInt}(s) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}\end{aligned}$$

7. Inductive case: $E = \text{IntToStr}(v)$

$\llbracket \text{IntToStr}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} = \text{ite}(v = \text{Null}, \text{Null}, \text{z3.IntToStr}(v))$ by Figure 19.
 $\llbracket \text{IntToStr}(v) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = \text{ite}(v = \text{Null}, \text{Null}, \text{IntToStr}(v))$ by Figure 18. Note that since the Z3 builtin function z3.IntToStr precisely capture the semantics of IntToStr , $\mathcal{I}(\text{z3.IntToStr}(v)) = \text{IntToStr}(v)$. Therefore,

$$\begin{aligned}\mathcal{I}(\llbracket \text{IntToStr}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}) &= \mathcal{I}(\text{ite}(v = \text{Null}, \text{Null}, \text{z3.IntToStr}(v))) \\ &= \text{ite}(v = \text{Null}, \text{Null}, \mathcal{I}(\text{z3.IntToStr}(v))) \\ &= \text{ite}(v = \text{Null}, \text{Null}, \text{IntToStr}(v)) \\ &= \llbracket \text{IntToStr}(v) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}\end{aligned}$$

8. Inductive case: $E = \text{DateToStr}(vs)$

$\llbracket \text{DateToStr}(vs) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} = \text{ite}(vs = \text{Null}, \text{Null}, y + “-” + m + “-” + d)$ where $y = \text{z3.IntToStr}(vs[0])$, $m = \text{ite}(vs[1] \leq 9, “0” + \text{z3.IntToStr}(vs[1]), \text{z3.IntToStr}(vs[1]))$, and $d = \text{ite}(vs[2] \leq 9, “0” + \text{z3.IntToStr}(vs[2]), \text{z3.IntToStr}(vs[2]))$ by Figure 19.
 $\llbracket \text{DateToStr}(vs) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = \text{ite}(vs = \text{Null}, \text{Null}, y' + “-” + m' + “-” + d')$ where $y' = \text{IntToStr}(vs[0])$, $m' = \text{ite}(vs[1] \leq 9, “0” + \text{IntToStr}(vs[1]), \text{IntToStr}(vs[1]))$, and $d' = \text{ite}(vs[2] \leq 9, “0” + \text{IntToStr}(vs[2]), \text{IntToStr}(vs[2]))$ by Figure 18. Note that since the Z3 builtin function z3.IntToStr precisely capture the semantics of IntToStr , $\mathcal{I}(y) = y'$, $\mathcal{I}(m) = m'$, and $\mathcal{I}(d) = d'$. Therefore,

$$\begin{aligned}\mathcal{I}(\llbracket \text{DateToStr}(vs) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}) &= \mathcal{I}(\text{ite}(vs = \text{Null}, \text{Null}, y + “-” + m + “-” + d)) \\ &= \text{ite}(vs = \text{Null}, \text{Null}, \mathcal{I}(y) + “-” + \mathcal{I}(m) + “-” + \mathcal{I}(d)) \\ &= \text{ite}(vs = \text{Null}, \text{Null}, y' + “-” + m' + “-” + d') \\ &= \llbracket \text{DateToStr}(v) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}\end{aligned}$$

9. Inductive case: $E = \text{IntToDate}(v)$

$\llbracket \text{IntToDate}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} = \text{ite}(v = \text{Null} \vee \neg(\Phi_1 \wedge \Phi_2 \wedge \Phi_3), \text{Null}, [y, m, d])$ where $\text{fdiv}(x, y) = \text{ite}(x \% y = 0, x / y, (x - x \% y) / y)$, $y = \text{fdiv}(v, 10^4)$, $m = \text{fdiv}(v \% 10^4, 10^2)$, $d = v \% 10^2$, $\Phi_0 = y \% 4 = 0 \wedge (y \% 100 \neq 0 \vee y \% 400 = 0)$, $\Phi_1 = \text{MIN_YEAR} \leq y \leq \text{MAX_YEAR}$, $\Phi_2 = 1 \leq m \leq 12$, $\Phi_3 = 1 \leq d \wedge (\vee_{c \in \{1, 3, 5, 7, 8, 10, 12\}} m = c \rightarrow d \leq 31) \wedge (m = 2 \rightarrow d \leq 28 + \text{ite}(\Phi_0, 1, 0)) \wedge (\vee_{c \in \{4, 6, 9, 11\}} m = c \rightarrow d \leq 30)$ by Figure 19.
 $\llbracket \text{IntToDate}(v) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = \text{ite}(v' = \text{Null} \vee \text{IsValidDate}(v), \text{Null}, [v'_1, v'_2, v'_3])$ where $v'_1 = \lfloor v / 10^4 \rfloor$, $v'_2 = \lfloor (v \% 10^4) / 10^2 \rfloor$, $v'_3 = v \% 10^2$ by Figure 18. By semantics of fdiv , we know $y = v'_1$, $m = v'_2$ and $d = v'_3$. Note that the function IsValidDate precisely capture the semantics of $\neg(\Phi_1 \wedge \Phi_2 \wedge \Phi_3)$, checking whether a date is valid in MySQL. Therefore, $\mathcal{I}(\neg(\Phi_1 \wedge \Phi_2 \wedge \Phi_3)) = \text{IsValidDate}(v')$ and

$$\begin{aligned}\mathcal{I}(\llbracket \text{IntToDate}(v) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}) &= \mathcal{I}(\text{ite}(v = \text{Null} \vee \neg(\Phi_1 \wedge \Phi_2 \wedge \Phi_3), \text{Null}, [y, m, d])) \\ &= \text{ite}(v = \text{Null} \vee \mathcal{I}(\neg(\Phi_1 \wedge \Phi_2 \wedge \Phi_3)), \text{Null}, \mathcal{I}([y, m, d])) \\ &= \text{ite}(v = \text{Null} \vee \text{IsValidDate}(v'), \text{Null}, [v'_1, v'_2, v'_3]) \\ &= \llbracket \text{IntToDate}(v) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}\end{aligned}$$

10. Inductive case: $E = \text{StrToDate}(s)$

$\llbracket \text{StrToDate}(s) \rrbracket_{S,\Gamma,\mathcal{T}} = \text{ite}(s = \text{Null}, \text{Null}, \llbracket \text{IntToDate}(v) \rrbracket_{S,\Gamma,\mathcal{T}})$ where $v = \llbracket \text{StrToInt}(s) \rrbracket_{S,\Gamma,\mathcal{T}}$ by Figure 19. $\llbracket \text{StrToDate}(s) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = \text{ite}(s = \text{Null}, \text{Null}, \llbracket \text{IntToDate}(v') \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})})$ where $v' = \llbracket \text{StrToInt}(s) \rrbracket_{S,\Gamma,\mathcal{T}}$ by Figure 18. By inductive hypothesis, we have $\mathcal{I}(\llbracket \text{IntToDate}(v) \rrbracket_{S,\Gamma,\mathcal{T}}) = \mathcal{I}(\llbracket \text{IntToDate}(v) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}) = \llbracket \text{IntToDate}(\mathcal{I}(v)) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = \llbracket \text{IntToDate}(v') \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}$. Therefore,

$$\begin{aligned} \mathcal{I}(\llbracket \text{StrToDate}(s) \rrbracket_{S,\Gamma,\mathcal{T}}) &= \mathcal{I}(\text{ite}(s = \text{Null}, \text{Null}, \llbracket \text{IntToDate}(v) \rrbracket_{S,\Gamma,\mathcal{T}})) \\ &= \text{ite}(s = \text{Null}, \text{Null}, \mathcal{I}(\llbracket \text{IntToDate}(v) \rrbracket_{S,\Gamma,\mathcal{T}})) \\ &= \text{ite}(s = \text{Null}, \text{Null}, \llbracket \text{IntToDate}(v') \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}) \\ &= \llbracket \text{StrToDate}(s) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} \end{aligned}$$

11. Inductive case: $E = E_1 \diamond E_2$.

Since our extended grammar considers Null, integers, dates and strings, as shown in Figure 7, the proof for this inductive case is overloaded.

$\llbracket E_1 \diamond E_2 \rrbracket_{S,\Gamma,\mathcal{T}} = \text{ite}(v_1 = \text{Null} \vee v_2 = \text{Null}, \text{Null}, v_1 \diamond v_2)$ where $v_1 = \llbracket \text{ToInt}(E_1) \rrbracket_{S,\Gamma,\mathcal{T}}$ and $v_2 = \llbracket \text{ToInt}(E_2) \rrbracket_{S,\Gamma,\mathcal{T}}$ by Figure 19. $\llbracket E_1 \diamond E_2 \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = \text{ite}(v'_1 = \text{Null} \vee v'_2 = \text{Null}, \text{Null}, v'_1 \diamond v'_2)$ where $v'_1 = \llbracket \text{ToInt}(E_1) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}$ and $v'_2 = \llbracket \text{ToInt}(E_2) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}$ by Figure 18. By inductive hypothesis, we have $\mathcal{I}(v_1) = \mathcal{I}(\llbracket \text{ToInt}(E_1) \rrbracket_{S,\Gamma,\mathcal{T}}) = \llbracket \text{ToInt}(E_1) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = v'_1$ and $\mathcal{I}(v_2) = \mathcal{I}(\llbracket \text{ToInt}(E_2) \rrbracket_{S,\Gamma,\mathcal{T}}) = \llbracket \text{ToInt}(E_2) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = v'_2$. Therefore,

$$\begin{aligned} \mathcal{I}(\llbracket E_1 \diamond E_2 \rrbracket_{S,\Gamma,\mathcal{T}}) &= \mathcal{I}(\text{ite}(v_1 = \text{Null} \vee v_2 = \text{Null}, \text{Null}, v_1 \diamond v_2)) \\ &= \text{ite}(\mathcal{I}(v_1) = \text{Null} \vee \mathcal{I}(v_2) = \text{Null}, \text{Null}, \mathcal{I}(v_1) \diamond \mathcal{I}(v_2)) \\ &= \text{ite}(v'_1 = \text{Null} \vee v'_2 = \text{Null}, \text{Null}, v'_1 \diamond v'_2) \\ &= \llbracket E_1 \diamond E_2 \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} \end{aligned}$$

12. Inductive case: $E = \text{SubStr}(E_1, E_2, E_3)$.

$\llbracket \text{SubStr}(E_1, E_2, E_3) \rrbracket_{S,\Gamma,\mathcal{T}} = \text{ite}(e_1 = \text{Null} \vee \text{IsStr}(e_2) \vee \text{IsStr}(e_3), \text{Null}, s)$ where $e_i = \llbracket E_i \rrbracket_{S,\Gamma,\mathcal{T}}$ for $1 \leq i \leq 3$, $e'_1 = \llbracket \text{ToStr}(e_1) \rrbracket_{S,\Gamma,\mathcal{T}}$, $l = \text{z3.Length}(e'_1)$, $e'_2 = \llbracket \text{ToInt}(e_2) \rrbracket_{S,\Gamma,\mathcal{T}}$, $e'_3 = \llbracket \text{ToInt}(e_3) \rrbracket_{S,\Gamma,\mathcal{T}}$, $v = \text{ite}(-l \leq e_2 < 0, \text{ite}(0 < e'_2 \leq l, e'_2 - 1, l + 1), s = \text{ite}(v = 0 \vee v < -l \vee v > l \vee e'_3 \leq 0, \varepsilon, \text{ite}(e'_3 \geq l - v, e'_1[v : l], e'_1[v : 2v + e'_3]))$ by Figure 19.

$\llbracket \text{SubStr}(E_1, E_2, E_3) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = \text{ite}(e_4 = \text{Null} \vee \text{IsStr}(e_5) \vee \text{IsStr}(e_6), \text{Null}, s)$ where $e_{i+3} = \llbracket E_i \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}$ for $1 \leq i \leq 3$, $e'_4 = \llbracket \text{ToStr}(e_4) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}$, $l' = \text{z3.Length}(e'_4)$, $e'_5 = \llbracket \text{ToInt}(e_5) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}$, $e'_6 = \llbracket \text{ToInt}(e_6) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}$, $v' = \text{ite}(-l \leq e_5 < 0, \text{ite}(0 < e'_5 \leq l, e'_5 - 1, l + 1), s' = \text{ite}(v = 0 \vee v < -l \vee v > l \vee e'_6 \leq 0, \varepsilon, \text{ite}(e'_6 \geq l - v, e'_4[v : l], e'_4[v : 2v + e'_6]))$ by Figure 18.

By inductive hypothesis, we have $\mathcal{I}(e_i) = \mathcal{I}(\llbracket E_i \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}) = \llbracket E_i \rrbracket_{S,\Gamma,\mathcal{T}} = e_{i+3}$ for $1 \leq i \leq 3$. Then, $\mathcal{I}(e'_1) = \mathcal{I}(\llbracket \text{ToStr}(e_1) \rrbracket_{S,\Gamma,\mathcal{T}}) = \llbracket \text{ToStr}(e_4) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = e'_4$, $\mathcal{I}(e'_2) = \mathcal{I}(\llbracket \text{ToInt}(e_2) \rrbracket_{S,\Gamma,\mathcal{T}}) = \llbracket \text{ToInt}(e_5) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = e'_5$, and $\mathcal{I}(e'_3) = \mathcal{I}(\llbracket \text{ToInt}(e_3) \rrbracket_{S,\Gamma,\mathcal{T}}) = \llbracket \text{ToInt}(e_6) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = e'_6$, $\mathcal{I}(v) = v'$, and $\mathcal{I}(s) = s'$. Furthermore, since the Z3 builtin function `z3.Length` precisely captures the semantics of `len`, we have $\mathcal{I}(l) = \mathcal{I}(\text{z3.Length}(e'_1)) = \text{len}(e'_4) = l'$. Therefore,

$$\begin{aligned} \mathcal{I}(\llbracket \text{SubStr}(E_1, E_2, E_3) \rrbracket_{S,\Gamma,\mathcal{T}}) &= \mathcal{I}(\text{ite}(e_1 = \text{Null} \vee \text{IsStr}(e_2) \vee \text{IsStr}(e_3), \text{Null}, s)) \\ &= \text{ite}(\mathcal{I}(e_1) = \text{Null} \vee \mathcal{I}(\text{IsStr}(e_2)) \vee \mathcal{I}(\text{IsStr}(e_3)), \text{Null}, \mathcal{I}(s)) \\ &= \text{ite}(e_4 = \text{Null} \vee \text{IsStr}(e_5) \vee \text{IsStr}(e_6), s') \\ &= \llbracket \text{SubStr}(E_1, E_2, E_3) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} \end{aligned}$$

13. Inductive case: $E = \text{Strftime}(\kappa, E)$.

$\llbracket \text{Strftime}(\kappa, E) \rrbracket_{S,\Gamma,\mathcal{T}} = \text{ite}(v = \text{Null}, \text{Null}, \text{ite}(\kappa = \text{"%Y"}, v[0], \text{ite}(\kappa = \text{"%M"}, v[1], v[2])))$ where $v = \llbracket E \rrbracket_{S,\Gamma,\mathcal{T}}$ by Figure 19. $\llbracket \text{Strftime}(\kappa, E) \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})} = \text{ite}(v = \text{Null}, \text{Null}, \text{ite}(\kappa = \text{"%Y"}, v[0], \text{ite}(\kappa = \text{"%M"}, v[1], v[2])))$ where $v = \llbracket E \rrbracket_{\mathcal{I}(\Gamma),\mathcal{I}(\mathcal{T})}$ by Figure 18. By inductive hypothesis, we have $\mathcal{I}(v) = \mathcal{I}(\llbracket E \rrbracket_{S,\Gamma,\mathcal{T}}) =$

$\llbracket E \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = v'$. Therefore,

$$\begin{aligned}
\mathcal{I}(\llbracket \text{Strftime}(\kappa, E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}) &= \mathcal{I}(\text{ite}(v = \text{Null}, \text{Null}, \text{ite}(\kappa = "\%Y", v[0], \\
&\quad \text{ite}(\kappa = "\%M", v[1], v[2])))) \\
&= \text{ite}(\mathcal{I}(v) = \text{Null}, \text{Null}, \text{ite}(\kappa = "\%Y", \mathcal{I}(v)[0], \\
&\quad \text{ite}(\kappa = "\%M", \mathcal{I}(v)[1], \mathcal{I}(v)[2]))) \\
&= \text{ite}(v' = \text{Null}, \text{Null}, \text{ite}(\kappa = "\%Y", v'[0], \\
&\quad \text{ite}(\kappa = "\%M", v'[1], v'[2]))) \\
&= \llbracket \text{Strftime}(\kappa, E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}
\end{aligned}$$

14. Inductive case: $E = \text{JulianDay}(E)$.

$\llbracket \text{JulianDay}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} = \text{ToJulianDay}(v)$ where $v = \llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}$ if v is evaluated to be a date by Figure 19. Also, $\text{ToJulianDay}(v) = \lfloor 365.25 * (y + 4716) \rfloor + \lfloor 30.6001 * (m + 4716) \rfloor + d + c - 1524.5$ where $y = v[1] \leq 2?v[0] - 1 : v[0]$, $m = v[1] \leq 2?v[1] + 12 : v[1]$, $d = v[2]$, and $c = 2 - \lfloor y/100 \rfloor + \lfloor y/400 \rfloor$. $\llbracket \text{JulianDay}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = a_1 + a_2 + d' + c' - 1524.5$ where $v' = \llbracket E \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}$, $y' = \text{ite}(v'[1] \leq 2, v'[0] - 1, v'[0])$, $m' = \text{ite}(v'[1] \leq 2, v'[1] + 12, v'[1])$, $d' = v'[2]$, $c' = 2 - \text{fdiv}(y', 100) + \text{fdiv}(y', 400)$, $a_1 = \text{fdiv}(36525 * (y' + 4716), 10^2)$, and $a_2 = \text{fdiv}(306001 * (m' + 1), 10^4)$ if v_1 is evaluated to be a date by Figure 18. By inductive hypothesis, we have $\mathcal{I}(v) = \mathcal{I}(\llbracket E \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}) = \llbracket E \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = v'$. Furthermore, by the semantics of fdiv , $\mathcal{I}(\lfloor 365.25 * (y + 4716) \rfloor) = a_1$ and $\mathcal{I}(\lfloor 30.6001 * (m + 4716) \rfloor) = a_2$. Therefore,

$$\begin{aligned}
\mathcal{I}(\llbracket \text{JulianDay}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}) &= \mathcal{I}(\text{ToJulianDay}(v)) \\
&= \mathcal{I}(\lfloor 365.25 * (y + 4716) \rfloor + \lfloor 30.6001 * (m + 4716) \rfloor \\
&\quad + d + c - 1524.5) \\
&= a_1 + a_2 + d' + c' - 1524.5 \\
&= \llbracket \text{JulianDay}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}
\end{aligned}$$

□

Theorem 3 (Correctness of predicate encoding). *Let D be a database over schema \mathcal{S} , xs be a tuple list, and ϕ be a predicate. Consider a symbolic database Γ over \mathcal{S} , a list of symbolic tuples \mathcal{T} , and ϕ 's symbolic encoding $\llbracket \phi \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}$. For any satisfying interpretation \mathcal{I} with $\mathcal{I}(\Gamma) = D \wedge \mathcal{I}(\mathcal{T}) = xs$, evaluating ϕ over the database D and the tuple list xs yields the interpretation of ϕ 's symbolic encoding $\mathcal{I}(\llbracket \phi \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}})$, i.e.,*

$$\mathcal{I}(\Gamma) = D \wedge \mathcal{I}(\mathcal{T}) = xs \Rightarrow \llbracket \phi \rrbracket_{D, xs} = \mathcal{I}(\llbracket \phi \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}})$$

Lemma 2. *Suppose $\llbracket \phi \rrbracket_{D, xs}$ is valid, then $\mathcal{I}(\Gamma) = D \wedge \mathcal{I}(\mathcal{T}) = xs \Rightarrow \llbracket \phi \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = \mathcal{I}(\llbracket \phi \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}})$ holds.*

Proof. Theorem 3 is proved by proving Lemma 2. By structural induction on ϕ .

1. Base cases and some inductive cases are proved in [15].

2. Inductive case: $\phi = \text{PrefixOf}(s, E)$.

$\llbracket \text{PrefixOf}(s, E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} = \text{ite}(v = \text{Null}, \text{Null}, \text{z3.PrefixOf}(s, v))$ where $v = \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}$ by Figure 20. $\llbracket \text{PrefixOf}(s, E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = \text{ite}(v' = \text{Null}, \text{Null}, \text{PrefixOf}(s, v'))$ where $v' = \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}$ by Figure 18. By inductive hypothesis, we have $\mathcal{I}(v) = \mathcal{I}(\llbracket \text{ToStr}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}) = \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}} = v'$. Furthermore, since the Z3 builtin function z3.PrefixOf precisely captures the semantics of PrefixOf , we have $\mathcal{I}(\text{z3.PrefixOf}(s, v)) = \mathcal{I}(\text{z3.PrefixOf}(s, \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}})) = \text{PrefixOf}(s, \mathcal{I}(\llbracket \text{ToStr}(E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}})) = \text{PrefixOf}(s, \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}) = \text{PrefixOf}(s, v')$. Therefore,

$$\begin{aligned}
\mathcal{I}(\llbracket \text{PrefixOf}(s, E) \rrbracket_{\mathcal{S}, \Gamma, \mathcal{T}}) &= \mathcal{I}(\text{ite}(v = \text{Null}, \text{Null}, \text{z3.PrefixOf}(s, v))) \\
&= \text{ite}(\mathcal{I}(v) = \text{Null}, \text{Null}, \mathcal{I}(\text{z3.PrefixOf}(s, v))) \\
&= \text{ite}(v' = \text{Null}, \text{Null}, \text{PrefixOf}(s, v')) \\
&= \llbracket \text{PrefixOf}(s, E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}
\end{aligned}$$

3. Inductive case: $\phi = \text{SuffixOf}(s, E)$.

$\llbracket \text{SuffixOf}(s, E) \rrbracket_{S, \Gamma, \mathcal{T}} = \text{ite}(v = \text{Null}, \text{Null}, \text{z3.SuffixOf}(s, v))$ where $v = \llbracket \text{ToStr}(E) \rrbracket_{S, \Gamma, \mathcal{T}}$ by Figure 20. $\llbracket \text{SuffixOf}(s, E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = \text{ite}(v' = \text{Null}, \text{Null}, \text{SuffixOf}(s, v'))$ where $v' = \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}$ by Figure 18. By inductive hypothesis, we have $\mathcal{I}(v) = \mathcal{I}(\llbracket \text{ToStr}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}) = \llbracket \text{ToStr}(E) \rrbracket_{S, \Gamma, \mathcal{T}} = v'$. Furthermore, since the Z3 builtin function `z3.SuffixOf` precisely captures the semantics of `SuffixOf`, we have $\mathcal{I}(\text{z3.SuffixOf}(s, v)) = \mathcal{I}(\text{z3.SuffixOf}(s, \llbracket \text{ToStr}(E) \rrbracket_{S, \Gamma, \mathcal{T}})) = \text{SuffixOf}(s, \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}) = \text{SuffixOf}(s, v')$. Therefore,

$$\begin{aligned} \mathcal{I}(\llbracket \text{SuffixOf}(s, E) \rrbracket_{S, \Gamma, \mathcal{T}}) &= \mathcal{I}(\text{ite}(v = \text{Null}, \text{Null}, \text{z3.SuffixOf}(s, v))) \\ &= \text{ite}(\mathcal{I}(v) = \text{Null}, \text{Null}, \mathcal{I}(\text{z3.SuffixOf}(s, v))) \\ &= \text{ite}(v' = \text{Null}, \text{Null}, \text{SuffixOf}(s, v')) \\ &= \llbracket \text{SuffixOf}(s, E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} \end{aligned}$$

4. Inductive case: $\phi = \text{Like}(s, E)$.

$\llbracket \text{Like}(s, E) \rrbracket_{S, \Gamma, \mathcal{T}} = \text{ite}(v = \text{Null}, \perp, \text{z3.RegexMatch}(s))$ where $v = \llbracket \text{ToStr}(E) \rrbracket_{S, \Gamma, \mathcal{T}}$ by Figure 20. $\llbracket \text{Like}(s, E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = \text{ite}(v' = \text{Null}, \text{Null}, \text{RegexMatch}(s, v'))$ where $v' = \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}$ by Figure 18. By inductive hypothesis, we have $\mathcal{I}(v) = \mathcal{I}(\llbracket \text{ToStr}(E) \rrbracket_{S, \Gamma, \mathcal{T}}) = \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = v'$. Furthermore, since Z3 precisely support regular expressions, we have $\mathcal{I}(\text{z3.RegexMatch}(s, v)) = \mathcal{I}(\text{z3.RegexMatch}(s, \llbracket \text{ToStr}(E) \rrbracket_{S, \Gamma, \mathcal{T}})) = \text{RegexMatch}(s, \mathcal{I}(\llbracket \text{ToStr}(E) \rrbracket_{S, \Gamma, \mathcal{T}})) = \text{RegexMatch}(s, \llbracket \text{ToStr}(E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}) = \text{RegexMatch}(s, v')$. Therefore,

$$\begin{aligned} \mathcal{I}(\llbracket \text{Like}(s, E) \rrbracket_{S, \Gamma, \mathcal{T}}) &= \mathcal{I}(\text{ite}(v = \text{Null}, \perp, \text{z3.RegexMatch}(s, v))) \\ &= \text{ite}(\mathcal{I}(v) = \text{Null}, \perp, \mathcal{I}(\text{z3.RegexMatch}(s, v))) \\ &= \text{ite}(v' = \text{Null}, \perp, \text{RegexMatch}(s, v')) \\ &= \llbracket \text{Like}(s, E) \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} \end{aligned}$$

5. Inductive case: $\phi = E_1 \odot E_2$.

$\llbracket E_1 \odot E_2 \rrbracket_{S, \Gamma, \mathcal{T}} = \text{ite}(v_1 = \text{Null} \vee v_2 = \text{Null}, \perp, v_1 \odot v_2)$ where $v_1 = \llbracket E_1 \rrbracket_{S, \Gamma, \mathcal{T}}$ and $v_2 = \llbracket E_2 \rrbracket_{S, \Gamma, \mathcal{T}}$ if v_1 and v_2 share the same type, i.e., $\text{Type}(v_1) = \text{Type}(v_2)$ by Figure 20. $\llbracket E_1 \odot E_2 \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} = \text{ite}(v'_1 = \text{Null} \vee v'_2 = \text{Null}, \perp, v'_1 \odot v'_2)$ where $v_1 = \llbracket E_1 \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}$ and $v'_2 = \llbracket E_2 \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}$ if v'_1 and v'_2 share the same type, i.e., $\text{Type}(v'_1) = \text{Type}(v'_2)$ by Figure 18. Note that this operation only works for E_1 and E_2 sharing the same type which is consistent with MySQL. By inductive hypothesis, we have $\mathcal{I}(v_1) = \mathcal{I}(\llbracket E_1 \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}) = \llbracket E_1 \rrbracket_{S, \Gamma, \mathcal{T}} = v'_1$ and $\mathcal{I}(v_2) = \mathcal{I}(\llbracket E_2 \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})}) = \llbracket E_2 \rrbracket_{S, \Gamma, \mathcal{T}} = v'_2$. Therefore, when E_1 and E_2 have the same type, we have

$$\begin{aligned} \mathcal{I}(\llbracket E_1 \odot E_2 \rrbracket_{S, \Gamma, \mathcal{T}}) &= \mathcal{I}(\text{ite}(v_1 = \text{Null} \vee v_2 = \text{Null}, \perp, v_1 \odot v_2)) \\ &= \text{ite}(\mathcal{I}(v_1) = \text{Null} \vee \mathcal{I}(v_2) = \text{Null}, \perp, \mathcal{I}(v_1) \odot \mathcal{I}(v_2)) \\ &= \text{ite}(v'_1 = \text{Null} \vee v'_2 = \text{Null}, \perp, v'_1 \odot v'_2) \\ &= \llbracket E_1 \odot E_2 \rrbracket_{\mathcal{I}(\Gamma), \mathcal{I}(\mathcal{T})} \end{aligned}$$

□

Theorem 2 (Equivalence under set semantics). *Given two relations $R_1 = [t_1, \dots, t_n]$ and $R_2 = [r_1, \dots, r_m]$, if formula (2) is valid, then R_1 and R_2 are equivalent under set semantics.*

Proof. Let F_1 be the first conjunct of formula (2), i.e., $\bigwedge_{i=1}^n (\neg \text{Del}(t_i) \rightarrow \bigvee_{j=1}^m (\neg \text{Del}(r_j) \wedge t_i = r_j))$, and let F_2 be the second conjunct of formula (2), i.e., $\bigwedge_{j=1}^m (\neg \text{Del}(r_j) \rightarrow \bigvee_{i=1}^n (\neg \text{Del}(t_i) \wedge r_j = t_i))$. Since formula (2) is valid, both F_1 and F_2 are valid. Now consider F_1 . It specifies for any tuple $t_i \in R_1$, if t_i is not deleted, then there exists a tuple r_j that is not deleted and $t_i = r_j$. By the definition of \subseteq , $R_1 \subseteq R_2$. Similarly, F_2 specifies $R_2 \subseteq R_1$. Therefore, $R_1 = R_2$.

□