

ACCELERATED PREFERENCE OPTIMIZATION FOR LARGE LANGUAGE MODEL ALIGNMENT

Anonymous authors

Paper under double-blind review

ABSTRACT

Reinforcement Learning from Human Feedback (RLHF) has emerged as a pivotal tool for aligning large language models (LLMs) with human preferences. Direct Preference Optimization (DPO), one of the most popular approaches, formulates RLHF as a policy optimization problem without explicitly estimating the reward function. It overcomes the stability and efficiency issues of two-step approaches, which typically involve first estimating the reward function and then optimizing the policy via proximal policy optimization (PPO). Since RLHF is essentially an optimization problem, and it is well-known that momentum techniques can accelerate optimization both theoretically and empirically, a natural question arises: Can RLHF be accelerated by momentum? This paper answers this question in the affirmative. In detail, we first show that the iterative preference optimization method can be viewed as a proximal point method. Based on this observation, we propose a general Accelerated Preference Optimization (APO) framework, which unifies many existing preference optimization algorithms and employs Nesterov’s momentum technique to speed up the alignment of LLMs. Theoretically, we demonstrate that APO can achieve a faster convergence rate than the standard iterative preference optimization methods, including DPO and SPPO. Empirically, we show the superiority of APO over DPO, iterative DPO, and other strong baselines for RLHF on the AlpacaEval 2.0 benchmark.

1 INTRODUCTION

Large Language Models (LLMs) have emerged as a pivotal technique in the era of artificial general intelligence and recently demonstrated impressive capabilities in tasks such as text generation (Bubeck et al., 2023; Anil et al., 2023; Touvron et al., 2023), coding (Chen et al., 2021; Austin et al., 2021), and problem solving (Cobbe et al., 2021; Wei et al., 2022). A key element contributing to these achievements is the alignment of LLMs with human preference data, utilizing reinforcement learning from human feedback (RLHF) (Ziegler et al., 2019; Christiano et al., 2017; Ouyang et al., 2022; Bai et al., 2022; Munos et al., 2023).

The standard RLHF method (Ouyang et al., 2022) involves three main steps: feedback collection, reward modeling, and policy optimization. Specifically, the LLM receives human-generated prompts and produces several possible responses. Subsequently, human preferences for these responses are collected and used to train a reward model that matches these preferences. Finally, the policy optimization process updates the large language model using optimization algorithms such as Proximal Policy Optimization (PPO) (Schulman et al., 2017) to produce responses with higher preference based on the trained reward model.

Recently, Rafailov et al. (2023) introduced the Direct Preference Optimization (DPO) method based on the Bradley-Terry (BT) model (Bradley & Terry, 1952). This method skips the reward modeling process and replaces it with a reparameterized reward with respect to the policy, allowing for direct optimization of the LLM. It simplifies the implementation, while maintaining a comparable or even better performance than standard RLHF. Later, several works (Munos et al., 2023; Azar et al., 2024; Wu et al., 2024; Rosset et al., 2024) considered the general preference model rather than the BT model, and designed algorithms (Nash-MD, IPO, SPPO, and DNO) that more flexibly represent human preferences while maintaining a simple implementation. Nonetheless, both the standard RLHF process and its variations rely on the policy optimization process. In fact, for general optimization problems, it is well-known that momentum techniques (Polyak, 1964; Nesterov, 2013;

Bubeck et al., 2015b) can accelerate the convergence of the optimization algorithm in both theory and practice. Therefore, a natural question arises:

Can reinforcement learning from human feedback be accelerated?

In this paper, we affirmatively answer this question. In details, following Xu et al. (2023); Yuan et al. (2024b); Chen et al. (2024); Wu et al. (2024), we consider the iterative preference optimization framework. In this framework, a series of models is constructed, with each model being improved based on the previous one using preference optimization algorithm such as DPO and SPPO. We demonstrate that the policy optimization problem under this framework resembles the proximal point method (Bregman, 1967; Censor & Zenios, 1992; Kiwiel, 1997). Based on this observation, we adapt Nesterov’s acceleration method (Nesterov, 1983; 2008; 2013; Lin et al., 2018), and introduce a variant of the iterative preference optimization framework, named Accelerated Preference Optimization (APO). At the core of APO is an extrapolation step after each policy update. The contributions of our work are highlighted as follows:

- We propose a general preference optimization framework, APO, based on Nesterov’s momentum to accelerate preference optimization. Our theoretical analysis shows that iterative DPO achieves an $\tilde{O}(1/t)$ sub-optimality gap from the optimal policy under the Bradley-Terry (BT) model. As a comparison, our algorithm APO achieves a smaller $\tilde{O}((1 - \alpha)/t)$ sub-optimality gap, where α is the extrapolation parameter in the momentum. To the best of our knowledge, our work provides the first convergence analysis of vanilla iterative DPO and the first accelerated preference optimization algorithm with provable guarantees.
- With an additional minimal sub-optimality gap assumption in the BT model, we prove that APO will convergence to the optimal policy in total variation (TV) distance at the rate of $\exp(-O(t/(1 - \alpha)))$, improving the $\exp(-O(t))$ rate of iterative DPO. In addition, we extend our results to the general preference model and show that APO with the SPPO loss function can also accelerate SPPO under a similar minimal sub-optimality gap assumption.
- Empirically, we verify the performance of APO when applied to DPO method on fine-tuning `Mistral-7B-Instruct-v0.2`. In the AlpacaEval 2.0 evaluation tasks, APO with 3 iterations achieves a length-controlled win rate of 31.73%, demonstrating a 1.78% improvement over iterative DPO and a 5.34% improvement over Snorkel’s `Mistral-PairRM-DPO`. Moreover, APO with 2 iterations obtains a win rate of 37.53%, matching iterative DPO’s 37.65% with 3 iterations, with noticeably shorter response lengths. This is consistent with our theoretical analysis. In addition, the evaluation on five general instruction-following tasks from MT-Bench shows an average score of 9.57 out of 10, further demonstrating APO’s superior performance.

Notation. For any positive integer n , we employ $[n]$ to denote the set $\{0, \dots, n\}$. For two sequences $\{a_n\}$ and $\{b_n\}$, we write $a_n = O(b_n)$ if there exists an absolute constant C such that $a_n \leq Cb_n$. We use $\tilde{O}(\cdot)$ to further hide the logarithmic factors.

2 PRELIMINARIES

In the setting of RLHF, we assume a finite context set \mathcal{X} , and possible response set \mathcal{Y} . For any prompts $x \in \mathcal{X}$, a policy $\pi : \mathcal{X} \rightarrow \Delta(\mathcal{Y})$ maps the prompt x to the discrete distributions over the response set \mathcal{Y} . For a given context $x \in \mathcal{X}$ collected from distribution ρ , we generate two responses y_1, y_2 with a reference policy μ and receive preferences from either humans or more advanced language models between these two responses ($y^w \succ y^l$), where y^w and y^l represent the preferred and dispreferred generated responses in $\{y_1, y_2\}$. Following Christiano et al. (2017); Ouyang et al. (2022); Rafailov et al. (2023), we assume the existence of a latent reward model $r^*(x, y)$, and the preference distribution satisfies the Bradley-Terry (BT) model (Bradley & Terry, 1952):

$$P(y_1 \succ y_2 | x) = \frac{\exp(r^*(x, y_1))}{\exp(r^*(x, y_1)) + \exp(r^*(x, y_2))}. \quad (2.1)$$

Under this assumption, the standard RLHF first estimates the reward model by minimizing the following negative log-likelihood of BT model:

$$\mathcal{L}(r) = -\mathbb{E}_{(x, y^w, y^l) \sim \mathcal{D}} [\log \sigma(r(x, y^w) - r(x, y^l))], \quad (2.2)$$

where x is generated from distribution ρ , $\{y^w, y^l\}$ are collected with reference policy μ and $\sigma(z) = 1/(1 + \exp(-z))$ is the Sigmoid function. After the reward modeling phase, the LLM (i.e., the

policy) is fine-tuned with the learned reward $r(x, y)$, which aims to maximize the expected reward with KL-regularization:

$$\pi \leftarrow \arg \max_{\pi \in \Pi} \mathbb{E}_{x \sim \rho, y \sim \pi(\cdot|x)} [r(x, y)] - \beta \mathbb{E}_{x \sim \rho} [\text{KL}(\pi(\cdot|x) \parallel \pi_{\text{ref}}(\cdot|x))], \quad (2.3)$$

where Π denotes the policy class, ρ is the distribution of prompts, and the KL regularization with parameter $\beta > 0$ is used to control the deviation of the learned policy π from the reference policy π_{ref} . In detail, the optimization problem is usually solved with the PPO method (Schulman et al., 2017).

Later, Rafailov et al. (2023) identified the following closed-form solution to the optimization problem in (2.3):

$$\pi(\cdot|x) = \frac{1}{Z(x)} \cdot \pi_{\text{ref}}(\cdot|x) \cdot \exp\left(\frac{r(x, \cdot)}{\beta}\right),$$

where $Z(x) = \sum_y \pi_{\text{ref}}(x) \cdot \exp(r(x, y)/\beta)$ is the partition function. By reparameterizing the reward function by the policy and substituting it into the negative log-likelihood in (2.2), Rafailov et al. (2023) proposed the Direct Preference Optimization (DPO) method as follows:

$$\pi \leftarrow \arg \max_{\pi \in \Pi} \mathbb{E}_{(x, y^w, y^l) \sim \mathcal{D}} \left[\log \sigma \left(\beta \log \frac{\pi(y^w|x)}{\pi_{\text{ref}}(y^w|x)} - \beta \log \frac{\pi(y^l|x)}{\pi_{\text{ref}}(y^l|x)} \right) \right],$$

which avoids the explicit learning of a reward model. Here, for a finite dataset $\mathcal{D} = \{(x_i, y_i^w, y_i^l)_{i=1}^N\}$ and a function $f : \mathcal{X} \times \mathcal{Y} \times \mathcal{Y} \rightarrow \mathbb{R}$, we denote the empirical expectation of function f with respect to the dataset \mathcal{D} by $\mathbb{E}_{(x, y^w, y^l) \sim \mathcal{D}} [f(x, y^w, y^l)] = \sum_{i=1}^N f(x_i, y_i^w, y_i^l) / N$.

3 ACCELERATED PREFERENCE OPTIMIZATION

In this section, we present a general framework for language model alignment, namely accelerated preference optimization (APO), which is built upon the iterative preference optimization framework.

3.1 ITERATIVE PREFERENCE OPTIMIZATION FRAMEWORK

Under the iterative Preference Optimization framework (Xu et al., 2023; Yuan et al., 2024b; Chen et al., 2024; Wu et al., 2024), the algorithm progressively updates the policy π_t , aiming to converge to the optimal policy. In detail, for each iteration $t \in [T]$, it designates the reference policy as the policy generated from the previous iteration, denoted by π_t . It estimates the reward model by minimizing the expected loss function $l(r, x, y^w, y^l)$ over the dataset \mathcal{D}_t :

$$r_t(\cdot, \cdot) \leftarrow \arg \max_{r(\cdot, \cdot)} \mathbb{E}_{(x, y^w, y^l) \sim \mathcal{D}_t} [\ell(r, x, y^w, y^l, \pi_t)], \quad (3.1)$$

Then, it updates the reference policy by solving the following KL-regularized optimization problem:

$$\hat{\pi}_{t+1} \leftarrow \arg \max_{\pi \in \Pi} \mathbb{E}_{x \sim \rho, y \sim \pi(\cdot|x)} [r_t(x, y)] - \beta \mathbb{E}_{x \sim \rho} [\text{KL}(\pi(\cdot|x) \parallel \pi_t(\cdot|x))]. \quad (3.2)$$

According to Rafailov et al. (2023), for each iteration $t \in [T]$, the optimization problem (3.2) has the following closed-form solution:

$$\hat{\pi}_{t+1}(y|x) \propto \pi_t(y|x) \cdot \exp\left(\frac{r_t(x, y)}{\beta}\right).$$

Thus, we can reparameterize the reward function for each policy π as follows:

$$r_\pi(x, y) = \beta \log \frac{\pi(y|x)}{\pi_t(y|x)}.$$

With this reparameterized reward function, the previous two-step optimization process in (3.1) and (3.2) can be integrated into the following one-step direct preference optimization:

$$\hat{\pi}_{t+1} \leftarrow \arg \min_{r_\pi \in \mathcal{R}_t} \mathbb{E}_{(x, y^w, y^l) \sim \mathcal{D}_t} [\ell(r_\pi, x, y^w, y^l, \pi_t)], \quad (3.3)$$

where \mathcal{D}_t represents the data collected at iteration t using the reference policy π_t .

For the vanilla iterative preference optimization framework, the updated policy $\hat{\pi}_{t+1}$ is directly used as the reference policy in the next iteration, where $\pi_{t+1} = \hat{\pi}_{t+1}$. In this situation, the iterative

Algorithm 1 APO (Accelerated Preference Optimization)

- 1: **input:** Reference policy π_{ref} , learning rate β , Nesterov’s extrapolation parameter α , number of iterations T
- 2: Initialize $\pi_0 = \hat{\pi}_0 = \pi_{\text{ref}}$
- 3: **for** iteration $t = 0, \dots, T$ **do**
- 4: Collect the dataset $|\mathcal{D}_t| = N$ with prompts distribution $x \sim \rho$ and current reference policy π_t
- 5: Set the reparameterized reward function class as following:

$$\mathcal{R}_t \leftarrow \left\{ r_\pi(x, y) = \beta \log \frac{\pi(y|x)}{\pi_t(y|x)} \mid \pi \in \Pi \right\}$$
- 6: Update the policy $\hat{\pi}_{t+1}$ as following:

$$\hat{\pi}_{t+1} \leftarrow \arg \min_{\pi \in \Pi} \mathbb{E}_{(x, y^w, y^l) \sim \mathcal{D}_t} [\ell(r_\pi, x, y^w, y^l, \pi_t)] \quad (3.5)$$
- 7: Compute the policy π_{t+1} with an extrapolation step

$$\pi_{t+1}(y|x) \propto \hat{\pi}_{t+1}(y|x) \cdot (\hat{\pi}_{t+1}(y|x) / \hat{\pi}_t(y|x))^\alpha \quad (3.6)$$
- 8: **end for**
- 9: **output:** final policy $\hat{\pi}_{T+1}$

optimization of the policy resembles the (Bregman) Proximal Point Method (Bregman, 1967; Censor & Zenios, 1992; Kiwiel, 1997), which iteratively minimizes the following proximal subproblem:

$$\pi_{t+1} \leftarrow \arg \min_{\pi \in \Pi} \left\{ f_t(\pi) = L_t(\pi) + \beta D(\pi, \pi_t) \right\} \quad (3.4)$$

for a given regularization parameter β and Bregman divergence $D(\cdot, \cdot)$. In this reduction, the expected reward $-\mathbb{E}_{x \sim \rho, y \sim \pi(\cdot|x)} [r_t(x, y)]$ corresponds to the target function $L_t(\pi)$ in the proximal function $f_t(\pi)$, and the Bregman divergence $D(\pi, \pi_t)$ is chosen as the Kullback–Leibler (KL) divergence to the behavior policy π_t : $\mathbb{E}_{x \sim \rho} [\text{KL}(\pi(\cdot|x) | \pi_t(\cdot|x))]$.

The Choice of Loss Function By choosing different loss function $\ell(r_\pi, x, y^w, y^l, \pi_t)$ in (3.3), we can recover many existing iterative preference optimization algorithms. In detail, the loss function depends on the preference model \mathbb{P} , and we provide several concrete examples of the loss function and the corresponding preference optimization algorithms as follows.

Example 3.1 (DPO). If we choose the loss function in (3.3) as:

$$\ell_{\text{DPO}}(r_\pi, x, y^w, y^l, \pi_t) = -\log \sigma(r_\pi(x, y^w) - r_\pi(x, y^l)),$$

it recovers DPO (Rafailov et al., 2023).

Example 3.2 (SPPO). If we choose the loss function in (3.3) as:

$$\ell_{\text{SPPO}}(r_\pi, x, y^w, y^l, \pi_t) = \frac{1}{2} (r_\pi(x, y^w) - 1 + \log Z_{\pi_t}(x))^2 + \frac{1}{2} (r_\pi(x, y^l) + \log Z_{\pi_t}(x))^2,$$

where $Z_{\pi_t}(x) = \sum_{y \in \mathcal{Y}} \pi_t(y|x) \exp(\eta \mathbb{P}(y \succ \pi_t|x))$ represents the partition function for behavior policy π_t , it recovers the Self-Play Preference Optimization (SPPO) algorithm (Wu et al., 2024). (See Appendix B.1 for a more detailed discussion.)

Example 3.3 (IPO). If we choose the loss function in (3.3) as

$$\ell_{\text{IPO}}(r_\pi, x, y^w, y^l, \pi_t) = (r_\pi(x, y^w) - r_\pi(x, y^l) - \tau^{-1})^2,$$

where τ is a regularization parameter, it recovers the Identity Preference Optimization (IPO) algorithm (Azar et al., 2024).

3.2 ACCELERATED PREFERENCE OPTIMIZATION

So far, we have demonstrated that the iterative preference optimization framework resembles the proximal point method. For standard optimization problems, it is well known that Nesterov’s momentum method (Nesterov, 1983; 2008; 2013) can accelerate the optimization algorithm both theoretically and empirically. In particular, Lin et al. (2018) proposed a framework called Catalyst, which extends Nesterov’s momentum method to the proximal point method and has shown that it can accelerate it provably. In the Catalyst method, after solving the proximal operator

$$x_{t+1} = \arg \min_x \left\{ f_t(x) = f(x) + \kappa D(x, y_t) \right\},$$

where $f(x)$ is the target function and $D(x, y_t)$ is the Bregman divergence, an extrapolation step is introduced as follows:

$$y_{t+1} = x_{t+1} + \alpha_t(x_{t+1} - x_t),$$

where α_t is the Nesterov’s extrapolation parameter and $x_{t+1} - x_t$ denotes the momentum from the previous update. Following the above idea, we introduce an extrapolation step after solving (3.3) to obtain π_{t+1} :

$$\log \pi_{t+1}(y|x) = \log \hat{\pi}_{t+1} + \alpha (\log \hat{\pi}_{t+1} - \log \hat{\pi}_t), \quad (3.7)$$

where $\alpha > 0$ is the fixed Nesterov’s extrapolation parameter. After normalizing the policy $\pi_{t+1}(y|x)$, we obtain

$$\begin{aligned} \pi_{t+1}(y|x) &\propto \hat{\pi}_{t+1}(y|x) \cdot (\hat{\pi}_{t+1}(y|x)/\hat{\pi}_t(y|x))^\alpha \\ &= \frac{1}{Z'_t(x)} \cdot \hat{\pi}_{t+1}(y|x) \cdot (\hat{\pi}_{t+1}(y|x)/\hat{\pi}_t(y|x))^\alpha, \end{aligned}$$

where $Z'_t(x) = \sum_y \hat{\pi}_{t+1}(y|x) \cdot (\hat{\pi}_{t+1}(y|x)/\hat{\pi}_t(y|x))^\alpha$ represents the partition function.

Putting together all the key components discussed above, we present the APO framework in Algorithm 1.

We notice that the extrapolation step in (3.7) is similar to the model extrapolation technique introduced by Zheng et al. (2024a), which aims to develop a stronger model by extrapolating from the aligned model and the SFT model. However, there are several notable differences between APO and ExPO. First, the extrapolation step in ExPO is based on the strong assumption that a medium-aligned model can be interpolated between a weaker model and a stronger model—an assumption that lacks theoretical support. In contrast, APO is based on the observation that iterative preference optimization resembles the (Bregman) Proximal Point method and the extrapolation step follows the Nesterov’s momentum technique (Nesterov, 1983; Lin et al., 2018), which has provable guarantee. Regarding algorithm design, APO is an iterative algorithm for policy optimization. For the final iteration T , similar to the Catalyst algorithm, APO outputs the policy $\hat{\pi}_{T+1}$ before the extrapolation step. In contrast, ExPO is an one-shot algorithm which only has a single iteration and outputs the final policy after an extrapolation step. In this sense, ExPO can be seen as a special case of APO with only one iteration.

4 THEORETICAL ANALYSIS

In this section, we provide a theoretical analysis of APO in Algorithm 1.

We begin with the following theorem, which outlines the optimization dynamics of the policy $\hat{\pi}_{t+1}$ over different iterations $t \in [T]$.

Theorem 4.1. Suppose that $\hat{\pi}_{t+1}(y|x) \cdot (\hat{\pi}_{t+1}(y|x)/\hat{\pi}_t(y|x))^\alpha$ belongs to the policy class Π for each iteration $t \in [T]$. Then, the updated policy $\hat{\pi}_t$ in Algorithm 1 satisfies

$$\hat{\pi}_{t+1}(y|x) = \frac{1}{Z_t(x)} \cdot \pi_{\text{ref}}(y|x) \cdot \exp \left(\frac{1}{\beta} \cdot \sum_{i=0}^t \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha} \right) \cdot r_i(x, y) \right),$$

where $r_t(x, y) = \beta \log \hat{\pi}_{t+1}(y|x) - \beta \log \pi_t(y|x)$ represents the reparameterized reward at iteration t , and $Z_t(x) = \sum_y \pi_{\text{ref}}(y|x) \cdot \exp \left(\sum_{i=0}^t (1/(1-\alpha) - \alpha^{t+1-i}/(1-\alpha)) \cdot r_i(x, y) / \beta \right)$ is the partition function.

Theorem 4.1 illustrates how the policy $\hat{\pi}_{t+1}$ evolves with respect to the reparameterized reward $r_t(x, y)$, which is highly dependent on the choice of the loss function ℓ in Algorithm 1.

For the Bradley-Terry (BT) model with the loss function ℓ_{DPO} in Example 3.1, Theorem 1 in Rafailov et al. (2023) demonstrates that all reward functions compatible with the BT model can be expressed by the reparameterized reward. In addition, we introduce the following two assumptions, which are required by our analysis.

Assumption 4.2 (Realizability). For each iteration $t \in [T]$ and each policy $\pi \in \Pi$, the following updated policy belongs to the policy class Π :

$$\hat{\pi}(\cdot|x) = \frac{1}{Z_\pi(x)} \cdot \pi(\cdot|x) \cdot \exp\left(\frac{r^*(x, \cdot)}{\beta}\right) \in \Pi,$$

where $Z_\pi(x) = \sum_y \pi(x, y) \cdot \exp(r^*(x, y)/\beta)$ is the partition function.

Assumption 4.3 (Boundedness). For each iteration $t \in [T]$ and each policy $\pi, \pi_t \in \Pi$, we have

$$\beta \log \frac{\pi(y|x)}{\pi_t(y|x)} \in [-R, R]$$

for all $x \in \mathcal{X}, u \in \mathcal{Y}$.

Similar assumptions have been used in Rosset et al. (2024) to provide an analysis of the statistical error for the reparameterized reward. Equipped with these assumptions, we have the following performance guarantee for APO.

Theorem 4.4 (APO with ℓ_{DPO}). For the Bradley-Terry (BT) model with loss function ℓ_{DPO} , under Assumptions 4.2 and 4.3, with probability at least $1 - \delta$, the sub-optimality gap between $\hat{\pi}_{t+1}$ and the optimal policy $\pi^*(x) = \arg \max_{y \in \mathcal{Y}} r^*(x, y)$ is bounded by

$$\begin{aligned} & \mathbb{E}_{x \sim \rho, y \sim \pi^*(\cdot|x)} [r^*(x, y)] - \mathbb{E}_{x \sim \rho, y \sim \hat{\pi}_{T+1}(\cdot|x)} [r^*(x, y)] \\ & \leq \tilde{O}\left(\frac{(1-\alpha)\beta}{T}\right) + O\left(\sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}}\right), \end{aligned}$$

where the coverage coefficient κ_t is defined as:

$$\kappa_t = \max_{(x,y) \in \mathcal{X} \times \mathcal{Y}} \frac{\hat{\pi}_{T+1}(y|x) \pi_{T+1}^*(y|x)}{\pi_t^2(y|x)}. \quad (4.1)$$

Remark 4.5. The sub-optimality gap in Theorem 4.4 consists of two terms: the optimization error $\tilde{O}((1-\alpha)\beta/T)$ and the statistical error $\tilde{O}(\sqrt{T/(N\beta^2(1-\alpha)^2)})$, and there exists a tradeoff between these two errors. Specifically, a larger extrapolation parameter $\alpha \rightarrow 1$ will decrease the optimization error but increase the statistical error. Moreover, when the dataset size is sufficiently large ($N \rightarrow \infty$), the optimization error becomes the dominant term in determining the sub-optimality gap and the reduction in optimization error outweighs the increase in statistical error. Under this situation, Theorem 4.4 suggests a $\tilde{O}((1-\alpha)\beta/T)$ sub-optimality gap for Algorithm 1 with the loss function ℓ_{DPO} . Compared with the standard iterative DPO method with $\alpha = 0$, Algorithm 1 improves the sub-optimality gap by a factor of $1/(1-\alpha)$ thanks to the Nesterov’s momentum technique.

Theorem 4.4 only provides theoretical guarantee on the sub-optimality gap for the policy $\hat{\pi}_{T+1}$. In order to derive the convergence of policy $\hat{\pi}_{T+1}$ to the optimal policy π^* , we need the following minimal sub-optimality gap assumption.

Assumption 4.6 (Minimal sub-optimality gap). For each prompt $x \in \mathcal{X}$, let $y_x^* = \arg \max_{y \in \mathcal{Y}} r^*(x, y)$ be the optimal response. The sub-optimality gap between the optimal response and any other responses is strictly positive: $\min_{y \neq y_x^*} r^*(x, y_x^*) - r^*(x, y) \geq \Delta > 0$

Remark 4.7. For a general Bradley-Terry (BT) model without the minimal sub-optimality gap, there may exist multiple responses that share the same maximum reward, i.e., $r(x, y_1) = r(x, y_2) = \max_{y \in \mathcal{Y}} r^*(x, y)$. In this case, the optimal policy is not unique, and it is impossible to show that the policy $\hat{\pi}_{T+1}$ converges to a specific optimal policy.

Theorem 4.8 (APO with ℓ_{DPO}). For the Bradley-Terry (BT) model with loss function ℓ_{DPO} , under Assumptions 4.2, 4.3 and 4.6, with probability at least $1 - \delta$, the TV-distance between $\hat{\pi}_{t+1}$ and the optimal policy $\pi^*(x) = \arg \max_{y \in \mathcal{Y}} r^*(x, y)$ is bounded by

$$\mathbb{E}_{x \sim \rho} \left[\text{D}_{\text{TV}}(\hat{\pi}_{T+1}(\cdot|x), \pi^*(\cdot|x)) \right]$$

$$\leq \exp\left(-O\left(\frac{T\Delta}{(1-\alpha)} \cdot \frac{1}{\beta}\right)\right) + O\left(\sqrt{\frac{(T+1)\sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}}\right),$$

where the coverage coefficient κ_t is defined in (4.1).

Remark 4.9. The TV-distance between $\hat{\pi}_{t+1}$ and the optimal policy $\pi^*(x) = \arg \max_{y \in \mathcal{Y}} r^*(x, y)$ includes both the optimization error $\exp(-O(T/(1-\alpha)))$ and the statistical error $\tilde{O}(\sqrt{T/(N(1-\alpha)^2)})$. Similar to Theorem 4.4, there is a tradeoff between these two errors based on the choice of α . In addition, when the dataset size is sufficiently large ($N \rightarrow \infty$), Theorem 4.8 suggests that APO converges to the optimal policy at a rate of $\exp(-O(T/(1-\alpha)))$. In comparison, iterative DPO is a special case of our algorithm with $\alpha = 0$, which converges to the optimal policy at a slower rate of $\exp(-O(T))$.

5 EXPERIMENTS

In this section, we detail the experimental settings used to validate the efficacy of our proposed APO algorithm. We evaluate the model’s performance across various benchmark tasks and explore the impact of different momentum schedules.

5.1 EXPERIMENTAL SETUP

Model and Datasets. We use Mistral AI’s Mistral-7B-Instruct-v0.2 (Jiang et al., 2023a) as our base model, which is a fine-tuned version based on the pretrained Mistral-7B-v0.2 (Jiang et al., 2023a) on several publicly available datasets for instruction-following. With its architecture having demonstrated robust performance improvements over Llama2 13B Chat (Touvron et al., 2023) in Chatbot Arena (Chiang et al., 2024), MT-Bench (Zheng et al., 2024b), and other related tasks, Mistral-7B-Instruct-v0.2 has become a popular choice for base models in recent reinforcement learning (RL) fine-tuning research (Hoang et al., 2023; Kawin et al., 2023). For training, we employ the UltraFeedback dataset (Cui et al., 2023). Unlike traditional fine-tuning methods that depend on responses and preference labels generated by proprietary models like GPT-4, we utilize only the instruction set from UltraFeedback. All responses are autonomously generated by our model following an online principle, and the preference pairs are labeled using a separate reward model, PairRM (Jiang et al., 2023b)¹. The instruction set used for both training and validation includes a total of 64k instructions that span a diverse range of tasks, such as UltraChat, ShareGPT, Evol-Instruct, TruthfulQA, FalseQA, and FLAN, as detailed in Cui et al. (2023). Over three training iterations, we divided the instruction set into three folds as in Hoang et al. (2023); Kawin et al. (2023), allocating approximately 20k instructions per iteration, with an additional 1k left out for validation. In each iteration, we actually allocate approximately 20k instructions for training, with an additional 1k reserved for validation. This iterative, multi-fold approach aligns with techniques used in training SPPO (Wu et al., 2024) and iterative KTO (Ethayarajh et al., 2024; Kawin et al., 2023) models, helping to improve generalization by preventing overfitting during the fine-tuning stage. Overall, our training pipeline is independent of human or GPT inputs. We defer hyperparameters to Sec. F.1.

Evaluation. For evaluating the performance of our model, we utilize three common benchmarking tasks: the AlpacaEval 2.0 (Li et al., 2023b), the MT-Bench (Zheng et al., 2024b), and the Open LLM Leaderboard (Beeching et al., 2023; Gao et al., 2023). Among them, AlpacaEval 2.0 is the most indicative benchmark for our method with the current choice of experimental settings, focusing on general instruction-following capabilities as assessed by GPT-4-Turbo, with outcomes measured by a weighted win-rate against GPT-4-Turbo. Another important benchmark is MT-Bench, which also targets instruction-following but offers less differentiation between models. Additionally, we present results from the Open LLM Leaderboard, which is based on accuracies of multiple-choice questions.

AlpacaEval 2.0. As our primary evaluation metrics, AlpacaEval 2.0 incorporates an extensive set of 805 prompts. These prompts are simplified versions derived from the AlpacaFarm (Dubois et al., 2023) evaluation set, covering a wide range of topics such as Health, Linguistics, Entertainment, Technology, Coding, Gaming, Arts, Sports, and more (Yuan et al., 2024b). During the evaluation, we consult the help of GPT-4-Turbo to compare the responses generated by our model with

¹In our work, we only use the reward model to behave as an oracle for the preference data, and our APO algorithm operates solely on the collected preference data without accessing the underlying reward values.

Table 1: **AlpacaEval 2.0 evaluation.** Comparison of APO with state-of-the-art iterative training algorithms. Results are reported in both raw win rate (%) and length-controlled (LC) win rate (%). Additionally, the average response character length (Avg. Len) of each model is provided. The row highlighted in light red represents the results achieved by our APO. The highest LC win rate and raw win rate, both achieved by our APO at iteration 3, are emphasized in bold. Improvements of LC win rate from the previous iteration to the current iteration are calculated and marked by a subscripted '(+)' in red.

| Model | Epochs | AlpacaEval 2.0 | | |
|------------------------------------|---------|---------------------------------|--------------|----------|
| | | LC Win Rate | Win Rate | Avg. Len |
| Mistral-7B-Instruct-v0.2 | - | 17.11 | 14.72 | 1676 |
| Snorkel (Mistral-PairRM-DPO) | - | 26.39 | 30.22 | 2736 |
| Contextual AI (KTO-Mistral-PairRM) | - | 29.71 | 33.23 | 2521 |
| Self-Rewarding 70B Iter1 | - | - | 9.94 | 1092 |
| Self-Rewarding 70B Iter2 | - | - | 15.38 | 1552 |
| Self-Rewarding 70B Iter3 | - | - | 20.44 | 2552 |
| DPO Iter1 | Epoch 1 | 25.35 | 30.71 | 2369 |
| DPO Iter2 | Epoch 3 | 26.92 | 32.54 | 2529 |
| DPO Iter3 | Epoch 4 | 27.32 | 34.99 | 2847 |
| APO Iter1 ($\hat{\pi}_1$) | Epoch 1 | 25.35 _(+8.24) | 30.71 | 2369 |
| APO Iter1 (π_1) | - | 28.23 | 35.75 | 2640 |
| APO Iter2 ($\hat{\pi}_2$) | Epoch 1 | 29.56 _(+4.21) | 37.53 | 2636 |
| APO Iter2 (π_2) | - | 29.73 | 38.65 | 2799 |
| APO Iter3 ($\hat{\pi}_3$) | Epoch 4 | 31.73 _(+2.17) | 39.38 | 2950 |

those produced by GPT-4-Turbo. The final win rate are weighted based on the uncertainty of the judge. Employing the default AlpacaEval 2.0 pipeline, this metric demonstrates a 0.93 Spearman correlation and 68.1% agreement rate with human annotators (Li et al., 2023b).

MT-Bench: MT-Bench comprises of 80 multi-turn questions across eight distinct dimensions: Writing, Roleplay, Reasoning, Math, Coding, Extraction, STEM, and Humanities. The evaluation process prompts the GPT-4 judge to assign scores from 1 to 10 to the generated responses. However, this scoring metric has limitations. Particularly, score saturation occurs quickly in certain dimensions, making it difficult to distinguish between models. Additionally, this can disadvantage models that perform exceptionally well in these saturated dimensions, as their distinctiveness is less recognizable.

Open LLM Leaderboard: The Open LLM Leaderboard evaluates models across six different tasks, focusing on a variety of language modeling capabilities. Each task consists of multiple-choice questions (MCQs), with the most probable choice being selected and compared against the correct answer. The final score is calculated based on accuracy. The ability for answering MCQs are not directly related with instruction-following abilities. The results are deferred to Sec. F.2.

Baselines. Starting from Mistral-7B-Instruct-v0.2, we compare our method with existing iterative training results, including iterative DPO (Hoang et al., 2023) and iterative KTO (Ethayarajh et al., 2024; Kawin et al., 2023). We also present results from our own iterative DPO training. All three baselines utilize the same base model, training dataset, dataset splits, and training pipelines, which effectively highlights the differences in methodology. Additionally, as one of the pioneering approaches in iterative DPO, we include the Self-Rewarding algorithm (Yuan et al., 2024b) as another baseline. Note that different from other baselines, the training for the Self-Rewarding algorithm incorporates additional self-instruct data augmentation and is based on the LLaMA2 70B model, but requires no external reward model.

5.2 EXPERIMENTAL RESULTS

Having introduced our evaluation metrics and baselines, we now turn to our training pipeline and main results. In Algorithm 1, we begin by setting $\pi_0 = \hat{\pi}_0 = \pi_{\text{ref}}$ as the base model, Mistral-7B-Instruct-v0.2. At each iteration, we sample five pairs of responses under

Table 2: **MT-Bench Evaluation**. The MT-Bench comprises a total of 8 tasks. We present the average score for all 8 tasks, as well as the average score across 5 dimensions relevant to our training dataset: Writing, Roleplay, Extraction, STEM, and Humanities. Each task includes 2 progressive turns, and we provide the average score for the first turn, the second turn, and the overall average of both turns.

| Model | MT-Bench | | | Average of Five Tasks | | |
|--------------------------|-------------|-------------|-------------|-----------------------|-------------|-------------|
| | 1st Turn | 2nd Turn | Average | 1st Turn | 2nd Turn | Average |
| Mistral-7B-Instruct-v0.2 | 8.08 | 7.20 | 7.64 | 9.42 | 8.86 | 9.14 |
| DPO Iter1 | 7.98 | 7.29 | 7.63 | 9.56 | 9.06 | 9.31 |
| DPO Iter2 | 7.80 | 7.26 | 7.52 | 9.36 | 8.98 | 9.17 |
| DPO Iter3 | 7.61 | 7.25 | 7.43 | 9.23 | 9.04 | 9.14 |
| APO Iter1 | 7.98 | 7.29 | 7.63 | 9.56 | 9.06 | 9.31 |
| APO Iter2 | 7.95 | 7.26 | 7.60 | 9.56 | 9.23 | 9.40 |
| APO Iter3 | 7.72 | 7.33 | 7.53 | 9.69 | 9.44 | 9.57 |

the current policy π_t and rank them using their PairRM score (Jiang et al., 2023a). We designate the top-ranked response as the winner and the bottom-ranked response as the loser. Following the proximal point update described in equation (6), we proceed with a momentum extrapolation. We note that when the policy is a softmax linear function, update (3.6) reduces to a momentum extrapolation in the parameter space. Consequently, we carry out an extrapolation in the parameter space to approximate the corresponding momentum step (3.6) in the probability space.

AlpacaEval 2.0 Evaluation. Table 1 summarizes the AlpacaEval 2.0 results of different models. As shown, APO surpasses all other state-of-the-art iterative training models under the same experimental setting, with a final length controlled (LC) win rate ² of 31.73%, and a raw win rate of 39.38%. This demonstrates an increase of 1.78% in LC win rate and 1.74% in raw win rate over our implementation of iterative DPO, which only achieved an LC win rate of 29.95% and a raw win rate of 37.64%. Delving deeper into the effects of extrapolation from one iteration to the next, we observe that starting from the same iteration 1 with an LC win rate of 25.35%, APO at iteration 2 achieves a 29.56% LC win rate, which is 4.21% higher than iteration 1, and 2.64% higher than the 26.92% attained by vanilla DPO. By iteration 3, APO exhibits a further 2.17% improvement over its previous iteration, maintaining a lead of 1.78% over vanilla DPO. This is significant, especially considering the increasing challenge of achieving gains at higher performance levels. Notably, the momentum acceleration step is both training-free and data-free. It maximizes the potential of a single iteration of training data, advancing further toward optimality without requiring additional inputs. While iterative training across three iterations with approximately 20k data points each often plateaus at around 30%, APO effectively surpasses this threshold by a large margin.

Next, we discuss the effect of generation length. All iterative DPO training baselines, including Snorkel’s Mistral-PairRM-DPO and our DPO Iter3, exhibit a trend of increasing response length. This is inevitable because all response pairs used for training are generated online and ranked by PairRM, where longer sequences are more likely to be chosen as winners. This effect accumulates as the model trains on its own generation. We discuss this effect from the following perspectives: First, both humans and GPT-4 exhibit length bias, and our goal is not to prevent any length growth but to evaluate it from a perspective of fairness. Therefore, we primarily refer to the LC win rate ², which reflects the predicted win rate when response lengths are at the same level as the baseline. Second, we note that APO Iter2 achieves a significantly higher LC win rate and overall win rate compared to Snorkel’s iterative DPO implementation, while generating much shorter responses (2636 characters compared to 2736). When compared to our DPO Iter3, APO Iter2 achieves a comparable win rate, but also with shorter response lengths. This verifies a faster convergence rate and enhanced performance of our methodology. Finally, this length growth is not inherent to our method but is a result of the online training and PairRM ranking mechanism. It can be mitigated if we query winner/loser pairs and preference choices from GPT-4 or human, with much higher cost.

²The length-controlled learning rate is calculated using logistic regression, with inputs including the model weights, the instruction, and the length difference between the model and a baseline. The LC win rate is designed to correlate more strongly with human preferences and to be more robust against length attacks. Longer responses are penalized in a manner that closely simulates (by causal inference) human length preferences.

MT-Bench Evaluation. In addition, we also evaluate our model using the MT-Bench tasks. Among the eight tasks, three—math, coding, and reasoning—are evaluated by a GPT-4 math judge, while the other five—writing, roleplay, extraction, STEM, and humanities—are evaluated by a GPT-4 general judge. Table 2 illustrates the results of iterative DPO and APO across all three iterations. Since the UltraFeedback dataset is not designed for math/code tasks, and our model has never seen correct answers, the ability to solve math questions is not directly related to our training objective. Therefore, we also provide an average of scores for the five tasks focusing on general instruction-following abilities. From Table 2, we see that APO exhibits superior performance on the five general tasks, showing consistent improvement with each iteration, with average scores progressing from 9.31 to 9.40 to 9.57. In contrast, both the base model and the iteratively trained DPO model maintain an average score of around 9.14. Moreover, even when math, coding and reasoning are included, the performance of APO in the second turn surpasses that of other models. However, because it is not specifically trained on math problems, the overall average score is slightly reduced. This decline in average is primarily due to a saturation in the tasks where our method excels (achieving 9.57 out of 10), with limited room for further improvement in these areas. Consequently, the tasks where our model was not trained on become more detrimental when calculating an average of eight.

5.3 DISCUSSION

Effect of Coefficient α . In Table 3, we explore how different choices of α might affect performance. At iteration 1, performance fluctuates when changing α , peaking at $\alpha = 0.3$ with a win rate of 28.23%. Lower and higher values of α yield less stable results, indicating that extreme values may either underutilize or overcompensate the momentum effect. At iteration 2, the model demonstrates performance improvements at both $\alpha = 0.3$ and $\alpha = 0.6$, with the highest win rate of 30.62% observed at $\alpha = 0.6$. Although $\alpha = 0.3$ continues to provide a strong performance, it is surpassed by the higher $\alpha = 0.6$, suggesting that the optimal α might increase with iterations as the model stabilizes. Nevertheless, we continue to use $\alpha = 0.3$ at iteration 2, as our theoretical analysis assumes α as a constant. While an adaptive approach to setting α might offer benefits, $\alpha = 0.3$ has consistently shown to be the most stable and effective choice across different iterations.

Table 3: The effect of different extrapolation strategy and parameters at iteration 1 and 2. Results are reported in terms of length-controlled win rate (%). The row labeled "Start from $\hat{\pi}_0$ " represents results at $t = 1$ (π_1). The row labeled "Start from $\hat{\pi}_1$ " corresponds to results at $t = 2$ (π_2). Additionally, the row labeled "Start from π_1 " shows results when the momentum vector is calculated using $\hat{\pi}_2 - \pi_1$ instead of $\hat{\pi}_2 - \hat{\pi}_1$, which is not covered by our theoretical guarantee.

| Starting From | $\alpha=0.1$ | $\alpha=0.2$ | $\alpha=0.3$ | $\alpha=0.4$ | $\alpha=0.5$ | $\alpha=0.6$ |
|---------------|--------------|--------------|--------------|--------------|--------------|--------------|
| $\hat{\pi}_0$ | 27.41 | 25.30 | 28.23 | 24.40 | 25.52 | 26.57 |
| $\hat{\pi}_1$ | 28.11 | 29.15 | 29.73 | 28.70 | 29.33 | 30.62 |
| π_1 | 28.23 | 28.16 | 27.21 | 28.44 | 29.75 | 28.90 |

Effect of Extrapolation Strategy. When the momentum vector is calculated using $\hat{\pi}_2 - \pi_1$ instead of $\hat{\pi}_2 - \hat{\pi}_1$, the performance appears less stable, with the lowest LC win rate being 27.21. Despite achieving competitive win rates at certain α values, the results are generally lower than those using the standard Nesterov’s momentum scheme. Intuitively, $\hat{\pi}_2 - \hat{\pi}_1 = (\hat{\pi}_2 - \pi_1) + (\pi_1 - \hat{\pi}_1)$ includes accumulated information, acting as an exponential average of all previous updates. In contrast, if extrapolation is based on π_1 , the direction’s variance is significantly higher, leading to less predictable outcomes. This instability underscores the importance of adhering to the theoretically guaranteed strategy for consistent performance gains.

6 CONCLUSIONS AND FUTURE WORK

In this work, we studied the iterative preference optimization framework for aligning large language models (LLMs) with human preferences and showed that it resembles the proximal point method. Based on this observation, we introduced a general framework, APO, incorporating Nesterov’s momentum technique. Theoretically, we show that our method achieves a faster convergence rate than the standard iterative DPO and SPPO methods. Our experimental results demonstrate the superiority of APO over iterative DPO on the AlpacaEval 2.0 benchmark and on the instruction-following tasks of MT-Bench, achieving both accelerated convergence rate, and better final performance.

Limitation. Due to limited computational resources, we do not evaluate APO with the SPPO (Wu et al., 2024) loss function in the current experiments, and we plan to investigate it in our future work. Additionally, while our model demonstrates consistent improvements on instruction-following tasks, it faces challenges in solving math problems. This limitation is largely due to the choice of dataset and the restriction of not utilizing additional information from GPT-4 or human sources. In the future, we aim to address this by incorporating larger datasets and leveraging GPT-4 supervision.

REFERENCES

- Josh Achiam, Steven Adler, Sandhini Agarwal, Lama Ahmad, Ilge Akkaya, Florencia Leoni Aleman, Diogo Almeida, Janko Altschmidt, Sam Altman, Shyamal Anadkat, et al. Gpt-4 technical report. *arXiv preprint arXiv:2303.08774*, 2023.
- Alekh Agarwal, Sham Kakade, Akshay Krishnamurthy, and Wen Sun. Flambe: Structural complexity and representation learning of low rank mdps. *Advances in neural information processing systems*, 33:20095–20107, 2020.
- Kwangjun Ahn and Suvrit Sra. Understanding nesterov’s acceleration via proximal point method. In *Symposium on Simplicity in Algorithms (SOSA)*, pp. 117–130. SIAM, 2022.
- Zeyuan Allen-Zhu and Lorenzo Orecchia. Linear coupling: An ultimate unification of gradient and mirror descent. *arXiv preprint arXiv:1407.1537*, 2014.
- Rohan Anil, Andrew M Dai, Orhan Firat, Melvin Johnson, Dmitry Lepikhin, Alexandre Passos, Siamak Shakeri, Emanuel Taropa, Paige Bailey, Zhifeng Chen, et al. Palm 2 technical report. *arXiv preprint arXiv:2305.10403*, 2023.
- Jacob Austin, Augustus Odena, Maxwell Nye, Maarten Bosma, Henryk Michalewski, David Dohan, Ellen Jiang, Carrie Cai, Michael Terry, Quoc Le, et al. Program synthesis with large language models. *arXiv preprint arXiv:2108.07732*, 2021.
- Mohammad Gheshlaghi Azar, Zhaohan Daniel Guo, Bilal Piot, Remi Munos, Mark Rowland, Michal Valko, and Daniele Calandriello. A general theoretical paradigm to understand learning from human preferences. In *International Conference on Artificial Intelligence and Statistics*, pp. 4447–4455. PMLR, 2024.
- Yuntao Bai, Andy Jones, Kamal Ndousse, Amanda Askell, Anna Chen, Nova DasSarma, Dawn Drain, Stanislav Fort, Deep Ganguli, Tom Henighan, et al. Training a helpful and harmless assistant with reinforcement learning from human feedback. *arXiv preprint arXiv:2204.05862*, 2022.
- HH Bauschke and PL Combettes. Convex analysis and monotone operator theory in hilbert spaces, 2011. *CMS books in mathematics*, 10:978–1.
- Amir Beck and Marc Teboulle. A fast iterative shrinkage-thresholding algorithm for linear inverse problems. *SIAM journal on imaging sciences*, 2(1):183–202, 2009.
- Edward Beeching, Clémentine Fourrier, Nathan Habib, Sheon Han, Nathan Lambert, Nazneen Rajani, Omar Sanseviero, Lewis Tunstall, and Thomas Wolf. Open llm leaderboard. https://huggingface.co/spaces/HuggingFaceH4/open_llm_leaderboard, 2023.
- Ralph Allan Bradley and Milton E Terry. Rank analysis of incomplete block designs: I. the method of paired comparisons. *Biometrika*, 39(3/4):324–345, 1952.
- Lev M Bregman. The relaxation method of finding the common point of convex sets and its application to the solution of problems in convex programming. *USSR computational mathematics and mathematical physics*, 7(3):200–217, 1967.
- Sébastien Bubeck, Yin Tat Lee, and Mohit Singh. A geometric alternative to nesterov’s accelerated gradient descent. *arXiv preprint arXiv:1506.08187*, 2015a.
- Sébastien Bubeck, Varun Chandrasekaran, Ronen Eldan, Johannes Gehrke, Eric Horvitz, Ece Kamar, Peter Lee, Yin Tat Lee, Yuanzhi Li, Scott Lundberg, et al. Sparks of artificial general intelligence: Early experiments with gpt-4. *arXiv preprint arXiv:2303.12712*, 2023.

- 594 Sébastien Bubeck et al. Convex optimization: Algorithms and complexity. *Foundations and*
595 *Trends® in Machine Learning*, 8(3-4):231–357, 2015b.
- 596
- 597 Yair Censor and Stavros Andrea Zenios. Proximal minimization algorithm with d-functions. *Journal*
598 *of Optimization Theory and Applications*, 73(3):451–464, 1992.
- 599 Mark Chen, Jerry Tworek, Heewoo Jun, Qiming Yuan, Henrique Ponde de Oliveira Pinto, Jared
600 Kaplan, Harri Edwards, Yuri Burda, Nicholas Joseph, Greg Brockman, et al. Evaluating large
601 language models trained on code. *arXiv preprint arXiv:2107.03374*, 2021.
- 602
- 603 Shuo Chen, Bin Shi, and Ya-xiang Yuan. Revisiting the acceleration phenomenon via high-
604 resolution differential equations. *arXiv preprint arXiv:2212.05700*, 2022.
- 605 Zixiang Chen, Yihe Deng, Huizhuo Yuan, Kaixuan Ji, and Quanquan Gu. Self-play fine-tuning
606 converts weak language models to strong language models. *arXiv preprint arXiv:2401.01335*,
607 2024.
- 608
- 609 Wei-Lin Chiang, Lianmin Zheng, Ying Sheng, Anastasios Nikolas Angelopoulos, Tianle Li,
610 Dacheng Li, Hao Zhang, Banghua Zhu, Michael Jordan, Joseph E Gonzalez, et al. Chatbot arena:
611 An open platform for evaluating llms by human preference. *arXiv preprint arXiv:2403.04132*,
612 2024.
- 613 Paul F Christiano, Jan Leike, Tom Brown, Miljan Martic, Shane Legg, and Dario Amodei. Deep
614 reinforcement learning from human preferences. *Advances in neural information processing sys-*
615 *tems*, 30, 2017.
- 616 Karl Cobbe, Vineet Kosaraju, Mohammad Bavarian, Mark Chen, Heewoo Jun, Lukasz Kaiser,
617 Matthias Plappert, Jerry Tworek, Jacob Hilton, Reiichiro Nakano, et al. Training verifiers to
618 solve math word problems. *arXiv preprint arXiv:2110.14168*, 2021.
- 619
- 620 Michael B Cohen, Aaron Sidford, and Kevin Tian. Relative lipschitzness in extragradient methods
621 and a direct recipe for acceleration. *arXiv preprint arXiv:2011.06572*, 2020.
- 622 Ganqu Cui, Lifan Yuan, Ning Ding, Guanming Yao, Wei Zhu, Yuan Ni, Guotong Xie, Zhiyuan Liu,
623 and Maosong Sun. Ultrafeedback: Boosting language models with high-quality feedback. *arXiv*
624 *preprint arXiv:2310.01377*, 2023.
- 625
- 626 Jelena Diakonikolas and Lorenzo Orecchia. Accelerated extra-gradient descent: A novel accelerated
627 first-order method. *arXiv preprint arXiv:1706.04680*, 2017.
- 628 Yann Dubois, Xuechen Li, Rohan Taori, Tianyi Zhang, Ishaan Gulrajani, Jimmy Ba, Carlos
629 Guestrin, Percy Liang, and Tatsunori B. Hashimoto. AlpacaFarm: A simulation framework for
630 methods that learn from human feedback, 2023.
- 631
- 632 Miroslav Dudík, Katja Hofmann, Robert E Schapire, Aleksandrs Slivkins, and Masrour Zoghi. Con-
633 textual dueling bandits. In *Conference on Learning Theory*, pp. 563–587. PMLR, 2015.
- 634 Kawin Ethayarajh, Winnie Xu, Niklas Muennighoff, Dan Jurafsky, and Douwe Kiela. Kto: Model
635 alignment as prospect theoretic optimization. *arXiv preprint arXiv:2402.01306*, 2024.
- 636
- 637 Leo Gao, Jonathan Tow, Baber Abbasi, Stella Biderman, Sid Black, Anthony DiPofi, Charles Fos-
638 ter, Laurence Golding, Jeffrey Hsu, Alain Le Noac’h, Haonan Li, Kyle McDonell, Niklas Muen-
639 nighoff, Chris Ociepa, Jason Phang, Laria Reynolds, Hailey Schoelkopf, Aviya Skowron, Lin-
640 tang Sutawika, Eric Tang, Anish Thite, Ben Wang, Kevin Wang, and Andy Zou. A framework
641 for few-shot language model evaluation, 12 2023. URL <https://zenodo.org/records/10256836>.
- 642
- 643 Sara A Geer. *Empirical Processes in M-estimation*, volume 6. Cambridge university press, 2000.
- 644 Osman Güler. New proximal point algorithms for convex minimization. *SIAM Journal on Opti-*
645 *mization*, 2(4):649–664, 1992.
- 646
- 647 Bingsheng He and Xiaoming Yuan. An accelerated inexact proximal point algorithm for convex
minimization. *Journal of Optimization Theory and Applications*, 154:536–548, 2012.

- 648 Tran Hoang, Glaze Chris, and Hancock Braden. Iterative dpo alignment. Technical report, Snorkel
649 AI, 2023.
- 650
- 651 Albert Q Jiang, Alexandre Sablayrolles, Arthur Mensch, Chris Bamford, Devendra Singh Chaplot,
652 Diego de las Casas, Florian Bressand, Gianna Lengyel, Guillaume Lample, Lucile Saulnier, et al.
653 Mistral 7b. *arXiv preprint arXiv:2310.06825*, 2023a.
- 654
- 655 Dongfu Jiang, Xiang Ren, and Bill Yuchen Lin. Llm-blender: Ensembling large language models
656 with pairwise comparison and generative fusion. In *Proceedings of the 61th Annual Meeting of
657 the Association for Computational Linguistics (ACL 2023)*, 2023b.
- 658 Yujia Jin, Aaron Sidford, and Kevin Tian. Sharper rates for separable minimax and finite sum op-
659 timization via primal-dual extragradient methods. In *Conference on Learning Theory*, pp. 4362–
660 4415. PMLR, 2022.
- 661 Ethayarajh Kawin, Xu Winnie, Jurafsky Dan, and Kiela Douwe. Human-
662 centered loss functions (halos). Technical report, Contextual AI, 2023.
663 <https://github.com/ContextualAI/HALOs/blob/main/assets/report.pdf>.
- 664
- 665 Krzysztof C Kiwiel. Proximal minimization methods with generalized bregman functions. *SIAM
666 journal on control and optimization*, 35(4):1142–1168, 1997.
- 667
- 668 W Bradley Knox and Peter Stone. Interactively shaping agents via human reinforcement: The tamer
669 framework. In *Proceedings of the fifth international conference on Knowledge capture*, pp. 9–16,
670 2009.
- 671 Dmitry Kovalev, Alexander Gasnikov, and Peter Richtárik. Accelerated primal-dual gradient method
672 for smooth and convex-concave saddle-point problems with bilinear coupling. *Advances in Neural
673 Information Processing Systems*, 35:21725–21737, 2022.
- 674
- 675 Woosuk Kwon, Zhuohan Li, Siyuan Zhuang, Ying Sheng, Lianmin Zheng, Cody Hao Yu, Joseph E.
676 Gonzalez, Hao Zhang, and Ion Stoica. Efficient memory management for large language model
677 serving with pagedattention. In *Proceedings of the ACM SIGOPS 29th Symposium on Operating
678 Systems Principles*, 2023.
- 679 Laurent Lessard, Benjamin Recht, and Andrew Packard. Analysis and design of optimization algo-
680 rithms via integral quadratic constraints. *SIAM Journal on Optimization*, 26(1):57–95, 2016.
- 681
- 682 Chris Junchi Li, Huizhuo Yuan, Gauthier Gidel, Quanquan Gu, and Michael Jordan. Nesterov meets
683 optimism: rate-optimal separable minimax optimization. In *International Conference on Machine
684 Learning*, pp. 20351–20383. PMLR, 2023a.
- 685 Xuechen Li, Tianyi Zhang, Yann Dubois, Rohan Taori, Ishaan Gulrajani, Carlos Guestrin, Percy
686 Liang, and Tatsunori B. Hashimoto. AlpacaEval: An automatic evaluator of instruction-following
687 models. https://github.com/tatsu-lab/alpaca_eval, 2023b.
- 688
- 689 Hongzhou Lin, Julien Mairal, and Zaid Harchaoui. A universal catalyst for first-order optimization.
690 *Advances in neural information processing systems*, 28, 2015.
- 691
- 692 Hongzhou Lin, Julien Mairal, and Zaid Harchaoui. Catalyst acceleration for first-order convex
693 optimization: from theory to practice. *Journal of Machine Learning Research*, 18(212):1–54,
694 2018.
- 695
- 696 Bernard Martinet. Régularisation d’inéquations variationnelles par approximations successives. rev.
française informat. *Recherche Opérationnelle*, 4:154–158, 1970.
- 697
- 698 Jean-Jacques Moreau. Proximité et dualité dans un espace hilbertien. *Bulletin de la Société
699 mathématique de France*, 93:273–299, 1965.
- 700
- 701 Rémi Munos, Michal Valko, Daniele Calandriello, Mohammad Gheshlaghi Azar, Mark Rowland,
Zhaohan Daniel Guo, Yunhao Tang, Matthieu Geist, Thomas Mesnard, Andrea Michi, et al. Nash
learning from human feedback. *arXiv preprint arXiv:2312.00886*, 2023.

- 702 Yu Nesterov. Accelerating the cubic regularization of newton’s method on convex problems. *Math-*
703 *ematical Programming*, 112(1):159–181, 2008.
704
- 705 Yurii Nesterov. A method for solving the convex programming problem with convergence rate
706 $o(1/k^2)$. *Proceedings of the USSR Academy of Sciences*, 269:543–547, 1983. URL <https://api.semanticscholar.org/CorpusID:145918791>.
707
- 708 Yurii Nesterov. *Introductory lectures on convex optimization: A basic course*, volume 87. Springer
709 Science & Business Media, 2013.
710
- 711 R OpenAI. Gpt-4 technical report. arxiv 2303.08774. *View in Article*, 2(5), 2023.
712
- 713 Long Ouyang, Jeffrey Wu, Xu Jiang, Diogo Almeida, Carroll Wainwright, Pamela Mishkin, Chong
714 Zhang, Sandhini Agarwal, Katarina Slama, Alex Ray, et al. Training language models to follow
715 instructions with human feedback. *Advances in Neural Information Processing Systems*, 35:
716 27730–27744, 2022.
- 717 Boris T Polyak. Some methods of speeding up the convergence of iteration methods. *Ussr compu-*
718 *tational mathematics and mathematical physics*, 4(5):1–17, 1964.
719
- 720 Rafael Rafailov, Archit Sharma, Eric Mitchell, Stefano Ermon, Christopher D Manning, and Chelsea
721 Finn. Direct preference optimization: Your language model is secretly a reward model. *arXiv*
722 *preprint arXiv:2305.18290*, 2023.
- 723 R Tyrrell Rockafellar. Monotone operators and the proximal point algorithm. *SIAM journal on*
724 *control and optimization*, 14(5):877–898, 1976.
725
- 726 Corby Rosset, Ching-An Cheng, Arindam Mitra, Michael Santacrose, Ahmed Awadallah, and
727 Tengyang Xie. Direct nash optimization: Teaching language models to self-improve with general
728 preferences. *arXiv preprint arXiv:2404.03715*, 2024.
- 729 Saverio Salzo, Silvia Villa, et al. Inexact and accelerated proximal point algorithms. *Journal of*
730 *Convex analysis*, 19(4):1167–1192, 2012.
731
- 732 John Schulman, Filip Wolski, Prafulla Dhariwal, Alec Radford, and Oleg Klimov. Proximal policy
733 optimization algorithms. *arXiv preprint arXiv:1707.06347*, 2017.
734
- 735 Bin Shi. On the hyperparameters in stochastic gradient descent with momentum. *arXiv preprint*
736 *arXiv:2108.03947*, 2021.
- 737 Bin Shi, Simon S Du, Weijie Su, and Michael I Jordan. Acceleration via symplectic discretization of
738 high-resolution differential equations. *Advances in Neural Information Processing Systems*, 32,
739 2019.
- 740 Bin Shi, Simon S Du, Michael I Jordan, and Weijie J Su. Understanding the acceleration phe-
741 nomenon via high-resolution differential equations. *Mathematical Programming*, pp. 1–70, 2022.
742
- 743 Weijie Su, Stephen Boyd, and Emmanuel J Candes. A differential equation for modeling nesterov’s
744 accelerated gradient method: Theory and insights. *Journal of Machine Learning Research*, 17
745 (153):1–43, 2016.
746
- 747 Gokul Swamy, Christoph Dann, Rahul Kidambi, Zhiwei Steven Wu, and Alekh Agarwal. A
748 minimaximalist approach to reinforcement learning from human feedback. *arXiv preprint*
749 *arXiv:2401.04056*, 2024.
- 750 Adrien B Taylor, Julien M Hendrickx, and François Glineur. Smooth strongly convex interpolation
751 and exact worst-case performance of first-order methods. *Mathematical Programming*, 161:307–
752 345, 2017.
753
- 754 Kiran K Thekumparampil, Niao He, and Sewoong Oh. Lifted primal-dual method for bilinearly
755 coupled smooth minimax optimization. In *International Conference on Artificial Intelligence and*
Statistics, pp. 4281–4308. PMLR, 2022.

- 756 Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Niko-
757 lay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shruti Bhosale, et al. Llama 2: Open founda-
758 tion and fine-tuned chat models. *arXiv preprint arXiv:2307.09288*, 2023.
- 759 Paul Tseng. On accelerated proximal gradient methods for convex-concave optimization. 2008.
760 *Submitted to SIAM J. Optim*, 2009.
- 761 Amos Tversky. Intransitivity of preferences: *psychological review* 76: 31-48.. 1972. *Elimination by*
762 *aspects: A theory of choice*, pp. 281–299, 1969.
- 763 Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Fei Xia, Ed Chi, Quoc V Le, Denny
764 Zhou, et al. Chain-of-thought prompting elicits reasoning in large language models. *Advances in*
765 *neural information processing systems*, 35:24824–24837, 2022.
- 766 Christian Wirth, Riad Akrouf, Gerhard Neumann, Johannes Fürnkranz, et al. A survey of preference-
767 based reinforcement learning methods. *Journal of Machine Learning Research*, 18(136):1–46,
768 2017.
- 769 Yue Wu, Zhiqing Sun, Huizhuo Yuan, Kaixuan Ji, Yiming Yang, and Quanquan Gu. Self-play
770 preference optimization for language model alignment. *arXiv preprint arXiv:2405.00675*, 2024.
- 771 Wei Xiong, Hanze Dong, Chenlu Ye, Han Zhong, Nan Jiang, and Tong Zhang. Gibbs sam-
772 pling from human feedback: A provable kl-constrained framework for rlhf. *arXiv preprint*
773 *arXiv:2312.11456*, 2023.
- 774 Jing Xu, Andrew Lee, Sainbayar Sukhbaatar, and Jason Weston. Some things are more cringe than
775 others: Preference optimization with the pairwise cringe loss. *arXiv preprint arXiv:2312.16682*,
776 2023.
- 777 Yunbei Xu and Assaf Zeevi. Upper counterfactual confidence bounds: a new optimism principle for
778 contextual bandits. *arXiv preprint arXiv:2007.07876*, 2020.
- 779 Angela Yuan, Chris Junchi Li, Gauthier Gidel, Michael Jordan, Quanquan Gu, and Simon S Du. Op-
780 timal extragradient-based algorithms for stochastic variational inequalities with separable struc-
781 ture. *Advances in Neural Information Processing Systems*, 36, 2024a.
- 782 Weizhe Yuan, Richard Yuanzhe Pang, Kyunghyun Cho, Sainbayar Sukhbaatar, Jing Xu, and Jason
783 Weston. Self-rewarding language models. *arXiv preprint arXiv:2401.10020*, 2024b.
- 784 Chujie Zheng, Ziqi Wang, Heng Ji, Minlie Huang, and Nanyun Peng. Weak-to-strong extrapolation
785 expedites alignment. *arXiv preprint arXiv:2404.16792*, 2024a.
- 786 Lianmin Zheng, Wei-Lin Chiang, Ying Sheng, Siyuan Zhuang, Zhanghao Wu, Yonghao Zhuang,
787 Zi Lin, Zhuohan Li, Dacheng Li, Eric Xing, et al. Judging llm-as-a-judge with mt-bench and
788 chatbot arena. *Advances in Neural Information Processing Systems*, 36, 2024b.
- 789 Daniel M Ziegler, Nisan Stiennon, Jeffrey Wu, Tom B Brown, Alec Radford, Dario Amodei, Paul
790 Christiano, and Geoffrey Irving. Fine-tuning language models from human preferences. *arXiv*
791 *preprint arXiv:1909.08593*, 2019.

799 A RELATED WORK

800 A.1 REINFORCEMENT LEARNING FROM HUMAN FEEDBACK

801 Learning from human feedback in reinforcement learning can be traced back to Knox & Stone
802 (2009); Wirth et al. (2017) and was later popularized by Christiano et al. (2017), which incorporated
803 human preferences into deep reinforcement learning. Recently, RLHF has gained popularity in
804 natural language processing and has become a paradigmatic method for fine-tuning large language
805 models (LLMs) (Achiam et al., 2023; Touvron et al., 2023; OpenAI, 2023) to align with human
806 objectives. The standard process for alignment with human feedback (Ouyang et al., 2022) requires
807 both reward modeling and policy optimization. Recently, Rafailov et al. (2023) proposed the Direct
808 Preference Optimization method, which replaces the reward modeling process with a reparamete-
809 rized reward and directly performs policy optimization using preference data. Similarly, Kawin

810 et al. (2023) proposed the Kahneman-Tversky Optimization method (KTO) with a reparameterized
811 reward, while considering different human-aware loss functions.

812 More recently, iterative variants of policy optimization have garnered increasing attention. Xu
813 et al. (2023) investigated the iterative preference optimization method and proposed the PAIRWISE
814 CRINGE algorithm, which iteratively generates a new preference dataset using the current model
815 and then updates the model with a combination of the original preference data and the newly la-
816 beled data. Additionally, they studied the iterative version of Direct Preference Optimization (DPO)
817 and demonstrated that it achieves better performance than standard PPO or DPO. Later, Yuan et al.
818 (2024b) studied Self-Rewarding Language Models, where the algorithm iteratively updates the refer-
819 ence policy in the DPO method and uses LLM-as-a-Judge prompting (Zheng et al., 2024b) to
820 provide its own rewards for the generated new preference data. Despite this work demonstrating the
821 superiority of iterative optimization process, there is a lack of theoretical foundations for these prac-
822 tical frameworks. Recently, Xiong et al. (2023) proposed Gibbs Sampling from Human Feedback,
823 offering theoretical analysis with the aid of linear function approximation and the incorporation of
824 an uncertainty bonus. Compared with previous methods, the reference policy remains fixed, the
825 newly trained model is only used to generate new preference data, and this trained model will not be
826 inherited in the subsequent iteration. On the contrary, our research focuses on studying the iterative
827 DPO model without incorporating an uncertainty bonus, and it continually updates the reference
828 policy throughout the process.

829 Most of the works motioned above rely on the assumption that the latent preference distribution
830 $P(y_1 \succ y_2|x)$ follows the Bradley-Terry (BT) model (Bradley & Terry, 1952)), and there exists a
831 series of works focusing on general preference, where human preference may not strictly be transi-
832 tive. Under the general preference assumption, iterative optimization (Munos et al., 2023; Swamy
833 et al., 2024; Rosset et al., 2024; Wu et al., 2024) is also employed to find the Nash-equilibrium
834 policy. We leave the extension of our algorithm to general preference model in the future work.

835 A.2 ACCELERATED OPTIMIZATION WITH MOMENTUM

836
837 The idea of accelerating gradient methods has been extensively explored over the decades. One of
838 the earliest contributions to this field was the Polyak momentum (Polyak, 1964), which achieved
839 faster convergence by leveraging the history of previous iterates. However, this early approach
840 sometimes failed to converge even for strongly convex objectives (Lessard et al., 2016). This was
841 further refined by Nesterov’s accelerated gradient (NAG) (Nesterov, 1983), with a guarantee for
842 faster convergence rates for general smooth convex functions. Following these foundational works,
843 other acceleration algorithms and analyses emerged for gradient descent and its proximal variants
844 (Beck & Teboulle, 2009; Tseng, 2009; Taylor et al., 2017; Allen-Zhu & Orecchia, 2014; Bubeck
845 et al., 2015a; Diakonikolas & Orecchia, 2017; Cohen et al., 2020). In addition, there has been
846 another line of work in understanding Nesterov’s acceleration through continuous analysis and Lya-
847 punov function analysis (Su et al., 2016; Shi et al., 2019; Shi, 2021; Shi et al., 2022; Chen et al.,
848 2022). Momentum techniques have also proven effective in accelerating minimax game settings (Jin
849 et al., 2022; Kovalev et al., 2022; Thekumprampil et al., 2022; Li et al., 2023a; Yuan et al., 2024a).
850 However, the application of acceleration techniques to LLMs remains relatively unexplored.

851 The Proximal Point Method (PPM) (Moreau, 1965; Martinet, 1970; Rockafellar, 1976; Güler, 1992;
852 Bauschke & Combettes) is a fundamental methodology that achieves optimality by iteratively solv-
853 ing auxiliary problems in a regularized form. Generally, these auxiliary problems cannot be solved
854 directly, and different approximation methods yield various types of acceleration (He & Yuan, 2012;
855 Salzo et al., 2012). One of the connections between PPM and NAG is established in Ahn & Sra
856 (2022), where the authors interpret the updates of NAG as different approximations of the prox-
857 imal method. The Catalyst approach (Lin et al., 2015; 2018) represents another variant of PPM
858 that achieves accelerated convergence through practical inexact schemes (Lin et al., 2015; Salzo
859 et al., 2012). This method effectively integrates Nesterov’s acceleration with the proximal point
860 framework, making it applicable to a wide range of machine learning algorithms, including gradient
861 descent and block coordinate descent. It can be applied to variance reduction algorithms (Lin et al.,
862 2015; 2018), demonstrating its strong adaptability to various machine learning scenarios. Despite
863 the widespread adoption of momentum acceleration in both theoretical and practical applications,
we are the first to establish a connection between DPO and the proximal point method, linking it-
erative DPO with the Catalyst approach, and providing a comprehensive theoretical analysis of this
interpretation.

B ACCELERATED PREFERENCE OPTIMIZATION WITH GENERAL PREFERENCES

In the previous sections, we assumed the existence of a latent reward function and focused on the Bradley-Terry (BT) model. However, (Tversky, 1969) observed that the preferences across all possible responses may not be monotonous or transitive, which cannot be represented by a latent reward function. In this section, we extend the analysis to environments with general preferences and focus on the win probability between different responses.

In detail, for an environment with general preferences, we denote the probability that response y_1 is preferred over response y_2 given the context x as $\mathbb{P}(y_1 \succ y_2|x)$, and we assume that the preference model is antisymmetric, such that $\mathbb{P}(y_2 \succ y_1|x) = 1 - \mathbb{P}(y_1 \succ y_2|x)$. Under this assumption, we define the reward $r_{\pi, \pi'} = \mathbb{E}_{y_1 \sim \pi, y_2 \sim \pi'} [\mathbb{P}(y_1 \succ y_2|x)]$ as the win probability for policy π against policy π' . Our goal is to identify the **von Neumann winner** (Dudík et al., 2015) with the preference model. Specifically, the von Neumann winner corresponds to the Nash equilibrium of the following two-player zero-sum game:

$$\begin{aligned} (\pi^*, \pi^*) &= \arg \max_{\pi} \min_{\pi'} \mathbb{E}_{y_1 \sim \pi, y_2 \sim \pi'} [\mathbb{P}(y_1 \succ y_2|x)] \\ &= \arg \max_{\pi} \min_{\pi'} r_{\pi, \pi'}. \end{aligned}$$

B.1 REDUCTION TO SPPO WITH ℓ_{SPPO}

For the Self-Play Preference Optimization (SPPO) (Wu et al., 2024) algorithm, if we set the learning rate β in Algorithm 1 to be the inverse of the learning rate η in the SPPO algorithm, the preference optimization process can be expressed as follows:

$$\begin{aligned} \pi_{t+1} &= \arg \min_{\pi} \mathbb{E}_{x \sim \rho, y \sim \pi_t(\cdot|x)} \left[\log \left(\frac{\pi(y|x)}{\pi_t(y|x)} \right) - \eta \left(\mathbb{P}(y \succ \pi_t|x) - \log Z_{\pi_t}(x) \right) \right]^2 \\ &= \arg \min_{\pi} \mathbb{E}_{x \sim \rho, y \sim \pi_t(\cdot|x)} \left[\beta \log \left(\frac{\pi(y|x)}{\pi_t(y|x)} \right) - \left(\mathbb{P}(y \succ \pi_t|x) - \log Z_{\pi_t}(x) \right) \right]^2 \\ &= \arg \min_{r_{\pi} \in \mathcal{R}_t} \mathbb{E}_{x \sim \rho, y \sim \pi_t(\cdot|x)} \left[r_{\pi}(x, y) - \mathbb{E}_{y' \sim \pi_t} [\mathbb{P}(y \succ y'|x)] + \log Z_{\pi_t}(x) \right]^2 \\ &= \arg \min_{r_{\pi} \in \mathcal{R}_t} \mathbb{E}_{x \sim \rho, y, y' \sim \pi_t(\cdot|x)} \left[r_{\pi}(x, y) - \mathbb{1}(y \succ y'|x) + \log Z_{\pi_t}(x) \right]^2 + C_{\pi_t} \\ &= \arg \min_{r_{\pi} \in \mathcal{R}_t} \mathbb{E}_{x \sim \rho, y, y' \sim \pi_t(\cdot|x)} \left[r_{\pi}(x, y) - \mathbb{1}(y \succ y'|x) + \log Z_{\pi_t}(x) \right]^2 / 2 \\ &\quad + \mathbb{E}_{x \sim \rho, y, y' \sim \pi_t(\cdot|x)} \left[r_{\pi}(x, y') - \mathbb{1}(y' \succ y|x) + \log Z_{\pi_t}(x) \right]^2 / 2 + C_{\pi_t}, \end{aligned}$$

where $Z_{\pi_t}(x) = \sum_{y \in \mathcal{Y}} \pi_t(y|x) \exp(\eta \mathbb{P}(y \succ \pi_t|x))$ represents the partition function for behavior policy π_t , $C_{\pi_t} = \mathbb{E}_{x \sim \rho, y, y' \sim \pi_t(\cdot|x)} [\mathbb{P}(y \succ y'|x) - \mathbb{1}(y \succ y'|x)]^2$ is the variance of behavior policy π_t , the second equation holds due to $\beta = \eta^{-1}$ and the last equation holds because y, y' collected under the same behavior policy. Therefore, the preference optimization process in SPPO is aligned with our Algorithm 1 using the SPPO loss function:

$$\ell_{\text{SPPO}}(r_{\pi}, x, y^w, y^l, \pi_t) = \frac{1}{2} (r_{\pi}(x, y^w) - 1 + \log Z_{\pi_t}(x))^2 + \frac{1}{2} (r_{\pi}(x, y^l) + \log Z_{\pi_t}(x))^2.$$

B.2 THEORETICAL ANALYSIS WITH GENERAL PREFERENCES

In section 4, Theorems 4.4 and 4.8 analyze the performance of Algorithm 1 under the Bradley-Terry (BT) model. For a general preference model, Theorem B.2 provides a convergence rate for Algorithm 1 with the loss function ℓ_{SPPO} in Example 3.2, under the assumption of a minimal sub-optimality gap.

Assumption B.1 (Minimal sub-optimality gap with general preferences). For each prompt $x \in \mathcal{X}$, we assume there exist a unique optimal response $y_x^* \in \mathcal{Y}$ such that for any other sub-optimal responses $y \neq y_x^*$, we have

$$\mathbb{P}(y_x^* \succ y'|x) - \mathbb{P}(y \succ y'|x) \geq \Delta, \forall y' \in \mathcal{Y}.$$

Theorem B.2 (APO with ℓ_{SPPPO}). For general preference model with loss function ℓ_{SPPPO} , under the mild assumptions of realizability (Assumption E.3), boundedness (Assumption E.4) and Assumption B.1, with probability at least $1 - \delta$, the TV-distance between $\hat{\pi}_{t+1}$ and the optimal policy $\pi^*(x) = y_x^*$ is bounded by

$$\begin{aligned} & \mathbb{E}_{x \sim \rho} \left[\text{D}_{\text{TV}}(\hat{\pi}_{T+1}(\cdot|x), \pi^*(\cdot|x)) \right] \\ & \leq O \left(\sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}} \right) + \exp \left(-O \left(\frac{t\Delta}{(1-\alpha)} \cdot \frac{1}{\beta} \right) \right), \end{aligned}$$

where the coverage coefficient κ_t is defined as:

$$\kappa_t = \max_{(x,y) \in \mathcal{X} \times \mathcal{Y}} \frac{\hat{\pi}_{T+1}(y|x) \pi_{T+1}^*(y|x)}{\pi_t^2(y|x)}.$$

Remark B.3. When the dataset size is sufficiently large ($N \rightarrow \infty$), Theorem B.2 suggests that APO converges to the optimal policy at a rate of $\exp(-O(T/(1-\alpha)))$. When $\alpha = 0$, our algorithm reduces to the standard SPPO algorithm in Wu et al. (2024), which only converges to the optimal policy at a slower rate of $\exp(-O(T))$. It is worth noting that Wu et al. (2024) provides a $\tilde{O}(1/\sqrt{T})$ sub-optimality gap guarantee for the average policy $\bar{\pi} = \frac{1}{T} \sum_{t=1}^T \pi_t$. In comparison, our result relies on a minimal sub-optimality gap assumption (Assumption B.1) and provides a faster convergence rate between the final policy $\hat{\pi}_{t+1}$ and the optimal policy π^* . As discussed in Remark 4.7, this assumption is used to ensure the uniqueness of the optimal policy, which is necessary for the convergence guarantee.

C PROOF OF MAIN RESULTS

C.1 PROOF OF THEOREM 4.1

In this section, we provide the proof of Theorem 4.1, which is crucial for understanding the optimization dynamics of Algorithm 1.

Proof of Theorem 4.1. Based on the definition of the reparameterized reward r_t , we have

$$r_t(x, y) = \beta \log \hat{\pi}_{t+1}(y|x) - \beta \log \pi_t(y|x). \quad (\text{C.1})$$

Furthermore, the extrapolation step (3.6) satisfies

$$\pi_{t+1}(y|x) = \frac{1}{Z'_t(x)} \cdot \hat{\pi}_{t+1}(y|x) \cdot (\hat{\pi}_{t+1}(y|x)/\hat{\pi}_t(y|x))^\alpha,$$

where $Z'_t(x) = \sum_y \hat{\pi}_{t+1}(y|x) \cdot (\hat{\pi}_{t+1}(y|x)/\hat{\pi}_t(y|x))^\alpha$ represents the partition function. Taking the logarithm of both sides yields the following equation

$$\log \pi_{t+1}(y|x) = (1 + \alpha) \log \hat{\pi}_{t+1}(y|x) - \alpha \log \hat{\pi}_t(y|x) - \log Z'_t(x). \quad (\text{C.2})$$

For simplicity, we define $l_t(x, y) = \beta \log \hat{\pi}_{t+1}(y|x) - \beta \log \hat{\pi}_t(y|x)$, and thus we have

$$\begin{aligned} l_{t+1}(x, y) &= \beta \log \hat{\pi}_{t+2}(y|x) - \beta \log \hat{\pi}_{t+1}(y|x) \\ &= r_{t+1}(x, y) + \beta \log \pi_{t+1}(y|x) - \beta \log \hat{\pi}_{t+1}(y|x) \\ &= r_{t+1}(x, y) + \alpha (\beta \log \hat{\pi}_{t+1}(y|x) - \beta \log \hat{\pi}_t(y|x)) - \beta \log Z'_t(x) \\ &= r_{t+1}(x, y) - \beta \log Z'_t(x) + \alpha l_t(x, y), \end{aligned} \quad (\text{C.3})$$

where the second equation holds due to (C.1) and the third equation holds due to (C.2). Recursively using (C.3) over all iterations, we derive the following equation:

$$\begin{aligned} l_t(x, y) &= r_t(x, y) - \beta \log Z'_{t-1}(x) + \alpha l_{t-1}(x, y) \\ &= r_t(x, y) - \beta \log Z'_{t-1}(x) + \alpha r_{t-1}(x, y) - \alpha \beta \log Z'_{t-2}(x) + \alpha^2 l_{t-2}(x, y) \\ &= \dots \\ &= \sum_{i=0}^t \alpha^{t-i} \cdot r_i(x, y) - \alpha^{t-i} \cdot \beta \log Z'_{i-1}(x), \end{aligned} \quad (\text{C.4})$$

where we assume $Z'_{-1}(x) = 1$ for simplicity. Finally, by summing (C.4) over all iterations $0 \leq j \leq t$, we have

$$\begin{aligned}
& \beta \log \widehat{\pi}_{t+1}(y|x) - \beta \log \widehat{\pi}_1(y|x) \\
&= \sum_{j=0}^t \sum_{i=0}^j \alpha^{j-i} r_i(x, y) + \alpha^{j-i} \cdot \beta \log Z'_{i-1}(x) \\
&= \sum_{i=0}^t \sum_{j=i}^t \alpha^{j-i} r_i(x, y) + \alpha^{j-i} \cdot \beta \log Z'_{i-1}(x) \\
&= \sum_{i=0}^t \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha} \right) \cdot r_i(x, y) + \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha} \right) \cdot \beta \log Z'_{i-1}(x). \tag{C.5}
\end{aligned}$$

Given that $\widehat{\pi}_1 = \pi_{\text{ref}}$, we have

$$\begin{aligned}
& \widehat{\pi}_{t+1}(y|x) \\
&= \pi_{\text{ref}}(y|x) \cdot \exp \left\{ \beta \cdot \sum_{i=0}^t \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha} \right) \cdot r_t + \left(\frac{\alpha}{1-\alpha} - \frac{\alpha^{t+2-i}}{1-\alpha} \right) \cdot \beta \log Z'_{i-1}(x) \right\} \\
&\propto \pi_{\text{ref}}(y|x) \cdot \exp \left\{ \beta \cdot \sum_{i=0}^t \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha} \right) \cdot r_t \right\}.
\end{aligned}$$

Thus, we complete the proof of Theorem 4.1. \square

C.2 PROOF OF THEOREM 4.4

In this section, we provide the proof of Theorem 4.4. To simplify the notation, we define the auxiliary policy, which is updated following the dynamics of $\widehat{\pi}_{t+1}$ in Theorem D.1, but using the latent reward $r^*(x, y)$ instead of the reparameterized reward $r_t(x, y)$:

$$\pi_{t+1}^*(y|x) = \frac{1}{Z_t^*(x)} \cdot \pi_{\text{ref}}(y|x) \cdot \exp \left(\frac{1}{\beta} \cdot \sum_{i=0}^t \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha} \right) \cdot r^*(x, y) \right), \tag{C.6}$$

where $Z_t^*(x) = \sum_y \pi_{\text{ref}}(y|x) \cdot \exp \left(\sum_{i=0}^t (1/(1-\alpha) - \alpha^{t+1-i}/(1-\alpha)) \cdot r^*(x, y)/\beta \right)$ is the partition function for the auxiliary policy. With this notation, the following lemma provide an upper bound for the statistical errors arising from the gap between the reparameterized reward $r_t(x, y)$ and the latent reward $r^*(x, y)$.

Lemma C.1. Under the mild assumptions of realizability (Assumption 4.2) and boundedness (Assumption 4.3), with probability at least $1 - \delta$, the TV-distance between the policy $\widehat{\pi}_{T+1}$ and auxiliary policy π_{T+1}^* is upper bounded by:

$$\mathbb{E}_{x \sim \rho} \left[\text{D}_{\text{TV}}(\widehat{\pi}_{T+1}(\cdot|x), \pi_{T+1}^*(\cdot|x)) \right] \leq O \left(\sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}} \right),$$

where the coverage coefficient κ_t is defined as:

$$\kappa_t = \max_{(x,y) \in \mathcal{X} \times \mathcal{Y}} \frac{\widehat{\pi}_{T+1}(y|x) \pi_{T+1}^*(y|x)}{\pi_t^2(y|x)}.$$

With the help of Lemma C.1, we start the proof of Theorem 4.4.

Proof of Theorem 4.4. For each iteration $t \in [T]$ and prompt $x \in \mathcal{X}$, according to the definition of π_{t+1}^* in (C.6), we have

$$\pi_{t+1}^*(y|x) = \frac{1}{Z_t^*(x)} \cdot \pi_{\text{ref}}(y|x) \cdot \exp \left(\frac{1}{\beta} \cdot \sum_{i=0}^t \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha} \right) \cdot r^*(x, y) \right)$$

$$\begin{aligned}
& \propto \pi_{\text{ref}}(y|x) \cdot \exp \left(\frac{1}{\beta} \cdot \sum_{i=0}^t \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha} \right) \cdot r^*(x, y) \right) \\
& = \pi_{\text{ref}}(y|x) \cdot \exp \left(\frac{1}{\beta} \cdot \left(\frac{t+1}{1-\alpha} - \frac{\alpha}{(1-\alpha)^2} + \frac{\alpha^{t+2}}{(1-\alpha)^2} \right) \cdot r^*(x, y) \right).
\end{aligned}$$

For simplicity, we set $\gamma = ((t+1)/(1-\alpha) - \alpha/(1-\alpha)^2 + \alpha^{t+1}/(1-\alpha)^2)/\beta$, and the sub-optimality gap for the policy $\hat{\pi}_{t+1}$ and a fixed prompt x can be denoted as:

$$\begin{aligned}
& \mathbb{E}_{y \sim \pi^*(\cdot|x)} [r^*(x, y)] - \mathbb{E}_{y \sim \hat{\pi}_{t+1}^*(\cdot|x)} [r^*(x, y)] \\
& = r^*(x, y_x^*) - \frac{\sum_{y \in \mathcal{Y}} \pi_{\text{ref}}(y|x) \cdot \exp(\gamma \cdot r^*(x, y)) \cdot r^*(x, y)}{\sum_{y' \in \mathcal{Y}} \pi_{\text{ref}}(y'|x) \cdot \exp(\gamma \cdot r^*(x, y'))} \\
& = \frac{\sum_{y \neq y_x^*} \pi_{\text{ref}}(y|x) \cdot \exp(\gamma \cdot r^*(x, y) - \gamma \cdot r^*(x, y_x^*)) \cdot (r^*(x, y_x^*) - r^*(x, y))}{\sum_{y' \in \mathcal{Y}} \pi_{\text{ref}}(y'|x) \cdot \exp(\gamma \cdot r^*(x, y') - \gamma \cdot r^*(x, y_x^*))},
\end{aligned}$$

where $y_x^* = \arg \max_{y \in \mathcal{Y}} r^*(x, y)$ denotes the optimal response given the prompt x . For simplicity, we set $z(x, y) = \exp(\gamma \cdot r^*(x, y) - \gamma \cdot r^*(x, y_x^*))$ and $Z(x) = \sum_{y \neq y_x^*} \pi_{\text{ref}}(y|x) \cdot z(x, y)$. With this notation, we have

$$\begin{aligned}
& \mathbb{E}_{y \sim \pi^*(\cdot|x)} [r^*(x, y)] - \mathbb{E}_{y \sim \hat{\pi}_{t+1}^*(\cdot|x)} [r^*(x, y)] \\
& = - \frac{\sum_{y \neq y_x^*} \pi_{\text{ref}}(y|x) \cdot z(x, y) \cdot \log z(x, y)}{\gamma \cdot \sum_{y' \in \mathcal{Y}} \pi_{\text{ref}}(y'|x) \cdot z(x, y)} \\
& = - \frac{(1 - \pi_{\text{ref}}(y_x^*|x)) \cdot \sum_{y \neq y_x^*} \pi_{\text{ref}}(y|x) / (1 - \pi_{\text{ref}}(y_x^*|x)) \cdot z(x, y) \cdot \log z(x, y)}{\gamma \cdot \sum_{y' \in \mathcal{Y}} \pi_{\text{ref}}(y'|x) \cdot z(x, y)} \\
& \leq - \frac{\sum_{y \neq y_x^*} \pi_{\text{ref}}(y|x) \cdot z(x, y) \cdot \log \left(\sum_{y \neq y_x^*} \pi_{\text{ref}}(y|x) \cdot z(x, y) / (1 - \pi_{\text{ref}}(y_x^*|x)) \right)}{\gamma \cdot \sum_{y' \in \mathcal{Y}} \pi_{\text{ref}}(y'|x) \cdot z(x, y)} \\
& = - \frac{Z(x) \cdot \log \left(Z(x) / (1 - \pi_{\text{ref}}(y_x^*|x)) \right)}{\gamma \cdot (Z(x) + \pi_{\text{ref}}(y_x^*|x))}, \tag{C.7}
\end{aligned}$$

where the inequality holds due to $f(x) = x \log x$ is a convex function with the fact that $\sum_{y \neq y_x^*} \pi_{\text{ref}}(y|x) / (1 - \pi_{\text{ref}}(y_x^*|x)) = 1$, and the last equation holds due to $z(x, y_x^*) = 1$. Now, we consider the following auxiliary function for $0 < Z \leq 1 - \pi_{\text{ref}}(y_x^*|x)$:

$$f(Z) = -Z \cdot \log \left(Z / (1 - \pi_{\text{ref}}(y_x^*|x)) \right) - (Z + \pi_{\text{ref}}(y_x^*|x)) \cdot \log \left((1 - \pi_{\text{ref}}(y_x^*|x)) / \pi_{\text{ref}}(y_x^*|x) \right).$$

With basic math calculation, we have

$$\begin{aligned}
& f'(Z) = \log \left(\frac{1 - \pi_{\text{ref}}(y_x^*|x)}{Z} \right) - \left(1 + \log \left((1 - \pi_{\text{ref}}(y_x^*|x)) / \pi_{\text{ref}}(y_x^*|x) \right) \right) \\
& f(Z) \leq f \left((1 - \pi_{\text{ref}}(y_x^*|x)) / \exp \left(1 + \log \left((1 - \pi_{\text{ref}}(y_x^*|x)) / \pi_{\text{ref}}(y_x^*|x) \right) \right) \right) \leq 0.
\end{aligned}$$

Substituting the result $f(Z) \leq 0$ into (C.7), we have

$$\begin{aligned}
& \mathbb{E}_{y \sim \pi^*(\cdot|x)} [r^*(x, y)] - \mathbb{E}_{y \sim \hat{\pi}_{t+1}^*(\cdot|x)} [r^*(x, y)] \\
& \leq - \frac{Z(x) \cdot \log \left(Z(x) / (1 - \pi_{\text{ref}}(y_x^*|x)) \right)}{\gamma \cdot (Z(x) + \pi_{\text{ref}}(y_x^*|x))} \\
& \leq \frac{\log \left((1 - \pi_{\text{ref}}(y_x^*|x)) / \pi_{\text{ref}}(y_x^*|x) \right)}{\gamma} \\
& = \tilde{O} \left(\frac{(1-\alpha)\beta}{t} \right). \tag{C.8}
\end{aligned}$$

Therefore, the sub-optimality gap between $\hat{\pi}_{t+1}$ and the optimal policy $\pi^*(x) = \arg \max_{y \in \mathcal{Y}} r^*(x, y)$ is bounded by

$$\begin{aligned}
& \mathbb{E}_{x \sim \rho, y \sim \pi^*(\cdot|x)} [r^*(x, y)] - \mathbb{E}_{x \sim \rho, y \sim \hat{\pi}_{T+1}(\cdot|x)} [r^*(x, y)] \\
&= \mathbb{E}_{x \sim \rho, y \sim \pi^*(\cdot|x)} [r^*(x, y)] - \mathbb{E}_{x \sim \rho, y \sim \pi_{T+1}^*(\cdot|x)} [r^*(x, y)] \\
&\quad + \mathbb{E}_{x \sim \rho, y \sim \pi_{T+1}^*(\cdot|x)} [r^*(x, y)] - \mathbb{E}_{x \sim \rho, y \sim \hat{\pi}_{T+1}(\cdot|x)} [r^*(x, y)] \\
&\leq \mathbb{E}_{x \sim \rho, y \sim \pi^*(\cdot|x)} [r^*(x, y)] - \mathbb{E}_{x \sim \rho, y \sim \pi_{T+1}^*(\cdot|x)} [r^*(x, y)] \\
&\quad + \mathbb{E}_{x \sim \rho} \left[2\text{D}_{\text{TV}}(\hat{\pi}_{T+1}(\cdot|x), \pi_{T+1}^*(\cdot|x)) \right] \\
&\leq \mathbb{E}_{x \sim \rho, y \sim \pi^*(\cdot|x)} [r^*(x, y)] - \mathbb{E}_{x \sim \rho, y \sim \pi_{T+1}^*(\cdot|x)} [r^*(x, y)] + O\left(\sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}}\right) \\
&\leq \tilde{O}\left(\frac{(1-\alpha)\beta}{T}\right) + O\left(\sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}}\right),
\end{aligned}$$

where the first inequality holds due to the definition of TV-distance with the fact that $r^*(x, y) \in [-1, 1]$, the second inequality holds due to Lemma (C.1) and the last inequality holds due to (C.8). Thus, we complete the proof of Theorem 4.4. \square

C.3 PROOF OF THEOREM 4.8

In this section, we provide the proof of Theorem 4.8.

Proof of Theorem 4.8. For each iteration $t \in [T]$ and prompt $x \in \mathcal{X}$, according to the definition of π_{t+1}^* in (C.10), we have

$$\begin{aligned}
\pi_{t+1}^*(y|x) &= \frac{1}{Z_t^*(x)} \cdot \pi_{\text{ref}}(y|x) \cdot \exp\left(\frac{1}{\beta} \cdot \sum_{i=0}^t \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha}\right) \cdot r^*(x, y)\right) \\
&\propto \pi_{\text{ref}}(y|x) \cdot \exp\left(\frac{1}{\beta} \cdot \sum_{i=0}^t \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha}\right) \cdot r^*(x, y)\right) \\
&= \pi_{\text{ref}}(y|x) \cdot \exp\left(\frac{1}{\beta} \cdot \left(\frac{t+1}{1-\alpha} - \frac{\alpha}{(1-\alpha)^2} + \frac{\alpha^{t+2}}{(1-\alpha)^2}\right) \cdot r^*(x, y)\right).
\end{aligned}$$

For simplicity, we set $\gamma = ((t+1)/(1-\alpha) - \alpha/(1-\alpha)^2 + \alpha^{t+2}/(1-\alpha)^2)/\beta$, and for each prompt $x \in \mathcal{X}$, the KL-divergence between $\pi_{t+1}^*(\cdot|x)$ and the optimal policy $\pi^*(x) = \arg \max_{y \in \mathcal{Y}} r^*(x, y)$ can be denoted as:

$$\begin{aligned}
\text{KL}(\pi^*(x) \parallel \pi_{t+1}^*(\cdot|x)) &= \log \frac{1}{\pi_{t+1}^*(y_x^*|x)} \\
&= \log \frac{\sum_{y \in \mathcal{Y}} \pi_{\text{ref}}(y|x) \cdot \exp(\gamma \cdot r^*(x, y))}{\pi_{\text{ref}}(y_x^*|x) \cdot \exp(\gamma \cdot r^*(x, y_x^*))} \\
&\leq \frac{\sum_{y \neq y_x^*} \pi_{\text{ref}}(y|x) \cdot \exp(\gamma \cdot r^*(x, y))}{\pi_{\text{ref}}(y_x^*|x) \cdot \exp(\gamma \cdot r^*(x, y_x^*))} \\
&= \frac{\sum_{y \neq y_x^*} \pi_{\text{ref}}(y|x) \cdot \exp(\gamma \cdot (r^*(x, y) - r^*(x, y_x^*)))}{\pi_{\text{ref}}(y_x^*|x)} \\
&\leq \frac{\max_{y \neq y_x^*} \exp(-\gamma \cdot (r^*(x, y_x^*) - r^*(x, y)))}{\pi_{\text{ref}}(y_x^*|x)} \\
&\leq \frac{\exp(-\gamma\Delta)}{\pi_{\text{ref}}(y_x^*|x)} \\
&= \exp\left(-O\left(\frac{t\Delta}{(1-\alpha)} \cdot \frac{1}{\beta}\right)\right), \tag{C.9}
\end{aligned}$$

where $y_x^* = \arg \max_{y \in \mathcal{Y}} r^*(x, y)$ denotes the optimal response given the prompt x , the first inequality holds due to the fact that $\log(1+x) \leq x$, the second inequality holds due to $\sum_{y \neq y_x^*} \pi_{\text{ref}}(y|x) \leq 1$ and the last inequality holds due to Assumption 4.6. Therefore, the TV distance between optimal policy π^* and $\hat{\pi}_{T+1}$ can be upper bounded as following:

$$\begin{aligned}
& \mathbb{E}_{x \sim \rho} \left[\mathbf{D}_{\text{TV}}(\hat{\pi}_{T+1}(\cdot|x), \pi^*(\cdot|x)) \right] \\
& \leq \mathbb{E}_{x \sim \rho} \left[\mathbf{D}_{\text{TV}}(\hat{\pi}_{T+1}(\cdot|x), \pi_{T+1}^*(\cdot|x)) \right] + \mathbb{E}_{x \sim \rho} \left[\mathbf{D}_{\text{TV}}(\pi^*(\cdot|x), \pi_{T+1}^*(\cdot|x)) \right] \\
& \leq O \left(\sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}} \right) + \mathbb{E}_{x \sim \rho} \left[\mathbf{D}_{\text{TV}}(\pi^*(\cdot|x), \pi_{T+1}^*(\cdot|x)) \right] \\
& \leq O \left(\sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}} \right) + \mathbb{E}_{x \sim \rho} \left[\sqrt{\frac{1}{2} \cdot \mathbf{D}_{\text{KL}}(\pi^*(\cdot|x) \parallel \pi_{T+1}^*(\cdot|x))} \right] \\
& \leq O \left(\sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}} \right) + \exp \left(-O \left(\frac{t\Delta}{(1-\alpha)} \cdot \frac{1}{\beta} \right) \right),
\end{aligned}$$

where the first inequality holds due to $\mathbf{D}_{\text{TV}}(X, Y) \leq \mathbf{D}_{\text{TV}}(X, Z) + \mathbf{D}_{\text{TV}}(Z, Y)$, the second inequality holds due to Lemma C.1, the third inequality holds due to $\mathbf{D}_{\text{TV}}(X, Y) \leq \sqrt{\mathbf{D}_{\text{KL}}(X \parallel Y)}/2$ and the last inequality holds due to (C.9). Thus, we complete the proof of Theorem 4.8. \square

C.4 PROOF OF THEOREM B.2

In this section, we provide the proof of Theorem B.2. Similar to the proof of Theorem 4.4, we define the auxiliary policy, which is updated according to the dynamics of $\hat{\pi}_{t+1}$ as described in Theorem D.1. However, in environments with general preferences, a latent reward $r^*(x, y)$ may not exist. Instead, we use the win probability of response y against the policy π_t to replace the reparameterized reward $r_t(x, y)$. Specifically, we set:

$$\pi_{t+1}^*(y|x) = \frac{1}{Z_t^*(x)} \cdot \pi_{\text{ref}}(y|x) \cdot \exp \left(\frac{1}{\beta} \cdot \sum_{i=0}^t \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha} \right) \cdot r_t^*(x, y) \right), \quad (\text{C.10})$$

where $r_t^*(x, y) = \mathbb{E}_{y' \sim \pi_t} [\mathbb{P}(y \succ y'|x)]$ and $Z_t^*(x) = \sum_y \pi_{\text{ref}}(y|x) \cdot \exp(\sum_{i=0}^t (1/(1-\alpha) - \alpha^{t+1-i}/(1-\alpha)) \cdot r_t^*(x, y)/\beta)$ is the partition function for the auxiliary policy. With this notation, the following lemma provide a upper bound for the statistical errors arising from the gap between the reparameterized reward $r_t(x, y)$ and the win probability $r_t^*(x, y)$.

Lemma C.2. Under the mild assumptions of realizability (Assumption 4.2) and boundedness (Assumption 4.3), the TV-distance between the policy $\hat{\pi}_{T+1}$ and auxiliary policy π_{T+1}^* is upper bounded by:

$$\mathbb{E}_{x \sim \rho} \left[\mathbf{D}_{\text{TV}}(\hat{\pi}_{T+1}(\cdot|x), \pi_{T+1}^*(\cdot|x)) \right] \leq O \left(\sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}} \right),$$

where the coverage coefficient κ_t is defined as:

$$\kappa_t = \max_{(x, y) \in \mathcal{X} \times \mathcal{Y}} \frac{\hat{\pi}_{T+1}(y|x) \pi_{T+1}^*(y|x)}{\pi_t^2(y|x)}.$$

With the help of Lemma C.2, we start the proof of Theorem B.2.

Proof of Theorem B.2. For each iteration $t \in [T]$ and prompt $x \in \mathcal{X}$, according to the definition of π_{t+1}^* in (C.6), we have

$$\begin{aligned}
\pi_{t+1}^*(y|x) &= \frac{1}{Z_t^*(x)} \cdot \pi_{\text{ref}}(y|x) \cdot \exp \left(\frac{1}{\beta} \cdot \sum_{i=0}^t \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha} \right) \cdot r_t^*(x, y) \right) \\
&\propto \pi_{\text{ref}}(y|x) \cdot \exp \left(\frac{1}{\beta} \cdot \sum_{i=0}^t \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha} \right) \cdot r_t^*(x, y) \right),
\end{aligned}$$

where the win probability $r_t^*(x, y) = \mathbb{E}_{y' \sim \pi_t} [\mathbb{P}(y \succ y' | x)]$. According to the Assumption B.1, for each prompt $x \in \mathcal{X}$ and behavior policy π_t , the unique optimal response $y_x^* \in \mathcal{Y}$ satisfies

$$r_t^*(x, y_x^*) = \mathbb{E}_{y' \sim \pi_t} [\mathbb{P}(y_x^* \succ y' | x)] \geq \mathbb{E}_{y' \sim \pi_t} [\mathbb{P}(y \succ y' | x)] + \Delta = r_t^*(x, y) + \Delta, \forall y \neq y_x^*. \quad (\text{C.11})$$

For simplicity, we set $\gamma_t = (1/(1-\alpha) - \alpha^{t+1-i}/(1-\alpha))/\beta$, and for each prompt $x \in \mathcal{X}$, the KL-divergence between $\pi_{t+1}^*(\cdot|x)$ and the optimal policy $\pi^*(x) = y_x^*$ can be denoted as:

$$\begin{aligned} \text{KL}(\pi^*(x) \parallel \pi_{t+1}^*(\cdot|x)) &= \log \frac{1}{\pi_{t+1}^*(y_x^*|x)} \\ &= \log \frac{\sum_{y \in \mathcal{Y}} \pi_{\text{ref}}(y|x) \cdot \exp(\sum_{i=0}^t \gamma_i \cdot r_i^*(x, y))}{\pi_{\text{ref}}(y_x^*|x) \cdot \exp(\sum_{i=0}^t \gamma_i \cdot r_i^*(x, y_x^*))} \\ &\leq \frac{\sum_{y \neq y_x^*} \pi_{\text{ref}}(y|x) \cdot \exp(\sum_{i=0}^t \gamma_i \cdot r_i^*(x, y))}{\pi_{\text{ref}}(y_x^*|x) \cdot \exp(\sum_{i=0}^t \gamma_i \cdot r_i^*(x, y_x^*))} \\ &= \frac{\sum_{y \neq y_x^*} \pi_{\text{ref}}(y|x) \cdot \exp(\sum_{i=0}^t \gamma_i (r_i^*(x, y) - r_i^*(x, y_x^*)))}{\pi_{\text{ref}}(y_x^*|x)} \\ &\leq \frac{\max_{y \neq y_x^*} \exp(-\sum_{i=0}^t \gamma_i (r_i^*(x, y_x^*) - r_i^*(x, y)))}{\pi_{\text{ref}}(y_x^*|x)} \\ &\leq \frac{\exp(-\sum_{i=0}^t \gamma_i \Delta)}{\pi_{\text{ref}}(y_x^*|x)} \\ &= \exp\left(-O\left(\frac{t\Delta}{(1-\alpha)} \cdot \frac{1}{\beta}\right)\right), \end{aligned} \quad (\text{C.12})$$

where y_x^* denotes the optimal response given the prompt x , the first inequality holds due to the fact that $\log(1+x) \leq x$, the second inequality holds due to $\sum_{y \neq y_x^*} \pi_{\text{ref}}(y|x) \leq 1$ and the last inequality holds due to (C.11). Therefore, the TV distance between optimal policy π^* and $\hat{\pi}_{T+1}$ can be upper bounded as following:

$$\begin{aligned} &\mathbb{E}_{x \sim \rho} \left[\text{D}_{\text{TV}}(\hat{\pi}_{T+1}(\cdot|x), \pi^*(\cdot|x)) \right] \\ &\leq \mathbb{E}_{x \sim \rho} \left[\text{D}_{\text{TV}}(\hat{\pi}_{T+1}(\cdot|x), \pi_{T+1}^*(\cdot|x)) \right] + \mathbb{E}_{x \sim \rho} \left[\text{D}_{\text{TV}}(\pi^*(\cdot|x), \pi_{T+1}^*(\cdot|x)) \right] \\ &\leq O\left(\sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}}\right) + \mathbb{E}_{x \sim \rho} \left[\text{D}_{\text{TV}}(\pi^*(\cdot|x), \pi_{T+1}^*(\cdot|x)) \right] \\ &\leq O\left(\sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}}\right) + \mathbb{E}_{x \sim \rho} \left[\sqrt{\frac{1}{2} \cdot \text{D}_{\text{KL}}(\pi^*(\cdot|x) \parallel \pi_{T+1}^*(\cdot|x))} \right] \\ &\leq O\left(\sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}}\right) + \exp\left(-O\left(\frac{t\Delta}{(1-\alpha)} \cdot \frac{1}{\beta}\right)\right), \end{aligned}$$

where the first inequality holds due to $\text{D}_{\text{TV}}(X, Y) \leq \text{D}_{\text{TV}}(X, Z) + \text{D}_{\text{TV}}(Z, Y)$, the second inequality holds due to Lemma C.2, the third inequality holds due to $\text{D}_{\text{TV}}(X, Y) \leq \sqrt{\text{D}_{\text{KL}}(X \parallel Y)}/2$ and the last inequality holds due to (C.12). Thus, we complete the proof of Theorem B.2. \square

D PROOF OF LEMMAS IN APPENDIX C

D.1 PROOF OF LEMMA C.1

In this subsection, we provide the proof of Lemma C.1 and first propose the following lemmas.

Lemma D.1. Under the mild assumptions of realizability and boundedness (see detailed definitions in Appendix E.1), for each iteration $t \in [T]$, with probability at least $1 - \delta$, the estimation error can

be upper bounded as follows:

$$\mathbb{E}_{x \sim \rho, (y_1, y_2) \sim \pi_t} \left[\left(r^*(x, y_1) - r^*(x, y_2) - r_t(x, y_1) + r_t(x, y_2) \right)^2 \right] \leq O\left(\frac{\log(|\Pi|/\delta)}{N} \right),$$

where reparameterized reward $r_t(x, y) = \beta \log \hat{\pi}_{t+1}(y|x) - \beta \log \pi_t(y|x)$.

Lemma D.2. For any $x \in \mathbb{R}^+$, we have $(1+x) \cdot |\log x| \geq |x-1|$.

With the help of Lemmas D.1 and D.2, we now begin the proof of Lemma C.1.

Proof of Lemma C.1. For each iteration $t \in [T]$ and prompt $x \in \mathcal{X}$, the TV-distance between $\hat{\pi}_{t+1}(\cdot|x)$ and $\pi_{t+1}^*(\cdot|x)$ can be upper bounded as follows:

$$\begin{aligned} & \text{D}_{\text{TV}}(\hat{\pi}_{t+1}(\cdot|x), \pi_{t+1}^*(\cdot|x)) \\ &= \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot|x)} \left[\frac{1}{2} \cdot \left| \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} - 1 \right| \right] \\ &\leq \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot|x)} \left[\frac{1}{2} \cdot \left(1 + \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right) \cdot \left| \log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right| \right] \\ &= \frac{1}{2} \cdot \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot|x)} \left[\left| \log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right| \right] + \frac{1}{2} \cdot \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot|x)} \left[\left| \log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right| \right] \\ &\leq \sqrt{\frac{1}{2} \cdot \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot|x)} \left[\left| \log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right| \right]^2} + \frac{1}{2} \cdot \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot|x)} \left[\left| \log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right| \right]^2 \\ &\leq \sqrt{\frac{1}{2} \cdot \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right)^2 \right]} + \frac{1}{2} \cdot \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right)^2 \right]}, \quad (\text{D.1}) \end{aligned}$$

where the first inequality holds due to Lemma D.2, the second inequality holds due to $x+y \leq \sqrt{2(x^2+y^2)}$ for $x, y > 0$, and the last inequality holds due to $\mathbb{E}[x]^2 \leq \mathbb{E}[x^2]$. In addition, for each iteration $t \in [T]$ and prompt $x \in \mathcal{X}$, we have

$$\begin{aligned} & \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right)^2 \right] + \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right)^2 \right] \\ &\leq \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right)^2 \right] + \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right)^2 \right] \\ &\quad + 2\text{D}_{\text{KL}}(\hat{\pi}_{t+1}(\cdot|x) \parallel \pi_{t+1}^*(\cdot|x)) \cdot \text{D}_{\text{KL}}(\pi_{t+1}^*(\cdot|x) \parallel \hat{\pi}_{t+1}(\cdot|x)) \\ &= \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right)^2 \right] + \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right)^2 \right] \\ &\quad + 2\mathbb{E}_{y \sim \pi_{t+1}^*(\cdot|x)} \left[-\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right] \cdot \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot|x)} \left[\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right] \\ &= \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot|x), y' \sim \hat{\pi}_{t+1}(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} - \log \frac{\hat{\pi}_{t+1}(y'|x)}{\pi_{t+1}^*(y'|x)} \right)^2 \right], \quad (\text{D.2}) \end{aligned}$$

where the inequality holds due to KL-divergence is non-negative. According to Theorem 4.1 and definition of π_{t+1}^* in (C.6), we have

$$\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} = \frac{\log Z_t^*(x)}{\log Z_t(x)} + \sum_{i=0}^t \frac{1}{\beta} \cdot \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha} \right) \cdot (r_i(x, y) - r^*(x, y)). \quad (\text{D.3})$$

Substituting (D.3) into (D.2), we have

$$\begin{aligned} & \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right)^2 \right] + \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} \right)^2 \right] \\ &\leq \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot|x), y' \sim \hat{\pi}_{t+1}(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_{t+1}^*(y|x)} - \log \frac{\hat{\pi}_{t+1}(y'|x)}{\pi_{t+1}^*(y'|x)} \right)^2 \right] \end{aligned}$$

$$\begin{aligned}
&\leq \mathbb{E}_{y \sim \pi_{T+1}^*(\cdot|x), y' \sim \widehat{\pi}_{T+1}(\cdot|x)} \left[\left(\sum_{i=0}^t \alpha_{t+1-i} \cdot (r_i(x, y) - r^*(x, y)) - (r_i(x, y') - r^*(x, y')) \right)^2 \right] \\
&\leq \mathbb{E}_{y \sim \pi_{T+1}^*(\cdot|x), y' \sim \widehat{\pi}_{T+1}(\cdot|x)} \left[(t+1) \cdot \sum_{i=0}^t \alpha_{t+1-i}^2 \cdot (r_i(x, y) - r_i(x, y') - r^*(x, y) + r^*(x, y'))^2 \right],
\end{aligned} \tag{D.4}$$

where $\alpha_i = (1/(1-\alpha) - \alpha^i/(1-\alpha))/\beta$ and the last inequality holds due to Cauchy–Schwarz inequality. According to the definition of coverage coefficient κ_t in (4.1), for policy $\widehat{\pi}_{T+1}$, we have

$$\begin{aligned}
&\mathbb{E}_{y \sim \pi_{T+1}^*(\cdot|x)} \left[\left(\log \frac{\widehat{\pi}_{T+1}(y|x)}{\pi_{T+1}^*(y|x)} \right)^2 \right] + \mathbb{E}_{y \sim \widehat{\pi}_{T+1}(\cdot|x)} \left[\left(\log \frac{\widehat{\pi}_{T+1}(y|x)}{\pi_{T+1}^*(y|x)} \right)^2 \right] \\
&\leq (T+1) \cdot \\
&\quad \sum_{t=0}^T \frac{1}{\beta^2(1-\alpha)^2} \cdot \mathbb{E}_{y \sim \pi_{T+1}^*(\cdot|x), y' \sim \widehat{\pi}_{T+1}(\cdot|x)} \left[(r_t(x, y) - r_t(x, y') - r^*(x, y) + r^*(x, y'))^2 \right] \\
&\leq (T+1) \cdot \\
&\quad \sum_{t=0}^T \frac{\kappa_t}{\beta^2(1-\alpha)^2} \cdot \mathbb{E}_{y \sim \pi_t^*(\cdot|x), y' \sim \widehat{\pi}_t(\cdot|x)} \left[(r_t(x, y) - r_t(x, y') - r^*(x, y) + r^*(x, y'))^2 \right] \\
&\leq \frac{1}{\sigma^2(1+R) \cdot (1-\sigma(1+R))^2} \cdot \frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2},
\end{aligned} \tag{D.5}$$

where the first inequality holds due to (D.4) with the fact that $\alpha_i \leq 1/(1-\alpha)$, the second inequality holds due to the definition of coverage coefficient κ_t in (4.1) and the last inequality holds due to Lemma D.1 with a union bound on the probability across all T iterations. Finally, substituting (D.5) into (D.1), we have

$$\begin{aligned}
&\mathbb{E}_{x \sim \rho} \left[\text{D}_{\text{TV}}(\widehat{\pi}_{T+1}(\cdot|x), \pi_{T+1}^*(\cdot|x)) \right] \\
&\leq \mathbb{E}_{x \sim \rho} \left[\sqrt{\frac{1}{2} \cdot \mathbb{E}_{y \sim \pi_{T+1}^*(\cdot|x)} \left[\left(\log \frac{\widehat{\pi}_{T+1}(y|x)}{\pi_{T+1}^*(y|x)} \right)^2 \right] + \frac{1}{2} \cdot \mathbb{E}_{y \sim \widehat{\pi}_{T+1}(\cdot|x)} \left[\left(\log \frac{\widehat{\pi}_{T+1}(y|x)}{\pi_{T+1}^*(y|x)} \right)^2 \right]} \right] \\
&\leq \frac{1}{\sigma(1+R) \cdot (1-\sigma(1+R))} \cdot \sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}}.
\end{aligned}$$

Thus, we complete the proof of Lemma C.1. \square

D.2 PROOF OF LEMMA C.2

In this subsection, we provide the proof of Lemma C.2 and first propose the following lemma.

Lemma D.3. Under the mild assumptions of realizability and boundedness (see detailed definitions in Appendix E.3), for each iteration $t \in [T]$, with probability at least $1 - \delta$, the estimation error can be upper bounded as follows:

$$\mathbb{E}_{x \sim \rho, (y_1, y_2) \sim \pi_t} \left[(r_t^*(x, y_1) - r_t^*(x, y_2) - r_t(x, y_1) + r_t(x, y_2))^2 \right] \leq O\left(\frac{\log(|\Pi|/\delta)}{N}\right),$$

where the win probability $r_t^*(x, y) = \mathbb{E}_{y' \sim \pi_t} [\mathbb{P}(y \succ y'|x)]$ and reparameterized reward $r_t(x, y) = \beta \log \widehat{\pi}_{t+1}(y|x) - \beta \log \pi_t(y|x)$,

With the help of Lemma C.2, we start the proof of Lemma C.2. The proof is similar to the proof of Lemma C.1, however, it is worth noting that this proof relies on a different auxiliary policy based on the win probability rather than the latent reward:

$$\pi_{t+1}^*(y|x) = \frac{1}{Z_t^*(x)} \cdot \pi_{\text{ref}}(y|x) \cdot \exp\left(\frac{1}{\beta} \cdot \sum_{i=0}^t \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha}\right) \cdot r_t^*(x, y)\right),$$

where the win probability $r_t^*(x, y) = \mathbb{E}_{y' \sim \pi_t} [\mathbb{P}(y \succ y' | x)]$ and $Z_t^*(x) = \sum_y \pi_{\text{ref}}(y | x) \cdot \exp(\sum_{i=0}^t (1/(1-\alpha) - \alpha^{t+1-i}/(1-\alpha)) \cdot r_i^*(x, y)/\beta)$ is the partition function for the auxiliary policy.

Proof of Lemma C.2. For each iteration $t \in [T]$ and prompt $x \in \mathcal{X}$, the TV-distance between $\hat{\pi}_{t+1}(\cdot | x)$ and $\pi_{t+1}^*(\cdot | x)$ can be upper bounded as follows:

$$\begin{aligned}
& \text{DTV}(\hat{\pi}_{t+1}(\cdot | x), \pi_{t+1}^*(\cdot | x)) \\
&= \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x)} \left[\frac{1}{2} \cdot \left| \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} - 1 \right| \right] \\
&\leq \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x)} \left[\frac{1}{2} \cdot \left(1 + \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right) \cdot \left| \log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right| \right] \\
&= \frac{1}{2} \cdot \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x)} \left[\left| \log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right| \right] + \frac{1}{2} \cdot \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot | x)} \left[\left| \log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right| \right] \\
&\leq \sqrt{\frac{1}{2} \cdot \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x)} \left[\left| \log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right| \right]^2} + \frac{1}{2} \cdot \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot | x)} \left[\left| \log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right| \right]^2 \\
&\leq \sqrt{\frac{1}{2} \cdot \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right)^2 \right]} + \frac{1}{2} \cdot \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot | x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right)^2 \right]}, \quad (\text{D.6})
\end{aligned}$$

where the first inequality holds due to Lemma D.2, the second inequality holds due to $x + y \leq \sqrt{2(x^2 + y^2)}$ for $x, y > 0$, and the last inequality holds due to $\mathbb{E}[x]^2 \leq \mathbb{E}[x^2]$. In addition, for each iteration $t \in [T]$ and prompt $x \in \mathcal{X}$, we have

$$\begin{aligned}
& \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right)^2 \right] + \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot | x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right)^2 \right] \\
&\leq \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right)^2 \right] + \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot | x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right)^2 \right] \\
&\quad + 2\text{DKL}(\hat{\pi}_{t+1}(\cdot | x) \| \pi_{t+1}^*(\cdot | x)) \cdot \text{DKL}(\pi_{t+1}^*(\cdot | x) \| \hat{\pi}_{t+1}(\cdot | x)) \\
&= \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right)^2 \right] + \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot | x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right)^2 \right] \\
&\quad + 2\mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x)} \left[-\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right] \cdot \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot | x)} \left[\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right] \\
&= \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x), y' \sim \hat{\pi}_{t+1}(\cdot | x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} - \log \frac{\hat{\pi}_{t+1}(y' | x)}{\pi_{t+1}^*(y' | x)} \right)^2 \right], \quad (\text{D.7})
\end{aligned}$$

where the inequality holds due to KL-divergence is non-negative. According to Theorem 4.1 and definition of π_{t+1}^* in (C.10), we have

$$\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} = \frac{\log Z_t^*(x)}{\log Z_t(x)} + \sum_{i=0}^t \frac{1}{\beta} \cdot \left(\frac{1}{1-\alpha} - \frac{\alpha^{t+1-i}}{1-\alpha} \right) \cdot (r_i(x, y) - r_i^*(x, y)). \quad (\text{D.8})$$

Substituting (D.8) into (D.7), we have

$$\begin{aligned}
& \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right)^2 \right] + \mathbb{E}_{y \sim \hat{\pi}_{t+1}(\cdot | x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} \right)^2 \right] \\
&\leq \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x), y' \sim \hat{\pi}_{t+1}(\cdot | x)} \left[\left(\log \frac{\hat{\pi}_{t+1}(y | x)}{\pi_{t+1}^*(y | x)} - \log \frac{\hat{\pi}_{t+1}(y' | x)}{\pi_{t+1}^*(y' | x)} \right)^2 \right] \\
&\leq \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x), y' \sim \hat{\pi}_{t+1}(\cdot | x)} \left[\left(\sum_{i=0}^t \alpha_{t+1-i} \cdot (r_i(x, y) - r_i^*(x, y)) - (r_i(x, y') - r_i^*(x, y')) \right)^2 \right] \\
&\leq \mathbb{E}_{y \sim \pi_{t+1}^*(\cdot | x), y' \sim \hat{\pi}_{t+1}(\cdot | x)} \left[(t+1) \cdot \sum_{i=0}^t \alpha_{t+1-i}^2 \cdot (r_i(x, y) - r_i(x, y') - r_i^*(x, y) + r_i^*(x, y'))^2 \right], \quad (\text{D.9})
\end{aligned}$$

where $\alpha_i = (1/(1 - \alpha) - \alpha^i/(1 - \alpha))/\beta$ and the last inequality holds due to Cauchy–Schwarz inequality. According to the definition of coverage coefficient κ_t in (4.1), for policy $\hat{\pi}_{T+1}$, we have

$$\begin{aligned}
& \mathbb{E}_{y \sim \pi_{T+1}^*(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{T+1}(y|x)}{\pi_{T+1}^*(y|x)} \right)^2 \right] + \mathbb{E}_{y \sim \hat{\pi}_{T+1}(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{T+1}(y|x)}{\pi_{T+1}^*(y|x)} \right)^2 \right] \\
& \leq (T+1) \cdot \\
& \quad \sum_{t=0}^T \frac{1}{\beta^2(1-\alpha)^2} \cdot \mathbb{E}_{y \sim \pi_{T+1}^*(\cdot|x), y' \sim \hat{\pi}_{T+1}(\cdot|x)} \left[\left(r_t(x, y) - r_t(x, y') - r_t^*(x, y) + r_t^*(x, y') \right)^2 \right] \\
& \leq (T+1) \cdot \\
& \quad \sum_{t=0}^T \frac{\kappa_t}{\beta^2(1-\alpha)^2} \cdot \mathbb{E}_{y \sim \pi_t^*(\cdot|x), y' \sim \hat{\pi}_t(\cdot|x)} \left[\left(r_t(x, y) - r_t(x, y') - r_t^*(x, y) + r_t^*(x, y') \right)^2 \right] \\
& \leq O\left(\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2} \right), \tag{D.10}
\end{aligned}$$

where the first inequality holds due to (D.9) with the fact that $\alpha_i \leq 1/(1 - \alpha)$, the second inequality holds due to the definition of coverage coefficient κ_t in (4.1) and the last inequality holds due to Lemma D.3 with a union bound on the probability across all T iterations. Finally, substituting (D.10) into (D.6), we have

$$\begin{aligned}
& \mathbb{E}_{x \sim \rho} \left[\mathbf{D}_{\text{TV}}(\hat{\pi}_{T+1}(\cdot|x), \pi_{T+1}^*(\cdot|x)) \right] \\
& \leq \mathbb{E}_{x \sim \rho} \left[\sqrt{\frac{1}{2} \cdot \mathbb{E}_{y \sim \pi_{T+1}^*(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{T+1}(y|x)}{\pi_{T+1}^*(y|x)} \right)^2 \right] + \frac{1}{2} \cdot \mathbb{E}_{y \sim \hat{\pi}_{T+1}(\cdot|x)} \left[\left(\log \frac{\hat{\pi}_{T+1}(y|x)}{\pi_{T+1}^*(y|x)} \right)^2 \right]} \right] \\
& \leq O\left(\sqrt{\frac{(T+1) \sum_{t=0}^T \kappa_t \cdot \log(T|\Pi|/\delta)}{N\beta^2(1-\alpha)^2}} \right).
\end{aligned}$$

Thus, we complete the proof of Lemma C.2. \square

E PROOF OF LEMMAS IN APPENDIX D

E.1 PROOF OF LEMMA D.1

In this section, we adapt the previous results on the estimation error from maximum likelihood estimation to the Bradley-Terry (BT) model (Bradley & Terry, 1952) and provide the proof of Lemma D.1.

We start the analysis with the conditional probability estimation setting. For an instance space \mathcal{X} and a target space \mathcal{Y} , we collect the dataset $\mathcal{D} = (z_i, o_i)_{i=1}^N$, where z_i is sampled from a reference policy $z_i \sim \mu_i$, and o_i is then generated with the latent conditional density $P(o_i|z_i) = f^*(z_i, o_i)$. Under this situation, the maximum likelihood estimator across a function class $\mathcal{F} : \mathcal{Z} \times \mathcal{O} \rightarrow \mathbb{R}$ can be denoted as follows

$$f = \arg \max_{f \in \mathcal{F}} \sum_{i=1}^N \log f(z_i, o_i).$$

For an i.i.d. sampled dataset \mathcal{D} , where $\mu_1 = \mu_2 = \dots = \mu_N$, Geer (2000) (Chapter 7) provides upper bounds for the estimation error between f and the hidden function f^* . Later, Agarwal et al. (2020) extended these results to reinforcement learning, allowing for a martingale sampling process.

Lemma E.1 (Theorem 21, Agarwal et al. 2020). For a finite function class $|\mathcal{F}| < +\infty$, if the latent function $f^* \in \mathcal{F}$, then with probability at least $1 - \delta$, we have

$$\sum_{i=1}^N \mathbb{E}_{z \sim \mu_i} \|f(z, \cdot) - f^*(z, \cdot)\|_{\text{TV}}^2 \leq 2 \log(|\mathcal{F}|/\delta).$$

With the help of lemma E.1, we start to prove Lemma D.1.

Proof of Lemma D.1. Based on the Bradley-Terry (BT) model defined in equation (2.1), for the prompt $x_i \in \mathcal{X}$ and the generated responses y_1, y_2 , we have

$$P(y_1 \succ y_2 | x) = \sigma(r^*(x_i, y_{i,1}) - r^*(x_i, y_{i,2})).$$

In this context, we define the instance z_i and target o_i as follows

$$\begin{aligned} z_i &= (x_i, y_{i,1}, y_{i,2}), \\ o_i &= \mathbb{1}(y_{i,1} \succ y_{i,2}) - \mathbb{1}(y_{i,2} \succ y_{i,1}). \end{aligned}$$

For each policy $\pi \in \Pi$, we denote the reparameterized reward $r_\pi(x, y) = \beta \log \pi(y|x) - \beta \log \pi_t(y|x)$. Thus, the density function for an instance $z = (x, y_1, y_2)$ with reward r_π can be represented as

$$f_{r_\pi}(z, o) = \sigma\left(o \cdot (r_\pi(x, y_1) - r_\pi(x, y_2))\right),$$

and we denote the density function class \mathcal{F} as $\mathcal{F} = \{f_{r_\pi} | \pi \in \Pi\}$. Based on Assumption 4.2 and the definition of the Bradley-Terry (BT) model, we have $f_{r^*} \in \mathcal{F}$, and the latent density function satisfies $P(o|z) = f_{r^*}(z, o)$. Consequently, the maximum likelihood estimator can be expressed as

$$f_{r_t} = \arg \max_{f_{r_\pi} \in \mathcal{F}} \sum_{i=1}^N \log f_{r_\pi}(z_i, o_i),$$

where $r_t(x, y) = \beta \log \hat{\pi}_{t+1}(y|x) - \beta \log \pi_t(y|x)$. Thus, according to Lemma E.1, the estimation error between r^* and r_t can be upper bounded by

$$\sum_{i=1}^N \mathbb{E}_{z \sim \mu_i} \|f_{r_t}(z, \cdot) - f_{r^*}(z, \cdot)\|_{\text{TV}}^2 \leq 2 \log(|\Pi|/\delta). \quad (\text{E.1})$$

Since the dataset \mathcal{D}_t is collected with reference policy π_t , we have

$$\begin{aligned} & \mathbb{E}_{x \sim \rho, (y_1, y_2) \sim \pi_t} \left[\sigma(r^*(x, y_1) - r^*(x, y_2)) - \sigma(r_t(x, y_1) - r_t(x, y_2)) \right]^2 \\ &= \frac{1}{2} \cdot \mathbb{E}_{x \sim \rho, (y_1, y_2) \sim \pi_t} \left[\sigma(r^*(x, y_1) - r^*(x, y_2)) - \sigma(r_t(x, y_1) - r_t(x, y_2)) \right]^2 \\ & \quad + \frac{1}{2} \cdot \mathbb{E}_{x \sim \rho, (y_1, y_2) \sim \pi_t} \left[\sigma(r^*(x, y_2) - r^*(x, y_1)) - \sigma(r_t(x, y_2) - r_t(x, y_1)) \right]^2 \\ &= \mathbb{E}_{x \sim \rho, (y_1, y_2) \sim \pi_t} \|f_{r_t}(z, \cdot) - f_{r^*}(z, \cdot)\|_{\text{TV}}^2 \\ &\leq \frac{\log(|\Pi|/\delta)}{N}, \end{aligned} \quad (\text{E.2})$$

where the second equation holds due to the definition of TV-distance with $z = (x, y_1, y_2)$ and the inequality holds due to (E.1). According to Assumption 4.3, we have $r^*(x, y) \in [-1, 1]$ and $r_t(x, y) \in [-R, R]$, which implies that

$$\begin{aligned} & \mathbb{E}_{x \sim \rho, (y_1, y_2) \sim \pi_t} \left[(r^*(x, y_1) - r^*(x, y_2) - r_t(x, y_1) + r_t(x, y_2))^2 \right] \\ &\leq \frac{1}{\sigma^2(1+R) \cdot (1 - \sigma(1+R))^2} \\ & \quad \times \mathbb{E}_{x \sim \rho, (y_1, y_2) \sim \pi_t} \left[\sigma(r^*(x, y_1) - r^*(x, y_2)) - \sigma(r_t(x, y_1) - r_t(x, y_2)) \right]^2 \\ &\leq \frac{1}{\sigma^2(1+R) \cdot (1 - \sigma(1+R))^2} \cdot \frac{\log(|\Pi|/\delta)}{N}, \end{aligned}$$

where the first inequality holds due to $|a - b| \cdot \max_{x \in [a, b]} \sigma'(x) \leq |\sigma(a) - \sigma(b)|$ with the fact that $\sigma'(x) = \sigma(x)(1 - \sigma(x)) \leq \sigma(1+R)(1 - \sigma(1+R))$ and the last inequality holds due to (E.2). Thus, we complete the proof of Lemma D.1. \square

1512 E.2 PROOF OF LEMMA D.2

1513 *Proof of Lemma D.2.* We prove this inequality based on two situations: $x \geq 1$ or $x < 1$. For the
1514 case that $x \geq 1$, we have

$$1515 (1+x) \cdot |\log x| = (1+x) \log x \geq (1+x) \left(1 - \frac{1}{x}\right) \geq x \left(1 - \frac{1}{x}\right) = x - 1,$$

1516 where the first inequality holds due to $\log x \geq 1 - 1/x$ and the second inequality holds due to $x \geq 1$.
1517 We now consider the case where $x < 1$. In this case, we have

$$1518 (1+x) \cdot |\log x| = -(1+x) \log x \geq -(1+x)(x-1) \geq -(x-1),$$

1519 where the first inequality holds due to $\log x \leq x - 1$ and the second inequality holds due to $x < 1$.
1520 Combining the results in these two cases, we complete the proof of Lemma D.2. \square

1521 E.3 PROOF OF LEMMA D.3

1522 In this section, we provide the proof of Lemma D.3, and we summarize our definitions and assump-
1523 tions as follows. Similar assumptions are used in Rosset et al. (2024) to analyze the statistical error
1524 from the reparameterized reward.

1525 **Definition E.2** (Feasible Policy Class). For each iteration $t \in [T]$, let $\Pi_t \subseteq \Pi$ represent the feasible
1526 policy class, which includes all potential policies π_t generated by Algorithm 1 during iteration t ,
1527 based on various possible samplings from the data collection process.

1528 **Assumption E.3** (Realizability). For each iteration $t \in [T]$ and each potential policy $\pi \in \Pi_t$, we
1529 assume that the following updated policy also belongs to the policy class Π :

$$1530 \hat{\pi}(\cdot|x) = \frac{1}{Z_\pi(x)} \cdot \pi(\cdot|x) \cdot \exp\left(\frac{r_\pi^*(x, \cdot)}{\beta}\right) \in \Pi,$$

1531 where $r_\pi^*(x, y) = \mathbb{E}_{y' \sim \pi} [\mathbb{P}(y \succ y'|x)]$ denotes the win probability against the behavior policy π
1532 and $Z_\pi(x) = \sum_{y \in \mathcal{Y}} \pi(y|x) \exp(r_\pi^*(x, y)/\beta)$ is the partition function.

1533 **Assumption E.4** (Boundedness). For each iteration $t \in [T]$ and each potential policy $\pi_t \in \Pi_t$, we
1534 have

$$1535 \beta \log \frac{\hat{\pi}_{t+1}(y|x)}{\pi_t(y|x)} \in [-R, R]$$

1536 holds for all $x \in \mathcal{X}$, $u \in \mathcal{Y}$ and any potential collected data set \mathcal{D}_t .

1537 Based on these assumption, we now begin the proof of Lemma D.3

1538 *Proof of Lemma D.3.* For each policy $\pi \in \Pi_t$ and the corresponding reparameterized reward
1539 $r_\pi(x, y) = \beta \log(\pi(y|x)/\pi_t(y|x))$, we have

$$\begin{aligned} 1540 & \mathbb{E}_{x \sim \rho, y \sim \pi_t(\cdot|x)} \left[r_\pi(x, y) - r_t^*(x, y) + \log Z_{\pi_t}(x) \right]^2 \\ 1541 &= \mathbb{E}_{x \sim \rho, y \sim \pi_t(\cdot|x)} \left[r_\pi(x, y) - \mathbb{E}_{y' \sim \pi_t} [\mathbb{P}(y \succ y'|x)] + \log Z_{\pi_t}(x) \right]^2 \\ 1542 &= \mathbb{E}_{x \sim \rho, y, y' \sim \pi_t(\cdot|x)} \left[r_\pi(x, y) - \mathbf{1}(y \succ y'|x) + \log Z_{\pi_t}(x) \right]^2 + C_{\pi_t} \\ 1543 &= \mathbb{E}_{x \sim \rho, y, y' \sim \pi_t(\cdot|x)} \left[r_\pi(x, y) - \mathbf{1}(y \succ y'|x) + \log Z_{\pi_t}(x) \right]^2 / 2 \\ 1544 &\quad + \mathbb{E}_{x \sim \rho, y, y' \sim \pi_t(\cdot|x)} \left[r_\pi(x, y') - \mathbf{1}(y' \succ y|x) + \log Z_{\pi_t}(x) \right]^2 / 2 + C_{\pi_t} \\ 1545 &= \mathbb{E}_{x \sim \rho, y^w, y^l \sim \pi_t} \left[\ell(r_\pi, x, y^w, y^l, \pi_t) \right] + C_{\pi_t}, \end{aligned}$$

1546 where $Z_{\pi_t}(x) = \sum_{y \in \mathcal{Y}} \pi_t(y|x) \exp(r_t^*(x, y)/\beta)$ is the partition function, $C_{\pi_t} =$
1547 $\mathbb{E}_{x \sim \rho, y, y' \sim \pi_t(\cdot|x)} \left[\mathbb{P}(y \succ y'|x) - \mathbf{1}(y \succ y'|x) \right]^2$ is the variance of behavior policy π_t and the third
1548 equation holds because y, y' collected under the same behavior policy. Conditioned on Assumption
1549 E.3, there exists a policy $\pi_{t+1}^* \in \Pi$ such that $r_{\pi_{t+1}^*}(x, y) = \mathbb{E}_{y' \sim \pi_t} [\mathbb{P}(y \succ y'|x)] - \log Z_{\pi_t}(x)$. Under
1550 this situation, according to the standard concentration argument based on Bernstein's inequality,
1551 the least-squares estimator $\hat{\pi}_{t+1}$ satisfies

$$1552 \mathbb{E}_{x \sim \rho, y \sim \pi_t(\cdot|x)} \left[r_{\hat{\pi}_{t+1}}(x, y) - r_{\pi_{t+1}^*}(x, y) \right]^2 \leq O\left(\frac{(R+1)^2 \cdot \log(|\Pi|/\delta)}{N}\right), \quad (\text{E.3})$$

Table 4: **Open LLM Leaderboard Evaluation.** Comparison of APO with state-of-the-art iterative training algorithms, results are reported using v0.4.1 of the lm-evaluation-harness library. Tasks and parameters follows Beeching et al. (2023).

| Models | Arc | TruthfulQA | WinoGrande | GSM8k | HellaSwag | MMLU | Avg. | Avg. 5 |
|--------------------------|-------|------------|------------|-------|-----------|-------|--------------|--------------|
| Mistral-7B-Instruct-v0.2 | 63.74 | 66.81 | 77.90 | 42.00 | 84.77 | 59.12 | 65.72 | 70.47 |
| DPO Iter1 | 65.36 | 69.19 | 77.11 | 36.92 | 85.1 | 58.89 | 65.43 | 71.13 |
| DPO Iter2 | 66.47 | 69.93 | 78.14 | 42.46 | 85.44 | 58.29 | 66.79 | 71.65 |
| DPO Iter3 | 66.72 | 68.07 | 77.51 | 41.47 | 85.74 | 58.85 | 66.39 | 71.37 |
| APO Iter1 | 65.36 | 69.19 | 77.11 | 36.92 | 85.1 | 58.89 | 65.43 | 71.13 |
| APO Iter2 | 66.98 | 70.98 | 77.51 | 42.61 | 85.32 | 58.69 | 67.02 | 71.90 |
| APO Iter3 | 65.78 | 69.75 | 77.03 | 37.83 | 85.43 | 58.76 | 65.76 | 71.35 |

where the inequality holds due to Lemma 6 in Xu & Zeevi (2020) with the Assumption E.4. Therefore, we have

$$\begin{aligned}
& \mathbb{E}_{x \sim \rho, (y_1, y_2) \sim \pi_t} \left[\left(r_t^*(x, y_1) - r_t^*(x, y_2) - r_t(x, y_1) + r_t(x, y_2) \right)^2 \right] \\
&= \mathbb{E}_{x \sim \rho, (y_1, y_2) \sim \pi_t} \left[\left(r_{\pi_{t+1}^*}(x, y_1) - r_{\pi_{t+1}^*}(x, y_2) - r_t(x, y_1) + r_t(x, y_2) \right)^2 \right] \\
&\leq 2\mathbb{E}_{x \sim \rho, y_1 \sim \pi_t} \left[r_{\pi_{t+1}^*}(x, y_1) - r_t(x, y_1) \right]^2 + 2\mathbb{E}_{x \sim \rho, y_2 \sim \pi_t} \left[r_{\pi_{t+1}^*}(x, y_2) - r_t(x, y_2) \right]^2 \\
&\leq O\left(\frac{(R+1)^2 \cdot \log(|\Pi|/\delta)}{N} \right),
\end{aligned}$$

where the first inequality holds due to $(x+y)^2 \leq 2x^2 + 2y^2$ and the last inequality holds due to (E.3). Thus, we complete the proof of Lemma D.3. \square

F ADDITIONAL DETAILS IN EXPERIMENTS

F.1 HYPERPARAMETERS

Our training is conducted on eight A100 GPUs, setting a global batch size of 64. This is done through setting a local batch size of 8 across all GPUs, with a gradient accumulation step of 1. We utilize the RMSProp optimizer for each iteration, tuning the learning rate and β parameters. Although we initially considered a range of learning rates from $[5 \times 10^{-7}, 1 \times 10^{-7}, 5 \times 10^{-8}]$, we found that a fixed learning rate of 5×10^{-7} while adjusting β across iterations results in enhanced performance. The final β value is set at 0.01 for the first iteration, 0.1 for the second iteration, and 1.0 for the third iteration. The extrapolation parameter α is set to be a constant 0.3. In addition, the learning rate follows a linear schedule with a warm-up ratio of 0.1. For inference, we employ the v1.1m library (Kwon et al., 2023) for response generation, configured with a temperature of 0.7 and a top-p of 0.9. The maximum token length for response generation is set to 2048 tokens. Finally, evaluations across all benchmarks are conducted using eight A6000 GPUs.

F.2 OPEN LLM LEADERBOARD EVALUATION

We provide the result of Open LLM Leaderboard. We calculate the average scores across six tasks, as well as the average of five tasks excluding GSM8k. This exclusion is due to our training’s emphasis on general instruction-following ability, with no exposure to correct answers for math problems. Table 4 shows that APO demonstrates robust performance across multiple tasks. Notably, at iteration 2, APO achieves the highest overall average score of 67.02, outperforming the baseline models. When focusing on the average of five key tasks, excluding GSM8k, APO iteration 2 again leads with an impressive score of 71.90. Although APO iteration 3 shows a slight decrease in the overall average score, it maintains a competitive edge. This decline is primarily attributed to the low correlation of multiple-choice question tasks with instruction-following abilities. we note that all trained baselines exhibit similar performance suboptimality on this metric, while the AlpacaEval performance increases.

F.3 RESPONSE EXAMPLES IN DIFFERENT ITERATIONS

1620
 1621
 1622
 1623
 1624
 1625
 1626
 1627
 1628
 1629
 1630
 1631
 1632
 1633
 1634
 1635
 1636
 1637
 1638
 1639
 1640
 1641
 1642
 1643
 1644
 1645
 1646
 1647
 1648
 1649
 1650
 1651
 1652
 1653
 1654
 1655
 1656
 1657
 1658
 1659
 1660
 1661
 1662
 1663
 1664
 1665
 1666
 1667
 1668
 1669
 1670
 1671
 1672
 1673

Table 5: Generation example of our fine-tuned model by APO at different iterations.

| | |
|-------------|---|
| Prompt | Hi, my sister and her girlfriends want me to play kickball with them. Can you explain how the game is played, so they don't take advantage of me? |
| Iteration 1 | <p>Hello! I'd be happy to help explain the rules of kickball to ensure that you feel confident and prepared for your game with your sister and her girlfriends. Kickball is a fun, social, and inclusive game that combines elements of baseball and soccer. Here's a breakdown of the essential rules:</p> <ol style="list-style-type: none"> 1. Teams and Setup: - Divide into two teams, ideally of equal numbers. - Designate a field with a home base, a first base, a second base, a third base, and a kickball diamond. - Choose a team to be in the field (defense) and one to be at bat (offense). 2. Equipment: - A standard soccer ball (or a large, soft kickball) is used. - No specialized equipment is required for players, except for comfortable clothing and athletic shoes. 3. Objective: - The objective of the game is for the team at bat to score runs by kicking the ball and advancing around the bases, while the fielding team tries to prevent this by getting the runners out. 4. Batting: - The game begins with a pitch (roll) from the pitcher (field player) to the kicker (batter). - The kicker attempts to kick the ball with their foot (no toe-kicks or using hands are allowed). - After a valid kick, the runner(s) may advance around the bases, trying to reach the next base before the ball reaches that base or a defensive player tags them. 5. Fielding: - The fielding team's goal is to get the runners out. - Players can attempt to catch a kicked ball in mid-air to retire the side (three consecutive outs), or they can touch a base with the ball before a runner reaches it to force them out. 6. Scoring: - A run is scored when a player advances around all four bases and returns to home plate. - Each inning is typically limited to a specific number of outs or runs scored (agree on this beforehand). 7. Fair Play: - Encourage sportsmanship and ensure all players understand and respect the rules to maintain a fun and enjoyable experience for everyone involved. 8. Additional rules: - Discuss any specific house rules or modifications to the game before starting, such as allowing multiple kicks per at-bat or implementing a mercy rule if one team is significantly ahead in runs. <p>I hope this information is helpful! If you have any further questions or need clarification on any rules, feel free to ask. Good luck and have a great time playing kickball with your sister and her girlfriends!</p> |

1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727

Table 6: Generation example of our fine-tuned model by APO at different iterations.

| | |
|-------------|---|
| Prompt | Hi, my sister and her girlfriends want me to play kickball with them. Can you explain how the game is played, so they don't take advantage of me? |
| Iteration 2 | <p>Hello! It's great that your sister and her friends have invited you to join them for a game of kickball. Kickball is a fun, social, and inclusive team sport that combines elements of baseball and soccer. Here's a basic explanation of how the game is played to ensure you feel prepared and confident on the field. Keep in mind that variations may exist depending on the specific rules your group chooses to follow, but this outline should provide a solid foundation.</p> <ol style="list-style-type: none"> Teams and Setup: Divide into two even teams, ideally with similar numbers of players (typically 8-12 per team). Designate one team as the home team (they'll be up to bat first), and the other as the visiting team. Set up a diamond-shaped kicking area (the "kickline") approximately 60 feet from a base diamond, similar to baseball. Mark out four bases (first, second, third, and home) in a square shape around the diamond, with home plate located at the end of the kickline. Objective: The objective of kickball is to score runs by hitting the ball with your foot and advancing around the bases before returning to home plate safely. The opposing team aims to get outs by fielding the ball and tagging runners with the ball or touching them with it while they're not on a base. Batting: The batter stands at home plate and kicks the ball when it's pitched towards them by the pitcher from the opposing team. A runner may advance from their base at the start of each pitch, but they must return to that base before the ball is touched by a fielder or thrown to that base. If a runner advances too far before returning to their base, they risk being tagged out in a force play. Fielding: Fielders position themselves around the diamond and outfield to catch fly balls or field grounders. They can also attempt to tag runners with the ball while they're advancing between bases or when they reach a base. Once a fielder catches a fly ball or tags a runner, they record an out. A maximum of three outs per inning is typical. Scoring: Runners score by advancing around the bases and returning safely to home plate. A run is scored when a player reaches home plate after kicking the ball and successfully advances around all four bases without being tagged out or reaching base before a preceding runner is retired (resulting in that runner being forced out). Inning Structure: Each team gets an opportunity to bat in each half-inning. The inning ends when three outs are recorded by the fielding team. Typically, games consist of multiple innings until one team reaches a predetermined number of runs (e.g., five or ten). Fair Play: Ensure that everyone follows the rules and plays in good spirits. Kickball is meant to be an enjoyable experience for all involved, so focus on having fun while staying mindful of safety and fairness. If you feel unsure about any aspect of the game or suspect your sister and her friends might be taking advantage of you, communicate openly with them about your concerns and work together to find solutions that maintain a balanced and enjoyable playing field for everyone. |

1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781

Table 7: Generation example of our fine-tuned model by APO at different iterations.

| | |
|-------------|--|
| Prompt | Hi, my sister and her girlfriends want me to play kickball with them. Can you explain how the game is played, so they don't take advantage of me? |
| Iteration 3 | <p>Hello! It's great that your sister and her friends have invited you to join their kickball game. Kickball is a fun, social, and inclusive sport, well-loved for its simplicity and energy. To ensure you feel confident and prepared for the game, here's a basic explanation of how kickball rules typically work. Keep in mind that variations exist, so always clarify any specific rules with your group before playing.</p> <ol style="list-style-type: none"> Teams and Setup: Divide into two teams, ideally through an evenly distributed random draw or team selection process. Designate a field with clear boundaries using cones or markers. A diamond shape or rectangle works well. Each team defends a designated home base (typically marked by a large cone or object). Equipment: A standard soccer ball is commonly used for kickball games. No specialized equipment is required beyond that, although gloves may be worn for comfort or to improve grip on the ball. Objective: The objective of the game is to score points by kicking the ball and successfully advancing around the bases. The bases are first base, second base, third base, and home plate. A run is scored when a player reaches home base after completing a full circuit around the bases. Starting the Game: A coin toss determines which team bats first. The fielding team positions themselves around the bases and in the outfield, ready to receive the kicked ball. The batting team gathers near home plate with a designated kicker ready to start the inning. Kicking and Running: The kicker takes a stance and kicks the ball forcefully with their foot, aiming for a solid contact to launch the ball as far as possible. Runners on base attempt to advance based on where the ball lands and how the fielding team reacts. Fielding Rules: Fielders must retrieve or touch the ball before a runner advances to the next base. Once a fielder has the ball, they can tag runners with it to record outs. However, runners can advance on a missed catch or an overthrow. If a fielder touches a base before a runner arrives, the runner is out. Scoring: A run is scored when a batter safely kicks the ball and reaches first base, while teammates advance around the bases and return to home plate before the inning ends (three outs). Inning Structure: Each team takes turns at-bat and in the field. Typically, an inning lasts until the fielding team records three outs, at which point the teams switch roles. A game consists of multiple innings, with the team with the most runs at the end declared the winner. Fair Play and Sportsmanship: Encourage a friendly and respectful environment, following the spirit of the game. Ensure all players understand the rules, and focus on having fun rather than taking advantage of one another. If needed, consult your group to establish additional guidelines or modifications to accommodate skill levels and preferences. Additional Tips: <ul style="list-style-type: none"> - Wear comfortable clothing and shoes appropriate for running and kicking. - Stay hydrated and take breaks as needed. - Communicate clearly with teammates and opponents. - Focus on improving your skills, both as a kicker and a runner, to contribute effectively to your team. <p>With this foundational knowledge, you should feel more confident joining your sister and her friends for a kickball game. Enjoy the experience and have fun!</p> |

1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835

Table 8: Another generation example of our fine-tuned model by APO at different iterations.

| Prompt | How did US states get their names? |
|-------------|--|
| Iteration 1 | <p>The naming of US states reflects a rich and varied history, influenced by explorers, Native American cultures, natural features, and political considerations. Here are some common ways US states got their names: 1. Names derived from Native American words: Many states' names come from Native American languages or place names. For example, California comes from the Spanish rendition of the Native American word "Quercus californius," meaning "californio," or "californian," which referred to the native people or the abundant california trees. Florida's name comes from the Spanish word "Pascuan Floridus," meaning "flowery land," a term used by explorer Juan Ponce de Le00f3n, likely inspired by the abundant natural beauty he encountered. 2. Names inspired by explorers and European settlers: Some states are named after famous explorers, settlers, or colonial founders. For instance, Virginia was named after Queen Elizabeth I of England, who was known as the "Virgin Queen" due to her status as an unmarried monarch. Georgia was named after King George II of Great Britain in honor of his support for the founding of a colony there. 3. Names based on geographical features: Several states are named after prominent geographical features, such as mountains, rivers, or bodies of water. For example, Colorado's name comes from the Spanish word "colorado," meaning "red," a term often used to describe the reddish hue of the area's soil and water. Montana's name means "mountainous" in Latin. 4. Names reflecting historical events or early settlement patterns: Some states' names are connected to significant historical events or early settlement patterns. For instance, Maine was originally called "Norumbega" based on tales of a mythical northern land of abundance, but was later renamed by English explorer John Smith to reflect its northern location relative to Massachusetts. Texas was named by the Spanish as "Tejas," meaning "friends" or "allies," due to the friendly reception given to Spanish explorers by the local Caddo and Tonkawa tribes. 5. Names honoring political or ideological affiliations: A few states' names reflect political or ideological affiliations. For example, Vermont was originally called "New Vermont" or "New England's Plymouth" due to its ties to the English county of Vermont and the Pilgrims of Plymouth Colony. Later, when it sought independence from New York, the name was adopted as a tribute to the revolutionary ideals of the Republic of Vermont. Overall, US states' names offer a fascinating glimpse into the rich history of exploration, settlement, and political development that shaped the American nation.</p> |

1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889

Table 9: Another generation example of our fine-tuned model by APO at different iterations.

| Prompt | How did US states get their names? |
|-------------|---|
| Iteration 2 | <p>US states have varied histories regarding how they received their names, with some derived from native place names or geographical features, others from explorers or colonial founding figures, and still others from natural elements or symbolic concepts. Here’s a brief overview of how some common state names came to be: 1. Alabama: Derived from the Native American Chickasaw and Creek words "al-homa" or "allapaha," meaning "thicketed place" or "place with ticklenut trees." 2. Alaska: Russian explorer Vitus Bering, who first documented the region in 1741, named it "Alaska" from the Russian words "alas k0430044f," meaning "great land" or "large country." 3. Arizona: Named after the Arizona Mining District, which in turn was derived from the Spanish term "Arizonia," meaning "arid" or "dry," likely in reference to the desert climate. 4. Arkansas: Originally called the "Land of Hieroglyphics" by early European explorers due to the abundance of Native American petroglyphs found in the region. Later, it was named Arkansas after the Quapaw tribe’s name for a village near present-day Osceola, which translates to "people of the south wind." 5. California: Spanish explorer Juan Rodriguez Cabrillo is credited with giving the name "California" to the region in 1542, possibly inspired by the ancient mythical island of California described by Greek geographer Ptolemy as lying offshore west of the Pacific Ocean, abundant with gold and paradisiacal conditions. 6. Colorado: Derived from the Spanish word "colorado," meaning "red," likely in reference to the red soil and red sandstone formations found in the region. 7. Connecticut: Named by Dutch explorer Adriaen Block in honor of the Mohegan and Montauk Sachems (tribal leaders) Huskera or Quinipet and Sinigtot or Sitenico, whom he met in 1614. The name Connecticut comes from the Mohegan word "quinnipiac," meaning "long tidal river." 8. Delaware: Named after Sir Thomas West, 3rd Baron De La Warr, an English nobleman who served as the first colonial governor in 1630. The name Delaware comes from the Delaware River, which was named after the Lenape Native American tribe, whose name means "upstream people" or "people of the cleared land." 9. Florida: Spanish explorer Juan Ponce de Le00f3n is credited with discovering Florida in 1513 and naming it after "Pascua Florida," meaning "feast of flowers," likely due to the abundant blooming vegetation he encountered during his expedition. 10. Georgia: Named after King George II of Great Britain in honor of his support for establishing a colony there in 1732. 11. Hawaii: The islands’ indigenous Polynesian name, "Hawaii Loa," translates to "long home" or "homeland," reflecting the archipelago’s unique identity as a distinct and unified cultural entity. The name Hawaii became widely known to Europeans through British explorer James Cook, who visited in 1778 and adopted it for the larger island of Hawaii in his charts. 12. Idaho: Derived from a Shoshone Native American word, "hee-da-ho," meaning "gem of the mountains" or "the sun comes from the waters." This name was popularized during the late 19th century when Idaho was being considered for statehood. 13. Illinois: Derived from a Native American word, "Illiniwek," meaning "tribe of superior men" or "tribe dwelling properly." This term referred to various tribes within the Illini Confederacy, which inhabited much of present-day Illinois prior to European contact. 14. Indiana: Named after the Native American term "Indian00e1," meaning "land of the Indians," reflecting that the region was inhabited by various Native American tribes when European settlers arrived. 15. Iowa: Derived from a Native American word, "ayoua," meaning "prairie" or "beautiful land." This name was popularized during the late 19th century when Iowa was being considered for statehood. These examples represent just a fraction of US states and their unique origin stories. Many other states have names rooted in Native American languages, European explorers, geographical features, or symbolic concepts.</p> |

1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943

Table 10: Another generation example of our fine-tuned model by APO at different iterations.

| Prompt | How did US states get their names? |
|-------------|--|
| Iteration 3 | <p>US states have varied histories regarding how they earned their names. Here are some common ways and specific examples: 1. Indigenous Place Names: Many state names originate from Native American languages spoken by tribes inhabiting the regions prior to European exploration. For instance: - Florida: Derived from the Native American word "Pvscaleola" or "Scal scal lla," meaning "flowing water" or "land of flowers," depending on the specific indigenous tribe. European explorer Juan Ponce de Leon may have chosen this name based on reports of native peoples and their designations for the land. - Missouri: Derived from the Missouri River, which in turn took its name from the Miwoksi or Missouri Nation, a Siouan-speaking people inhabiting the area at the time of French explorer Louis Jolliet and Jacques Marquette's passage in 1673. Their name translates roughly to "people of large canoes." 2. European Explorers and Settlers: Many states were named after early European explorers, settlers, or monarchs. For example: - Virginia: Named after Queen Elizabeth I of England in honor of her reign and patronage, specifically her title "the Virgin Queen." Sir Walter Raleigh, who received a royal charter to establish colonies in North America, chose this name. - California: Named by Spanish explorer Vasco N ofa f1ez de Balboa in 1542, who gave it the Latinized name "California" after the Classical mythological figure Californias, who was believed to inhabit a paradisiacal island on the western edge of the known world. 3. Natural Features: Some states bear names inspired by distinctive geographic or topographical features. For instance: - Colorado: Derived from the Spanish "colorado," meaning "red"  2013 a reference to the red soil and rock formations found throughout the region. - Mo ntana: Named for the Latin word "montanus," meaning "mountainous." 4. Historical Events: A few states have names connected to significant historical events. For example: - Texas: Derived from the Spanish "Tejas," meaning "friends" or "allies." The name referred to the indigenous peoples who initially welcomed Spanish explorers in the late 16th century. Later, Mexico used the name when it ruled the region, and after Texas gained independence in 1836, the name remained. - Wisconsin: Named by French explorer Jean Nicolet in 1634 after the native peoples he encountered, the "Wisconsin" or "Meskousing"  2013 an Algonquian-speaking people. The name "Wisconsin" is believed to mean "gathering place" or "place of the red people." 5. Symbolic Meanings: In some cases, state names reflect symbolic or metaphorical concepts. For example: - Nevada: Derived from the Spanish "nevado," meaning "snow-covered mountain range," which aptly describes the state's mountainous terrain and its name's association with the silver rush that brought settlers to the area in the late 19th century (the silver being referred to as "white gold" or "silver snow"). These examples illustrate just a few ways US states have acquired their names throughout history. The specific origins of each state name are complex and often intertwined with the rich tapestry of indigenous, European, and American cultural influences that have shaped the United States.</p> |