# SUMMARIES AS CENTROIDS FOR INTERPRETABLE AND SCALABLE TEXT CLUSTERING

## **Anonymous authors**

Paper under double-blind review

## **ABSTRACT**

We introduce k-NLPmeans and k-LLMmeans, text-clustering variants of k-means that periodically replace numeric centroids with textual summaries. The key idea—summary-as-centroid—retains k-means assignments in embedding space while producing human-readable, auditable cluster prototypes. The method is LLM-optional: k-NLPmeans uses lightweight, deterministic summarizers, enabling offline, low-cost, and stable operation; k-LLMmeans is a drop-in upgrade that uses an LLM for summaries under a fixed per-iteration budget whose cost does not grow with dataset size. We also present a mini-batch extension for real-time clustering of streaming text. Across diverse datasets, embedding models, and summarization strategies, our approach consistently outperforms classical baselines and approaches the accuracy of recent LLM-based clustering—without extensive LLM calls. Finally, we provide a case study on sequential text streams and release a StackExchange-derived benchmark for evaluating streaming text clustering.

## 1 Introduction

Text clustering is a core problem in natural language processing (NLP), with applications in document organization, topic exploration, and information retrieval (Schütze et al., 2008; Steinbach, 2000). A standard pipeline embeds documents into vectors (Devlin, 2018; Sanh, 2019; Mikolov, 2013; Pennington et al., 2014; Brown et al., 2020; Jin et al., 2023) and then groups them with a clustering algorithm (Petukhova et al., 2025). Among these algorithms, k-means (MacQueen, 1967) remains ubiquitous, iteratively updating each centroid as the mean of its assigned points. While effective, this purely numerical averaging can blur contextual nuance present in the original texts (Reimers & Gurevych, 2019). Prior work has explored alternative centroid definitions and related objectives (Jain & Dubes, 1988; Bradley et al., 1996; Kaufman & Rousseeuw, 2008), yet these approaches remain anchored in vector space, which limits interpretability and can induce semantic drift between centroids and their underlying documents. This motivates centroids that are explicitly textual, aligning prototypes with human-interpretable summaries.

**Our proposal.** We introduce a simple modification to k-means: periodically replace numerical centroid updates with summarization steps. Rather than averaging embeddings at every iteration, we compute, at spaced iterations, a textual prototype that summarizes each cluster and then re-embed it with the same encoder to obtain the centroid used for assignments. These *summary-as-centroid* updates remain inside the standard k-means loop but capture richer contextual meaning. Alternating numerical and summary-based updates yields clusters that are more interpretable and often more semantically coherent. Figure 1 illustrates our proposal and shows how even a single summarization step can redirect k-means toward a qualitatively improved solution.

**Summarization step.** We consider two families of summarizers: (1) Classical NLP—centroid-based summarization (Radev et al., 2004), graph-based methods such as TextRank (Mihalcea & Tarau, 2004), and LSA-style techniques (Deerwester et al., 1990)—which are fast and deterministic (yielding k-NLPmeans); and (2) LLM-based summaries that can capture richer context and filter secondary or noisy content (Zhang et al., 2020a; Raffel et al., 2020; Jia & Diaz-Rodriguez, 2025) (yielding k-LLMmeans). In both variants, summaries are recomputed only at scheduled iterations, so the algorithms share the same *summary-as-centroid* mechanism and differ solely in the




Figure 1: Illustration of k-NLPmeans/k-LLMmeans with a single summarization step. First panel shows the text embeddings with stars marking the initial centroids; second shows the partition reached after k-means iterations (a local minimum); third performs the summarization step, each previous cluster is summarized into a textual prototype and re-embedded; final panel runs one more k-means iteration using these summaries as centroids, yielding a qualitatively improved partition.

summarizer. While methods from (1) and (2) are standard in summarization, our periodic use of summary-derived centroids within the k-means loop is, to our knowledge, novel and central to the method's interpretability.

**Interpretability and scalability.** Each summarization step produces a concise, human-readable centroid that exposes evolving cluster semantics, simplifying debugging, validation, and labeling. The summarizer is modular: it can be LLM-free (k-NLPmeans) or LLM-assisted under a fixed periteration budget that does not grow with dataset size (k-LLMmeans). For large-scale and streaming settings, we adapt mini-batch k-means (Sculley, 2010) by inserting summarization steps into the mini-batch update rule, enabling efficient online clustering while retaining interpretability.

Relation to existing LLM-based clustering. Recent work shows that LLMs can deliver strong unsupervised clustering (Zhang et al., 2023; Feng et al., 2024; De Raedt et al., 2023; Viswanathan et al., 2024; Shi & Sakai, 2023; Tarekegn et al., 2024; Nakshatri et al., 2023). However, many pipelines face two practical issues: (i) scalability, as they may rely on semi-supervision, iterative labeling, or a number of LLM calls that grows with dataset size; and (ii) opaque optimization, since they often combine prompts, greedy merges, and similarity thresholds without an explicit objective, making convergence behavior hard to analyze. Our k-LLMmeans addresses both: by summarizing per cluster at spaced iterations, we cap LLM usage independently of dataset size, and by keeping assignments and numeric updates in embedding space, we preserve the standard k-means objective between summary steps. In both k-NLPmeans and k-LLMmeans, if the summaries are weak, the procedure gracefully degrades to vanilla k-means with a suboptimal initialization, retaining its standard local-convergence behavior. Note that our method is LLM-optional: k-NLPmeans replaces the summarizer with classical NLP techniques, incurring no LLM usage.

**Contributions.** In summary, we (i) propose k-NLPmeans and k-LLMmeans, a *summary-as-centroid* variant of k-means that periodically replaces numeric centroids with textual prototypes re-embedded by the same encoder—an LLM-optional design that, by construction, preserves the standard k-means objective *between* summary steps; interpretability follows from human-readable centroids and transparent intermediate outputs; (ii) extend the approach to mini-batch k-means for efficient, *online* clustering of streams; (iii) present a comprehensive empirical study across datasets, embeddings, and summarizers, showing consistent gains over classical baselines and competitiveness with recent LLM-based clustering under a dataset-size—independent LLM budget; and (iv) provide a case study on sequential text streams and release a StackExchange-derived benchmark for evaluating streaming text clustering.

## 2 Preliminaries: K-means for text clustering

Given a corpus of n text documents  $D = \{d_1, \dots d_n\}$ . Each document  $d_i$  is represented as a d-dimensional embedding vector  $\mathbf{x}_i \in \mathbb{R}^d$  such that:

$$\mathbf{x}_i = \text{Embedding}(d_i).$$

The goal of k-means clustering is to partition these n document embeddings into k clusters, minimizing the intra-cluster variance. Formally, we define the clustering objective as:

$$\min_{C_1, C_2, \dots, C_k} \sum_{j=1}^k \sum_{i \in [C_j]} \|\mathbf{x}_i - \boldsymbol{\mu}_j\|^2, \tag{1}$$

where  $C_j$  denotes the set of embeddings assigned to cluster j,  $[C_j] = \{i | \mathbf{x}_i \in C_j\}$  denotes the set of embedding indices assigned to cluster j and  $\boldsymbol{\mu}_j$  is the cluster centroid, computed as the mean of the assigned embeddings:

$$\mu_j = \frac{1}{|C_j|} \sum_{i \in [C_j]} \mathbf{x}_i. \tag{2}$$

Lloyd's algorithm (Lloyd, 1982)—the standard heuristic for k-means—alternates between assigning each document embedding  $\mathbf{x}_i$  to its nearest centroid and recomputing each centroid as the mean of its assigned points. Repeating these two steps for T iterations monotonically reduces the within-cluster sum of squared distances, steering the procedure toward a (locally) optimal set of centroids. However, due to its sensitivity to initialization and the non-convex nature of its objective function, k-means does not guarantee convergence to the global optimum and can instead become trapped in local optima (MacQueen, 1967; Lloyd, 1982). Various strategies, such as k-means++ initialization and multiple restarts, have been proposed to mitigate these issues and improve the likelihood of achieving better clustering results (Arthur & Vassilvitskii, 2006).

#### 3 K-MEANS WITH SUMMARIZATION STEPS

We enhance k-means for text clustering by periodically replacing the numerical centroid update with  $summarization\ steps$  that yield textual-summary—based centroids. The procedure (Algorithm 1 in Appendix C) is identical to k-means algorithm except that every l iterations the mean update in equation 2 is replaced by the embedding of a cluster textual summary. At all other iterations, the standard update is used (see Figure 1 for an illustration with one summarization step). The summarizer can be instantiated with classical, deterministic methods (k-NLPmeans) or with LLM-based summaries (k-LLMmeans), and is not restricted to the specific techniques we discuss—any textual summarization operator can be dropped in.

# 3.1 K-NLPMEANS.

Our first variant uses classical extractive summarization to compute a textual prototype in place of the standard centroid update. Formally, we replace equation 2 with

$$\mu_j = \text{Embedding}\left(f_{\text{NLP}}^{(q)}(S_j)\right),$$
(3)

where  $S_j$  is the collection (multiset) of sentences obtained by tokenizing all documents assigned to cluster j. Unless otherwise noted, sentence–sentence similarities are computed as cosine similarity between sentence embeddings produced by the *same* encoder used for documents. The operator  $f_{NI,P}^{(q)}$  returns a short summary of q sentences; typical instantiations include:

- Centroid-based summarization (Radev et al., 2004): compute the centroid of the sentence embeddings for  $S_j$ ; rank sentences by cosine similarity to this centroid; concatenate the top q sentences (by rank) to form  $f_{\text{NLP}}^{(q)}(S_j)$ .
- Graph-based (TextRank) (Mihalcea & Tarau, 2004): build a graph whose nodes are sentences in  $S_j$  with edge weights given by pairwise cosine similarity of their embeddings; run a PageRank-style algorithm to score sentences; select and concatenate the top q.
- LSA-style SVD in embedding space (Deerwester et al., 1990): stack the sentence embeddings for  $S_j$ , apply singular value decomposition, score sentences by contribution to the leading components, and concatenate the top q.

The resulting summary text  $f_{\text{NLP}}^{(q)}(S_j)$  is then embedded in the same vector space as the documents to yield the new centroid  $\mu_j$ .

#### 3.2 K-LLMMEANS.

If instead we generate the summary with an LLM, we have k-LLMmeans. Formally, we replace equation 2 by

$$\mu_j = \text{Embedding}(f_{\text{LLM}}(p_j)) \tag{4}$$

where  $p_j = \operatorname{Prompt}\left(I, \{d_{z_i}|z_i \sim [C_j]\}_{i=1}^{m_j}\right)$ , and  $m_j = \min(m, |C_j|)$ . Here,  $z_i \sim [C_j]$  denotes a sampled index of the embeddings assigned to cluster  $C_j$  (without repetitions) and m is a parameter that represents the maximum number of sampled indices used to compute the cluster centroid  $\mu_j$ . In simple terms, we update a cluster's centroid by using the embedding of the response generated by an LLM when queried with a prompt containing a summarization instruction I and a representative sample of documents from the cluster. Rather than providing all documents within the cluster as input, the LLM processes a representative sample as a context prompt. While incorporating the entire cluster is theoretically possible, it poses practical challenges due to prompt length limitations. Therefore, we propose selecting the sample cluster documents using a k-means++ sampling of the cluster embeddings. Our experiments demonstrate that this sampling process facilitates a more effective synthesis of the cluster's content, leading to improved summaries and, consequently, more refined centroid updates. The instruction I varies depending on the clustering task, but standard summarization prompts are generally sufficient. Figure 1 illustrates how k-LLMmeans with a single summarization step enhances the standard k-means algorithm.

#### 3.3 Advantages of our approaches

**Over k-means.** Periodic summarization steps act as a semantic prototype update that can redirect the search trajectory and reduce sensitivity to initialization. Instead of relying solely on Euclidean means, a textual summary captures contextual cues present in the underlying documents; reembedding this summary yields centroids that better reflect cluster semantics. In practice, summary-based centroids produce more interpretable and often more semantically coherent—partitions, even when k-means++ seeding is suboptimal. Apart from the summary steps, the procedure follows standard k-means: assignments and numeric updates are unchanged and the usual objective is preserved between summary iterations. Section 5.1 shows that our methods often outperform vanilla k-means across diverse settings.

Over advanced LLM-based clustering methods. Our approach offers three key advantages over more complex LLM-based clustering methods: (1) *Optimization landscape*. Grounded in the standard k-means objective, we inherit algorithmic convergence without relying on the fragile heuristics common in newer LLM-driven methods. A poor summary simply leads the procedure back toward a regular k-means local optimum, whereas competing approaches hinge on stable, format-specific LLM outputs. (2) *Scalability*. Unlike most state-of-the-art methods, whose LLM usage complexity grows with sample size (Feng et al., 2024; De Raedt et al., 2023) or require fine-tuning (Zhang et al., 2023). k-NLPmeans requires no LLM calls and k-LLMmeans only performs k LLM calls per summarization step, with even few summarization steps yielding substantial performance gains. (See Section 5.1). (3) *Interpretability*. Replacing numeric centroids with textual summaries turns each prototype into a concise, human-readable synopsis; practitioners can track how cluster semantics evolve over time without post-hoc labeling. This transparency extends naturally to our mini-batch variant, enabling real-time monitoring in streaming scenarios (see Figure 2 and Section 5.1).

## 4 MINI-BATCH K-NLPMEANS AND K-LLMMEANS

Mini-batch k-means (Sculley, 2010) is an efficient strategy for large-scale text clustering that processes small, randomly sampled mini-batches instead of the full dataset. This approach substantially reduces memory usage and computational cost, making it well suited for continuously generated text streams—such as those from social media, news, or customer feedback—where data must be clustered incrementally without full dataset access. Mini-batch k-means exhibits convergence properties comparable to standard k-means while offering superior scalability.

Although numerous streaming clustering methods that do *not* rely on LLMs have been studied (Silva et al., 2013; Aggarwal, 2018; Ribeiro et al., 2017; Aggarwal et al., 2003; Ackermann et al., 2012; Ordonez, 2003), only a few incorporate LLMs (Tarekegn et al., 2024; Nakshatri et al., 2023). Moreover, existing offline LLM-based clustering approaches face scalability issues, highlighting the need

for scalable summary-based clustering in an online setting. To address this, we introduce *mini-batch k-NLPmeans and k-LLMmeans*, which directly extend mini-batch k-means by inserting summarization steps into the mini-batch update.

Algorithm 2 details how our approaches sequentially receive b batches of documents  $D_1, \ldots D_b$  where each batch contains a set of documents (these batches can either be random samples from a large corpus or represent sequential data). It processes each batch sequentially with k-NLPmeans/k-LLMmeans and updates centroids incrementally using a weighted rule like mini-batch k-means. Our algorithm preserves the desirable properties of mini-batch k-means, with low memory and none or low LLM usage. Section 6 shows that it also outperforms in simulations.

## 5 STATIC EXPERIMENTS

We use four benchmark datasets that span diverse domains and classification granularities: Bank77 (Casanueva et al., 2020), CLINC (Larson et al., 2019), GoEmo (Demszky et al., 2020) and MAS-SIVE (domain and intent) (FitzGerald et al., 2023). See Appendix A.1 for detailed descriptions of the datasets. We evaluate our algorithms on each of the four datasets using the known number of clusters and performing 120 centroid-update iterations. We calculate two variants of our algorithms differing in the number of summarization steps. The single variant uses a single summarization step (l = 60), while the *multiple* variant performs five summarization steps (l = 20). To demonstrate strate the robustness of our approach, we compute embeddings with models: DistilBERT(Sanh, 2019), e5-large(Wang et al., 2022), S-BERT(Reimers & Gurevych, 2019), and text-embedding-3small(OpenAI, 2023). For k-NLPmeans we evaluate using *TextRank*, *Centroid* and *LSA* summarization methods mentioned in Section 3.1, with q = 5. For the LLM component of k-LLM means, we use GPT-3.5-turbo(OpenAI, 2023), GPT-4o(Hurst et al., 2024), Llama-3.3(Grattafiori et al., 2024), Claude-3.7(Anthropic, 2025) and DeepSeek-V3(Liu et al., 2024). For the instruction task I, we employ a simple summarization prompt depending on the task. For example, for Bank77 we use the prompt: "The following is a cluster of online banking questions. Write a single question that represents the cluster concisely." We explore the effect of prompt size by summarizing using all cluster documents as input, and a few-shot (FS) variant where each prompt includes only m=10randomly selected documents instead of the full cluster. For each setting we run five different seeds.

As traditional clustering baselines, we consider k-means, k-medoids (Kaufman & Rousseeuw, 2008), spectral clustering (Ng et al., 2001), agglomerative clustering (Johnson, 1967), and Gaussian Mixture Models (GMM) (Dempster et al., 1977). We use ground-truth number of clusters and ten different seeds. For advanced LLM-based methods, we compare with results obtained by Feng et al. (2024) on ClusterLLM (Zhang et al., 2023), IDAS (De Raedt et al., 2023), and LLMEdgeRefine (Feng et al., 2024). All k-means based methods are initialized with k-means++. We now provide a summary of the results.

#### 5.1 RESULTS WITH STATIC DATA

Comparing summarization variants and traditional clustering methods. Table 1 reports mean accuracy (ACC) and normalized mutual information (NMI) for multiple k-NLPmeans and k-LLMmeans variants (LLM: GPT-4o), using text-embedding-3-small embeddings on four datasets. Across all datasets, our methods outperform traditional baselines on NMI and generally achieve higher ACC. Within k-NLPmeans, differences are modest, with LSA yielding the best overall scores among extractive summarizers. k-LLMmeans achieves the strongest results, attributable to higher-quality abstractive summaries; interestingly few-shot variants show better performance. Multiple summarization steps tend to offer additional gains over a single step. Overall, both k-NLPmeans and k-LLMmeans improve upon traditional algorithms, with k-LLMmeans delivering the best results, and remaining efficient, as few-shot summarization appears sufficient without needing extensive prompt length.

Comparing our approaches with k-means using different embeddings. Table 2 compares k-NLPmeans (*LSA-multiple*) and k-LLMmeans (*FS-multiple*) with k-means with different embeddings on three benchmark datasets, reporting average ACC, average NMI, and average Euclidean distance between the learned and ground-truth centroids (*dist*). The *dist* metric directly gauges how closely each algorithm recovers the true centroids, an especially meaningful criterion for centroid-based

Table 1: Average ACC and NMI for four k-LLMmeans variants using GPT-40, compared against traditional baselines, with text-embedding-3-small embeddings, evaluated on benchmark datasets.

Dataset/Method	BAN	IK77	CL	CLINC		GoEmo		Massive (D)		sive (I)
Datasermeniou	ACC	NMI	ACC	NMI	ACC	NMI	ACC	NMI	ACC	NMI
k-NLPmeans										
TextRank-single	66.4	83.6	78.7	92.4	21.5	20.9	60.6	68.9	53.0	72.5
TextRank-multiple	66.8	83.9	79.6	92.8	21.6	21.0	60.5	69.3	53.7	72.8
Centroid-single	67.2	84.0	78.5	92.2	22.1	21.2	60.9	68.3	53.5	73.0
Centroid-multiple	67.5	84.0	79.0	92.4	21.4	21.1	60.8	69.1	54.3	73.5
LSA-single	66.7	83.7	78.8	92.5	21.9	20.5	61.2	68.7	54.1	73.0
LSA-multiple	67.1	84.0	80.2	92.9	22.3	20.2	63.3	70.0	55.3	73.4
k-LLMmeans										
single	67.1	83.6	78.1	92.5	24.0	22.3	61.1	69.6	54.0	73.0
multiple	66.7	83.6	79.1	92.8	24.1	22.1	60.6	69.5	55.8	73.5
FS-single	67.5	83.8	79.2	92.8	23.0	21.9	60.8	69.4	55.3	73.6
FS-multiple	67.9	84.1	80.2	93.1	24.2	22.3	63.2	70.6	<b>56.7</b>	73.9
k-means	66.2	83.0	77.3	92.0	20.7	20.5	59.4	67.9	52.9	72.4
k-medoids	41.7	69.5	49.3	77.7	15.7	15.9	37.6	38.8	35.9	52.4
GMM	67.7	83.0	78.9	92.7	21.5	20.6	56.2	68.6	53.9	73.2
Agglomerative	69.9	83.7	81.0	92.5	15.8	14.1	62.8	67.1	56.6	70.5
Spectral	68.2	83.3	76.3	90.9	17.6	15.2	61.5	67.0	56.6	71.4

Table 2: Average ACC, NMI, and *dist* for k-means and k-LLMmeans *FS-multiple*, evaluated on three datasets using four different embedding models.

Dataset	CLINC				GoEm	0	Massive (D)		
embedding/Method	ACC	NMI	dist	ACC	NMI	dist	ACC	NMI	dist
DistilBERT									
k-means	53.9	77.2	0.34	17.8	18.3	0.364	44.4	45.1	0.309
k-NLPmeans	52.9	77.3	0.353	18.5	18.2	0.365	44.7	45.3	0.311
k-LLMmeans	55.3	<b>78.7</b>	0.343	18.2	18.8	0.351	46.2	46.4	0.295
text-embedding-3-small									
k-means	77.3	92.0	0.2	20.7	20.5	0.287	59.4	67.9	0.246
k-NLPmeans	80.0	92.9	0.173	22.3	20.2	0.29	63.3	70.0	0.227
k-LLMmeans	80.2	93.1	0.179	24.2	22.3	0.278	63.2	70.6	0.227
e5-large									
k-means	73.8	90.8	0.131	22.8	22.8	0.176	58.4	63.7	0.138
k-NLPmeans	76.5	92.0	0.119	22.6	22.6	0.179	60.4	65.7	0.137
k-LLMmeans	77.2	92.5	0.119	24.2	24.3	0.168	62.3	65.9	0.133
S-BERT									
k-means	76.9	91.0	0.215	13.7	13.3	0.355	58.2	64.6	0.271
k-NLPmeans	79.0	91.9	0.201	14.1	12.8	0.363	58.5	64.6	0.272
k-LLMmeans	79.7	92.5	0.198	14.7	13.9	0.346	59.7	65.6	0.254

methods. Across all tested embeddings, our approaches achieve higher average ACC and NMI than k-means producing smaller average *dist* values. Interestingly k-LLMmeans stands as the best, demonstrating that its LLM-guided centroid updates converge to solutions that are both more accurate and more faithfully aligned with the underlying cluster structure.

Comparing our approaches with different LLMs and state-of-the-art LLM-based clustering methods. Table 3 reports the number of LLM calls (prompts) and mean ACC/NMI for k-NLPmeans (LSA-multiple) and k-LLMmeans (FS-multiple) on three benchmarks with e5-large embeddings. For k-LLMmeans we vary the backbone generator—including GPT-3.5—and observe stable performance across LLMs, indicating robustness to the specific model. By design, k-NLPmeans uses zero LLM calls. For context, we also include results from Feng et al. (2024): ClusterLLM (finetuned) and IDAS use GPT-3.5 with the same e5-large embeddings, while LLMEdgeRefine uses the stronger Instructor embeddings (Jin et al., 2023). Our GPT-3.5 configuration of k-LLMmeans achieves comparable, sometimes slightly lower ACC/NMI, but with much fewer LLM calls (independent of dataset size) and no fine-tuning. k-NLPmeans trails k-LLMmeans slightly but remains competitive without any LLM usage. Overall, our framework offers a favorable quality—cost trade-off: k-NLPmeans for zero-inference-cost deployments, and k-LLMmeans for higher accuracy under a small, fixed summarization budget.

Table 3: Number of LLM calls (prompts), average ACC, and average NMI for k-LLMmeans *FS-multiple* using various LLMs and e5-large embeddings, compared against other LLM-based text clustering methods on three benchmark datasets.

Dataset/Method	C	CLINC			GoEmo		Massive (D)		
Dataset/Method	prompts	ACC	NMI	prompts	ACC	NMI	prompts	ACC	NMI
k-NLPmeans	0	76.5	92.0	0	22.6	22.6	0	60.4	65.7
k-LLMmeans									
GPT-3.5-turbo	750	76.0	92.1	135	23.9	24.1	90	63.3	66.2
GPT-40	750	77.2	92.5	135	24.2	24.3	90	62.3	65.9
Llama-3.3	750	77.2	92.3	135	23.8	23.1	90	62.0	66.3
DeepSeek-V3	750	69.7	90.8	135	22.8	22.7	90	62.6	66.3
Claude-3.7	750	76.9	92.5	135	24.2	23.7	90	61.8	66.0
ClusterLLM	1618	83.8	94.0	1618	26.8	23.9	1618	60.9	68.8
IDAS	4650	81.4	92.4	3011	30.6	25.6	2992	53.5	63.9
LLMEdgeRefine	1350	86.8	94.9	895	34.8	29.7	892	63.1	68.7

Table 4: Average ACC, and average NMI for four sequential mini-batch variants, k-means, mini-batch k-means, sequential mini-batch k-means on the yearly StackExchange data.

	20	2020 (69147 posts)		.021	2	022	2023 (38953 posts)	
Year/Method	(69147			147 posts) (54322 posts)		(4352		
	ACC	NMI	ACC	NMI	ACC	NMI	ACC	NMI
mini-batch k-NLPmeans	68.0	79.5	67.9	78.5	69.0	78.9	71.6	78.8
mini-batch k-LLMmeans								
multiple	72.5	80.9	73.6	80.5	74.4	80.5	73.4	80.3
FS + multiple	75.4	81.6	73.5	80.2	72.8	80.1	72.7	80.1
k-means	73.4	80.6	67.7	79.0	68.6	79.0	72.0	79.6
mini-batch k-means	67.0	78.2	67.7	77.4	67.5	77.6	67.2	77.0
seq. mini-batch k-means	67.0	76.6	66.7	75.2	65.6	75.6	65.8	74.8

Results with standard deviations are reported in Tables 5, 6, and 7 of Appendix B.1. We also assess sensitivity to the instruction prompt I in k-LLMmeans and to parameter q in k-NLPmeans. As shown in Table 9 (Appendix B.2), performance is generally stable across prompt choices and q values.

## 6 SEQUENTIAL (MINI-BATCH) EXPERIMENTS

We use yearly posts from 2020 to 2023 from 35 StackExchange sites (StackExchange, 2024). Each post is accompanied by the site label (domain) and timestamp, making this dataset well-suited for evaluating online or sequential clustering methods. We release this dataset alongside our submission (see Appendix A.2 for details). For each yearly subset, we split the data into  $b = \left\lceil \frac{n}{10000} \right\rceil$  equal-sized batches  $D_1, \ldots, D_b$  in chronological order, where n is the number of documents for that year. We run the mini-batch k-LLMmeans algorithm in its four variants described in Section 5 (for practical reasons we set m=50 for the full cluster variant). We compare with three baselines: mini-batch k-means with standard random sampling, sequential mini-batch k-means with b chronological batches, and standard k-means on the full dataset. We use ground-truth clusters, text-embedding-3-small for embeddings, GPT-40 for the summarization step, and five different seeds.

#### 6.1 RESULTS WITH STREAMING DATA

Table 4 reports average ACC and NMI on the yearly StackExchange corpus, comparing mini-batch k-NLPmeans (LSA-multiple) and mini-batch k-LLMmeans variants against standard k-means, mini-batch k-means, and sequential mini-batch k-means. Mini-batch k-LLMmeans variants achieve the highest ACC and NMI—consistently outperforming baselines, and even surpassing full-dataset k-means. Despite operating in a streaming regime, our approach clusters the entire corpus of 205,943 posts using no more than 3,850 LLM calls, demonstrating a favorable accuracy-per-LLM-token trade-off. The few-shot summarization design keeps prompts short, sidestepping context-window limits while preserving cluster quality. Mini-batch k-NLPmeans also improves over all mini-batch baselines, though it trails the k-LLMmeans variants—likely because its extractive summaries are

Cluster description	First batch	Second batch	Third batch
Image Model Optimization	How can we improve the robustness and accuracy of image classification and object detection models, such as CNNs, YOLO, and Mask R-CNN, against challenges like adversarial attacks, occlusion, and varying input scales, while also effectively utilizing additional data types and addressing issues like overfitting, segmentation, and bounding box precision?	How can I effectively implement and optimize various deep learning techniques, such as transfer learning, object detection, and image perprocessing, for tasks like facial expression recognition, semantic segmentation, and anomaly detection, while addressing challenges like input size inconsistency, data augmentation, and model uncertainty?	How can I effectively utilize AI techniques, such as convolutional neural networks (CNNs) and object detection models, for tasks involving image data, including detecting specific objects or features, handling imbalanced datasets, and improving model performance through techniques like transfer learning, data augmentation, and specialized loss functions?
Al evolution and challenges	How has artificial intelligence research evolved in various domains, such as board games, semantic networks, and computational theories, and what are the practical implications and challenges of implementing AI in areas like gaming, formal logic, and general intelligence?	How do current AI models and algorithms, particularly in the context of AGI and generative models like GANs, incorporate or benefit from the concept of flaws or limitations, and what philosophical or practical implications do these imperfections have for achieving human-level intelligence or solving complex problems?	How can different Al approaches, such as symbolic Al, neural networks, and hybrid systems, be effectively utilized or combined to achieve AGI, considering factors like computational efficiency, and the integration of various AI techniques, including knowledge engineering, neuro-symbolic methods, and reinforcement learning, while addressing challenges related to safety, scalability, and adaptability in diverse applications?
Advanced NLP Techniques	How can I effectively utilize NLP techniques and models, such as Word2Vec, BERT, and Transformers, for various tasks like word embedding, sentiment analysis, text classification, and handling grammatical errors, while understanding the differences between these models and the role of preprocessing in improving their performance?	How can we effectively evaluate and understand the contextual and semantic capabilities of models like BERT and GPT-3, considering their use of embeddings, self-attention mechanisms, and transfer learning, while also exploring alternative evaluation metrics beyond traditional ones like BLEU for tasks such as text generation and translation?	How can I effectively utilize pre-trained language models and NIP techniques to handle tasks such as text translation, entity recognition, and text classification, while addressing challenges like sequence length limitations, domain-specific vocabulary, and the need for accurate alignment between text and audio in multilingual contexts?

Figure 2: Sequential evolution of the LLM-generated centroids for three primary clusters during the three batches of the sequential mini-batch k-LLMmeans process applied to 2021 posts from the AI Stack Exchange site (StackExchange, 2024). Main aspects are manually highlighted.

more sensitive to the noisiness and heterogeneity of community posts than LLM-generated centroids. Overall, these results highlight that our interpretable, mini-batch formulation scales to long sequential streams with strong accuracy and limited LLM usage.

Results with standard deviations are reported in Table 8 (Appendix B.1).

#### 7 Case study

To demonstrate the interpretability of our method in capturing the evolution of clusters within sequential data, we present a case study using posts from the AI site in the 2021 Stack Exchange dataset (StackExchange, 2024). We apply our mini-batch k-LLMmeans algorithm with three equallength batches and a total of ten clusters. We use the instruction "The following is a cluster of questions from the AI community. Write a single question that represents the cluster".

**Interpretation.** Our interpretable clustering enables temporal analysis of topic change, since each centroid is a human-readable summary rather than a latent vector. Figure 2 shows this for three major clusters: Image Model Optimization, AI Evolution and Challenges, and Advanced NLP Techniques. Across 2021, these clusters drift from fundamentals toward integration-at-scale, mirroring how tools, models, and deployment pressures matured. Image Model Optimization begins with robustness anxieties (adversaries, occlusion, scale) around mainstream detectors/segmenters, pivots mid-year to "how do I implement this well?" (transfer learning, augmentation, preprocessing), and ends with production hardening (class imbalance, specialized losses, edge efficiency) as strong pretrained models and libraries made setup routine and pushed bottlenecks to data and deployment (Bochkovskiy et al., 2020; Kolesnikov et al., 2021). AI Evolution and Challenges moves from historical "what is AI becoming?" to curiosity about large generative/multimodal systems—probably sparked by public releases like CLIP/DALL·E and their failure modes—and finishes with systemlevel synthesis (neuro-symbolic integration, RL control, compute efficiency, safety) as enterprise adoption and policy attention grow (Radford et al., 2021; Ramesh et al., 2021; Nayak, 2021; OpenAI, 2021; European Commission, 2021). Advanced NLP Techniques tracks the transformer boom: early questions focus on which models and preprocessing to use; mid-year attention shifts to measuring semantics beyond BLEU (e.g., BERTScore, BLEURT) as long-context and domain-shift issues surface; late-year concerns are product-driven—sequence limits, domain vocab, multilingual/crossmodal alignment—reflecting rapid uptake of pretrained encoders/decoders in industry (Brown et al., 2020; Zhang et al., 2020b; Sellam et al., 2020; Xue et al., 2021). Practically, these trajectories can power better post categorization, searchability, answer routing, and trend detection. More broadly, they showcase how our mini-batch k-LLMmeans exposes readable centroids enabling end-to-end interpretability for sequential text streams, letting practitioners track topic evolution, attribute causes, and make transparent, timely decisions in dynamic corpora.

# 8 RELATED WORK

**Traditional clustering.** Hierarchical methods (Johnson, 1967; Blashfield & Aldenderfer, 1978) build tree-structured representations of nested document relationships. Density-based approaches like DBSCAN (Ester et al., 1996) and graph-based methods detect clusters of arbitrary shapes, while spectral clustering (Ng et al., 2001) leverages eigen-decomposition to uncover complex structures. Model-based techniques—including Gaussian mixture models (Dempster et al., 1977) and recent neural network frameworks (Zhou et al., 2019; Huang et al., 2014; Yang et al., 2016; Zhang et al., 2021; Xie et al., 2016)—provide probabilistic clustering formulations. Additionally, topic modeling methods, from probabilistic latent semantic analysis (Hofmann, 2001) to latent Dirichlet allocation (Blei et al., 2003), capture word co-occurrence patterns and latent topics. **BERTopic** (Grootendorst, 2022) offers an embedding-reduction-density pipeline for interpretable topics, while **DeepCluster** (Caron et al., 2018) uses clustering to iteratively train encoders in a self-supervised manner (orthogonal to our fixed-embedding setting). **LLM-based clustering.** Viswanathan et al. (2024) employ LLMs to augment document representations, generate pseudo pairwise constraints, and post-correct low-confidence assignments for query-efficient, few-shot semi-supervised clustering. Zhang et al. (2023) propose ClusterLLM, which uses instruction-tuned LLMs via interactive triplet and pairwise feedback to cost-effectively refine clustering granularity. Complementary approaches (Tipirneni et al., 2024; Petukhova et al., 2025) show that context-derived representations capture subtle semantic nuances beyond traditional embeddings. Wang et al. (2023) introduce a goal-driven, explainable method that employs natural language descriptions to clarify cluster boundaries, while (De Raedt et al., 2023) present IDAS for intent discovery using abstractive summarization. Feng et al. (2024) propose LLMEdgeRefine an iterative mechanism that forms super-points to mitigate outliers and reassign ambiguous edge points, resulting in clusters with higher coherence and robustness.

#### 9 DISCUSSION

We presented k-NLPmeans and k-LLMmeans, which replace the numeric centroid in k-means with textual summaries, yielding interpretable prototypes while preserving scalability. The LLM-free k-NLPmeans achieves competitive accuracy with minimal additional complexity; k-LLMmeans augments clusters with LLM summaries under a fixed, iteration-bounded LLM budget, offering a favorable accuracy—efficiency trade-off without fine-tuning. A mini-batch extension enables streaming operation. Overall, *summary-as-centroid* is a simple yet powerful and novel modification that unifies interpretability and efficiency and broadens the applicability of k-means to modern text streams. **Beyond text**, *summary-as-centroid* could be generalized by replacing numeric centroids with reembedded, domain-specific prototypes (e.g., image collages, synthetic utterances, DNA consensus motifs, representative subgraphs), preserving interpretability without altering the clustering.

Limitations. Our k-LLMmeans relies on LLM-generated summaries; thus, biases or errors in the underlying model can propagate to cluster prototypes and downstream analyses. Although simple instruction prompts are effective (Appendix B.2), prompt design can still influence outcomes. The few-shot variant assumes that a small set of representative samples captures cluster structure—practical in many settings but potentially limiting for heterogeneous clusters. Regarding potential pretraining exposure, note that the LLM in our pipeline is used solely to summarize texts already assigned to each cluster; it does not inject external labels or unseen content, so any exposure does not confer an unfair advantage. As indicated by suboptimal results on the StackExchange dataset (Table 4), k-NLPmeans may benefit from applying text-cleaning preprocessing prior to use.

Cost. Our k-NLPmeans is LLM-free; runtime is dominated by standard k-means and a lightweight summarization step. In contrast, k-LLMmeans incurs one LLM call per cluster per summarization step. These calls are highly parallelizable, so wall-clock time is roughly the latency of a single LLM call multiplied by the number of summarization steps. In practice, running any static dataset with five summarization rounds using GPT-40 and text-embedding-3-small cost <\$1 and completed in  $\approx 1$  minute on a single laptop without parallelization; for the Stack Overflow dataset, the end-to-end run cost \$2.5 and took  $\approx 8$  minutes under the same conditions. By comparison, competing LLM-heavy approaches would require \$18-\$25 and >40 minutes on identical hardware and API settings. Thus, k-LLMmeans remains interpretable and cost-efficient among LLM-assisted methods, while k-NLPmeans provides a strong, interpretable, zero-LLM alternative when budget or latency is constrained.

# REPRODUCIBILITY STATEMENT

We release anonymized code to reproduce all results in this paper at https://anonymous.4open.science/r/summaryCentroids-877C/ (see the README for instructions).

# REFERENCES

- Marcel R Ackermann, Marcus Märtens, Christoph Raupach, Kamil Swierkot, Christiane Lammersen, and Christian Sohler. Streamkm++ a clustering algorithm for data streams. *Journal of Experimental Algorithmics (JEA)*, 17:2–1, 2012.
- Charu C Aggarwal. A survey of stream clustering algorithms. In *Data Clustering*, pp. 231–258. Chapman and Hall/CRC, 2018.
- Charu C Aggarwal, S Yu Philip, Jiawei Han, and Jianyong Wang. A framework for clustering evolving data streams. In *Proceedings 2003 VLDB conference*, pp. 81–92. Elsevier, 2003.
- Anthropic. Claude 3.7 sonnet: Hybrid reasoning ai model. https://www.anthropic.com/news/claude-3-7-sonnet, 2025. Accessed: 2025-05-09.
- David Arthur and Sergei Vassilvitskii. k-means++: The advantages of careful seeding. Technical report, Stanford, 2006.
- Roger K Blashfield and Mark S Aldenderfer. The literature on cluster analysis. *Multivariate behavioral research*, 13(3):271–295, 1978.
- David M Blei, Andrew Y Ng, and Michael I Jordan. Latent dirichlet allocation. *Journal of machine Learning research*, 3(Jan):993–1022, 2003.
- Alexey Bochkovskiy, Chien-Yao Wang, and Hong-Yuan Mark Liao. Yolov4: Optimal speed and accuracy of object detection. *arXiv preprint arXiv:2004.10934*, 2020.
- Paul Bradley, Olvi Mangasarian, and W Street. Clustering via concave minimization. *Advances in neural information processing systems*, 9, 1996.
- Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, et al. Language models are few-shot learners. *Advances in neural information processing systems*, 33:1877–1901, 2020.
- Mathilde Caron, Piotr Bojanowski, Armand Joulin, and Matthijs Douze. Deep clustering for unsupervised learning of visual features. In *Proceedings of the European conference on computer vision (ECCV)*, pp. 132–149, 2018.
- Iñigo Casanueva, Tadas Temčinas, Daniela Gerz, Matthew Henderson, and Ivan Vulić. Efficient intent detection with dual sentence encoders. In Tsung-Hsien Wen, Asli Celikyilmaz, Zhou Yu, Alexandros Papangelis, Mihail Eric, Anuj Kumar, Iñigo Casanueva, and Rushin Shah (eds.), *Proceedings of the 2nd Workshop on Natural Language Processing for Conversational AI*, pp. 38–45, Online, July 2020. Association for Computational Linguistics. doi: 10.18653/v1/2020. nlp4convai-1.5. URL https://aclanthology.org/2020.nlp4convai-1.5/.
- Maarten De Raedt, Fréderic Godin, Thomas Demeester, and Chris Develder. Idas: Intent discovery with abstractive summarization. *arXiv* preprint arXiv:2305.19783, 2023.
- Scott Deerwester, Susan T Dumais, George W Furnas, Thomas K Landauer, and Richard Harshman. Indexing by latent semantic analysis. *Journal of the American society for information science*, 41 (6):391–407, 1990.
- Arthur P Dempster, Nan M Laird, and Donald B Rubin. Maximum likelihood from incomplete data via the em algorithm. *Journal of the royal statistical society: series B (methodological)*, 39(1): 1–22, 1977.

Dorottya Demszky, Dana Movshovitz-Attias, Jeongwoo Ko, Alan Cowen, Gaurav Nemade, and Sujith Ravi. GoEmotions: A dataset of fine-grained emotions. In Dan Jurafsky, Joyce Chai, Natalie Schluter, and Joel Tetreault (eds.), *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pp. 4040–4054, Online, July 2020. Association for Computational Linguistics. doi: 10.18653/v1/2020.acl-main.372. URL https://aclanthology.org/2020.acl-main.372/.

Jacob Devlin. Bert: Pre-training of deep bidirectional transformers for language understanding. arXiv preprint arXiv:1810.04805, 2018.

Martin Ester, Hans-Peter Kriegel, Jörg Sander, Xiaowei Xu, et al. A density-based algorithm for discovering clusters in large spatial databases with noise. In *kdd*, volume 96, pp. 226–231, 1996.

European Commission. Proposal for a regulation laying down harmonised rules on artificial intelligence (artificial intelligence act). COM(2021) 206 final, April 2021. URL https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX%3A52021PC0206. Brussels, 21.4.2021.

Zijin Feng, Luyang Lin, Lingzhi Wang, Hong Cheng, and Kam-Fai Wong. Llmedgerefine: Enhancing text clustering with llm-based boundary point refinement. In *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, pp. 18455–18462, 2024.

Jack FitzGerald, Christopher Hench, Charith Peris, Scott Mackie, Kay Rottmann, Ana Sanchez, Aaron Nash, Liam Urbach, Vishesh Kakarala, Richa Singh, Swetha Ranganath, Laurie Crist, Misha Britan, Wouter Leeuwis, Gokhan Tur, and Prem Natarajan. MASSIVE: A 1M-example multilingual natural language understanding dataset with 51 typologically-diverse languages. In Anna Rogers, Jordan Boyd-Graber, and Naoaki Okazaki (eds.), *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pp. 4277–4302, Toronto, Canada, July 2023. Association for Computational Linguistics. doi: 10.18653/v1/2023.acl-long.235. URL https://aclanthology.org/2023.acl-long.235/.

Aaron Grattafiori, Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-Dahle, Aiesha Letman, Akhil Mathur, Alan Schelten, Alex Vaughan, et al. The llama 3 herd of models. *arXiv preprint arXiv:2407.21783*, 2024.

Maarten Grootendorst. Bertopic: Neural topic modeling with a class-based tf-idf procedure. *arXiv* preprint arXiv:2203.05794, 2022.

Thomas Hofmann. Unsupervised learning by probabilistic latent semantic analysis. *Machine learning*, 42:177–196, 2001.

Peihao Huang, Yan Huang, Wei Wang, and Liang Wang. Deep embedding network for clustering. In 2014 22nd International conference on pattern recognition, pp. 1532–1537. IEEE, 2014.

Aaron Hurst, Adam Lerer, Adam P Goucher, Adam Perelman, Aditya Ramesh, Aidan Clark, AJ Ostrow, Akila Welihinda, Alan Hayes, Alec Radford, et al. Gpt-4o system card. *arXiv preprint arXiv:2410.21276*, 2024.

Anil K Jain and Richard C Dubes. Algorithms for clustering data. Prentice-Hall, Inc., 1988.

Mumin Jia and Jairo Diaz-Rodriguez. Dynamics of spontaneous topic changes in next token prediction with self-attention. *arXiv preprint arXiv:2501.06382*, 2025.

Zhuoran Jin, Pengfei Cao, Yubo Chen, Kang Liu, and Jun Zhao. Instructor: Instructing unsupervised conversational dense retrieval with large language models. In *Findings of the Association for Computational Linguistics: EMNLP 2023*, pp. 6649–6675, 2023.

Stephen C Johnson. Hierarchical clustering schemes. Psychometrika, 32(3):241–254, 1967.

Leonard Kaufman and Peter J. Rousseeuw. *Partitioning Around Medoids (Program PAM)*, pp. 68–125. John Wiley & Sons, Inc., 2008. ISBN 9780470316801. doi: 10.1002/9780470316801.ch2. URL http://dx.doi.org/10.1002/9780470316801.ch2.

- Alexander Kolesnikov, Alexey Dosovitskiy, Dirk Weissenborn, Georg Heigold, Jakob Uszkoreit, Lucas Beyer, Matthias Minderer, Mostafa Dehghani, Neil Houlsby, Sylvain Gelly, Thomas Unterthiner, and Xiaohua Zhai. An image is worth 16x16 words: Transformers for image recognition at scale. In *International Conference in Learning Representations ICLR*, 2021.
- Stefan Larson, Anish Mahendran, Joseph J. Peper, Christopher Clarke, Andrew Lee, Parker Hill, Jonathan K. Kummerfeld, Kevin Leach, Michael A. Laurenzano, Lingjia Tang, and Jason Mars. An evaluation dataset for intent classification and out-of-scope prediction. In Kentaro Inui, Jing Jiang, Vincent Ng, and Xiaojun Wan (eds.), *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pp. 1311–1316, Hong Kong, China, November 2019. Association for Computational Linguistics. doi: 10.18653/v1/D19-1131. URL https://aclanthology.org/D19-1131/.
- Aixin Liu, Bei Feng, Bing Xue, Bingxuan Wang, Bochao Wu, Chengda Lu, Chenggang Zhao, Chengqi Deng, Chenyu Zhang, Chong Ruan, et al. Deepseek-v3 technical report. *arXiv preprint arXiv:2412.19437*, 2024.
- Stuart Lloyd. Least squares quantization in pcm. *IEEE transactions on information theory*, 28(2): 129–137, 1982.
- J MacQueen. Some methods for classification and analysis of multivariate observations. In *Proceedings of 5-th Berkeley Symposium on Mathematical Statistics and Probability/University of California Press*, 1967.
- Rada Mihalcea and Paul Tarau. Textrank: Bringing order into text. In *Proceedings of the 2004 conference on empirical methods in natural language processing*, pp. 404–411, 2004.
- Tomas Mikolov. Efficient estimation of word representations in vector space. *arXiv preprint arXiv:1301.3781*, 3781, 2013.
- Nishanth Nakshatri, Siyi Liu, Sihao Chen, Dan Roth, Dan Goldwasser, and Daniel Hopkins. Using llm for improving key event discovery: Temporal-guided news stream clustering with event summaries. In *Findings of the Association for Computational Linguistics: EMNLP 2023*, pp. 4162–4173, 2023.
- Pandu Nayak. Mum: A new ai milestone for understanding information, May 2021. URL https://blog.google/products/search/introducing-mum/.
- Andrew Ng, Michael Jordan, and Yair Weiss. On spectral clustering: Analysis and an algorithm. *Advances in neural information processing systems*, 14, 2001.
- OpenAI. Clip: Connecting text and images; and dall-e: Creating images from text, January 2021. URL https://openai.com/index/clip/. See also: https://openai.com/index/dall-e/.
- OpenAI. text-embedding-3-small. https://platform.openai.com/, 2023. Accessed: 2025-02-01.
- OpenAI. Gpt-3.5 turbo. https://platform.openai.com/docs/models/gpt-3-5-turbo, 2023. Accessed: 2025-05-09.
- Carlos Ordonez. Clustering binary data streams with k-means. In *Proceedings of the 8th ACM SIGMOD workshop on Research issues in data mining and knowledge discovery*, pp. 12–19, 2003.
- Jeffrey Pennington, Richard Socher, and Christopher D Manning. Glove: Global vectors for word representation. In *Proceedings of the 2014 conference on empirical methods in natural language processing (EMNLP)*, pp. 1532–1543, 2014.
- Alina Petukhova, João P. Matos-Carvalho, and Nuno Fachada. Text clustering with large language model embeddings. *International Journal of Cognitive Computing in Engineering*, 6:100–108, 2025. ISSN 2666-3074. doi: https://doi.org/10.1016/j.ijcce.2024.11.004. URL https://www.sciencedirect.com/science/article/pii/S2666307424000482.

- Dragomir R Radev, Hongyan Jing, Małgorzata Styś, and Daniel Tam. Centroid-based summarization of multiple documents. *Information Processing & Management*, 40(6):919–938, 2004.
  - Alec Radford, Jong Wook Kim, Chris Hallacy, Aditya Ramesh, Gabriel Goh, Sandhini Agarwal, Girish Sastry, Amanda Askell, Pamela Mishkin, Jack Clark, et al. Learning transferable visual models from natural language supervision. In *International conference on machine learning*, pp. 8748–8763. PmLR, 2021.
  - Colin Raffel, Noam Shazeer, Adam Roberts, Katherine Lee, Sharan Narang, Michael Matena, Yanqi Zhou, Wei Li, and Peter J Liu. Exploring the limits of transfer learning with a unified text-to-text transformer. *Journal of machine learning research*, 21(140):1–67, 2020.
  - Aditya Ramesh, Mikhail Pavlov, Gabriel Goh, Scott Gray, Chelsea Voss, Alec Radford, Mark Chen, and Ilya Sutskever. Zero-shot text-to-image generation. In *International conference on machine learning*, pp. 8821–8831. Pmlr, 2021.
  - Nils Reimers and Iryna Gurevych. Sentence-BERT: Sentence embeddings using Siamese BERT-networks. In Kentaro Inui, Jing Jiang, Vincent Ng, and Xiaojun Wan (eds.), *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pp. 3982–3992, Hong Kong, China, November 2019. Association for Computational Linguistics. doi: 10.18653/v1/D19-1410. URL https://aclanthology.org/D19-1410/.
  - Swen Ribeiro, Olivier Ferret, and Xavier Tannier. Unsupervised event clustering and aggregation from newswire and web articles. In *Proceedings of the 2017 EMNLP Workshop: Natural Language Processing meets Journalism*, pp. 62–67, 2017.
  - V Sanh. Distilbert, a distilled version of bert: smaller, faster, cheaper and lighter. *arXiv preprint* arXiv:1910.01108, 2019.
  - Hinrich Schütze, Christopher D Manning, and Prabhakar Raghavan. *Introduction to information retrieval*, volume 39. Cambridge University Press Cambridge, 2008.
  - David Sculley. Web-scale k-means clustering. In *Proceedings of the 19th international conference on World wide web*, pp. 1177–1178, 2010.
  - Thibault Sellam, Dipanjan Das, and Ankur Parikh. BLEURT: Learning robust metrics for text generation. In Dan Jurafsky, Joyce Chai, Natalie Schluter, and Joel Tetreault (eds.), *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pp. 7881–7892, Online, July 2020. Association for Computational Linguistics. doi: 10.18653/v1/2020.acl-main. 704. URL https://aclanthology.org/2020.acl-main.704/.
  - Haoxiang Shi and Tetsuya Sakai. Self-supervised and few-shot contrastive learning frameworks for text clustering. *IEEE Access*, 2023.
  - Jonathan A Silva, Elaine R Faria, Rodrigo C Barros, Eduardo R Hruschka, André CPLF de Carvalho, and João Gama. Data stream clustering: A survey. *ACM Computing Surveys (CSUR)*, 46(1):1–31, 2013.
  - StackExchange. Stack exchange data dump, 2024. URL https://archive.org/download/stackexchange. Creative Commons Attribution-ShareAlike 4.0 License. Accessed: 2025-02-08.
  - Michael Steinbach. A comparison of document clustering techniques. Technical report, Technical Report# 00\_034/University of Minnesota, 2000.
  - Adane Nega Tarekegn, Fazle Rabbi, and Bjørnar Tessem. Large language model enhanced clustering for news event detection. *arXiv preprint arXiv:2406.10552*, 2024.
  - Sindhu Tipirneni, Ravinarayana Adkathimar, Nurendra Choudhary, Gaurush Hiranandani, Rana Ali Amjad, Vassilis N Ioannidis, Changhe Yuan, and Chandan K Reddy. Context-aware clustering using large language models. *arXiv preprint arXiv:2405.00988*, 2024.

- Vijay Viswanathan, Kiril Gashteovski, Kiril Gashteovski, Carolin Lawrence, Tongshuang Wu, and Graham Neubig. Large language models enable few-shot clustering. *Transactions of the Association for Computational Linguistics*, 12:321–333, 2024.
- Liang Wang, Nan Yang, Xiaolong Huang, Binxing Jiao, Linjun Yang, Daxin Jiang, Rangan Majumder, and Furu Wei. Text embeddings by weakly-supervised contrastive pre-training. *arXiv* preprint arXiv:2212.03533, 2022.
- Zihan Wang, Jingbo Shang, and Ruiqi Zhong. Goal-driven explainable clustering via language descriptions. *arXiv preprint arXiv:2305.13749*, 2023.
- Junyuan Xie, Ross Girshick, and Ali Farhadi. Unsupervised deep embedding for clustering analysis. In *International conference on machine learning*, pp. 478–487. PMLR, 2016.
- Linting Xue, Noah Constant, Adam Roberts, Mihir Kale, Rami Al-Rfou, Aditya Siddhant, Aditya Barua, and Colin Raffel. mT5: A massively multilingual pre-trained text-to-text transformer. In Kristina Toutanova, Anna Rumshisky, Luke Zettlemoyer, Dilek Hakkani-Tur, Iz Beltagy, Steven Bethard, Ryan Cotterell, Tanmoy Chakraborty, and Yichao Zhou (eds.), *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pp. 483–498, Online, June 2021. Association for Computational Linguistics. doi: 10.18653/v1/2021.naacl-main.41. URL https://aclanthology.org/2021.naacl-main.41/.
- Jianwei Yang, Devi Parikh, and Dhruv Batra. Joint unsupervised learning of deep representations and image clusters. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 5147–5156, 2016.
- Dejiao Zhang, Feng Nan, Xiaokai Wei, Shangwen Li, Henghui Zhu, Kathleen McKeown, Ramesh Nallapati, Andrew Arnold, and Bing Xiang. Supporting clustering with contrastive learning. arXiv preprint arXiv:2103.12953, 2021.
- Jingqing Zhang, Yao Zhao, Mohammad Saleh, and Peter Liu. Pegasus: Pre-training with extracted gap-sentences for abstractive summarization. In *International conference on machine learning*, pp. 11328–11339. PMLR, 2020a.
- Tianyi Zhang, Varsha Kishore, Felix Wu, Kilian Q Weinberger, and Yoav Artzi. Bertscore: Evaluating text generation with bert. In *International Conference of Learning Representations ICLR*, 2020b.
- Yuwei Zhang, Zihan Wang, and Jingbo Shang. ClusterLLM: Large language models as a guide for text clustering. In Houda Bouamor, Juan Pino, and Kalika Bali (eds.), *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pp. 13903–13920, Singapore, December 2023. Association for Computational Linguistics. doi: 10.18653/v1/2023.emnlp-main. 858. URL https://aclanthology.org/2023.emnlp-main.858/.
- Jie Zhou, Xingyi Cheng, and Jinchao Zhang. An end-to-end neural network framework for text clustering. *arXiv preprint arXiv:1903.09424*, 2019.

## A DATASETS

## A.1 Non-streaming datasets

We evaluate our clustering approach on four benchmark datasets. **Bank77** (Casanueva et al., 2020): Consists of 3,080 customer queries related to banking services, categorized into 77 distinct intents. **CLINC** (Larson et al., 2019): A diverse set of 4,500 queries spanning 150 intent classes across multiple domains, designed for open-domain intent classification. **GoEmo** (Demszky et al., 2020): Contains 2,984 social media posts annotated with 27 fine-grained emotion categories. We removed the neutral expressions to address data imbalance and retained only entries with a single, unique emotion. **MASSIVE** (FitzGerald et al., 2023): Comprises 2,974 English-language virtual assistant utterances grouped into 18 domains and 59 intent categories.

These datasets provide a robust evaluation setting for text clustering across different domains and classification granularities.

Table 5: Average ACC and NMI for four k-LLMmeans variants using GPT-40, compared against traditional baselines, with text-embedding-3-small embeddings, evaluated on benchmark datasets. Standard deviations of ACC and NMI in parenthesis

Dataset/Method		IK77		INC		Emo		ive (D)		sive (I)
Dataseviviethou	ACC	NMI	ACC	NMI	ACC	NMI	ACC	NMI	ACC	NMI
k-NLPmeans										
TextRank-single	66.4	83.6	78.7	92.4	21.5	20.9	60.6	68.9	53.0	72.5
	(0.94)	(0.47)	(1.56)	(0.41)	(0.63)	(0.29)	(3.47)	(1.27)	(1.8)	(0.71)
TextRank-multiple	66.8	83.9	79.6	92.8	21.6	21.0	60.5	69.3	53.7	72.8
	(0.94)	(0.45)	(1.51)	(0.45)	(1.29)	(0.65)	(3.66)	(1.22)	(1.65)	(0.58)
Centroid-single	67.2	84.0	78.5	92.2	22.1	21.2	60.9	68.3	53.5	73.0
_	(0.81)	(0.39)	(1.68)	(0.37)	(0.6)	(0.41)	(3.02)	(0.91)	(2.07)	(1.13)
Centroid-multiple	67.5	84.0	79.0	92.4	21.4	21.1	60.8	69.1	54.3	73.5
_	(0.57)	(0.3)	(1.95)	(0.46)	(0.87)	(0.12)	(2.72)	(1.09)	(1.72)	(0.84)
LSA-single	66.7	83.7	78.8	92.5	21.9	20.5	61.2	68.7	54.1	73.0
Ü	(0.99)	(0.47)	(2.07)	(0.63)	(1.11)	(0.87)	(2.66)	(1.03)	(1.86)	(0.91)
LSA-multiple	67.1	84.0	80.2	92.9	22.3	20.2	63.3	70.0	55.3	73.4
•	(0.98)	(0.42)	(0.98)	(0.41)	(0.85)	(0.56)	(3.06)	(1.02)	(1.32)	(0.72)
k-LLMmeans										
single	67.1	83.6	78.1	92.5	24.0	22.3	61.1	69.6	54.0	73.0
	(1.22)	(0.46)	(1.67)	(0.47)	(1.35)	(0.57)	(3.39)	(1.6)	(1.51)	(0.58)
multiple	66.7	83.6	79.1	92.8	24.1	22.1	60.6	69.5	55.8	73.5
	(0.78)	(0.2)	(1.68)	(0.48)	(1.33)	(0.65)	(2.82)	(1.66)	(1.4)	(0.76)
FS-single	67.5	83.8	79.2	92.8	23.0	21.9	60.8	69.4	55.3	73.6
Ü	(1.07)	(0.36)	(1.73)	(0.43)	(0.94)	(0.64)	(3.21)	(1.09)	(1.76)	(0.77)
FS-multiple	67.9	84.1	80.2	93.1	24.2	22.3	63.2	70.6	56.7	73.9
_	(1.55)	(0.41)	(1.52)	(0.32)	(1.16)	(0.67)	(2.84)	(1.38)	(1.32)	(0.7)
k-means	66.2	83.0	77.3	92.0	20.7	20.5	59.4	67.9	52.9	72.4
	(1.82)	(0.56)	(1.83)	(0.35)	(1.0)	(0.67)	(4.03)	(1.67)	(1.07)	(0.54)
k-medoids	41.7	69.5	49.3	77.7	15.7	15.9	37.6	38.8	35.9	52.4
	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)
GMM	67.7	83.0	78.9	92.7	21.5	20.6	56.2	68.6	53.9	73.2
	(1.78)	(0.54)	(1.18)	(0.22)	(0.82)	(0.47)	(2.88)	(1.01)	(1.91)	(0.80)
Agglomerative	69.9	83.7	81.0	92.5	15.8	14.1	62.8	67.1	56.6	70.5
	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)
Spectral	68.2	83.3	76.3	90.9	17.6	15.2	61.5	67.Ó	56.6	71.4
•	(0.56)	(0.38)	(0.401)	(0.14)	(0.32)	(0.32)	(0.02)	(0.02)	(0.84)	(0.23)

## A.2 New compiled dataset for testing text-Streaming Clustering Algorithms

We extract and unify a challenging data stream comprising unique archive posts collected from 84 Stack Exchange sites (StackExchange, 2024). Each post is accompanied by the site label (domain) and timestamp, making this dataset well-suited for evaluating online or sequential clustering methods. Our raw dataset spans 84 domains, each containing at least 20 posts per year from 2018 to 2023 (with post lengths ranging from 20 to 1000 characters), totaling 499,359 posts. For our experiments, we focus on posts from 2020 to 2023 and further filter out labels that do not exceed 500 posts in 2023. The resulting subset comprises 35 distinct groups and 69,147 posts. Both the raw and clean data are provided with this paper. Stack Exchange content is licensed under the Creative Commons Attribution-ShareAlike 4.0 International (CC BY-SA 4.0) license.

# B SUPPLEMENTARY RESULTS

## B.1 Main results with standard deviations

In Tables 5, 6, 7 and 4 we report the same results as in Tables 1, 2, 3 and 8 including standard deviations.

Table 6: Average ACC, NMI, and *dist* for k-means and k-LLMmeans *FS-multiple*, evaluated on three datasets using four different embedding models. Standard deviations of ACC, NMI and *dist* in parenthesis.

in parentnesis.									
Dataset		CLINC			GoEm	0		Massive	(D)
embedding/Method	ACC	NMI	dist	ACC	NMI	dist	ACC	NMI	dist
DistilBERT									
k-means	53.9	77.2	0.34	17.8	18.3	0.364	44.4	45.1	0.309
	(0.96)	(0.49)	(0.007)	(0.86)	(0.67)	(0.005)	(1.53)	(0.99)	(0.021)
k-NLPmeans	52.9	77.3	0.353	18.5	18.2	0.365	44.7	45.3	0.311
	(0.25)	(0.22)	(0.003)	(0.58)	(0.38)	(0.004)	(2.44)	(1.22)	(0.02)
k-LLMmeans	55.3	<b>78.7</b>	0.343	18.2	18.8	0.351	46.2	46.4	0.295
	(1.1)	(0.53)	(0.009)	(0.52)	(0.73)	(0.004)	(1.35)	(1.12)	(0.015)
text-embedding-3-small									
k-means	77.3	92.0	0.2	20.7	20.5	0.287	59.4	67.9	0.246
	(1.83)	(0.35)	(0.014)	(1.0)	(0.67)	(0.005)	(4.03)	(1.67)	(0.015)
k-NLPmeans	80.2	92.9	0.173	22.3	20.2	0.29	63.3	70.0	0.227
	(0.98)	(0.41)	(0.006)	(0.85)	(0.56)	(0.007)	(3.06)	(1.02)	(0.018)
k-LLMmeans	80.2	93.1	0.179	24.2	22.3	0.278	63.2	70.6	0.227
	(1.52)	(0.32)	(0.015)	(1.16)	(0.67)	(0.011)	(2.84)	(1.38)	(0.022)
e5-large									
k-means	73.8	90.8	0.131	22.8	22.8	0.176	58.4	63.7	0.138
	(2.34)	(0.74)	(0.01)	(0.92)	(0.73)	(0.003)	(3.89)	(1.75)	(0.02)
k-NLPmeans	76.5	92.0	0.119	22.6	22.6	0.179	60.4	65.7	0.137
	(1.76)	(0.58)	(0.009)	(0.7)	(0.32)	(0.003)	(3.2)	(1.79)	(0.008)
k-LLMmeans	77.2	92.5	0.119	24.2	24.3	0.168	62.3	65.9	0.133
	(1.6)	(0.4)	(0.007)	(0.76)	(0.7)	(0.003)	(1.36)	(0.78)	(0.007)
S-BERT									
k-means	76.9	91.0	0.215	13.7	13.3	0.355	58.2	64.6	0.271
	(1.63)	(0.5)	(0.013)	(0.62)	(0.57)	(0.005)	(2.03)	(1.09)	(0.023)
k-NLPmeans	79.0	91.9	0.201	14.1	12.8	0.363	58.5	64.6	0.272
	(1.65)	(0.31)	(0.017)	(0.3)	(0.29)	(0.003)	(2.24)	(1.29)	(0.022)
k-LLMmeans	79.7	92.5	0.198	14.7	13.9	0.346	59.7	65.6	0.254
	(0.73)	(0.25)	(0.008)	(0.55)	(0.5)	(0.004)	(2.54)	(0.79)	(0.019)

Table 7: Number of LLM calls (prompts), average ACC, and average NMI for k-LLMmeans *FS-multiple* using various LLMs and e5-large embeddings, compared against other LLM-based text clustering methods on three benchmark datasets. Standard deviations of ACC and NMI in parenthesis (not available for baseline LLM-based methods).

Dataset/Method		CLINC		<u> </u>	GoEmo		N	Massive (D)			
Dataseviviethou	prompts	ACC	NMI	prompts	ACC	NMI	prompts	ACC	NMI		
k-NLPmeans	0	76.5	92.0	0	22.6	22.6	0	60.4	65.7		
		(0.02)	(0.01)		(0.01)	(0.0)		(0.03)	(0.02)		
k-LLMmeans											
GPT-3.5	750	76.0	92.1	135	23.9	24.1	90	63.3	66.2		
		(1.16)	(0.28)		(0.65)	(0.39)		(1.47)	(0.62)		
GPT-40	750	77.2	92.5	135	24.2	24.3	90	62.3	65.9		
		(1.6)	(0.4)		(0.76)	(0.7)		(1.36)	(0.78)		
Llama-3.3	750	77.2	92.3	135	23.8	23.1	90	62.0	66.3		
		(1.6)	(0.44)		(0.66)	(0.62)		(2.97)	(1.56)		
DeepSeek-V3	750	69.7	90.8	135	22.8	22.7	90	62.6	66.3		
_		(1.02)	(0.29)		(1.68)	(0.88)		(2.24)	(0.71)		
Claude-3.7	750	76.9	92.5	135	24.2	23.7	90	61.8	66.0		
		(1.83)	(0.52)		(1.0)	(0.65)		(4.83)	(1.99)		
ClusterLLM	1618	83.8	94.0	1618	26.8	23.9	1618	60.9	68.8		
IDAS	4650	81.4	92.4	3011	30.6	25.6	2992	53.5	63.9		
LLMEdgeRefine	1350	86.8	94.9	895	34.8	29.7	892	63.05	68.67		

Table 8: Average ACC, and average NMI for four sequential mini-batch variants, k-means, mini-batch k-means, sequential mini-batch k-means on the yearly StackExchange data. Standard deviations of ACC and NMI in parenthesis.

	20	2020 (69147 posts)		2021		022	2023		
Year/Method	(69147			2 posts)	(4352	1 posts)	(38953 posts)		
	ACC	NMI	ACC	NMI	ACC	NMI	ACC	NMI	
mini-batch k-NLPmeans	68.0	79.5	67.9	78.5	69.0	78.9	71.6	78.8	
	(3.09)	(0.61)	(2.5)	(0.27)	(4.15)	(0.71)	(2.74)	(0.43)	
mini-batch k-LLMmeans									
multiple	72.5	80.9	73.6	80.5	74.4	80.5	73.4	80.3	
	(3.02)	(0.65)	(2.18)	(0.46)	(2.48)	(0.87)	(2.24)	(0.81)	
FS + $multiple$	75.4	81.6	73.5	80.2	72.8	80.1	72.7	80.1	
	(2.02)	(0.48)	(2.39)	(0.7)	(2.28)	(0.91)	(1.38)	(0.45)	
k-means	73.4	80.6	67.7	79.0	68.6	79.0	72.0	79.6	
	(3.79)	(0.75)	(2.8)	(0.25)	(4.03)	(0.69)	(3.79)	(0.56)	
mini-batch k-means	67.0	78.2	67.7	77.4	67.5	77.6	67.2	77.0	
	(2.09)	(0.9)	(2.12)	(0.84)	(4.02)	(0.98)	(2.76)	(0.97)	
seq. mini-batch k-means	67.0	76.6	66.7	75.2	65.6	75.6	65.8	74.8	
-	(2.39)	(0.57)	(4.61)	(1.54)	(1.23)	(0.78)	(2.55)	(0.9)	

Table 9: Average ACC, and average NMI for multiple instruction prompts I for k-LLMmeans; and multiple values of q for k-NLPmeans on BANK77. Standard deviations in parenthesis.

	ACC	NMI
k-LLMmeans (Prompt I)		
The following is a cluster of online banking queries.	-	
Write a text that summarizes the following cluster:	67.5	83.8
	(1.07)	(0.36)
The following is a cluster of texts.		
Write a text that summarizes the following cluster:	66.3	83.6
	(0.2)	(0.3)
Write a query that summarizes the following online banking queries:	67.4	83.8
	(0.7)	(0.3)
Write a text that summarizes the following texts:	66.9	83.7
	(0.6)	(0.2)
Summarize the following list of online banking queries:	67.0	83.7
	(0.4)	(0.1)
Summarize the following list of texts:	66.4	83.8
	(0.6)	(0.1)
k-NLPmeans (q)		
3	66.7	84.0
	(1.8)	(0.8)
5	66.4	83.8
	(0.5)	(0.3)
10	66.6	83.8
	(0.7)	(0.4)
15	66.4	83.7
	(0.6)	(0.3)

## B.2 ADDITIONAL EXPERIMENTS

We evaluated the sensitivity of k-LLMmeans to the instruction prompt I on BANK77 by testing five prompt variants using k-LLMmeans (FS-single) with text-embedding-3-small and GPT-40. We also examined the effect of the parameter q on the same dataset and embeddings. As shown in Table 9, performance remains remarkably stable across prompt choices and q settings, indicating that the methods are insensitive to these hyperparameters.

# C ALGORITHMS

918

919 920

921922923

924

925

926

927

928

929

930

931

933

934

936

937

938

939

940

941

942

943

944

945

946

947

948

949

951

952

953

This section includes Algorithm 1 (k-NLPmeans / k-LLMmeans) and Algorithm 2 (mini batch version).

```
Algorithm 1: k-NLPmeans / k-LLMmeans
```

```
input: D = \{d_1, \dots, d_n\}, k, I, m, l, T
for i \leftarrow 1 to n do
    \mathbf{x}_i = \text{Embedding}(d_i);
end
\textbf{for}\ t \leftarrow 1\ \textbf{to}\ T\ \textbf{do}
    if t = 1 then
          // Initialize using k-means++
          \{\boldsymbol{\mu}_1,\ldots,\boldsymbol{\mu}_k\}\leftarrow \text{k-means++}(\{d_1,\ldots,d_n\},k);
     end
     else if t \mod l = 0 then
          // Summarization step every l iterations
          for j \leftarrow 1 to k do
          \mu_i \leftarrow \text{Embedding (j}^{\text{th}} \text{ cluster summary)};
         end
    end
     else
          // k-means step
          for j \leftarrow 1 to k do
           \mu_j \leftarrow \frac{1}{|C_j|} \sum_{i \in [C_j]} \mathbf{x}_i;
          end
     end
     for j \leftarrow 1 to k do
     C_j = \{\};
     end
     for i \leftarrow 1 to n do
         j^* \leftarrow \arg\min_{j \in \{1,\dots,k\}} d(x_i, \boldsymbol{\mu}_j);
          // Assign x_i to cluster C_{j^*}
         C_{j^*} \leftarrow C_{j^*} \cup \{x_i\};
     end
end
return \{\mu_1, ..., \mu_k\}, \{s_1, ..., s_k\}
```

<sup>&</sup>lt;sup>1</sup>Here k-NLPMmeans/k-LLMmeans is initialized with the final centroids of the previous batch

return  $\{\mu_1, ..., \mu_k\}, \{S_1, ..., S_b\}$ 

```
Algorithm 2: Mini-batch k-NLPmeans / k-LLMmeans
input: \{D_1,\cdots,D_b\}, k,I,m,l,T // b batches of documents
for j \leftarrow 1 to k do
C_j = \{\};
end
\{\mu_1,\ldots,\mu_k\} \leftarrow \{\mathbf{0},\ldots,\mathbf{0}\};
for i \leftarrow 1 to b do
    // Compute k-NLPmeans / k-LLMmeans with documents in batch^1
    \{\mu_1^*,\ldots,\mu_k^*\},\{C_1^*,\ldots,C_k^*\},S_b \leftarrow
     k-NLPmeans(D_i, k, I, m, l, T) or k-LLMmeans(D_i, k, I, m, l, T);
    // Update centroids proportional to cluster and batch sizes
    for j \leftarrow 1 to k do
        \eta \leftarrow \frac{|C_j^*|}{|C_j| + |C_j^*|};
        \boldsymbol{\mu}_j \leftarrow \boldsymbol{\mu}_j (1 - \eta) + \eta \boldsymbol{\mu}_j^*;
    end
end
```