AskMe: A LAPPS Grid-based NLP Query and Retrieval System for Covid-19 Literature

Keith Suderman¹, Nancy Ide¹, Marc Verhagen², Brent Cochran³, James Pustejovsky² ¹Vassar College ²Brandeis University ³Tufts University

{suderman,ide}@cs.vassar.edu,{marc,jamesp}@cs.brandeis.edu,brent.cochran@tufts.edu

Abstract

In a recent project, the Language Application Grid was augmented to support the mining of scientific publications. The results of that effort have now been repurposed to focus on Covid-19 literature, including modification of the LAPPS Grid "AskMe" query and retrieval engine. We describe the AskMe system and discuss its functionality as compared to other query engines available to search covid-related publications.

1 Introduction

The onset of the coronavirus pandemic has prompted concerted efforts within the field of natural language processing (NLP) to enable researchers and practitioners to easily access and mine the growing body of literature concerned with the virus. Between February and May 2020, the number of scientific papers published on COVID-19 research increased from 29,000 to more than 138,000; this number is expected to exceed one million by the end of 2020.

In a recent project, the Language Application (LAPPS) Grid¹ (Ide et al., 2014a) was augmented to support the mining of scientific publications² (Ide et al., 2018). The results of that effort have now been repurposed to focus on Covid-19 literature, including modification of the LAPPS Grid "AskMe" query and retrieval engine to access nightly updates of the CORD-19 dataset³ (Wang et al., 2020) available from the Allen Institute for AI.

In this paper, we describe the AskMe system (see Figure 1) and discuss its functionality as compared to other query engines available to search covid-related publications. Because the AskMe engine

is deployed primarily as a front end to the LAPPS Grid, one of its most salient features is the ability to further process query results with the large array of NLP tools available in the Grid. The AskMe system also provides numerous options for displaying results as well as means to fine-tune parameters of the search heuristics to suit particular needs and interests.

2 Related Work

Several literature search engines have been developed or adapted in the wake of the Covid-19 pandemic in order to expedite the progress of research focusing on the virus. Among these are facilities developed by major corporations, most notably IBM (IBM Inc., 2020), Amazon Web Services (AWS, 2020), and Google (Google Inc., 2020), which generally do not access daily updates of Covid-19 literature and may include licensed databases.

Non-commercially developed search engines for Covid-19 data include Vespa, LitCovid and iSearch. Vespa (Vespa, 2020) provides an open source search engine for version 2020-05-19 of the CORD-19 dataset. LitCovid (Chen et al., 2020) is a curated open-resource literature hub developed by the National Institutes of Health (NIH) and the National Library of Medicine (NLM), and is arguably the most comprehensive freely-available resource for Covid-19 literature discovery. Its database is limited to articles in PubMed specific to COVID-19, vs. CORD-19, which includes other viruses (e.g., SARS, MERS) and covers a time period well before the current outbreak. LitCovid divides the articles into categories (e.g. Mechanism, Transmission, Diagnosis, and Treatment), and, based on automatically generated annotations, reports the chemicals, journals, and countries contained in the results. Results can be sorted by relevance or recency.

¹https://galaxy.lappsgrid.org

²Funded by U.S. National Science Foundation grant NSF-EAGER 181123.

³https://www.kaggle.com/allen-institute-for-ai/CORD-19-research-challenge/data

| | 6 6 | | | | | version 1.7.0-SN |
|--|---|--|--|---|---|------------------|
| | ex has been updated to include 70686 | unique documents from l <u>ast night's dataset</u> . | Updates are performed nightly so you | r search results may change. | | |
| am e | eager to help | | | | | |
| Domain CORD-19 | | | | | | |
| Ask me a qu | uestion. | | | | | |
| Ask | | | | | | |
| | d Scoring Options | | | | | |
| The user Each sec weighted Users wil | question is converted into a Sol | Ir query which is used to select doct a score by summing the weighted so orithms and weights used can be so these settings. | cores of a number of different s | | t score is then calculated by sur | mming the |
| The user Each sec weighted Users wil | guestion is converted into a Sol totion in a document is assigned a section scores. The scoring alg Il typically not need to tinker with | a score by summing the weighted so orithms and weights used can be so these settings. | cores of a number of different selected below. | coring algorithms. The documer | | mming the |
| The user Each sec weighted Users wil | question is converted into a Sol tition in a document is assigned a l section scores. The scoring alg | a score by summing the weighted so orithms and weights used can be so these settings. Weight | cores of a number of different so elected below. | | Weight | mming the |
| The user Each sec weighted Users will | question is converted into a Sol clon in a document is assigned a section scores. The scoring alg it typically not need to tinker with Algorithm | a score by summing the weighted so orithms and weights used can be so these settings. | cores of a number of different so elected below. Abstract Enable | coring algorithms. The documer Algorithm | Weight | mming the |
| The user Each sec weighted Users will Title Enable | question is converted into a Sol clon in a document is assigned d section scores. The scoring alg Il typically not need to tinker with Algorithm consecutive terms | a score by summing the weighted so orithms and weights used can be so these settings. Weight | cores of a number of different selected below. Abstract Enable C | coring algorithms. The documer Algorithm consecutive terms | Weight | mming the |
| The user Each sec weighted Users will Title Enable | question is converted into a Sol ition in a document is assigned a section scores. The scoring alg Il typically not need to tinker with Algorithm consecutive terms total search terms | a score by summing the weighted so onthms and weights used can be so these settings. Weight 1.0 1.0 | Abstract | coring algorithms. The documer Algorithm consecutive terms total search terms | Weight 1.0 1.0 | mming the |
| Scoring The user Each sec weighted Users will Title Enable | question is converted into a Sol titon in a document is assigned a section scores. The scoring alg Il typically not need to tinker with Algorithm consecutive terms total search terms position | a score by summing the weighted s onthms and weights used can be so these settings. | Abstract | Algorithms. The documer Algorithm consecutive terms total search terms position | Weight 1.0 1.0 | mming the |
| Scoring The user Each sec weighted Users will Title | equestion is converted into a Sol cition in a document is assigned a section scores. The scoring alg Il typically not need to tinker with Algorithm consecutive terms total search terms position % search terms | a score by summing the weighted s orithms and weights used can be so these settings. | Abstract | Algorithms. The documer Algorithm consecutive terms total search terms position % search terms | Weight 1.0 1.0 1.0 1.0 | mming the |
| Coring The user Each sec weighted Users will Title | Augustion is converted into a Sol cition in a document is assigned a section scores. The scoring alg II typically not need to tinker with Algorithm consecutive terms total search terms position % search terms term order | a score by summing the weighted s onthms and weights used can be so these settings. | spected below: Abstract | Algorithms. The documer Algorithm consecutive terms total search terms position % search terms term order | Weight 1.0 1.0 1.0 1.0 1.0 | mming the |
| Coring The user Each sec weighted Users will Title Enable | question is converted into a Sol clion in a document is assigned a section sories. The scoring agi ll typically not need to tinker with Algorithm consecutive terms total search terms position % search terms term order 1st sentence | a score by summing the weights used can be so orithms and weights used can be so these settings. | speece of a number of different splected below. Abstract Charact Charact | Algorithms. The documer Algorithm consocutive terms total search terms position % search terms term order 1st sentence sentence count | Weight 10 10 10 10 10 10 | mming the |
| Coring The user Each sec weighted Users will Title Enable | question is converted into a Sol clion in a document is assigned a section sories. The scoring agil ll typically not need to tinker with Algorithm consecutive terms total search terms position % search terms term order 1st sentence sentence count | a score by summing the weights used can be so orithms and weights used can be so these settings. | Abstract | Algorithms. The documer Algorithm consocutive terms total search terms position % search terms term order 1st sentence sentence count | Weight 10 10 10 10 10 10 | mming the |
| Scoring The user Each sec weighted Users wil Title | question is converted into a Sol clion in a document is assigned a section sories. The scoring agil ll typically not need to tinker with Algorithm consecutive terms total search terms position % search terms term order 1st sentence sentence count | a score by summing the weighted as orthms and weights used can be so orthms and weights used can be so at these settings. | spres of a number of different splected below. | Algorithms. The documer Algorithm consocutive terms total search terms position % search terms term order 1st sentence sentence count | Weight 1.0 1.0 1.0 1.0 1.0 1.0 1.0 | mming the |

Figure 1: AskMe Query Interface

NIH's iSearch COVID-19 portfolio (National Institutes of Health, 2020), also updated daily, includes both publications and preprints (from medRxiv, SSRN, arXiv, bioRxiv, Research Square and ChemRxiv) and provides interactive visualizations that allow users to select topics within their search results for download. The user can view results as a list in either chronological or reverse chronological order, or in "facet view" which shows results grouped by category (date, journal, author, etc.). The system provides advanced filters for more exact timeframes, publications types, source dataset, and inclusion or exclusion of iCite articles.

3 LAPPS Grid

The LAPPS Grid provides a large collection of NLP tools from a wide variety of sources exposed as web services, together with multiple commonly used resources (e.g., gold standard corpora). The services and resources are made available via the Galaxy web-based workflow development engine (Afgan et al., 2018), and may also be accessed directly via SOAP calls or programmatically through Java and Python interfaces. All tools and resources

in the LAPPS Grid are rendered mutually interoperable via transduction to the LAPPS Grid Interchange Format (LIF) (Verhagen et al., 2015) and the Web Service Exchange Vocabulary (WSEV) (Ide et al., 2014b), both designed to capture fundamental properties of existing annotation models in order to serve as a common pivot among them. The LAPPS Grid also provides interoperable, two-way access to the PubAnnotation annotation repository (Kim and Wang, 2012), the INCEpTION machine learning-assisted annotation platform (Klie et al., 2018), along with multi-lingual NLP tools and data in two EU-CLARIN platforms: WebLicht (Hinrichs et al., 2010) and LINDAT/CLARIN (Straka et al., 2016). All LAPPS Grid components are released under the Apache 2.0 open source license.

4 AskMe Overview

The AskMe application is an open-source, Solrbased microservice architecture running in a Docker Swarm on Jetstream (Stewart et al., 2015; Towns et al., 2014), an NSF-funded compute cluster. Originally developed to allow for search and retrieval from the PubMed database, it now allows for search of the full set of CORD-19 documents,

| iale | These | Answers | | |
|---|--|---|--|--|
| G | ood Meh | Bad | | |
| γοι | J Aske | ed | | |
| doe | s camostat i | nhibit tmprss2? | | |
| | another que | | | |
| | | | | |
| Γhe | e Ansv | vers | | |
| | | | | |
| Show a | all document so | ores | | |
| Index | C Score | ID | Year | Title |
| 0 | 6.261 | 10.1016/j | 2015 | The serine protease inhibitor camostat inhibits influenza virus replication and cytokine production in primary cultures of human tracheal epithelial cells |
| 1 | 6.229 | PMC4574978 | 2015 | TMPRSS2 Isoform 1 Activates Respiratory Viruses and Is Expressed in Viral Target Cells |
| | 6.229 | PMC4574978 | 2015 | TMPRSS2 Isoform 1 Activates Respiratory Viruses and Is Expressed in Viral Target Cells |
| 2 | | | | |
| | 5.733 | PMC5426610 | 2017 | Non-human primate orthologues of TMPRSS2 cleave and activate the influenza virus hemagglutinin |
| 2 3 4 | | PMC5426610 PMC5426610 | 2017 2017 | Non-human primate orthologues of TMPHSS2 cleave and activate the initiuenza virus hemagglutinin Non-human primate orthologues of TMPRSS2 cleave and activate the influenza virus hemagglutinin |
| 3 | 5.733 | | | |
| 3 4 5 | 5.733 5.733 | PMC5426610 | 2017 | Non-human primate orthologues of TMPRSS2 cleave and activate the influenza virus hemagglutinin |
| 3 4 | 5.733 5.733 5.540 | PMC5426610 10.1016/j | 2017 2018 | Non-human primate orthologues of TMPRSS2 cleave and activate the influenza virus hemagglutinin Wild-type human coronaviruses prefer cell-surface TMPRSS2 to endosomal cathepsins for cell entry |
| 3 4 5 6 7 | 5.733 5.733 5.540 5.089 | PMC5426610 10.1016/j 10.1101/7 | 2017 2018 2019 | Non-human primate orthologues of TMPRSS2 cleave and activate the influenza virus hemagglutinin Wild type human coornaviruses profer cell-surface TMPRSS2 to andosomal cathepsins for cell entry SPMT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses |
| 3 4 5 6 7 8 | 5.733 5.733 5.540 5.089 5.086 | PMC5426610 10.1016/j 10.1101/7 10.1016/j | 2017 2018 2019 2020 | Non-human primate orthologues of TMPRSS2 cleave and activate the influenza virus hemagglutinin Wid-type human coronaviruse profer cell-surface TMPRSS2 to endosomal cathepsins for cell entry SPINT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses SPINT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses |
| 3 4 5 6 7 8 | 5.733 5.733 5.540 5.089 5.086 4.900 | PMC5426610 10.1016/j 10.1101/7 10.1016/j 10.1016/j | 2017 2018 2019 2020 2017 | Non-human primate orthologues of TMPRSS2 deave and activate the influenza vius hemagglutinin Wild-type human coronaviruses prefer cell-surface TMPRSS2 to endocomal cathepsins for cell entry SPINT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses SPINT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses TMPRSS2. Apotenial larget for treatment of influenza viruse and metapneumoviruses |
| 3 4 5 6 7 8 9 | 5.733 5.733 5.540 5.089 5.086 4.900 4.576 | PMC5426610 10.1016/j 10.1101/7 10.1016/j 10.1016/j 10.1016/j | 2017 2018 2019 2020 2017 2020 | Non-human primate orthologues of TMPRSS2 cleave and activate the influenza virus hemagglutinin Wild type human coronaviruses profer cell-surface TMPRSS2 to endosomal cathegeins for cell entry SPINT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses SPINT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses TMPRSS2: A potential target for treatment of influenza viruse and coronavirus infections SRIS-CoV-2 Cell Entry Dependes on ACE2 and TMPRSS2 and Is Blocked by a Clinically Proven Protease Inhibitor |
| 3 4 5 6 7 8 9 10 | 5.733 5.733 5.540 5.089 5.086 4.900 4.576 2.314 | PMC5426610 10.1016/j 10.1101/7 10.1016/j 10.1016/j PMC5457961 | 2017 2018 2019 2020 2017 2020 2016 | Non-human primate orthologues of TMPRSS2 cleave and activate the influenza vius hemagglutinin Wiki-type human contaivius profet cell-surface TMPRSS2 to endocomal cathegins for cell entry SPINT2 inhibits proteases involved in activation of both influenza viuses and metapneumoviruses SPINT2 inhibits proteases involved in activation of both influenza viuses and metapneumoviruses SPINT2 inhibits proteases involved in activation of both influenza viuses and metapneumoviruses SPINT2 inhibits proteases involved in activation of both influenza viuses and metapneumoviruses SPINT2 inhibits proteases involved in activation of both influenza viuses and metapneumoviruses SRPS-CoV-2 cell Entry Depends on ACE2 and TMPRSS2 and Is Blocked by a Clinically Proven Protease Inhibitor MERS-CoV signer protein: a key target for antivitati |
| 3 4 5 6 7 8 9 10 11 | 5.733 5.733 5.540 5.089 5.086 4.900 4.576 2.314 2.183 | PMC5426610 10.1016/j 10.1101/7 10.1016/j 10.1016/j PMC5457961 10.1101/7 | 2017 2018 2019 2020 2017 2020 2016 2019 | Non-human primate orthologues of TMPRSS2 cleave and activate the influenza virus hemagglutinin Wild type human coornaviruses profer cell-surface TMPRSS2 to andosomal cathepsins for cell entry SPINT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses SPINT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses TMPRSS2: Apolenial target for tratement of influenza viruses and metapneumoviruses SARS-CoV-2 cell Entry Depends on ACE2 and TMPRSS2 and Is Blocked by a Clinically Proven Protease Inhibitor MERS-CoV-2 of spike protein: a key target for artivirals Evidence for influenza B Virus hemaglution to the human host: high cleavability, acid-stability and preference for cool temperature |
| 3 4 5 6 7 8 9 10 11 12 | 5.733 5.733 5.540 5.089 5.086 4.900 4.576 2.314 2.183 2.159 | PMC5426610 10.1016/j 10.1101/7 10.1016/j 10.1016/j 10.1016/j PMC5457961 10.1101/7 10.1016/j | 2017 2018 2019 2020 2017 2020 2016 2019 2017 | Non-human primate orthologues of TMPRSS2 cleave and activate the influenza virus hemagglutinin Widt-type human constavirus profer cell-surface TMPRSS2 to endocama Catelparis for cell entry SPINT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses SPINT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses SPINT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses SPINT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses SPINT2 inhibits proteases involved in activation of both influenza viruses and metapneumoviruses SRRS-CoV-2 Cell Entry Depends on ACE2 and TMPRSS2 and Is Blocked by a Clinically Proven Protease Inhibitor MERS-CoV signer protein: a key target for anilymized Evidence for influenza 8 Virus hemagglutinin adaptation to the human host: high cleavability, acid-stability and preference for cool temperature Airway proteases: an emerging of up target for influenza and other respiratory virus infections |

Figure 2: AskMe Query Results

which are updated nightly.

In response to a natural language query, AskMe applies several scoring algorithms to identify relevant documents; currently, it scores only a document's title and abstract. The score for each of these sections is computed from the following:

- The total number of search terms that appear, including duplicates—e.g., if the seach terms are *X Y* and the section contains ...*X*...*Y*...*X*... (where periods represent tokens that are not search terms), the score is 0.2 (3/15).
- 2. The percentage of the search terms that appear. In the above example the score would be 1.0 since all search terms appear in the section.
- 3. The order of terms in the search query, e.g., if the search terms are *X Y* then ...*X*...*Y*... will score higher than ...*Y*...*X*....
- 4. The total number of sentences that contain one or more search terms.
- 5. The percentage of search terms that appear in the first sentence.
- 6. Sequences of consecutive of search terms, e.g., if the search terms are *X Y* and the section contains ...*X.YYX..XY* the score would be 0.4167 (5/12) as there are two sequences of consecutive terms (*YYX* and *XY*, with an aggregate length of 5) in the 12 tokens.

A section's score is the sum of the component algorithm scores; the overall document score is computed by adding the scores for the individual sections. The main AskMe page (Figure 1) includes an option to adjust the weights for inividual scoring algorithms to suit specific document types or interests, or simply fine-tune results. Results can be viewed as a list including only score and title (Figure 2) or coupled with document scores for each of the component algorithms. In the latter view, overall score for each section is highlighted. Clicking on any column in either view sorts the results according to the values for that column. The full text for any document in the results can be viewed by clicking on the document ID. Once results are generated, the user may directly import them into the LAPPS Grid for processing by any of a wide array of NLP tools from popular sources (Stanford, OpenNLP, LingPipe, and many others), for example to identify entities, relations, dependencies, etc. Annotations can be manually edited by accessing the editor in either PubAnnotation or INCEpTION and brought back into the Grid for further processing, e.g., to train any of the various machine learning algorithms available in the LAPPS Grid.⁴

5 Comparison with Other Systems

We limit our comparison to LitCovid and iSearch, the most popular Covid literature search engines. In terms of functionality, LitCovid and iSearch currently provide more advanced filtering by date, source, journal, etc. than AskMe, although there are plans to add such options (see Section 6). All provide one-click access to the original publications. The most salient differences between AskMe and other systems include:

• Access to the latest version of the CORD-19 dataset, which includes a larger set of documents than the curated LitCovid and iSearch.

⁴See (Eckart de Castilho et al., 2019) for a description of the interactive use of the three systems.

- Ability to sort on any column, including composite and component scores. LitCovid allows sorting on relevance and recency only, while iSearch allows sorting on any column in list view (title, journal, source, etc.). Neither Lit-Covid nor iSearch provide scores; relevance is determined by sorted display order.
- Elimination of duplicates. It is often the case that an article is found in more than one of the several sources in the corpus, LitCovid therefore includes duplicates in the results.
- Ability to limit the number of results to return.
- Ability to see as well as fine-tune components of the scoring algorithm.
- Ability to export results for annotation by LAPPS Grid NLP tools. Ability to contribute annotations to PubAnnotation, edit annotations in INCEpTION or PubAnnotation's TextEdit, and re-import results for additional processing if desired.

Comparison of AskMe results with those of other query engines is not straightforward, as none of the systems described in Section 2 works exclusively with the most recently (daily) updated version of CORD-19. Therefore, we first focus on comparing AskMe and LitCovid, which is the most closely related and relevant system, and include only documents included in both the LitCovid and CORD-19 corpora (as of 28 June 30 2020, 16,929 documents) in the results. Table 1 shows the top ten results from LitCovid in response to the query "What is the effect of chloroquine on SARS-Cov-2 replication?" and the corresponding rank and score in AskMe results. Table 2 shows the top ten AskMe results for the same query, using the default scoring values; the comparable LitCovid rankings are not available.⁵ Documents in common in both top ten lists are in bold, showing a 40% overlap.

To evaluate the results of AskMe, we asked an expert to compare results from AskMe for several queries against results from LitCovid, Vespa, and CORD19.aws. The assessment shows that papers that the top 20 results are very similar, with a few aberrations. For example, in one case where AskMe, Vespa, and CORD-19 rated the same documents at the top of their lists, LitCovid did not return that document among its top 20; and for one question AskMe's top results were deemed very relevant, while none of the other engines even found these documents. Obviously, this is a preliminary assessment, but it gives us confidence that AskMe performs at the same level as other publication search engines—including engines such as CORD19.aws that use sophisticated machine learning techniques to filter results.

| LitCovid rank | Document ID | AskMe rank | AskMe score |
|---------------|-------------|------------|-------------|
| 1 | PMC7118659 | 3 | 7.809 |
| 2 | PMC7202847 | 76 | 5.197 |
| 3 | PMC7250542 | 115 | 4.175 |
| 4 | PMC7270792 | 61 | 6.001 |
| 5 | PMC7232887 | 9 | 7.474 |
| 6 | PMC7244425 | 1 | 9.906 |
| 7 | PMC7255230 | 98 | 4.804 |
| 8 | PMC7249615 | 128 | 3.64 |
| 9 | PMC7108130 | 4 | 7.736 |
| 10 | PMC7275144 | 111 | 4.357 |

Table 1: LitCovid Query Results compared to AskMe

| AskMe rank | Document ID | AskMe score |
|------------|-------------|-------------|
| 1 | PMC7244425 | 9.906 |
| 2 | PMC7127386 | 8.382 |
| 3 | PMC7128678 | 7.929 |
| 4 | PMC7118659 | 7.799 |
| 5 | PMC7108130 | 7.736 |
| 6 | PMC7314063 | 7.725 |
| 7 | PMC7217799 | 7.610 |
| 8 | PMC7232887 | 7.474 |
| 9 | PMC7184359 | 7.370 |
| 10 | PMC7205718 | 7.365 |

Table 2: AskMe Query Results

6 Future Work and Conclusion

Our evaluation so far indicates that AskMe produces results on a par with LitCovid and several other publication search engines. As a front end to the LAPPS Grid and its integration with annotation generators and editors, AskMe provides a unique, one-stop platform for data discovery, annotation, and text mining.

We are currently working on a number of performance and usability enhancements to the AskMe query engine, e.g., expanding scoring to other sections for full text articles, and implementing a LAPPS Grid service to generate named entity annotations over CORD-19 documents for referral during the retrieval process. We are also adding nightly-generated embeddings from the CORD-19 data and integrating Tensorboard for their visualization. Our eventual goal is to migrate AskMe to ElasticSearch in order to enable integration with SemViz⁶, thus providing an end-to-end system for query, search, and discovery over the CORD-19 data.

⁵It is possible to search LitCovid results by title by searching 919 pages of results one-by-one, which was beyond the scope of our work at this point.

⁶https://www.semviz.org

References

- Enis Afgan, Dannon Baker, Bérénice Batut, Marius Van Den Beek, Dave Bouvier, Martin Ech, John Chilton, Dave Clements, Nate Coraor, Björn A. Grüning, Aysam Guerler, Jennifer Hillman-Jackson, Saskia Hiltemann, Vahid Jalili, Helena Rasche, Nicola Soranzo, Jeremy Goecks, James Taylor, Anton Nekrutenko, and Daniel Blankenberg. 2018. The galaxy platform for accessible, reproducible and collaborative biomedical analyses: 2018 update. *Nucleic Acids Research*, 46(W1):W537–W544.
- AWS. 2020. AWS Covid-19 Search. https:// cord19.aws.
- Richard Eckart de Castilho, Nancy Ide, Jin-Dong Kim, Jan-Christoph Klie, and Keith Suderman. 2019. A multi-platform annotation ecosystem for domain adaptation. In *Proceedings of the 13th Linguistic Annotation Workshop*, pages 189–194, Florence, Italy. Association for Computational Linguistics.
- Q. Chen, A. Allot, and Z. Lu. 2020. Keep up with the latest coronavirus research. *Nature*, 579(7798):193.
- Google Inc. 2020. Google COVID-19 Research Explorer. https:// covid19-research-explorer.appspot.com.
- E. Hinrichs, M. Hinrichs, and T. Zastrow. 2010. Weblicht: Web-based lrt services for german. In Proceedings of the 48th Annual Meeting of the Association for Computational Linguistics (ACL 2010), pages 25–29, Uppsala, Sweden. The Association for Computational Linguistics (ACL).
- IBM Inc. 2020. IBM CORD-19 Search. https://www.research.ibm.com/covid19/ deep-search/.
- Nancy Ide, James Pustejovsky, Christopher Cieri, Eric Nyberg, Di Wang, Keith Suderman, Marc Verhagen, and Jonathan Wright. 2014a. The language application grid. In *Proceedings of the Ninth International Conference on Language Resources and Evaluation*, *LREC 2014, Reykjavik, Iceland, May 26-31, 2014*, pages 22–30. European Language Resources Association (ELRA).
- Nancy Ide, James Pustejovsky, Keith Suderman, and Marc Verhagen. 2014b. The Language Application Grid Web Service Exchange Vocabulary. In Proceedings of the Workshop on Open Infrastructures and Analysis Frameworks for HLT (OIAF4HLT), Dublin, Ireland.
- Nancy Ide, Keith Suderman, and Jin-Dong Kim. 2018. Mining biomedical publications with the lapps grid. In Proceedings of the Eleventh International Conference on Language Resources and Evaluation (LREC 2018), Paris, France. European Language Resources Association (ELRA).

- Jin-Dong Kim and Yue Wang. 2012. Pubannotation a persistent and sharable corpus and annotation repository. In *BioNLP: Proceedings of the 2012 Workshop* on *Biomedical Natural Language Processing*, pages 202–205, Montréal, Canada. Association for Computational Linguistics.
- Jan-Christoph Klie, Michael Bugert, Beto Boullosa, Richard Eckart de Castilho, and Iryna Gurevych. 2018. The inception platform: Machine-assisted and knowledge-oriented interactive annotation. In *Proceedings of the 27th International Conference on Computational Linguistics: System Demonstrations*, pages 5–9. Association for Computational Linguistics.
- National Institutes of Health. 2020. iSearch COVID-19 Portfolio. https://icite.od.nih.gov/ covid19/search/.
- Craig A Stewart, T.M. Cockerill, Ian Foster, Nirav C Merchant, E. Skidmore, James Taylor, S. Tuecke, G. Turner, Matthew Vaughn, and N.I. Gaffney. 2015. Jetstream-a self-provisioned, scalable science and engineering cloud environment-nsf acceptance report. In *Proceedings of the 2015 XSEDE Conference: Scientific Advancements Enabled by Enhanced Cyberinfrastructure.*
- Milan Straka, Jan Hajič, and Jana Straková. 2016. UD-Pipe: Trainable pipeline for processing coNLL-u files performing tokenization, morphological analysis, POS tagging and parsing. In Proceedings of the 10th International Conference on Language Resources and Evaluation (LREC 2016), pages 4290– 4297, Paris, France. European Language Resources Association.
- J. Towns, T. Cockerill, M. Dahan, I. Foster, K. Gaither, A. Grimshaw, V. Hazlewood, S. Lathrop, D. Lifka, G. D. Peterson, R. Roskies, J. R. Scott, and N. Wilkins-Diehr. 2014. Xsede: Accelerating scientific discovery. *Computing in Science Engineering*, 16(5):62–74.
- M. Verhagen, K. Suderman, D. Wang, N. Ide, C. Shi, J. Wright, and J. Pustejovsky. 2015. The lapps interchange format. In *Revised Selected Papers of the Second International Workshop on Worldwide Language Service Infrastructure WLSI (2015)*, pages 33–47, Kyoto, Japan. Springer International Publishing.

Vespa. 2020. Vespa. https://cord19.vespa.ai/.

Lucy Lu Wang, Kyle Lo, Yoganand Chandrasekhar, Russell Reas, Jiangjiang Yang, Darrin Eide, Kathryn Funk, Rodney Kinney, Ziyang Liu, William Merrill, Paul Mooney, Dewey Murdick, Devvret Rishi, Jerry Sheehan, Zhihong Shen, Brandon Stilson, Alex D. Wade, Kuansan Wang, Chris Wilhelm, Boya Xie, Douglas Raymond, Daniel S. Weld, Oren Etzioni, and Sebastian Kohlmeier. 2020. Cord-19: The covid-19 open research dataset.