

Towards Verifiable Text Generation with Symbolic References

Anonymous ACL submission

Abstract

Large language models (LLMs) have demonstrated an impressive ability to synthesize plausible and fluent text. However they remain vulnerable to hallucinations, and thus their outputs generally require manual human verification for high-stakes applications, which can be time-consuming and difficult. This paper proposes *symbolically grounded generation* (SymGen) as a simple approach for enabling easier validation of an LLM’s output. SymGen prompts an LLM to interleave its regular output text with explicit symbolic references to fields present in some conditioning data (e.g., a table in JSON format). The references can be used to display the provenance of different spans of text in the generation, reducing the effort required for manual verification. Across data-to-text and question answering experiments, we find that LLMs are able to directly output text that makes use of symbolic references while maintaining fluency and accuracy. In a human study we further find that such annotations can streamline human verification of machine-generated text.

1 Introduction

Many applications of generative AI involve generating text based on structured data (e.g, tabular data, surveys, API outputs, etc.) that is known (or assumed) to be trustworthy. For example, newspapers may be interested in generating summaries of sports games based on official match statistics, and search providers would want generative search engines to ground its output in search results. These applications require *conditional text generation* that is fluent, accurate, and verifiable with respect to the conditioning information. Large language models (LLMs) have advanced to the point where they can sometimes be relied upon to generate fluent- and faithful-enough summaries of text and other structured data. However they remain far from perfect (Liu et al., 2023; Yue et al., 2023), and insofar as high-stakes applications will almost certainly require a human to manually verify




Figure 1: Compare a standard LLM-generated (A) with a SymGen (B, ours) description of a basketball game, based on match statistics. SymGen imbues spans of generated text (highlighted in blue) with symbolic references to the source data, enabling easier verification: e.g., when hovering over a span, the number “30” displays a tooltip indicating the value it is referencing, alongside a link to its source (highlighted in yellow).

that an LLM’s generation is accurate with respect to its conditioning information, there is a need to develop frameworks that maintain the fluent and accurate few-shot generation capabilities of LLMs while enabling streamlined human verification of the model’s output.

This paper proposes *symbolically grounded generation* (SymGen) as a step towards verifiable text generation with LLMs. Given a string representation of data in a structured but human-readable format (e.g., JSON, YAML, etc.), we prompt the LLM to generate the output with explicit symbolic references into the provided data structure instead of generating the text directly. The references are then rendered using a parser, which can faithfully represent values from the original data, and can moreover be used to include visual cues that enable a user to readily verify the provenance of a particular




Figure 2: Overview of the proposed symbolically grounded generation (SymGen) pipeline, on an example generated by GPT-4. Given the structured data input (1), we use a prompted LLM to generate a response (2) that contains symbolic references into the data (e.g., the variable `visitor.city` marked by A). A parser then substitutes the symbolic references with their corresponding values in the structured data (e.g., Portland for `visitor.city`) to obtain the final rendered text (3). Our SymGen pipeline can implicitly leverage the input data to generate prose without any symbolic references (e.g., the span marked by B). It can also generate transformations of existing variables (e.g., adding up two numbers, marked by C) to create unavailable data in the source, while preserving references to the original variables.

span of text. See Fig. 2 for an overview. In contrast to classic templated approaches for text generation (Kukich, 1983; McKeown, 1992; McRoy et al., 2000), SymGen instead offloads the template specification process to an LLM. We exploit the fact that LLMs have likely been sufficiently exposed to such kind of templated text during pretraining that they are able to perform zero- and few-shot text generation with symbolic references across multiple domains.

Experiments on zero- and few-shot data-to-text generation and question answering indicate that LLMs can be prompted to generate fluent text that is interleaved with symbolic references which explicitly refer to data fields. Further, in a human study, we find that the annotations enabled by SymGen simplify the process of post-hoc verification, both as perceived by the user and by reducing the average verification time by 20%.

2 Symbolic References for Verifiable Text Generation

Templated text is ubiquitous in the wild. In the context of software engineering, programming languages such as Python expose multiple mechanisms for the specification of templated strings,¹ and web frameworks such as Angular rely on them extensively. These templated documents allow one to combine regular prose with symbolic references that can be grounded to some (perhaps implicit) context at a later time. Thus, LLMs that have been pretrained on vast amounts of web data should in principle be capable of generating responses that include such symbolic references, at least if they are provided a schema with the fields they can reference. This paper explores the effectiveness of such

symbolic generation in settings where the LLM must generate a piece of text based on some structured input. In turn, such references can help users verify whether an LLM correctly interpreted the input data structure (Fig. 1B).

Our SymGen pipeline is shown in Fig. 2, and consists of two stages:

Stage 1. In the *symbolic reference generation stage*, we provide the LLM with the structured data, alongside a prompt of what it should generate (e.g., “Generate a biography about a person whose description is given in JSON. [...]”). While the data may be provided in any structured format, we mainly focus on JSON due to its ubiquity.² Within the prompt, we ask that the LLM generate its response using *symbolic references*, i.e., snippets of inline code that refer to the provided data structure. The syntax for the resulting text in *symbolic form* may vary, but in preliminary experiments we found that Jinja-style³ expressions led to robust results (in the sense that the LLM will usually not make mistakes) while also allowing the LLM to perform simple transformations on the provided data (e.g., number formatting, simple calculations; see Fig. 2).

Stage 2. In the *rendering stage*, all references are resolved by replacing them with their corresponding values using a parser. Note that these symbolic expressions may be more complex than a pointer into the data structure, e.g., they might compute a sum (see Fig. 2). In the event that an LLM generated a reference that cannot be resolved, one can resolve it to a default value, e.g., “undefined.” While

²Preliminary experiments using YAML, which is more compact insofar as API token consumption is concerned, showed similarly positive results.

³<https://jinja.palletsprojects.com>

¹<https://peps.python.org/pep-0498/>

the final rendered text could be presented directly to the user, one could also exploit the intermediate symbolic representation to display an augmented version of the text which shows the correspondence between the rendered references and the underlying source data. One could thus see SymGen as similar in spirit to citation-enabled LLMs (Liu et al., 2023; Yue et al., 2023; Gao et al., 2023), except that our approach focuses on providing very precise and easy to validate citations with respect to some data.

Strategies for symbolic reference generation.

We consider two possible symbolic reference generation strategies for SymGen. The first is the *direct* strategy shown in Fig. 2, which instructs the LLM to directly generate text with symbolic references given the structured input. While in principle (given the right data and appropriate templates) any response given by regular generation could also be generated using symbolic references, in practice there might be performance degradation if reasoning or writing are more unnatural for the model when working directly in “symbolic form space”.

Hence, we also consider an *indirect* strategy, where we prompt the LLM to first generate the text in regular prose (i.e., without any symbolic references), and then prompt it to rewrite it using symbolic references afterwards. The advantage of the indirect approach is that it should maintain the same text quality as regular generation as long as converting regular prose into symbolically-augmented text is no harder than generating the regular text in the first place; the caveat is that this approach can be more costly under APIs that charge on a per-token basis, as it requires roughly twice the amount of tokens to be generated. We also found this strategy to be unreliable with weaker LLMs such as GPT-3.5,⁴ so we only employ this with GPT-4 as the base LLM. Finally, as a baseline, we also consider an approach that prompts the LLM to generate regular text without any references.

3 Evaluation

The main empirical study in this work aims to understand whether SymGen maintains the same quality as the baseline when using symbolic references; we are not necessarily interested in improving upon the baseline (although in some cases we do observe improvements), as our primary aim is to improve verifiability, which can in principle be achieved

⁴Specifically, we found that GPT-3.5 would often behave as in the direct SymGen strategy, despite being prompted and given examples of the desired, indirect SymGen behavior.

if we incorporate references without changing the content of the generation. Our analysis is conducted on five datasets, which are shown in Tab. 10 of App. F.1. We explore four settings: traditional data-to-text (§3.1), counterfactual obituary generation (§3.2), question-answering (QA) over financial information (§3.3), and arithmetic word problems (§3.4). We consider both zero- and few-shot settings for each of those tasks.

Depending on the nature of the task (e.g., complexity, size of the structured data, etc.), we evaluate our approach on a mix of GPT-3.5 (with 4K or 16K context windows) and GPT-4 (with 8K or 32K context windows). The full experimental setups, including the prompts, are given in App. F. Anecdotally, we found that extensive experiments with different prompts were not necessary to get LLMs to perform symbolic generation; we expect that further (perhaps task-specific) improvements are possible with more prompt engineering.

3.1 Data-to-text

SymGen is similar in spirit to data-to-text methods, where the goal is to generate some text based on structured data. Classical approaches to this problem consist of designing a template based on the schema of the data, and populating it with the values of a datapoint at runtime (Kukich, 1983; McKeown, 1992; McRoy et al., 2000). However, relying solely on the schema of the data tends to yield formulaic text. Neural approaches to data-to-text generation (Wiseman et al., 2017, 2018; Wang, 2019; Yin and Wan, 2022) improve on this by generating text that is datapoint-dependent, but achieve this by training on data-to-text datasets. We revisit this setting in the context of zero- and few-shot data-to-text generation with LLMs.

Datasets. We first consider SynthBio (Yuan et al., 2021), a collection of synthetically constructed *fictional* entities, described in terms of a collection of key–value pairs, which has been used in prior work on templated generation with finetuned models (Zhang et al., 2022). The task is to generate a textual description of the entity. We also consider the Rotowire (Wiseman et al., 2017) dataset, where the objective is to generate a summary of a basketball game given its box (individual player statistics) and line (aggregate team statistics) scores. The Rotowire dataset presents a challenging testbed for our approach, since its data structure is substantially more complex than the previous task (i.e., there are many more fields in each datapoint) and it

			BLEU	BERT F1	ER	GER
GPT-3.5-4K	0-shot	Baseline	31.15	53.43	0.00	0.00
		Direct	26.64	47.88	0.28	0.00
	2-shot	Baseline	30.98	54.66	0.00	0.00
		Direct	32.43	53.32	3.30	0.09
GPT-4-8K	0-shot	Baseline	30.08	54.27	0.00	0.00
		Direct	33.31	54.07	0.00	0.00
		Indirect	35.02	55.58	0.00	0.00
	2-shot	Baseline	32.43	56.39	0.00	0.00
		Direct	36.83	57.71	2.11	0.00
		Indirect	37.56	57.88	3.21	0.00

Table 1: Results on the SynthBio (Yuan et al., 2021) dataset. We report BLEU (Papineni et al., 2002) and BERTScore F1 (BERT F1; Zhang et al., 2020) against the reference biographies. We also report the (general) error rate (ER (%)) and the global error rate (GER (%)). See §3.1 for a discussion.

relies on more specific in-domain knowledge (i.e., understanding how to read basketball box scores charts). To keep LLM API costs manageable, we sample 100 examples from the test set to evaluate on. Refer to App. F for more details.

Experimental details. On SynthBio, we generate a short biography for each entity in the test set using GPT-3.5-4K and GPT-4-8K, and we evaluate against reference texts using BLEU (Papineni et al., 2002) and BERTScore F1 (Zhang et al., 2020). We consider both zero- and 2-shot learning. See App. F.2.1 for the prompts and example generations. On Rotowire, we explore both GPT-3.5-16K and GPT-4-32K (the longer context windows are needed due to the length of the JSON), and evaluate against reference texts using BLEU and ROUGE (Lin, 2004). See App. F.2.2 for the Rotowire prompts and example outputs.

Results. Our results are shown in the respective tables for each dataset (SynthBio, Tab. 1; Rotowire, Tab. 2). The results for data-to-text generation are generally positive. For SynthBio, in the few-shot case, we find that both symbolic generation strategies we considered yield comparable or superior performance to the baseline.⁵ Interestingly, in the zero-shot GPT-3.5-4K case, direct symbolic generation underperforms the baseline, though this gap is bridged via in-context learning. This could sug-

⁵For comparison, TempLM (Zhang et al., 2022)—which finetunes a pretrained LLM on the full training set—attains 40.30 BLEU and 54.30 in BERTScore, which are comparable to our GPT-4 results.

			BLEU	ROU.-L	ER	GER
GPT-3.5-16K	0-shot	Baseline	5.87	19.52	0.00	0.00
		Direct	5.07	19.14	4.00	0.00
	1-shot	Baseline	12.26	22.66	0.00	0.00
		Direct	9.10	20.65	0.00	0.00
GPT-4-32K	0-shot	Baseline	4.94	19.91	0.00	0.00
		Direct	2.24	17.88	0.00	0.00
		Indirect	4.66	19.61	0.00	0.00
	1-shot	Baseline	9.11	22.16	0.00	0.00
		Direct	7.02	21.78	0.00	0.00
		Indirect	8.29	21.33	2.00	2.00

Table 2: Results on the Rotowire (Wiseman et al., 2017) dataset. We report the BLEU (Papineni et al., 2002) and ROUGE (ROU.-1, ROU.-2, ROU.-L; Lin, 2004) of the generated answers against the reference generations in the dataset. We also report the regular (ER (%)) and global (GER (%)) error rates. See §3.1 for a discussion.

gest that biographical generation in symbolic space is slightly harder than regular (non-symbolic) generation for GPT-3.5-4K.

For Rotowire, we find that the quality of symbolic generation generally trails the baseline, though this difference is smaller when using GPT-4-32K and indirect generation. Interestingly, GPT-3.5-16K seems to outperform GPT-4-32K in this task, as evidenced by comparing the baseline results under each model, which suggests that better performance may be obtained by modifying the indirect strategy so that GPT-3.5-16K is used to generate summaries in regular prose and GPT-4-32K is used to rewrite them using symbolic references.

In many cases, we find that poor symbolic generations arise from rendering errors. To this end, we also report the percentage of outputs whose symbolic form has at least one error (a specific reference in a response failed to render locally and was instead rendered as “undefined”; ER (%)) and with at least one global error (where the Jinja parser simply failed to run, causing the whole response to fail and be replaced with “The text is not available.”; GER (%)). We find that (i) GPT-3.5 tends to commit more errors than GPT-4 and (ii) providing few-shot examples tends to reduce errors, both of which are expected, though we also find that the indirect SymGen strategy leads to more errors than the direct strategy. We believe this to be because adapting regular, non-symbolic text to have symbolic references can sometimes be hard if the JSON is incomplete or the original text is not written in a

way that is amenable to the insertion of references.

Occasionally, we have also found errors that are unrelated to rendering errors. For example, for one case in Rotowire, the generation failed to recognize it needed to use addition, listing the second quarter points for the half time score instead of the sum of the first and second quarter (Fig. 8A; App. E). We also found an instance of the model incorrectly incrementing the winning team’s game win count when reporting on a game, despite the win count reflecting the result of the game (Fig. 8B; App. E). In these instances, the model likely misunderstood the meaning of the field in question. However, in all of these cases, it is worth noting that SymGen makes it easier to *diagnose* such issues.

3.2 Counterfactual text generation

There is evidence that LLMs are capable of memorizing their training data (Carlini et al., 2019, 2023) and that this leads to their struggling to generate *counterfactual* data that goes against their learnt priors (Hernandez et al., 2023). In this section, we explore whether SymGen can lead to faithful generations when some of the conditioning data is counterfactual in nature.

Dataset. We collect a dataset comprised of 167 famous scientists who lived between 1800 CE and 2000 CE (e.g., Albert Einstein, Carl Sagan, Louis Pasteur, etc.) and further generate *counterfactual* variants of each entity. The counterfactual variant is designed to test for the extent to which an LLM may ignore data that contradicts the information an LLM has seen during training, which has been noted to be a common failure mode of smaller language models (Hernandez et al., 2023). For more details refer to App. F.

Experimental setup. We use GPT-3.5-4K to generate obituaries for each of these (possibly counterfactual) entities. For the few-shot experiments, we provide two examples (see App. F.2.3 for our prompts and some example generations). Unlike SynthBio, we have no reference biographies for these entities, so we devise a new evaluation procedure that tries to measure the factuality of the summaries. Specifically, we wrote questions for each property in the schema of the data, and then prompted GPT-3.5-4K to answer them using only the rendered text (see App. A for details). If the answer was not present in the text, we asked the model to answer with “Unknown.” (the percentage of questions answered in this way is reported

by the unknown rate; UR (%)). We then computed both exact match accuracy and ROUGE of the provided responses against the response specified in the JSON; we include the latter as it provides more leeway in the exact phrasing of the response than the exact match metric.

Results. The counterfactual obituary results are shown in Tab. 3. We find that in the zero-shot case, SymGen slightly outperforms our baseline, whereas in the few-shot case we find that it slightly underperforms the baseline. However, when we condition on whether the model gave a response versus stating it did not know the answer (Tab. 9), we find that performance is further improved in the zero-shot case and comparable in the few-shot setting. One possible explanation for this is that symbolic generation includes slightly less information than regular generation (especially in the few-shot case, as seen by the higher unknown rate), which in turn leads to more incorrect answers, since more questions were left unanswered. That is, SymGen seems to favor precision at the expense of recall, which may be desirable in some applications.

3.3 Question answering over structured data

Another possible application of symbolically grounded generation is to enhance verifiability in question-answering (QA) over structured data. This is especially motivated by recent work on tool-augmented LLMs (Schick et al., 2023; Karpas et al., 2022), which are able to condition their generation on the results of API calls, which are often given in a structured format.

Dataset. To evaluate this setting, we construct a dataset of 32 finance-related questions about particular companies (e.g., “How does the book value of NFLX compare to that of ASML?”), coupled with company information from the AlphaVantage company overview API endpoint.⁶ Details about the questions and postprocessing are shown in App. B.

Experimental setup. We prompt the LLMs to answer finance-related questions given some company information. To evaluate the answers, we had one of the authors annotate each answer as acceptable or not; in general, an answer was deemed acceptable if the final answer was correct (see App. B for more details). We considered two LLMs: GPT-3.5-16K and GPT-4-32K, due to the length of the JSON data. Our prompts and some example out-

⁶<https://www.alphavantage.co/documentation/#company-overview>

		EM (%)	ROU.-1	ROU.-2	ROU.-L	UR (%)	ER (%)	GER (%)
0-shot	Baseline	69.05	75.25	53.76	75.23	14.10	0.00	0.00
	Direct	71.83	76.51	53.89	76.50	14.60	0.00	0.00
2-shot	Baseline	79.34	83.97	59.87	83.97	5.53	0.00	0.00
	Direct	78.61	82.90	58.15	82.88	6.76	1.39	0.00

Table 3: GPT-3.5-4K results of the automated question–answering evaluation the obituary dataset, which includes counterfactually generated entities. We report the exact match accuracy (EM (%)) and ROUGE (ROU.-1, ROU.-2, ROU.-L; Lin, 2004) of the inferred answers from the generated text against the true answer given by the source JSON. We also report the percentage of answers that the QA model did not find an answer for (the unknown rate; UR (%)), and the regular (ER (%)) and global (GER (%)) error rates. Refer to §3.2 for a discussion.

		0-shot	3-shot
GPT-3.5-16K	Baseline	93.75	90.63
	Direct	65.63	68.75
GPT-4-32K	Baseline	93.75	87.50
	Direct	87.50	87.50
	Indirect	90.63	93.75

Table 4: Acceptability results of the financial question–answering setting. We report the acceptability of the answers in the zero-shot and 3-shot settings. Refer to §3.3 for a discussion.

	GSM8K		GSM-hard	
	GPT-4	GPT-3.5	GPT-4	GPT-3.5
CoT (Wei et al., 2022)	95.0	81.0	64.0	53.5
PAL (Gao et al., 2022)	95.0	82.0	79.5	73.0
Direct SymGen (Ours)	95.0	79.0	75.0	60.5

Table 5: Comparison of SymGen reasoning with other reasoning methods on GSM8K and GSM-hard; all approaches were evaluated using GPT-4-8K. Refer to §3.4 for a discussion.

puts are given in App. F.3.1; we used three-shot prompting for the in-context learning setting.

Results. For the financial dataset, we report the percentage of responses judged as acceptable under each approach in Tab. 4. The results suggest that GPT-3.5-16K is unsuited for symbolic generation on this task, falling substantially short of the baseline. On the other hand, for GPT-4 all models offer reasonably comparable performance across generation strategies. See App. E for a qualitative analysis of some errors.

3.4 Reasoning

Besides providing symbolic references to fields in the source data, SymGen can also be used to express *symbolic computations* over the variables, e.g., computing the half-time points of a basketball game based on the first two quarter scores (Fig. 2). By chaining a series of such operations, it opens up the possibility of interleaving arithmetic operations within language-based chain-of-thought reasoning. We explore this capability more formally in the context of solving arithmetic word problems.

Experimental setup. Fig. 3 illustrates one approach for performing reasoning via symbolic generation for a math problem in GSM8K (Cobbe et al., 2021). Each generated computation step is coupled with an assignment statement in Jinja, which relates the natural language explanation of the computation with a symbolic expression. Compared to chain-of-thought reasoning (CoT; Wei et al., 2022), explicit use of symbolic computations should lead

to more easily verifiable computational results of each step; compared to program-aided language models (PAL; Gao et al., 2022) and program of thoughts prompting (PoT; Chen et al., 2023), which recast problems into an program and executes it to obtain a response, SymGen relies more on natural language as a scaffold, embedding symbolic computation within regular text.

Dataset. We compare the direct SymGen strategy against CoT and PAL on two datasets: GSM8K (Cobbe et al., 2021) and GSM-hard (Gao et al., 2022). GSM8K are grade school math problems like the one illustrated in Fig. 3 that typically require multiple steps of reasoning to solve. To create a more challenging testbed for LLMs, Gao et al. (2022) construct GSM-hard by replacing, for each problem in GSM8K, a randomly selected number with a large random number of up to seven digits. We use a random subset of 200 problems in the test set of GSM8K and GSM-hard for evaluation, as recent work find that it yields similar results to testing on the full 1.3K test set (Wang et al., 2023b).

Results. Tab. 5 compares the performance on GSM8K and GSM-hard using CoT, PAL, and our approach with GPT-3.5-4K and GPT-4-8K. Notably, it seems symbolic reasoning might not be necessary for GSM8K, since both our method and PAL perform similarly to CoT. However, when the computations are more complex as in GSM-hard, symbolic generation outperforms CoT by a clear margin when using both GPT-4-8K and GPT-3.5-4K. Our method slightly underperforms PAL




Figure 3: Illustration of SymGen reasoning on GSM8K, on an example generated by GPT-4. Given a math question (1), the LLM answers via direct symbolic generation, creating variables as needed (2), which can be rendered in a user-friendly manner (3). The syntax we use (Jinja) allows the creation of variables based on the source text (e.g., setting `total_people` to 90, **A**), and performing computation by referencing existing variables (e.g., calculating `total_groups` based on `total_people` and `group_size`, **B**). We can moreover explain how a computation step relates to previous ones (**C**).

on GPT-4-8K, with the margin being larger using GPT-3.5-4K. This is somewhat expected, given that PAL is explicitly geared towards solving such arithmetic problems and moreover makes use of richer programming elements. Inspecting our method’s failures on this dataset, we found that many errors arose from sensible (but incorrect) attempts to reason symbolically about a math problem using Jinja notation. See App. E for an error analysis.

4 Human evaluation

In addition to our quality-focused empirical evaluation in §3, we also conduct a human study to ascertain whether the annotations enabled by SymGen actually aid users in verifying LLM generations. We use Rotowire since it is a challenging testbed for verification: summaries contain many numbers referring to an array of fields, and slight errors might be hard to spot.

Annotation data. We picked five SymGen-generated (Indirect, GPT-4-32K) summaries of dif-

ferent games in the Rotowire dataset and manually verified them for correctness. We then generated three version of each document that were inconsistent with the data by picking a random symbolic reference and replacing it with another symbolic reference with a different value that was within 2 units of the original value of the field. We prevent the resulting value from being nonsensical, e.g., by restricting percentages to still be within 0 and 100. For each of these four documents, we created two versions: a version with annotations, and one without any annotations (i.e., as if it were generated by a regular LLM).

Survey overview. We ask annotators to annotate four summaries: two of them contain SymGen annotations, allowing them to inspect the provenance of different numbers in the text when hovering over a number using their cursor, and two containing no annotations (i.e., the output of a regular LLM). Each summary is equally likely to come from a pool of correct or incorrect summaries, and the first step of each annotation is for the participant to determine whether the summary is correct (i.e., there are no inconsistencies between the summary and the source table) or incorrect (i.e., there is an inconsistency between the summary and the table). Crucially, this first step is timed. Answering this question reveals two more questions, asking the annotators to rate their confidence in their answer, and how easy it was for them to reach a decision, on a Likert scale. We ask these questions in order to measure whether SymGen annotations meaningfully impact (i) human accuracy at finding errors and (ii) how easy it is to verify a summary, where both *objective* ease (i.e., how long did it take to reach a decision) and *subjective* ease (i.e., how hard did it *feel* to go through and verify the text). At the end of the study, annotators are provided an exit survey where they are asked to rate whether they prefer annotations (over no annotations) with respect to both (i) the confidence in their decisions and (ii) their ease in reaching a decision. We also reward annotators for each question answered correctly to ensure that they are spending adequate effort on the task. More details on the study design, exact questions, and interface are given in App. D.

Enrollment. We recruited 60 annotators for the study via Prolific. See App. D for more details, including selection criteria, quality filters, etc.

Results. The per-annotation results for the study are shown in Tab. 6. We find that annotators

	Acc.	Time	Conf.	Effort
SymGen	80.83	1.98	4.63	4.14
Baseline	80.00	2.50	4.44	3.63

Table 6: Results of the human study, comparing a system with SymGen annotations to one without. We report accuracy (Acc.), time taken to determine if an example is correct in minutes (Time), and perceived confidence (Conf.) and effort (Effort) on a Likert scale (i.e., 1–5). For Conf. and Effort, higher scores indicate more confidence and less effort respectively. See §4 for details.

were equally likely to identify errors regardless of whether SymGen annotations were shown. However, when annotations were displayed, they took on average 20% less time to reach a decision about whether an error was present or not. This makes sense, since the annotations do not change whether the text is correct or not, they should only facilitate the process of verifying it. We further find that annotators feel slightly more confident of their final answers when using our approach and perceive the verification task to be easier. Finally, from exit survey, we have that 71.67% of participants agree that annotations made them more confident in their answers, and 83.33% agree that annotations made the verification task easier. In all, the results suggest that SymGen annotations enable a faster and more pleasant verification experience, with some annotators reporting “The annotations help tremendously”, “[t]he annotations were nice and definitely helped”, and “[...] I could still compare the data without annotations it just took longer to find each piece of data”.

5 Related work

Data-to-text generation. Classic approaches for the data-to-text problem used handcrafted templates to generate output sentences that interleave text with placeholder tokens which refer to relevant data fields (Kukich, 1983; McKeown, 1992; McRoy et al., 2000). Carefully engineered templates can provide strict guarantees against hallucinations, but require much manual work to specify, are domain-specific, and may sound robotic.

Data-driven methods for data-to-text initially focused on inducing templates from data (Liang et al., 2009; Angeli et al., 2010; Howald et al., 2013; Konstas and Lapata, 2013) which could be pipelined with a separate generation module. More recent approaches take advantage of large-scale datasets (Wiseman et al., 2017; Parikh et al., 2020) to learn end-to-end neural networks (Wang, 2019; Li and Wan, 2018; Yin and Wan, 2022). (See Sharma

et al. (2022) for a recent survey). Of particular note are methods that use template-like structures within neural generative modules to separate out the “what to say” from the “how to say it” (Wiseman et al., 2018; Ye et al., 2020; Li and Rush, 2020; Wang et al., 2021; Puduppully et al., 2022; Zhang et al., 2022). These methods typically still require a sizable training set (generally on the order of hundreds or thousands), in contrast to the zero- and few-shot settings considered in the present work.

Tool-augmented LLMs. Recent work has augmented LLMs with tools/APIs to enhance their capabilities (Schick et al., 2023; Paranjape et al., 2023; Liang et al., 2023; Shen et al., 2023; Khot et al., 2023; Qin et al., 2023; Lu et al., 2023). These methods enable LLMs to generate string representations of API calls whose results are fed back in as additional context. Our method can be viewed as using a templating language as a tool. Whereas this line of work is usually concerned with enhancing LLM capabilities via external modules, our work instead focuses on using structured data as “tools” to improve verifiability. Our use of arithmetic computations within generations is also closely related to works that generate code snippets along with text to combine the benefits of symbolic computations and language-based reasoning (Gao et al., 2022; Chen et al., 2023; Zhang et al., 2023).

LLM verification. LLM verification is an orthogonal improvement to the reliability of LLMs, where the output of an LLM is automatically verified. Yue et al. (2023) and Gao et al. (2023) take an LLM generated response and a reference document it cites and use a separate module to determine whether the output of the LLM is entailed from the reference document. Verify-and-edit (Zhao et al., 2023) uses self-consistency checks to discover potential mistakes, and corrects those mistakes with knowledge retrieval. Poesia et al. (2023) allow an LLM to call a logical backend as a tool, so that it can perform logically sound and certifiable deductive reasoning.

6 Conclusion

In this paper, we propose symbolically grounded generation (SymGen) as a simple approach to text generation that yields more verifiable text, by effectively linking portions of the output to the provided input data. Our evaluation suggests that symbolic generation does not substantially reduce the overall quality of the text, all the while it increases the verifiability of an LLM’s generations.

Limitations

This paper intends to demonstrate the utility potential of a simple method. As such, it focuses on a broad evaluation rather than a deep and narrow one. We also do not perform a wide ablation of the many possible ways of imbuing an LLM with the ability to generate symbolic references. We considered only Jinja-style symbolic generation because it was flexible enough to be integrated into normal text and presumably prevalent enough in the training corpus to perform well. Future work could more thoroughly evaluate what other templating languages these LLMs have the capacity to do this for. Finally, our work most focuses on settings with readily available structured data that is pertinent to model generation. The GSM experiments serve as a preliminary exploration of the case when such structured data is not available, and future work could try to extend our method by either automatically generating structured data or retrieving relevant data. Furthermore, as we saw in §3.1 for SynthBio, even when data is available, if it is not high quality, SymGen might yield text with grammatical and typographical errors.

References

- Gabor Angeli, Percy Liang, and Dan Klein. 2010. [A simple domain-independent probabilistic approach to generation](#). In *Proceedings of the 2010 Conference on Empirical Methods in Natural Language Processing*, pages 502–512, Cambridge, MA. Association for Computational Linguistics.
- Nicholas Carlini, Daphne Ippolito, Matthew Jagielski, Katherine Lee, Florian Tramèr, and Chiyuan Zhang. 2023. [Quantifying memorization across neural language models](#).
- Nicholas Carlini, Chang Liu, Úlfar Erlingsson, Jernej Kos, and Dawn Song. 2019. [The secret sharer: Evaluating and testing unintended memorization in neural networks](#).
- Wenhu Chen, Xueguang Ma, Xinyi Wang, and William W. Cohen. 2023. [Program of thoughts prompting: Disentangling computation from reasoning for numerical reasoning tasks](#).
- Karl Cobbe, Vineet Kosaraju, Mohammad Bavarian, Mark Chen, Heewoo Jun, Lukasz Kaiser, Matthias Plappert, Jerry Tworek, Jacob Hilton, Reiichiro Nakano, Christopher Hesse, and John Schulman. 2021. Training verifiers to solve math word problems. *arXiv preprint arXiv:2110.14168*.
- Luyu Gao, Aman Madaan, Shuyan Zhou, Uri Alon, Pengfei Liu, Yiming Yang, Jamie Callan, and Graham Neubig. 2022. PAL: Program-aided Language Models. *arXiv:2211.10435*.
- Tianyu Gao, Howard Yen, Jiatong Yu, and Danqi Chen. 2023. Enabling large language models to generate text with citations. In *Proceedings of EMNLP*.
- Evan Hernandez, Belinda Z. Li, and Jacob Andreas. 2023. [Measuring and manipulating knowledge representations in language models](#). In *Arxiv*.
- Blake Howald, Ravikumar Kondadadi, and Frank Schilder. 2013. Domain adaptable semantic clustering in statistical NLG. In *Proceedings of the 10th International Conference on Computational Semantics (IWCS 2013)–Long Papers*, pages 143–154.
- Ehud Karpas, Omri Abend, Yonatan Belinkov, Barak Lenz, Opher Lieber, Nir Ratner, Yoav Shoham, Hofit Bata, Yoav Levine, Kevin Leyton-Brown, Dor Muhlgay, Noam Rozen, Erez Schwartz, Gal Shachaf, Shai Shalev-Shwartz, Amnon Shashua, and Moshe Tenenholz. 2022. [MRKL systems: A modular, neuro-symbolic architecture that combines large language models, external knowledge sources and discrete reasoning](#).
- Tushar Khot, Harsh Trivedi, Matthew Finlayson, Yao Fu, Kyle Richardson, Peter Clark, and Ashish Sabharwal. 2023. [Decomposed prompting: A modular approach for solving complex tasks](#).
- Ioannis Konstas and Mirella Lapata. 2013. A global model for concept-to-text generation. *Journal of Artificial Intelligence Research*, 48:305–346.
- Karen Kukich. 1983. [Design of a knowledge-based report generator](#). In *21st Annual Meeting of the Association for Computational Linguistics*, pages 145–150, Cambridge, Massachusetts, USA. Association for Computational Linguistics.
- Liunian Li and Xiaojun Wan. 2018. [Point precisely: Towards ensuring the precision of data in generated texts using delayed copy mechanism](#). In *Proceedings of the 27th International Conference on Computational Linguistics*, pages 1044–1055, Santa Fe, New Mexico, USA. Association for Computational Linguistics.
- Xiang Lisa Li and Alexander Rush. 2020. [Posterior control of blackbox generation](#). In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 2731–2743, Online. Association for Computational Linguistics.
- Percy Liang, Michael Jordan, and Dan Klein. 2009. [Learning semantic correspondences with less supervision](#). In *Proceedings of the Joint Conference of the 47th Annual Meeting of the ACL and the 4th International Joint Conference on Natural Language Processing of the AFNLP*, pages 91–99, Suntec, Singapore. Association for Computational Linguistics.

713	Yaobo Liang, Chenfei Wu, Ting Song, Wenshan Wu,	Ratish Puduppully, Yao Fu, and Mirella Lapata. 2022.	766
714	Yan Xia, Yu Liu, Yang Ou, Shuai Lu, Lei Ji,	Data-to-text generation with variational sequential	767
715	Shaoguang Mao, Yun Wang, Linjun Shou, Ming	planning. <i>Transactions of the Association for Com-</i>	768
716	Gong, and Nan Duan. 2023. TaskMatrix.AI: Com-	putational Linguistics, 10:697–715.	769
717	pleting Tasks by Connecting Foundation Models with		
718	Millions of APIs. <i>arXiv:2303.16434</i> .		
719	Chin-Yew Lin. 2004. ROUGE: A package for auto-	Yujia Qin, Shihao Liang, Yining Ye, Kunlun Zhu, Lan	770
720	matic evaluation of summaries . In <i>Text Summariza-</i>	Yan, Yaxi Lu, Yankai Lin, Xin Cong, Xiangru Tang,	771
721	<i>tion Branches Out</i> , pages 74–81, Barcelona, Spain.	Bill Qian, Sihan Zhao, Lauren Hong, Runchu Tian,	772
722	Association for Computational Linguistics.	Ruobing Xie, Jie Zhou, Mark Gerstein, Dahai Li,	773
723		Zhiyuan Liu, and Maosong Sun. 2023. ToolLLM:	774
724	Nelson F Liu, Tianyi Zhang, and Percy Liang. 2023.	Facilitating large language models to master 16000+	775
725	Evaluating verifiability in generative search engines.	real-world apis .	776
726	<i>arXiv preprint arXiv:2304.09848</i> .		
727	Pan Lu, Baolin Peng, Hao Cheng, Michel Galley, Kai-	Timo Schick, Jane Dwivedi-Yu, Roberto Dessi, Roberta	777
728	Wei Chang, Ying Nian Wu, Song-Chun Zhu, and	Raileanu, Maria Lomeli, Luke Zettlemoyer, Nicola	778
729	Jianfeng Gao. 2023. Chameleon: Plug-and-play com-	Cancedda, and Thomas Scialom. 2023. Toolformer:	779
730	positional reasoning with large language models .	Language Models Can Teach Themselves to Use	780
731		Tools. <i>arXiv:2302.04761</i> .	781
732	Kathleen McKeown. 1992. Text generation - using	Torsten Scholak, Nathan Schucher, and Dzmitry Bah-	782
733	discourse strategies and focus constraints to generate	danau. 2021. PICARD: Parsing incrementally for	783
734	natural language text.	constrained auto-regressive decoding from language	784
735		models. In <i>Proceedings of EMNLP</i> , Online and Punta	785
736	Susan W. McRoy, Songsak Channarukul, and Syed S.	Cana, Dominican Republic. Association for Compu-	786
737	Ali. 2000. YAG: A template-based generator for	tational Linguistics.	787
738	real-time systems . In <i>INLG'2000 Proceedings of the</i>	Mandar Sharma, Ajay Gogineni, and Naren Ramakrish-	788
739	<i>First International Conference on Natural Language</i>	nan. 2022. Innovations in neural data-to-text genera-	789
740	<i>Generation</i> , pages 264–267, Mitzpe Ramon, Israel.	tion. <i>arXiv preprint arXiv:2207.12571</i> .	790
741	Association for Computational Linguistics.		
742	Kishore Papineni, Salim Roukos, Todd Ward, and Wei-	Yongliang Shen, Kaitao Song, Xu Tan, Dongsheng Li,	791
743	Jing Zhu. 2002. BLEU: A method for automatic	Weiming Lu, and Yueting Zhuang. 2023. Hugging-	792
744	evaluation of machine translation . In <i>Proceedings of</i>	GPT: Solving AI tasks with ChatGPT and its friends	793
745	<i>the 40th Annual Meeting of the Association for Com-</i>	in hugging face .	794
746	<i>putational Linguistics</i> , pages 311–318, Philadelphia,		
747	Pennsylvania, USA. Association for Computational	Richard Shin, Christopher Lin, Sam Thomson, Charles	795
748	Linguistics.	Chen, Subhro Roy, Emmanouil Antonios Platanios,	796
749		Adam Pauls, Dan Klein, Jason Eisner, and Benjamin	797
750	Bhargavi Paranjape, Scott Lundberg and Sameer Singh,	Van Durme. 2021. Constrained language models	798
751	Hannaneh Hajishirzi, Luke Zettlemoyer, and	yield few-shot semantic parsers. In <i>Proceedings of</i>	799
752	Marco Tulio Ribeiro. 2023. ART: Automatic multi-	<i>EMNLP</i> . Association for Computational Linguistics.	800
753	step reasoning and tool-use for large language mod-		
754	els. <i>arXiv:2303.09014</i> .	Bailin Wang, Zi Wang, Xuezhi Wang, Yuan Cao, Rif A	801
755		Saurous, and Yoon Kim. 2023a. Grammar prompting	802
756	Ankur Parikh, Xuezhi Wang, Sebastian Gehrmann, Man-	for domain-specific language generation with large	803
757	aal Faruqui, Bhuwan Dhingra, Diyi Yang, and Dipan-	language models. In <i>Proceedings of NeurIPS</i> .	804
758	jan Das. 2020. ToTTo: A controlled table-to-text		
759	generation dataset . In <i>Proceedings of the 2020 Con-</i>	Hongmin Wang. 2019. Revisiting challenges in data-	805
760	<i>ference on Empirical Methods in Natural Language</i>	to-text generation with fact grounding . In <i>Proceed-</i>	806
761	<i>Processing (EMNLP)</i> , pages 1173–1186, Online. As-	<i>ings of the 12th International Conference on Natural</i>	807
762	sociation for Computational Linguistics.	<i>Language Generation</i> , Tokyo, Japan. Association for	808
763	Gabriel Poesia, Kanishk Gandhi, Eric Zelikman, and	Computational Linguistics.	809
764	Noah D. Goodman. 2023. Certified reasoning with	Peng Wang, Junyang Lin, An Yang, Chang Zhou,	810
765	language models .	Yichang Zhang, Jingren Zhou, and Hongxia Yang.	811
766		2021. Sketch and refine: Towards faithful and in-	812
767	Gabriel Poesia, Alex Polozov, Vu Le, Ashish Tiwari,	formative table-to-text generation . In <i>Findings of</i>	813
768	Gustavo Soares, Christopher Meek, and Sumit Gul-	<i>the Association for Computational Linguistics: ACL-</i>	814
769	wani. 2022. SynchroMesh: Reliable code generation	<i>IJCNLP 2021</i> , pages 4831–4843, Online. Association	815
770	from pre-trained language models . In <i>International</i>	for Computational Linguistics.	816
771	<i>Conference on Learning Representations</i> .		
772		Yizhong Wang, Hamish Ivison, Pradeep Dasigi, Jack	817
773		Hessel, Tushar Khot, Khyathi Raghavi Chandu,	818
774		David Wadden, Kelsey MacMillan, Noah A. Smith,	819
775		Iz Beltagy, and Hannaneh Hajishirzi. 2023b. How	820
776		far can camels go? exploring the state of instruction	821
777		tuning on open resources .	822

- Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, brian ichter, Fei Xia, Ed H. Chi, Quoc V Le, and Denny Zhou. 2022. [Chain of thought prompting elicits reasoning in large language models](#). In *Advances in Neural Information Processing Systems*.
- Sam Wiseman, Stuart Shieber, and Alexander Rush. 2017. [Challenges in data-to-document generation](#). In *Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing*, pages 2253–2263, Copenhagen, Denmark. Association for Computational Linguistics.
- Sam Wiseman, Stuart Shieber, and Alexander Rush. 2018. [Learning neural templates for text generation](#). In *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, pages 3174–3187, Brussels, Belgium. Association for Computational Linguistics.
- Rong Ye, Wenxian Shi, Hao Zhou, Zhongyu Wei, and Lei Li. 2020. Variational template machine for data-to-text generation. *arXiv preprint arXiv:2002.01127*.
- Xunjian Yin and Xiaojun Wan. 2022. [How do Seq2Seq models perform on end-to-end data-to-text generation?](#) In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 7701–7710, Dublin, Ireland. Association for Computational Linguistics.
- Ann Yuan, Daphne Ippolito, Vitaly Nikolaev, Chris Callison-Burch, Andy Coenen, and Sebastian Gehrmann. 2021. [SynthBio: A case study in faster curation of text datasets](#). In *Thirty-fifth Conference on Neural Information Processing Systems Datasets and Benchmarks Track (Round 2)*.
- Xiang Yue, Boshi Wang, Kai Zhang, Ziru Chen, Yu Su, and Huan Sun. 2023. Automatic evaluation of attribution by large language models. In *Findings of the Association for Computational Linguistics: EMNLP 2023*.
- Tianhua Zhang, Jiaxin Ge, Hongyin Luo, Yung-Sung Chuang, Mingye Gao, Yuan Gong, Xixin Wu, Yoon Kim, Helen Meng, and James Glass. 2023. Natural language embedded programs for hybrid language symbolic reasoning. *arXiv preprint arXiv:2309.10814*.
- Tianyi Zhang, Varsha Kishore, Felix Wu, Kilian Q. Weinberger, and Yoav Artzi. 2020. [BERTScore: Evaluating text generation with BERT](#). In *International Conference on Learning Representations*.
- Tianyi Zhang, Mina Lee, Lisa Li, Ende Shen, and Tatsunori B Hashimoto. 2022. TempLM: Distilling language models into template-based generators. *arXiv preprint arXiv:2205.11055*.
- Ruochen Zhao, Xingxuan Li, Shafiq Joty, Chengwei Qin, and Lidong Bing. 2023. [Verify-and-edit: A knowledge-enhanced chain-of-thought framework](#).

Property ID	Property name	QA question
P19	place of birth	Where was X born?
P20	place of death	Where did X die?
P27	country of citizenship	What was X’s country of citizenship?
P106	occupation	What was X’s occupation?
P1412	languages spoken	What languages did X know?
P26	spouse	Who was X’s spouse?
P22	father	Who was X’s father?
P25	mother	Who was X’s mother?
P39	position held	What position did X hold?
P166	award received	What awards did X receive?
P140	religion or worldview	What was X’s religion?
P69	educated at	Where did X study?
P119	place of burial	Where is X buried?
P463	member of	What was X a member of?
P509	cause of death	What was the cause of X’s death?
P101	field of work	What was X’s field of work?
P800	notable work	What was X’s notable work?
P1344	participant in	What was X a participant in?
P108	employer	Who was X’s employer?
P1066	student of	X was an student of whom?
P802	student	Who was X’s student?
P184	doctoral advisor	Who was X’s doctoral advisor?
P185	doctoral student	Who was X’s doctoral student?
P1411	nominated for	What was X nominated for?
P551	residence	Where did X live?
P512	academic degree	What was X’s academic degree?

Table 7: Wikidata properties and corresponding QA question for the obituary dataset. We use X as a placeholder for the entity’s name.

A Obituary data evaluation

Properties and questions. Tab. 7 lists the Wikidata properties we include in our entities alongside the questions we corresponding question we provide the LLM in the QA evaluation.

Evaluation prompt. Refer to App. F.3 for the prompt we use in our QA evaluation of generated obituaries.

B Financial QA human evaluation

We had a total of 32 questions in the financial QA evaluation; the questions are shown in Tab. 8. There are two types of question: pairwise-comparison questions (pair) and multiway-comparison questions (multi). For the pairwise comparison questions, we only include information from the two companies in question. For the multiway-comparison questions we show data from seven tickers: ORCL, ASML, TSLA, GOOG, CRM, AVGO, NFLX.

The specific structured input provided is the result the company overview endpoint from the Alpha-Vantage API.⁷ We applied some minor postprocessing to the API response to ensure that all fields that are numerical in nature (e.g., SharesOutstanding, MarketCapitalization) are actually numerical (i.e., integers or floats) in the JSON as opposed to strings. Note that all questions are answerable from the

⁷An example is shown here: <https://www.alphavantage.co/query?function=OVERVIEW&symbol=IBM&apikey=demo>.

Question code	Question
pair_market-cap	Which company has the largest market capitalization, GOOG or ASML?
pair_market-cap	Which company has the largest market capitalization, ASML or ORCL?
pair_market-cap	Which company has the largest market capitalization, TSLA or CRM?
pair_pe-ratio	How do the P/E ratios of NFLX and ASML compare?
pair_pe-ratio	How do the P/E ratios of GOOG and CRM compare?
pair_pe-ratio	How do the P/E ratios of NFLX and AVGO compare?
multi_dividend	Which company has a higher dividend yield?
multi_revenue-mult	Which company has a higher revenue multiple?
pair_book-value	How does the book value of NFLX compare to that of ASML?
pair_book-value	How does the book value of ORCL compare to that of NFLX?
pair_book-value	How does the book value of CRM compare to that of TSLA?
multi_growth-yoy	Which company grew the fastest YoY in the most recent quarter?
pair_operating-margin	How do the operating margins of GOOG and CRM compare?
pair_operating-margin	How do the operating margins of NFLX and CRM compare?
pair_operating-margin	How do the operating margins of AVGO and TSLA compare?
multi_return-assets	Which company has a higher return on assets (TTM)?
pair_eps	How does the EPS (earnings per share) of ASML compare to AVGO?
pair_eps	How does the EPS (earnings per share) of TSLA compare to ORCL?
pair_eps	How does the EPS (earnings per share) of CRM compare to GOOG?
pair_beta	What are the respective market betas for CRM and GOOG?
pair_beta	What are the respective market betas for GOOG and NFLX?
pair_beta	What are the respective market betas for NFLX and AVGO?
pair_50d-avg	How do the 50-d moving averages between AVGO and GOOG compare?
pair_50d-avg	How do the 50-d moving averages between TSLA and ORCL compare?
pair_50d-avg	How do the 50-d moving averages between ORCL and GOOG compare?
pair_forward-pe-ratio	What's the difference in the forward P/E ratio between ASML and NFLX?
pair_forward-pe-ratio	What's the difference in the forward P/E ratio between AVGO and ASML?
pair_forward-pe-ratio	What's the difference in the forward P/E ratio between CRM and NFLX?
multi_quart-growth	Which company has a stronger quarterly earnings growth (YoY)?
pair_ebitda	How do ORCL and GOOG's EBITDA multiples compare?
pair_ebitda	How do ASML and TSLA's EBITDA multiples compare?
pair_ebitda	How do ASML and GOOG's EBITDA multiples compare?

Table 8: The 32 questions that were considered for the financial QA evaluation.

		C-EM (%)	C-ROU.-1	C-ROU.-2	C-ROU.-L
0-shot	Baseline	80.35	87.56	62.55	87.50
	Direct	84.07	89.59	63.09	89.57
2-shot	Baseline	83.95	88.85	63.33	88.85
	Direct	84.28	88.88	62.43	88.88

Table 9: GPT-3.5-4K results of the automated question–answering evaluation on the obituary dataset, when we condition of the model not having abstained from giving an answer, i.e., when the answer given by the model was not “Unknown.” We report the conditioned exact match accuracy (C-EM (%)) and ROUGE (C-ROU.-1, C-ROU.-2, C-ROU.-L; Lin, 2004) of the inferred answers from the generated text against the corresponding true answers given by the source data. Refer to §3.2 for a discussion.

data provided data (e.g., there is a field MarketCapitalization in the structured data that allows the pair_market-cap questions to be answered).

To evaluate the generations, we had one of the authors in the paper annotate each of the responses according to whether the answer was acceptable or not. We adopted a loose criteria for acceptability:

1. If the question had an objective answer (e.g., the answer to “Which company has a largest market capitalization, GOOG or ASML?” is ultimately either GOOG or ASML) then the generation was acceptable as long as the final answer given by the question was acceptable. Note that if the *reasoning* given for the answer was incorrect but the final answer was correct, the answer was still treated as acceptable. This choice is deliberate, since in certain cases it can be hard to gauge whether the reasoning is correct despite the answer being correct. To reduce subjectivity as much as possible, we adopted the loosest possible interpretation of acceptability for questions with objective answers.
2. If the answer did not have an objective answer (e.g., there are multiple sensible answers to “How do ORCL and GOOG’s EBIDTA multiples compare?”), then we deem an answer acceptable if the reasoning in the answer is sensible and correct.
3. If the model failed to generate an answer (e.g., rendering error, or did not answer the question) then the answer was not acceptable.

C Conditioned obituary results

In Tab. 9, we include the results on the obituary dataset when we condition on the QA model not having abstained from answering.

D Details on human study

We include further details on the human study below.

D.1 Detailed breakdown of summary steps

The following are the different pages the annotators see:

1. **Instruction page:** They first see a page that gives them an overview of the study and the interface, a description of the questions they will answer, the structure of the study (with the approximate times to complete each section, alongside information about compensation), and a section with further notes. We make it clear here that they are being timed, and that the first three annotations will be practice examples and the next four are the actual examples they need to annotate. For simplicity, we use System A to refer to generations without annotations, and System B to refer to the system with annotations.
2. **Practice round 1:** Gives an example of a document without annotations and without errors. Specifically, we say: “The following example, which could have been generated by system A, contains

nothing that directly contradicts the table on the left (we have checked it ourselves by going through the different numbers mentioned in the text, but you will have to do it yourself for future examples). For this reason, you should say that the text is consistent with the source data below (this is an attention check). For these practice questions, it doesn't matter what you write down for confidence and ease, but after the practice rounds are finished, you should start answering those."	924
	925
	926
	927
	928
3. Practice round 2: Gives an example document without annotation but with an error. Specifically, we say: "The following is an example, that also could have been generated by System A, is identical except that it now contains an error. Specifically, the text says that number of rebounds by Andrew Bogut made was 7, but the number in the table says it is actually 6 (you have to scroll down the table to see Andrew Boguts's statistics). For this reason, you should state that the text is inconsistent with the source data below (this is an attention check). Again, since this is a practice question, it doesn't matter what you answer for your confidence and ease of finding the answer."	929
	930
	931
	932
	933
	934
	935
4. Practice round 3: Gives an example of a document with annotations, and with an error. Specifically, we say: "The example shown below, which illustrates system B's annotations, is very similar but also contains an error: The text says that the number of rebounds that Stephen Curry made 38 points, but in reality he scored 37 points. If you hover your cursor over the number 38, a tooltip will show up, showing that the 38 actually refers to the Golden State Warrior's 3Pt Field Goal Percentage. For this reason, you should state that the text is inconsistent with the source data below (this is an attention check). Again, since this is a practice run, it doesn't matter what you answer for your confidence and ease of finding the answer, but you should start answering them properly from now on."	936
	937
	938
	939
	940
	941
	942
	943
5. Annotation 1: First example they need to annotate.	944
6. Annotation 2: Second example they need to annotate.	945
7. Annotation 3: Third example they need to annotate.	946
8. Annotation 4: Fourth example they need to annotate.	947
Quality checks. We request a participant return their submission if they get two of the practice rounds wrong. In our opinion, our instructions for those rounds are clear as to what they should do (i.e., they give the correct answer), so participants that are reading the instructions should get these correct. If they get only one wrong, we allow them to complete the study and compensate them as other participants, but do not use their results in our analysis.	948
	949
	950
	951
	952
Sampling of annotations. When the user passes the practice round, we show them four documents to annotate. Our sampling process obeys the following properties:	953
	954
1. Each of the underlying documents is unique (i.e., we pick 4 out of the 5 documents to show the annotator)	955
	956
2. Exactly 2 of the documents are shown with annotations, and two are shown without annotations. These may appear in any order.	957
	958
3. Each document has a 50% chance of being consistent with the text. If a document is sampled to be inconsistent, then we sample one of the three possible incorrect variants to show, uniformly at random.	959
	960
	961
D.2 Questions asked to annotators	962
For each document, the annotators are asked:	963
1. Is the text consistent or inconsistent with the source data?	964
• Possible answers: Consistent or Inconsistent	965

- Note: Answering this question stops a timer that begins running when the page is loaded. This is the annotation time we report.

2. How confident are you in your answer? [1 means least confidence (completely unsure), 5 means most confidence (absolutely certain)]

- Possible answers: 1, 2, 3, 4, 5

3. How easy was it reach your decision? [1 is hardest, 5 is easiest]

- Possible answers: 1, 2, 3, 4, 5

After annotating all documents, the exit survey asked them “Please rate the degree to which you agree with the following statement:”

1. System B (i.e., with annotations) gave me more confidence in my answers than System A (i.e., no annotations).

- Possible answers: Strongly disagree, Disagree, Neutral, Agree, Strongly agree

2. System B (i.e., with annotations) made it easier for me to do the task than System A (i.e., no annotations).

- Possible answers: Strongly disagree, Disagree, Neutral, Agree, Strongly agree

And finally there we added “Optionally, you can leave some comments about the study below.” alongside a textbox for comments.

D.3 Interface

The following images illustrate the annotation interface:

1. Fig. 4 depicts the instruction page shown to each annotator.
2. Fig. 5 illustrates the full annotation interface for a document, after it has been filled out.
3. Fig. 6 illustrates the the exit survey, after it has been filled out.
4. Fig. 7 illustrates how the interface changes when you hover over an annotation with your cursor. Specifically, a tooltip appears (describing the provenance for the field) and the respective field gets highlighted on the left. The tooltips and the table are both human readable (the values are manually written based on the schema of the data, which is known).

E Qualitative error analysis

Fig. 8 shows some example errors in SymGen generations. Below we include further qualitative comments on the errors produced by the systems we analysed.

GSM error anlaysis. We inspected GPT-3.5-4K failures by our model. In one case the model generates `{% set initial_marbles = 'x' %}`, in an attempt to effectively create a variable, as one would do when reasoning about a problem algebraically. In another case, the statement `{% set red_paint = white_paint = purple_paint %}` was generated in response to “There are equal amounts of red, white, and purple paint in the mural,” which is incorrect Jinja despite making sense conceptually.

Study on augmenting texts for verification

Thank you for participating in our study! Your are currently taking the study as Prolific ID `test_annotator`. Please read the instructions below carefully (you are being compensated for the time taken to read them), and then click the button at the bottom of the page to begin the study.

Overview and instructions

In this study, we are investigating whether we can improve users' ability to verify machine-generated texts by providing annotations about where the information in a text came from.

Specifically, you will be shown 4 basketball game summaries that are based on a table of data about the match. Your task is to determine whether the summary contains any numerical information that is inconsistent with this data. To do so, you should read the text carefully, and check that if a number is mentioned in the text, it doesn't contradict the data. For example, if the text reads:

The Cleveland Cavaliers (8-1) defeated the Charlotte Hornets (6-3) 99-93 in a thrilling game at the Quicken Loans Arena in Cleveland. [...]

But the data in the left column says that the number of points scored by the Cavaliers was 100:

Field	Value
Home Team	Cavaliers
Stats	
Team Name	Cavaliers
City	Cleveland
Wins	8
Losses	1
Points	100
Points in Q1	32

Then the information in the text is **inconsistent** with the data, because the text says that the Cavaliers scored 99 points, but the data says they scored 100. If there are no such errors in the text, then we say the text is **consistent** with the data.

You will be shown data from two systems. **System A** shows the summary text as usual. **System B**, on the other hand, shows the summary text with annotations about where the information came from. If you find it useful, you may use the annotations in System B to help you determine whether the text is consistent with the data. For example, in the text below, hovering over "10" shows that this is the number of rebounds that Seth Curry had.

ed off an upset against the San Antonio Spurs (26-11) with a 40-30 Box Score • Seth Curry • Rebounds

outscore the Spurs in the third quarter. Seth Curry, who scored 23 points, grabbed 10 rebounds, and

Since the context was indeed referring to the number of rebounds that Seth Curry had ("Seth Curry, [...] grabbed 10 rebounds"), this part of the text is consistent with the data. However, below is a different example where the text is inconsistent with the data, since the information is actually referring to the number of field goals attempted by Seth Curry, which is unrelated to the number of rebounds he had.

Questions you will answer

For each question, you will be asked to fill out a short questionnaire. First, you asked to decide whether the summary shown to you is consistent with the data. Note that since your replies are being timed, **you will not be able to change your answer once you have submitted it.**

Is the text consistent or inconsistent with the source data?

Consistent Inconsistent

After this, you will be asked to judge how confident you are in your reply, and how easy it was to arrive at your answer.

How confident are you in your answer?

1 2 3 4 5

1 means least confidence (completely unsure), 5 means most confidence (absolutely certain)

How easy was it reach your decision?

1 2 3 4 5

1 is hardest, 5 is easiest

Submit and continue to next example

At the very end of the study you (optionally) be able to provide some feedback about the study.

Study structure

There will be 3 practice rounds at the beginning, to familiarize you with the interface and the task. You will then be shown 4 basketball game summaries, and asked to determine whether the text is consistent with the data. We expect that each of the 4 annotations will each take about 3-5 minutes to complete, and that these instructions plus the practice rounds should take about 5 minutes in total. Hence, **the whole study should take about 21 minutes.**

Further notes

The following are some more notes to help you complete the study correctly.

- Pay attention to the practice rounds at the beginning, since they show you how you should go about annotating each example.
- We have designed the study so that both system A and system B are equally likely to be consistent with the data. Hence, you should not assume that one system is more likely to be consistent than the other.
- If some piece of information (e.g., the stadium name) is mentioned in the text but appears to be missing from the data, then you should assume this piece of information is consistent with the data.
- When you are asked to judge your confidence and ease of determining your answer, please do so honestly.

Begin study

(a) The top half of the instruction page.

(b) The bottom half of the instruction page.

Figure 4: Instructions page shown to every annotator, before they begin the study.

Financial error analysis. During our analysis, we found that GPT-3.5-16K struggled with CoT-like (Wei et al., 2022) behavior in symbolic form, e.g., when it required comparing a set of numbers and determining the largest one, it would generate references to the numbers involved in the comparison (as is standard with CoT), but it would not determine the largest one correctly (e.g., Fig. 8C). We also found evidence of the models struggling with plausible but syntactically incorrect Jinja generations. In fact, most errors in the symbolic form of the output were because of incorrectly referencing one particular variable, viz., 50DayMovingAverage (e.g., Fig. 8D). This suggests that techniques for constrained decoding with LLMs (Shin et al., 2021; Scholak et al., 2021; Poesia et al., 2022, 2023; Wang et al., 2023a) could be employed to curtail syntax errors.

F Experimental details

Unless otherwise specified, we run all experiments using the Azure API and use the model version 0613. We state the specific version of the model we use in the main text. We use the SacreBLEU, ROUGE and

Annotating game summary 1/4 (system A)

The following is an AI-generated basketball summary, based on the source data on the left column. Your task is to first determine whether it is consistent with the table or not, and then rate your confidence and effort.

Source data

Note: You can scroll to see more data.

Field	Value
Home Team Stats	
Team Name	Bulls
City	Chicago
Wins	1
Losses	0
Points	105
Points in Q1	30
Points in Q2	27
Points in Q3	22
Points in Q4	26
Field Goal Percentage	39
3-Point Field Goal Percentage	44
Free Throw Percentage	73
Assists	25
Rebounds	55
Turnovers	12
Visitor Team Stats	
Team Name	Celtics
City	Boston
Wins	1
Losses	1
Points	99

Generated text

The Chicago Bulls (1-0) secured a victory against the Boston Celtics (1-1) with a final score of 105-99. The Bulls took an early lead in the first quarter and maintained their advantage throughout the game. Despite a strong performance from the Celtics in the second and fourth quarters, the Bulls' consistent scoring and superior rebounding helped them secure the win. The Bulls were led by Jimmy Butler, who scored 24 points in 37 minutes, along with 7 rebounds and 3 assists. Taj Gibson also had a strong game, scoring 18 points and grabbing 10 rebounds. Dwyane Wade, in his debut for the Bulls, contributed 22 points, 6 rebounds, and 5 assists. On the Celtics' side, Isaiah Thomas led the team with 25 points, 4 assists, and 3 rebounds. Jae Crowder and Avery Bradley also contributed significantly, scoring 14 and 16 points respectively. Despite their efforts, the Celtics were unable to overcome the Bulls' lead. The Bulls' superior rebounding was a key factor in their victory, with the team grabbing a total of 55 rebounds compared to the Celtics' 36. The Bulls also had a higher free throw percentage, making 75% of their attempts compared to the Celtics' 63%. Both teams will be looking to build on their performances in their upcoming games. The Bulls will be hoping to maintain their winning start to the season, while the Celtics will be aiming to bounce back from this defeat.

Questions

Answer the following questions about the generated text.

Is the text consistent or inconsistent with the source data?

How confident are you in your answer?

☐ 1
 ☐ 2
 ☐ 3
 ☒ 4
 ☐ 5

1 means least confidence (completely unsure), 5 means most confidence (absolutely certain)

How easy was it reach your decision?

☐ 1
 ☒ 2
 ☐ 3
 ☐ 4
 ☐ 5

1 is hardest, 5 is easiest

Figure 5: Annotation interface for a document, as it appears after answering all questions. The second and third questions only appear after the first one is answered, and the submit button is enabled only when everything has been answered.

Exit survey

Thank you for participating in this study! Please rate the degree to which you agree with the following statement:

System B (i.e., with annotations) gave me more confidence in my answers than System A (i.e., no annotations).

☐ Strongly disagree
 ☐ Disagree
 ☐ Neutral
 ☒ Agree
 ☐ Strongly agree

System B (i.e., with annotations) made it easier for me to do the task than System A (i.e., no annotations).

☐ Strongly disagree
 ☐ Disagree
 ☒ Neutral
 ☐ Agree
 ☐ Strongly agree

Optionally, you can leave some comments about the study below.

Comments

none

Figure 6: Exit survey at the end of the human study.

Annotating game summary 2/4 (system B)

The following is an AI-generated basketball summary, based on the source data on the left column. Your task is to first determine whether it is consistent with the table or not, and then rate your confidence and effort.

Points in Q4	21
Field Goal Percentage	48
3-Point Field Goal Percentage	38
Free Throw Percentage	75
Assists	25
Rebounds	48
Turnovers	28

Visitor Team Stats

Field	Value
Team Name	Hornets
City	Charlotte
Wins	18
Losses	19
Points	108
Points in Q1	28
Points in Q2	26
Points in Q3	34
Points in Q4	20
Field Goal Percentage	44
3-Point Field Goal Percentage	38
Free Throw Percentage	78
Assists	21
Rebounds	43
Turnovers	12

Box Score

Field	Value
Michael Kidd-Gilchrist	

Generated text

Hornets (Visitor) • Points

The Charlotte Hornets (10-19) defeated the Milwaukee Bucks (14-15) 108-101 in a game at the Fiserv Forum in Milwaukee. The Hornets managed to outscore the Bucks in the third quarter, which proved to be a decisive factor in their victory. The Hornets were led by Kemba Walker, who scored 27 points, and Gerald Henderson, who added 20 points. Michael Kidd-Gilchrist and Marvin Williams also contributed with 10 and 12 points respectively. On the other hand, the Bucks were led by Brandon Knight, who scored a game-high 34 points. Giannis Antetokounmpo and Khris Middleton also contributed with 11 and 12 points respectively. The Hornets will look to build on this victory in their upcoming games, while the Bucks will aim to bounce back from this defeat.

Questions

Answer the following questions about the generated text.

Is the text consistent or inconsistent with the source data?

Consistent

Inconsistent

How confident are you in your answer?

☐ 1
 ☐ 2
 ☐ 3
 ☐ 4
 ☒ 5

1 means least confidence (completely unsure), 5 means most confidence (absolutely certain)

How easy was it reach your decision?

☐ 1
 ☐ 2
 ☐ 3
 ☒ 4
 ☐ 5

1 is hardest, 5 is easiest

Submit and continue to next example

Figure 7: Effect of hovering over an annotation in a document that has annotations. A tooltip shows up containing a short description of the field, and the corresponding entry in the table is highlighted.

A

Error

The Warriors started strong, [...] finishing the first half with a score of `{{ pts_qtr2 }}`

Corrected

The Warriors started strong, [...] finishing the first half with a score of `{{ pts_qtr1 + pts_qtr2 }}`

B

Error

The Cleveland Cavaliers emerged victorious, improving their record to `{{ home.wins + 1 }}`

Corrected

The Cleveland Cavaliers emerged victorious, improving their record to `{{ home.wins }}`

C

Context

To determine which company has a higher dividend yield, we can compare the "DividendYield" field for each company.

	Value
The dividend yield for Oracle Corporation (ORCL) is <code>{{ data.ORCL.DividendYield }}</code>	0.016
The dividend yield for ASML Holding NV ADR (ASML) is <code>{{ data.ASML.DividendYield }}</code>	0.011
The dividend yield for Broadcom Inc (AVGO) is <code>{{ data.AVGO.DividendYield }}</code>	0.022

Error

Therefore, the company with the higher dividend yield is `{{ data.ORCL.Name }}`

Corrected

Therefore, the company with the higher dividend yield is `{{ data.AVGO.Name }}`

D

Error

The 50-day moving average for Oracle Corporation (ORCL) is `{{ data.ORCL.50DayMovingAverage }}`

Corrected

The 50-day moving average for Oracle Corporation (ORCL) is `{{ data.ORCL["50DayMovingAverage"] }}`

Figure 8: SymGen makes the identification of hallucinations easier. In **A** SymGen makes an error (indicated with dark red background) when the model needs to add up two values; in **B**, the model incorrectly increments the values by one. In **C** the model generates a correct chain-of-thought, but fails, likely because the symbolic references make it harder to check which value is actually highest. Finally, in **D**, we see a sensible but syntactically incorrect Jinja expression, which causes the whole generation to become unrenderable. Note how even when there are errors, symbolic generation provides a glimpse into the models’ internal reasoning, making it easier to understand the motive for such errors (e.g., generating +1 in **B**).

BERTScore implementations in Huggingface evaluate.⁸

Licensing information. The following resources that were used in our paper are licensed as follows (all are in English):

1. **SynthBio**: Apache 2.0
2. **Rotowire**: Unable to determine
3. **GSM**: MIT

E.1 Datasets

Tab. 10 shows the statistics of the datasets we consider. We provide some more details about each dataset and its processing below.

Rotowire. We postprocess the JSON to convert it into a nested, key–value data structure that resembles the output of an API. We found this to be a necessary step, and found SymGen to not work well when most of the data is exposed as an array, likely because of implicit chain-of-thought-like behavior when the model specifies a key, e.g., `{{ data.box_score.shabazz_napier.fgm }}` should be easier for an LLM to reason about than `{{ data.box_scores[1][5] }}`.

Counterfactual obituaries. To obtain the entities, we scraped Wikidata⁹ and collected all entities whose occupation is a subtype of scientist, additionally filtering for entities with 75 or more sitelinks to ensure relatively well-known scientists were selected. To construct the counterfactual variants of each entity, we

⁸<https://github.com/huggingface/evaluate>

⁹https://www.wikidata.org/wiki/Wikidata:Main_Page

Dataset	Domain	Eval #	Field types	Field #	Ref?
SynthBio	Biographies	364	Text	18.96	✓
Obituary	Obituaries	168	Text, Number	20.98	
Rotowire	Sports	100	Text, Number	644.16	✓
Financial	Financial	32	Text, Number	127.94	
GSM	Mathematics	200	None	N/A	✓

Table 10: Comparison of the four datasets we consider in our study. We note the domain of the dataset (Domain), the number of datapoints we evaluate on (Eval #), the types of the fields of the data, the average number of fields in each example’s data (Field #), and whether there is a reference generation for each datapoint in the dataset (Ref?).

take each entity’s attribute and progressively corrupt a subset of its properties,¹⁰ by sampling a different value from the empirical distribution of that property’s values from the collected data. For each entity, we create copies that have 50% and 100% of the selected properties corrupted.

We then constructed a dictionary for each entity containing a value for each one of 27 manually selected Wikidata properties, e.g., country of citizenship, place of birth, etc. (see App. A for a complete listing). If an entity did not possess such a property in its Wikidata page, we do not add it to the entity’s dictionary; if the entity possessed multiple values associated with that property, we selected the first one that was returned by the Wikidata API. This results in one dictionary of property–value attributes for each scientist. To construct the counterfactual variants of each entity, we take each entity’s dictionary and progressively corrupt a subset of its properties,¹¹ by sampling a different value from the empirical distribution of that property’s values from the collected data. For each entity, we create copies that have 50% and 100% of the selected properties corrupted. All of these are added back to obtain the final dataset.

F.2 Prompts

We provide the prompts we use in the sections below.

F.2.1 SynthBio prompts

SynthBio prompt (Baseline)

System prompt:

Your task is to write a biography about a person whose description is given in JSON. You must mention and be faithful about every property of the person in your biography.

Few shot examples (optional):



User:

JSON:

```
```json
```

```
{
 "data": {
 "name": "Hanna Skold",
 "gender": "female",
 "nationality": "Swedish",
 "birth_date": "14 November 1856",
 "birth_place": "Gotlandso, Sweden",
 "death_date": "24 December 1935",
 "death_place": "Santa Cruz, California",
 "death_cause": "unknown",
 "start_age": "17",
 "notable_ascents": "Pico de Orizaba, Aconcagua, Grand Teton, Cerro
 Fitzroy",
 "final_ascent": "Mount Rainier",
 "partnerships": "Gertrude S. Cooper",
 "mother": "Karin Andersen",
```

<sup>10</sup>Other than name, age and gender.

<sup>11</sup>Other than name, age and gender.



```

 "children": "Lillian Skold"
 }
}

```



#### Assistant:

Hanna Skold (born 14 November 1856) was a Swedish mountaineer. She was born in Gotlandso, Sweden. She started climbing at the age of 17. She climbed Pico de Orizaba, Aconcagua, Grand Teton, and Cerro Fitzroy. Skold made her final ascent on Mount Rainier. Skold was the daughter of Karin Andersen and her daughter was Lillian Skold. She collaborated with Gertrude S. Cooper. She died on December 24, 1935 in Santa Cruz, California.

*One more few-shot example like the one above (hidden to save space)*



#### User:

*Data for biography to be generated.*

##### EXAMPLE INPUT

JSON:

```

```json
{
  "data": {
    "name": "Helmut Kaiser",
    "gender": "male",
    "nationality": "German",
    "birth_date": "17 August 1863",
    "birth_place": "Nuremberg",
    "death_date": "October 17, 1947",
    "death_place": "Frankfurt am Main, Germany",
    "death_cause": "heart disease; artery sclerosis",
    "resting_place": "Frankfurt am Main, Germany",
    "alma_mater": "Philosophical University of Erlangen-Nuernberg, 1886",
    "education": "Ph.D. in Philosophy",
    "occupation": "philosopher, theologian;",
    "notable_works": "Philosophical Problems of Theism",
    "language": "Germany",
    "genre": "Philosophical Theology",
    "awards": "Honorary Member of the Lutheran Liturgical Institute at the University of Chicago; University Grant of City of Frankfurt am Main in 1911",
    "mother": "Berta Kaiser",
    "father": "Adolf Weber",
    "partner": "Frieda Schoenlein",
    "children": "Rudolf, Kurt, Gertraud, Marianne, Rosemarie"
  }
}
```

```



#### Assistant:

*LLM generates Synthbio summary without symbolic references.*

##### EXAMPLE OUTPUT (GPT-4-8K)

Helmut Kaiser was a renowned German philosopher and theologian, born on August 17, 1863, in Nuremberg, Germany. He completed his Ph.D. in Philosophy from the Philosophical University of Erlangen-Nuernberg in 1886. His most notable work was "Philosophical Problems of Theism". He was awarded the Honorary Member of the Lutheran Liturgical Institute at the University of Chicago and received the University Grant of the City of Frankfurt am Main in 1911. He was married to Frieda Schoenlein and they had five children: Rudolf, Kurt, Gertraud, Marianne, and Rosemarie. Kaiser passed away from heart disease and artery sclerosis on October 17, 1947, in Frankfurt am Main, Germany, where he was also laid to rest.

### SynthBio prompt (Direct)

#### System prompt:

Your task is to write a biography about a person whose description is given in JSON. You must mention and be faithful about every property of the person in your biography.

Instead of responding directly with the text, you must generate Jinja-style expressions in the text with references to fields in the provided JSON, e.g., given JSON that says:

```

```json
{
  "data": {
    "place_of_birth": "Ohio"
  }
}
```

```

...

then instead of generating "... was born in Ohio" you should generate "... was born in {{ data.place\_of\_birth }}". Note that you can only reference fields that exist in the JSON. The user will be displayed a version of this message that has the references filled in, and you should ALWAYS try to use such references instead of copying the text directly when possible.

---

#### Few shot examples (optional):



User:

JSON:

```
```json
{
  "data": {
    "name": "Hanna Skold",
    "gender": "female",
    "nationality": "Swedish",
    "birth_date": "14 November 1856",
    "birth_place": "Gotlandso, Sweden",
    "death_date": "24 December 1935",
    "death_place": "Santa Cruz, California",
    "death_cause": "unknown",
    "start_age": "17",
    "notable_ascents": "Pico de Orizaba, Aconcagua, Grand Teton, Cerro
      Fitzroy",
    "final_ascent": "Mount Rainier",
    "partnerships": "Gertrude S. Cooper",
    "mother": "Karin Andersen",
    "children": "Lillian Skold"
  }
}
```
```



Assistant:

{{ data.name }} (born {{ data.birth\_date }}) was a {{ data.nationality }} mountaineer. She was born in {{ data.birth\_place }}. She started climbing at the age of {{ data.start\_age }}. She climbed {{ data.notable\_ascents.split(', ')[0] }}, {{ data.notable\_ascents.split(', ')[1] }}, {{ data.notable\_ascents.split(', ')[2] }}, and {{ data.notable\_ascents.split(', ')[3] }}. {{ data.name }} made her final ascent on {{ data.final\_ascent }}. {{ data.name }} was the daughter of {{ data.mother }} and her daughter was {{ data.children }}. She collaborated with {{ data.partnerships }}. She died on {{ data.death\_date }} in {{ data.death\_place }}.

---

*One more few-shot example like the one above (hidden to save space)*

---



User:

Data for biography to be generated

#### EXAMPLE INPUT

JSON:

```
```json
{
  "data": {
    "name": "Helmut Kaiser",
    "gender": "male",
    "nationality": "German",
    "birth_date": "17 August 1863",
    "birth_place": "Nuremberg",
    "death_date": "October 17, 1947",
    "death_place": "Frankfurt am Main, Germany",
    "death_cause": "heart disease; artery sclerosis",
    "resting_place": "Frankfurt am Main, Germany",
    "alma_mater": "Philosophical University of Erlangen-Nuernberg, 1886",
    "education": "Ph.D. in Philosophy",
    "occupation": "philosopher, theologian;",
    "notable_works": "Philosophical Problems of Theism",
    "language": "German",
    "genre": "Philosophical Theology",
    "awards": "Honorary Member of the Lutheran Liturgical Institute at the University of Chicago;
    University Grant of City of Frankfurt am Main in 1911",
    "mother": "Berta Kaiser",
    "father": "Adolf Weber",
    "partner": "Frieda Schoenlein",
    "children": "Rudolf, Kurt, Gertraud, Marianne, Rosemarie"
  }
}
```
```



#### Assistant:

*LLM directly generates Synthbio summary with symbolic references.*

#### EXAMPLE OUTPUT (GPT-4)

{{ data.name }} was a renowned {{ data.nationality }} {{ data.occupation }} born on {{ data.birth\_date }} in {{ data.birth\_place }}. He was the son of {{ data.father }} and {{ data.mother }}. He studied at {{ data.alma\_mater.split(', ')[0] }}, where he earned his {{ data.education }}. His most notable work was "{{ data.notable\_works }}" , written in his native language, {{ data.language }}. His contributions to {{ data.genre }} earned him recognition, including becoming an Honorary Member of the Lutheran Liturgical Institute at the University of Chicago and receiving the University Grant of City of Frankfurt am Main in 1911. He was partnered with {{ data.partner }} and they had five children: {{ data.children }}. {{ data.name }} passed away on {{ data.death\_date }} in {{ data.death\_place }} due to {{ data.death\_cause }}. His final resting place is in {{ data.resting\_place }}.

### SynthBio prompt (Indirect)

#### System prompt:

Your task is to write a biography about a person whose description is given in JSON. You must mention and be faithful about every property of the person in your biography. After you generate the biography, you will be asked to rewrite it using Jinja-style expressions.

#### Few shot examples (optional):



User:

JSON:

```
```json
{
  "data": {
    "name": "Hanna Skold",
    "gender": "female",
    "nationality": "Swedish",
    "birth_date": "14 November 1856",
    "birth_place": "Gotlandso, Sweden",
    "death_date": "24 December 1935",
    "death_place": "Santa Cruz, California",
    "death_cause": "unknown",
    "start_age": "17",
    "notable_ascents": "Pico de Orizaba, Aconcagua, Grand Teton, Cerro
    Fitzroy",
    "final_ascent": "Mount Rainier",
    "partnerships": "Gertrude S. Cooper",
    "mother": "Karin Andersen",
    "children": "Lillian Skold"
  }
}
```
```

**Assistant:**

Hanna Skold (born 14 November 1856) was a Swedish mountaineer. She was born in Gotlandso, Sweden. She started climbing at the age of 17. She climbed Pico de Orizaba, Aconcagua, Grand Teton, and Cerro Fitzroy. Skold made her final ascent on Mount Rainier. Skold was the daughter of Karin Andersen and her daughter was Lillian Skold. She collaborated with Gertrude S. Cooper. She died on December 24, 1935 in Santa Cruz, California.

**User:**

Your job is to now rewrite the answer you provided above, but instead of responding directly with the text, you must generate Jinja-style expressions in the text with references to fields in the provided JSON, e.g., given JSON that says:

```
```json
{
  "data": {
    "place_of_birth": "Ohio"
  }
}
```

then instead of generating "... was born in Ohio" you should generate "... was born in `{{ data.place_of_birth }}`". Note that you can only reference fields that exist in the JSON. The user will be displayed a version of this message that has the references filled in, and you should ALWAYS try to use such references instead of copying the text directly when possible. Remember, you MUST make sure you ONLY use fields that exist in the JSON. You must NOT make up fields.

**Assistant:**

`{{ data.name }}` (born `{{ data.birth_date }}`) was a `{{ data.nationality }}` mountaineer. She was born in `{{ data.birth_place }}`. She started climbing at the age of `{{ data.start_age }}`. She climbed `{{ data.notable_ascents.split(', ')[0] }}`, `{{ data.notable_ascents.split(', ')[1] }}`, `{{ data.notable_ascents.split(', ')[2] }}`, and `{{ data.notable_ascents.split(', ')[3] }}`. `{{ data.name }}` made her final ascent on `{{ data.final_ascent }}`. `{{ data.name }}` was the daughter of `{{ data.mother }}` and her daughter was `{{ data.children }}`. She collaborated with `{{ data.partnerships }}`. She died on `{{ data.death_date }}` in `{{ data.death_place }}`.

One more few-shot example like the one above (hidden to save space)

**User:**

Data for biography to be generated

EXAMPLE INPUT

JSON:

```
```json
{
 "data": {
 "name": "Helmut Kaiser",
 "gender": "male",
 "nationality": "German",
 "birth_date": "17 August 1863",
 "birth_place": "Nuremberg",
 "death_date": "October 17, 1947",
 "death_place": "Frankfurt am Main, Germany",
 "death_cause": "heart disease; artery sclerosis",
 "resting_place": "Frankfurt am Main, Germany",
 "alma_mater": "Philosophical University of Erlangen-Nuernberg, 1886",
 "education": "Ph.D. in Philosophy",
 "occupation": "philosopher, theologian;",
 "notable_works": "Philosophical Problems of Theism",
 "language": "German",
 "genre": "Philosophical Theology",
 "awards": "Honorary Member of the Lutheran Liturgical Institute at the University of Chicago; University Grant of City of Frankfurt am Main in 1911",
 "mother": "Berta Kaiser",
 "father": "Adolf Weber",
 "partner": "Frieda Schoenlein",
 "children": "Rudolf, Kurt, Gertraud, Marianne, Rosemarie"
 }
}
```





**Assistant:**

*LLM generates SynthBio biography without symbolic references*

EXAMPLE OUTPUT (GPT-4-8K)

Helmut Kaiser was a German philosopher and theologian, born on August 17, 1863, in Nuremberg, to Adolf Weber and Berta Kaiser. He studied at the Philosophical University of Erlangen-Nuernberg, graduating in 1886 with a Ph.D. in Philosophy. His notable works include "Philosophical Problems of Theism". He wrote in German and his genre was Philosophical Theology. He received several awards, including becoming an Honorary Member of the Lutheran Liturgical Institute at the University of Chicago and receiving the University Grant of the City of Frankfurt am Main in 1911. He was partnered with Frieda Schoenlein and they had five children: Rudolf, Kurt, Gertraud, Marianne, and Rosemarie. Kaiser passed away on October 17, 1947, in Frankfurt am Main, Germany, due to heart disease and artery sclerosis. He was laid to rest in the same city.



**User:**

Your job is to now rewrite the answer you provided above, but instead of responding directly with the text, you must generate Jinja-style expressions in the text with references to fields in the provided JSON, e.g., given JSON that says:

```
```json
{
  "data": {
    "place_of_birth": "Ohio"
  }
}
```

then instead of generating "... was born in Ohio" you should generate "... was born in `{{ data.place_of_birth }}`". Note that you can only reference fields that exist in the JSON. The user will be displayed a version of this message that has the references filled in, and you should ALWAYS try to use such references instead of copying the text directly when possible. Remember, you MUST make sure you ONLY use fields that exist in the JSON. You must NOT make up fields.



Assistant:

LLM rewrites biography so it contains symbolic references.

EXAMPLE OUTPUT (GPT-4-8K)

```
{{ data.name }} was a {{ data.nationality }} {{ data.occupation }}, born on {{ data.birth_date }}, in {{ data.birth_place }}, to
{{ data.father }} and {{ data.mother }}. He studied at the {{ data.alma_mater.split(',')|first }} {{ data.alma_mater.split(',')|last }}, graduating in
{{ data.alma_mater.split(',')|last }} with a {{ data.education }}. His notable works include "{{ data.notable_works }}" He wrote in
{{ data.language }} and his genre was {{ data.genre }}. He received several awards, including becoming an {{ data.awards.split(',')|first }} {{ data.awards.split(',')|last }} and
receiving the {{ data.awards.split(',')|last }}. He was partnered with {{ data.partner }} and they had five children: {{ data.children }}.
{{ data.name }} passed away on {{ data.death_date }}, in {{ data.death_place }}, due to {{ data.death_cause }}. He was laid to rest in
{{ data.resting_place }}.
```

F.2.2 Rotowire prompts

Rotowire prompt (Baseline)

System prompt:

Your task is to write a summary of a basketball game whose statistics are given in JSON. You must remain faithful to the provided statistics in your summary.

Few shot examples (optional):



User:

JSON:

```
```json
{
 "data": {
 "home_line": {
 "name": "Magic",
 "city": "Orlando",
 "wins": 6,
 "losses": 9,
 "pts": 92,
 "pts_qtr1": 18,
 "pts_qtr2": 28,
 "pts_qtr3": 21,
 "pts_qtr4": 25,
 "fg_pct": 45,
```

```

 "fg3_pct": 19,
 "ft_pct": 70,
 "ast": 18,
 "reb": 44,
 "tov": 14
 },
 "visitor_line": {
 "name": "Heat",
 "city": "Miami",
 "wins": 7,
 "losses": 6,
 "pts": 99,
 "pts_qtr1": 22,
 "pts_qtr2": 27,
 "pts_qtr3": 19,
 "pts_qtr4": 31,
 "fg_pct": 52,
 "fg3_pct": 46,
 "ft_pct": 72,
 "ast": 17,
 "reb": 33,
 "tov": 16
 },
 "box_score": {
 "luol_deng": {
 "player_name": "Luol Deng",
 "first_name": "Luol",
 "second_name": "Deng",
 "city": "Miami",
 "start_position": "F",
 "min": 33,
 "pts": 9,
 "fgm": 4,
 "fga": 9,
 "fg_pct": 44,
 "fg3m": 1,
 "fg3a": 2,
 "fg3_pct": 50,
 "ftm": 0,
 "fta": 0,
 "ft_pct": 0,
 "reb": 7,
 "oreb": 1,
 "dreb": 6,
 "ast": 0,
 "stl": 1,
 "blk": 0,
 "to": 2,
 "pf": 3
 },
 ...
 },
 ...
}
...

```

Write a summary of the game described above.



#### Assistant:

The Miami Heat (7-6) took down the Orlando Magic (6-9) 99-92 on Saturday night at the Amway Center in Orlando. The Heat were just too much for the Magic when all was said and done, as they made a nice run in the fourth to get a seven-point win. What makes the win even more impressive is that Miami did it without guard Dwyane Wade (hamstring). The Heat got plenty of production from some key players to help get the job done though. They were led in scoring by Chris Bosh, who put up 32 points (13-20 FG, 4-6 3Pt, 2-2 FT) to go with 10 rebounds. Mario Chalmers had a huge night also, scoring 24 points (10-16 FG, 2-5 3Pt, 2-4 FT) to go with eight assists and five rebounds. Miami fans have to be happy to see rookie Shabazz Napier stepping up big, as he played extended minutes (28), and scored 12 points (4-8 FG, 2-5 3Pt, 2-4 FT) to go with two rebounds, two steals and one assist. Miami has a quick turnaround, as they take on the Charlotte Hornets at home Sunday night.

The Magic just couldn't get enough production to outscore the Heat on this night, as only three players hit double digits, with Nikola Vucevic having a monster night, scoring 33 points (12-24 FG, 9-11 FT), with 17 rebounds. Vucevic was just dominate, and grabbed 11 offensive boards on the night. The other production came from Victor Oladipo, who had 14 points (5-11 FG, 1-4 3Pt, 3-5 FT), with four rebounds, two assist and two steals, as well as Evan Fournier, who scored 11 points (5-15 FG, 1-5 3PT) with six assists and six rebounds. The Magic get a night off now, before taking on the Cleveland Cavaliers on Monday.



**User:**

*Data for game to be described*

EXAMPLE INPUT

JSON:

```
```json
{
  "data": {
    "home_line": {
      "name": "Hawks",
      "city": "Atlanta",
      "wins": 46,
      "losses": 12,
      "pts": 95,
      "pts_qtr1": 28,
      "pts_qtr2": 14,
      "pts_qtr3": 34,
      "pts_qtr4": 19,
      "fg_pct": 44,
      "fg3_pct": 45,
      "ft_pct": 75,
      "ast": 27,
      "reb": 42,
      "tov": 18
    },
    "visitor_line": {
      "name": "Magic",
      "city": "Orlando",
      "wins": 19,
      "losses": 41,
      "pts": 88,
      "pts_qtr1": 16,
      "pts_qtr2": 29,
      "pts_qtr3": 22,
      "pts_qtr4": 21,
      "fg_pct": 45,
      "fg3_pct": 35,
      "ft_pct": 54,
      "ast": 22,
      "reb": 40,
      "tov": 17
    },
    "box_score": {
      "tobias_harris": {
        "player_name": "Tobias Harris",
        "first_name": "Tobias",
        "second_name": "Harris",
        "city": "Orlando",
        "start_position": "F",
        "min": 37,
        "pts": 15,
        "fgm": 5,
        "fga": 9,
        "fg_pct": 56,
        "fg3m": 2,
        "fg3a": 4,
        "fg3_pct": 50,
        "ftm": 3,
        "fta": 4,
        "ft_pct": 75,
        "reb": 4,
        "oreb": 0,
        "dreb": 4,
        "ast": 1,
        "stl": 2,
        "blk": 1,
        "to": 2,
        "pf": 0
      },
      ...
    }
  }
}
```
```

Write a summary of the game described above.



**Assistant:**

*LLM generates game summary without symbolic references*

#### EXAMPLE OUTPUT (GPT-4-32K)

The Atlanta Hawks (46-12) secured a victory against the Orlando Magic (19-41) with a final score of 95-88. The Hawks started strong with a 28-point first quarter and maintained their lead throughout the game, despite a slight dip in the second quarter. They managed to shoot 44% from the field and 45% from the three-point line. The Hawks also outrebounded the Magic 42-40 and had more assists (27-22).

The Hawks' top performers were Paul Millsap with 20 points, Al Horford with 17 points and 13 rebounds, and DeMarre Carroll with 15 points. Jeff Teague also contributed significantly with 17 points and 7 assists.

On the other side, the Magic struggled with their free throws, making only 54% of them. However, they managed to shoot 45% from the field and 35% from beyond the arc. The Magic's standout player was Nikola Vucevic, who scored 21 points and grabbed 15 rebounds. Victor Oladipo also had a solid performance with 19 points, while Tobias Harris added 15 points.

Despite their efforts, the Magic couldn't overcome the Hawks' strong performance, resulting in their 41st loss of the season. The Hawks, on the other hand, continued their impressive run, securing their 46th win.

### Rotowire prompt (Direct)

#### System prompt:

Your task is to write a summary of a basketball game whose statistics are given in JSON. You must remain faithful to the provided statistics in your summary.

Instead of responding directly with the text, you must generate Jinja-style expressions in the text with references to fields in the provided JSON, e.g., given JSON that says:

```
```json
{
  "data": {
    "place_of_birth": "Ohio"
  }
}
```
```

then instead of generating "... was born in Ohio" you should generate "... was born in {{ data.place\_of\_birth }}". Note that you can only reference fields that exist in the JSON. The user will be displayed a version of this message that has the references filled in, and you should ALWAYS try to use such references instead of copying the text directly when possible.

#### Few shot examples (optional):



User:

JSON:

```
```json
{
  "data": {
    "home_line": {
      "name": "Magic",
      "city": "Orlando",
      "wins": 6,
      "losses": 9,
      "pts": 92,
      "pts_qtr1": 18,
      "pts_qtr2": 28,
      "pts_qtr3": 21,
      "pts_qtr4": 25,
      "fg_pct": 45,
      "fg3_pct": 19,
      "ft_pct": 70,
      "ast": 18,
      "reb": 44,
      "tov": 14
    },
    "visitor_line": {
      "name": "Heat",
      "city": "Miami",
      "wins": 7,
      "losses": 6,
      "pts": 99,
      "pts_qtr1": 22,
      "pts_qtr2": 27,
      "pts_qtr3": 19,
      "pts_qtr4": 31,
      "fg_pct": 52,

```



```

        "fg3_pct": 46,
        "ft_pct": 72,
        "ast": 17,
        "reb": 33,
        "tov": 16
    },
    "box_score": {
        "luol_deng": {
            "player_name": "Luol Deng",
            "first_name": "Luol",
            "second_name": "Deng",
            "city": "Miami",
            "start_position": "F",
            "min": 33,
            "pts": 9,
            "fgm": 4,
            "fga": 9,
            "fg_pct": 44,
            "fg3m": 1,
            "fg3a": 2,
            "fg3_pct": 50,
            "ftm": 0,
            "fta": 0,
            "ft_pct": 0,
            "reb": 7,
            "oreb": 1,
            "dreb": 6,
            "ast": 0,
            "stl": 1,
            "blk": 0,
            "to": 2,
            "pf": 3
        },
        ...
    },
    ...
}

```

Write a summary of the game described in the JSON above. Remember to ALWAYS use Jinja-style expressions to reference the fields in the JSON whenever possible.



Assistant:

The {{ data.visitor_line.city }} {{ data.visitor_line.name }} ({{ data.visitor_line.wins }}-{{ data.visitor_line.losses }}) took down the {{ data.home_line.city }} {{ data.home_line.name }} ({{ data.home_line.wins }}-{{ data.home_line.losses }}) {{ data.visitor_line.pts }}-{{ data.home_line.pts }} on Saturday night at the Amway Center in {{ data.home_line.city }}. The Heat were just too much for the Magic when all was said and done, as they made a nice run in the fourth to get a seven-point win. What makes the win even more impressive is that Miami did it without guard Dwyane Wade (hamstring). The Heat got plenty of production from some key players to help get the job done though. They were led in scoring by {{ data.box_score.chris_bosh.player_name }}, who put up {{ data.box_score.chris_bosh.pts }} points ({{ data.box_score.chris_bosh.fgm }}-{{ data.box_score.chris_bosh.fga }} FG, {{ data.box_score.chris_bosh.fg3m }}-{{ data.box_score.chris_bosh.fg3a }} 3Pt, {{ data.box_score.chris_bosh.ftm }}-{{ data.box_score.chris_bosh.fta }} FT) to go with {{ data.box_score.chris_bosh.reb }} rebounds. {{ data.box_score.mario_chalmers.player_name }} had a huge night also, scoring {{ data.box_score.mario_chalmers.pts }} points ({{ data.box_score.mario_chalmers.fgm }}-{{ data.box_score.mario_chalmers.fga }} FG, {{ data.box_score.mario_chalmers.fg3m }}-{{ data.box_score.mario_chalmers.fg3a }} 3Pt, {{ data.box_score.mario_chalmers.ftm }}-{{ data.box_score.mario_chalmers.fta }} FT) to go with {{ data.box_score.mario_chalmers.ast }} assists and {{ data.box_score.mario_chalmers.reb }} rebounds. Miami fans have to be happy to see rookie {{ data.box_score.shabazz_napier.player_name }} stepping up big, as he played extended minutes ({{ data.box_score.shabazz_napier.min }}), and scored {{ data.box_score.shabazz_napier.pts }} points ({{ data.box_score.shabazz_napier.fgm }}-{{ data.box_score.shabazz_napier.fga }} FG,

{{ data.box_score.shabazz_napier.fg3m }}-{{ data.box_score.shabazz_napier.fg3a }} 3Pt,
 {{ data.box_score.shabazz_napier.ftm }}-{{ data.box_score.shabazz_napier.fta }} FT) to go
 with {{ data.box_score.shabazz_napier.reb }} rebounds,
 {{ data.box_score.shabazz_napier.stl }} steals and {{ data.box_score.shabazz_napier.ast }}
 assist. Miami has a quick turnaround, as they take on the Charlotte Hornets at home Sunday night. The Magic
 just couldn't get enough production to outscore the Heat on this night, as only three players hit double digits,
 with {{ data.box_score.nikola_vucevic.player_name }} having a monster night, scoring
 {{ data.box_score.nikola_vucevic.pts }} points
 ({{ data.box_score.nikola_vucevic.fgm }}-{{ data.box_score.nikola_vucevic.fga }} FG,
 {{ data.box_score.nikola_vucevic.ftm }}-{{ data.box_score.nikola_vucevic.fta }} FT), with
 {{ data.box_score.nikola_vucevic.reb }} rebounds. Vucevic was just dominate, and grabbed
 {{ data.box_score.nikola_vucevic.oreb }} offensive boards on the night. The other production came
 from {{ data.box_score.victor_oladipo.player_name }}, who had
 {{ data.box_score.victor_oladipo.pts }} points
 ({{ data.box_score.victor_oladipo.fgm }}-{{ data.box_score.victor_oladipo.fga }} FG,
 {{ data.box_score.victor_oladipo.fg3m }}-{{ data.box_score.victor_oladipo.fg3a }} 3Pt,
 {{ data.box_score.victor_oladipo.ftm }}-{{ data.box_score.victor_oladipo.fta }} FT), with
 {{ data.box_score.victor_oladipo.reb }} rebounds, {{ data.box_score.victor_oladipo.ast }}
 assist and {{ data.box_score.victor_oladipo.stl }} steals, as well as
 {{ data.box_score.evan_fournier.player_name }}, who scored
 {{ data.box_score.evan_fournier.pts }} points
 ({{ data.box_score.evan_fournier.fgm }}-{{ data.box_score.evan_fournier.fga }} FG,
 {{ data.box_score.evan_fournier.fg3m }}-{{ data.box_score.evan_fournier.fg3a }} 3PT) with
 {{ data.box_score.evan_fournier.ast }} assists and {{ data.box_score.evan_fournier.reb }}
 rebounds. The Magic get a night off now, before taking on the Cleveland Cavaliers on Monday.



User:

Data for game to be described

EXAMPLE INPUT

JSON:

```
```json
{
 "data": {
 "home_line": {
 "name": "Hawks",
 "city": "Atlanta",
 "wins": 46,
 "losses": 12,
 "pts": 95,
 "pts_qtr1": 28,
 "pts_qtr2": 14,
 "pts_qtr3": 34,
 "pts_qtr4": 19,
 "fg_pct": 44,
 "fg3_pct": 45,
 "ft_pct": 75,
 "ast": 27,
 "reb": 42,
 "tov": 18
 },
 "visitor_line": {
 "name": "Magic",
 "city": "Orlando",
 "wins": 19,
 "losses": 41,
 "pts": 88,
 "pts_qtr1": 16,
 "pts_qtr2": 29,
 "pts_qtr3": 22,
 "pts_qtr4": 21,
 "fg_pct": 45,
 "fg3_pct": 35,
 "ft_pct": 54,
 "ast": 22,
 "reb": 40,
 "tov": 17
 },
 "box_score": {
 "tobias_harris": {
 "player_name": "Tobias Harris",
 "first_name": "Tobias",
 "second_name": "Harris",
 "city": "Orlando",
 "start_position": "F",
 "min": 37,
 "pts": 15,
 "fgm": 5,
 "fga": 9,
 "fg_pct": 56,
 "fg3m": 2,
 "fg3a": 4,
 "fg3_pct": 50,
 "ftm": 3,
 "fta": 4,
 "ft_pct": 75,
 "reb": 4,
 "oreb": 0,
 "dreb": 4,
 "ast": 1,
 "stl": 2,
 "blk": 1,
 "to": 2,
 "pf": 0
 },
 ...
 }
 }
}
```
```

Write a summary of the game described in the JSON above. Remember to ALWAYS use Jinja-style expressions to reference the fields in the JSON whenever possible.



Assistant:

LLM generates game summary using symbolic references.

EXAMPLE OUTPUT (GPT-4-32K)

The {{ data.home_line.city }} {{ data.home_line.name }} ({{ data.home_line.wins }}-{{ data.home_line.losses }}) defeated the {{ data.visitor_line.city }} {{ data.visitor_line.name }} ({{ data.visitor_line.wins }}-{{ data.visitor_line.losses }}) {{ data.home_line.pts }}-{{ data.visitor_line.pts }}. The Hawks had a strong third quarter, scoring {{ data.home_line.pts_qtr3 }} points, which helped them secure the victory. They shot {{ data.home_line.fg_pct }}% from the field, {{ data.home_line.fg3_pct }}% from beyond the arc, and {{ data.home_line.ft_pct }}% from the free-throw line. They also had {{ data.home_line.ast }} assists, {{ data.home_line.reb }} rebounds, and {{ data.home_line.tov }} turnovers.

The Magic, on the other hand, struggled in the first quarter, scoring only {{ data.visitor_line.pts_qtr1 }} points. They shot {{ data.visitor_line.fg_pct }}% from the field, {{ data.visitor_line.fg3_pct }}% from three-point range, and a disappointing {{ data.visitor_line.ft_pct }}% from the free-throw line. They had {{ data.visitor_line.ast }} assists, {{ data.visitor_line.reb }} rebounds, and {{ data.visitor_line.tov }} turnovers.

For the Hawks, {{ data.box_score.paul_millsap.player_name }} led the team with {{ data.box_score.paul_millsap.pts }} points, {{ data.box_score.paul_millsap.reb }} rebounds, and {{ data.box_score.paul_millsap.ast }} assists.

{{ data.box_score.al_horford.player_name }} also had a strong game with {{ data.box_score.al_horford.pts }} points and {{ data.box_score.al_horford.reb }} rebounds.

For the Magic, {{ data.box_score.nikola_vucevic.player_name }} had a standout performance with {{ data.box_score.nikola_vucevic.pts }} points and {{ data.box_score.nikola_vucevic.reb }} rebounds. {{ data.box_score.tobias_harris.player_name }} also contributed with {{ data.box_score.tobias_harris.pts }} points and {{ data.box_score.tobias_harris.reb }} rebounds.

Rotowire prompt (Indirect)

System prompt:

Your task is to write a summary of a basketball game whose statistics are given in JSON. You must remain faithful to the provided statistics in your summary. After you generate the summary, you will be asked to rewrite it using Jinja-style expressions.

Few shot examples (optional):



User:

JSON:

```
```json
{
 "data": {
 "home_line": {
 "name": "Magic",
 "city": "Orlando",
 "wins": 6,
 "losses": 9,
 "pts": 92,
 "pts_qtr1": 18,
 "pts_qtr2": 28,
 "pts_qtr3": 21,
 "pts_qtr4": 25,
 "fg_pct": 45,
 "fg3_pct": 19,
 "ft_pct": 70,
 "ast": 18,
 "reb": 44,
 "tov": 14
 },
 "visitor_line": {
 "name": "Heat",
 "city": "Miami",
 "wins": 7,
 "losses": 6,
 "pts": 99,
 "pts_qtr1": 22,
 "pts_qtr2": 27,
 "pts_qtr3": 19,
 "pts_qtr4": 31,
 "fg_pct": 52,
 "fg3_pct": 46,
 "ft_pct": 72,
 "ast": 17,
 "reb": 33,
 "tov": 16
 },
 "box_score": {
 "luol_deng": {
```



```

 "player_name": "Luol Deng",
 "first_name": "Luol",
 "second_name": "Deng",
 "city": "Miami",
 "start_position": "F",
 "min": 33,
 "pts": 9,
 "fgm": 4,
 "fga": 9,
 "fg_pct": 44,
 "fg3m": 1,
 "fg3a": 2,
 "fg3_pct": 50,
 "ftm": 0,
 "fta": 0,
 "ft_pct": 0,
 "reb": 7,
 "oreb": 1,
 "dreb": 6,
 "ast": 0,
 "stl": 1,
 "blk": 0,
 "to": 2,
 "pf": 3
 },
 ...
}
...

```

Write a summary of the game described above.

#### Assistant:

The Miami Heat (7-6) took down the Orlando Magic (6-9) 99-92 on Saturday night at the Amway Center in Orlando. The Heat were just too much for the Magic when all was said and done, as they made a nice run in the fourth to get a seven-point win. What makes the win even more impressive is that Miami did it without guard Dwyane Wade (hamstring). The Heat got plenty of production from some key players to help get the job done though. They were led in scoring by Chris Bosh, who put up 32 points (13-20 FG, 4-6 3Pt, 2-2 FT) to go with 10 rebounds. Mario Chalmers had a huge night also, scoring 24 points (10-16 FG, 2-5 3Pt, 2-4 FT) to go with eight assists and five rebounds. Miami fans have to be happy to see rookie Shabazz Napier stepping up big, as he played extended minutes (28), and scored 12 points (4-8 FG, 2-5 3Pt, 2-4 FT) to go with two rebounds, two steals and one assist. Miami has a quick turnaround, as they take on the Charlotte Hornets at home Sunday night. The Magic just couldn't get enough production to outscore the Heat on this night, as only three players hit double digits, with Nikola Vucevic having a monster night, scoring 33 points (12-24 FG, 9-11 FT), with 17 rebounds. Vucevic was just dominate, and grabbed 11 offensive boards on the night. The other production came from Victor Oladipo, who had 14 points (5-11 FG, 1-4 3Pt, 3-5 FT), with four rebounds, two assist and two steals, as well as Evan Fournier, who scored 11 points (5-15 FG, 1-5 3PT) with six assists and six rebounds. The Magic get a night off now, before taking on the Cleveland Cavaliers on Monday.

#### User:

Your job is to now rewrite the answer you provided above, but instead of responding directly with the text, you must generate Jinja-style expressions in the text with references to fields in the provided JSON, e.g., given JSON that says:

```

```json
{
  "data": {
    "place_of_birth": "Ohio"
  }
}
...

```

then instead of generating "... was born in Ohio" you should generate "... was born in `{{ data.place_of_birth }}`". Note that you can only reference fields that exist in the JSON. The user will be displayed a version of this message that has the references filled in, and you should ALWAYS try to use such references instead of copying the text directly when possible. Remember, you MUST make sure you ONLY use fields that exist in the JSON. You must NOT make up fields.

**Assistant:**

The {{ data.visitor_line.city }} {{ data.visitor_line.name }}
 ({{ data.visitor_line.wins }}-{{ data.visitor_line.losses }}) took down the
 {{ data.home_line.city }} {{ data.home_line.name }}
 ({{ data.home_line.wins }}-{{ data.home_line.losses }})
 {{ data.visitor_line.pts }}-{{ data.home_line.pts }} on Saturday night at the Amway Center in
 {{ data.home_line.city }}. The Heat were just too much for the Magic when all was said and done, as they
 made a nice run in the fourth to get a seven-point win. What makes the win even more impressive is that Miami
 did it without guard Dwyane Wade (hamstring). The Heat got plenty of production from some key players to
 help get the job done though. They were led in scoring by
 {{ data.box_score.chris_bosh.player_name }}, who put up {{ data.box_score.chris_bosh.pts }}
 points ({{ data.box_score.chris_bosh.fgm }}-{{ data.box_score.chris_bosh.fga }} FG,
 {{ data.box_score.chris_bosh.fg3m }}-{{ data.box_score.chris_bosh.fg3a }} 3Pt,
 {{ data.box_score.chris_bosh.ftm }}-{{ data.box_score.chris_bosh.fta }} FT) to go with
 {{ data.box_score.chris_bosh.reb }} rebounds.
 {{ data.box_score.mario_chalmers.player_name }} had a huge night also, scoring
 {{ data.box_score.mario_chalmers.pts }} points
 ({{ data.box_score.mario_chalmers.fgm }}-{{ data.box_score.mario_chalmers.fga }} FG,
 {{ data.box_score.mario_chalmers.fg3m }}-{{ data.box_score.mario_chalmers.fg3a }} 3Pt,
 {{ data.box_score.mario_chalmers.ftm }}-{{ data.box_score.mario_chalmers.fta }} FT) to go
 with {{ data.box_score.mario_chalmers.ast }} assists and
 {{ data.box_score.mario_chalmers.reb }} rebounds. Miami fans have to be happy to see rookie
 {{ data.box_score.shabazz_napier.player_name }} stepping up big, as he played extended minutes
 ({{ data.box_score.shabazz_napier.min }}), and scored
 {{ data.box_score.shabazz_napier.pts }} points
 ({{ data.box_score.shabazz_napier.fgm }}-{{ data.box_score.shabazz_napier.fga }} FG,
 {{ data.box_score.shabazz_napier.fg3m }}-{{ data.box_score.shabazz_napier.fg3a }} 3Pt,
 {{ data.box_score.shabazz_napier.ftm }}-{{ data.box_score.shabazz_napier.fta }} FT) to go
 with {{ data.box_score.shabazz_napier.reb }} rebounds,
 {{ data.box_score.shabazz_napier.stl }} steals and {{ data.box_score.shabazz_napier.ast }}
 assist. Miami has a quick turnaround, as they take on the Charlotte Hornets at home Sunday night. The Magic
 just couldn't get enough production to outscore the Heat on this night, as only three players hit double digits,
 with {{ data.box_score.nikola_vucevic.player_name }} having a monster night, scoring
 {{ data.box_score.nikola_vucevic.pts }} points
 ({{ data.box_score.nikola_vucevic.fgm }}-{{ data.box_score.nikola_vucevic.fga }} FG,
 {{ data.box_score.nikola_vucevic.ftm }}-{{ data.box_score.nikola_vucevic.fta }} FT), with
 {{ data.box_score.nikola_vucevic.reb }} rebounds. Vucevic was just dominate, and grabbed
 {{ data.box_score.nikola_vucevic.oreb }} offensive boards on the night. The other production came
 from {{ data.box_score.victor_oladipo.player_name }}, who had
 {{ data.box_score.victor_oladipo.pts }} points
 ({{ data.box_score.victor_oladipo.fgm }}-{{ data.box_score.victor_oladipo.fga }} FG,
 {{ data.box_score.victor_oladipo.fg3m }}-{{ data.box_score.victor_oladipo.fg3a }} 3Pt,
 {{ data.box_score.victor_oladipo.ftm }}-{{ data.box_score.victor_oladipo.fta }} FT), with
 {{ data.box_score.victor_oladipo.reb }} rebounds, {{ data.box_score.victor_oladipo.ast }}
 assist and {{ data.box_score.victor_oladipo.stl }} steals, as well as
 {{ data.box_score.evan_fournier.player_name }}, who scored
 {{ data.box_score.evan_fournier.pts }} points
 ({{ data.box_score.evan_fournier.fgm }}-{{ data.box_score.evan_fournier.fga }} FG,
 {{ data.box_score.evan_fournier.fg3m }}-{{ data.box_score.evan_fournier.fg3a }} 3PT) with
 {{ data.box_score.evan_fournier.ast }} assists and {{ data.box_score.evan_fournier.reb }}
 rebounds. The Magic get a night off now, before taking on the Cleveland Cavaliers on Monday.

**User:**

Data for game to be described

EXAMPLE INPUT

JSON:

```
```json
{
 "data": {
 "home_line": {
 "name": "Hawks",
 "city": "Atlanta",
 "wins": 46,
 "losses": 12,
 "pts": 95,
 "pts_qtr1": 28,
 "pts_qtr2": 14,
 "pts_qtr3": 34,
 "pts_qtr4": 19,
 "fg_pct": 44,
 "fg3_pct": 45,
 "ft_pct": 75,
 "ast": 27,
 "reb": 42,
 "tov": 18
 },
 "visitor_line": {
 "name": "Magic",
 "city": "Orlando",
 "wins": 19,
 "losses": 41,
 "pts": 88,
 "pts_qtr1": 16,
 "pts_qtr2": 29,
 "pts_qtr3": 22,
 "pts_qtr4": 21,
 "fg_pct": 45,
 "fg3_pct": 35,
 "ft_pct": 54,
 "ast": 22,
 "reb": 40,
 "tov": 17
 },
 "box_score": {
 "tobias_harris": {
 "player_name": "Tobias Harris",
 "first_name": "Tobias",
 "second_name": "Harris",
 "city": "Orlando",
 "start_position": "F",
 "min": 37,
 "pts": 15,
 "fgm": 5,
 "fga": 9,
 "fg_pct": 56,
 "fg3m": 2,
 "fg3a": 4,
 "fg3_pct": 50,
 "ftm": 3,
 "fta": 4,
 "ft_pct": 75,
 "reb": 4,
 "oreb": 0,
 "dreb": 4,
 "ast": 1,
 "stl": 2,
 "blk": 1,
 "to": 2,
 "pf": 0
 },
 ...
 },
 ...
 }
}
```

Write a summary of the game described above.



**Assistant:**

*LLM generates summary without symbolic references.*

EXAMPLE OUTPUT (GPT-4-32K)

The Atlanta Hawks (46-12) defeated the Orlando Magic (19-41) 95-88 at home. The Hawks had a strong performance in the third quarter, scoring 34 points, which helped them secure the victory. The Hawks were led by Paul Millsap, who scored 20 points, and Al Horford, who added 17 points and grabbed 13 rebounds. Jeff Teague also contributed with 17 points and 7 assists. On the other hand, the Magic were led by Nikola Vucevic, who had a strong performance with 21 points and 15 rebounds. Victor Oladipo also contributed with 19 points, while Tobias Harris added 15 points. Despite the loss, the Magic outperformed the Hawks in the second quarter, scoring 29 points.



**User:**

Your job is to now rewrite the answer you provided above, but instead of responding directly with the text, you must generate Jinja-style expressions in the text with references to fields in the provided JSON, e.g., given JSON

that says:

```
```json
{
  "data": {
    "place_of_birth": "Ohio"
  }
}
```
```

then instead of generating "... was born in Ohio" you should generate "... was born in {{ data.place\_of\_birth }}". Note that you can only reference fields that exist in the JSON. The user will be displayed a version of this message that has the references filled in, and you should ALWAYS try to use such references instead of copying the text directly when possible. Remember, you MUST make sure you ONLY use fields that exist in the JSON. You must NOT make up fields.



#### Assistant:

*LLM rewrites summary to contain symbolic references.*

EXAMPLE OUTPUT (GPT-4-32K)

The {{ data.home\_line.city }} {{ data.home\_line.name }} ({{ data.home\_line.wins }}-{{ data.home\_line.losses }}) defeated the {{ data.visitor\_line.city }} {{ data.visitor\_line.name }} ({{ data.visitor\_line.wins }}-{{ data.visitor\_line.losses }}) {{ data.home\_line.pts }}-{{ data.visitor\_line.pts }} at home. The Hawks had a strong performance in the third quarter, scoring {{ data.home\_line.pts\_qtr3 }} points, which helped them secure the victory. The Hawks were led by {{ data.box\_score.paul\_millsap.player\_name }}, who scored {{ data.box\_score.paul\_millsap.pts }} points, and {{ data.box\_score.al\_horford.player\_name }}, who added {{ data.box\_score.al\_horford.pts }} points and grabbed {{ data.box\_score.al\_horford.reb }} rebounds. {{ data.box\_score.jeff\_teague.player\_name }} also contributed with {{ data.box\_score.jeff\_teague.pts }} points and {{ data.box\_score.jeff\_teague.ast }} assists. On the other hand, the Magic were led by {{ data.box\_score.nikola\_vucevic.player\_name }}, who had a strong performance with {{ data.box\_score.nikola\_vucevic.pts }} points and {{ data.box\_score.nikola\_vucevic.reb }} rebounds. {{ data.box\_score.victor\_oladipo.player\_name }} also contributed with {{ data.box\_score.victor\_oladipo.pts }} points, while {{ data.box\_score.tobias\_harris.player\_name }} added {{ data.box\_score.tobias\_harris.pts }} points. Despite the loss, the Magic outperformed the Hawks in the second quarter, scoring {{ data.visitor\_line.pts\_qtr2 }} points.

## F.2.3 Obituary prompts

1045

### Obituary prompt (Baseline)

#### System prompt:

Your task is to write an obituary about a person whose description is given in JSON. You must mention and be faithful about every property of the person in your obituary.

#### Few shot examples (optional):



User:

JSON:

```
```json
{
  "data": {
    "name": "Niels Henrik Abel",
    "age": 27,
    "place_of_birth": "Nedstrand",
    "place_of_death": "Froland",
    "father": "Sren Georg Abel",
    "country_of_citizenship": "Norway",
    "educated_at": "University of Oslo",
    "field_of_work": "calculus",
    "occupation": "mathematician",
    "employer": "University of Oslo",
    "religion_or_worldview": "Lutheranism",
    "award_received": "Grand prix des sciences mathematiques",
    "member_of": "Royal Norwegian Society of Sciences and Letters",
    "cause_of_death": "tuberculosis",
    "residence": "Norway",
    "notable_work": "abelian group",
    "languages_spoken": "Norwegian"
  }
}
```
```

**Assistant:**

Niels Henrik Abel, a renowned mathematician, passed away at the young age of 27 in Froland, Norway. Born in Nedstrand, Abel was a proud Norwegian citizen and a devoted Lutheran. He was educated at the University of Oslo, where he later worked as a professor. Abel made significant contributions to the field of calculus, most notably the concept of the abelian group. He was a member of the Royal Norwegian Society of Sciences and Letters and received the prestigious Grand prix des sciences mathématiques. Sadly, Abel's life was cut short due to tuberculosis. He will be remembered for his remarkable achievements and dedication to the world of mathematics.

*One more few-shot example like the one above (hidden to save space)*

**User:**

*Data for obituary to be generated*

EXAMPLE INPUT

JSON:

```
```json
{
  "data": {
    "name": "Herbert Spencer",
    "age": 83,
    "place_of_birth": "Derby",
    "place_of_death": "Brighton",
    "father": "William George Spencer",
    "country_of_citizenship": "United Kingdom of Great Britain and Ireland",
    "field_of_work": "botany",
    "occupation": "writer",
    "employer": "The Economist",
    "place_of_burial": "Highgate Cemetery",
    "religion_or_worldview": "agnosticism",
    "member_of": "Athenaeum Club",
    "notable_work": "Social Statics",
    "nominated_for": "Nobel Peace Prize",
    "languages_spoken": "English"
  }
}
```
```

**Assistant:**

*Generate untemplated obituary. LLM generates obituary without symbolic references*

EXAMPLE OUTPUT (GPT-3.5-4K)

Herbert Spencer, a distinguished writer and botanist, has passed away at the age of 83 in Brighton. Born in Derby to William George Spencer, he was a citizen of the United Kingdom of Great Britain and Ireland. Spencer made significant contributions to the field of botany and worked as a writer for The Economist. He was a member of the Athenaeum Club and was known for his notable work, "Social Statics." Spencer was a proponent of agnosticism and was fluent in English. Although not awarded, he was nominated for the Nobel Peace Prize. Spencer will be laid to rest at Highgate Cemetery, leaving behind a legacy of intellectual pursuits and contributions to the scientific community.

## Obituary prompt (Direct)

**System prompt:**

Your task is to write an obituary about a person whose description is given in JSON. You must mention and be faithful about every property of the person in your obituary.

Instead of responding directly with the text, you must generate Jinja-style expressions in the text with references to fields in the provided JSON, e.g., given JSON that says:

```
```json
{
  "data": {
    "place_of_birth": "Ohio"
  }
}
```
```

then instead of generating "... was born in Ohio" you should generate "... was born in {{ data.place\_of\_birth }}". Note that you can only reference fields that exist in the JSON. The user will be displayed a version of this message that has the references filled in, and you should ALWAYS try to use such references instead of copying the text directly when possible.

**Few shot examples (optional):**



**User:**

JSON:

```
```json
{
  "data": {
    "name": "Niels Henrik Abel",
    "age": 27,
    "place_of_birth": "Nedstrand",
    "place_of_death": "Froland",
    "father": "Sren Georg Abel",
    "country_of_citizenship": "Norway",
    "educated_at": "University of Oslo",
    "field_of_work": "calculus",
    "occupation": "mathematician",
    "employer": "University of Oslo",
    "religion_or_worldview": "Lutheranism",
    "award_received": "Grand prix des sciences mathematiques",
    "member_of": "Royal Norwegian Society of Sciences and Letters",
    "cause_of_death": "tuberculosis",
    "residence": "Norway",
    "notable_work": "abelian group",
    "languages_spoken": "Norwegian"
  }
}
```
```



**Assistant:**

{{ data.name }}, a renowned {{ data.occupation }}, passed away at the young age of {{ data.age }} in {{ data.place\_of\_death }}, {{ data.country\_of\_citizenship }}. Born in {{ data.place\_of\_birth }}, {{ data.name.split(' ')[2] }} was a proud Norwegian citizen and a devoted Lutheran. He was educated at the {{ data.educated\_at }}, where he later worked as a professor. {{ data.name.split(' ')[2] }} made significant contributions to the field of {{ data.field\_of\_work }}, most notably the concept of the {{ data.notable\_work }}. He was a member of the {{ data.member\_of }} and received the prestigious {{ data.award\_received }}. Sadly, {{ data.name.split(' ')[2] }}'s life was cut short due to {{ data.cause\_of\_death }}. He will be remembered for his remarkable achievements and dedication to the world of mathematics.

*One more few-shot example like the one above (hidden to save space)*



**User:**

Data for obituary to be generated

EXAMPLE INPUT

JSON:

```
```json
{
  "data": {
    "name": "Herbert Spencer",
    "age": 83,
    "place_of_birth": "Derby",
    "place_of_death": "Brighton",
    "father": "William George Spencer",
    "country_of_citizenship": "United Kingdom of Great Britain and Ireland",
    "field_of_work": "botany",
    "occupation": "writer",
    "employer": "The Economist",
    "place_of_burial": "Highgate Cemetery",
    "religion_or_worldview": "agnosticism",
    "member_of": "Athenaeum Club",
    "notable_work": "Social Statics",
    "nominated_for": "Nobel Peace Prize",
    "languages_spoken": "English"
  }
}
```
```



**Assistant:**

LLM directly generates obituary using symbolic references.



EXAMPLE OUTPUT (GPT-3.5-4K)

{{ data.name }}, a prominent writer and botanist, has passed away at the age of {{ data.age }} in {{ data.place\_of\_death }}. Born in {{ data.place\_of\_birth }} to father {{ data.father }}, {{ data.name.split(' ')[1] }} was a citizen of the {{ data.country\_of\_citizenship }}. He dedicated his life to the field of {{ data.field\_of\_work }} and worked as a writer for {{ data.employer }}. {{ data.name.split(' ')[1] }} was a member of the {{ data.member\_of }} and was nominated for the {{ data.nominated\_for }}. He was fluent in {{ data.languages\_spoken }} and was known for his notable work, "{{ data.notable\_work }}." {{ data.name.split(' ')[1] }}'s agnostic worldview shaped his perspective on life and the world. He will be laid to rest at {{ data.place\_of\_burial }}. His contributions to the field of botany and his literary works will be remembered for generations to come.

### E.3 Obituary QA evaluation

#### Prompt for obituary QA evaluation

##### System prompt:

Your task is to answer questions about an obituary. Do not rely on any knowledge other than what is provided in the obituary. You should state your answer without any explanation. The answer can be a single word or a short phrase. The user message will be of the form:

STORY:

<story>

QUESTION: <question>

You should reply only with your answer. If you do not know the answer, you should reply with 'Unknown.'



User:

*Question to be answered, alongside story*

EXAMPLE INPUT

STORY:

Herbert Spencer, a distinguished pharmacist and author of "Social Statics," has passed away at the age of 83 in Vienna. Born in Derby, Spencer was the son of Lord Byron and a citizen of the United Kingdom of Great Britain and Ireland. Although his field of work was primarily in physics, he made significant contributions as a pharmacist and worked for The Economist. Spencer was a member of the Athenaeum Club and was known for his agnostic worldview. He was nominated for the Nobel Prize in Physiology or Medicine for his notable work. Spencer will be laid to rest at Highgate Cemetery. He was fluent in Swedish and will be remembered for his remarkable achievements in the field of pharmacy and his influential writings.

QUESTION: Where was Herbert Spencer born?



Assistant:

*LLM generates answer to question based on provided obituary.*

EXAMPLE OUTPUT (HAND-WRITTEN FOR ILLUSTRATIVE PURPOSES)

Derby

#### E.3.1 Financial prompts

##### Financial prompt (Baseline)

##### System prompt:

Your task is to answer a finance-related question based on some company information given in JSON. You must remain faithful to the provided information in your answer.

##### Few shot examples (optional):



User:

QUESTION: How do the 50-d moving averages between AMZN and TSM compare?

JSON:

```json

```
{
  "data": {
    "AMZN": {
      "Symbol": "AMZN",
      "AssetType": "Common Stock",
      "Name": "Amazon.com Inc",
      "Description": "Amazon.com, Inc. is an American multinational technology company which focuses on e-commerce, cloud computing, digital streaming, and artificial intelligence. It is one of the Big Five companies in the U.S. information technology industry, along with Google, Apple, Microsoft, and Facebook. The company has been referred
```

```

        to as one of the most influential economic and cultural
        forces in the world, as well as the world's most valuable
        brand.",
    "CIK": 1018724,
    "Exchange": "NASDAQ",
    "Currency": "USD",
    "Country": "USA",
    "Sector": "TRADE & SERVICES",
    "Industry": "RETAIL-CATALOG & MAIL-ORDER HOUSES",
    "Address": "410 TERRY AVENUE NORTH, SEATTLE, WA, US",
    "FiscalYearEnd": "December",
    "LatestQuarter": "2023-09-30",
    "MarketCapitalization": 1235158172000,
    "EBITDA": 63431000000,
    "PERatio": 94.9,
    "PEGRatio": 11.85,
    "BookValue": 16.35,
    "DividendPerShare": 0.0,
    "DividendYield": 0.0,
    "EPS": 1.26,
    "RevenuePerShareTTM": 52.56,
    "ProfitMargin": 0.0243,
    "OperatingMarginTTM": 0.0572,
    "ReturnOnAssetsTTM": 0.0247,
    "ReturnOnEquityTTM": 0.0872,
    "RevenueTTM": 538046005000,
    "GrossProfitTTM": 225152000000,
    "DilutedEPSTTM": 1.26,
    "QuarterlyEarningsGrowthYOY": -0.986,
    "QuarterlyRevenueGrowthYOY": 0.108,
    "AnalystTargetPrice": 160.61,
    "TrailingPE": 94.9,
    "ForwardPE": 43.86,
    "PriceToSalesRatioTTM": 1.797,
    "PriceToBookRatio": 6.61,
    "EVToRevenue": 1.948,
    "EVToEBITDA": 19.3,
    "Beta": 1.188,
    "52WeekHigh": 145.86,
    "52WeekLow": 81.43,
    "50DayMovingAverage": 132.31,
    "200DayMovingAverage": 117.12,
    "SharesOutstanding": 10317800000,
    "DividendDate": "None",
    "ExDividendDate": "None"
  },
  "TSM": {
    "Symbol": "TSM",
    "AssetType": "Common Stock",
    ...
    "DividendDate": "2024-01-11",
    "ExDividendDate": "2023-12-14"
  }
}
...

```

Two more few-shot example like the one above (hidden to save space)



User:

Question and data required to answer it.

EXAMPLE INPUT

QUESTION: Which company has the largest market capitalization, GOOG or ASML?
JSON:

```
```json
{
 "data": {
 "ASML": {
 "Symbol": "ASML",
 "AssetType": "Common Stock",
 "Name": "ASML Holding NV ADR",
 "Description": "ASML Holding NV develops, produces, markets, sells and services advanced semiconductor equipment systems consisting of lithography, metrology and inspection related systems for memory and logic chip manufacturers. The company is headquartered in Veldhoven, the Netherlands.",
 "CIK": 937966,
 "Exchange": "NASDAQ",
 "Currency": "USD",
 "Country": "USA",
 "Sector": "TECHNOLOGY",
 "Industry": "SPECIAL INDUSTRY MACHINERY, NEC",
 "Address": "DE RUN 6501, DR VELDHOFEN, NL",
 "FiscalYearEnd": "December",
 "LatestQuarter": "2023-09-30",
 "MarketCapitalization": 240264151000,
 "EBITDA": 9398800000,
 "PERatio": 28.83,
 "PEGRatio": 1.703,
 "BookValue": 30.49,
 "DividendPerShare": 4.43,
 "DividendYield": 0.0111,
 "EPS": 20.6,
 "RevenuePerShareTTM": 1.224,
 "ProfitMargin": 0.284,
 "OperatingMarginTTM": 0.327,
 "ReturnOnAssetsTTM": 0.156,
 "ReturnOnEquityTTM": 0.763,
 "RevenueTTM": 26751701000,
 "GrossProfitTTM": 10700100000,
 "DilutedEPSTTM": 20.6,
 "QuarterlyEarningsGrowthYOY": 0.121,
 "QuarterlyRevenueGrowthYOY": 0.155,
 "AnalystTargetPrice": 680.53,
 "TrailingPE": 28.83,
 "ForwardPE": 30.49,
 "PriceToSalesRatioTTM": 12.43,
 "PriceToBookRatio": 29.61,
 "EVToRevenue": 12.62,
 "EVToEBITDA": 35.86,
 "Beta": 1.168,
 "52WeekHigh": 770.52,
 "52WeekLow": 434.41,
 "50DayMovingAverage": 615.52,
 "200DayMovingAverage": 657.88,
 "SharesOutstanding": 393400000,
 "DividendDate": "2023-11-10",
 "ExDividendDate": "2023-11-01"
 },
 "GOOG": {
 "Symbol": "GOOG",
 "AssetType": "Common Stock",
 ...
 "DividendDate": "None",
 "ExDividendDate": "None"
 }
 }
}
```
```



Assistant:

LLM generates answer without symbolic references.

EXAMPLE OUTPUT (GPT-4-32K)

The company with the largest market capitalization is Alphabet Inc Class C (GOOG) with a market capitalization of 1,536,753,926,000 USD.

Financial prompt (Direct)

System prompt:

Your task is to answer a finance-related question based on some company information given in JSON. You must remain remain faithful to the provided information in your answer.

Instead of responding directly with the text, you must generate Jinja-style expressions in the text with references to fields in the provided JSON, e.g., given JSON that says:

```
```json
```

```
{
 "data": {
 "place_of_birth": "Ohio"
 }
}
...

```

then instead of generating "... was born in Ohio" you should generate "... was born in {{ data.place\_of\_birth }}". Note that you can only reference fields that exist in the JSON. The user will be displayed a version of this message that has the references filled in, and you should ALWAYS try to use such references instead of copying the text directly when possible.

#### Few shot examples (optional):



**User:**

QUESTION: How do the 50-d moving averages between AMZN and TSM compare?

JSON:

```
```json
{
  "data": {
    "AMZN": {
      "Symbol": "AMZN",
      "AssetType": "Common Stock",
      "Name": "Amazon.com Inc",
      "Description": "Amazon.com, Inc. is an American multinational technology company which focuses on e-commerce, cloud computing, digital streaming, and artificial intelligence . It is one of the Big Five companies in the U.S. information technology industry, along with Google, Apple, Microsoft, and Facebook. The company has been referred to as one of the most influential economic and cultural forces in the world, as well as the world's most valuable brand.",
      "CIK": 1018724,
      "Exchange": "NASDAQ",
      "Currency": "USD",
      "Country": "USA",
      "Sector": "TRADE & SERVICES",
      "Industry": "RETAIL-CATALOG & MAIL-ORDER HOUSES",
      "Address": "410 TERRY AVENUE NORTH, SEATTLE, WA, US",
      "FiscalYearEnd": "December",
      "LatestQuarter": "2023-09-30",
      "MarketCapitalization": 1235158172000,
      "EBITDA": 63431000000,
      "PERatio": 94.9,
      "PEGRatio": 11.85,
      "BookValue": 16.35,
      "DividendPerShare": 0.0,
      "DividendYield": 0.0,
      "EPS": 1.26,
      "RevenuePerShareTTM": 52.56,
      "ProfitMargin": 0.0243,
      "OperatingMarginTTM": 0.0572,
      "ReturnOnAssetsTTM": 0.0247,
      "ReturnOnEquityTTM": 0.0872,
      "RevenueTTM": 538046005000,
      "GrossProfitTTM": 225152000000,
      "DilutedEPSTTM": 1.26,
      "QuarterlyEarningsGrowthYOY": -0.986,
      "QuarterlyRevenueGrowthYOY": 0.108,
      "AnalystTargetPrice": 160.61,
      "TrailingPE": 94.9,
      "ForwardPE": 43.86,
      "PriceToSalesRatioTTM": 1.797,
      "PriceToBookRatio": 6.61,
      "EVToRevenue": 1.948,
      "EVToEBITDA": 19.3,
      "Beta": 1.188,

```

```

    "52WeekHigh": 145.86,
    "52WeekLow": 81.43,
    "50DayMovingAverage": 132.31,
    "200DayMovingAverage": 117.12,
    "SharesOutstanding": 10317800000,
    "DividendDate": "None",
    "ExDividendDate": "None"
  },
  "TSM": {
    "Symbol": "TSM",
    "AssetType": "Common Stock",
    ...
    "DividendDate": "2024-01-11",
    "ExDividendDate": "2023-12-14"
  }
}
...

```



Assistant:

The 50-day moving average for `{{ data.AMZN.Name }}` (`{{ data.AMZN.Symbol }}`) is `{{ data.AMZN['50DayMovingAverage'] }}` USD, while for `{{ data.TSM.Name }}` (`{{ data.TSM.Symbol }}`) it is `{{ data.TSM['50DayMovingAverage'] }}` USD. Therefore, `{{ data.AMZN.Symbol }}`'s 50-day moving average is higher than `{{ data.TSM.Symbol }}`'s.

Two more few-shot example like the one above (hidden to save space)



User:

Question and data required to answer it.

EXAMPLE INPUT

QUESTION: Which company has the largest market capitalization, GOOG or ASML?
JSON:

```
```json
{
 "data": {
 "ASML": {
 "Symbol": "ASML",
 "AssetType": "Common Stock",
 "Name": "ASML Holding NV ADR",
 "Description": "ASML Holding NV develops, produces, markets, sells and services advanced semiconductor equipment systems consisting of lithography, metrology and inspection related systems for memory and logic chip manufacturers. The company is headquartered in Veldhoven, the Netherlands.",
 "CIK": 937966,
 "Exchange": "NASDAQ",
 "Currency": "USD",
 "Country": "USA",
 "Sector": "TECHNOLOGY",
 "Industry": "SPECIAL INDUSTRY MACHINERY, NEC",
 "Address": "DE RUN 6501, DR VELDHOFEN, NL",
 "FiscalYearEnd": "December",
 "LatestQuarter": "2023-09-30",
 "MarketCapitalization": 240264151000,
 "EBITDA": 9398800000,
 "PERatio": 28.83,
 "PEGRatio": 1.703,
 "BookValue": 30.49,
 "DividendPerShare": 4.43,
 "DividendYield": 0.0111,
 "EPS": 20.6,
 "RevenuePerShareTTM": 1.224,
 "ProfitMargin": 0.284,
 "OperatingMarginTTM": 0.327,
 "ReturnOnAssetsTTM": 0.156,
 "ReturnOnEquityTTM": 0.763,
 "RevenueTTM": 26751701000,
 "GrossProfitTTM": 10700100000,
 "DilutedEPSTTM": 20.6,
 "QuarterlyEarningsGrowthYOY": 0.121,
 "QuarterlyRevenueGrowthYOY": 0.155,
 "AnalystTargetPrice": 680.53,
 "TrailingPE": 28.83,
 "ForwardPE": 30.49,
 "PriceToSalesRatioTTM": 12.43,
 "PriceToBookRatio": 29.61,
 "EVToRevenue": 12.62,
 "EVToEBITDA": 35.86,
 "Beta": 1.168,
 "52WeekHigh": 770.52,
 "52WeekLow": 434.41,
 "50DayMovingAverage": 615.52,
 "200DayMovingAverage": 657.88,
 "SharesOutstanding": 393400000,
 "DividendDate": "2023-11-10",
 "ExDividendDate": "2023-11-01"
 },
 "GOOG": {
 "Symbol": "GOOG",
 "AssetType": "Common Stock",
 ...
 "DividendDate": "None",
 "ExDividendDate": "None"
 }
 }
}
```
```



Assistant:

LLM generates answer directly with symbolic references.

EXAMPLE OUTPUT (GPT-4-32K):

The company with the largest market capitalization is `{{ data.GOOG.Name }}` (`{{ data.GOOG.Symbol }}`) with a market capitalization of `{{ data.GOOG.MarketCapitalization }}` USD.

Financial prompt (Indirect)

System prompt:

Your task is to answer a finance-related question based on some company information given in JSON. You must remain faithful to the provided information in your answer. After you generate the answer, you will be asked to rewrite it using Jinja-style expressions.

Few shot examples (optional):



User:

QUESTION: How do the 50-d moving averages between AMZN and TSM compare?

JSON:

```
```json
{
 "data": {
 "AMZN": {
 "Symbol": "AMZN",
 "AssetType": "Common Stock",
 "Name": "Amazon.com Inc",
 "Description": "Amazon.com, Inc. is an American multinational technology company which focuses on e-commerce, cloud computing, digital streaming, and artificial intelligence. It is one of the Big Five companies in the U.S. information technology industry, along with Google, Apple, Microsoft, and Facebook. The company has been referred to as one of the most influential economic and cultural forces in the world, as well as the world's most valuable brand.",
 "CIK": 1018724,
 "Exchange": "NASDAQ",
 "Currency": "USD",
 "Country": "USA",
 "Sector": "TRADE & SERVICES",
 "Industry": "RETAIL-CATALOG & MAIL-ORDER HOUSES",
 "Address": "410 TERRY AVENUE NORTH, SEATTLE, WA, US",
 "FiscalYearEnd": "December",
 "LatestQuarter": "2023-09-30",
 "MarketCapitalization": 1235158172000,
 "EBITDA": 63431000000,
 "PERatio": 94.9,
 "PEGRatio": 11.85,
 "BookValue": 16.35,
 "DividendPerShare": 0.0,
 "DividendYield": 0.0,
 "EPS": 1.26,
 "RevenuePerShareTTM": 52.56,
 "ProfitMargin": 0.0243,
 "OperatingMarginTTM": 0.0572,
 "ReturnOnAssetsTTM": 0.0247,
 "ReturnOnEquityTTM": 0.0872,
 "RevenueTTM": 538046005000,
 "GrossProfitTTM": 225152000000,
 "DilutedEPSTTM": 1.26,
 "QuarterlyEarningsGrowthYOY": -0.986,
 "QuarterlyRevenueGrowthYOY": 0.108,
 "AnalystTargetPrice": 160.61,
 "TrailingPE": 94.9,
 "ForwardPE": 43.86,
 "PriceToSalesRatioTTM": 1.797,
 "PriceToBookRatio": 6.61,
 "EVToRevenue": 1.948,
 "EVToEBITDA": 19.3,
 "Beta": 1.188,
 "52WeekHigh": 145.86,
 "52WeekLow": 81.43,
 "50DayMovingAverage": 132.31,
 "200DayMovingAverage": 117.12,
 "SharesOutstanding": 10317800000,
 "DividendDate": "None",
 "ExDividendDate": "None"
 },
 "TSM": {
 "Symbol": "TSM",
 "AssetType": "Common Stock",
 ...
 }
 }
}
```

```
 "DividendDate": "2024-01-11",
 "ExDividendDate": "2023-12-14"
 }
}
```

**Assistant:**

The 50-day moving average for Amazon.com Inc (AMZN) is 132.31 USD, while for Taiwan Semiconductor Manufacturing (TSM) it is 90.20 USD. Therefore, AMZN's 50-day moving average is higher than TSM's.

**User:**

Your job is to now rewrite the answer you provided above, but instead of responding directly with the text, you must generate Jinja-style expressions in the text with references to fields in the provided JSON, e.g., given JSON that says:

```
```json
{
  "data": {
    "place_of_birth": "Ohio"
  }
}
```

then instead of generating "... was born in Ohio" you should generate "... was born in `{{ data.place_of_birth }}`". Note that you can only reference fields that exist in the JSON. The user will be displayed a version of this message that has the references filled in, and you should ALWAYS try to use such references instead of copying the text directly when possible. Remember, you MUST make sure you ONLY use fields that exist in the JSON. You must NOT make up fields.

**Assistant:**

The 50-day moving average for `{{ data.AMZN.Name }}` (`{{ data.AMZN.Symbol }}`) is `{{ data.AMZN['50DayMovingAverage'] }}` USD, while for `{{ data.TSM.Name }}` (`{{ data.TSM.Symbol }}`) it is `{{ data.TSM['50DayMovingAverage'] }}` USD. Therefore, `{{ data.AMZN.Symbol }}`'s 50-day moving average is higher than `{{ data.TSM.Symbol }}`'s.

Two more few-shot example like the one above (hidden to save space)

**User:**

Question and data required to answer it

EXAMPLE INPUT

QUESTION: Which company has the largest market capitalization, GOOG or ASML?
JSON:

```
```json
{
 "data": {
 "ASML": {
 "Symbol": "ASML",
 "AssetType": "Common Stock",
 "Name": "ASML Holding NV ADR",
 "Description": "ASML Holding NV develops, produces, markets, sells and services advanced semiconductor equipment systems consisting of lithography, metrology and inspection related systems for memory and logic chip manufacturers. The company is headquartered in Veldhoven, the Netherlands.",
 "CIK": 937966,
 "Exchange": "NASDAQ",
 "Currency": "USD",
 "Country": "USA",
 "Sector": "TECHNOLOGY",
 "Industry": "SPECIAL INDUSTRY MACHINERY, NEC",
 "Address": "DE RUN 6501, DR VELDHOFEN, NL",
 "FiscalYearEnd": "December",
 "LatestQuarter": "2023-09-30",
 "MarketCapitalization": 240264151000,
 "EBITDA": 9398800000,
 "PERatio": 28.83,
 "PEGRatio": 1.703,
 "BookValue": 30.49,
 "DividendPerShare": 4.43,
 "DividendYield": 0.0111,
 "EPS": 20.6,
 "RevenuePerShareTTM": 1.224,
 "ProfitMargin": 0.284,
 "OperatingMarginTTM": 0.327,
 "ReturnOnAssetsTTM": 0.156,
 "ReturnOnEquityTTM": 0.763,
 "RevenueTTM": 26751701000,
 "GrossProfitTTM": 10700100000,
 "DilutedEPSTTM": 20.6,
 "QuarterlyEarningsGrowthYOY": 0.121,
 "QuarterlyRevenueGrowthYOY": 0.155,
 "AnalystTargetPrice": 680.53,
 "TrailingPE": 28.83,
 "ForwardPE": 30.49,
 "PriceToSalesRatioTTM": 12.43,
 "PriceToBookRatio": 29.61,
 "EVToRevenue": 12.62,
 "EVToEBITDA": 35.86,
 "Beta": 1.168,
 "52WeekHigh": 770.52,
 "52WeekLow": 434.41,
 "50DayMovingAverage": 615.52,
 "200DayMovingAverage": 657.88,
 "SharesOutstanding": 393400000,
 "DividendDate": "2023-11-10",
 "ExDividendDate": "2023-11-01"
 },
 "GOOG": {
 "Symbol": "GOOG",
 "AssetType": "Common Stock",
 ...
 "DividendDate": "None",
 "ExDividendDate": "None"
 }
 }
}
```
```



Assistant:

LLM generates answer without symbolic references.

EXAMPLE OUTPUT (GPT-4-32K)

The company with the largest market capitalization is Alphabet Inc Class C (GOOG) with a market capitalization of 1,536,753,926,000 USD.



User:

Your job is to now rewrite the answer you provided above, but instead of responding directly with the text, you must generate Jinja-style expressions in the text with references to fields in the provided JSON, e.g., given JSON that says:

```
```json
{
 "data": {
 "place_of_birth": "Ohio"
 }
}
```

}  
...

then instead of generating "... was born in Ohio" you should generate "... was born in {{ data.place\_of\_birth }}". Note that you can only reference fields that exist in the JSON. The user will be displayed a version of this message that has the references filled in, and you should ALWAYS try to use such references instead of copying the text directly when possible. Remember, you MUST make sure you ONLY use fields that exist in the JSON. You must NOT make up fields.



**Assistant:**

*LLM rewrites answer using symbolic references.*

EXAMPLE OUTPUT (GPT-4-32K)

The company with the largest market capitalization is {{ data.GOOG.Name }} ({{ data.GOOG.Symbol }}) with a market capitalization of {{ data.GOOG.MarketCapitalization }} USD.

### F.3.2 GSM8K prompts

1049

#### GSM8K prompt (Direct)

**System prompt:**

You are a helpful assistant.

**Few shot examples (optional):**



**User:**

We are working on solving a math question. We want to generate the computation steps in jinja templating format along the way. We allow using `{{` and `}}` to quote variables, and `{% set variable=value %}` to set variables. We do NOT allow using setting unknown variables (e.g., X) to a value, and the computation should be as simple as possible.  
Let's do a practice round.



**Assistant:**

Sounds great!



**User:**

Question: There are 15 trees in the grove. Grove workers will plant trees in the grove today. After they are done, there will be 21 trees. How many trees did the grove workers plant today?



**Assistant:**

There are 15 trees originally{% set initial\_trees = 15 %}. Then there were 21 trees after some more were planted{% set final\_trees = 21 %}. Therefore, there are  
{% set trees\_planted = final\_trees - initial\_trees %}{{ trees\_planted }} trees planted today.  
Answer: {{ trees\_planted }}



**User:**

Question: If there are 3 cars in the parking lot and 2 more cars arrive, how many cars are in the parking lot?



**Assistant:**

There are originally 3 cars{% set initial\_cars = 3 %}. 2 more cars arrive{% set arrived\_cars = 2 %}. The total car in the parking lot is  
{% set final\_cars = initial\_cars + arrived\_cars %}{{ final\_cars }}.  
Answer: {{ final\_cars }}



**User:**

Question: Leah had 32 chocolates and her sister had 42. If they ate 35, how many pieces do they have left in total?



**Assistant:**

Originally, Leah had 32 chocolates{% set leah\_chocolates = 32 %}, and her sister had 42{% set sister\_chocolates = 42 %}. In total, they had  
{% set total\_chocolates = leah\_chocolates + sister\_chocolates %}{{ total\_chocolates }}

chocolates. After eating 35{% set chocolates\_eaten = 35 %}, they had  
{% set chocolates\_left = total\_chocolates - chocolates\_eaten %}{{ chocolates\_left }} left.  
Answer: {{ chocolates\_left }}

---



**User:**

Question: Jason had 20 lollipops. He gave Denny some lollipops. Now Jason has 12 lollipops. How many lollipops did Jason give to Denny?

---



**Assistant:**

Jason started with 20 lollipops{% set initial\_lollipops = 20 %}. Then he had 12 after giving some to Denny. Now Jason has 12 lollipops{% set final\_lollipops = 12 %}. So he gave Denny  
{% set lollipops\_given = initial\_lollipops - final\_lollipops %}{{ lollipops\_given }}.  
Answer: {{ lollipops\_given }}

---



**User:**

Question: Shawn has five toys. For Christmas, he got two toys each from his mom and dad. How many toys does he have now?

---



**Assistant:**

Shawn started with 5 toys{% set initial\_toys = 5 %}. He got 2 toys each from his mom and dad, that's  
{% set new\_toys = 2 + 2 %}{{ new\_toys }} more toys. So he have  
{% set toys\_now = initial\_toys + new\_toys %}{{ toys\_now }} toys.  
Answer: {{ toys\_now }}

---



**User:**

Question: There were nine computers in the server room. Five more computers were installed each day, from monday to thursday. How many computers are now in the server room?

---



**Assistant:**

There were originally 9 computers{% set initial\_computers = 9 %}. For monday to thursday{% set days = 4 %}, 5 more computers were added{% set daily\_added\_computers = 5 %}. Therefore, a total of {% set total\_added\_computers = daily\_added\_computers \* days %}{{ total\_added\_computers }} is added. There are  
{% set total\_computers = total\_added\_computers + initial\_computers %}{{ total\_computers }} in the server room?  
Answer: {{ total\_computers }}

---



**User:**

Question: Michael had 58 golf balls. On tuesday, he lost 23 golf balls. On wednesday, he lost 2 more. How many golf balls did he have at the end of wednesday?

---



**Assistant:**

Michael started with 58 golf balls{% set initial\_golf\_balls = 58 %}. After losing 23 on tuesday{% set lost\_tuesday = 23 %}, he had  
{% set golf\_balls\_left = initial\_golf\_balls - lost\_tuesday %}{{ golf\_balls\_left }}. He lost 2 more on wednesday{% set lost\_wednesday = 2 %}, so he has  
{% set final\_golf\_balls = golf\_balls\_left - lost\_wednesday %}{{ final\_golf\_balls }} golf balls.  
Answer: {{ final\_golf\_balls }}

---



**User:**

Question: Olivia has \$23. She bought five bagels for \$3 each. How much money does she have left?

---



**Assistant:**

Olivia had 23 dollars{% set initial\_money = 23 %}. 5 bagels{% set bagel\_count = 5 %} for 3 dollars each{% set bagel\_price = 3 %} will be  
{% set bagel\_cost = bagel\_price \* bagel\_count %}{{ total\_bagel\_cost }} dollars. So she has  
{% set money\_left = initial\_money - bagel\_cost %}{{ money\_left }} dollars.  
Answer: {{ money\_left }}

---



**User:**

*Question we want an answer for*

EXAMPLE INPUT

Here is another one:

Question: Janet's ducks lay 16 eggs per day. She eats three for breakfast every morning and bakes muffins for her friends every day with four. She sells the remainder at the farmers' market daily for \$2 per fresh duck egg. How much in dollars does she make every day at the farmers' market?



**Assistant:**

*LLM generates answer with symbolic references*

EXAMPLE OUTPUT (GPT-4-8K)

Janet's ducks lay 16 eggs per day(`% set total_eggs = 16 %`). She eats 3 for breakfast(`% set breakfast_eggs = 3 %`) and uses 4 for muffins(`% set muffin_eggs = 4 %`). So she uses (`% set used_eggs = breakfast_eggs + muffin_eggs %`)(`{{ used_eggs }}`) eggs. The remainder is (`% set market_eggs = total_eggs - used_eggs %`)(`{{ market_eggs }}`) eggs. She sells these at the farmers' market for \$2 per egg(`% set egg_price = 2 %`), so she makes (`% set market_income = market_eggs * egg_price %`)(`{{ market_income }}`) dollars every day.  
Answer: (`{{ market_income }}`)