

ANNEALED TRAINING FOR COMBINATORIAL OPTIMIZATION ON GRAPHS

Anonymous authors

Paper under double-blind review

ABSTRACT

The hardness of combinatorial optimization (CO) problems hinders collecting solutions for supervised learning. However, learning neural networks for CO problems is notoriously difficult given the lack of labeled data as the training gets trapped easily at local optima. We propose a simple but effective annealed training framework for CO problems in this work. In particular, we transform CO problems into unbiased energy-based models (EBMs). We carefully selected the penalties terms to make the EBMs as smooth as possible. Then we train graph neural networks to approximate the EBMs and we introduce an annealed loss function to prevent the training from being stuck at local optima near the initialization. An experimental evaluation demonstrates that our annealed training framework obtains substantial improvements. In four types of CO problems, our method achieves performance substantially better than other unsupervised neural methods on both synthetic and real-world graphs.

1 INTRODUCTION

Combinatorial Optimization (CO) problems occur whenever there is a requirement to select the best option from a finite set of alternatives. They arise in various application areas, like business, medicine, and engineering (Paschos, 2013). Many CO problems are NP-complete (Karp, 1972; Garey & Johnson, 1979). Thus, excluding the use of exact algorithms to find the optimal solution (Padberg & Rinaldi, 1991; Wolsey & Nemhauser, 1999), different heuristic methods are employed to find suitable solutions in a reasonable time (Nemhauser et al., 1978; Dorigo et al., 2006; Hopfield & Tank, 1985; Kirkpatrick et al., 1983).

Often, instances from the same combinatorial optimization problem family are solved repeatedly, giving rise to the opportunity for learning to improve the heuristic (Bengio et al., 2020). Recently, learning algorithms for CO problems has shown much promise, including supervised (Khalil et al., 2016; Gasse et al., 2019; Li et al., 2018; Selsam et al., 2018; Nair et al., 2020), unsupervised (Karalias & Loukas, 2020; Toenshoff et al., 2021), and reinforcement learning (Dai et al., 2017; Sun et al., 2020; Yolcu & Póczos, 2019; Chen & Tian, 2019). The success of supervised learning relies on labeled data. However, solving a hard problem could take several hours or even days and is computationally prohibitive (Yehuda et al., 2020). Reinforcement learning, suffering from its larger state space and lack of full differentiability, tends to be more challenging and time-consuming to train.

Unsupervised learning usually transforms a CO problem into an optimization problem with a differentiable objective function f where the minima represent discrete solutions (Hopfield & Tank, 1985; Smith, 1999; Karalias & Loukas, 2020). Although this framework allows for efficient learning on large, unlabeled datasets, it is not without challenges. The objective function is typically highly non-convex (Mezard & Montanari, 2009). During learning, the model’s parameters can easily get trapped near a local optimum close to the initialization, never reaching the optimal set of parameters. This makes unsupervised learning for CO problems extremely hard.

To address this challenge, we propose an annealed training framework. In detail, given a CO problem, we consider a tempered EBM $P_\tau \propto e^{-f(\mathbf{x})/\tau}$, where the energy function f unifies constrained or unconstrained CO problems via the big-M method, that is to say, adding large penalties for violated constraints. We derive the minimum values of the penalty coefficient in different CO problems that give us the smoothest, unbiased energy-based models. We train a graph neural network (GNN) that

predicts a variational distribution Q_ϕ to approximate the energy-based model P_τ . During training, we set a high initial temperature τ and decrease it gradually during the training process. When τ is large, P_τ is close to a uniform distribution and only has shallow local optima, such that the parameter θ can traverse to distant regions. When τ decreases to values small enough, the unbiased model P_τ will concentrate on the optimal solutions to the original CO problem.

The experiments are evaluated on four NP-hard graph CO problems: MIS, maximum clique, MDS, and minimum cut. On both synthetic and real-world graphs, our annealed training framework achieves excellent performance compared to other unsupervised neural methods (Toenshoff et al., 2021; Karalias & Loukas, 2020), classical algorithms (Aarts et al., 2003; Bilbro et al., 1988), and integer solvers (Gurobi Optimization). The ablation study demonstrates the importance of selecting proper penalty coefficients and cooling schedules.

In summary, our work has the following contributions:

- We propose an annealed learning framework for generic unsupervised learning on combinatorial optimization problems. It is simple to implement yet effective in improving unsupervised learning across various problems on both synthetic and real graphs.
- We conducted ablation studies that show: 1) annealed training enables the parameters to escape from local optima and traverse a longer distance, 2) selecting proper penalty coefficients is essential, 3) Using initial temperature large enough is critical.

2 ANNEALED TRAINING FOR COMBINATORIAL OPTIMIZATION

We want to learn a graph neural network G_θ to solve combinatorial optimization problems. Given an instance I , the G_θ generates a feature $\phi = G_\theta(I)$ that determines a variational distribution Q_ϕ , from which we decode solutions. This section presents our annealed training framework for training G_θ . We first represent CO problems via an energy-based model. Then, we define the annealed loss function and explain how it helps in training. Finally, we give a toy example to help the understanding.

2.1 ENERGY BASED MODEL

We denote the set of combinatorial optimization (CO) problems as \mathcal{I} . An instance $I \in \mathcal{I}$ is

$$I = (c(\cdot), \{\psi_i\}_{i=1}^m) := \arg \min_{\mathbf{x} \in \{0,1\}^n} c(\mathbf{x}) \quad \text{s.t. } \psi_i(\mathbf{x}) = 0, \quad i = 1, \dots, m \quad (1)$$

where $c(\cdot)$ is the objective function and $\psi_i \in \{0, 1\}$ indicates if the i -th constraint is satisfied. We rewrite the constrained problem into an equivalent unconstrained form via the big M method:

$$\arg \min_{\mathbf{x} \in \{0,1\}^n} f^{(I)}(\mathbf{x}) := c(\mathbf{x}) + \sum_{i=1}^m \beta_i \psi_i(\mathbf{x}), \quad \beta_i \geq 0 \quad (2)$$

If $f^{(I)}$ has its smallest values on optimal solutions for equation 1, we refer it to unbiased. The selection of penalty coefficient β plays an important role in the success of training, and we will discuss our choice of β detailedly in section 3. Using unbiased $f^{(I)}$ as an energy to measure the fitness of a solution x , solving CO problems is converted to finding low energy states. Accordingly, we can define the unbiased energy-based models (EBMs):

$$P_\tau^{(I)}(\mathbf{x}) \propto e^{-f^{(I)}(\mathbf{x})/\tau} \quad (3)$$

where a state x is more likely being observed than another state x' if it has a lower energy $f^{(I)}(x) < f^{(I)}(x')$. The EBMs naturally introduce a temperature τ to control the smoothness of the distribution. When f is unbiased, it has the following property:

Proposition 2.1. *Assume f is unbiased, that's to say, all minimizers of equation 2 are feasible solutions for equation 1. When the temperature τ increases to infinity, the energy-based model P_τ converges to a uniform distribution over the whole state space $\{0, 1\}^n$. When the temperature τ decreases to zero, the energy-based model P_τ converges to a uniform distribution over the optimal solutions for equation 1.*

The proposition above shows that the temperature τ in unbiased EBMs provides an interpolation between a flat uniform distribution and a sharp distribution concentrated on optimal solutions. This idea is the key to the success of simulated annealing (Kirkpatrick et al., 1983) in inference tasks. We will show that the temperature also helps in learning.

2.2 TEMPERED LOSS AND PARAMETERIZATION

We want to learn a graph neural network G_θ parameterized by θ . Given an instance $I \in \mathcal{I}$, $G_\theta(I) = \phi$ generates a vector ϕ that determines a variational distribution Q_ϕ to approximate the target distribution $P_\tau^{(I)}$. We want to minimize the KL-divergence:

$$D_{\text{KL}}(Q_\phi \| P_\tau^{(I)}) = \int Q_\phi(\mathbf{x}) \left(\log Q_\phi(\mathbf{x}) - \log \frac{e^{-f^{(I)}(\mathbf{x})/\tau}}{\sum_{\mathbf{z} \in \{0,1\}^n} e^{-f^{(I)}(\mathbf{z})/\tau}} \right) d\mathbf{x} \quad (4)$$

$$= \frac{1}{\tau} \mathbb{E}_{\mathbf{x} \sim Q_\phi(\cdot)} [f^{(I)}(\mathbf{x})] - H(Q_\phi) + \log \sum_{\mathbf{z} \in \{0,1\}^n} e^{-f^{(I)}(\mathbf{z})/\tau} \quad (5)$$

where $H(p) = -\sum_x p(x) \log p(x)$ denote the entropy of a distribution p . Removing the terms not involving ϕ and multiplying the constant τ , we define our annealed loss functions for ϕ and τ as:

$$L_\tau(\phi, I) = \mathbb{E}_{\mathbf{x} \sim Q_\phi(\cdot)} [f^{(I)}(\mathbf{x})] - \tau H(Q_\phi) \quad (6)$$

$$L_\tau(\theta) = \mathbb{E}_{I \sim \mathcal{I}} \left[\mathbb{E}_{\mathbf{x} \sim Q_{G_\theta(I)}(\cdot)} [f^{(I)}(\mathbf{x})] - \tau H(Q_{G_\theta(I)}) \right] \quad (7)$$

In this work, we consider the variational distribution as a product distribution:

$$Q_\phi(x) = \prod_{i=1}^n (1 - \phi_i)^{1-x_i} \phi_i^{x_i} \quad (8)$$

where $\phi \in [0, 1]^n$. Such a form is popular in learning graphical neural networks for combinatorial optimization (Li et al., 2018; Dai et al., 2020; Karalias & Loukas, 2020) for its simplicity and effectiveness. However, directly applying it to unsupervised learning is challenging. Unlike supervised learning, where the loss function cross-entropy is convex for ϕ , $L_\tau(\phi, I)$ in unsupervised learning could be highly non-convex, especially when τ is small.

2.3 ANNEALED TRAINING

To address the non-convexity in training, we employ annealed training. In particular, we use a large initial temperature τ_0 to smooth the loss function and reduce τ_t gradually to zero during training. From proposition 2.1, it can be seen as a curriculum learning (Bengio et al., 2009) along the interpolation path from the easier uniform distribution to a more challenging target distribution.

Why is it helpful? We need a thorough investigation of the training procedure to answer this. Since the loss function equation 7 is the expectation over the set of instances \mathcal{I} , we use a batch of instances I_1, \dots, I_B to calculate the empirical loss $\hat{L}_\tau(\theta)$ and perform stochastic gradient descent. It gives:

$$\nabla_\theta \hat{L}_\tau(\theta) = \sum_{i=1}^B \nabla_\theta L_\tau(G_\theta(I_i), I_i) = \sum_{i=1}^B \frac{\partial G_\theta(I_i)}{\partial \theta} \nabla_\phi L_\tau(\phi, I_i)|_{\phi=G_\theta(I_i)} \quad (9)$$

$$= \mathbb{E}_{I \sim \mathcal{I}} \left[\frac{\partial G_\theta(I)}{\partial \theta} \nabla_\phi L_\tau(\phi, I)|_{\phi=G_\theta(I)} \right] + \xi \quad (10)$$

$$\approx \mathbb{E}_{I \sim \mathcal{I}} \left[\frac{\partial G_\theta(I)}{\partial \theta} (\nabla_\phi L_\tau(\phi, I)|_{\phi=G_\theta(I)} + \zeta) \right] \quad (11)$$

In equation 10, we assume the batch introduces a stochastic term ξ in gradient w.r.t. θ . In equation 11, we incorporate the stochastic term into the gradient with respect to ϕ . When we assume ζ is a Gaussian noise, the inner term $g = \nabla_\phi L_\tau(\phi, I)|_{\phi=G_\theta(I)} + \zeta$ performs as a stochastic Langevin gradient with respect to ϕ Welling & Teh (2011). Since the training data is sampled from a fixed distribution $I \sim \mathcal{I}$, the scale of the noise ζ is also fixed. When $L_\tau(\phi, i)$ is unsmooth, the randomness from ζ is negligible compared to the gradient $\nabla L_\tau(\phi, i)$ and can not bring ϕ out of local optima. By introducing the temperate τ , we smooth the loss function and reduce the magnitude of $\nabla L_\tau(\phi, i)$. During the training, the annealed training performs an implicit simulated annealing (Kirkpatrick et al., 1983) for ϕ .




Figure 1: A toy example of maximum independent set

2.4 A TOY EXAMPLE

We look at a toy example to have a more intuitive understanding of the annealed training. Consider a MIS problem on an undirected, unweighted graph $G = (V, E)$, the corresponding energy function $f(x)$ is:

$$f(x) = -\sum_{i=1}^n x_i + \sum_{(i,j) \in E} x_i x_j \quad (12)$$

Its correctness can be justified by proposition 3.1. When we use the variational distribution Q_ϕ in equation 8, the first term in $L_\tau(\phi, I)$ becomes to:

$$\mathbb{E}_{\mathbf{x} \sim Q_\phi(\cdot)}[f^{(I)}(\mathbf{x})] = -\sum_{i=1}^n \phi_i + \sum_{(i,j) \in E} \phi_i \phi_j \quad (13)$$

and accordingly, the gradient w.r.t. ϕ is:

$$g = -1 + 2 \sum_{j \in N(i)} \phi_j + \tau(\log \phi_i - \log(1 - \phi_i)) + \zeta \quad (14)$$

where we assume $\zeta \sim \mathcal{N}(0, \sigma^2)$ for a very small σ . When the temperature $\tau = 0$, ϕ_i will collapse to either 0 or 1 very fast. When $\phi_i = 1$, we have $g = -1 + \zeta$, when $\phi_i = 0$, we have $g \geq 1 + \zeta$. Since σ is small, the noise ζ can hardly have an effect, and ϕ will be stuck at local optima, i.e., any maximal independent set such as figure. 1 (a). In figure. 1, we simulate the input (a) at decreasing temperatures $\tau = 1.0, 0.5, 0.1$. When τ is large, all ϕ_i will be pushed to a neutral state, e.g., in the figure. 1 (b) where the difference of ϕ_i is at scale 10^{-3} . In this case, the noise ζ can significantly affect the sign of the gradient g and lead to phase transitions. By gradually decreasing the temperature, ϕ collapses to the global optimum and provides correct guidance to update θ .

3 CASE STUDY

We consider four combinatorial optimization problems on graphs in this work: maximum independent set (MIS), maximum clique, minimum dominate set (MDS), and minimum cut. An undirected weighted graph can represent all problems $G = (V, E, w)$, where $V = \{1, \dots, n\}$ is the set of nodes, E is the set of edges, and w is the weight function. For any $i \in V$, $w_i = w(i)$ is the weight of the node. For any $(i, j) \in E$, $w_{ij} = w(i, j)$ is the weight of the edge. For each problem, we derive the minimum value of the penalty coefficient β such that the energy function has the lowest energy at optimal solutions, and we use the derived values to design the loss functions in our experiments.

3.1 MAXIMUM INDEPENDENT SET AND MAXIMUM CLIQUE

An independent set is a subset of the vertices $S \subseteq V$, such that for arbitrary $i, j \in S$, $(i, j) \notin E$. The MIS problem is finding an independent set S with the largest weight. Rigorously, if we denote $x_i = 1$ to indicate $i \in S$ and $x_i = 0$ to indicate $i \notin S$, the problem can be formulated as:

$$\arg \min_{x \in \{0,1\}^n} c(x) := -\sum_{i=1}^n w_i x_i, \quad \text{subject to } x_i x_j = 0, \forall (i, j) \in E \quad (15)$$

We define the corresponding energy function:

$$f(x) := - \sum_{i=1}^n w_i x_i + \sum_{(i,j) \in E} \beta_{ij} x_i x_j \quad (16)$$

Proposition 3.1. *If $\beta_{ij} \geq \max\{w_i, w_j\}$ for all $(i, j) \in E$, then for any $x \in \{0, 1\}^n$, there exists a $x' \in \{0, 1\}^n$ that satisfies the constraints in equation 15 and has lower energy: $f(x') \leq f(x)$.*

Maximum Clique is equivalent to MIS on the complementary graph. Since a GNN is unaware of this connection, studying maximum clique for learning based approaches is still fruitful. The definition of maximum clique is in Appendix B.2 and show how to properly select the penalty coefficient here.

Proposition 3.2. *If $\beta_{ij} \geq \max\{w_i, w_j\}$ for all $(i, j) \in E^c$, then for any $x \in \{0, 1\}^n$, there exists a $x' \in \{0, 1\}^n$ that satisfies the constraints in equation 24 and has lower energy: $f(x') \leq f(x)$.*

3.2 MINIMUM DOMINATE SET

A dominate set is a subset of the vertices $S \subseteq V$, where for any $v \in V$, there exists $u \in S$ such that $(u, v) \in E$. The MDS problem is finding a dominate set S with the minimum weight. Rigorously, if we denote $x_i = 1$ to indicate $i \in S$ and $x_i = 0$ to indicate $i \notin S$, the problem can be formulated as:

$$\arg \min_{x \in \{0, 1\}^n} c(x) := \sum_{i=1}^n w_i x_i, \quad \text{subject to } (1 - x_i) \prod_{j \in N(i)} (1 - x_j) = 0, \forall i \in V \quad (17)$$

We define the corresponding energy function:

$$f(x) := - \sum_{i=1}^n w_i x_i + \sum_{i=1}^n \beta_i (1 - x_i) \prod_{j \in N(i)} (1 - x_j) \quad (18)$$

Proposition 3.3. *If $\beta_i \geq \min_k \{w_k : k \in N(i) \text{ or } k = i\}$, then for any $x \in \{0, 1\}^n$, there exists a $x' \in \{0, 1\}^n$ that satisfies the constraints in equation 24 and has lower energy: $f(x') \leq f(x)$.*

3.3 MINIMUM CUT

A partition consists of two subsets: S and $V \setminus S$. The cut $\text{cut}(S)$ is defined as the number of weights between S and $V \setminus S$. The volume of S is defined as $\text{vol}(S) = \sum_{i \in S} d_i$, where d_i is the degree of node i . The minimum cut problem is to find a S having the minimum cut, subject to the degree of S is between $[D_0, D_1]$. Rigorously, if we denote $x_i = 1$ to indicate $i \in S$ and $x_i = 0$ to indicate $i \notin S$, the problem can be formulated as:

$$\arg \min_{x \in \{0, 1\}^n} c(x) := \sum_{(i,j) \in E} x_i (1 - x_j) w_{ij}, \quad \text{subject to } D_0 \leq \sum_{i=1}^n d_i x_i \leq D_1 \quad (19)$$

We define the corresponding energy function:

$$f(x) := \sum_{(i,j) \in E} x_i (1 - x_j) w_{ij} + \beta \left(\sum_{i=1}^n d_i x_i - D_1 \right)_+ + \beta \left(D_0 - \sum_{i=1}^n d_i x_i \right)_+ \quad (20)$$

Proposition 3.4. *If $\beta \geq \max_i \{ \sum_{j \in N(i)} |w_{i,j}| \}$, then any $x \in \{0, 1\}^n$, there exists a $x' \in \{0, 1\}^n$ that satisfies the constraints in equation 24 and has lower energy: $f(x') \leq f(x)$.*

4 RELATED WORK

Recently, there has been a surge of interest in learning algorithms for CO problems (Bengio et al., 2020). Supervised learning is widely used. Numerous works have combined GNNs with search procedures to solve classical CO problems, such as the traveling salesman problem (Vinyals et al., 2015; Joshi et al., 2019; Prates et al., 2019), graph matching (Wang et al., 2019; 2020), quadratic assignments (Nowak et al., 2017), graph coloring (Lemos et al., 2019), and MIS (Li et al., 2018).

Table 1: Evaluation of Maximum Independent Set

Size	small		large		Collab		Twitter	
Method	ratio	time (s)						
Erdos	0.805 ± 0.052	0.156	0.781 ± 0.644	2.158	0.986 ± 0.056	0.010	0.975 ± 0.033	0.020
Our's	0.898 ± 0.030	0.165	0.848 ± 0.529	2.045	0.997 ± 0.020	0.010	0.986 ± 0.012	0.020
RUNCSP	0.823 ± 0.145	1.936	0.587 ± 0.312	7.282	0.912 ± 0.101	0.254	0.845 ± 0.184	4.429
RUNCSP(A)	0.851 ± 0.158	1.942	0.629 ± 0.451	7.268	0.923 ± 0.188	0.281	0.877 ± 0.209	4.438
Greedy	0.761 ± 0.058	0.002	0.720 ± 0.046	0.009	0.996 ± 0.017	0.001	0.957 ± 0.037	0.006
MFA	0.784 ± 0.058	0.042	0.747 ± 0.056	0.637	0.998 ± 0.007	0.002	0.994 ± 0.010	0.003
G(0.5s)	0.864 ± 0.169	0.723	0.632 ± 0.176	1.199	1.000 ± 0.000	0.029	0.950 ± 0.191	0.441
G(1.0s)	0.972 ± 0.065	1.063	0.635 ± 0.176	1.686	1.000 ± 0.000	0.029	1.000 ± 0.000	0.462

Table 2: Evaluation of Maximum Clique

Size	small		large		Collab		Twitter	
Method	ratio	time (s)						
Erdos	0.813 ± 0.067	0.279	0.735 ± 0.084	0.622	0.960 ± 0.019	0.139	0.822 ± 0.085	0.222
Our's	0.901 ± 0.055	0.262	0.831 ± 0.078	0.594	0.988 ± 0.011	0.143	0.920 ± 0.083	0.213
RUNCSP	0.821 ± 0.131	2.045	0.574 ± 0.299	7.332	0.887 ± 0.134	0.164	0.832 ± 0.153	4.373
RUNCSP(A)	0.860 ± 0.189	2.101	0.609 ± 0.381	7.294	0.895 ± 0.162	0.188	0.877 ± 0.221	4.442
Greedy	0.764 ± 0.064	0.002	0.727 ± 0.038	0.014	0.999 ± 0.002	0.001	0.959 ± 0.034	0.001
MFA	0.804 ± 0.064	0.144	0.710 ± 0.045	0.147	1.000 ± 0.000	0.005	0.994 ± 0.010	0.010
G(0.5s)	0.948 ± 0.076	0.599	0.812 ± 0.087	0.617	0.997 ± 0.035	0.061	0.976 ± 0.065	0.382
G(1.0s)	0.984 ± 0.042	0.705	0.847 ± 0.101	1.077	0.999 ± 0.015	0.062	0.997 ± 0.029	0.464

Another fruitful direction is combining learning with existing solvers. For example, in the branch and bound algorithm, He et al. (2014); Khalil et al. (2016); Gasse et al. (2019); Nair et al. (2020) learn the variable selection policy by imitating the decision of oracle or rules designed by human experts. However, the success of supervised learning relies on large labeled datasets, which is hard to efficiently generate in an unbiased and representative manner (Yehuda et al., 2020).

Many works, therefore, choose to use reinforcement learning instead. Dai et al. (2017) combines Q-learning with greedy algorithms to solve CO problems on graphs. Q-learning is also used in (Bai et al., 2020) for maximum subgraph problem. Sun et al. (2020) uses an evolutionary strategy to learn variable selection in the branch and bound algorithm. Yolcu & Póczos (2019) employs REINFORCE algorithm to learn local heuristics for SAT problems. Chen & Tian (2019) uses actor-critic learning to learn a local rewriting algorithm. Despite being a promising approach that avoids using labeled data, reinforcement learning is typically sample inefficient and notoriously unstable to train due to poor gradient estimations, correlations present in the sequence of observations, and hard explorations (Espenholt et al., 2018; Tang et al., 2017).

Works in unsupervised learning show promising results. In initial attempts, Hopfield & Tank (1985); Van den Bout & Miller (1989); Ramanujam & Sadayappan (1995) transform CO problems into optimization problem of neural networks with differentiable objective functions. More recently, a series of deep learning approaches emerges. Yao et al. (2019) train GNN for the max-cut problem by optimizing a relaxation of the cut objective, Toenshoff et al. (2021) trains RNN for maximum-SAT via maximizing the probability of its prediction. Karalias & Loukas (2020) use a GNN to predict the distribution and the graphical neural network to minimize the expectation of the objective function on this distribution. The probabilistic method provides a good framework for unsupervised learning. However, optimizing the distribution is typically non-convex (Mezard & Montanari, 2009), making the training very unstable.

5 EXPERIMENTS

5.1 SETTINGS

Dataset: For MIS and maximum clique, problems on both real and random graphs are easy (Dai et al., 2020). Hence, we follow Karalias & Loukas (2020) to use RB graphs (Xu et al., 2007), designed to

generate hard instances. We use a small dataset containing graphs with 200-300 nodes and a large dataset containing graphs with 800-1200 nodes. For MDS, we follow Dai et al. (2020) to use BA graphs with 4 attaching edges (Barabási & Albert, 1999). We also use a small dataset containing graphs with 200-300 nodes and a large dataset containing graphs with 800-1200 nodes. We also use real graph datasets Collab, Twitter from TUdataset (Morris et al., 2020). For minimum cut, we follow Karalias & Loukas (2020) and use real graph datasets including SF-295 (Yan et al., 2008), Facebook (Traud et al., 2012), and Twitter (Morris et al., 2020). For RB graphs, the optimal solution is known during the graph construction. For other problems, we generate the "ground truth" solution through Gurobi 9.5 (Gurobi Optimization) with a time limit of 3600 seconds. For synthetic datasets, we generate 2000 graphs for training, 500 for validation, and 500 for testing. For real datasets, we follow Karalias & Loukas (2020) and use a 60-20-20 split for training, validating, and testing.

Implementation: We train our graph neural network on training data with 500 epochs. We choose the penalty coefficient β at the critical point for each problem type. We use the schedule:

$$\tau_k = \tau_0 / (1 + \alpha k) \quad (21)$$

where τ_0 is chosen as the Lipschitz constant of the energy function equation 2 and α is selected to make sure the final temperature $\tau_{500} = 0.001$. Since the contribution of this work focuses on the training framework, the architecture of the graph neural network is not important. Hence, we provide results from applying annealing training to Karalias & Loukas (2020) and Toenshoff et al. (2021) for fair comparison, denoted as "Annealed Erdos" and "Annealed RUNCSP" respectively. In particular, the architecture from Karalias & Loukas (2020) consists of multiple layers of the Graph Isomorphism Network (Xu et al., 2018) and a graph Attention (Veličković et al., 2017). More details refer to Karalias & Loukas (2020). Moreover, the architecture from Toenshoff et al. (2021) creates a network that approximates a Constraint Language (Dechter et al., 2003) using a message-passing GNN using an LSTM for internal updates (Hochreiter & Schmidhuber, 1997). With both of these GNN architectures, after obtaining the variational distribution Q_ϕ equation 8, we generate the solution via conditional decoding (Raghavan, 1988).

Baselines: We compare our method with unsupervised neural methods, classical algorithms, and integer programming solvers. To establish a strong baseline for neural methods, we use the Erdos GNN (Karalias & Loukas, 2020), the state-of-the-art unsupervised learning framework for combinatorial optimization problems. For maximum clique and MIS, we transform the problem to constraint programming and compare them with RUNCSP (Toenshoff et al., 2021). We also implement the annealed training version of RUNCSP and denote it as RUNCSP(A). We followed Karalias & Loukas (2020) for minimum cut and built the L1 GNN and L2 GNN. In classical algorithms, we consider greedy algorithms and mean field annealing (MFA) (Bilbro et al., 1988). MFA also runs mean field approximation (ANDERSON, 1988) to predict a variational distribution as our method. The difference is that the update rule of MFA is determined after seeing the current graph, while the parameters in GNN are trained on the whole dataset. Also, in minimum cut, we follow (Karalias & Loukas, 2020) to compare with well-known and advanced algorithms: *Pageran-Nibble* (Andersen et al., 2006), Capacity Releasing Diffusion (CRD) (Wang et al., 2017), Max-flow Quotient-cut Improvement (Lang & Rao, 2004), and Simple-Local (Veldt et al., 2016). For integer programming solver, we use Gurobi 9.0 (Gurobi Optimization) and set different time limits t . We denote $G(t)$ as Gurobi 9.0 (t s). where t is the solving time limit. One needs to notice that Gurobi has preprocessing before solving, so the actual running time can be longer than the given time limit.

5.2 RESULTS

We report the results for MIS in Table 1, the results for maximum clique in Table 2, for MDS in Table 3, for minimum cut in Table 4. More results for comparison with supervised learning methods and evaluation on very large graphs are provided in C.4 and C.5. In the MIS and maximum clique, we report the ratios computed by dividing the optimal value by the obtained value (the larger, the better). In the MDS, we report the ratios computed from the obtained value by dividing the optimal value (the larger, the better). In minimum cut, we follow Karalias & Loukas (2020) and evaluate the performance via local conductance: $\text{cut}(S)/\text{vol}(S)$ (the smaller the better). We can see that the annealed training substantially improves the performance of Erdos across all problem types and all datasets, except for SF-295 in minimum cut, by utilizing a better-unsupervised training framework. Our method also outperforms greedy heuristics, classical algorithms such as MFA, CRD, MQI, and other learning based approaches such as RUNCSP, L1/L2 GNN. Besides, with annealed training,

Table 3: Evaluation of Minimum Dominate Set

Size	small		large		Collab		Twitter	
	ratio	time (s)						
Erdos	0.909 ± 0.037	0.121	0.889 ± 0.017	0.449	0.982 ± 0.070	0.007	0.924 ± 0.098	0.015
Our's	0.954 ± 0.006	0.120	0.931 ± 0.015	0.453	0.993 ± 0.062	0.006	0.952 ± 0.074	0.016
Greedy	0.743 ± 0.053	0.254	0.735 ± 0.026	3.130	0.661 ± 0.406	0.028	0.741 ± 0.142	0.079
MFA	0.926 ± 0.032	0.213	0.910 ± 0.016	3.520	0.895 ± 0.210	0.030	0.952 ± 0.076	0.099
G(0.5s)	0.993 ± 0.014	0.381	0.994 ± 0.013	0.384	1.000 ± 0.000	0.042	1.000 ± 0.000	0.084
G(1.0s)	0.999 ± 0.005	0.538	0.999 ± 0.005	0.563	1.000 ± 0.000	0.042	1.000 ± 0.000	0.084

Table 4: Evaluation of Minimum Cut

Size	SF-295		Facebook		Twitter	
	ratio	time (s)	ratio	time (s)	ratio	time (s)
Erdos	0.124 ± 0.001	0.22	0.156 ± 0.026	289.3	0.292 ± 0.009	6.17
Our's	0.135 ± 0.011	0.23	0.151 ± 0.045	290.5	0.201 ± 0.007	6.16
L1 GNN	0.188 ± 0.045	0.02	0.571 ± 0.191	13.83	0.318 ± 0.077	0.53
L2 GNN	0.149 ± 0.038	0.01	0.305 ± 0.082	13.83	0.388 ± 0.074	0.53
Pagerank-Nibble	0.375 ± 0.001	1.48	N/A	N/A	0.603 ± 0.005	20.62
CRD	0.364 ± 0.001	0.03	0.301 ± 0.097	596.46	0.502 ± 0.020	20.35
MQI	0.659 ± 0.000	0.03	0.935 ± 0.024	408.52	0.887 ± 0.007	0.71
Simple-Local	0.650 ± 0.024	0.05	0.955 ± 0.019	404.67	0.895 ± 0.006	0.84
G(10s)	0.105 ± 0.000	0.16	0.961 ± 0.010	1787.79	0.535 ± 0.006	52.98

the learned GNN outperforms MFA in most problems, with less number of iterations. It indicates that learning the shared patterns in graphs is helpful in solving CO problems. Comparing to integer solver, Gurobi is able to obtain good ratio on smaller graphs. On larger scale instances, our method can achieve comparable or even better results.

5.3 PARAMETER CHANGE DISTANCE

We want to stress that we use the same graph neural network as Erdos or RUNCSP, and the performance improvements come from our annealed training framework. In scatter plot 2, 3, we report the relative change for the parameters of GNN in MIS and MDS problems on the Twitter dataset. The relative change is calculated as $\frac{\|u-v\|_2}{\|v\|_2}$, where v and u are vectors flattened from the parameters of GNN before and after training. For each method, we run 20 seeds. After introducing the annealed training, we see that both the ratio and the relative change of the parameters have a systematic increase, meaning the parameters of GNN can traverse to more distant regions and find better optima in annealed learning. We believe this effectively supports that annealed training prevents the training from being stuck at local optima.

6 ABLATION STUDY

We conduct an ablation study to answer two questions:

1. How does the penalty coefficient β in equation 2 influence the performance?
2. How does the annealing schedule influence the performance?

We conduct the experiments for the MDS problem on the small BA graphs from the previous section.

6.1 PENALTY COEFFICIENT

In the MDS problem, we know that the minimum penalty coefficient β needed to ensure the EBMs unbiased on the unweighted BA graphs is $\beta = 1.0$. To justify the importance to use the minimum penalty, we evaluate the performance for $\beta = \{0.0, 0.25, 0.5, 0.75, 1.0, 2.0, 3.0, 5.0\}$. For each β , we run experiments with five random seeds, and we report the result in Figure 4. We can see that the minimum penalty $\beta = 1$ has the best ratio. When the penalty coefficient $\beta < 1$, the EBMs




Figure 2: Distance in MIS




Figure 3: Distance in MDS




Figure 4: Ablation for β






Figure 5: Ablation for annealing schedule

equation 3 are biased and have weights on infeasible solutions, thereby reducing the performance. When the penalty coefficient $\beta > 1$, the energy model equation 3 becomes less smooth and increases the difficulty in training. The penalty coefficient $\beta = 1$ gives the smoothest unbiased EBMs and has the best performance. We want to note that when $\beta = 0$, the loss function is non-informative, and the performance ratio can be as low as 0.3, so we do not plot its result in the figure.

6.2 ANNEALING SCHEDULE

We use the schedule equation 21 so as to make sure the potential change $f/\tau_{k+1} - f/\tau_k \equiv C$ is a constant for all steps k . In fact, with the schedule equation 21, the potential $f/\tau_k = (1 + \alpha(k-1))f/\tau_0$ is a linear function w.r.t. k . Hence, we name it a linear schedule. It is possible to use other schedules, e.g. $f/\tau_k = (1 + \alpha(k-1))^{\frac{1}{2}}f/\tau_0$ and $f/\tau_k = (1 + \alpha(k-1))^3f/\tau_0$, and we name them as concave and convex schedule. The visualization of the temperature schedule and the potential schedule is given in Figure 5. The initial temperature is also an important hyperparameter. We evaluate the initial temperature $\tau_0 = \{0.0, 0.1, 0.5, 1.0, 2.0, 5.0\}$. We report the results in Figure 5. We see that the performance is robust for whichever convex, linear, or concave schedule is used. The more important factor is the initial temperature τ_0 . The performance is reduced when τ_0 is too small as the energy-based model equation 3 is not smooth enough, and the performance is robust when τ_0 is large.

7 DISCUSSION

This paper proposes a generic unsupervised learning framework for combinatorial optimization problems and substantially improves the performance of the state-of-the-art method. One restriction of the current method is that it relies on conditional decoding to sample solutions from the learned variational distributions. For problems with more complex constraints, the decoded solutions might be infeasible. Hence, we believe better decoding strategies should be considered in future work.

The framework’s success relies on smoothing the loss function via critical penalty coefficients and annealed training as they effectively prevent the training from being stuck at local optima. The techniques introduced here can be potentially applied in a broader context beyond combinatorial optimization, especially in the weakly supervised learning setting like logic reasoning (Huang et al., 2021), program induction (Chen et al., 2020), question answering (Ren et al., 2021) where fine-grained supervisions are missing and required to be inferred.

REFERENCES

- Aarts, E., Aarts, E. H., and Lenstra, J. K. *Local search in combinatorial optimization*. Princeton University Press, 2003.
- Andersen, R., Chung, F., and Lang, K. Local graph partitioning using pagerank vectors. In *2006 47th Annual IEEE Symposium on Foundations of Computer Science (FOCS'06)*, pp. 475–486. IEEE, 2006.
- ANDERSON, C. P. J. Neural networks and np-complete optimization problems; a performance study on the graph bisection problem. *Complex Systems*, 2:58–59, 1988.
- Bai, Y., Xu, D., Wang, A., Gu, K., Wu, X., Marinovic, A., Ro, C., Sun, Y., and Wang, W. Fast detection of maximum common subgraph via deep q-learning. *arXiv preprint arXiv:2002.03129*, 2020.
- Barabási, A.-L. and Albert, R. Emergence of scaling in random networks. *science*, 286(5439): 509–512, 1999.
- Bengio, Y., Louradour, J., Collobert, R., and Weston, J. Curriculum learning. In *Proceedings of the 26th annual international conference on machine learning*, pp. 41–48, 2009.
- Bengio, Y., Lodi, A., and Prouvost, A. Machine learning for combinatorial optimization: a methodological tour d’horizon. *European Journal of Operational Research*, 2020.
- Bilbro, G., Mann, R., Miller, T., Snyder, W., van den Bout, D., and White, M. Optimization by mean field annealing. *Advances in neural information processing systems*, 1:91–98, 1988.
- Chen, X. and Tian, Y. Learning to perform local rewriting for combinatorial optimization. *Advances in Neural Information Processing Systems*, 32:6281–6292, 2019.
- Chen, X., Liang, C., Yu, A. W., Song, D., and Zhou, D. Compositional generalization via neural-symbolic stack machines. *Advances in Neural Information Processing Systems*, 33:1690–1701, 2020.
- Dai, H., Khalil, E. B., Zhang, Y., Dilkina, B., and Song, L. Learning combinatorial optimization algorithms over graphs. *arXiv preprint arXiv:1704.01665*, 2017.
- Dai, H., Chen, X., Li, Y., Gao, X., and Song, L. A framework for differentiable discovery of graph algorithms. 2020.
- Dechter, R., Cohen, D., et al. *Constraint processing*. Morgan Kaufmann, 2003.
- Dorigo, M., Birattari, M., and Stutzle, T. Ant colony optimization. *IEEE computational intelligence magazine*, 1(4):28–39, 2006.
- Espeholt, L., Soyer, H., Munos, R., Simonyan, K., Mnih, V., Ward, T., Doron, Y., Firoiu, V., Harley, T., Dunning, I., et al. Impala: Scalable distributed deep-rl with importance weighted actor-learner architectures. In *International Conference on Machine Learning*, pp. 1407–1416. PMLR, 2018.
- Garey, M. R. and Johnson, D. S. *Computers and intractability*, volume 174. freeman San Francisco, 1979.
- Gasse, M., Chételat, D., Ferroni, N., Charlin, L., and Lodi, A. Exact combinatorial optimization with graph convolutional neural networks. *arXiv preprint arXiv:1906.01629*, 2019.
- Gurobi Optimization, L. Gurobi optimizer reference manual, 2022. URL <http://www.gurobi.com>, 19.
- He, H., Daume III, H., and Eisner, J. M. Learning to search in branch and bound algorithms. *Advances in neural information processing systems*, 27:3293–3301, 2014.
- Hochreiter, S. and Schmidhuber, J. Long short-term memory. *Neural Comput.*, 9(8):1735–1780, nov 1997. ISSN 0899-7667. doi: 10.1162/neco.1997.9.8.1735. URL <https://doi.org/10.1162/neco.1997.9.8.1735>.

- Hopfield, J. J. and Tank, D. W. “neural” computation of decisions in optimization problems. *Biological cybernetics*, 52(3):141–152, 1985.
- Huang, J., Li, Z., Chen, B., Samel, K., Naik, M., Song, L., and Si, X. Scallop: From probabilistic deductive databases to scalable differentiable reasoning. *Advances in Neural Information Processing Systems*, 34, 2021.
- Joshi, C. K., Laurent, T., and Bresson, X. An efficient graph convolutional network technique for the travelling salesman problem. *arXiv preprint arXiv:1906.01227*, 2019.
- Karalias, N. and Loukas, A. Erdos goes neural: an unsupervised learning framework for combinatorial optimization on graphs. *arXiv preprint arXiv:2006.10643*, 2020.
- Karp, R. M. Reducibility among combinatorial problems. In *Complexity of computer computations*, pp. 85–103. Springer, 1972.
- Khalil, E., Le Bodic, P., Song, L., Nemhauser, G., and Dilkina, B. Learning to branch in mixed integer programming. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 30, 2016.
- Kirkpatrick, S., Gelatt, C. D., and Vecchi, M. P. Optimization by simulated annealing. *science*, 220(4598):671–680, 1983.
- Lang, K. and Rao, S. A flow-based method for improving the expansion or conductance of graph cuts. In *International Conference on Integer Programming and Combinatorial Optimization*, pp. 325–337. Springer, 2004.
- Lemos, H., Prates, M., Avelar, P., and Lamb, L. Graph colouring meets deep learning: Effective graph neural network models for combinatorial problems. In *2019 IEEE 31st International Conference on Tools with Artificial Intelligence (ICTAI)*, pp. 879–885. IEEE, 2019.
- Li, Z., Chen, Q., and Koltun, V. Combinatorial optimization with graph convolutional networks and guided tree search. *arXiv preprint arXiv:1810.10659*, 2018.
- Mezard, M. and Montanari, A. *Information, physics, and computation*. Oxford University Press, 2009.
- Morris, C., Kriege, N. M., Bause, F., Kersting, K., Mutzel, P., and Neumann, M. Tudataset: A collection of benchmark datasets for learning with graphs. *arXiv preprint arXiv:2007.08663*, 2020.
- Nair, V., Bartunov, S., Gimeno, F., von Glehn, I., Lichocki, P., Lobov, I., O’Donoghue, B., Sonnerat, N., Tjandraatmadja, C., Wang, P., et al. Solving mixed integer programs using neural networks. *arXiv preprint arXiv:2012.13349*, 2020.
- Nemhauser, G. L., Wolsey, L. A., and Fisher, M. L. An analysis of approximations for maximizing submodular set functions—i. *Mathematical programming*, 14(1):265–294, 1978.
- Nowak, A., Villar, S., Bandeira, A. S., and Bruna, J. A note on learning algorithms for quadratic assignment with graph neural networks. *stat*, 1050:22, 2017.
- Padberg, M. and Rinaldi, G. A branch-and-cut algorithm for the resolution of large-scale symmetric traveling salesman problems. *SIAM review*, 33(1):60–100, 1991.
- Paschos, V. T. *Applications of combinatorial optimization*. John Wiley & Sons, 2013.
- Prates, M., Avelar, P. H., Lemos, H., Lamb, L. C., and Vardi, M. Y. Learning to solve np-complete problems: A graph neural network for decision tsp. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 33, pp. 4731–4738, 2019.
- Raghavan, P. Probabilistic construction of deterministic algorithms: approximating packing integer programs. *Journal of Computer and System Sciences*, 37(2):130–143, 1988.
- Ramanujam, J. and Sadayappan, P. Mapping combinatorial optimization problems onto neural networks. *Information sciences*, 82(3-4):239–255, 1995.

- Ren, H., Dai, H., Dai, B., Chen, X., Yasunaga, M., Sun, H., Schuurmans, D., Leskovec, J., and Zhou, D. Lego: Latent execution-guided reasoning for multi-hop question answering on knowledge graphs. In *International Conference on Machine Learning*, pp. 8959–8970. PMLR, 2021.
- Selsam, D., Lamm, M., Bünz, B., Liang, P., de Moura, L., and Dill, D. L. Learning a sat solver from single-bit supervision. *arXiv preprint arXiv:1802.03685*, 2018.
- Smith, K. A. Neural networks for combinatorial optimization: a review of more than a decade of research. *INFORMS Journal on Computing*, 11(1):15–34, 1999.
- Sun, H., Chen, W., Li, H., and Song, L. Improving learning to branch via reinforcement learning. In *Learning Meets Combinatorial Algorithms at NeurIPS2020*, 2020. URL <https://openreview.net/forum?id=z4D7-PTxTb>.
- Tang, H., Houthoofd, R., Foote, D., Stooke, A., Chen, X., Duan, Y., Schulman, J., De Turck, F., and Abbeel, P. # exploration: A study of count-based exploration for deep reinforcement learning. In *31st Conference on Neural Information Processing Systems (NIPS)*, volume 30, pp. 1–18, 2017.
- Toenshoff, J., Ritzert, M., Wolf, H., and Grohe, M. Graph neural networks for maximum constraint satisfaction. *Frontiers in artificial intelligence*, 3:98, 2021.
- Traud, A. L., Mucha, P. J., and Porter, M. A. Social structure of facebook networks. *Physica A: Statistical Mechanics and its Applications*, 391(16):4165–4180, 2012.
- Van den Bout, D. E. and Miller, T. Improving the performance of the hopfield-tank neural network through normalization and annealing. *Biological cybernetics*, 62(2):129–139, 1989.
- Veldt, N., Gleich, D., and Mahoney, M. A simple and strongly-local flow-based method for cut improvement. In *International Conference on Machine Learning*, pp. 1938–1947. PMLR, 2016.
- Veličković, P., Cucurull, G., Casanova, A., Romero, A., Lio, P., and Bengio, Y. Graph attention networks. *arXiv preprint arXiv:1710.10903*, 2017.
- Vinyals, O., Fortunato, M., and Jaitly, N. Pointer networks. *arXiv preprint arXiv:1506.03134*, 2015.
- Wang, D., Fountoulakis, K., Henzinger, M., Mahoney, M. W., and Rao, S. Capacity releasing diffusion for speed and locality. In *International Conference on Machine Learning*, pp. 3598–3607. PMLR, 2017.
- Wang, R., Yan, J., and Yang, X. Learning combinatorial embedding networks for deep graph matching. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pp. 3056–3065, 2019.
- Wang, R., Yan, J., and Yang, X. Combinatorial learning of robust deep graph matching: an embedding based approach. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2020.
- Welling, M. and Teh, Y. W. Bayesian learning via stochastic gradient langevin dynamics. In *Proceedings of the 28th international conference on machine learning (ICML-11)*, pp. 681–688. Citeseer, 2011.
- Wolsey, L. A. and Nemhauser, G. L. *Integer and combinatorial optimization*, volume 55. John Wiley & Sons, 1999.
- Xu, K., Boussemart, F., Hemery, F., and Lecoutre, C. Random constraint satisfaction: Easy generation of hard (satisfiable) instances. *Artificial intelligence*, 171(8-9):514–534, 2007.
- Xu, K., Hu, W., Leskovec, J., and Jegelka, S. How powerful are graph neural networks? *arXiv preprint arXiv:1810.00826*, 2018.
- Yan, X., Cheng, H., Han, J., and Yu, P. S. Mining significant graph patterns by leap search. In *Proceedings of the 2008 ACM SIGMOD international conference on Management of data*, pp. 433–444, 2008.

Yao, W., Bandeira, A. S., and Villar, S. Experimental performance of graph neural networks on random instances of max-cut. In *Wavelets and Sparsity XVIII*, volume 11138, pp. 111380S. International Society for Optics and Photonics, 2019.

Yehuda, G., Gabel, M., and Schuster, A. It’s not what machines can learn, it’s what we cannot teach. In *International Conference on Machine Learning*, pp. 10831–10841. PMLR, 2020.

Yolcu, E. and Póczos, B. Learning local search heuristics for boolean satisfiability. In *NeurIPS*, pp. 7990–8001, 2019.

A TYPES OF PROBLEMS SOLVABLE

The current method uses conditional decoding (Raghavan, 1988) to sample solutions from the learned variational distributions, which requires monotonic post-processing to make sure the final solution is feasible. For example, in the maximum independent set, the monotonic post-processing is removing nodes when conflict happens, in the minimum dominant set, the monotonic post-processing is adding nodes when a node has not been covered. Such a framework can be applied to CO problems that have trivial solutions, such as set covering problems, but can not be applied to CO problems with complicated constraints, such as vehicle routing problems.

B COMPLETE PROOF

B.1 MAXIMUM INDEPENDENT SET

In MIS, we use the energy function:

$$f(x) := - \sum_{i=1}^n w_i x_i + \sum_{(i,j) \in E} \beta_{ij} x_i x_j \quad (22)$$

We are going to prove the following proposition.

Proposition B.1. *If $\beta_{ij} \geq \min\{w_i, w_j\}$ for all $(i, j) \in E$, then for any $x \in \{0, 1\}^n$, there exists a $x' \in \{0, 1\}^n$ that satisfies the constraints in equation 15 and has lower energy: $f(x') \leq f(x)$.*

Proof. For arbitrary $x \in \{0, 1\}^n$, if x satisfies all constraints, we only need to let $x' = x$. Else, there must exist an edge $(i, j) \in E$, such that $x_i x_j = 1$. Denote $k = \arg \min\{w_i, w_j\}$, we define $x'_i = x_i$ if $i \neq k$ and $x'_k = 0$. In this case, we have:

$$f(x') - f(x) = w_k - \sum_{j \in N(k)} \beta_{k,j} x_j \leq w_k (1 - \sum_{j \in N(k)} x_j) \leq 0 \quad (23)$$

Thus we show $f(x') \leq f(x)$.

On the other side, consider a graph $G = (V = \{1, 2\}, E = \{(1, 2)\})$ and $\beta_{12} < w_1 < w_2$. Then the maximum independent set is $\{2\}$, which can be represented by $x = (0, 1)$. However, in this case, let $x' = (1, 1)$ is feasible while $f(x') \leq f(x)$. This means the condition we just derived is sharp. \square

B.2 MAXIMUM CLIQUE

A clique is a subset of the vertices $S \subseteq V$, such that every two distinct $i, j \in S$ are adjacent: $(i, j) \in E$. The maximum problem is finding a clique S with the largest weight. Rigorously, if we denote $x_i = 1$ to indicate $i \in S$ and $x_i = 0$ to indicate $i \notin S$, the problem can be formulated as:

$$\arg \min_{x \in \{0, 1\}^n} c(x) := - \sum_{i=1}^n w_i x_i, \quad \text{subject to } x_i x_j = 0, \forall (i, j) \in E^c \quad (24)$$

where $E^c = \{(i, j) \in V \times V : i \neq j, (i, j) \notin E\}$ is the set of complement edges on graph G . We define the corresponding energy function:

$$f(x) := - \sum_{i=1}^n w_i x_i + \sum_{(i,j) \in E^c} \beta_{ij} x_i x_j \quad (25)$$

We are going to prove the following proposition.

Proposition B.2. *If $\beta_{ij} \geq \min\{w_i, w_j\}$ for all $(i, j) \in E^c$, then for any $x \in \{0, 1\}^n$, there exists a $x' \in \{0, 1\}^n$ that satisfies the constraints in equation 24 and has lower energy: $f(x') \leq f(x)$.*

Proof. For arbitrary $x \in \{0, 1\}^n$, if x satisfies all constraints, we only need to let $x' = x$. Else, there must exist an edge $(i, j) \in E^c$, such that $x_i x_j = 1$. Denote $k = \arg \min\{w_i, w_j\}$, we define $x'_i = x_i$ if $i \neq k$ and $x'_k = 0$. In this case, we have:

$$f(x') - f(x) = w_k - \sum_{j:(k,j) \in E^c} \beta_{k,j} x_j \leq w_k (1 - \sum_{j:(k,j) \in E^c} x_j) \leq 0 \quad (26)$$

Thus we show $f(x') \leq f(x)$.

On the other side, consider a graph $G = (V = \{1, 2\}, E = \{\})$ and $\beta_{12} < w_1 < w_2$. Then the maximum clique is $\{2\}$, which can be represented by $x = (0, 1)$. However, in this case, let $x' = (1, 1)$ is feasible while $f(x') \leq f(x)$. This means the condition we just derived is sharp. \square

B.3 MINIMUM DOMINATE SET

In MIS, we use the energy function:

$$f(x) := \sum_{i=1}^n w_i x_i + \sum_{i=1}^n \beta_i (1 - x_i) \prod_{j \in N(i)} (1 - x_j) \quad (27)$$

We are going to prove the following proposition.

Proposition B.3. *If $\beta_i \geq \min_k \{w_k : k \in N(i) \text{ or } k = i\}$, then for any $x \in \{0, 1\}^n$, there exists a $x' \in \{0, 1\}^n$ that satisfies the constraints in equation 24 and has lower energy: $f(x') \leq f(x)$.*

Proof. For arbitrary $x \in \{0, 1\}^n$, if x satisfies all constraints, we only need to let $x' = x$. Else, there must exist a node $t \in V$, such that $x_t = 0$ and $x_j = 0$ for all $j \in N(t)$. Let $k = \arg \min\{w_j : j \in N(t), \text{ or } j = t\}$, we define $x'_i = x_i$ if $i \neq k$ and $x'_k = 1$. In this case, we have:

$$f(x') - f(x) = w_k - \beta_t + \sum_{i \neq t} \beta_i \left[(1 - x'_i) \prod_{j \in N(i)} (1 - x'_j) - (1 - x_i) \prod_{j \in N(i)} (1 - x_j) \right] \leq 0 \quad (28)$$

Thus, we prove $f(x') \leq f(x)$.

On the other side, consider a graph $G = (V = \{1\}, E = \{\})$ and $\beta_1 < w_1$. Then the maximum clique is $\{1\}$, which can be represented by $x = (1)$. However, in this case, let $x' = (0)$ is feasible while $f(x') \leq f(x)$. This means the condition we just derived is sharp. \square

B.4 MINIMUM CUT

In MIS, we use the energy function:

$$f(x) := \sum_{(i,j) \in E} x_i (1 - x_j) w_{ij} + \beta \left(\sum_{i=1}^n d_i x_i - D_1 \right)_+ + \beta \left(D_0 - \sum_{i=1}^n d_i x_i \right)_+ \quad (29)$$

We are going to prove the following proposition.

Proposition B.4. *If $\beta \geq \max_i \{\sum_{j \in N(i)} |w_{i,j}|\}$, then any $x \in \{0, 1\}^n$, there exists a $x' \in \{0, 1\}^n$ that satisfies the constraints in equation 24 and has lower energy: $f(x') \leq f(x)$.*

C EXPERIMENT DETAILS

C.1 HARDWARE

All methods were run on Intel(R) Xeon(R) Gold 5215 CPU @ 2.50GHz, with 377GB of available RAM. The neural networks were executed on a single RTX6000 25GB graphics card. The code was executed on version 1.9.0 of PyTorch and version 1.7.2 of PyTorch Geometric.

Table 5: Evaluation of MDS on BA-4 compared to Supervised Learning

Graphs	256-300	512-600	1024-1100
Supervised	0.947	0.938	0.934
Erdos	0.909	0.905	0.898
Ours	0.937	0.935	0.926

C.2 GREEDY ALGORITHM

For MIS, greedy algorithm can be described in the following steps:

1. Pick the variable i has the smallest degree d_i in the candidate set.
2. Delete i and all its neighborhood $N(i) = \{j : (i, j) \in E\}$ on the current graph.
3. Repeat step 1-2, until the current graph is empty.

For maximum clique, we first transform the graph into its complementary, then apply the greedy algorithm for MIS.

For MDS, greedy algorithm can be described in the following steps:

1. For every node i , initialize its state $s_i = 1$ to indicate whether it has not been covered.
2. For every node i , initialize its covering number $c_i = s_i + \sum_{j \in N(i)} s_j$ to indicate how many nodes can be covered by selecting node i
3. Select the node i has the largest covering number c_i .
4. Mark $s_i = 0$, and $s_j = 0$ for $j \in N(i)$.
5. Repeat step 3-4, until all $s_i = 0$.

C.3 DATASETS

For MIS and maximum clique, we follow Karalias & Loukas (2020) and use RB graphs (Xu et al., 2007). The construction of RB graphs has 4 parameters n, k, p . Following Karalias & Loukas (2020), for small graphs, we use n uniformly sampled from the integers $[20, 25]$ and k uniformly sampled from $[5, 12]$; for large graphs, we use n uniformly sampled from the integers $[40, 55]$ and k uniformly sampled from $[20, 25]$.

For minimum dominant set, we follow Dai et al. (2020) to Barabasi-Albert networks (Barabási & Albert, 1999) with attachment 4.

C.4 COMPARISON TO SUPERVISED LEARNING

In order to compare our unsupervised results to supervised results, we provide evaluation results for the MDS problem on BA-4 graphs, using the supervised learning result in Dai et al. (2020). As in Table 5, we can see that annealed training significantly improves the performance of unsupervised learning and has a ratio very close to supervised learning. We also provide a comparison for supervised learning for evaluation on small RB graphs for MIS. As a source of labels, we use Gurobi to solve the maximum independent set problem. Due to the computational limitations, we set a time limit as 10 seconds and some of the instances are not solved to optimal. In this case as in Table 6, we observe that, with the proper training algorithm, the unsupervised learning can even beat the supervised learning.

C.5 EVALUATION ON VERY LARGE GRAPHS

We conduct extra experiments for MIS on large BA-4 Graphs following Dai et al. (2020). The model is trained on BA-4 graphs with size 1024-1100. For each larger size, we evaluate the methods on 100 graphs and report the mean, std, and average running time. We can see that the performance of Gurobi decreases with increasing the graph size and the learning based approaches. Another observation

Table 6: Evaluation of MIS on small RB graphs compared to Supervised Learning

Graphs	Small
Supervised	0.889
Erdos	0.805
Ours	0.898

Table 7: Evaluation of MIS on Very Large BA-4 Graphs

Method	2048-2200		4096-4400		8192-8800	
Size	Ratio	Time	Ratio	Time	Ratio	Time
Greedy	928 \pm 26	$5.6e^{-3}$	1861 \pm 50	$2.7e^{-2}$	3727 \pm 102	$1.3e^{-1}$
Erdos	950 \pm 26	$6.5e^{-2}$	1900 \pm 49	$1.6e^{-1}$	3742 \pm 118	$3.2e^{-1}$
Ours	960 \pm 25	$6.5e^{-2}$	1923 \pm 48	$1.6e^{-1}$	3845 \pm 99	$3.2e^{-1}$
Gurobi	919 \pm 26	$1.2e^0$	1845 \pm 59	$5.3e^0$	3165 \pm 656	$5.5e^0$

is that the learning based approaches have much smaller running time, as Dai et al. (2020) has the conditional decoding implemented in cpp, while our conditional decoding is implemented in python.