

---

# Replication: Fairness without demographics through Adversarially Reweighted Learning

---

Anonymous Author(s)

## Reproducibility Summary

1

### 2 **Scope of Reproducibility**

3 We test the claim that Adversarially Reweighted Learning (ARL) improves Rawlsian Max-Min fairness for supervised  
4 classification compared to previous methods and simple baselines in the case of missing demographic data.

### 5 **Methodology**

6 We completely re-implemented all models and training routines in PyTorch, using the paper and the published code as a  
7 reference. We compared our implementation to the one provided by the authors and then reproduced the hyperparameter  
8 search as described in the paper using our implementation. In addition, we applied the method to image data, in order to  
9 test how well it generalizes across modalities.

10 Due to the general simplicity of the used models, it was straightforward to implement the code base from scratch and  
11 run the experiments. Parts of the experiments were run on a computing cluster with 12 CPUs and parts on Google  
12 Colab (GPU). Overall, it took 4 weeks to produce the results, with four people working on it. A complete grid search  
13 took 4 hours and producing the final results with fixed hyperparameters 5 hours, of which a single training run of one  
14 model on one dataset took about 2 minutes.

### 15 **Results**

16 We could not replicate the advantage of ARL over the investigated baselines. This seems to be mainly due to a better  
17 baseline performance than reported in the paper. Our baseline's performance is on average 2.615 standard deviations  
18 higher than the authors'. Our ARL results do not deviate significantly from the papers' result, they are on average 0.841  
19 standard deviations higher.

### 20 **What was easy**

21 ARL itself was very easy to implement. We were also able to run the code provided by the authors quite easily. Running  
22 the experiments required little computational resources because of the small datasets and models.

### 23 **What was difficult**

24 Pre-processing the data took time because the notebooks provided by the authors contained some errors that we needed  
25 to debug. For the replication of the grid search for hyperparameter optimization of all models on all dataset, we had to  
26 limit the training duration to a maximum of 5k steps in order to finish all experiments on time.

### 27 **Communication with original authors**

28 We asked the authors about details regarding their training procedure. The authors provided us with the missing details  
29 and adapted their GitHub repository as a response to our communication.

# 30 1 Introduction

31 As machine learning (ML) systems are increasingly often applied to high-stakes situations, it is becoming more  
32 important to ensure that they do not discriminate against groups of individuals based on features such as race and sex.  
33 Lahoti et al. present an approach called *Adversarially Reweighted Learning* (ARL) that aims to improve a model’s  
34 performance measured according to the Rawlsian Max-Min fairness principle by reformulating the training procedure  
35 as an adversarial min-max game [1]. While previous work mainly addresses the case where protected features are part  
36 of the dataset, ARL does not require such information. As Lahoti et al. point out, such an approach is important because  
37 information about group membership is often sensitive and not available in many real-world scenarios, for example due  
38 to privacy concerns.

## 39 1.1 Replication of Main Experiments

40 The main empirical claim of Lahoti et al. is that ARL outperforms several other methods across several (tabular)  
41 datasets in terms of both performance and fairness. Their most important comparison models are Distributionally robust  
42 optimization (DRO) [2], inverse probability weighting (IPW) and a simple empirical risk minimization baseline. The  
43 focus of our reproducibility study is therefore whether we can replicate an advantage of ARL over these methods.

44 We implemented all of the methods ourselves in PyTorch [3]. For ARL, IPW and the baseline, we mostly relied on the  
45 description in the paper and referred to the authors’ TensorFlow [4] code where necessary. For DRO, we adapted the  
46 publicly available implementation to our framework. Our own code is available in the supplementary material.

47 Following the paper, we performed a grid search over hyperparameters. We report the performance of our own  
48 implementation on the same datasets as used by the authors, namely UCI Adult, LSAC and COMPAS. Based on our  
49 own results and the process of obtaining these, we evaluate the replicability of the paper. We pay special attention to the  
50 following criteria:

- 51 • Are our own results in line with the results reported by the authors?
- 52 • What challenges did we meet when replicating the authors’ method?
- 53 • What differences exist between the authors’ paper and their code?
- 54 • Can we support the explicit and implicit assumptions made by the authors to substantiate their method?

## 55 1.2 Additional Contributions

56 Given the tabular nature of the UCI Adult, LSAC and COMPAS datasets, the authors apply their method to fully-  
57 connected networks. Adversarial reweighting is, however, not limited to fully-connected networks, but serves as a  
58 general framework to modify optimization such that worst-case performance over unobserved protected groups is  
59 improved. We therefore applied the method to image data, in order to test how well it generalizes across modalities. For  
60 this, we trained a convolutional ARL on a custom image dataset based on EMNIST.

# 61 2 Methodology

## 62 2.1 Model Descriptions

63 ARL, DRO and IPW have in common that they modify the optimization objective in order to improve fairness. Even  
64 though the ARL introduces an additional adversary network to dynamically learn the exact form of this modification,  
65 the network architecture of the inference model is identical for all different methods. (Note that this does not transfer to  
66 the adversary network of ARL, which is not used for inference.)

67 For training on the UCI Adult, LSAC and COMPAS datasets, we used a simple fully-connected feed forward neural  
68 network. As in the paper, the network consists of two hidden layers with 64 and 32 units respectively, and ReLU  
69 activation functions applied after each hidden layer. For the given binary classification tasks, the output layer consists  
70 of one output unit.

## 71 Adversarially Reweighted Learning (ARL)

The key component to ARL is its adversarial setting. Concretely, a so-called *learner* is trained to minimize a task-  
specific loss function. Alternatingly, a so-called *adversary* is trained to reweight the loss terms that are produced by the

learner for each individual training sample in order to maximize the overall loss. Using  $\theta$  and  $\phi$  to respectively denote the parameters of the learner and the adversary, the overall training objective for  $n$  training samples is formulated as:

$$J(\theta, \lambda) := \min_{\theta} \max_{\phi} \sum_{i=1}^n \lambda_{\phi}(x_i, y_i) \ell(h_{\theta}(x_i), y_i),$$

where  $\ell : \hat{Y} \times Y \rightarrow \mathbb{R}$  denotes the loss function of the underlying task and  $h_{\theta} : X \rightarrow \hat{Y}$  denotes the function that is implemented by the learner. The weights  $\lambda_{\phi}(X, Y)$  are produced by the adversary as follows:

$$\lambda_{\phi}(x_i, y_i) = 1 + n \cdot \frac{f_{\phi}(x_i, y_i)}{\sum_{j=1}^n f_{\phi}(x_j, y_j)},$$

72 where  $f_{\phi}(x_i, y_i)$  is the adversary’s output. During training, the adversary implicitly learns to identify areas in the  
 73 input space that lead to high losses  $\ell$ . By assigning higher weights to samples from these areas, it drives the learner  
 74 towards improving in the identified subspaces. The authors claim that this ultimately leads to improved performance for  
 75 protected groups whose sensible characteristic features are not included in the input data  $X$ , i.e. the groups that are  
 76 identified by the adversary correspond to a certain degree to the groups that are to be protected.

77 We implemented the adversary with one linear layer, followed by a sigmoid function and the normalization, scaling and  
 78 shifting as stated above. Instead of using the sum of single reweighted losses, we used the mean, following the authors’  
 79 code. In their code they used two consecutive linear layers, which is not perfectly in line with the paper. Their code also  
 80 reveals that the learner network was pretrained, which they do not mention in their paper.

### 81 Empirical Risk Minimization (Baseline)

82 This model is identical to the learner in ARL. The authors note that they increased the number of hidden units in this  
 83 model to compensate for the added capacity in form of the adversary in ARL. However, it was neither clear from the  
 84 paper how they implemented this, nor evident from their code that they actually did. Going by parameter count, a  
 85 single additional unit would already result in more parameters than for ARL. Since the simple fully-connected model  
 86 did already match the performance of ARL (see Table 1), we did not investigate the effect of adding more units. The  
 87 fully-connected model will also be referred to as ‘baseline’ in the rest of the text.

### 88 Inverse Probability Weighting (IPW)

89 Instead of learning the weights to reweight the loss function dynamically, a simpler approach is to weight each sample  
 90 with the inverse probability of drawing this sample from the dataset. This gives underrepresented groups in the dataset  
 91 a larger weight. In the IPW(S) approach, the probabilities are calculated based only on the membership to protected  
 92 groups (e.g. "sex" or "race"), resulting in weights of the form  $1/p(s)$ . Additionally to the protected group we can  
 93 take into account the label, resulting in a model called IPW(S+Y). Here, the probabilities are calculated as the joint  
 94 probabilities of being in a certain protected group and belonging to a certain label (e.g. "being black" *and* "earning  
 95 more than fifty thousand dollars a year"). This results in weights of the form  $1/p(s, y)$ .

96 IPW can only be used if group probabilities are known. It therefore offers a comparison of the ARL’s claim of improving  
 97 fairness *without* demographics to a method that improves fairness *with* demographics.

### 98 Distributionally Robust Optimization (DRO)

99 Similar to ARL, DRO aims to improve Rawlsian Max-Min Fairness for tasks where protected groups are unknown.  
 100 Hashimoto et al. propose the following optimization objective:

$$\min_{\theta \in \Theta} \mathbb{E}_P [\ell(\theta; Z) - \eta]_+^2$$

101  $P$  denotes the data generating distribution,  $\ell(\theta; Z)$  the loss of a query  $Z$  under the model with parameters  $\theta$ , and  
 102  $\eta$  a hyperparameter to threshold the losses. In the publicly available code by Hashimoto et al. that we used in our  
 103 implementation, a ReLU activation function is applied after subtracting  $\eta$  from losses of single data points, ensuring that  
 104 only positive losses remain. The method focuses on the worst-case group by only considering losses for optimization  
 105 that exceed the threshold  $\eta$ , which implicitly decides about the size of the worst-case group. Squaring the thresholded  
 106 losses upweights the influence of higher losses on the learning objective further.

## 107 2.2 Datasets

108 We use the three datasets also used in the paper: UCI Adult [5], COMPAS [6] and LSAC [7], all of which are publicly  
109 available. Every dataset describes a binary prediction task. In UCI Adult, the income of a person is to be predicted to be  
110 above fifty thousand dollars. COMPAS is concerned with predicting the recidivism of individuals convicted of crimes.  
111 For LSAC, the task is to predict whether a given law student will pass the bar exam.

112 All datasets exhibit some form of imbalance and include information about sensitive attributes like sex and race which  
113 makes them suitable for evaluating model fairness. UCI Adult consists of 48,842 records, of which 67% are male and  
114 85% white (10% black). The dataset is also imbalanced in its target class, as only 24% have an income of more than  
115 fifty thousand dollars. LSAC consists of 26,551 samples, of which 56% are male and 83% white (6% black). COMPAS  
116 consists of 7,185 records with 81% being male and 37% white (51% black). In all datasets, there exists some correlation  
117 between sensitive attributes and target class [8, 7, 9].

## 118 Pipeline

119 We split each dataset randomly into 70% training data and 30% test data, except for UCI Adult, where a split is already  
120 provided. For our main experiments, the sensitive columns race and sex were removed from the features, such that these  
121 demographics were not available to the models. To access sensitive information during evaluation, each data element  
122 was categorized as being a member of one of the following groups: "not black and male", "not black and female",  
123 "black and male", "black and female". Of these, the group with the fewest members is referred to as minority. This  
124 treatment of the subgroups was inferred from the publicly available code. The paper however used the term "white"  
125 instead of "not black", which does not accurately reflect the work done in their code. We will adopt their term usage  
126 from hereon for better comparability.

127 We represented categorical features using one-hot encoding and normalized numerical features to have zero mean and  
128 unit standard deviation. All features of a datapoint were then appended into one feature vector. A script to download  
129 and preprocess the datasets is available as part of our code base.

## 130 2.3 Hyperparameters

131 We determined the optimal batch size and learning rate for each method using a grid search and 5-fold cross validation  
132 over the same search space as described in the appendix to the paper.

133 All results were obtained by training from scratch with the obtained optimal hyperparameters using ten different random  
134 seeds, then evaluating on the test set and averaging the results. We pretrained the learner for ARL for 250 steps, which  
135 is the default in the code provided by the authors. We used AdaGrad as the optimizer, following the paper. Initialization  
136 for the weights and the optimizer were chosen to agree with TensorFlow defaults. In the initial experiments, we ran  
137 each grid search for 5000 training steps, with early stopping if the overall AUC on the validation set had not improved  
138 for 10 epochs.

139 For the grid search space and the optimal hyperparameters found, see Appendix C. For the hyperparameters obtained by  
140 the authors and a comparison to the hyperparameters found in our grid search, see Appendix D.

## 141 2.4 Computational Requirements

142 The grid searches took about 3-4h on twelve CPUs for the 5k step runs on tabular data and an additional 10h on a GPU  
143 for the image grid searches. The 100k step grid search took much longer, about 1-2 days. The final results (training each  
144 model on ten different random seeds) were obtained from a notebook that ran about 5h on Google Colab with a GPU.

## 145 3 Results

146 Table 1 shows the results of comparing ARL to DRO and the baseline model. We observe that all methods obtain very  
147 similar results for each dataset and metric. Many of the differences that do exist between methods are not significant,  
148 and in any case which methods performs best varies strongly between metrics and datasets.

149 Table 2 shows the relative deviation of our results in Table 1 to those reported in the paper. Positive numbers mean that  
150 our performance was higher, negative that it was lower than that from the paper. All numbers are measured in multiples  
151 of the standard error of the difference, calculated as  $\sqrt{\sigma_{\text{ours}}^2 + \sigma_{\text{theirs}}^2}$ , where  $\sigma_{\text{ours}}$  and  $\sigma_{\text{theirs}}$  are the standard deviations  
152 of our and their results over the 10 runs with different seeds. Because Lahoti et al. do not report standard deviations for  
153 macro-avg, minimum and minority AUC, we calculated the errors for those measure using error propagation from the

154 values they report for all protected subgroups (tables 6 to 8 in their supplementary material). Overall, all three methods  
 155 tend to have a slightly better performance in our results than in the paper. But for ARL, this effect is smaller than for  
 156 the baseline and in particular than for DRO. This explains why in our results, ARL doesn't have an advantage like it  
 157 does in the paper: it doesn't perform any worse, but the comparison methods perform better.

Dataset	Method	AUC avg	AUC macro-avg	AUC min	AUC minority	Accuracy
Adult	baseline	0.9093 ± 0.0016	0.9193 ± 0.0011	0.8842 ± 0.0019	<b>0.9440 ± 0.0040</b>	0.8498 ± 0.0070
Adult	DRO	0.9102 ± 0.0007	0.9187 ± 0.0018	<b>0.8853 ± 0.0007</b>	0.9414 ± 0.0059	<b>0.8574 ± 0.0015</b>
Adult	ARL	<b>0.9104 ± 0.0006</b>	<b>0.9196 ± 0.0012</b>	0.8852 ± 0.0008	0.9433 ± 0.0042	0.8530 ± 0.0036
LSAC	baseline	0.8309 ± 0.0061	0.8263 ± 0.0063	0.8096 ± 0.0073	0.8371 ± 0.0087	0.8604 ± 0.0047
LSAC	DRO	0.8242 ± 0.0051	0.8217 ± 0.0053	0.8024 ± 0.0055	0.8361 ± 0.0088	0.8570 ± 0.0057
LSAC	ARL	<b>0.8333 ± 0.0046</b>	<b>0.8272 ± 0.0041</b>	<b>0.8115 ± 0.0057</b>	<b>0.8375 ± 0.0042</b>	<b>0.8644 ± 0.0032</b>
COMPAS	baseline	0.7357 ± 0.0025	0.7340 ± 0.0027	0.6995 ± 0.0029	0.7475 ± 0.0024	<b>0.6735 ± 0.0057</b>
COMPAS	DRO	<b>0.7361 ± 0.0030</b>	<b>0.7347 ± 0.0032</b>	<b>0.6997 ± 0.0035</b>	<b>0.7533 ± 0.0044</b>	0.6688 ± 0.0071
COMPAS	ARL	0.7315 ± 0.0049	0.7290 ± 0.0059	0.6951 ± 0.0070	0.7511 ± 0.0066	0.6498 ± 0.0380

Table 1: Main results: Baseline vs ARL vs DRO, best results for each dataset are marked bold

Dataset	Method	AUC avg	AUC macro-avg	AUC min	AUC minority
Adult	baseline	<b>6.880</b>	<b>8.076</b>	0.379	<b>2.822</b>
Adult	DRO	<b>14.134</b>	<b>5.102</b>	<b>17.038</b>	1.408
Adult	ARL	<b>3.096</b>	1.115	<b>2.962</b>	0.093
LSAC	baseline	<b>2.702</b>	<b>2.113</b>	<b>2.456</b>	1.287
LSAC	DRO	<b>22.782</b>	<b>21.160</b>	<b>21.896</b>	<b>12.003</b>
LSAC	ARL	1.704	1.147	1.405	0.283
COMPAS	baseline	<b>-2.851</b>	1.665	<b>8.197</b>	<b>-2.352</b>
COMPAS	DRO	<b>6.439</b>	<b>10.727</b>	<b>6.219</b>	<b>3.881</b>
COMPAS	ARL	<b>-2.034</b>	0.553	<b>3.197</b>	<b>-3.425</b>

Table 2: Relative deviations between our results and those reported in the paper (difference divided by standard deviation across runs, see main text for details). Deviations of more than 2 standard deviations are marked bold. Accuracy was not reported by the authors and is thus missing.

158 We also ran the code provided by the authors with their optimal hyperparameters (results in Appendix A). There, we get  
 159 results much closer to those reported in the paper and in particular a (very slight) advantage for ARL. Additionally, we  
 160 directly compared our Pytorch implementation with the original Tensorflow implementation (Appendix B) and found  
 161 that our implementation tended to perform somewhat better. We will discuss these various discrepancies further below.

162 Since some training runs did not end via early stopping but rather due to the maximum number of training steps being  
 163 reached, we repeated the grid search and evaluation with ten seeds using a maximum number of 100k instead of 5k  
 164 steps. We did not observe a significant increase in performance for any of the used methods, so we can probably rule  
 165 out that training for too few training steps distorted our results. The exact results for 100k training steps can be found in  
 166 Table 11. In the remainder of the main body of this report we use 5k training steps if not stated otherwise.




Figure 1: Different AUC values during training of ARL, baseline and DRO on the validation set of LSAC. Average and standard deviation over 10 random seeds.

167 Figure 1 shows the micro-average AUC, minimum group AUC and the AUC of the minority group of ARL, baseline and  
 168 DRO on the validation split of the LSAC dataset. As can be seen, ARL shows no consistent advantage in the minimum

group AUC and minority AUC, and a neglectable advantage in the micro-average AUC. Figures 1b and 1c show that, depending on the point in time where the models are saved, there exist some points of comparison where ARL seems to outperform the other models. Given these fluctuations, it is possible that the differences between the authors’ and our results can be explained by different points of comparison. We used early stopping and compared the best-performing models, whereas the authors used a fixed number of training steps.

In Table 3, we compare the results between ARL and the naive reweighting approach IPW, either using only protected groups (S) or using protected groups and labels (S+Y) to compute the inverse probability weights. Similarly to the results in Table 1, ARL does not show an advantage over other methods on any of the datasets.

Dataset	Method	AUC avg	AUC macro-avg	AUC min	AUC minority	Accuracy
Adult	ARL	0.9104 ± 0.0006	0.9196 ± 0.0012	0.8852 ± 0.0008	0.9433 ± 0.0042	0.8530 ± 0.0036
Adult	IPW(S)	0.9085 ± 0.0004	0.9179 ± 0.0007	0.8826 ± 0.0005	0.9434 ± 0.0018	<b>0.8557 ± 0.0010</b>
Adult	IPW(S+Y)	<b>0.9110 ± 0.0009</b>	<b>0.9209 ± 0.0020</b>	<b>0.8859 ± 0.0010</b>	<b>0.9465 ± 0.0047</b>	0.7428 ± 0.0160
LSAC	ARL	0.8333 ± 0.0046	0.8272 ± 0.0041	0.8115 ± 0.0057	<b>0.8375 ± 0.0042</b>	<b>0.8644 ± 0.0032</b>
LSAC	IPW(S)	0.8147 ± 0.0066	0.8088 ± 0.0056	0.7933 ± 0.0089	0.8162 ± 0.0090	0.8483 ± 0.0033
LSAC	IPW(S+Y)	<b>0.8371 ± 0.0038</b>	<b>0.8302 ± 0.0030</b>	<b>0.8150 ± 0.0054</b>	0.8374 ± 0.0072	0.8352 ± 0.0108
COMPAS	ARL	0.7315 ± 0.0049	0.7290 ± 0.0059	0.6951 ± 0.0070	0.7511 ± 0.0066	0.6498 ± 0.0380
COMPAS	IPW(S)	0.7300 ± 0.0040	0.7294 ± 0.0058	0.6914 ± 0.0024	0.7399 ± 0.0124	0.6661 ± 0.0159
COMPAS	IPW(S+Y)	<b>0.7362 ± 0.0029</b>	<b>0.7346 ± 0.0031</b>	<b>0.6998 ± 0.0029</b>	<b>0.7526 ± 0.0043</b>	<b>0.6733 ± 0.0096</b>

Table 3: Comparison ARL vs IPW for 5k maximum training steps

### 3.1 Computational Identifiability

To investigate whether a linear adversary is actually capable of identifying protected groups based on the observed features and labels, the authors trained a linear model to predict race or sex based on the features and the labels. They did not provide further details about their training method. Since we only want to test whether the adversary is in principle capable of performing this task and precise accuracies are thus not important, we limit ourselves to a single run.

Training, validation and testing are performed with the optimal hyperparameters found via the grid search in the previous section. The obtained test accuracies for predicting race or sex are shown in Table 4. The results are broadly consistent with the results from the original paper.

The per-group accuracies show that in many cases, the linear model achieves its performance by concentrating on the majority class, or even just always predicting the majority class. This raises doubts on whether the adversary is indeed able to adequately identify and upweight minority groups.

		Adult	LSAC	COMPAS
Race	total	0.907	0.943	0.618
	White	0.997	0.988	0.603
	Black	0.058	0.325	0.631
Sex	total	0.842	0.585	0.802
	Male	0.876	0.807	1.000
	Female	0.774	0.298	0.000

Table 4: Accuracies of a linear model trained to predict race or sex.

### 3.2 Adversary Outputs

To inspect whether the adversary learns meaningful weights, the authors plotted the weights returned by the adversary on the training set of UCI Adult. We evaluate the adversary on the test set of UCI Adult to see whether it has meaningful weights on the test set as well. We perform kernel density estimation with a Gaussian kernel with a bandwidth parameter of 0.3 on the test weights to produce continuous distributions over  $\lambda$ . Results obtained using scikit-learn [10] are shown in Figure 2.

The computed densities roughly match the authors’ results. Thus, we can support their claim that ARL learns to upweight not only misclassified examples, but also underrepresented classes (bottom-right quadrant of Figure 2. Recall that the UCI Adult dataset exhibits a strong class imbalance and as we can see the adversary places larger weights on the less frequent class.




Figure 2: Output of the adversary on the Adult test set.

Dataset	Method	AUC avg	AUC macro-avg	AUC min	AUC minority	Accuracy
EMNIST_35	baseline	<b>0.9507 ± 0.0037</b>	<b>0.9436 ± 0.0041</b>	<b>0.9256 ± 0.0055</b>	<b>0.9256 ± 0.0055</b>	<b>0.8778 ± 0.0059</b>
EMNIST_35	ARL	0.9370 ± 0.0044	0.9281 ± 0.0052	0.9051 ± 0.0072	0.9051 ± 0.0072	0.8616 ± 0.0057

Table 5: Baseline vs ARL on image data, best results for each dataset are marked bold. Models were trained for 5k steps or until the early stopping criterion was reached. Reported numbers are averages over 10 seeds.

209 It is important to point out that ARL apparently *does not*  
210 place higher weights on underrepresented demographics (see the orange and red curves in Figure 2). This is in line with  
211 the results from Lahoti et al. but does not agree with the original motivation for ARL.

## 212 4 Extension of the Presented Method

213 Not just tabular data, but also other modalities are in principle prone to issues regarding fairness. This is why an  
214 evaluation of ARL on a different type of data marks a straightforward extension to the analyses presented by Lahoti  
215 et al. In this section, we present and evaluate a simple extension of ARL to image data.

### 216 4.1 Dataset

217 We resorted to building a custom dataset for the evaluation in order to meet our limited computational resources and  
218 maintain the ability to easily tailor the input data to our experiments. The dataset is based on balanced EMNIST [11], a  
219 character classification dataset similar to MNIST [12] containing a balanced set of 47 different greyscale characters. We  
220 customized the dataset, which we refer to as EMNIST\_35, such that the task is a binary prediction with balanced labels,  
221 and artificially created one protected minority subgroup. The minority is represented by 35% of the data for both labels.  
222 Further details and different data configurations are presented in Appendix G.1.

### 223 4.2 Model Architecture

224 Both the learner of ARL and the baseline model contain a single convolutional layer with 64 filters and a  $3 \times 3$  kernel  
225 with stride 1. Subsequently, a max-pooling layer with kernel size  $2 \times 2$  with stride 1 is employed. The adversary uses a  
226 similar setup with 32 filters. Both learner and baseline then use two fully connected layers with 64 and 32 neurons with  
227 a ReLU activation function in-between. In the adversary, the sample label is appended to the flattened output of the  
228 convolutional section and the model output is produced as a linear combination of the resulting vector for each sample.  
229 The training procedure and hyperparameters of all image models are further described in Appendix G.3.

### 230 4.3 Results and Analysis

231 The model performances regarding the different AUC metrics and the classification accuracy are listed in Table 5. The  
232 baseline clearly outperforms ARL on all evaluation criteria. Further experiments showed that the adversary is unable to  
233 identify protected groups in the adversarial setting and tends to weight few individual samples with very high weights.

234 Since the architecture for the learner and the baseline is the same, we further considered the influence of the adversary  
235 by investigating if it is capable of identifying the protected groups in a supervised setting. It turns out that the adversary  
236 resorts to predicting the majority class in most cases. We ran several experiments with different architectures for the  
237 adversary but were not able to produce a performance boost over the reference models similar to those reported by  
238 Lahoti et al. on tabular data. Details regarding the results of our experiments are given in Appendix G.

## 239 5 Discussion

240 In this report we re-implemented the *Adversarially Reweighted Learning* (ARL) framework by Lahoti et al. in PyTorch.  
241 This framework promises a general approach to dealing with group fairness if demographic data are lacking or unknown.  
242 However, as shown in Tables 1 and 3 and the analyses that followed, we could not replicate the advantage of ARL  
243 over the investigated baselines. This seems to be mainly due to a better baseline performance than in Lahoti et al. As  
244 displayed in Table 2, our ARL results are not deviating significantly (mostly  $< 3\sigma$ ) from the papers' result, but our  
245 baselines are considerably better than in the original paper.

246 One possible cause for this is that we used early stopping, whereas the authors of the original paper didn't, as far as  
247 their code and paper suggest. This could mean that the number of training steps (which was fixed across methods)

248 happened to work better for ARL than it did for the other methods. In our setup, the training duration is effectively  
249 chosen optimally for each method, which in our view makes for a fairer comparison.

250 A potential reason why ARL doesn't outperform a simple risk-minimizing baseline is that ARL apparently does not  
251 actually upweight minorities, as we showed in Figure 2. As mentioned, this is entirely consistent with the figures in the  
252 original paper but does not agree with the motivation for ARL. Perhaps the linear adversary is too weak to be effective –  
253 our identifiability results in Table 4 suggest that it mainly learns to exploit the class imbalance. We also point out that  
254 the advantage of ARL reported in the original paper is not particularly large, neither in absolute terms nor compared to  
255 the errors. This reinforces the idea that the difference between our and the original results is caused by relatively small  
256 changes in training procedure, such as the use of early stopping.

257 Still, ARL is theoretically appealing and our results don't rule out that it might have benefits in other circumstances.  
258 Perhaps the datasets chosen by the authors are simply not hard enough to differentiate between the various methods:  
259 the baseline model is already quite fair towards subgroups, not leaving much space for ARL to show any differential  
260 advantage. Experiments by Zhong suggest that reweighting and oversampling, both methods related to ARL, are not  
261 effective at improving fairness in these datasets [13], which further supports our impression of the datasets not being  
262 suitable. Our experiments with ARL on image data show that such an extension is not trivial, at the very least. Including  
263 an adversary lead to deteriorating performance compared to the baseline which could be explained by real-world images  
264 generally containing large amounts of noise. An extensive investigation regarding this and other potential sources of  
265 error are left as future work.

266 On the positive side, we found it relatively easy to run the code provided by the authors and to re-implement their  
267 method. There were some issues regarding the dataset preparation and slight differences between the description of the  
268 algorithms in the paper and their actual implementation in the code, but overall, none of these posed serious obstacles to  
269 replicating the paper.

270 In conclusion, we did not find an advantage of ARL over baseline models, neither for the datasets used by the authors  
271 nor for image data. Given that the results of the original paper favor ARL only very slightly and that the adversary  
272 apparently does not weight minorities higher, we do not believe that ARL in its current form can improve fairness on  
273 these datasets. However, since the theoretical motivation appears sound, it may be promising to apply ARL to datasets  
274 where baselines suffer from more severe fairness issues, or to further investigate whether the capacity of the adversary  
275 can be adjusted to improve performance.

## 276 References

- 277 [1] Preethi Lahoti et al. *Fairness without Demographics through Adversarially Reweighted Learning*. 2020. arXiv:  
278 2006.13114 [cs.LG].
- 279 [2] Tatsunori B. Hashimoto et al. *Fairness Without Demographics in Repeated Loss Minimization*. 2018. arXiv:  
280 1806.08010 [stat.ML].
- 281 [3] Adam Paszke et al. "PyTorch: An Imperative Style, High-Performance Deep Learning Library". In: *Advances in*  
282 *Neural Information Processing Systems 32*. Ed. by H. Wallach et al. Curran Associates, Inc., 2019, pp. 8024–  
283 8035. URL: [http://papers.nips.cc/paper/9015-pytorch-an-imperative-style-high-  
284 performance-deep-learning-library.pdf](http://papers.nips.cc/paper/9015-pytorch-an-imperative-style-high-performance-deep-learning-library.pdf).
- 285 [4] Martin Abadi et al. *TensorFlow: Large-Scale Machine Learning on Heterogeneous Systems*. Software available  
286 from tensorflow.org. 2015. URL: <http://tensorflow.org/>.
- 287 [5] Dheeru Dua and Casey Graff. *UCI Machine Learning Repository*. 2017. URL: [http://archive.ics.uci.  
288 edu/ml](http://archive.ics.uci.edu/ml).
- 289 [6] ProPublica. *COMPAS Recidivism Risk Score Data and Analysis*. Data retrieved from Github, [https://github.  
290 com/propublica/compas-analysis/](https://github.com/propublica/compas-analysis/). 2016.
- 291 [7] Linda F. Wightman. *LSAC National Longitudinal Bar Passage Study. LSAC Research Report Series*. Data  
292 retrieved from Project SEAPHE, <http://www.seaphe.org/databases.php>. 1998.
- 293 [8] Christina Wadsworth, Francesca Vera, and Chris Piech. *Achieving Fairness through Adversarial Learning: an*  
294 *Application to Recidivism Prediction*. 2018. arXiv: 1807.00199 [cs.LG].
- 295 [9] Ninareh Mehrabi et al. *A survey on bias and fairness in machine learning*. 2019.
- 296 [10] F. Pedregosa et al. "Scikit-learn: Machine Learning in Python". In: *Journal of Machine Learning Research 12*  
297 (2011), pp. 2825–2830.
- 298 [11] Gregory Cohen et al. "EMNIST: an extension of MNIST to handwritten letters". In: *CoRR abs/1702.05373*  
299 (2017). arXiv: 1702.05373. URL: <http://arxiv.org/abs/1702.05373>.

- 300 [12] Yann LeCun and Corinna Cortes. “MNIST handwritten digit database”. In: (2010). URL: <http://yann.lecun.com/exdb/mnist/>.
- 301
- 302 [13] Ziyuan Zhong. *A Tutorial on Fairness in Machine Learning*. 2018. URL: <https://towardsdatascience.com/a-tutorial-on-fairness-in-machine-learning-3ff8ba1040cb> (visited on 01/29/2021).
- 303

304 **A Results using the original setup**

305 We used the code and the optimal hyperparameters provided by the authors to reproduce their experiment. This should  
 306 yield results very close to those reported in the original paper, though slight deviations are to be expected since the  
 307 original code doesn't use random seeds. We again averaged our results over 10 runs with different random seeds and  
 308 calculated the standard deviation over those runs as the error. The error for the authors' results was again calculated  
 309 based on the values reported in Appendix 8.2 of the original paper. Because the paper doesn't report any errors for the  
 310 IPW results, we only compare the baseline and ARL results here. Furthermore, we only use the AUC metrics, since the  
 311 paper doesn't report any accuracies.

312 Table 6 shows the results we obtained using this setup. In Table 7, we show the relative deviations of these results to  
 313 those obtained in the paper. Deviations that are significant at the  $2\sigma$  level are bolded.

314 While most of the results are compatible, there are a few with significant differences (sometimes our results are worse  
 315 and sometimes better than those reported in the paper). We are uncertain what causes these differences – perhaps a  
 316 slight difference in the data preparation, since the provided notebook didn't run without errors and we had to implement  
 317 parts of it ourselves.

318 However, as Table 6 shows, these deviations don't change the overall conclusion: just as in the paper, ARL outperforms  
 319 the baseline for the Adult and LSAC datasets, while tending to perform worse on the COMPAS dataset. In most cases,  
 320 the differences between baseline and ARL are relatively small, and sometimes not even significant at the  $1\sigma$  level.

Dataset	Method	Micro-avg AUC	Macro-avg AUC	Min AUC	Minority AUC
Adult	baseline	0.8956 ± 0.0007	0.8930 ± 0.0017	0.8751 ± 0.0008	0.8883 ± 0.0058
Adult	ARL	<b>0.9041 ± 0.0008</b>	<b>0.9152 ± 0.0018</b>	<b>0.8781 ± 0.0010</b>	<b>0.9440 ± 0.0073</b>
LSAC	baseline	0.8127 ± 0.0022	0.8035 ± 0.0025	0.7891 ± 0.0033	0.8114 ± 0.0077
LSAC	ARL	<b>0.8204 ± 0.0027</b>	<b>0.8174 ± 0.0056</b>	<b>0.7990 ± 0.0048</b>	<b>0.8224 ± 0.0145</b>
COMPAS	baseline	<b>0.7322 ± 0.0022</b>	<b>0.7312 ± 0.0028</b>	0.6943 ± 0.0038	<b>0.7431 ± 0.0036</b>
COMPAS	ARL	0.7314 ± 0.0013	0.7285 ± 0.0027	<b>0.6947 ± 0.0048</b>	0.7370 ± 0.0076

Table 6: Our results using the original code and hyperparameters, averaged over 10 runs with different seeds. Errors are the standard deviations over those runs.

Dataset	Method	Micro-avg AUC	Macro-avg AUC	Min AUC	Minority AUC
Adult	baseline	<b>-2.698</b>	1.370	0.004	0.538
Adult	ARL	<b>-2.376</b>	-0.524	-1.850	0.130
LSAC	baseline	-0.101	<b>-2.691</b>	-0.184	-1.334
LSAC	ARL	-0.540	-0.159	-0.005	-0.404
COMPAS	baseline	<b>-3.833</b>	0.914	<b>5.144</b>	<b>-2.676</b>
COMPAS	ARL	<b>-3.888</b>	0.785	<b>3.510</b>	<b>-4.525</b>

Table 7: Relative deviation (in standard deviations) between our reproduced results (see Table 6) and the results reported in the paper. Positive means that ours are higher.

321 **B Comparison of Implementations**

322 We compared the Tensorflow implementation by the original authors to our Pytorch implementation using exactly the  
 323 same settings, to check whether they are equivalent. Our results can be found in Table 8. There are some significant  
 324 differences, even though we took care to use Tensorflow defaults for initialization scheme and optimizer settings. One  
 325 remaining difference is that the authors implemented the linear layer of the adversary as two consecutive linear layers.  
 326 This doesn't change the expressiveness but does affect the training dynamics. However, this is only relevant for ARL,  
 327 and there are significant differences even in the baseline model.

328 While we were unable to find the cause for these deviations, our implementation tends to perform slightly better in  
 329 cases where there is any difference at all. So it is unlikely that we made an implementational error that would affect the  
 330 validity of our results.

Dataset	Method	AUC avg	AUC minority	Accuracy
Adult	baseline	<b>11.158</b>	<b>9.240</b>	-0.695
Adult	ARL	<b>11.221</b>	<b>7.640</b>	<b>2.303</b>
Adult	IPW(S)	<b>6.796</b>	<b>11.547</b>	-0.424
LSAC	baseline	<b>6.443</b>	<b>6.544</b>	-0.463
LSAC	ARL	<b>8.425</b>	<b>5.162</b>	-0.535
LSAC	IPW(S)	<b>2.752</b>	<b>7.051</b>	-0.635
COMPAS	baseline	1.891	<b>2.124</b>	0.440
COMPAS	ARL	<b>5.106</b>	1.691	1.171
COMPAS	IPW(S)	<b>4.376</b>	0.429	1.414

Table 8: Relative deviation between results with our PyTorch implementation and the TensorFlow implementation by the authors. All results are based on runs with 100 steps, a learning rate of 0.1 and a batch size of 128. Positive numbers mean that our implementation achieved higher performance. All numbers are in multiples of the standard error of the difference (calculated as for Table 2, see Section 3 for details). Deviations of more than two standard errors are bold. Since the authors’ code does not save macro-avg AUC nor min AUC, these metrics are missing.

### 331 C Optimal Hyperparameters

332 We performed grid search to determine optimal hyperparameters. The search space for (batch size, primary learning  
333 rate, adversary learning rate,  $\eta$ ) consisted of the following values:

$$[32, 64, 128, 256, 512] \times [0.001, 0.01, 0.1, 1, 2, 5] \times [0.001, 0.01, 0.1, 1, 2, 5] \times [0.5, 0.6, 0.7, 0.8, 0.9, 1],$$

334 where in the case of methods other than DRO, the  $\eta$  parameter was not searched over and in case of methods other than  
335 ARL, the adversary learning rate was not searched over. Table 9 shows the optimal hyperparameters for each dataset  
and model combination, when optimized for overall AUC.

Dataset	Method	batch size	primary learning rate	adversary learning rate	$\eta$
Adult	baseline	512	2	-	-
Adult	DRO	128	1	-	0.5
Adult	ARL	512	1	0.01	-
Adult	IPW(S)	128	0.01	-	-
Adult	IPW(S+Y)	256	0.1	-	-
LSAC	baseline	64	0.1	-	-
LSAC	DRO	128	1	-	0.6
LSAC	ARL	128	0.1	0.001	-
LSAC	IPW(S)	256	0.1	-	-
LSAC	IPW(S+Y)	64	0.1	-	-
COMPAS	baseline	256	0.1	-	-
COMPAS	DRO	256	1	-	0.6
COMPAS	ARL	128	1	0.001	-
COMPAS	IPW(S)	256	0.1	-	-
COMPAS	IPW(S+Y)	512	0.1	-	-

Table 9: Hyperparameters with the best overall AUC for each dataset and training method. Models were trained for 5k steps or until the early stopping criterion was reached.

336

### 337 D Comparison to authors’ hyperparameters

338 The authors report different optimal hyperparameters than those that we found. We first reran our experiments using  
339 their hyperparameters. The results are given in Table 10. They are comparable and if anything slightly worse than those  
340 we obtained with our hyperparameters, and ARL does not have any advantage there either.

341 To understand why the reported hyperparameters differ, we also investigated how important the choice of hyperparame-  
342 ters is after all.

343 Figure 3 shows a histogram of how often each AUC occurred during the grid search. For Adult and COMPAS, we can  
344 see that most hyperparameter combinations yield essentially equally good results, all close to the top performance. For

Adult	baseline	<b>0.9105 ± 0.0004</b>	<b>0.9190 ± 0.0006</b>	<b>0.8855 ± 0.0006</b>	0.9409 ± 0.0022	<b>0.8582 ± 0.0011</b>
Adult	ARL	0.9074 ± 0.0008	0.9176 ± 0.0009	0.8819 ± 0.0012	<b>0.9437 ± 0.0021</b>	0.8433 ± 0.0030
LSAC	baseline	<b>0.8328 ± 0.0049</b>	<b>0.8276 ± 0.0047</b>	<b>0.8114 ± 0.0063</b>	<b>0.8365 ± 0.0039</b>	<b>0.8616 ± 0.0047</b>
LSAC	ARL	0.8284 ± 0.0035	0.8218 ± 0.0032	0.8056 ± 0.0045	0.8277 ± 0.0106	0.8588 ± 0.0049
COMPAS	baseline	0.7316 ± 0.0036	0.7290 ± 0.0044	0.6967 ± 0.0038	0.7487 ± 0.0031	<b>0.6753 ± 0.0052</b>
COMPAS	ARL	<b>0.7333 ± 0.0048</b>	<b>0.7317 ± 0.0067</b>	<b>0.6971 ± 0.0040</b>	<b>0.7491 ± 0.0062</b>	0.6752 ± 0.0041

Table 10: Results with our Pytorch implementation but the optimal hyperparameters reported by the authors. As always, averaged over 10 runs with different seeds, errors are standard deviations.




Figure 3: Performance distribution of the grid search. The x-axis shows the AUC score used in the grid search to determine the optimal hyperparameter combination. The y-axis is the count of how many hyperparameter combinations yielded this AUC score.

345 LSAC, the distribution is wider but there are still several hyperparameter combinations with very good results. So given  
346 the deviations that exist between the authors’ results and ours, it is not surprising that we also happen to get different  
347 hyperparameters. This doesn’t necessarily have any deep reason, but might just be due to random differences, as Fig. 3  
348 suggests.

## 349 E AUC learning curves

350 Figure 4 shows the AUC learning curves of ARL, IPW(S) and IPW(S+Y) on the validation set of LSAC. As can be seen  
351 from the learning curves, IPW(S+Y) consistently outperforms ARL on the LSAC dataset.




Figure 4: Different AUC values during training of ARL, IPW(S) and IPW(S+Y) on the validation set of LSAC. Average and standard deviation over 10 random seeds.

## 352 F Results for 100k maximum training steps

353 As can be seen from Tables 11 and 12, changing the maximum number of training steps from 5k to 100k did not change  
354 performance significantly. We did not have enough computational resources to train the DRO model on the Adult  
355 dataset, but given the rest of the results it seems unlikely it would have yielded different results.

Dataset	Method	AUC avg	AUC macro-avg	AUC min	AUC minority	Accuracy
Adult	baseline	<b>0.9106 ± 0.0009</b>	<b>0.9197 ± 0.0015</b>	<b>0.8854 ± 0.0010</b>	<b>0.9430 ± 0.0042</b>	0.8523 ± 0.0049
Adult	DRO	-	-	-	-	-
Adult	ARL	0.9098 ± 0.0007	0.9182 ± 0.0006	0.8852 ± 0.0009	0.9400 ± 0.0025	<b>0.8540 ± 0.0020</b>
LSAC	baseline	<b>0.8370 ± 0.0037</b>	<b>0.8295 ± 0.0044</b>	<b>0.8151 ± 0.0045</b>	<b>0.8347 ± 0.0086</b>	<b>0.8655 ± 0.0036</b>
LSAC	DRO	0.8291 ± 0.0043	0.8219 ± 0.0048	0.8084 ± 0.0063	0.8284 ± 0.0148	0.8587 ± 0.0041
LSAC	ARL	0.8208 ± 0.0052	0.8130 ± 0.0058	0.7983 ± 0.0067	0.8227 ± 0.0087	0.8025 ± 0.0147
COMPAS	baseline	0.7356 ± 0.0024	0.7340 ± 0.0030	0.6998 ± 0.0027	<b>0.7552 ± 0.0071</b>	0.6731 ± 0.0054
COMPAS	DRO	0.7361 ± 0.0031	<b>0.7348 ± 0.0032</b>	0.7004 ± 0.0028	0.7509 ± 0.0101	0.6697 ± 0.0075
COMPAS	ARL	<b>0.7364 ± 0.0026</b>	0.7347 ± 0.0032	<b>0.7008 ± 0.0023</b>	0.7481 ± 0.0080	<b>0.6756 ± 0.0091</b>

Table 11: Main results for 100k max steps: Baseline vs ARL vs DRO, best results for each dataset are marked bold

Dataset	Method	AUC avg	AUC macro-avg	AUC min	AUC minority	Accuracy
Adult	ARL	0.9098 ± 0.0007	0.9182 ± 0.0006	0.8852 ± 0.0009	0.9400 ± 0.0025	0.8540 ± 0.0020
Adult	IPW(S)	0.9087 ± 0.0005	0.9181 ± 0.0007	0.8826 ± 0.0008	0.9437 ± 0.0012	<b>0.8552 ± 0.0010</b>
Adult	IPW(S+Y)	<b>0.9108 ± 0.0007</b>	<b>0.9209 ± 0.0015</b>	<b>0.8854 ± 0.0008</b>	<b>0.9471 ± 0.0045</b>	0.7499 ± 0.0155
LSAC	ARL	0.8208 ± 0.0052	0.8130 ± 0.0058	0.7983 ± 0.0067	0.8227 ± 0.0087	0.8025 ± 0.0147
LSAC	IPW(S)	0.8202 ± 0.0041	0.8158 ± 0.0046	0.7982 ± 0.0049	0.8222 ± 0.0090	<b>0.8543 ± 0.0029</b>
LSAC	IPW(S+Y)	<b>0.8369 ± 0.0037</b>	<b>0.8288 ± 0.0046</b>	<b>0.8139 ± 0.0046</b>	<b>0.8336 ± 0.0074</b>	0.8367 ± 0.0088
COMPAS	ARL	<b>0.7364 ± 0.0026</b>	<b>0.7347 ± 0.0032</b>	<b>0.7008 ± 0.0023</b>	<b>0.7481 ± 0.0080</b>	<b>0.6756 ± 0.0091</b>
COMPAS	IPW(S)	0.7312 ± 0.0020	0.7303 ± 0.0027	0.6918 ± 0.0029	0.7423 ± 0.0086	0.6670 ± 0.0086
COMPAS	IPW(S+Y)	0.7348 ± 0.0034	0.7327 ± 0.0039	0.6979 ± 0.0033	0.7458 ± 0.0079	0.6701 ± 0.0062

Table 12: Comparison ARL vs IPW for 100k maximum training steps.

## 356 G Extended Experiments on Image Classification

357 In order to investigate the performance of ARL on our custom image dataset, we ran a series of different experiments.  
358 However, drawing definite conclusions from the obtained results and proposing alterations is beyond the scope of this  
359 paper and is thus left as future work.

### 360 G.1 Dataset Details

361 For keeping the classification task binary, all original class labels larger than 23 were given the new label 1 and all  
362 other original class labels were given the new label 0. For each new label, half of the original classes were assigned as  
363 belonging to a protected group. To introduce noise, this re-assignment happens with a probability of 0.9. Samples with  
364 original labels that are not part of this re-assignment have a probability of 0.1 of becoming a member of a protected  
365 group. To eschew the ratio of protected/non-protected samples, samples that become a member of a protected group  
366 are discarded from the dataset with a certain probability. In the dataset EMNIST\_35, this probability is 0.5 and in  
367 the dataset EMNIST\_10, this probability is 0.9. This results in about 10% of the samples belonging to the protected  
368 group in EMNIST\_10 and about 35% of the samples belonging to the protected group in EMNIST\_35. The new  
369 binary labels are balanced with about 48% of the samples belonging to the new class 1 in both datasets. The dataset  
370 reflects that non-noise members of protected groups can be structurally different from non-members with regards  
371 to their features. For EMNIST\_35, the training set contains approximately 84000 samples and the test set contains  
372 approximately 14000 samples while for EMNIST\_10, the training set contains approximately 61000 samples and the  
373 test set contains approximately 10000 samples.

### 374 G.2 Different Adversary Architectures

375 We tested a total of three different architectures for the ARL adversary. All consist of a single convolutional layer with  
376  $3 \times 3$  kernels and stride 1, a max-pooling layer with a  $2 \times 2$  kernel and stride 1 and a subsequent single linear layer  
377 that directly maps the flattened output of the previous layer with appended target label to the scalar output. This setup  
378 was chosen in order to stay close to the original architecture for tabular data, as proposed by Lahoti et al. The model  
379 *ARL\_strong* uses 64 filters, the model *ARL* uses 32 filters and the model *ARL\_weak* uses 2 filters in the convolutional  
380 layer. The learner and the baseline are kept as described in Section 4.2.

Dataset	Method	AUC avg	AUC macro-avg	AUC min	AUC minority	Accuracy
EMNIST_35	baseline	<b>0.9507 ± 0.0037</b>	<b>0.9436 ± 0.0041</b>	<b>0.9256 ± 0.0055</b>	<b>0.9256 ± 0.0055</b>	<b>0.8778 ± 0.0059</b>
EMNIST_35	ARL	0.9370 ± 0.0044	0.9281 ± 0.0052	0.9051 ± 0.0072	0.9051 ± 0.0072	0.8616 ± 0.0057
EMNIST_35	ARL_weak	0.9354 ± 0.0072	0.9260 ± 0.0082	0.9017 ± 0.0112	0.9017 ± 0.0112	0.8587 ± 0.0095
EMNIST_10	baseline	<b>0.9624 ± 0.0013</b>	<b>0.9170 ± 0.0022</b>	<b>0.8645 ± 0.0040</b>	<b>0.8645 ± 0.0040</b>	<b>0.8983 ± 0.0025</b>
EMNIST_10	ARL	0.8709 ± 0.0696	0.7873 ± 0.0875	0.6881 ± 0.1117	0.6881 ± 0.1117	0.7924 ± 0.0731
EMNIST_10	ARL_weak	0.9524 ± 0.0032	0.8983 ± 0.0077	0.8356 ± 0.0132	0.8356 ± 0.0132	0.8836 ± 0.0055

Table 13: Extended experiments: Baseline vs ARL on image data, best results for each dataset are marked bold.

Dataset	Method	batch size	learning rate
EMNIST_10	baseline	512	0.01
EMNIST_10	ARL_weak	256	0.01
EMNIST_10	ARL	256	0.1
EMNIST_10	ARL_strong	512	0.01
EMNIST_35	baseline	512	0.01
EMNIST_35	ARL_weak	512	0.01
EMNIST_35	ARL	512	0.01
EMNIST_35	ARL_strong	512	0.1

Table 14: Hyperparameters with the best overall AUC for each dataset and training method. Models were trained for 5k steps or until the early stopping criterion was reached.

### 381 G.3 Training Procedure and Optimal Hyperparameters

382 The learning rate and batch size of all image models were determined by performing a grid search over the same  
383 hyperparameter space as defined for the other datasets in Appendix C. The grid search procedure is the same as in  
384 Section 2.3 but with reserving 10% of the training set as validation set instead of performing cross validation. For all  
385 image models, the hyperparameters are listed in Table 14. All image models were trained using the AdaGrad optimizer  
386 and all reported results are obtained from models that were trained for 5k steps or until the early stopping criterion, that  
387 is the overall AUC on the validation set had not improved for 10 epochs, is reached.

### 388 G.4 The Effects of Different Datasets

389 Table 13 shows the extended results for ARL on the different datasets. In our experiments on image data, the claim of  
390 Lahoti et al. that ARL improves the performance on the worst-off group could not be confirmed to hold. Rather, ARL  
391 leads to an even lower performance on the minority sub-group which stands in contrast to the original motivation of  
392 ARL, that is to increase the performance on the worst-off group. This is independent from the ratio of protected to  
393 non-protected samples in the dataset as it happens in both EMNIST\_35 and EMNIST\_10. It is notable that ARL sees a  
394 large performance drop over ARL\_weak on EMNIST\_10 but not on EMNIST\_35.

### 395 G.5 Computational Identifiability

396 Similar to Section 3.1, we tested whether the adversary is in principle capable of predicting the protected group in  
397 a supervised setting. Table 15 shows the accuracies that the different settings for ARL achieve on this task. Due  
398 to computational constraints, the reported numbers are results from a single training run of 5000 steps using the  
399 hyperparameters that were obtained in the grid search of the complete learner/adversary setting. ARL has major  
400 difficulties identifying the minority sub-group in the strongly imbalanced dataset EMNIST\_10. The performance on the  
401 minority sub-group increases with increasing representation in the dataset as the results on EMNIST\_35 show. This is  
402 in line with our expectations of a classifier whose optimization target is to improve the overall performance. Further,  
403 increasing the complexity of the adversary heavily increases the performance on the minority sub-group while the  
404 overall performance and performance on the majority sub-group is only slightly reduced.

	EMNIST_10			EMNIST_35		
	ARL_strong	ARL	ARL_weak	ARL_strong	ARL	ARL_weak
Overall	0.91	0.91	0.91	0.73	0.73	0.71
Majority	1.00	1.00	1.00	0.87	0.89	0.90
Minority	0.00	0.01	0.00	0.47	0.43	0.34

Table 15: Accuracies of predicting the protected sub-group in a supervised setting.