

PALBERT: Teaching ALBERT to Ponder

Anonymous ACL submission

Abstract

Currently, pre-trained models can be considered the default choice for a wide range of NLP tasks. Despite their SoTA results, there is practical evidence that these models may require a different number of computing layers for different input sequences, since evaluating all layers leads to overconfidence in wrong predictions (namely overthinking). This problem can potentially be solved by implementing adaptive computation time approaches, which were first designed to improve inference speed.

Recently proposed PonderNet may be a promising solution for performing an early exit by treating the exit layer’s index as a latent variable. However, the originally proposed exit criterion, relying on sampling from trained posterior distribution on the probability of exiting from the i -th layer, introduces major variance in exit layer indices, significantly reducing the resulting model’s performance.

In this paper, we propose improving PonderNet with a novel deterministic Q-exit criterion and a revisited model architecture. We adapted the proposed mechanism to ALBERT and RoBERTa and compared it with recent methods for performing an early exit. We observed that the proposed changes can be considered significant improvements on the original PonderNet architecture and outperform PABEE on a wide range of GLUE tasks. In addition, we also performed an in-depth ablation study of the proposed architecture to further understand Lambda layers and their performance.

1 Introduction

These days, fine-tuning pre-trained models on downstream tasks became a de facto standard technique for training NLP models (Devlin et al., 2019; Liu et al., 2019; Lan et al., 2020; Radford et al., 2019). Although, as model sizes increase, it becomes harder to use them for real world applications due to computational footprint. Because of this fact, practitioners may desire to perform an

early model exit (i.e., with adaptive computation time (Graves, 2016)) to reduce the computation needed for a specific model input.

One model that is widely used in real-world applications is ALBERT (Lan et al., 2020), which is based on the Transformer architecture (Vaswani et al., 2017) with shared layers (i.e., the same layer is evaluated several times to provide an output). Sharing layer weights allows us to think of ALBERT as of recurrent model that simplify development of early exit methods. Most of them (Teerapittayanon et al., 2016; Liu et al., 2020; Xin et al., 2020) rely on performing an early exit based on entropy of predictions during the model evaluation. Although, Zhou et al. (2020) showed that running the ALBERT-Base block for a fixed number of times (10) could increase the accuracy of the fine-tuned model on specific tasks (e.g., MRPC) despite the entropy of predictions monotonously decreasing for all 12 layers. A recent PABEE solution (Zhou et al., 2020) was designed to overcome this issue by performing an early exit based on the consensus between different classifier heads from different layers. The model stops evaluating when several classifiers in a row produce the same result.

A possible orthogonal solution for this task is PonderNet (Banino et al., 2021) – a variational approach that treats the exit layer’s index as a latent variable. By maximizing the lower bound of the likelihood of the training data, PonderNet trains a model which can predict whether it is necessary to exit from a specific layer during evaluation. However, Banino et al. (2021) proposed to sample from the trained posterior distribution of exiting from each layer during inference, which leads to major variance in exit layer indices.

This paper proposes improving PonderNet adapted for ALBERT (Lan et al., 2020) and RoBERTa (Liu et al., 2019) fine-tuning (PALBERT and PRoBERTa). Instead of performing an early exit by sampling from the trained posterior distri-




Figure 1: A comparison of the original sampling exit criterion of PonderNet (on the left) and the proposed Q-exit criterion (on the right). PonderNet performs sampling from the Bernoulli distribution obtained from the Lambda layer at each step, possibly exiting a model too early or too late. For Q-exit, we evaluate the Cumulative distribution function (CDF) of the probability of exiting at layer i . Once CDF becomes greater than the threshold value (0.5 in this example), we perform an early exit. With such a deterministic criterion, we can perform an early exit from a model more robustly without introducing variance in the exit layer’s index during inference.

084 during evaluation, we used a novel zero-
 085 variance exit criterion, namely **Q-exit**, which evalu-
 086 ates the CDF of the exit layer’s probability distri-
 087 bution and performs a deterministic early exit. We
 088 also revisited the architectural choices of Lambda
 089 layers used to predict the probability of exiting
 090 from the current layer to make them aware of dy-
 091 namics in hidden states across previous layers and
 092 the number of currently running layers.

093 We experimented with PALBERT and
 094 PRoBERTa on the GLUE Benchmark datasets
 095 (Wang et al., 2018). The ablation study showed
 096 that PALBERT and PRoBERTa produced signifi-
 097 cantly better results than the original PonderNet
 098 architecture. Furthermore, the proposed methods
 099 outperformed PABEE and are comparable to plain
 100 ALBERT and RoBERTa fine-tuning, while also
 101 exceeding it in speeds. We also analyzed the
 102 trained model and provided insights on further
 103 improvement of the variational approach for early
 104 exiting.

105 2 Related Work

106 Most of the approaches used to perform an early
 107 exit from a model are based on the probability
 108 distribution of predictions: BranchyNet (Teerapit-
 109 tayanon et al., 2016), FastBERT (Liu et al., 2020),
 110 DeeBERT (Xin et al., 2020), which can be seen
 111 as an entropy criterion. Xin et al. (2021) proposed
 112 BERxiT with LTE layer used to estimate the cor-
 113 rectness of predictions during the inference based
 114 on the hidden state from the specific layer.

115 However, there is strong practical evidence that
 116 classification models’ overthinking causes a reduc-
 117 tion in predictions’ entropy, making these methods
 118 difficult to use (Zhou et al., 2020). Furthermore, it
 119 is unclear how to adapt entropy methods for regres-
 120 sion tasks (Zhou et al., 2020). Zhou et al. (2020)

121 proposed PABEE – a method to perform an early
 122 exit based on several classifiers from the different
 123 levels of a model. Once several classifiers in a row
 124 (the number of these classifiers is determined by the
 125 patience hyperparameter t) produce the same result,
 126 we can perform an early exit. Several recent works
 127 also utilized the idea of a consensus-based exiting
 128 strategy (Zhu, 2021; Liao et al., 2021). Although,
 129 most of them mainly augment the basic consensus
 130 scheme with orthogonal heuristics. Because of this,
 131 we did not include them in our experiments and
 132 only used PABEE as a consensus-based method.

133 An alternative way to perform an early exit is the
 134 Ponder architecture (Banino et al., 2021), which
 135 uses auxiliary Lambda layers to predict whether a
 136 model should exit from a specific layer during run-
 137 time. Inputs to Lambda layers used in PonderNet
 138 are hidden states from the current layer of a model.
 139 PonderNet can be seen as a model with the latent
 140 variable that corresponds to the exit layer index,
 141 which is trained by maximizing the lower bound of
 142 the marginalized likelihood of the data.

143 During inference, Banino et al. (2021) proposed
 144 to sample from the trained posterior distribution of
 145 exit layer probabilities. However, this exit criterion
 146 can lead to uncertainty in exit layers for the same
 147 input (see Section 4.5. Even if the Lambda layer
 148 produced a probability equal to 0.1 of exiting from
 149 the first layer, we could still exit a model too early
 150 in one of ten cases, even though the probability was
 151 small. We also hypothesize that predicting exiting
 152 from a layer based entirely on a single hidden state
 153 could be sub-optimal since performing early exit
 154 could also depend on the dynamics in hidden states
 155 across layers (i.e., the Lambda layer should know
 156 how hidden states change during the evaluation).

Method				SST-2	RTE	CoLA
ALBERT				92.7 ± 0.3	77.0 ± 1.9	57.0 ± 2.1
ALBERT + PonderNet				91.1 ± 0.6	73.5 ± 1.9	50.8 ± 2.2
ALBERT + PonderNet (Closed-Form Expectation)				92.3 ± 0.4	76.8 ± 3.0	55.9 ± 2.2
Q-exit	Lambda LR	3-Layer Lambda	h concat.			
+	-	-	-	92.2 ± 0.3	77.3 ± 1.4	55.7 ± 0.9
+	+	-	-	92.7 ± 0.4	77.3 ± 1.4	56.5 ± 1.2
+	+	+	-	92.6 ± 0.3	77.0 ± 1.4	56.3 ± 2.4
+	+	-	+	93.0 ± 0.3	76.5 ± 1.6	56.9 ± 1.9
+	+	+	+	92.9 ± 0.2	77.8 ± 1.2	57.4 ± 1.7

Table 1: An ablation study of the proposed PALBERT architecture. "Lambda LR" corresponds to fine-tuning the Lambda layer with its learning rate, "3-layer Lambda" refers to making the Lambda layer have three MLP layers instead of one, and "h concat." stands for concatenation of two hidden states as input to the Lambda layer.

3 Improving PonderNet

In this section, we describe the adaptation of PonderNet to the ALBERT model (PALBERT). Although, it could be easily extended to other pre-trained models such as RoBERTa (which we also used in our experiments).

The usual ALBERT evaluation can be defined as a computation of n hidden states $h_i = S(h_{i-1})$ from the input embeddings h_0 of an input sequence x , where $i \in [1; n]$. Once h_n is obtained, it is passed to a classifier block $C(h_n)$ to get the parameters of an output distribution $p(y|x)$. A common way to fine-tune this architecture on downstream tasks is to initialize the embeddings and the S layer by using ALBERT (pre-trained on Masked Language Modelling) while initializing C randomly and then optimizing all parameters by maximizing the likelihood of the training data.

While plain ALBERT performs a fixed number of computational steps, it is possible to perform an arbitrary number of evaluations of the layer S . Banino et al. (2021) proposed to extend each Transformer layer with a so-called Lambda layer. More precisely, for each layer i , after S outputs a new h_i , it is then passed to the classifier and Lambda layers to get parameters $C(h_i)$ of output distributions $p(y|x, i)$ and the probability of exiting from the i -th layer $\lambda_i = \Lambda(h_i)$, which induces a generalized geometric distribution on probability of exiting from layer i equal to $p(i|x) = \lambda_i \prod_{j=1}^{i-1} (1 - \lambda_j)$.

Then, having the probability distribution from each layer $p(y|x, i)$, the parameters of the model are optimized to maximize

$$L(x, y) = \mathbb{E}_{i \sim p(i|x)} \left[\log(p(y|x, i)) \right] - \beta KL(p(\cdot|x) || p(\cdot|\lambda)) \leq \log(p(y|x)) \quad (1)$$

Here, $p(\cdot|\lambda)$ is a prior geometric distribution of exiting from each layer, parametrized by the hyperparameter λ , and $\mathbb{E}_{i \sim p(i|x)} \left[\log(p(y|x, i)) \right]$ is evaluated analytically by averaging likelihoods from different layers with posterior exit probabilities. If we treat the exit layer index as a latent variable, then optimizing L from the Equation 1 could be seen as maximizing the lower bound of marginalized log likelihood $\log(p(y|x))$ (Kingma and Welling, 2014).

Note that following Banino et al. (2021) the prior probability of exiting from the last layer n is normalized as $p(n|\lambda) = 1 - \sum_{i=1}^{n-1} p(i|\lambda)$ in order to make $p(i|\lambda)$ sum into 1 with a finite number of steps, while $p(i|x)$ is truncated by the lowest layer index j , s.t. $\sum_{i=1}^j p(i|x) \geq 1 - 0.05$ (thus, $KL(\dots)$ is evaluated only with first j layers). Also note that weights of Lambda layers are shared across layers of the model.

3.1 Exit Criterion

During inference, Banino et al. (2021) proposed to sample the exit layer index from $p(i|x)$ (i.e., by sampling iteratively from a Bernoulli distribution with parameter λ_i). While a sampling-based exit criterion correlates with the variational view of PonderNet's training objective, such estimation introduces the randomness in the inference process of PonderNet.

Method	SST-2	RTE	QNLI	CoLA	MRPC	MNLI	QQP	STS-B	Macro
Dev set									
ALBERT	92.7	76.5	91.5	56.6	90.5	84.8	88.9	90.6	84.0
ALBERT (9 L.)	91.1	74.2	91.2	56.9	89.7	84.3	89.7	90.1	83.4
ALBERT PABEE	92.7	76.9	91.5	55.6	88.3	84.5	88.9	89.9	83.5
ALBERT PonderNet	91.3	74.0	88.3	51.3	87.1	81.7	87.7	88.2	81.2
PALBERT (ours)	93.1	78.3	91.0	58.1	89.3	84.7	88.9	89.9	84.2
Test set									
ALBERT	93.4	70.0	92.1	50.5	85.6	79.0	84.7	87.4	80.3
ALBERT PABEE	92.7	71.1	91.3	46.0	84.3	79.2	83.7	86.5	79.3
ALBERT PonderNet	90.2	68.6	88.5	43.7	84.3	81.1	77.4	83.6	77.2
PALBERT (ours)	93.0	73.5	91.7	48.6	87.1	79.8	84.4	86.5	80.6

Table 2: A comparison of PALBERT with recent approaches on the GLUE benchmark. In the Macro column, we present the average results across tasks. We bolded the best results. Note that we did not bold the ALBERT rows since there is no early exit applied and we reported it for reference.

To overcome the issue of randomness, we propose **Q-exit**¹: a novel deterministic criterion of performing an early exit, which we used for PALBERT. Instead of sampling from the distribution $p(i|x)$ during inference, we evaluate its CDF by accumulating $p(i|x)$ from each layer. Once the CDF is greater than the threshold hyperparameter q , we perform an early exit². See Figure 1 for a schematic comparison of the sampling criterion with Q-exit. Threshold q can be seen as a trade-off between underthinking and overthinking. Therefore, q should be selected during the validation of the trained model to choose the best-performing value.

Based on our experiments, we found that the proposed criterion produced significantly better accuracy on various tasks compared to the original sampling criterion (see Sections 4.1, 4.2), while also being more practical than the original sampling criterion.

3.2 Lambda Layer Architecture

While the original PonderNet used a single layer MLP to obtain logit of exiting probability, we hypothesize that making the Lambda layer understand the dynamics of changing ALBERT hidden states is crucial for achieving good performance. To do so, instead of passing a single hidden state h_i from the i -th layer in Λ , we concatenate it with h_{i-1} .

¹Q-exit stands for Quantile

²The proposed exit criterion is the simplest deterministic criterion which we came to, since there is no ability to estimate mean or argmax statistics during the inference without running all layers of the model, which is impractical if we want to perform an early exit.

I.e., for PALBERT, we evaluate the probability of exiting from i -th layer as $\lambda_i = \Lambda([h_i, h_{i-1}])$.

We used a 3 layer MLP with tanh activation for the Lambda layer to operate with more complex input. Based on the ablation study, we observed that increasing the capacity improves the accuracy of the trained model (See section 4.1). We also found it beneficial to fine-tune the Lambda layer with a different learning rate than all other parameters.

4 Experiments

4.1 Ablation Study

We performed an ablation study of the proposed changes in PonderNet architecture with PALBERT.

We experimented with adding the proposed Q-exit criterion, Lambda layer architecture, and fine-tuning strategies. These methods were benchmarked on SST-2, RTE, and CoLA tasks from the GLUE Benchmarking dataset (Wang et al., 2018).

We compared proposed changes with plain ALBERT and PonderNet adapted for ALBERT. Also, in these experiments we compared with PonderNet evaluated in expectation of predictions (e.g., evaluated $p(y|x) = \mathbb{E}_{i \sim p(i|x)} [p(y|x, i)]$ in closed-form). While such a model is impractical for early exiting setup (it does not perform any early exit but evaluates all layers to estimate the expectation), it could show a gap between closed-form expectation of model predictions and its single sample Monte Carlo estimation.

For evaluation, we performed a grid hyperparameter search on an appropriate metric score on the dev split for each dataset. Following the PABEE training setup, we trained all models with a fixed

Method	SST-2	RTE	QNLI	CoLA	MRPC	MNLI	QQP	STS-B	Macro
Dev set									
RoBERTa	94.5	79.4	92.4	63.1	91.3	86.7	89.8	90.7	86.0
RoBERTa PABEE	93.8	76.9	91.9	60.7	89.6	86.4	91.1	89.9	85.0
PRoBERTa (ours)	93.7	79.1	91.6	62.2	90.2	86.7	91.1	89.9	85.6
Test set									
RoBERTa	94.5	74.1	93.1	58.9	89.1	86.5	80.9	88.4	83.2
RoBERTa PABEE	95.4	71.7	92.0	51.2	87.6	86.2	80.4	86.2	81.3
PRoBERTa (ours)	94.5	72.1	91.8	58.6	88.3	86.1	79.6	85.7	82.1

Table 3: A comparison of PRoBERTa with recent approaches on the GLUE benchmark. In the Macro column, we present the average results across tasks. We bolded the best results. Note that we did not bold the RoBERTa rows since there is no early exit applied and we reported it for reference.

learning rate until validation metrics stopped increasing for 5 epochs. We used Adam optimizer (Kingma and Ba, 2015) for all experiments, a fixed $q = 0.5$ on models with the Q-exit criterion, as well as a fixed classifier dropout value equal to 0.1 (Srivastava et al., 2014), and $\lambda = 0.1$.

We trained each model 5 times with the best hyperparameters and reported the mean and std values. A full list of the methods’ hyperparameter ranges can be found in Appendix Table 4.

See Table 1 for the full list of the results of our ablation study. Based on these experiments, PonderNet architecture is seen as performing worse than vanilla ALBERT fine-tuning. Also, PonderNet with closed-form evaluation of predictions expectation performed better than the sampling criterion, indicating that randomness in exit layers leads to poor performance.

At the same time, the deterministic Q-exit criterion improves PonderNet accuracy when compared to a random sampling of the exit layer and is comparable to the evaluation of PonderNet in expectation. A more complex Lambda layer that can handle the dynamics of hidden state changes can further improve model accuracy when compared to the original PonderNet.

4.2 GLUE Experiments

We compared PALBERT with PonderNet architecture adapted for ALBERT fine-tuning, and PABEE with a fixed patience value $t = 6$ on all GLUE tasks. We also trained Ponder RoBERTa (PRoBERTa) and compared it with PABEE adapted for RoBERTa. Note that we re-implemented all baselines used in our experiment for consistency in comparison. See Ablation Section A for the details of reimplementa-

tion.

Following the experimental setup from Section 4.1, we trained 5 models with the best hyperparameters across the hyperparameter search and reported the median task score on the dev set. We evaluated the test scores on the best models, selected based on their dev scores. We report the two metrics’ mean for the MRPC, QQP, and STS-B tasks. For the MNLI task, we report the mean accuracy across matched and mismatched datasets.

See Tables 2,3 for the full list of results. We observed that PALBERT outperformed PABEE on a wide range of tasks. Vanilla PonderNet with the sampling exit criterion performed the worst. Vanilla ALBERT outperformed PABEE on most tasks and is comparable to PALBERT, while the latter has the highest score averaged across all tasks (see Macro column in Tables 2, 3).

For experiments with RoBERTa, we observed that PRoBERTa outperformed PABEE on Dev split, while it either performed better or marginally worse for the Test set. Thus, PRoBERTa showed a higher macro score compared to PABEE.

Note that PABEE is performing poorly for tasks with a small dataset (e.g., CoLA, RTE). We hypothesize that this is caused by several independent classifiers at each layer C_i failing to train well enough, whereas PALBERT was capable of utilizing knowledge sharing between layers.

4.3 Understanding the Threshold of Q-exit

As noted previously in Section 3.1, we treat the threshold value q of the Q-exit criterion as a trade-off between underthinking and overthinking, where increasing q forces a model to evaluate more layers, and vice versa.




Figure 2: PALBERT score dependency on the Q-exit threshold. We report the mean and std values of task metrics across 5 trained models. See section 4.3 for more details




Figure 3: A comparison between PALBERT and PABEE models on SST-2, RTE, CoLA, and MRPC tasks. We varied the threshold value of Q-exit for PALBERT and the patience hyperparameter for PABEE to obtain the plots of task scores of inference increasing in speed. 1x stands for plain ALBERT inference without performing an early exit. The horizontal line corresponds to plain ALBERT fine-tuning. See Section 4.4 for the analysis of these plots.

Therefore, it is necessary to find the best-performing threshold for each task where a model has the highest accuracy. To do so, we evaluated trained PALBERT models from the ablation study (see Section 4.1) on dev splits of tasks with different values of q . We then averaged obtained metrics and reported the mean and std values for various thresholds (See Figure 2 for the results).

We observed that exiting models with $q = 0.5$ shows the best overall performance for different tasks. Making q greater than 0.5 leads to a reduction in accuracy and can often force models to evaluate all 12 layers of ALBERT-Base.

It is also notable that PALBERT, having a large threshold value q that performs constant exit on

the last layer, has better accuracy than vanilla ALBERT fine-tuned for the SST-2 task. This indicates that adding auxiliary tasks for each layer of ALBERT improves performance compared to plain fine-tuning with a single classifier on the last layer of the model.

4.4 Speed Analysis

While making $q < 0.5$ improves inference speed, it can also lead to underthinking and lower accuracy (see Figure 3). We compared PALBERT using different threshold values q to PABEE with different patience values t , which stands for the number of layers necessary to output the same result in a row to perform an early exit. We evaluated task scores for the specified hyperparameters as well as the increase in speed when compared to vanilla ALBERT inference of a full model with 12 layers.

Overall, we observed that PALBERT mostly produced higher scores on different tasks while also being slightly faster than PABEE. For the CoLA and MRPC datasets, PALBERT performed better. The proposed method outperformed PABEE while achieving the same increase in speed.

We observed questionable results on the SST-2 dataset: the best score for the PABEE model is slightly higher than that of PALBERT. However, it was obtained with a negligible increase in speed compared to ALBERT, as the best-performing patience for this setup is 11 layers while the whole model has only 12 layers.

Furthermore, unlike PALBERT, PABEE performed significantly worse than plain ALBERT fine-tuned on the CoLA and RTE tasks.

4.5 On the Prior of PALBERT

While we used a fixed value of $\lambda = 0.1$ in our main experiment following Banino et al. (2021) (see Section 4.2), we also investigate the effect of changing the parameter of the prior distribution on exit layer indices.

We followed the experimental setup from the previous sections and trained models with $\lambda \in [0.1, 0.15, 0.25, 0.5]$. For each λ , we had its own best hyperparameter set, which was then used to train 5 models.

See Figure 4 for the results. We observed that varying λ affects the performance of the trained model since it has a huge impact on the distribution of exit layer indices. Although the best metric for the RTE task was reached with $\lambda = 0.08$, such a model mostly performs an exit from the last layer.




Figure 4: Histogram of exit layer indices with Q-exit criterion and different prior distribution parameters λ (top) alongside with task metrics for trained models (bottom) for MRPC and RTE tasks. See Section 4.5 for more details.

Meanwhile, $\lambda = 0.08$ performs marginally worse than $\lambda = 0.1$ for MRPC.

Note that while Figure 4 was obtained using the Q-exit criterion, we could also estimate $\mathbb{E}_{x \sim D} [p(i|x)]$ (see Figure 5), which is the distribution of exit layer indices with vanilla sampling criterion proposed by Banino et al. (2021). Even if λ is low enough so that the mode of distribution is the 12-th layer, in almost half of the cases, the sampling criterion forces the model to exit from one of the first 10 layers. We hypothesize that such randomness in the index of the exit layer leads to the poor performance observed during previous experiments (see Section 4.2).

From such perspective, dependency on the explicit prior distribution could be seen as the main limitation of the proposed method, since treating

the exit layer index as a latent variable justified its prior distribution. If proper prior distribution was found, then the well-performing model could be trained, and vice versa.

5 Future Work and Limitations

In this paper, we proposed improving the PonderNet architecture to perform an early exit using fine-tuned ALBERT and RoBERTa models with the novel Q-exit criterion and a revisited Lambda layer architecture. This approach is orthogonal to the consensus-based approaches (Zhou et al., 2020; Zhu, 2021) highly represented in the field.

While PALBERT and PRoBERTa outperformed some recent State-of-The-Art methods used for an early exit, there is a clear direction for further improvement of this method, as it was not capable of outperforming plain ALBERT and RoBERTa on




Figure 5: An estimation of $\mathbb{E}_{x \sim D} [p(i|x)]$, where $p(i|x)$ is a trained posterior probability of exiting from layer i of PALBERT models across different tasks, $\lambda = 0.1$, and D is the distribution of the training dataset. We took 5 models trained on these tasks and sampled exit layer indices for the training dataset’s inputs. We smoothed the obtained probabilities for visibility. Note that these probabilities could be seen as the distribution of exit layers across different tasks for plain PonderNet with sampling criterion, which indicates on high variance in indices of output layers.

some GLUE tasks.

We believe that PALBERT could benefit from the development of a new parameterization of the prior distribution on exiting from each layer since it directly affects the resulting posterior distribution used to perform an early exit (see Section 4.5). However, the development of an appropriate prior distribution for early exiting models is orthogonal to the development of a proper exit criterion.

Furthermore, there is no theoretical justification for the Q-exit threshold value. Although we observed that $q = 0.5$ performed best, it is without a clear explanation as to why that is so. We hypothesize that bringing more insights into developing deterministic exit criteria could further improve the proposed method.

In addition, adding more auxiliary tasks could also make it possible to improve PALBERT further. This way, PALBERT training can be made more PABEE-like by making independent classifiers for each layer of the model or adding self-distillation across layers.

While the variational view of the early exiting mechanism allows us to train models which could be exited early, we observed that the overall performance of the trained model highly depends on the prior distribution of exit layer indices (see Section 4.5). Because of this, the proposed method requires more computation for hyperparameter search com-

pared to PABEE (Zhou et al., 2020). We believe that, in order to further develop training-level early exiting, it may be beneficial to move away from variational inference to some other form of trainable mechanism without relying on exit layers’ explicit prior knowledge.

References

Andrea Banino, Jan Balaguer, and Charles Blundell. 2021. [Pondernet: Learning to ponder](#). In *8th ICML Workshop on Automated Machine Learning (AutoML)*.

Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2019. [BERT: Pre-training of deep bidirectional transformers for language understanding](#). In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pages 4171–4186, Minneapolis, Minnesota. Association for Computational Linguistics.

Alex Graves. 2016. [Adaptive computation time for recurrent neural networks](#). Cite arxiv:1603.08983.

Diederik P. Kingma and Jimmy Ba. 2015. [Adam: A method for stochastic optimization](#). In *3rd International Conference on Learning Representations, ICLR 2015, San Diego, CA, USA, May 7-9, 2015, Conference Track Proceedings*.

Diederik P. Kingma and Max Welling. 2014. [Auto-Encoding Variational Bayes](#). In *2nd International Conference on Learning Representations, ICLR 2014, Banff, AB, Canada, April 14-16, 2014, Conference Track Proceedings*.

Zhenzhong Lan, Mingda Chen, Sebastian Goodman, Kevin Gimpel, Piyush Sharma, and Radu Soricut. 2020. [Albert: A lite bert for self-supervised learning of language representations](#). In *International Conference on Learning Representations*.

Kaiyuan Liao, Yi Zhang, Xuancheng Ren, Qi Su, Xu Sun, and Bin He. 2021. [A global past-future early exit method for accelerating inference of pre-trained language models](#). In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 2013–2023, Online. Association for Computational Linguistics.

Weijie Liu, Peng Zhou, Zhiruo Wang, Zhe Zhao, Haotang Deng, and Qi Ju. 2020. [Fastbert: a self-distilling BERT with adaptive inference time](#). In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics, ACL 2020, Online, July 5-10, 2020*, pages 6035–6044. Association for Computational Linguistics.

530 Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Man-
531 dar Joshi, Danqi Chen, Omer Levy, Mike Lewis,
532 Luke Zettlemoyer, and Veselin Stoyanov. 2019.
533 [Roberta: A robustly optimized bert pretraining ap-
534 proach](#). Cite arxiv:1907.11692.

535 Alec Radford, Jeff Wu, Rewon Child, David Luan,
536 Dario Amodei, and Ilya Sutskever. 2019. Language
537 models are unsupervised multitask learners.

538 Nitish Srivastava, Geoffrey Hinton, Alex Krizhevsky,
539 Ilya Sutskever, and Ruslan Salakhutdinov. 2014.
540 [Dropout: A simple way to prevent neural networks
541 from overfitting](#). *Journal of Machine Learning Re-
542 search*, 15(56):1929–1958.

543 Surat Teerapittayanon, Bradley McDanel, and H. T.
544 Kung. 2016. [BranchyNet: Fast inference via early
545 exiting from deep neural networks](#). In *Proceedings of
546 the 23rd International Conference on Pattern Recogn-
547 ition*, pages 2464–2469. IEEE.

548 Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob
549 Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz
550 Kaiser, and Illia Polosukhin. 2017. Attention is all
551 you need. In *Advances in Neural Information Pro-
552 cessing Systems*, pages 5998–6008.

553 Alex Wang, Amapreet Singh, Julian Michael, Felix
554 Hill, Omer Levy, and Samuel R. Bowman. 2018. [Glue: A multi-task benchmark
555 and analysis platform for natural language under-
556 standing](#). Cite arxiv:1804.07461Comment:
557 <https://gluebenchmark.com/>.
558

559 Ji Xin, Raphael Tang, Jaejun Lee, Yaoliang Yu, and
560 Jimmy Lin. 2020. [DeeBERT: Dynamic early exiting
561 for accelerating BERT inference](#). In *Proceedings
562 of the 58th Annual Meeting of the Association for
563 Computational Linguistics*, pages 2246–2251, Online.
564 Association for Computational Linguistics.

565 Ji Xin, Raphael Tang, Yaoliang Yu, and Jimmy Lin.
566 2021. [BERxiT: Early exiting for BERT with better
567 fine-tuning and extension to regression](#). In *Proceed-
568 ings of the 16th Conference of the European Chap-
569 ter of the Association for Computational Linguistics:
570 Main Volume*, pages 91–104, Online. Association for
571 Computational Linguistics.

572 Wangchunshu Zhou, Canwen Xu, Tao Ge, Julian
573 McAuley, Ke Xu, and Furu Wei. 2020. [Bert loses
574 patience: Fast and robust inference with early exit](#). In
575 *Advances in Neural Information Processing Systems*,
576 volume 33, pages 18330–18341. Curran Associates,
577 Inc.

578 Wei Zhu. 2021. [LeeBERT: Learned early exit for BERT
579 with cross-level optimization](#). In *Proceedings of the
580 59th Annual Meeting of the Association for Computa-
581 tional Linguistics and the 11th International Joint
582 Conference on Natural Language Processing (Vol-
583 ume 1: Long Papers)*, pages 2968–2980, Online. As-
584 sociation for Computational Linguistics.

A Re-implementation of Baselines

585 While PABEE (Zhou et al., 2020) provided official
586 implementation of the proposed method, we
587 have several concerns regarding its reproducibility
588 and experimental setup. The original implementa-
589 tion implies running evaluation iteration-wise (i.e.,
590 the best performing model is selected once in n
591 iterations).

592 In this case, several iterations n between valida-
593 tion epochs could be seen as an additional hyperpa-
594 rameter, which has a large impact on the resulting
595 performance. Although, Zhou et al. (2020) did not
596 include the best performing value so that the results
597 could be easily reproduced.

598 Because of this, we decided to re-implement
599 PABEE strictly following the original paper and
600 training details, while evaluating the model after
601 every epoch, instead of evaluating after n training
602 steps, which we believe is a fairer way to compare
603 methods.
604

Parameter	Values range
Learning rate	[1e-5, 2e-5, 3e-5, 5e-5]
Batch size	[16, 32, 128]
Lambda learning rate	[1e-5, 2e-5, 3e-5]
β	[0.5]

Table 4: Hyperparameter search ranges used in all of our experiments.