

WEAKLY-SUPERVISED 3D REFERRING EXPRESSION SEGMENTATION

Anonymous authors

Paper under double-blind review

ABSTRACT

3D Referring Expression Segmentation (3D-RES) aims to generate precise segmentation masks for targets based on free-form text descriptions. Despite significant advancements, current methods still rely on costly point-level mask-description pair annotations. In this paper, we introduce the Multi-Expert Network (MEN), a novel weakly supervised framework that utilizes the multimodal alignment of vision-language models across various semantic cues to reveal the relationships between descriptions and 3D instances. The primary challenges lie in effectively extracting and matching visual and textual context, while eliminating potential distractions. To address this, we propose the Multi-Expert Mining (MEM) and Multi-Expert Aggregation (MEA) modules. The MEM module employs multiple experts to extract semantic cues from full-context, attribute, and category dimensions. The MEA module mathematically consolidates the outputs of these experts, automatically assigning greater weight to more accurate ones, thus improving target selection accuracy and robustness. Extensive experiments on the ScanRefer and Multi3DRefer benchmarks demonstrate the effectiveness of our method in addressing the challenges of weakly supervised 3D-RES.

1 INTRODUCTION

3D Referring Expression Segmentation (3D-RES) has gained significant attention in the multimodal field, aiming to segment 3D objects by aligning referring expressions with point clouds (Qian et al., 2024; He & Ding, 2024; He et al., 2024; Huang et al., 2021; Wu et al., 2024b;a). Unlike 3D referring expression comprehension (Luo et al., 2022; Wang et al., 2023a; Chen et al., 2022; He et al., 2021; Feng et al., 2021; Zhao et al., 2021; Yuan et al., 2021; Cai et al., 2022), which only requires locating the target and generating a simple bounding box, 3D-RES involves producing an accurate segmentation mask for the target based on free-form text descriptions. This advancement is crucial for applications in human-computer interaction and autonomous driving.

Despite notable progress (Huang et al., 2021; Wu et al., 2024b; Qian et al., 2024), current methods still rely on costly point-level mask annotations for each description. For instance, annotating a scene in the ScanNet-v2 (Dai et al., 2017) dataset takes an average of 22.3 minutes. The labor-intensive nature of these annotations hinders the collection of large-scale 3D datasets, limiting the task’s scalability to data-scarce domains. To address this, we propose a weakly supervised 3D-RES setting, where only 3D point clouds and referring expressions are provided without mask annotations, as shown in Fig. 1. In this setting, both 3D scenes and referring expressions are easier to obtain, eliminating the need for laborious point-level mask annotations.

One straightforward approach to address this challenge is to first utilize a pre-trained 3D model to extract proposals and render them into 2D images, which are then matched directly with referring expressions using well-established 2D image-text matching techniques such as CLIP (Radford et al., 2021). However, this approach isolates instances from their 3D scene context, thus failing to leverage the crucial contextual cues provided in the text for accurate target localization. Another approach involves selecting images with the highest visibility of 3D proposals from the video used to construct the 3D point cloud (Boudjoghra et al., 2024), and then employing CLIP for matching. While this method more effectively utilizes the contextual information from the text, it introduces a significant challenge: if the image contains multiple proposals, it can lead to considerable matching ambiguity.

054
055
056
057
058
059
060
061
062
063
064
065
066
067
068
069
070
071
072
073
074
075
076
077
078
079
080
081
082
083
084
085
086
087
088
089
090
091
092
093
094
095
096
097
098
099
100
101
102
103
104
105
106
107




Figure 1: (a) Fully supervised 3D-RES frameworks utilize point-level mask annotations as supervision. (b) Weakly supervised 3D-RES frameworks require only easily accessible annotations for training, such as class labels.

Thus, the main challenge of this task lies in how to efficiently mine and match both visual and textual context while filtering out potential distractions.

To achieve this goal, we propose a Multi-Expert Network (MEN), a framework that leverages multiple cues to accomplish text-based referential reasoning. This framework breaks the problem into two sub-tasks: first, how to effectively mine and match visual and textual context; second, how to integrate the results of the first step to filter out distracting information while highlighting the target instance. For the first sub-task, we introduce a Multi-Expert Mining (MEM) module, which designs experts to extract information from multiple semantic cues, specifically focusing on full-context, attribute, and category dimensions to derive the target’s distribution. The full-context expert processes the complete visual and textual context, assessing the match between proposals and the description from the perspective of spatial relationships and overall scene. The attribute expert focuses on fine-grained details such as shape, color, and texture of the instance, distinguishing proposals at the attribute level. The category expert, meanwhile, concentrates on the semantic category match between the proposal and the text description, ensuring robust matching unaffected by noise. For the second sub-task, directly integrating the probability distributions produced by the experts through summation or pooling may seem intuitive, but it fails to effectively suppress noise and emphasize the target. Therefore, we propose a Multi-Expert Aggregation (MEA) module that consolidates the match distributions generated by the three experts through the framework of distribution conflation. This module automatically assigns greater weight to input distributions derived from more accurate experts, specifically those exhibiting smaller standard deviations. In contrast to straightforward integration methods, the MEA module effectively filters out distractions and enhances the significance of the proposal corresponding to the target object.

To sum up, the contributions of this paper are three-fold:

- We propose a weakly supervised 3D-RES task, and introduce the Multi-Expert Network (MEN), a framework that leverages multiple cues for referring expression reasoning, significantly reducing the need for costly mask-description pair annotations.
- We design the Multi-Expert Mining (MEM) module, which effectively extracts and aligns visual and textual context from three complementary cues. Additionally, we introduce the Multi-Expert Aggregation (MEA) module, which integrates the knowledge from multiple experts, filtering out interference while emphasizing the target instance.
- Extensive experiments on ScanRefer and Multi3DRefer datasets demonstrate the effectiveness of our proposed method in addressing weakly-supervised 3D-RES.

2 RELATED WORK

2.1 3D REFERRING EXPRESSION COMPREHENSION AND SEGMENTATION

The 3D-REC aims to locate a target object in a 3D scene based on a referring language description and generate a bounding box (Luo et al., 2022; Wang et al., 2023a; Chen et al., 2022; He et al., 2021; Feng et al., 2021; Zhao et al., 2021; Yuan et al., 2021; Cai et al., 2022), while 3D-RES focuses on producing a corresponding segmentation mask (Qian et al., 2024; He & Ding, 2024; He et al., 2024; Huang et al., 2021; Wu et al., 2024b;a). The primary benchmark datasets for 3D-REC

and RES include ScanRefer (Chen et al., 2020) and ReferIt3D (Achlioptas et al., 2020). Recent approaches have started to explore weakly supervised settings for 3D-REC (Wang et al., 2023b; Xu et al., 2023). However, 3D-RES remains in its infancy, with current advancements primarily concentrated on fully supervised methods that necessitate point-level annotations. To reduce the reliance on costly annotations, we pioneer a weakly-supervised framework tailored for 3D-RES.

2.2 WEAKLY-SUPERVISED REFERRING IMAGE SEGMENTATION

Similar to 3D-RES, Referring Image Segmentation (RIS) aims to segment objects in images based on linguistic descriptions. Recent approaches (Hu et al., 2016; Yang et al., 2022; Ye et al., 2019; Li et al., 2018; Liu et al., 2023d; Yang et al., 2021; Liu et al., 2023b; Hu et al., 2023; Huang et al., 2020; Liu et al., 2023a; Xia et al., 2024; Liu et al., 2022) have achieved significant performance improvements in fully supervised settings. However, compared to fully supervised RIS, weakly supervised RIS (Lee et al., 2023; Dai & Yang, 2024; Kim et al., 2023; Liu et al., 2023c) is more challenging due to the lack of pixel-level annotations. TSEG (Strudel et al., 2022) introduces a weakly supervised setting to the RIS task for the first time. PPT (Dai & Yang, 2024) effectively leveraging SAM’s (Kirillov et al., 2023) segmentation capabilities to obtain high-quality segmentation masks.

2.3 CONTRASTIVE LANGUAGE-IMAGE PRE-TRAINING

CLIP (Radford et al., 2021) is a multimodal model based on contrastive learning, trained on a large dataset of images and corresponding textual descriptions, which integrates visual and language modalities. It has been demonstrated to solve various tasks, such as open vocabulary segmentation (Takmaz et al., 2023; Yang et al., 2024; Nguyen et al., 2024). Although CLIP is widely used, its restricted input text length renders it inadequate for processing detailed descriptions. To address this issue, Zhang et al. (2024) proposed Long-CLIP as a plug-and-play alternative to CLIP, which supports longer text inputs while aligning with CLIP’s latent space. In this paper, we introduce Long-CLIP processing of detailed descriptions to achieve a more comprehensive understanding.

2.4 OPEN-VOCABULARY 3D SEGMENTATION

Open-Vocabulary 3D Segmentation aims to extend the scope of 3D instance segmentation to any given short category name. OpenScene (Peng et al., 2023) leverages 2D open-vocabulary semantic segmentation models to map pixel-wise 2D CLIP features into 3D space. OpenMask3D (Takmaz et al., 2023) leverages SAM (Kirillov et al., 2023) and CLIP (Radford et al., 2021) to generate 3D clip features for each class-agnostic 3D proposal using RGB-D images of the 3D scene. Open3DIS (Nguyen et al., 2024) integrates 2D and 3D proposals using a novel fusion approach for 2D masks through hierarchical agglomerative clustering. Unlike Open-Vocabulary 3D Segmentation, which primarily emphasizes the extraction of visual features, 3D-RES often focuses on the alignment between complex textual descriptions and visual information.

3 METHOD

3.1 PROBLEM DEFINITION

Given a point cloud scene containing N_p points, represented as $P \in \mathbb{R}^{N_p \times (3+F)}$, where each point has its 3D coordinates and F -dimensional auxiliary information, such as RGB. Correspondingly, given a text description containing N_w words, represented as $\mathcal{T} \in \mathbb{R}^{N_w}$, which describes the object of interest. The goal of the 3D-RES task is to locate the target object based on the text and output the corresponding segmentation mask $M \in \{0, 1\}^{N_p}$. In the weakly-supervised setting, the training phase does not provide description-mask pairs for supervision, but only the class annotations $Y_{cls} \in \mathbb{R}^{N_{cls}}$ of the target objects, where N_{cls} is the number of classes. Thus, we model the selection of the target object as solving for the discrete probability distribution Q of the instance containing the target. By sampling from Q , we obtain the final predicted instance.

3.2 OVERVIEW

The framework of our proposed Multi-Expert Network (MEN) is depicted in Fig.2. Our model follows a segmentation-then-matching two-stage pipeline. In the first stage, we employ a pre-trained




Figure 2: The overall framework of MEN, comprising MEM module and MEA strategy. After extracting mask proposals by a pre-trained instance segmentation model, the MEM module leverages multiple experts to extract the matching distributions of visual-language contexts. Finally, the MEA module efficiently consolidates these distributions, sampling to obtain the predicted target.

instance segmentation model to extract N_o proposals from the given point cloud scene P , which can be represented as instance masks $\mathcal{M} \in \mathbb{R}^{N_o \times N_p}$ and class scores prediction $P_{cls} \in \mathbb{R}^{N_o \times N_{cls}}$. In the second stage, we introduce a Multi-Expert Mining (MEM) module that utilizes specialized experts to extract information from multiple semantic cues, focusing specifically on full-context, attribute, and category dimensions to derive the target’s distribution, as detailed in Sec. 3.3. Finally, we consolidate the information from these experts using a Multi-Expert Aggregation (MEA) module, which efficiently filters out distractions while reinforcing the significance of the proposal corresponding to the target, as described in Sec. 3.4.

3.3 MULTI-EXPERT MINING

3.3.1 FULL-CONTEXT EXPERT

The full-context expert focuses on utilizing visual-language matching techniques to extract the complete visual-language context, understanding the spatial relationships and the surrounding environment of the target. However, text descriptions often include other objects in addition to the target and their spatial relationships with it, making the semantics complex and lengthy. As a result, CLIP struggles with such complex, lengthy texts (Radford et al., 2021).

Therefore, we utilize Long-CLIP (Zhang et al., 2024) on the textual side to comprehend the complete descriptive text. On the visual side, to capture comprehensive visual context, we select K frames from the video used to construct the 3D point cloud based on visibility.

Specifically, given the input description \mathcal{T} , we utilize the pre-trained Long-CLIP text encoder ϵ_{long}^{text} to extract textual full-context features $T_{full} \in \mathbb{R}^D$:

$$T_{full} = \epsilon_{long}^{text}(\mathcal{T}). \quad (3.1)$$

Then, given the N_f RGB-D video frames $\mathcal{I} = \{\mathcal{I}_j \in \mathbb{R}^{4 \times W \times H} | \forall j \in (1, \dots, N_f)\}$ associated with the 3D point cloud P , we follow Boudjoghra et al. (2024) to compute the visibility of 3D proposals across all frames in parallel. We select the Top- K frames with the highest visibility for each 3D proposal as its visual representation, represented as $\mathcal{I}_{full} = \{\mathcal{I}_{full,i} \in \mathbb{R}^{K \times 3 \times W \times H} | \forall i \in (1, \dots, N_o)\}$. These 2D frames will be encoded using Long-CLIP image encoder ϵ_{long}^{image} , followed

by average pooling to obtain 2D full-context features $F_{full} \in \mathbb{R}^{N_o \times D}$:

$$F_{full} = \text{AvgPool}(\epsilon_{\text{long}}^{\text{image}}(\mathcal{I}_{full})), \quad (3.2)$$

where $\text{AvgPool}(\cdot)$ denotes the average pooling operation.

Finally, we compute the full-context level semantic similarity $\mathcal{S}_{full} \in \mathbb{R}^{N_o}$ and the normalized full-context semantic distribution \mathcal{P}_{full} with probability mass function $p_{full} \in \mathbb{R}^{N_o}$:

$$\mathcal{S}_{full} = T_{full} \cdot F_{full}^T, \quad (3.3)$$

$$p_{full} = \text{Softmax}(\mathcal{S}_{full}), \quad (3.4)$$

where $T_{full} \in \mathbb{R}^D$ denotes **textual full-context feature** and $\text{Softmax}(\cdot)$ denote the softmax operation.

3.3.2 ATTRIBUTE EXPERT

Although the full-context expert effectively utilizes the visual-language context information, selected images often contain other proposals, leading to significant matching disturbances. In contrast, the attribute expert can thoroughly examine the instance’s shape, color, texture, and other attributes, leveraging finer-grained cues for visual-language matching. To facilitate this, we specifically construct attribute text and attribute images as inputs for the attribute expert.

Attribute Texts. First, we extract key nouns and attribute terms through syntactic analysis. Following (Wu et al., 2023), we utilize the off-the-shelf natural language parser (Wu et al., 2019; Schuster et al., 2015) to syntactically parse the input description and decompose it into five distinct semantic components: *Main object* (the target object), *Auxiliary object* (which utilized to aid in identifying the main object), *Attributes* (objects’ appearance, shape, etc.), *Pronoun* (refer to the primary object), *Relationship* (the spatial relation between main and auxiliary objects). We extract the main object and its corresponding attributes, represented as the target word t_{main} and the modifiers t_{mod} , respectively. By concatenating these terms to create a short attribute phrase \mathcal{T}_{short} that exclusively encompasses the name of the target object along with its modifiers, we subsequently encode this attribute phrase using a pre-trained CLIP text encoder ϵ^{text} , thereby yielding the textual attribute features $T_{attri} \in \mathbb{R}^D$:

$$T_{attri} = \epsilon^{\text{text}}(\mathcal{T}_{short}). \quad (3.5)$$

Attribute Images. Meanwhile, we acquire the multi-view 2D renderings for each 3D proposal. Following Zhang et al. (2023), we send the proposals into an online object renderer, rendering multi-view 2D images for each 3D proposal, represented as $\mathcal{I}_{attri} = \{\mathcal{I}_{attri,i} \in \mathbb{R}^{K_v \times 3 \times W \times H} \mid \forall i \in \{1, \dots, N_o\}\}$, where K_v represents the number of views. Since the multi-view renderings for each 3D proposal contain only a single instance without any noisy background, they effectively highlight the attribute features of the instance. These images will be sent to the CLIP image encoder ϵ^{image} for feature extraction, followed by average pooling to obtain the 2D attribute features $F_{attri} \in \mathbb{R}^{N_o \times D}$:

$$F_{attri} = \text{AvgPool}(\epsilon^{\text{image}}(\mathcal{I}_{attri})), \quad (3.6)$$

where $\text{AvgPool}(\cdot)$ denotes the average pooling operation.

Finally, we compute the attribute level semantic similarity $\mathcal{S}_{attri} \in \mathbb{R}^{N_o}$ and the normalized attribute semantic distribution \mathcal{P}_{attri} with probability mass function $p_{attri} \in \mathbb{R}^{N_o}$:

$$\mathcal{S}_{attri} = T_{attri} \cdot F_{attri}^T, \quad (3.7)$$

$$p_{attri} = \text{Softmax}(\mathcal{S}_{attri}), \quad (3.8)$$

where $T_{attri} \in \mathbb{R}^D$ denotes textual attribute feature and $\text{Softmax}(\cdot)$ denote the softmax operation.

3.3.3 CATEGORY EXPERT

To fully leverage the extracted 3D instance proposals and eliminate distractions, the category expert treats the predicted categories of proposals as visual priors while simultaneously extracting the category from the text for visual-language matching.

Specifically, we use an MLP as the **textual** classifier which receive the textual feature extracted from the textual backbone and output the textual class prediction scores $T_{cls} \in \mathbb{R}^{N_{cls}}$:

$$T_{cls} = \text{MLP}(T_{full}), \quad (3.9)$$

where the $\text{MLP}(\cdot)$ refers to text classifier, and T_{full} denotes the feature of the textual description.

The text classifier is trained from scratch using a cross-entropy (CE) based classification loss L_{cls} :

$$L_{cls} = \text{CE}(T_{cls}, Y_{cls}), \quad (3.10)$$

where the Y_{cls} is the category label of the target object. Then we compute the category level semantic similarity $\mathcal{S}_{cls} \in \mathbb{R}^{N_o}$ between the text and the proposals as follows:

$$\mathcal{S}_{cls} = T_{cls} \cdot P_{cls}^T, \quad (3.11)$$

where $P_{cls} \in \mathbb{R}^{N_o \times N_{cls}}$ class score predictions for 3D proposals generated by the instance segmentation model.

To more effectively model the semantic distribution \mathcal{P}_{cls} with its probability mass function $p_{cls} \in \mathbb{R}^{N_o}$:

$$p_{cls} = \text{Softmax}(\mathcal{S}_{cls}), \quad (3.12)$$

where $\text{Softmax}(\cdot)$ denote the softmax operation.

3.4 MULTI-EXPERT AGGREGATION

The MEM module utilizes various experts to extract diverse and complementary visual-language cues, resulting in distinct discrete probability distributions: P_{cls} , P_{attr} , and P_{full} . However, integrating these distributions while eliminating distractions and emphasizing the target instance is a significant challenge. Thus, we first analyze the strengths and weaknesses of each expert.

Strengths and Weaknesses of the Experts. The full-context expert excels at capturing complete spatial context but can introduce distractions from complex 2D video frames, making it suitable for scenarios where spatial relationships are crucial for identifying targets. The attribute expert focuses on the visual attributes of the instance and the corresponding textual descriptions but may be influenced by rendering accuracy and parsing tools, making it ideal for cases with unique and distinct target attributes. The category expert leverages the classification capabilities of the visual backbone, demonstrating strong resistance to distractions by effectively eliminating irrelevant objects that do not match the target category, but it often lacks intra-class differentiation.

These experts exhibit different strengths, and their predicted distributions contain various distractions and conflicts, as illustrated in Fig. 3. Therefore, simply integrating these distributions through summation or pooling cannot effectively eliminate mutual interference, potentially undermining the enhancement of the final target distribution.

Aggregation Approach. To address this, we propose the Multi-Expert Aggregation (MEA) module, which mathematically assigns greater weight to the inputs from more accurate experts, specifically those with smaller standard deviations (Hill, 2011). The final distribution obtained through MEA is both the unique minimax likelihood ratio consolidation and the unique proportional likelihood ratio consolidation of the given input distributions (Hill, 2011), ensuring a robust integration of expert predictions.

Let the *conflation* of a finite number of probability distributions $\mathcal{P}_1, \dots, \mathcal{P}_n$ be a consolidation of these distributions into a single probability distribution $Q = \&(\mathcal{P}_1, \dots, \mathcal{P}_n)$, and designated with the symbol “&”. According to Hill (2011), we can state

Theorem 1. *Let $\mathcal{P}_1, \dots, \mathcal{P}_n$ be discrete with probability mass functions p_1, \dots, p_n , respectively, and common atoms A , where $\emptyset \neq A \subset \mathbb{R}$. Then $\&(\mathcal{P}_1, \dots, \mathcal{P}_n)$ exists, and the following are equivalent:*

$$(i) \quad Q = \&(\mathcal{P}_1, \dots, \mathcal{P}_n)$$

$$(ii) \quad Q = \frac{\sum_{x \in A} \delta_x \prod_{i=1}^n p_i(x)}{\sum_{y \in A} \prod_{i=1}^n p_i(y)}$$

where δ_x is the Dirac delta measure in the set of all real Borel probability measures at the point x (i.e., $\delta_x(B) = 1$ if $x \in B$, and $= 0$ if $x \notin B$).

Substituting \mathcal{P}_{cls} , \mathcal{P}_{attr} , and \mathcal{P}_{full} yields:

$$Q = \frac{\sum_{x \in A} \delta_x p_{cls}(x) \cdot p_{attr}(x) \cdot p_{full}(x)}{\sum_{y \in A} p_{cls}(y) \cdot p_{attr}(y) \cdot p_{full}(y)}, \quad (3.13)$$

where common atoms A here are the N_o 3D proposals \mathcal{M} . Using the properties of Borel sets, [here \$\delta_x = 1\$](#) , thus this can be rewritten as a probability mass function q :

$$q = \frac{P_{cls} \cdot P_{attri} \cdot P_{full}}{\sum_{y \in \mathcal{M}} P_{cls}(y) \cdot P_{attri}(y) \cdot P_{full}(y)}, \quad (3.14)$$

where \mathcal{M} denote the N_o 3D proposals, $q \in \mathbb{R}^{N_o}$ denotes the probability mass function of the consolidation Q of the multi-dimension semantic distributions. This aggregation method assigns greater weight to the inputs from more accurate experts (Hill, 2011), thereby adaptively eliminating distractions and reinforcing the significance of the target object.

Finally, we sample from Q to predict the target instance P_{res} :

$$P_{res} = \text{Sample}(Q), \quad (3.15)$$

where $\text{Sample}(\cdot)$ denotes sample operation from a distribution.

4 EXPERIMENTS

4.1 DATASETS

ScanRefer (Chen et al., 2020) contains 51,583 natural language expressions of 11,046 objects from 800 ScanNet (Dai et al., 2017) scenes. It can be split into “Unique” and “Multiple”, depending on whether there are multiple objects of the same category as the target in the scene.

4.2 EVALUATION METRIC

We adopted mIoU (mean Intersection over Union) and “R@ n , IoU@ m ” as evaluation metrics, which represents the percentage of at least one of the top- n predicted proposals with the highest probability having an IoU $> m$ compared to the ground truth mask, with $n \in \{1, 3\}$ and $m \in \{0.25, 0.5\}$. For the mIoU metric, we set $n = 1$.

4.3 EXPERIMENT SETTINGS

In our study, we utilize the pre-trained SoftGroup (Vu et al., 2022) as our 3D instance segmentation backbone. We freeze a pre-trained CLIP with ViT-B/32 (Radford et al., 2021) and a pre-trained LongCLIP with LongCLIP-L (Zhang et al., 2024). The text classifier is an MLP trained from scratch, starting with an initial learning rate of 0.001. To optimize this rate, we implement the Cosine Annealing strategy. It takes 20 epochs to train our model with a batch size of 32. The proposal number N_o , the number of rendering views K_v are set to 256 and 6, respectively. For top- K frames selection we use $K = 15$. To ensure reproducibility, our sampling procedure is configured for greedy sampling, wherein the target is selected from the top n proposals with the highest probability mass, with $n \in \{1, 3\}$. All experiments are conducted on a single NVIDIA RTX 3090 GPU.

4.4 QUANTITATIVE COMPARISON

We present the results of our proposed MEN in comparison to existing 3D-RES models on ScanRefer, as shown in Tab. 1. For the sake of simplicity and efficiency, our weakly-supervised 3D-RES baseline is constructed based on the weakly-supervised 3D-REC model (Wang et al., 2023b), with modifications including changing the backbone to instance segmentation model SoftGroup (Vu et al., 2022) and excluding components related to word reconstruction and distillation. As shown in Tab. 1, the baseline achieved the expected performance, with a mIoU of 19.9%. We also randomly selected one target object from the same category based on the text class, denoted as “Baseline-random.” Compared to the baseline, our model achieves improvements of 13.5% and 15.2% in the mIoU and “R@1, IoU@0.5”, respectively, with a particularly notable increase of 13.9% on the more challenging “Multiple” subset. This demonstrates that our method not only excels at accurately identifying simple “Unique” targets but also effectively handles hard cases with multiple distracting objects similar to the target in the scene. This underscores how our MEM module thoroughly captures the complex semantics of both the scene and the descriptive text, while the MEA module efficiently consolidates these advantages, providing strong generalization and robust discriminative power. As a

Table 1: The 3D-RES results on ScanRefer. Fully-supervised models only have “R@1, IoU@m”.

Method	mIoU	R@1						R@3	
		Unique		Multiple		Overall		Overall	
		0.25	0.5	0.25	0.5	0.25	0.5	0.25	0.5
Open-Vocabulary 3D segmentation Models									
OpenScene (Peng et al., 2023)	12.0	35.2	12.4	8.6	1.6	13.8	3.7	-	-
OpenMask3D (Takmaz et al., 2023)	12.8	20.8	19.8	13.9	12.4	15.2	13.8	-	-
Open3DIS (Nguyen et al., 2024)	12.3	22.3	11.9	13.8	5.9	15.4	7.1	-	-
Fully-Supervised									
TGNN (Huang et al., 2021)	27.8	-	-	-	-	37.5	31.4	-	-
X-RefSeg3D (Qian et al., 2024)	29.9	-	-	-	-	40.3	33.8	-	-
3D-STMN (Wu et al., 2024b)	39.5	89.3	84.0	46.2	29.2	54.6	39.8	-	-
RefMask3D (He & Ding, 2024)	44.9	89.6	84.7	48.1	40.8	55.9	49.2	-	-
MDIN (Wu et al., 2024a)	48.3	91.0	87.2	50.1	44.9	58.0	53.1	-	-
Weakly-Supervised									
Baseline-random	17.7	59.5	54.7	14.0	11.6	22.8	19.9	36.2	31.8
Baseline	19.9	62.8	58.2	16.1	14.0	25.1	22.6	41.0	37.3
Ours	33.4	83.1	79.1	32.6	27.9	42.4	37.8	58.1	52.0
Ours _{STMN}	29.6	84.7	79.1	30.2	18.8	40.7	30.5	-	-
Ours _{MDIN}	34.5	87.3	82.6	31.4	26.9	42.3	37.7	-	-

result, our weakly supervised model significantly outperforms the fully supervised 3D-RES method TGNN (Huang et al., 2021) by 5.6 points on the mIoU metric.

We also applied open-vocabulary methods to the 3D-RES task. As shown in Tab. 1. These methods perform suboptimally, particularly in complex “multiple” setting, as they rely on single-prompt textual features from encoders such as CLIP, focusing on visual features while neglecting the complexities of hierarchical text descriptions and the fine-grained multimodal alignment required for 3D-RES. In contrast, our model addresses these limitations through the MEA module, achieving a 15.5% higher Acc@0.5IoU on “multiple” compared to OpenMask3D (Takmaz et al., 2023).

To directly extend weakly-supervised setting to fully supervised 3D-RES models, we also utilize MEN as a teacher model to generate pseudo-labels, *i.e.* target instance masks, to supervise the existing 3D-RES model. The results are denoted as Ours_{ModelName}. As demonstrated in Tab. 1, employing the pseudo-labels generated by MEN for supervision can assist common 3D-RES models in achieving competitive performance, even surpassing that of MEN.

4.5 ABLATION STUDY

Ablation studies on MEM. To investigate the effectiveness of MEM, we conducted an ablation study on the combinations of the three experts, as shown in Tab. 2. The full-context expert effectively mines spatial relationship information from the visual-linguistic context, enabling it to distinguish target objects from similar distractors. However, it faces challenges in the “Unique” category due to matching ambiguity when multiple instances are present within the selected 2D frames. In contrast, the category expert struggles to address “multiple” situations. Even with the assistance of the attribute expert in identifying targets at a finer granularity, the attribute expert remains inadequate when faced with distractors that share identical attributes within the scene. The combination of the three can generate complementary advantages. On one hand, category and attribute expert aid the model in filtering out surrounding objects based on their category and attributes. On the other hand, full-context expert compensates for the deficiency of spatial relationship information in category and attribute expert, enabling the target object to stand out from distractors with the same category and attributes.

Ablation studies on MEA of 3D-RES. To analyze the effectiveness of the MEA, we conducted an ablation study on different consolidation strategies, as presented in Tab.3. We explored the compar-

Table 2: Ablation studies on MEM, where “full-cont.” means full-context expert, “attri.” means attribute expert, “cate.” means category expert.

		full-cont.	attri.	cate.	mIoU	R@1, IoU@0.5		
						Unique	Multiple	Overall
1	w/o MEM	✓	×	×	23.4	51.2	19.8	25.9
2	w/o MEM	×	✓	×	10.8	23.2	9.5	12.2
3	w/o MEM	×	×	✓	25.6	78.8	17.4	29.3
4	w/ MEM	✓	✓	×	26.2	58.6	22.4	29.4
5	w/ MEM	✓	×	✓	32.9	78.3	27.1	37.0
6	w/ MEM	×	✓	✓	26.4	78.0	18.8	30.3
7	w/ MEM	✓	✓	✓	33.4	79.1	27.9	37.8




Figure 3: Visualization of (a) the attention maps and (b) the distributions outputted by experts.

Comparison between the “Max” and “Average” and our MEA. “Max” selects the highest probability from the three experts for each proposal as its corresponding probability, leading to a degradation of the model into a single expert mode and thereby suppressing the effect of multi-expert collaboration. “Average” calculates the average of the three probabilities and achieves good performance, but it fails to effectively leverage the strengths of the various experts and cannot filter out distractions. It can be demonstrated that the MEA effectively integrates the strengths of the three experts.

Table 3: Ablation studies on MEA.

Strategy	mIoU	Multiple		Overall	
		0.25	0.5	0.25	0.5
1 Max	26.6	22.6	19.6	33.2	30.1
2 Average	28.7	25.3	22.0	36.0	32.5
3 MEA	33.4	32.6	27.9	42.4	37.8

Table 5: Ablation studies on Long-CLIP in Full-context Expert.

Encoder	mIoU	Multiple		Overall	
		0.25	0.5	0.25	0.5
1 SLIP (Mu et al., 2022)	19.5	19.4	15.9	24.9	21.7
2 CLIP (Radford et al., 2021)	29.7	26.3	22.9	37.3	33.9
3 Long-CLIP (Zhang et al., 2024)	33.4	32.6	27.9	42.4	37.8

Table 4: Ablation studies on the image source.

	Full-context	Attribute	mIoU	Multiple		Overall	
				0.25	0.5	0.25	0.5
1	Renderings	Renderings	24.1	20.4	17.9	30.2	27.6
2	RGB-D	RGB-D	32.3	31.5	26.3	41.3	36.3
3	Renderings	RGB-D	26.1	22.6	19.5	32.9	29.7
4	RGB-D	Renderings	33.4	32.6	27.9	42.4	37.8

Table 6: Ablation studies on attribute phrase.

	\mathcal{T}_{short}	Prompt	mIoU	Multiple		Overall	
				0.25	0.5	0.25	0.5
1	Description	×	33.0	32.4	27.6	42.2	37.4
2	Target	✓	32.9	31.9	27.3	41.8	37.3
3	Target	×	33.2	32.3	27.6	42.2	37.6
4	Attribute	✓	33.0	32.2	27.4	42.0	37.4
5	Attribute	×	33.4	32.6	27.9	42.4	37.8

Image source in MEM. We conducted an ablation study on the image source in MEM, as shown in Tab.4, to demonstrate the synergistic effect of multi-dimensional visual information. When both the full context and attribute expert are provided with renderings as input, the model lacks visual context information, leading to a significant reduction in performance. However, when both utilize RGB-D frames, the lack of individual object attribute analysis hinders the model’s ability to focus effectively on a single object. And the results in the 3-rd row indicate that the mismatch between visual and linguistic information in experts can lead to a significant decline in performance.

Long-CLIP in Full-context Expert. We conducted an ablation study on the selection of Long-CLIP, as shown in Tab.5. Long-CLIP has been shown to possess a superior ability to comprehend long texts and capture image details, a conclusion that is also affirmed in this paper. Compared to directly utilizing CLIP, employing Long-CLIP results in a 3.7% improvement in mIoU.

Text \mathcal{T}_{short} in Attribute Expert. We conducted an ablation study on the type of \mathcal{T}_{short} to explore the role of attribute expert, As shown in Tab.6. Although the original description contains attributes of the target object, the properties of non-target objects may introduce interference when the description depends on other objects to aid in locating the target. Compared to using just the target word, incorporating attribute information results in more accurate localization. It is important to note that using the prompt templates provided by CLIP does not improve the model’s performance.

4.6 PRINCIPLE ANALYSIS

In Fig.3, we illustrate the attention maps for Category, Attribute, and Full-context expert, along with the semantic distribution, to investigate their respective roles. As shown in (a), these experts each serve a specific purpose, assisting the model in localizing targets at varying levels. The full-context




Figure 4: Visualization of the prediction results and attention maps of Ours and Baseline.

expert concentrate on scene corners relevant to the description but cannot distinguish between objects in those corners, such as the “TV,” “TV stand,” and the “blue object” shown in (a). The attribute expert adhere to the indication of “rectangular gray TV stand,” expressing interest in all objects that are “rectangular” “gray” or potentially classified as “TV stand.” Similarly, the attention of the category expert is distributed across all objects in the scene that share a similar category to the target object. Therefore, while relying solely on the information of the target object is suitable for scenarios with unique categories and attributes, it proves ineffective in complex “multiple” scenarios. We can also observe that only objects exhibiting high similarity across all experts are likely to be predicted as targets. For example, the “blue object” near the target demonstrates high attention in both Category and Full-Context, but its low attention in Attribute diminishes its chances of being selected as the target. In summary, each expert possesses its own strengths and weaknesses. As shown in (b), the MEA module leverages the complementary advantages of the three experts while filtering out distractions, thus enhancing the significance of the proposal for the target object.

5 QUALITATIVE COMPARISON

We present the visualization results of our MEN and the weakly-supervised baseline in Fig.4. Our model successfully identifies objects that match the target category from geometrically similar objects, as shown in (a). Moreover, it can effectively utilize attribute information to distinguish between similar objects, such as the “three seats” depicted in (b). Furthermore, it can infer the target object from multiple similar objects based on the full context, such as (c). In contrast, the weakly-supervised baseline demonstrates an almost equal level of interest in all similar objects, which leads to inaccurate predictions. Impressively, as demonstrated in (d), even when the target belongs to the “others” category, our model effectively eliminates distractions and achieves precise localization, aided by the experts and the efficient integration of the MEA module.

6 CONCLUSION

In this work, we introduce the Multi-Expert Network (MEN) for weakly supervised 3D Referring Expression Segmentation, eliminating the need for costly annotations. MEN consists of two modules: MEM and MEA. The MEM module employs multiple experts to extract semantic cues from various dimensions, while MEA robustly consolidates their outputs. Experiments demonstrate the effectiveness of our method in addressing the challenges of weakly supervised 3D-RES.

ETHICS STATEMENT

We follow the ICLR Code of Ethics. In our work, there are no human subjects and informed consent is not applicable. For point cloud data, we used the publicly available ScanNet Dataset (<https://github.com/ScanNet/ScanNet>), which is licensed under the ScanNet Terms of Use and the code is released under the MIT license. Both licenses permit the use of the dataset and code strictly for non-commercial research purposes. Furthermore, we utilize the publicly accessible text data from the ScanRefer Dataset (<https://daveredrum.github.io/ScanRefer>), which is licensed under a *Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License* which allows us to use the dataset for non-commercial purposes. For 3D-GRES, We use the publicly accessible text data from the Multi3dRefer Dataset (<https://3dlg-hcvc.github.io/multi3drefer/#/>) which is licensed under the MIT license, permitting us to use the dataset for non-commercial purposes. In the appendix, we use the ReferIt3D Dataset (<https://github.com/referit3d/referit3d>) for extra experiments, which is licensed under the MIT license which allows us to use the dataset for non-commercial purposes.

REPRODUCIBILITY STATEMENT

In accordance with the principles of reproducibility, we provide a comprehensive overview of the methodologies, experimental setup, code, and so on.

Environment. The experiments were conducted in a environment characterized by the following specifications:

- Operating System: Ubuntu 22.04.3 LTS
- Python Version: Python 3.8.13
- Framework: PyTorch 1.12.1

Source Code Availability. The complete code of our model is provided in the supplementary material and will be open-sourced. Additionally, we employ several pre-trained models, including SoftGroup, CLIP, and Long-CLIP:

- SoftGroup (<https://github.com/thangvubk/SoftGroup>).
- CLIP (ViT-B/32) (<https://github.com/openai/CLIP>).
- Long-CLIP (LongCLIP-L) (<https://github.com/beichenzbc/Long-CLIP>).

REFERENCES

- Panos Achlioptas, Ahmed Abdelreheem, Fei Xia, Mohamed Elhoseiny, and Leonidas Guibas. Referit3d: Neural listeners for fine-grained 3d object identification in real-world scenes. In *Computer Vision—ECCV 2020: 16th European Conference, Glasgow, UK, August 23–28, 2020, Proceedings, Part I 16*, pp. 422–440. Springer, 2020.
- Iro Armeni, Ozan Sener, Amir R Zamir, Helen Jiang, Ioannis Brilakis, Martin Fischer, and Silvio Savarese. 3d semantic parsing of large-scale indoor spaces. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 1534–1543, 2016.
- Mohamed El Amine Boudjoghra, Angela Dai, Jean Lahoud, Hisham Cholakkal, Rao Muhammad Anwer, Salman Khan, and Fahad Shahbaz Khan. Open-yolo 3d: Towards fast and accurate open-vocabulary 3d instance segmentation. *arXiv preprint arXiv:2406.02548*, 2024.
- Daigang Cai, Lichen Zhao, Jing Zhang, Lu Sheng, and Dong Xu. 3djcg: A unified framework for joint dense captioning and visual grounding on 3d point clouds. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 16464–16473, 2022.
- Dave Zhenyu Chen, Angel X Chang, and Matthias Nießner. Scanrefer: 3d object localization in rgb-d scans using natural language. In *European conference on computer vision*, pp. 202–221. Springer, 2020.

- 594 Shizhe Chen, Pierre-Louis Guhur, Makarand Tapaswi, Cordelia Schmid, and Ivan Laptev. Language
595 conditioned spatial relation reasoning for 3d object grounding. *Advances in neural information*
596 *processing systems*, 35:20522–20535, 2022.
- 597
- 598 Angela Dai, Angel X Chang, Manolis Savva, Maciej Halber, Thomas Funkhouser, and Matthias
599 Nießner. Scannet: Richly-annotated 3d reconstructions of indoor scenes. In *Proceedings of the*
600 *IEEE conference on computer vision and pattern recognition*, pp. 5828–5839, 2017.
- 601 Qiuyan Dai and Sibeil Yang. Curriculum point prompting for weakly-supervised referring image
602 segmentation. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern*
603 *Recognition*, pp. 13711–13722, 2024.
- 604
- 605 Mingtao Feng, Zhen Li, Qi Li, Liang Zhang, XiangDong Zhang, Guangming Zhu, Hui Zhang,
606 Yaonan Wang, and Ajmal Mian. Free-form description guided 3d visual graph network for object
607 grounding in point cloud. In *Proceedings of the IEEE/CVF International Conference on Computer*
608 *Vision*, pp. 3722–3731, 2021.
- 609 Dailan He, Yusheng Zhao, Junyu Luo, Tianrui Hui, Shaofei Huang, Aixi Zhang, and Si Liu. Trans-
610 fer3d: Entity-and-relation aware transformer for fine-grained 3d visual grounding. In *Proceedings*
611 *of the 29th ACM International Conference on Multimedia*, pp. 2344–2352, 2021.
- 612
- 613 Shuting He and Henghui Ding. Refmask3d: Language-guided transformer for 3d referring segmen-
614 tation. *arXiv preprint arXiv:2407.18244*, 2024.
- 615 Shuting He, Henghui Ding, Xudong Jiang, and Bihan Wen. Segpoint: Segment any point cloud via
616 large language model. *arXiv preprint arXiv:2407.13761*, 2024.
- 617
- 618 Theodore Hill. Conflations of probability distributions. *Transactions of the American Mathematical*
619 *Society*, 363(6):3351–3372, 2011.
- 620
- 621 Ronghang Hu, Marcus Rohrbach, and Trevor Darrell. Segmentation from natural language expres-
622 sions. In *Computer Vision—ECCV 2016: 14th European Conference, Amsterdam, The Nether-*
623 *lands, October 11–14, 2016, Proceedings, Part I 14*, pp. 108–124. Springer, 2016.
- 624 Yutao Hu, Qixiong Wang, Wenqi Shao, Enze Xie, Zhenguo Li, Jungong Han, and Ping Luo. Be-
625 yond one-to-one: Rethinking the referring image segmentation. In *Proceedings of the IEEE/CVF*
626 *International Conference on Computer Vision*, pp. 4067–4077, 2023.
- 627
- 628 Pin-Hao Huang, Han-Hung Lee, Hwann-Tzong Chen, and Tyng-Luh Liu. Text-guided graph neural
629 networks for referring 3d instance segmentation. In *Proceedings of the AAAI Conference on*
630 *Artificial Intelligence*, volume 35, pp. 1610–1618, 2021.
- 631 Shaofei Huang, Tianrui Hui, Si Liu, Guanbin Li, Yunchao Wei, Jizhong Han, Luoqi Liu, and Bo Li.
632 Referring image segmentation via cross-modal progressive comprehension. In *Proceedings of the*
633 *IEEE/CVF conference on computer vision and pattern recognition*, pp. 10488–10497, 2020.
- 634
- 635 Sahar Kazemzadeh, Vicente Ordonez, Mark Matten, and Tamara Berg. Referitgame: Referring to
636 objects in photographs of natural scenes. In *Proceedings of the 2014 conference on empirical*
637 *methods in natural language processing (EMNLP)*, pp. 787–798, 2014.
- 638 Dongwon Kim, Namyup Kim, Cuiling Lan, and Suha Kwak. Shatter and gather: Learning refer-
639 ring image segmentation with text supervision. In *Proceedings of the IEEE/CVF International*
640 *Conference on Computer Vision*, pp. 15547–15557, 2023.
- 641
- 642 Alexander Kirillov, Eric Mintun, Nikhila Ravi, Hanzi Mao, Chloe Rolland, Laura Gustafson, Tete
643 Xiao, Spencer Whitehead, Alexander C Berg, Wan-Yen Lo, et al. Segment anything. In *Proceed-*
644 *ings of the IEEE/CVF International Conference on Computer Vision*, pp. 4015–4026, 2023.
- 645 Jungbeom Lee, Sungjin Lee, Jinseok Nam, Seunghak Yu, Jaeyoung Do, and Tara Taghavi. Weakly
646 supervised referring image segmentation with intra-chunk and inter-chunk consistency. In *Pro-*
647 *ceedings of the IEEE/CVF International Conference on Computer Vision*, pp. 21870–21881,
2023.

- 648 Ruiyu Li, Kaican Li, Yi-Chun Kuo, Michelle Shu, Xiaojuan Qi, Xiaoyong Shen, and Jiaya Jia.
649 Referring image segmentation via recurrent refinement networks. In *Proceedings of the IEEE*
650 *Conference on Computer Vision and Pattern Recognition*, pp. 5745–5753, 2018.
- 651 Chang Liu, Xudong Jiang, and Henghui Ding. Instance-specific feature propagation for referring
652 segmentation. *IEEE Transactions on Multimedia*, 2022.
- 653 Chang Liu, Henghui Ding, and Xudong Jiang. Gres: Generalized referring expression segmentation.
654 In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pp.
655 23592–23601, 2023a.
- 656 Chang Liu, Henghui Ding, Yulun Zhang, and Xudong Jiang. Multi-modal mutual attention and
657 iterative interaction for referring image segmentation. *IEEE Transactions on Image Processing*,
658 2023b.
- 659 Fang Liu, Yuhao Liu, Yuqiu Kong, Ke Xu, Lihe Zhang, Baocai Yin, Gerhard Hancke, and Rynson
660 Lau. Referring image segmentation using text supervision. In *Proceedings of the IEEE/CVF*
661 *International Conference on Computer Vision*, pp. 22124–22134, 2023c.
- 662 Sun-Ao Liu, Yiheng Zhang, Zhaofan Qiu, Hongtao Xie, Yongdong Zhang, and Ting Yao. Caris:
663 Context-aware referring image segmentation. In *Proceedings of the 31st ACM International Con-*
664 *ference on Multimedia*, pp. 779–788, 2023d.
- 665 Junyu Luo, Jiahui Fu, Xianghao Kong, Chen Gao, Haibing Ren, Hao Shen, Huaxia Xia, and Si Liu.
666 3d-sps: Single-stage 3d visual grounding via referred point progressive selection. In *Proceedings*
667 *of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 16454–16463,
668 2022.
- 669 Norman Mu, Alexander Kirillov, David Wagner, and Saining Xie. Slip: Self-supervision meets
670 language-image pre-training. In *European conference on computer vision*, pp. 529–544. Springer,
671 2022.
- 672 Phuc Nguyen, Tuan Duc Ngo, Evangelos Kalogerakis, Chuang Gan, Anh Tran, Cuong Pham, and
673 Khoi Nguyen. Open3dis: Open-vocabulary 3d instance segmentation with 2d mask guidance.
674 In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp.
675 4018–4028, 2024.
- 676 Songyou Peng, Kyle Genova, Chiyu Jiang, Andrea Tagliasacchi, Marc Pollefeys, Thomas
677 Funkhouser, et al. Openscene: 3d scene understanding with open vocabularies. In *Proceedings of*
678 *the IEEE/CVF conference on computer vision and pattern recognition*, pp. 815–824, 2023.
- 679 Zhipeng Qian, Yiwei Ma, Jiayi Ji, and Xiaoshuai Sun. X-refseg3d: Enhancing referring 3d instance
680 segmentation via structured cross-modal graph neural networks. In *Proceedings of the AAAI*
681 *Conference on Artificial Intelligence*, volume 38, pp. 4551–4559, 2024.
- 682 Alec Radford, Jong Wook Kim, Chris Hallacy, Aditya Ramesh, Gabriel Goh, Sandhini Agarwal,
683 Girish Sastry, Amanda Askell, Pamela Mishkin, Jack Clark, et al. Learning transferable visual
684 models from natural language supervision. In *International conference on machine learning*, pp.
685 8748–8763. PMLR, 2021.
- 686 Sebastian Schuster, Ranjay Krishna, Angel Chang, Li Fei-Fei, and Christopher D Manning. Gen-
687 erating semantically precise scene graphs from textual descriptions for improved image retrieval.
688 In *Proceedings of the fourth workshop on vision and language*, pp. 70–80, 2015.
- 689 Robin Strudel, Ivan Laptev, and Cordelia Schmid. Weakly-supervised segmentation of referring
690 expressions. *arXiv preprint arXiv:2205.04725*, 2022.
- 691 Ayça Takmaz, Elisabetta Fedele, Robert W Sumner, Marc Pollefeys, Federico Tombari, and Fran-
692 cis Engelmann. Openmask3d: Open-vocabulary 3d instance segmentation. *arXiv preprint*
693 *arXiv:2306.13631*, 2023.
- 694 Thang Vu, Kookhoi Kim, Tung M Luu, Thanh Nguyen, and Chang D Yoo. Softgroup for 3d instance
695 segmentation on point clouds. In *Proceedings of the IEEE/CVF Conference on Computer Vision*
696 *and Pattern Recognition*, pp. 2708–2717, 2022.

- 702 Zehan Wang, Haifeng Huang, Yang Zhao, Linjun Li, Xize Cheng, Yichen Zhu, Aoxiong Yin, and
703 Zhou Zhao. 3drp-net: 3d relative position-aware network for 3d visual grounding. *arXiv preprint*
704 *arXiv:2307.13363*, 2023a.
- 705 Zehan Wang, Haifeng Huang, Yang Zhao, Linjun Li, Xize Cheng, Yichen Zhu, Aoxiong Yin, and
706 Zhou Zhao. Distilling coarse-to-fine semantic matching knowledge for weakly supervised 3d
707 visual grounding. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*,
708 pp. 2662–2671, 2023b.
- 709 Changli Wu, Yihang Liu, Jiayi Ji, Yiwei Ma, Haowei Wang, Gen Luo, Henghui Ding, Xiaoshuai
710 Sun, and Rongrong Ji. 3d-gres: Generalized 3d referring expression segmentation. *arXiv preprint*
711 *arXiv:2407.20664*, 2024a.
- 712 Changli Wu, Yiwei Ma, Qi Chen, Haowei Wang, Gen Luo, Jiayi Ji, and Xiaoshuai Sun. 3d-stmn:
713 Dependency-driven superpoint-text matching network for end-to-end 3d referring expression seg-
714 mentation. In *Proceedings of the AAAI Conference on Artificial Intelligence*, number 6, pp. 5940–
715 5948, 2024b.
- 716 Hao Wu, Jiayuan Mao, Yufeng Zhang, Yuning Jiang, Lei Li, Weiwei Sun, and Wei-Ying Ma. Unified
717 visual-semantic embeddings: Bridging vision and language with structured meaning representa-
718 tions. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*,
719 pp. 6609–6618, 2019.
- 720 Yanmin Wu, Xinhua Cheng, Renrui Zhang, Zesen Cheng, and Jian Zhang. Eda: Explicit text-
721 decoupling and dense alignment for 3d visual grounding. In *Proceedings of the IEEE/CVF Con-*
722 *ference on Computer Vision and Pattern Recognition*, pp. 19231–19242, 2023.
- 723 Zhuofan Xia, Dongchen Han, Yizeng Han, Xuran Pan, Shiji Song, and Gao Huang. Gsva: Gen-
724 eralized segmentation via multimodal large language models. In *Proceedings of the IEEE/CVF*
725 *Conference on Computer Vision and Pattern Recognition*, pp. 3858–3869, 2024.
- 726 Xiaoxu Xu, Yitian Yuan, Qiudan Zhang, Wenhui Wu, Zequn Jie, Lin Ma, and Xu Wang.
727 Weakly-supervised 3d visual grounding based on visual linguistic alignment. *arXiv preprint*
728 *arXiv:2312.09625*, 2023.
- 729 Jihan Yang, Runyu Ding, Weipeng Deng, Zhe Wang, and Xiaojuan Qi. Regionplc: Regional point-
730 language contrastive learning for open-world 3d scene understanding. In *Proceedings of the*
731 *IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 19823–19832, 2024.
- 732 Sibe Yang, Meng Xia, Guanbin Li, Hong-Yu Zhou, and Yizhou Yu. Bottom-up shift and reasoning
733 for referring image segmentation. In *Proceedings of the IEEE/CVF Conference on Computer*
734 *Vision and Pattern Recognition*, pp. 11266–11275, 2021.
- 735 Zhao Yang, Jiaqi Wang, Yansong Tang, Kai Chen, Hengshuang Zhao, and Philip HS Torr. Lavt:
736 Language-aware vision transformer for referring image segmentation. In *Proceedings of the*
737 *IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 18155–18165, 2022.
- 738 Linwei Ye, Mrigank Rochan, Zhi Liu, and Yang Wang. Cross-modal self-attention network for
739 referring image segmentation. In *Proceedings of the IEEE/CVF conference on computer vision*
740 *and pattern recognition*, pp. 10502–10511, 2019.
- 741 Zhihao Yuan, Xu Yan, Yinghong Liao, Ruimao Zhang, Sheng Wang, Zhen Li, and Shuguang Cui.
742 Instancerefer: Cooperative holistic understanding for visual grounding on point clouds through
743 instance multi-level contextual referring. In *Proceedings of the IEEE/CVF International Confer-*
744 *ence on Computer Vision*, pp. 1791–1800, 2021.
- 745 Beichen Zhang, Pan Zhang, Xiaoyi Dong, Yuhang Zang, and Jiaqi Wang. Long-clip: Unlocking the
746 long-text capability of clip. *arXiv preprint arXiv:2403.15378*, 2024.
- 747 Yiming Zhang, ZeMing Gong, and Angel X Chang. Multi3drefer: Grounding text description to
748 multiple 3d objects. In *Proceedings of the IEEE/CVF International Conference on Computer*
749 *Vision*, pp. 15225–15236, 2023.
- 750 Lichen Zhao, Daigang Cai, Lu Sheng, and Dong Xu. 3dvg-transformer: Relation modeling for
751 visual grounding on point clouds. In *Proceedings of the IEEE/CVF International Conference on*
752 *Computer Vision*, pp. 2928–2937, 2021.

APPENDIX

A MORE QUANTITATIVE RESULTS

A.1 DATASET

The ReferIt3D benchmark (Achlioptas et al., 2020) is constructed upon the ScanNet dataset (Dai et al., 2017) and comprises two primary datasets: Nr3D and Sr3D. Nr3D/Sr3D can be categorized into “easy” and “hard” subsets depending on the presence of multiple objects of the same target class within the scene. Based on whether the description depends on the observer’s view, it can be further divided into “view-dep” and “view-indep” subsets.

Nr3D (Natural Reference in 3D) consists of 41.5K human descriptions collected using a referring game (Kazemzadeh et al., 2014). It describes objects in 707 ScanNet scenes.

Sr3D (Spatial Reference in 3D) contains 83.5K synthetic descriptions. It categorizes spatial relations into 5 types: horizontal proximity, vertical proximity, between, allocentric and support, and then generates descriptions using language templates.

A.2 RESULTS

We compared the performance of our MEN with the existing 3D-RES models on the ReferIt3D benchmark in Tab. 8. Unlike the initial settings of ReferIt3D, we do not use the ground truth mask as input for proposals. Therefore, the overall performance of our model is constrained by the performance of the instance segmentation model. Nevertheless, our model still achieves considerable performance under weak supervision settings. Compared to the baseline, XX achieved improvements of 7.7% and 3.2% in mIoU on Nr3D and Sr3D, respectively. Notably, MEN surpassed the fully supervised TGNN by 2.7% in “R@1,IoU@0.5” on Nr3D.

A.3 GENERALIZATION AND BACKBONE ANALYSIS

One concern raised was the potential data leakage due to the use of the SoftGroup instance segmentation backbone, which was trained on ScanNet, the source dataset for ScanRefer and Multi3DRefer. To further address this concern, we conducted additional experiments replacing the SoftGroup backbone with a model trained on the S3DIS dataset (Armeni et al., 2016). As shown in Table 7, our method consistently improved mIoU by 13.9% over the baseline, even with this alternative backbone. This demonstrates the robustness of our approach and its independence from the specific training data of the original backbone. These results affirm the generalizability and flexibility of our method, supporting its applicability in unseen environments.

Table 7: 3D-RES results on ScanRefer, where the instance segmentation models for both the baseline and our MEN are pre-trained on the S3DIS dataset, but evaluated on the ScanNet scenes.

Method	mIoU	R@1					
		Unique		Multiple		Overall	
		0.25	0.5	0.25	0.5	0.25	0.5
Baseline	10.6	33.1	28.6	9.8	6.9	14.3	11.1
Ours	24.5	59.7	52.1	27.4	19.9	33.7	26.2

B MORE ABLATION STUDIES

Top- K Frames Selection in Full-context Expert. In the full-context expert, the RGB-D video frames provide visual context. We conducted an ablation study on the choice of K in the selection of Top- K frames, as shown in Tab.9. As the value of K increases, the model’s performance exhibits a trend of initially rising and then declining, peaking at $K = 15$. We suspect that when too few frames are selected, the visual context contained is relatively limited. Instead, when too many frames are selected, objects that are physically close may correspond to multiple identical frames, leading to similar visual features and making them hard to distinguish.

Rendering views K_v in Attribute Expert. We conducted an ablation study on the number of rendering views K_v , as presented in Tab.10. The number of rendering views is correlated with the quality of the 2D attribute features, which subsequently impacts semantic distribution from attribute

Table 8: The 3D-RES results on Referit3D benchmark, including mIoU and “R@1, IoU@m” with $m \in \{0.25, 0.5\}$.

Method	mIoU	Easy		Hard		View-Dep		View-Indep		Overall	
		0.25	0.5	0.25	0.5	0.25	0.5	0.25	0.5	0.25	0.5
Nr3D											
Fully-Supervised											
TGNN (Huang et al., 2021)	19.1	29.2	22.3	22.5	19.6	22.2	18.1	27.6	22.4	25.7	20.9
3D-STMN(Wu et al., 2024b)	27.6	47.9	31.9	35.4	20.0	37.7	21.1	43.5	28.4	41.5	25.8
MDIN(Wu et al., 2024a)	38.6	55.0	48.4	42.2	36.3	40.8	34.6	52.5	46.3	48.4	42.2
Weakly-Supervised											
Baseline	13.5	21.7	19.0	12.4	11.2	16.9	14.6	16.9	15.2	16.9	15.0
Ours	21.2	31.5	27.9	23.4	19.6	24.7	20.2	28.8	25.5	27.3	23.6
Sr3D											
Fully-Supervised											
TGNN (Huang et al., 2021)	20.2	28.2	23.0	29.1	25.8	23.8	21.3	28.6	23.9	27.5	22.9
3D-STMN(Wu et al., 2024b)	34.4	49.4	38.2	41.9	31.0	45.5	33.5	47.2	36.2	47.2	36.1
MDIN(Wu et al., 2024a)	46.4	58.9	53.2	51.1	46.8	53.6	48.7	56.7	51.4	56.6	51.3
Weakly-Supervised											
Baseline	17.1	24.3	20.9	16.4	14.9	17.8	16.2	22.1	19.2	21.9	19.1
Ours	20.3	29.2	25.1	19.5	18.2	23.8	20.3	26.4	23.1	26.3	23.0

expert. As illustrated in Tab.10, the model’s performance initially increases with the growth of K_v , reaching a peak at $K_v = 6$ before subsequently declining. Due to potential inaccuracies in instance segmentation results, having too few rendering views may lead to unrepresentative renderings. Conversely, an excessive number of rendering views can be redundant and may be adversely affected by certain perspectives with poor visibility.

Table 9: Ablation studies on Top- K Frames Selection in Full-context Expert.

Top- K Frames	mIoU	Multiple		Overall	
		0.25	0.5	0.25	0.5
1 $K = 1$	30.7	29.3	25.1	38.9	34.9
2 $K = 5$	32.5	31.4	26.9	41.2	36.8
3 $K = 10$	33.1	32.4	27.6	42.2	37.6
4 $K = 15$	33.4	32.6	27.9	42.4	37.8
4 $K = 20$	33.0	32.2	27.3	42.1	37.4

Table 11: Ablation studies on 3D instance segmentation model.

Method	mIoU	Multiple		Overall	
		0.25	0.5	0.25	0.5
1 SoftGroup	33.4	32.6	27.9	42.4	37.8
2 SPFormer	34.2	31.2	26.8	41.0	36.7
3 GT Ins.	48.1	38.1	38.1	48.1	48.1

Ablation of 3D Instance Segmentation Models We conducted ablation studies to evaluate the impact of different 3D instance segmentation models on the overall performance of our framework and explored the performance upper bound by eliminating errors in the one-stage instance proposal extraction, as shown in Table 11. The results indicate that the substitution of different instance segmentation models has little effect on the performance of our model, which further underscores its robustness.

Ablation of the method of extracting attribute-level text \mathcal{T}_{short} In addition to using a traditional off-the-shelf natural language parser to extract attribute-level text, we also employed a large language model (LLM) for the same task. Specifically, we utilized GPT-3.5-turbo to generate attribute phrases, with the input prompts shown in Lst. 1. The results shown in Table 12 indicate that while LLMs are capable of generating more accurate attribute phrases, their impact on the overall model performance remains minimal.

Table 10: Ablation studies on rendering views in Attribute Expert.

Number of views	mIoU	Multiple		Overall	
		0.25	0.5	0.25	0.5
1 $K_v = 1$	32.4	31.9	27.1	41.5	36.8
2 $K_v = 3$	33.0	32.2	27.4	42.0	37.4
3 $K_v = 6$	33.4	32.6	27.9	42.4	37.8
4 $K_v = 12$	32.2	32.4	27.6	42.1	37.6

Table 12: Ablation studies on the method of extracting \mathcal{T}_{short} .

Extracting Method	mIoU	Multiple		Overall	
		0.25	0.5	0.25	0.5
1 Parser	33.4	32.6	27.9	42.4	37.8
2 LLM	33.5	32.7	27.9	42.6	37.9

Listing 1: Prompt used for extracting attribute-level phrases using GPT-3.5-turbo.

```

864
865
866 1 {
867 2   "role": "system",
868 3   "content":
869 4     "You are an intelligent chatbot designed to extract attribute
870 5     information of a target object from a given sentence."
871 6     "Your task is to analyze the sentence I provide, which describes
872 7     a target object, and distill it into a concise descriptive
873 8     phrase containing the target object's name and its attributes
874 9     ."
875 10    "Note that all attribute words must be directly taken from the
876 11    input description without alteration, omission, or addition."
877 12    "Furthermore, you must not use attribute words unrelated to the
878 13    target object in the description."
879 14  },
880 15 {
881 16   "role": "user",
882 17   "content":
883 18     "Please extract the target and its attributes from the following
884 19     input text and output a concise phrase."
885 20     "Input sentence: {text}\n"
886 21     "DO NOT PROVIDE ANY OTHER OUTPUT TEXT OR EXPLANATION. Only
887 22     provide the target attribute phrase."
888 23     "-----"
889 24     "Here are some examples:"
890 25     "Input sentence: There is a brown wooden chair. Placed beside
891 26     other chairs in the middle of the kitchen."
892 27     "Your response should look like this: A brown wooden chair."
893 28     "Input sentence: The couch is north of the round coffee table.
894 29     the couch has three seats and two armrests."
895 30     "Your response should look like this: A couch with three seats
896 31     and two armrests."
897 32     "Input sentence: There is a dark brown chair. brown leather and
898 33     placed in the kitchen table."
899 34     "Your response should look like this: A dark brown wooden and
900 35     leather chair."
901 36 }

```

C DISCUSSION ON FRAME COVERAGE AND FULL-CONTEXT EXPERT

One concern is that the limited number of video frames selected by the full-context expert may result in cases where target objects and anchors are not present within the same frame due to the restricted field of view. To address this concern, we performed an analysis to assess the frequency and impact of such scenarios in the ScanRefer dataset.

Since the ScanRefer dataset lacks explicit annotations for all anchors and their presence in specific frames, we randomly sampled 100 examples from the validation set and conducted manual inspection. For each sampled example, we checked whether the 2D frames selected by our model contained all the target objects and anchors referenced in the text descriptions. The results showed that 95% of the sampled frames included all relevant objects, suggesting that the selected frames generally encompass the full visual context described in the text.

These findings align with the experimental results presented in Table 2, particularly in rows 2 and 4, where the inclusion of the *full-context expert* significantly improves performance. Specifically, adding the *full-context expert*, which captures spatial relationships and contextual information, results in a 15.4-point increase in mIoU compared to using only the *attribute expert*, which focuses solely on target-specific features.

While the aforementioned analysis indicates that this issue is relatively rare in the ScanRefer dataset, we recognize its importance and potential implications. Scenarios where some anchors are missing

Table 13: Results of 3D-GRES, where “zt w/ dis” means zero target with distractor, “zt w/o dis” means without distractor, “st w/ dis” means single target with distractor, “st w/o dis” means without distractor, “mt” means multiple target, “w/o zt_head” means that the zt_head was not used, and “w/ zt_head” means that the zt_head was used to predict whether it is a zero target.

Method	mIoU	Acc@0.25						Acc@0.5					
		zt w/ dis	zt w/o dis	st w/ dis	st w/o dis	mt	Overall	zt w/ dis	zt w/o dis	st w/ dis	st w/o dis	mt	Overall
Fully-Supervised													
M3DRef-CLIP	37.4	39.2	81.6	50.8	77.5	66.8	55.7	39.2	81.6	29.4	67.4	41.0	37.5
3D-STMN	43.0	42.6	76.2	49.0	77.8	68.8	60.4	42.6	76.2	24.6	69.2	43.9	40.9
MDIN	47.5	47.9	78.8	55.5	84.4	76.3	67.0	47.9	78.8	29.5	71.7	46.8	44.7
Weakly-Supervised													
Ours(w/o zt_head)	30.6	1.3	0.4	41.8	67.7	47.7	44.8	1.3	0.4	29.8	59.5	19.8	30.1
Ours(w/ zt_head)	33.4	22.2	55.9	41.6	67.4	47.7	48.0	22.2	55.9	28.7	59.4	19.7	33.4

Table 14: Ablation results on thresholds and zero-target detection head, where “w/o zt_head” means that the zt_head was not used, and “w/ zt_head” means that the zt_head was used to predict whether it is a zero target.

Setting	Threshold	mIoU	Acc@0.25						Acc@0.5					
			zt w/ dis	zt w/o dis	st w/ dis	st w/o dis	mt	Overall	zt w/ dis	zt w/o dis	st w/ dis	st w/o dis	mt	Overall
w/o zt_head	0.1	30.6	1.3	0.4	41.8	67.7	47.7	44.8	1.3	0.4	29.8	59.5	19.8	30.1
w/o zt_head	0.25	29.2	17.5	23.3	35.9	61.4	39.7	40.4	17.5	23.3	29.4	56.1	13.1	29.7
w/o zt_head	0.5	24.0	42.6	59.7	23.6	47.6	25.8	31.0	42.6	59.7	21.4	44.9	7.5	24.9
w/ zt_head	0.1	33.4	22.2	55.9	41.6	67.4	47.7	48.0	22.2	55.9	28.7	59.4	19.7	33.4
w/ zt_head	0.25	31.7	33.9	66.7	35.7	61.2	39.6	42.9	33.9	66.7	29.2	56	13.1	32.2
w/ zt_head	0.5	25.3	53.4	82	23.5	47.4	25.8	32.4	53.4	82	21.3	44.8	7.6	26.3

from the selected frames remain a challenge. As part of our future work, we plan to enhance the model’s robustness to handle such cases effectively. Additionally, we aim to expand the dataset to include more challenging examples of this nature, which could serve as a new benchmark for advancing research in this area.

D GENERALIZED 3D REFERRING EXPRESSION SEGMENTATION

To validate the extensibility of our model, We also conducted experiments on the Generalized 3D Referring Expression Segmentation (3D-GRES) task (Wu et al., 2024a). Unlike the traditional 3D-RES task, the 3D-GRES task allows the number of targets to be arbitrary, including zero target, single target, and multiple targets. Due to the specificity of 3D-GRES, we designed an additional branch based on our Multi-Expert Network (MEN) to address the zero-target cases in 3D-GRES. For more details, see Sec. D.1.

To provide further clarification, all experiments presented in the main text are focused exclusively on the traditional 3D-RES task and do not consider the zero-target cases encountered in 3D-GRES task. All discussions regarding 3D-GRES are included in this section.

D.1 ZERO-TARGET DETECTION HEAD

To handle the zero-target cases in 3D-GRES, we introduce a specifically designed Zero-Target Detection Head, as shown in Fig. 5. Specifically, the Zero-Target Detection Head decouples zero-target cases separately, serving as a parallel branch to the MEN, and independently predicts whether the current sample is a zero-target.

Problem Definition. The zero-target detection is treated as a classification task compatible with our weakly supervised setup. It uses only the category labels $Y_{zt} \in \mathbb{R}^2$, where $Y_{zt} = (0, 1)$ indicates “zero-target” and $Y_{zt} = (1, 0)$ indicates “not zero-target,” without the need for costly point-level mask annotations.




Figure 5: The structure of Zero-target head.

The Zero-Target Detection Head takes as input the 2D full-context features and textual full-context features, both derived from the full-context output. Firstly, the cross-attention layer uses the textual feature $T_{full} \in \mathbb{R}^D$ as both the Value and Key input, and the visual proposal feature $F_{full} \in \mathbb{R}^{N_o \times D}$ as the Query input. This layer models the relationship between the textual description and each 3D proposal, and subsequently refines the Query:

$$Q_{full} = \text{SoftMax}\left(\frac{F_{full}W_q \cdot (T_{full}W_k)^T}{\sqrt{D}}\right) \cdot T_{full}W_v, \quad (\text{D.1})$$

where $W_q, W_k, W_v \in \mathbb{D}^D$ are learnable parameters and $Q_{full} \in \mathbb{R}^{N_o \times D}$ denotes the refined Query. Following the vision-text interaction, Q_{full} is processed through an MLP to generate zero-target prediction scores for each proposal. A MaxPooling layer is then applied to derive the zero-target label E :

$$E = \text{MaxPool}(\text{MLP}(Q_{full})), \quad (\text{D.2})$$

where $\text{MaxPool}(\cdot)$ refer to the max pooling operation. The detection head is trained from scratch using a cross-entropy (CE) based classification loss L_{zt} :

$$L_{zt} = \text{CE}(E, Y_{zt}). \quad (\text{D.3})$$

D.2 INFERENCE

Without zt_head. During inference, for the original MEN model without the “zt_head”, the masks of proposals with a probability mass > 0.1 are combined to form the predicted mask $M \in \{0, 1\}^{N_p}$. If there are no proposals with a probability mass greater than 0.1, the case is predicted as zero-target, and the predicted mask is set to all zeros.

With zt_head. Building on the threshold filtering described above, we introduce the “zt_head” to improve the model’s ability to detect zero-target cases. Specifically, if the prediction from zt_head is “zero target,” the predicted mask is set to all zeros. If the prediction is not “zero target,” the mask is generated using the threshold filtering method described above.

D.3 DATASET AND METRICS

Multi3DRefer (Zhang et al., 2023) includes 61,926 language expressions referring to 11,609 objects across 800 ScanNet scenes, with 6,688 expressions matching zero targets and 13,178 matching multiple targets. The dataset is originally introduced for 3D-REC. To accomplish the 3D-GRES, we utilized the benchmark provided by Wu et al. (2024a). We employing mIoU and “Acc@mIoU” as evaluation metrics, with $m \in \{0.25, 0.5\}$.

D.4 RESULTS

3D-GRES. We present its results on the 3D-GRES, as shown in Tab.13. *Without the zt_head, it can be observed that MEN achieves an mIoU of 30.6%.* Notably, under the “st w/ dis” condition, MEN demonstrates a 0.3% improvement over the SOTAs in the Acc@0.5 metric. This highlights the strong discriminative power of our model and its remarkable potential for handling complex real-world scenarios. *Additionally, it is important to highlight that the inclusion of the designed zt_head significantly improves our model’s ability to handle the specific “zero-target” cases. The introduction of the zt_head yields improvements of 20.9% and 55.5% in Acc@0.5 for the “zt w/ dis” and “zt w/o dis” conditions, respectively.* At the same time, the accuracy for other scenarios, such as single and multi-target, does not decrease. This is because the zt_head rarely misclassifies a target as zero-target, so it does not reduce the recall for single and multi-target cases, thus maintaining robustness for those.

Ablation Results on Thresholds and Zero-Target Detection Head. We analyzed the impact of different confidence thresholds on the performance of our MEN in 3D-GRES, as shown in Tab. 14. It can be observed that when the threshold is set low, such as at 0.1, it performs well in the presence of target objects but shows suboptimal results in the “zt” subset. In contrast, when the threshold is set higher, such as at 0.5, a large number of samples will be incorrectly predicted as “zt”. While performance on “zt” improves, this is achieved at the expense of a significant decline in performance

on other subsets. This is because the semantic distribution output by the MEN is relative to the objects in the entire scene and does not correspond to the absolute matching probability between the 3D proposal and the input text. Therefore, for our model, directly applying a threshold to filter instances is not suitable for the 3D-GRES task.

The impact of different thresholds exhibits a similar pattern following the introduction of the `zt.head`. However, it is important to note that, with the assistance of the `zt.head`, the model’s performance on the “zt” subset shows significant improvement across all thresholds. We can also observe that the introduction of the `zt.head` does not result in a decrease in accuracy for single and multi-target cases. This further highlights the `zt.head`’s robustness across these scenarios. Therefore, it is necessary to design a separate prediction branch specifically for the special zero-target case.

E CALCULATION OF VISIBILITY

To enhance the clarity of the paper, we refer to the visibility calculation process in Boudjoghra et al. (2024), as follows:

Given the N_f 2D-RGB frames $\mathcal{I} = \{\mathcal{I}_j \in \mathbb{R}^{4 \times W \times H} | \forall j \in (1, \dots, N_f)\}$ associated with the 3D point cloud P , along with their intrinsic matrices $I \in \mathbb{R}^{N_f \times 4 \times 4}$ and extrinsic matrices $E \in \mathbb{R}^{N_f \times 4 \times 4}$. Due to the projection of the 3D point cloud P on a frame with index i can be computed as follows $P_i^{2D} = I_i \cdot E_i \cdot P^{3D}$, the projection of the point cloud scene P onto all frames can be computed in parallel as follows:

$$P^{2D} = (I \star E) \cdot P^{3D}, \quad (\text{E.1})$$

where \star is batch matrix multiplication, $P^{3D} \in \mathbb{R}^{4 \times N_p}$ represents the point cloud in homogeneous coordinates, and $P^{2D} \in \mathbb{R}^{N_f \times 4 \times N_p}$ denotes the corresponding 2D homogeneous coordinates. Next, we compute the visibility $V^c, V^d \in \mathbb{R}^{N_f \times N_p}$ of points in both the 2D coordinate space and the depth space, as follows:

$$V^c = \mathbf{1}_{\text{condition}}(0 < P_x^{2d} < W) \odot \mathbf{1}_{\text{condition}}(0 < P_y^{2d} < H), \quad (\text{E.2})$$

$$V^d = \mathbf{1}_{\text{condition}}(|P_d^{2d} - D_z| < \tau_{\text{depth}}), \quad (\text{E.3})$$

where $\mathbf{1}_{\text{condition}}$ denotes the indicator function, \odot represents element-wise multiplication, W and H refer to the image width and height respectively, $D_z \in \mathbb{R}^{N_f \times N_p}$ is the true depth of the 3D points obtained from the depth maps, $|\cdot|$ indicates the operation of taking the absolute value, and $P_x^{2D}, P_y^{2D}, P_z^{2D} \in \mathbb{R}^{N_f \times N_p}$ represent the x and y coordinates and depth of the 3D projected points across all frames, respectively. Then, the per 3D mask proposal visibility $V \in \mathbb{R}^{N_o \times N_f}$ can be computed as follows:

$$V = \mathcal{M} \cdot (V^c \odot V^d)^T, \quad (\text{E.4})$$

where $\mathcal{M} \in \mathbb{R}^{N_o \times N_p}$ denotes the matrix of 3D mask proposals. The total number of visible points of the 3D proposal i in frame j is denoted as $V_{i,j} \in V$.

F THE THEORETICAL PROOF OF THEOREM 3.1.

To improve the clarity of our paper, we refer to the proof of Theorem 3.1 in Hill (2011), as follows:

F.1 BASIC DEFINITION AND PROPERTIES OF CONFLATIONS

Throughout this article, \mathbb{N} will denote the natural numbers, \mathbb{Z} the integers, \mathbb{R} the real numbers, $(a, b]$ the half-open interval $\{x \in \mathbb{R} : a < x \leq b\}$, \mathbb{B} the Borel subsets of \mathbb{R} , \mathcal{P} the set of all real Borel probability measures, δ_x the Dirac delta measure in \mathcal{P} at the point x (i.e., $\delta_x(B) = 1$ if $x \in B$, and $= 0$ if $x \notin B$), $\|\mu\|$ the total mass of the Borel sub-probability μ , $o(\cdot)$ the standard “little oh” notation $o(a_n) = b_n$ if and only if $\lim_{n \rightarrow \infty} \frac{a_n}{b_n} = 0$, *a.c.* means absolutely continuous, the *p.m.f.* of P is the probability mass function ($p(k) = P(\{k\})$) if P is discrete and *p.d.f.* is the probability density function (Radon-Nikodym derivative) of P if P is *a.c.*, $E(X)$ denotes the expected value of the random variable X , ψ_P the characteristic function of $P \in \mathcal{P}$ (i.e., $\psi_P(t) = \int_{-\infty}^{\infty} e^{itx} dP(x)$), I_A is the indicator function of the set A (i.e. $I_A(x) = 1$ if $x \in A$ and $= 0$ if $x \notin A$), $g \otimes h$ is the

convolution $(g \otimes h)(t) = \int_{-\infty}^{\infty} g(t-s)h(s)ds$ of g and h , and A^c is the complement $\mathbb{R} \setminus A$ of the set A . For brevity, $\mu((a, b])$ will be written $\mu(a, b]$, $\mu(\{x\})$ as $\mu(x)$, etc.

Definition F.1. For $P_1, \dots, P_n \in \mathcal{P}$ and $j \in \mathbb{N}$, $\mu_j(P_1, \dots, P_n)$ is the purely-atomic j -dyadic sub-probability measure

$$\mu_j(P_1, \dots, P_n) = \sum_{k \in \mathbb{Z}} \prod_{i=1}^n P_i((k-1)2^{-j}, k2^{-j}] \delta_{k2^{-j}}.$$

Remark. The choice of using half-open dyadic intervals closed on the right, and of placing the mass in every dyadic interval at the right end point is not at all important — the results which follow also hold if other conventions are used, such as decimal or ternary half-open intervals closed on the left, with masses placed at the center.

Example F.2. If P_1 is a Bernoulli distribution with parameter $p = \frac{1}{3}$ (i.e. $P = \frac{(2\delta_0 + \delta_1)}{3}$) and P_2 is Bernoulli with parameter $\frac{1}{4}$, then $\mu_j(P_1, P_2) = \frac{(6\delta_{1/2} + \delta_1)}{12}$ for all $j \in \mathbb{N}$.

The next proposition is the basis for the definition of conflation of general distributions below. Recall that for real Borel sub-probability measures $\{\nu_j\}$ and ν , the following are equivalent:

$$\nu_j \rightarrow \nu \text{ vaguely as } j \rightarrow \infty; \quad (\text{F.1a})$$

$$\nu_j(a, b] \rightarrow \nu(a, b] \text{ for all } a < b \text{ in a dense set } D \subset \mathbb{R}; \quad (\text{F.1b})$$

$$\lim_{j \rightarrow \infty} \int f(x) d\nu_j(x) = \int f(x) d\nu(x) \quad (\text{F.1c})$$

for all continuous f that vanish at infinity.

Theorem F.3. For all $P, P_1, \dots, P_n \in \mathcal{P}$

(i) $\mu_{j+1}(\frac{a}{2^m}, \frac{b}{2^m}] \leq \mu_j(\frac{a}{2^m}, \frac{b}{2^m}]$ for all $j, m \in \mathbb{N}$, $j > m$; and all $a \leq b$, $a, b \in \mathbb{Z}$;

(ii) $\mu_j(P_1, \dots, P_n)$ converges vaguely to a sub-probability measure

$$\mu_\infty(P_1, \dots, P_n);$$

(iii) $\lim_{j \rightarrow \infty} \|\mu_j(P_1, \dots, P_n)\| = \|\mu_\infty(P_1, \dots, P_n)\|$; and

(iv) $\mu_\infty(P) = P$, and $\mu_j(P)$ converges vaguely to P as $j \rightarrow \infty$.

The following simple observation — that the square of the sums of nonnegative numbers is always at least as large as the sum of the squares — will be used in the proof of the theorem and several times in the sequel, and is recorded here for ease of reference.

Lemma 1. For all $n \in \mathbb{N}$, all $a_{i,k} \geq 0$, and all $J \subset \mathbb{N}$, $\prod_{i=1}^n \sum_{k \in J} a_{i,k} \geq \sum_{k \in J} \prod_{i=1}^n a_{i,k}$.

F.2 CONFLATIONS OF DISCRETE DISTRIBUTIONS

Proof. Fix P_1, \dots, P_n and note that by definition of atom, $p_i(x) > 0$ for all $i = 1, \dots, n$ and all $x \in A$. Fix $k_0 \in \mathbb{Z}$ and $j_0 \in \mathbb{N}$, and let $D = (\frac{k_0}{2^{j_0}}, \frac{k_0+1}{2^{j_0}}]$. First it will be shown that

$$\mu_\infty(D) = \sum_{x \in A \cap D} \prod_{i=1}^n p_i(x). \quad (\text{F.2})$$

For all $x \in \mathbb{R}$, $j \in \mathbb{N}$, let $D_{x,j}$ denote the unique dyadic interval $(\frac{k}{2^j}, \frac{k+1}{2^j}]$ containing x . Note that $D_{x,j} \searrow \{x\}$ as $j \rightarrow \infty$ so $P_i(D_{x,j}) \searrow p_i(x)$ as $j \rightarrow \infty$ for all i and all $x \in \mathbb{R}$.

This implies

$$\lim_{j \rightarrow \infty} \prod_{i=1}^n P_i(D_{x,j}) = \prod_{i=1}^n p_i(x) \quad \text{for all } x \in \mathbb{R}. \quad (\text{F.3})$$

Fix $\epsilon > 0$. Since $\{P_i\}$ are discrete, there exists a finite set $A_0 \subset \mathbb{R}$ such that

$$P_i(D \cap A_0^c) < \epsilon \quad \text{for all } i \in \{1, \dots, n\}. \quad (\text{F.4})$$

1134 Since $\prod_{i=1}^n p_i(x) = 0$ for all $x \in A^c$, equation F.4 implies

$$1135 \left| \sum_{x \in A \cap D} \prod_{i=1}^n p_i(x) - \sum_{x \in A_0 \cap D} \prod_{i=1}^n p_i(x) \right| = \sum_{x \in A \cap A_0^c \cap D} \prod_{i=1}^n p_i(x) \quad (F.5)$$

$$1136 \leq \sum_{x \in A \cap A_0^c \cap D} p_1(x) \leq P_1(D \cap A_0^c) < \epsilon.$$

1141 For each $j \in \mathbb{N}$, let $S_j = \bigcup_{x \in A_0} D_{x,j}$. Then since $x \in D_{x,j}$ for all x and j , equation F.4 implies

1142 $P_i(D \cap S_j^c) < \epsilon$ for all $i \in \{1, \dots, n\}$. Thus by definition of $\{\mu_j\}$ and Lemma 1,

$$1143 \mu_j(D \cap S_j^c) \leq \prod_{i=1}^n P_i(D \cap S_j^c) < \epsilon^n \quad \text{for all } j \in \mathbb{N}. \quad (F.6)$$

1144 This implies that

$$1145 \mu_j(D) = \mu_j(D \cap S_j) + \mu_j(D \cap S_j^c) \quad (F.7)$$

$$1146 = \sum_{x \in D \cap A_0} \mu_j(D_{x,j}) + \mu_j(D \cap S_j^c)$$

$$1147 = \sum_{x \in D \cap A_0} \prod_{i=1}^n P_i(D_{x,j}) + \mu_j(D \cap S_j^c)$$

1148 where the second equality follows from the definitions of S_j and $D_{x,j}$. Since $x \in D_{x,j}$, equation F.7

1149 implies

$$1150 \mu_j(D) \geq \sum_{x \in D \cap A_0} \prod_{i=1}^n P_i(D_{x,j}) \geq \sum_{x \in D \cap A_0} \prod_{i=1}^n p_i(x). \quad (F.8)$$

1151 By equation F.7, equation F.3 and equation F.6,

$$1152 \mu_j(D) \leq \sum_{x \in A_0 \cap D} \prod_{i=1}^n p_i(x) + \epsilon^n + \epsilon \quad \text{for sufficiently large } j. \quad (F.9)$$

1153 By equation F.8 and equation F.9, $|\mu_j(D) - \sum_{x \in A_0 \cap D} \prod_{i=1}^n p_i(x)| \leq \epsilon + \epsilon^n$, so by equation F.5,

1154 $|\mu_j(D) - \sum_{x \in A \cap D} \prod_{i=1}^n p_i(x)| < 2\epsilon + \epsilon^n$. Since $\epsilon > 0$ was arbitrary and since $\mu_j \rightarrow \mu_\infty$,

1155 this implies equation F.2. Since D was arbitrary, equation F.2 implies that $\|\mu_\infty(P_1, \dots, P_n)\| =$

1156 $\sum_{x \in A} \prod_{i=1}^n p_i(x)$, which proves that $\&(P_1, \dots, P_n)$ exists. The equivalence of (i) and (ii) follows

1157 since $\&(P_1, \dots, P_n) = \frac{\mu_\infty}{\|\mu_\infty\|}$ and since the measures of dyadic intervals D determine μ_∞ . The

1158 equivalence of (ii) and (iii) follows immediately from the definition of conditional probability. \square