

# INTERPRETABLE AND GENERALIZABLE GRAPH NEURAL NETWORKS VIA SUBGRAPH MULTILINEAR EXTENSION

**Anonymous authors**

Paper under double-blind review

## ABSTRACT

Interpretable graph neural networks (XGNNs) are widely adopted in scientific applications involving graph-structured data. Previous approaches predominantly adopt the attention-based mechanism to learn edge or node importance for extracting and making predictions with the interpretable subgraph. However, the representational properties and limitations of these methods remain inadequately explored. In this work, we present a theoretical framework that formulates interpretable subgraph learning with the multilinear extension of the subgraph distribution, which we term as *subgraph multilinear extension* (SubMT). Extracting the desired interpretable subgraph requires an accurate approximation of SubMT, yet we find that the existing XGNNs can have a huge gap in fitting SubMT. Consequently, the SubMT approximation failure will lead to the degenerated interpretability of the extracted subgraphs. To mitigate the issue, we design a new XGNN architecture called **Graph Multilinear neT** (GMT), which is provably more powerful in approximating SubMT. We empirically validate our theoretical findings on a number of graph classification benchmarks. The results demonstrate that GMT outperforms the state-of-the-art up to 10% in terms of both interpretability and generalizability measures.

## 1 INTRODUCTION

Graph Neural Networks (GNNs) have been widely used in scientific applications (Wang et al., 2023; Zhang et al., 2023) such as Physics (Bapst et al., 2020), Chemistry (Gilmer et al., 2017; Jumper et al., 2021), Quantum mechanics (Kochkov et al., 2021), Materials (Schütt et al., 2017) and Cosmology (Villanueva-Domingo et al., 2021). In pursuit of scientific discoveries, it often requires GNNs to be able to generalize to *unseen or Out-of-Distribution* (OOD) graphs (Gui et al., 2022; Ji et al., 2022; Zhang et al., 2023), and also provide *interpretations* of the predictions that are crucial for scientists to collect insights (Xie & Grossman, 2017; Cranmer et al., 2020; Dai et al., 2021) and promote better scientific practice (Murray & Rees, 2009; Wencel-Delord & Glorius, 2013). Recently there has been a surge of interest in developing intrinsically interpretable and generalizable GNNs (XGNNs) (Yu et al., 2021; Miao et al., 2022; Wu et al., 2022b; Chen et al., 2022a; Miao et al., 2023). In contrast to *post-hoc* explanation approaches (Ying et al., 2019; Yuan et al., 2020a; Vu & Thai, 2020; Luo et al., 2020; Yuan et al., 2021; Lin et al., 2021; 2022a) which is shown to be suboptimal in interpretation and sensitive to pre-trained GNNs performance (Miao et al., 2022; 2023), XGNNs are able to provide both reliable explanations and (OOD) generalizable predictions under the proper guidance such as information bottleneck (Yu et al., 2021) and causality (Chen et al., 2022a).

Indeed, the faithful interpretation and the reliable generalization are the *two sides of the same coin* for XGNNs. Grounded in the causal assumptions of data generation processes (Wu et al., 2022a; Miao et al., 2022; Wu et al., 2022b), XGNNs assume that there exists a causal subgraph which holds a causal relation with the target label. Predictions made solely based on the causal subgraph are generalizable under various graph distribution shifts (Chen et al., 2022a). Therefore, XGNNs typically adopt the two-step paradigm that first extracts a subgraph of the input graphs and then predicts the labels. To circumvent the inherent discreteness of subgraphs, XGNNs often learn the sampling probability for each edge or node with the attention mechanism and extract the subgraph with high attention scores (Miao et al., 2022). Predictions are then made via a weighted message passing scheme with the attention scores (Wu et al., 2022b; Chen et al., 2022a). Despite the notable




Figure 1: Illustration of Subgraph Multilinear Extension (SubMT). The task is to classify whether a graph contains a specific “house” or “cycle” motif. An XGNN  $f = f_c \circ g$  predicts the label with the classifier  $f_c$  based on the extracted soft subgraph  $\hat{G}_c = g(G)$ , denoted as the central graph. Different depths of edge colors refer to the sampling probability of the edge.  $\hat{G}_c = g(G)$  corresponds to a subgraph distribution where the sampling probability for each subgraph  $G_c$  (i.e., subgraphs with solid lines in the figure). SubMT extends GNNs to accept soft subgraph inputs by estimating the subgraph conditional prediction as the expectation of each possible subgraph  $\mathbb{E}[f_c(G_c)]$ . Interpretable subgraph learning requires accurate estimation of SubMT. Yet existing XGNNs that directly take the soft subgraph  $\hat{G}_c$  as classifier GNN inputs fail to reliably estimate SubMT. In contrast, GMT aims to bridge the gap between SubMT and  $f_c(\hat{G}_c)$  by learning a neural SubMT to align with SubMT.

success of the paradigm in enhancing both interpretability and out-of-distribution (OOD) (Miao et al., 2022; 2023; Chen et al., 2022a), there is little theoretical understanding of the representational properties and limitations of XGNNs, and whether they can provide faithful interpretations.

In this work, we present a framework to analyze the expressiveness and evaluate the faithfulness of XGNNs. Our framework is inspired by the close connection between interpretable subgraph learning and multilinear extension, a powerful tool for solving classical combinatorial optimization problems (Călinescu et al., 2007). In fact, the subgraph learning in XGNNs naturally resembles the multilinear extension of the subgraph predictivity, which we termed as *subgraph multilinear extension* (SubMT). Extracting the truth interpretable subgraph requires a precise approximation of SubMT. However, we show that the prevalent attention-based paradigm can fail to reliably approximate SubMT (Sec. 3.2). Consequently, the SubMT approximation failure will decrease the interpretability of the subgraph for predicting the target label. More specifically, we instantiate the issue via a causal framework and propose a novel interpretability measure called *counterfactual fidelity*, i.e., the sensitivity of the prediction with respect to small perturbations to the extracted subgraphs (Sec. 4.2). Although faithful interpretation should have a high counterfactual fidelity with the prediction, we find that XGNNs implemented with the prevalent paradigm only have a low counterfactual fidelity.

Aiming to bridge the gap, we propose a simple yet effective XGNN architecture called **Graph Multilinear neT** (GMT). The core design of GMT is inspired by the SubMT formulation, which performs random subgraph sampling to reduce the SubMT approximation error. We prove that GMT is provably more powerful in approximating SubMT (Sec. 5). We validate our theoretical findings through extensive experiments on multiple graph classification benchmarks. The results demonstrate that GMT improves the state-of-the-art up to 10% in both interpretability and generalizability (Sec. 6).

## 2 PRELIMINARIES AND RELATED WORK

We begin by introducing preliminary concepts of XGNNs and leave more details to Appendix B.1. For ease of understanding, a table of the notations for key concepts is given in Appendix A.

**Interpretable GNNs.** Let  $G = (A, X)$  be a graph with node set  $V = \{v_1, v_2, \dots, v_n\}$  and edge set  $E = \{e_1, e_2, \dots, e_m\}$ , where  $A \in \{0, 1\}^{n \times n}$  is the adjacency matrix and  $X \in \mathbb{R}^{n \times d}$  is the node feature matrix. In this work, we focus on interpretable GNNs (or XGNNs) for the graph classification

task, while the results can be generalized to node-level tasks as well (Wu et al., 2020). Given each sample from training data  $\mathcal{D}_{\text{tr}} = (G^i, Y^i)$ , an interpretable GNN  $f := h \circ g$  aims to identify a (causal) subgraph  $G_c \subseteq G$  via a subgraph extractor GNN  $g : \mathcal{G} \rightarrow \mathcal{G}_c$ , and then predicts the label via a subgraph classifier GNN  $f_c : \mathcal{G}_c \rightarrow \mathcal{Y}$ , where  $\mathcal{G}, \mathcal{G}_c, \mathcal{Y}$  are the spaces of graphs, subgraphs, and the labels, respectively (Yu et al., 2021). Although *post-hoc* explanation approaches also aim to find an interpretable subgraph as the explanation for the model prediction (Ying et al., 2019; Yuan et al., 2020a; Vu & Thai, 2020; Luo et al., 2020; Yuan et al., 2021; Lin et al., 2021; 2022a), they are shown to be suboptimal in interpretation performance and sensitive to the performance of the pre-trained GNNs (Miao et al., 2022). Therefore, this work focuses on *intrinsic interpretable* GNNs (XGNNs).

A predominant approach to implement XGNNs is to incorporate the idea of information bottleneck (Tishby et al., 1999), such that  $G_c$  keeps the minimal sufficient information of  $G$  about  $Y$  (Yu et al., 2021; 2022; Miao et al., 2022; 2023; Yang et al., 2023), which can be formulated as

$$\max_{G_c} I(G_c; Y) - \lambda I(G_c; G), \quad G_c \sim g(G), \quad (1)$$

where the maximizing  $I(G_c; Y)$  endows the interpretability of  $G_c$  while minimizing  $I(G_c; G)$  ensures  $G_c$  captures only the most necessary information,  $\lambda$  is a hyperparameter trade off between the two objectives. In addition to minimizing  $I(G_c; G)$ , there are also alternative approaches that impose different constraints such as causal invariance (Chen et al., 2022a; Li et al., 2022) or disentanglement (Wu et al., 2022b; Sui et al., 2022; Liu et al., 2022a; Fan et al., 2022) to identify the desired subgraphs. When extracting the subgraph, XGNNs adopts the attention mechanism to learn the sampling probability of each edge or node, which avoids the complicated Monte Carlo tree search used in other alternative implementations (Zhang et al., 2022). Specifically, given node representation learned by message passing  $H_i \in \mathbb{R}^h$  for each node  $i$ , XGNNs either learns a **node attention**  $\alpha_i \in \mathbb{R}_+ = \sigma(a(H_i))$  via the attention function  $a : \mathbb{R}^h \rightarrow \mathbb{R}_+$ , or the **edge attention**  $\alpha_e \in \mathbb{R}_+ = \sigma(a([H_u, H_v]))$  for each edge  $e = (u, v)$  via the attention function  $a : \mathbb{R}^{2h} \rightarrow \mathbb{R}_+$ , where  $\sigma(\cdot)$  is a sigmoid function.  $\alpha = [\alpha_1, \dots, \alpha_m]^T$  essentially elicits a subgraph distribution of the interpretable subgraph. In this work, we focus on edge-centric subgraph sampling as it is most widely used in XGNNs while our method can be easily generalized to node-centric approaches.

**Faithful interpretation and (OOD) generalization.** The faithfulness of interpretation is critical to all interpretable and explainable methods (Ribeiro et al., 2016; Lipton, 2018; Alvarez-Melis & Jaakkola, 2018; Jain & Wallace, 2019). There are several metrics developed to measure the faithfulness of graph explanations, such as fidelity (Yuan et al., 2020b; Amara et al., 2022), counterfactual robustness (Bajaj et al., 2021; Prado-Romero et al., 2022; Ma et al., 2022), and equivalence (Crabbé & van der Schaar, 2023), which are however limited to post-hoc graph explanation methods. In contrast, we develop the first faithfulness measure for XGNNs in terms of counterfactual invariance.

In fact, the generalization ability and the faithfulness of the interpretation are naturally intertwined in XGNNs. XGNNs need to extract the underlying ground-truth subgraph in order to make correct predictions on unseen graphs (Miao et al., 2022). When distribution shifts are present during testing, the underlying subgraph that has a causal relationship with the target label (or causal subgraphs) naturally becomes the ground-truth subgraph that needs to be learned by XGNNs (Chen et al., 2022a).

**Multilinear extension** serves as a powerful tool for maximizing combinatorial functions, especially for submodular set function maximization (Călinescu et al., 2007; Vondrak, 2008; Bian et al., 2019; Sahin et al., 2020; Karalias et al., 2022). It is the expected value of a set function under the fully factorized Bernoulli distribution. In this work, we are the first to identify subgraph multilinear extension as the factorized subgraph distribution for interpretable subgraph learning.

### 3 ON THE EXPRESSIVITY OF INTERPRETABLE GNNs

In this section, we present our theoretical framework for characterizing the expressivity of XGNNs. Since all of the existing approaches need to maximize  $I(G_c; Y)$  regardless of the regularization on  $G_c$ , we focus on the modeling of the subgraph distribution that maximizes  $I(G_c; Y)$ .

#### 3.1 SUBGRAPH MULTILINEAR EXTENSION.

The need for maximizing  $I(G_c; Y)$  originates from extracting information in  $G$  to predict  $Y$  with  $f_c$ ,

$$\arg \max_{f_c} I(G; Y) = \arg \max_{f_c} [H(Y) - H(Y|G)] = \arg \min_{f_c} H(Y|G), \quad (2)$$

where the last equality is due to the irrelevance of  $H(Y)$  and  $f_c$ . For each sample  $(G, Y)$ , XGNN then adopts the subgraph extractor  $g$  to extract a subgraph  $G_c \sim g(G)$ , and take  $G_c$  as the input of  $f_c$  to predict  $Y$ . Then, Eq. 2 is realized as follows<sup>1</sup>: let  $L(\cdot)$  be the cross-entropy loss, then

$$\arg \min_{g, f_c} \mathbb{E}_{(G, Y) \sim \mathcal{D}_{\text{tr}}} [-\log P(Y | \mathbb{E}_{G_c \sim g} G_c)] = \mathbb{E}_{(G, Y) \sim \mathcal{D}_{\text{tr}}} [L(f_c(\alpha; G), Y)], \quad (3)$$

where  $\alpha \in \mathbb{R}_+^m$  is the attention score elicited from the subgraph extractor  $g$ . We leave more details about the deduction of Eq. 3 in Appendix B.2. Note that  $f_c$  is a GNN defined only for *discrete* graph-structured inputs (i.e.,  $\alpha \in \{0, 1\}^m$ ), while Eq. 3 imposes continuous inputs to  $f_c$ . Considering  $f_c(G_c)$  is a *set function* with respect to node/edge index subsets of  $G$  (i.e., subgraphs  $G_c$ ), and the parameterization of  $P(G)$  in XGNNs (Miao et al., 2022), we resort to the *multilinear extension* of  $f_c(G_c)$ . Multilinear extension for set functions has been extensively studied in the domain of solving classical combinatorial optimization problems (Călinescu et al., 2007; Karaliyas et al., 2022).

**Definition 3.1** (Subgraph multilinear extension (SubMT)). *Given the attention score  $\alpha \in [0, 1]^m$  as sampling probability of  $G_c$ , XGNNs factorize  $P(G)$  as independent Bernoulli distributions on edges:*

$$P(G_c | G) = \prod_{e \in G_c} \alpha_e \prod_{e \in G/G_c} (1 - \alpha_e),$$

which elicits the multilinear extension of  $f_c(G_c)$  in Eq. 3 as:

$$F_c(\alpha; G) := \sum_{G_c \in G} f_c(G_c) \prod_{e \in G_c} \alpha_e \prod_{e \in G/G_c} (1 - \alpha_e) = \mathbb{E}_{G_c \sim g} f_c(G_c). \quad (4)$$

The parameterization of  $P(G)$  is widely employed in XGNNs (Miao et al., 2022; Chen et al., 2022a), which implicitly assumes the random graph data model (Erdos & Rényi, 1984). Def. 3.1 can also be generalized to other graph models with the corresponding parameterization of  $P(G)$  (Snijders & Nowicki, 1997; Lovász & Szegedy, 2006). When a XGNN approximates SubMT well, we have:

**Definition 3.2** ( $\epsilon$ -SubMT approximation). *Let  $d(\cdot, \cdot)$  be a distribution distance metric, a XGNN  $f = f_c \circ g$   $\epsilon$ -approximates SubMT (Def. 3.1), if there exists  $\epsilon \in \mathbb{R}_+$  such that  $d(P_f(Y|G), P(Y|G)) \leq \epsilon$  where  $P(Y|G) \in \mathbb{R}^{|\mathcal{Y}|}$  is the ground truth conditional label distribution, and  $P_f(Y|G) \in \mathbb{R}^{|\mathcal{Y}|}$  is the predicted label distribution for  $G$  via a XGNN  $f$ , i.e.,  $P_f(Y|G) = f_c(\mathbb{E}_{G_c \sim g} G_c)$ .*

Def. 3.2 is a natural requirement for XGNN that approximates SubMT properly. With the definition of SubMT, we can write the problem of Eq. 3 as the following:

$$\arg \min_{g, f_c} \mathbb{E}_{(G, Y) \sim \mathcal{D}_{\text{tr}}} [L(\mathbb{E}_{G_c \sim g} f_c(G_c), Y)] = \mathbb{E}_{(G, Y) \sim \mathcal{D}_{\text{tr}}} [L(F_c(\alpha; G), Y)], \quad (5)$$

Intuitively, optimizing for  $g, f_c$  in Eq. 3 requires an accurate estimation of SubMT.

### 3.2 ISSUES OF EXISTING APPROACHES

In general, evaluating SubMT requires  $\mathcal{O}(2^m)$  calls of Eq. 4. However, existing XGNNs take a “shortcut” and introduce a soft subgraph  $\hat{G}_c$  with the adjacency matrix as the attention matrix  $\hat{A}$  where  $A_{u,v} = \alpha_e, \forall e = (u,v) \in E$ , to estimate Eq. 3 via weighted message passing (Miao et al., 2022):

$$\arg \min_{g, f_c} \mathbb{E}_{(G, Y) \sim \mathcal{D}_{\text{tr}}} [L(\mathbb{E}_{G_c \sim g} f_c(G_c), Y)] = \mathbb{E}_{(G, Y) \sim \mathcal{D}_{\text{tr}}} [L(f_c(\hat{G}_c), Y)]. \quad (6)$$

From the edge-centric perspective, the introduction of  $\hat{G}_c$  seems to be natural at first glance, as:

$$\hat{G}_c = \mathbb{E}_{G_c \sim g} G_c = (X, \hat{A}). \quad (7)$$

However, Eq. 6 holds only when  $f_c$  is linear. More formally, as  $X$  is fixed, for the sake of brevity, let  $f_c(A) := \mathbb{E}_{G_c \sim g} [f_c((X, A))]$ , then Eq. 6 requires the following to be hold:

$$f_c(\hat{A}) = f_c(\mathbb{E}[A]) = \mathbb{E}[f_c(A)], \quad (8)$$

where the first equality is by the definition of  $\hat{A}$ , while the last equality adheres to the equality of Eq. 6. Obviously  $f_c(\cdot)$  is a non-linear function even with a linearized GNN (Wu et al., 2019) with linear activations and pooling such as sum pooling, which can be written as:

$$f_c(G_c) = \rho(\hat{A}^k X \mathbf{W}), \quad (9)$$

where  $\rho$  is the pooling,  $k$  is the number of layers and  $\mathbf{W} \in \mathbb{R}^{h \times h}$  are the learnable weights. Therefore,

<sup>1</sup>With a bit of abuse of notations, we will omit the unnecessary superscript of samples for the sake of clarity.




Figure 2: Illustration of counterfactual faithfulness.

**Proposition 3.3.** *Eq. 8 with linear GNNs (Eq. 9) and  $k > 1$  can not approximate SubMT (Def. 3.1).*

The proof is given in Appendix D.2. Empirical verifications are also provided in Appendix F.6.. For example, when  $k = 2$  and  $|\mathcal{Y}| = 1$ , Eq. 9 is convex, and we have  $f_c(\mathbb{E}[A]) \leq \mathbb{E}[f_c(A)]$  due to Jensen’s inequality, which introduces the Jensen gap as  $\mathbb{E}[f_c(A)] - f_c(\hat{A})$  when fitting SubMT.

## 4 ON THE GENERALIZATION AND INTERPRETABILITY: A CAUSAL VIEW

To further understand the consequences of the SubMT approximation issue, we conduct a causal analysis of the interpretation faithfulness in XGNNs. Without loss of generality, our discussion focuses on the edge-centric view of data generation and interpretation.

### 4.1 CAUSAL MODEL OF INTERPRETABLE GNNs

**Data generation.** We consider the same data model as previous works (Bevilacqua et al., 2021; Miao et al., 2022; Chen et al., 2022a), where the underlying causal subgraph  $G_c$  and the spurious subgraph  $G_s$  will be assembled via some underlying assembling process. As we focus on the edge-centric view, our following discussion will focus on the graph structures  $A_c$  and  $A_s$  of the subgraphs. Full details of the structural causal model are deferred to Appendix C.1.

As shown in Fig. 2(a), there are latent causal and spurious variables  $C$  and  $S$  that have the invariant and spurious correlations with the label  $Y$  across different training and test distributions, respectively.  $C$  and  $S$  correspondingly control the generation of the graph structure of the causal subgraph  $G_c$ , and the spurious subgraph  $G_s$ . For example, when generating  $A_c$  and  $A_s$ ,  $C$  and  $S$  will specify the number of nodes in  $A_c$  and  $A_s$  and also the edge sampling probability for edges in  $A_c$  and  $A_s$ .

**Interpretation.** Correspondingly, XGNNs uses a subgraph extractor to predict the causal and spurious subgraphs  $\hat{G}_c$  and  $\hat{G}_s$ , respectively. The extraction aims to reverse the generation and recover the structure of the underlying causal subgraph  $A_c$ . We denote the XGNN architecture and the hyperparameter settings as  $H$ .  $H$  takes  $A$  as inputs to learn the edge sampling probability via the attention mechanism and then obtain  $\hat{A}_c$ . Once  $\hat{A}_c$  is determined,  $\hat{A}_s = 1 - \hat{A}_c$  is also obtained by taking the complementary part. Then, the extracted causal and spurious subgraphs are obtained with  $\hat{G}_c = (X, \hat{A}_c)$  and  $\hat{G}_s = (X, \hat{A}_s)$ , respectively. The classifier then uses  $\hat{G}_c$  to make the prediction  $\hat{Y}$ .

### 4.2 CAUSAL FAITHFULNESS OF XGNNs

With the aforementioned causal model, we are able to specify the causal desiderata for faithful XGNNs. When a XGNN fails to accurately approximate SubMT, the estimated label conditional probability will have a huge gap from the ground truth. The failure will bias the optimization of the subgraph extractor  $g$  and lead to the degenerated interpretability of  $\hat{A}$ . More concretely, the recovery of  $\hat{A}$  to the underlying  $A$  will be worse, which further affects the extraction of  $G_c$  and brings both worse interpretation and (OOD) generalization performance. As a single measure such as the interpretation or generalization may not fully reflect the consequence or even exhibit conflicted information<sup>2</sup>, we consider a direct notion that jointly consider the interpretability and generalizability to measure the causal faithfulness of XGNNs, inspired by Jain & Wallace (2019).

<sup>2</sup>For example, in the experiments of Miao et al. (2022), higher interpretation performance does not necessarily correlate with higher generalization performance.

**Definition 4.1** ( $(\delta, \epsilon)$ -counterfactual fidelity). *Given a meaningful minimal distance  $\delta > 0$ , let  $d(\cdot, \cdot)$  be a distribution distance metric, if a XGNN  $f = f_c \circ g$  commits to the  $\epsilon$ -counterfactual fidelity, then there exist  $\epsilon > 0$  such that,  $\forall G, \tilde{G}$  that  $d(P(Y|G), P(Y|\tilde{G})) \geq \delta$ , the following holds:*

$$d(P_f(Y|\tilde{G}), P_f(Y|G)) \geq \epsilon\delta.$$

Intuitively, if the extracted interpretable subgraph  $\hat{G}_c$  is faithful to the target label, then the predictions made based on  $\hat{G}_c$  are sensitive to any perturbations on  $\hat{G}_c$ . Different from counterfactual interpretability (Prado-Romero et al., 2022; Guo et al., 2023) that seeks minimum modifications to change the predictions,  $(\delta, \epsilon)$ -counterfactual fidelity measures how sensitive are the predictions to the changes of the interpretable subgraphs. A higher fidelity implies better interpretability and is also a natural behavior of a XGNN that approximates SubMT well.

**Proposition 4.2.** *If a XGNN  $f$   $\epsilon$ -approximates SubMT,  $f$  satisfies  $(\delta, 1 - \frac{2\epsilon}{\delta})$ -counterfactual fidelity.*

The proof is given in Appendix D.3. Intuitively, Proposition 4.2 implies that the counterfactual fidelity is an effective measure for the approximation ability of SubMT in terms of Def. 3.2.

**Practical estimation of counterfactual fidelity.** Since it is hard to enumerate every possible  $\tilde{G}$ , to verify Def. 4.1, we consider a random attention matrix  $\tilde{A} \sim \sigma(\mathcal{N}(\mu_{\hat{H}_A}, \sigma_{\hat{H}_A}))$ , where  $\mu_{\hat{H}_A}$  and  $\sigma_{\hat{H}_A}$  are the mean and standard deviation of the pre-attention matrix  $\hat{H}_A$  (The adjacency matrix with the unnormalized attention). Each non-symmetric entry in  $\tilde{A}$  is sampled independently following the factorization of  $P(G)$ . We randomly sample  $\tilde{A}$  by  $k$  times and calculate the following:

$$c_{\hat{G}_c} = \frac{1}{k} \sum_{i=1}^k d(f_c(Y|\tilde{G}_c^i), f_c(Y|\hat{G}_c)), \quad (10)$$

where  $\tilde{G}_c^i = (X, \tilde{A}_c^i)$  and  $d$  is total variation distance. We compute  $c_{\hat{G}_c}$  for the state-of-the-art XGNN GSAT (Miao et al., 2022). Shown as in Fig. 2(b), 2(c), we plot the counterfactual fidelity of GSAT on BA-2Motifs and Mutag datasets against is 2 to 3 times lower than the simulated SubMT with 10 and 100 sampling rounds. We provide a more detailed discussion in Appendix C.2 and Appendix F.5.

## 5 BUILDING RELIABLE INTERPRETABLE AND GENERALIZABLE GNNs

The aforementioned gap motivates us to propose a new XGNN architecture, called **Graph Multilinear net** (GMT), to provide both faithful interpretability and reliable (OOD) generalizability. GMT have two variants, i.e., GMT-lin and GMT-sam, motivated by resolving the failures mentioned in Sec. 3.2.

### 5.1 LINEARIZED GRAPH MULTILINEAR NETWORK

Note that the main reason for the failure of Eq. 8 is because of the non-linearity of the expectation to the  $k$  weighted message passing with  $k > 1$ . If  $k$  can be reduced to 1, then the linearity can be preserved to ensure a better approximation of SubMT. More formally, for a XGNN  $f$  with linearized GNN as the classifier, if  $\exists \mathbf{T} \in \mathbb{R}^{d \times d}$  such that  $\mathbf{T} \cdot f_c(G_c) = P(Y|G_c)$  ( $f_c$  is linear), then, let

$$\text{(GMT-lin)} \quad f_c^l(G_c) = \rho(\hat{A} \odot A^{k-1} X \mathbf{W}), \quad (11)$$

we can incorporate GMT-lin into Eq. 8 and have the following holds:

$$f_c^l(\hat{G}_c) = \mathbf{T} \cdot f_c(\hat{G}_c) = \mathbb{E}[f_c(G_c)],$$

due to the linearity of  $f_c^l(G_c)$  with respect to  $G_c$  (i.e.,  $A$ ). During training,  $\mathbf{T}$  can be further absorbed into  $\mathbf{W}$ , which implies GMT-lin is able to fit to SubMT. Compared to the previous weighted message passing scheme with linearized GNN (Eq. 9), GMT-lin improves the linearity by reducing the number of weighted message passing rounds to 1. We show the simple strategy can already achieve better interpretability than the state-of-the-art methods even with non-linear GNNs in experiments.

### 5.2 GRAPH MULTILINEAR NETWORK WITH RANDOM SUBGRAPH SAMPLING

Although GMT-lin works for linearized GNNs, the non-linear GNNs are more widely used in practice (Xu et al., 2019), where GMT-lin may also suffer from the SubMT approximation failure.

To overcome the issue, inspired by the `SubMT` formulation, we propose a random subgraph sampling approach, that performs Markov Chain Monte Carlo (MCMC) sampling to approximate `SubMT`. More concretely, given the attention matrix  $\hat{A}$ , we perform  $t$  rounds of random subgraph sampling from the subgraph distribution elicited by  $\hat{A}$  (or equivalently  $\hat{G}_c = (X, \hat{A})$ ) as in `SubMT` (Def. 3.1), and obtain  $t$  i.i.d. random subgraph samples  $\{G_c^i\}_{i=1}^t$  for estimating `SubMT` as the following

$$\text{(GMT-sam)} \quad f_c^s(\hat{G}_c) = \frac{1}{t} \sum_{i=1}^t f_c(Y|G_c^i), \quad (12)$$

where  $f_c$  is the classifier GNN that takes discrete subgraphs as inputs.

**Theorem 5.1.** *Given the attention matrix  $\hat{A}$ , and the distribution distance metric  $d$  as the total variation distance, let  $C = |\mathcal{Y}|$ , for a `GMT-sam` with  $t$  i.i.d. samples of  $G_c^i \sim P(G_c|G)$ , then, there exists  $\epsilon \in \mathbb{R}_+$  such that, with a probability at least  $1 - e^{-t\epsilon^2/4}$ , `GMT-sam`  $\frac{\epsilon C}{2}$ -approximates `SubMT` and satisfies  $(\delta, 1 - \frac{\epsilon C}{\delta})$  counterfactual fidelity.*

The proof for Theorem 5.1 is given in Appendix D.4. Intuitively, with more random subgraph samples drawn from  $P(G_c|G)$ , `GMT-sam` obtains a more accurate estimation of `SubMT`. However, it will incur more practical challenges such as the a) gradient of discrete sampling and b) computational overhead. To overcome the challenges a) and b), we incorporate the following two techniques.

**Backpropagation of discrete sampling.** To enable gradient backpropagation with the sampled subgraphs, we also incorporate gradient estimation techniques such as Gumbel softmax and straight-through estimator (Jang et al., 2017; Maddison et al., 2017). Compared to the state-of-the-art XGNN `GSAT` (Miao et al., 2022), this scheme brings two additional benefits: (i) reduces the gradient biases in discrete sampling with Gumbel softmax; (ii) avoids weighted message passing and alleviates the input distribution gap to the graph encoder when shared in both  $f_c$  and  $g$  as in `GSAT`.

**Learning neural subgraph multilinear extension.** Although `GMT` trained with `GMT-sam` improve interpretability, `GMT-sam` still requires multiple random subgraph sampling to approximate `SubMT` and costs much additional overhead. To this end, we propose to learn a neural `SubMT` that only requires single sampling, based on the trained subgraph extractor  $g$  with `GMT-sam`.

Learning the neural `SubMT` is essentially to approximate the MCMC with a neural network, though it is inherently challenging to approximate MCMC (Johndrow et al., 2020; Papamarkou et al., 2022). Nevertheless, the feasibility of neural `SubMT` learning is backed by the inherent causal subgraph assumption of (Chen et al., 2022a), once the causal subgraph is correctly identified, simply learning the statistical correlation between the subgraph and the label is sufficient to recover the causal relation.

Therefore, we propose to simply re-train a new classifier GNN with the frozen subgraph extractor, to distill the knowledge contained in  $\hat{G}_c$  about  $Y$ . This scheme also brings additional benefits over the originally trained classifier, which focuses on providing the gradient guidance for finding proper  $G_c$  instead of learning all the available statistical correlations between  $G_c$  and  $Y$ . More details and discussions on the implementations can be found in Appendix E.

**The number sampling rounds.** Although the estimation of `SubMT` will be more accurate with the increased sampling rounds, it unnecessarily brings improvements. First, as shown in Fig. 3, the performance may be saturated with moderately sufficient samplings. Besides, the performance may degenerate as more sampling rounds can affect the optimization, as discussed in Appendix E.2

## 6 EXPERIMENTAL EVALUATIONS

We conduct extensive experiments to evaluate `GMT` with different backbones and on multiple graph classification benchmarks, and compare both the interpretability and (OOD) generalizability with the traditional post-hoc interpretation methods and the state-of-the-art XGNNs. We will briefly introduce the datasets, baselines, and experiment setups, and leave more details in Appendix F.

### 6.1 EXPERIMENTAL SETTINGS

**Datasets.** We consider both the regular and geometric graph classification benchmarks following the XGNN literature (Miao et al., 2022; 2023). For regular graphs, we include BA-2MOTIFS (Luo

Table 1: Interpretation Performance (AUC) on regular graph datasets. The shadowed entries are the results with the mean-1\*std larger than the mean of the corresponding best baselines.

GNN	METHOD	BA-2MOTIFS	MUTAG	MNIST-75SP	SPURIOUS-MOTIF		
					$b = 0.5$	$b = 0.7$	$b = 0.9$
GIN	GNNEPLAINER	67.35±3.29	61.98±5.45	59.01±2.04	62.62±1.35	62.25±3.61	58.86±1.93
	PGEXPLAINER	84.59±9.09	60.91±17.10	69.34±4.32	69.54±5.64	72.33±9.18	72.34±2.91
	GRAPHMASK	92.54±8.07	62.23±9.01	73.10±6.41	72.06±5.58	73.06±4.91	66.68±6.96
	IB-SUBGRAPH	86.06±28.37	91.04±6.59	51.20±5.12	57.29±14.35	62.89±15.59	47.29±13.39
	DIR	82.78±10.97	64.44±28.81	32.35±9.39	78.15±1.32	77.68±1.22	49.08±3.66
GIN	GSAT	98.85±0.47	99.35±0.95	80.47±1.86	74.49±4.46	72.95±6.40	65.25±4.42
	GMT-LIN	98.36±0.56	99.86±0.09	82.98±1.49	76.06±6.39	76.50±5.63	<b>80.57±2.59</b>
	GMT-SAM	<b>99.62±0.11</b>	<b>99.87±0.11</b>	<b>86.50±1.80</b>	<b>85.50±2.40</b>	<b>84.67±2.38</b>	73.49±5.33
PNA	GSAT	89.35±5.41	99.00±0.37	85.72±1.10	79.84±3.21	79.76±3.66	80.70±5.45
	GMT-LIN	95.79±7.30	99.58±0.17	85.02±1.03	80.19±2.22	84.74±1.82	85.08±3.85
	GMT-SAM	<b>99.60±0.48</b>	<b>99.89±0.05</b>	<b>87.34±1.79</b>	<b>88.27±1.71</b>	<b>86.58±1.89</b>	<b>85.26±1.92</b>

Table 2: Prediction Performance (Acc.) on regular graph datasets. The shadowed entries are the results with the mean-1\*std larger than the mean of the corresponding best baselines.

GNN	METHOD	MOLHIV (AUC)	GRAPH-SST2	MNIST-75SP	SPURIOUS-MOTIF		
					$b = 0.5$	$b = 0.7$	$b = 0.9$
GIN	GIN	76.69±1.25	82.73±0.77	95.74±0.36	39.87±1.30	39.04±1.62	38.57±2.31
	IB-SUBGRAPH	76.43±2.65	82.99±0.67	93.10±1.32	54.36±7.09	48.51±5.76	46.19±5.63
	DIR	76.34±1.01	82.32±0.85	88.51±2.57	45.49±3.81	41.13±2.62	37.61±2.02
GIN	GSAT	76.12±0.91	83.14±0.96	96.20±1.48	47.45±5.87	43.57±2.43	45.39±5.02
	GMT-LIN	76.87±1.12	83.19±1.28	96.01±0.25	47.69±4.93	53.11±4.12	46.22±4.18
	GMT-SAM	<b>77.22±0.93</b>	<b>83.62±0.50</b>	<b>96.50±0.19</b>	<b>60.09±2.40</b>	<b>54.34±4.04</b>	<b>55.83±5.68</b>
PNA	PNA (NO SCALARS)	78.91±1.04	79.87±1.02	87.20±5.61	68.15±2.39	66.35±3.34	61.40±3.56
	GSAT	79.82±0.67	80.90±0.37	93.69±0.73	68.41±1.76	67.78±3.22	51.51±2.98
	GMT-LIN	80.05±0.71	81.18±0.47	94.44±0.49	69.33±1.42	64.49±3.51	58.30±6.61
	GMT-SAM	<b>80.58±0.83</b>	<b>82.36±0.96</b>	<b>95.75±0.42</b>	<b>71.98±3.44</b>	<b>69.68±3.99</b>	<b>67.90±3.60</b>

et al., 2020), MUTAG (Debnath et al., 1991), MNIST-75SP (Knyazev et al., 2019), which are widely evaluated by post-hoc explanation approaches (Yuan et al., 2020b), as well as SPURIOUS-MOTIF (Wu et al., 2022b), GRAPH-SST2 (Socher et al., 2013; Yuan et al., 2020b) and OGBG-MOLHIV (Hu et al., 2020) where there exist various graph distribution shifts. For geometric graphs, we consider ACTSTRACK, TAU3MU, SYNMOLE and PLBIND curated by Miao et al. (2023).

**Baselines.** For post-hoc methods, we mainly adopt the results from the previous works (Miao et al., 2022; 2023), including GNNEplainer (Ying et al., 2019), PGExplainer (Luo et al., 2020), GraphMask (Schlichtkrull et al., 2021) for regular graph benchmarks, and BernMask, BernMask-P, that are modified from GNNEplainer and PGExplainer, GradGeo (Shrikumar et al., 2017), and GradCam (Selvaraju et al., 2017) that are extended for geometric data, as well as PointMask (Taghanaki et al., 2020) developed specifically for geometric data. For XGNNs, since we focus on the interpretation performance, we mainly compared with XGNNs that have the state-of-the-art interpretation abilities, i.e., GSAT (Miao et al., 2022) and LRI (Miao et al., 2023), which also have excellent OOD generalization performance than other XGNNs (Gui et al., 2022). We also include two representative XGNNs baselines, DIR (Wu et al., 2022b) and IB-subgraph (Yu et al., 2021) for regular graph data.

**Training and evaluation.** We consider three backbones GIN (Xu et al., 2019) and PNA (Corso et al., 2020) for regular graph data, EGNN (Satorras et al., 2021) for geometric data. All methods adopted the identical graph encoder, and optimization protocol for fair comparisons. We tune the hyperparameters as recommended by previous works. More details are given in Appendix F.2.

## 6.2 EXPERIMENTAL RESULTS AND ANALYSIS

**Interpretation performance.** As shown in Table 1, compared to post-hoc based methods (in the first row), and GSAT, both GMT-lin and GMT-sam lead to non-trivial improvements for interpretation performance. Especially, in challenging Spurious-Motif datasets where there contain distribution shifts, GMT-sam brings improvements than GSAT up to 15% with GIN, and up to 8% with PNA. In challenging realistic dataset MNIST-75sp, GMT-sam also improves GSAT up to 6%.

**Generalization performance.** Table 2 illustrates the prediction accuracy on regular graph datasets. We again observe consistent improvements for diverse datasets spanning from molecule graphs to

Table 3: Interpretation performance on the geometric learning datasets. The shadowed entries are the results with the mean-1\*std larger than the mean of the corresponding best baselines.

	ACTSTRACK		TAU3MU		SYNMOL		PLBIND	
	ROC AUC	PREC@12						
RANDOM	50	21	50	35	50	31	50	45
GRADGEO	69.31±0.89	33.54±1.23	78.04±0.57	64.18±1.25	76.38±4.96	64.72±3.75	58.11±2.91	64.78±4.73
BERNMASK	54.23±4.31	20.46±5.46	71.58±0.69	60.51±0.76	76.38±4.96	64.72±3.75	52.23±4.45	41.50±9.77
BERNMASK-P	22.87±3.33	11.29±5.46	70.72±5.10	55.50±6.26	87.06±7.12	77.11±7.58	51.98±4.66	59.20±5.48
POINTMASK	49.20±1.51	20.54±1.71	55.93±4.85	39.65±7.14	66.46±6.86	53.93±1.94	50.00±0.00	45.10±0.00
GRADGAM	75.19±1.91	75.94±2.16	76.18±2.62	62.05±2.16	60.31±4.95	52.35±11.02	48.61±2.34	55.10±10.57
LRI-BERNOULLI	74.38±4.33	81.42±1.52	78.23±1.11	65.64±2.44	89.22±3.58	68.76±7.35	54.87±1.89	72.12±2.60
GMT-LIN	<b>77.45±1.69</b>	<b>81.81±1.57</b>	<b>79.17±0.82</b>	<b>68.94±1.08</b>	<b>96.17±1.44</b>	<b>86.33±6.16</b>	59.70±1.10	70.62±3.59
GMT-SAM	75.61±1.86	81.96±1.35	78.28±1.34	65.69±2.61	93.93±3.59	83.20±4.74	<b>60.03±1.02</b>	<b>72.56±2.27</b>

image-converted datasets. Despite distribution shifts, GMT-sam still brings improvements up to 13% with GIN, and up to 16% against GSAT in Spurious-Motif.

**Results on geometric benchmarks.** Tables 3 and 4 shows the interpretation and generalization performance of various methods. Again, we also observe consistent non-trivial improvements of GMT-lin and GMT-sam in most cases than GSAT and post-hoc methods. Interestingly, GMT-lin leads to more improvements than GMT-sam in terms of interpretation performance despite of its simple modifications, while having a competitive generalization performance as LRI. In terms of generalization performance, GMT-sam remain the best method. The results on geometric datasets further demonstrate the strong generality of GMT across different tasks and backbones.

Table 4: Prediction performance (AUC) on the geometric learning datasets. The shadowed entries are the results with the mean-1\*std larger than the mean of the best baselines.

	ACTSTRACK	TAU3MU	SYNMOL	PLBIND		ACTSTRACK	TAU3MU	SYNMOL	PLBIND
	ERM	97.40±0.32	82.75±0.16	99.30±0.20		85.31±2.21	GMT-LIN	93.92±0.98	82.60±0.17
LRI-BERNOULLI	94.00±0.78	86.36±0.06	99.30±0.15	85.80±0.70	GMT-SAM	<b>98.55±0.11</b>	<b>86.42±0.08</b>	<b>99.89±0.03</b>	<b>87.19±1.86</b>




Figure 3: Ablation studies.

**Ablation studies.** In complementary to the interpretability and generalizability study, we conduct further ablation studies to better understand the results. Fig. 3(a) shows the counterfactual fidelity of GSAT, GMT-lin and GMT-sam in Spurious-Motif (SPmotif) test sets. As shown in Fig. 3(a) that GSAT achieves a lower counterfactual fidelity. In contrast, GMT-lin and GMT-sam improve a higher counterfactual fidelity, which explains the reason for the improved interpretability of GMT. We also examine the hyperparameter sensitivity of GMT-sam in SPMotif-0.5 dataset. As shown in Fig. 3(b), 3(c), GMT-sam maintains strong robustness against the hyperparameter choices. The interpretation performance gets improved along with the sampling rounds, while a too larger GIB information regularizer weights will affect the optimization of GMT as well as the generalizability.

## 7 CONCLUSIONS

We developed a theoretical framework to analyze the expressive power of XGNNs by formulating the subgraph learning with multilinear extension (SubMT). We find that existing attention-based XGNNs will fail to approximate SubMT, which will lead to unfaithful interpretation as well as poor (OOD) generalization. To mitigate the issue, we propose a simple yet novel architecture called GMT which is provably more powerful in approximating SubMT. Extensive experiments on both graph classification and geometric learning benchmarks verify the superior interpretability and generalizability of GMT.

## REFERENCES

- David Alvarez-Melis and Tommi S. Jaakkola. Towards robust interpretability with self-explaining neural networks. In *Advances in Neural Information Processing Systems*, pp. 7786–7795, 2018. (Cited on pages 3 and 21)
- Kenza Amara, Rex Ying, Zitao Zhang, Zhihao Han, Yanan Shan, Ulrik Brandes, Sebastian Schemm, and Ce Zhang. Graphframex: Towards systematic evaluation of explainability methods for graph neural networks. In *Learning on Graphs Conference*, 2022. (Cited on pages 3 and 21)
- Mohit Bajaj, Lingyang Chu, Zi Yu Xue, Jian Pei, Lanjun Wang, Peter Cho-Ho Lam, and Yong Zhang. Robust counterfactual explanations on graph neural networks. In *Advances in Neural Information Processing Systems*, 2021. (Cited on pages 3 and 21)
- Victor Bapst, Thomas Keck, Agnieszka Grabska-Barwinska, Craig Donner, Ekin Dogus Cubuk, Samuel S. Schoenholz, Annette Obika, Alexander W. R. Nelson, Trevor Back, Demis Hassabis, and Pushmeet Kohli. Unveiling the predictive power of static structure in glassy systems. *Nature Physics*, 16:448–454, 2020. (Cited on page 1)
- Helen M. Berman, John D. Westbrook, Zukang Feng, Gary L. Gilliland, Talapady N. Bhat, Helge Weissig, Ilya N. Shindyalov, and Philip E. Bourne. The protein data bank. *Nucleic acids research*, 28 1:235–42, 2000. (Cited on page 35)
- Beatrice Bevilacqua, Yangze Zhou, and Bruno Ribeiro. Size-invariant graph representations for graph classification extrapolations. In *International Conference on Machine Learning*, pp. 837–851, 2021. (Cited on pages 5, 22 and 24)
- Yatao Bian, Joachim Buhmann, and Andreas Krause. Optimal continuous DR-submodular maximization and applications to provable mean field inference. In *International Conference on Machine Learning*, pp. 644–653, 2019. (Cited on pages 3 and 22)
- Yatao Bian, Yu Rong, Tingyang Xu, Jiayang Wu, Andreas Krause, and Junzhou Huang. Energy-based learning for cooperative games, with applications to valuation problems in machine learning. In *International Conference on Learning Representations*, 2022. (Cited on page 22)
- Christian Bierlich, Smita Chakraborty, Nishita Desai, Leif Gellersen, Ikka J. Helenius, Philip Ilten, Leif Lonnblad, Stephen Mrenna, Stefan Prestel, Christian T. Preuss, Torbjorn Sjostrand, Peter Skands, Marius Utheim, and Rob Verheyen. A comprehensive guide to the physics and usage of pythia 8.3. *SciPost Physics Codebases*, 2022. (Cited on page 34)
- Gruia Calinescu, Chandra Chekuri, Martin Pál, and Jan Vondrák. Maximizing a monotone submodular function subject to a matroid constraint. *SIAM Journal on Computing*, 40(6):1740–1766, 2011. (Cited on page 22)
- Shiyu Chang, Yang Zhang, Mo Yu, and Tommi S. Jaakkola. Invariant rationalization. In *International Conference on Machine Learning*, pp. 1448–1458, 2020. (Cited on pages 21 and 22)
- Chandra Chekuri, Jan Vondrák, and Rico Zenklusen. Submodular function maximization via the multilinear relaxation and contention resolution schemes. *SIAM Journal on Computing*, 43(6): 1831–1879, 2014. (Cited on page 22)
- Chandra Chekuri, T.S. Jayram, and Jan Vondrak. On multiplicative weight updates for concave and submodular function maximization. In *Conference on Innovations in Theoretical Computer Science*, pp. 201–210, 2015. (Cited on page 22)
- Yongqiang Chen, Yonggang Zhang, Yatao Bian, Han Yang, Kaili Ma, Binghui Xie, Tongliang Liu, Bo Han, and James Cheng. Learning causally invariant representations for out-of-distribution generalization on graphs. In *Advances in Neural Information Processing Systems*, 2022a. (Cited on pages 1, 2, 3, 4, 5, 7, 20, 21, 22, 24, 30 and 33)
- Yongqiang Chen, Kaiwen Zhou, Yatao Bian, Binghui Xie, Kaili Ma, Yonggang Zhang, Han Yang, Bo Han, and James Cheng. Pareto invariant risk minimization. *arXiv preprint*, arXiv:2206.07766, 2022b. (Cited on page 31)

- ATLAS Collaboration. Search for charged-lepton-flavour violation in z-boson decays with the atlas detector. *Nature Physics*, 17:819 – 825, 2020. (Cited on page 34)
- Gabriele Corso, Luca Cavalleri, Dominique Beaini, Pietro Liò, and Petar Velickovic. Principal neighbourhood aggregation for graph nets. In *Advances in Neural Information Processing Systems*, 2020. (Cited on pages 8 and 35)
- Jonathan Crabbé and Mihaela van der Schaar. Evaluating the robustness of interpretability methods through explanation invariance and equivariance. *arXiv preprint*, arXiv:2304.06715, 2023. (Cited on pages 3 and 21)
- M. Cranmer, Alvaro Sanchez-Gonzalez, Peter W. Battaglia, Rui Xu, Kyle Cranmer, David N. Spergel, and Shirley Ho. Discovering symbolic models from deep learning with inductive biases. *arXiv preprint*, arXiv:2006.11287, 2020. (Cited on page 1)
- Gruia Călinescu, Chandra Chekuri, Martin Pál, and Jan Vondrák. Maximizing a submodular set function subject to a matroid constraint (extended abstract). In *Conference on Integer Programming and Combinatorial Optimization*, 2007. (Cited on pages 2, 3, 4 and 22)
- Minyi Dai, Mehmet F Demirel, Yingyu Liang, and Jia-Mian Hu. Graph neural networks for an accurate and interpretable prediction of the properties of polycrystalline materials. *npj Computational Materials*, 7(1):103, 2021. (Cited on page 1)
- Asim Kumar Debnath, R L Compadre, Gargi Debnath, Alan J. Shusterman, and Corwin Hansch. Structure-activity relationship of mutagenic aromatic and heteroaromatic nitro compounds. correlation with molecular orbital energies and hydrophobicity. *Journal of medicinal chemistry*, 34 2: 786–97, 1991. (Cited on pages 8 and 33)
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. BERT: Pre-training of deep bidirectional transformers for language understanding. In *Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pp. 4171–4186, 2019. (Cited on page 33)
- Xing Du, Yi Li, Yuan-Ling Xia, Shi-Meng Ai, Jing Liang, Peng Sang, Xing lai Ji, and Shu-Qun Liu. Insights into protein–ligand interactions: Mechanisms, models, and methods. *International Journal of Molecular Sciences*, 17, 2016. URL <https://api.semanticscholar.org/CorpusID:18139389>. (Cited on page 35)
- Paul L. Erdos and Alfréd Rényi. On the evolution of random graphs. *Transactions of the American Mathematical Society*, 286:257–257, 1984. (Cited on page 4)
- Shaohua Fan, Xiao Wang, Yanhu Mo, Chuan Shi, and Jian Tang. Debiasing graph neural networks via learning disentangled causal substructure. In *Advances in Neural Information Processing Systems*, 2022. (Cited on pages 3 and 20)
- Matthias Fey and Jan E. Lenssen. Fast graph representation learning with PyTorch Geometric. In *ICLR Workshop on Representation Learning on Graphs and Manifolds*, 2019. (Cited on page 41)
- Kimon Fountoulakis, Amit Levi, Shenghao Yang, Aseem Baranwal, and Aukosh Jagannath. Graph attention retrospective. *Journal of Machine Learning Research*, 24(246):1–52, 2023. (Cited on pages 21 and 32)
- Matt Gardner, Joel Grus, Mark Neumann, Oyvind Taffjord, Pradeep Dasigi, Nelson F. Liu, Matthew E. Peters, Michael Schmitz, and Luke Zettlemoyer. Allennlp: A deep semantic natural language processing platform. *arXiv preprint*, arXiv:1803.07640, 2018. (Cited on page 33)
- Justin Gilmer, Samuel S. Schoenholz, Patrick F. Riley, Oriol Vinyals, and George E. Dahl. Neural message passing for quantum chemistry. In *International Conference on Machine Learning*, pp. 1263–1272, 2017. (Cited on page 1)
- Shurui Gui, Xiner Li, Limei Wang, and Shuiwang Ji. GOOD: A graph out-of-distribution benchmark. In *Thirty-sixth Conference on Neural Information Processing Systems Datasets and Benchmarks Track*, 2022. (Cited on pages 1 and 8)

- Shurui Gui, Meng Liu, Xiner Li, Youzhi Luo, and Shuiwang Ji. Joint learning of label and environment causal independence for graph out-of-distribution generalization. *arXiv preprint*, arXiv:2306.01103, 2023. (Cited on page 22)
- Zhimeng Guo, Teng Xiao, Charu Aggarwal, Hui Liu, and Suhang Wang. Counterfactual learning on graphs: A survey. *arXiv preprint*, arXiv:2304.01391, 2023. (Cited on pages 6 and 21)
- Berry Holstein. The Theory of Almost Everything: The Standard Model, the Unsung Triumph of Modern Physics. *Physics Today*, 59(7):49–50, 07 2006. (Cited on page 34)
- Weihua Hu, Matthias Fey, Marinka Zitnik, Yuxiao Dong, Hongyu Ren, Bowen Liu, Michele Catasta, and Jure Leskovec. Open graph benchmark: Datasets for machine learning on graphs. In *Advances in Neural Information Processing Systems*, 2020. (Cited on pages 8, 33, 34 and 36)
- Sergey Ioffe and Christian Szegedy. Batch normalization: Accelerating deep network training by reducing internal covariate shift. In *International Conference on Machine Learning*, pp. 448–456, 2015. (Cited on pages 30, 35 and 36)
- Sarthak Jain and Byron C. Wallace. Attention is not explanation. In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pp. 3543–3556, 2019. (Cited on pages 3, 5 and 21)
- Eric Jang, Shixiang Gu, and Ben Poole. Categorical reparameterization with gumbel-softmax. In *International Conference on Learning Representations*, 2017. (Cited on pages 7 and 29)
- Yuanfeng Ji, Lu Zhang, Jiaxiang Wu, Bingzhe Wu, Long-Kai Huang, Tingyang Xu, Yu Rong, Lanqing Li, Jie Ren, Ding Xue, Houtim Lai, Shaoyong Xu, Jing Feng, Wei Liu, Ping Luo, Shuigeng Zhou, Junzhou Huang, Peilin Zhao, and Yatao Bian. DrugOOD: Out-of-Distribution (OOD) Dataset Curator and Benchmark for AI-aided Drug Discovery – A Focus on Affinity Prediction Problems with Noise Annotations. *arXiv preprint*, arXiv:2201.09637, 2022. (Cited on pages 1 and 21)
- Wei Jin, Tong Zhao, Jiayu Ding, Yozen Liu, Jiliang Tang, and Neil Shah. Empowering graph representation learning with test-time graph transformation. *arXiv preprint*, arXiv:2210.03561, 2022. (Cited on page 22)
- James E. Johndrow, Natesh S. Pillai, and Aaron Smith. No free lunch for approximate mcmc. *arXiv preprint*, arXiv:2010.12514, 2020. (Cited on pages 7, 30 and 32)
- John M. Jumper, Richard Evans, Alexander Pritzel, Tim Green, Michael Figurnov, Olaf Ronneberger, Kathryn Tunyasuvunakool, Russ Bates, Augustin Zidek, Anna Potapenko, Alex Bridgland, Clemens Meyer, Simon A A Kohl, Andy Ballard, Andrew Cowie, Bernardino Romera-Paredes, Stanislav Nikolov, Rishub Jain, Jonas Adler, Trevor Back, Stig Petersen, David A. Reiman, Ellen Clancy, Michal Zielinski, Martin Steinegger, Michalina Pacholska, Tamas Berghammer, Sebastian Bodenstein, David Silver, Oriol Vinyals, Andrew W. Senior, Koray Kavukcuoglu, Pushmeet Kohli, and Demis Hassabis. Highly accurate protein structure prediction with alphafold. *Nature*, 596:583 – 589, 2021. (Cited on page 1)
- Barakeel Fansu Kamhoua, Lin Zhang, Yongqiang Chen, Han Yang, MA KAILI, Bo Han, Bo Li, and James Cheng. Exact shape correspondence via 2d graph convolution. In *Advances in Neural Information Processing Systems*, 2022. (Cited on page 22)
- Nikolaos Karalias, Joshua Robinson, Andreas Loukas, and Stefanie Jegelka. Neural set function extensions: Learning with discrete functions in high dimensions. In *Advances in Neural Information Processing Systems*, 2022. (Cited on pages 3, 4 and 22)
- Amir-Hossein Karimi, Krikamol Muandet, Simon Kornblith, Bernhard Schölkopf, and Been Kim. On the relationship between explanation and prediction: A causal view. In *International Conference on Machine Learning*, pp. 15861–15883, 2023. (Cited on page 21)
- Mostafa Karimi, Di Wu, Zhangyang Wang, and Yang Shen. Deepaffinity: Interpretable deep learning of compound-protein affinity through unified recurrent and convolutional neural networks. *Bioinformatics*, 2019. (Cited on page 35)

- Diederik P. Kingma and Jimmy Ba. Adam: A method for stochastic optimization. In *International Conference on Learning Representations*, 2015. (Cited on page 36)
- Boris Knyazev, Graham W. Taylor, and Mohamed R. Amer. Understanding attention and generalization in graph neural networks. In *Advances in Neural Information Processing Systems*, pp. 4204–4214, 2019. (Cited on pages 8, 33 and 36)
- Dmitrii Kochkov, Tobias Pfaff, Alvaro Sanchez-Gonzalez, Peter W. Battaglia, and Bryan K. Clark. Learning ground states of quantum hamiltonians with graph networks. *arXiv preprint*, arXiv:2110.06390, 2021. (Cited on page 1)
- Roman A. Laskowski. PDBsum: summaries and analyses of PDB structures. *Nucleic Acids Research*, 29(1):221–222, 01 2001. (Cited on page 35)
- Soo Yong Lee, Fanchen Bu, Jaemin Yoo, and Kijung Shin. Towards deep attention in graph neural networks: Problems and remedies. In *International Conference on Machine Learning*, volume 202, pp. 18774–18795, 2023. (Cited on pages 21 and 32)
- Haoyang Li, Ziwei Zhang, Xin Wang, and Wenwu Zhu. Learning invariant graph representations for out-of-distribution generalization. In *Advances in Neural Information Processing Systems*, 2022. (Cited on pages 3, 20 and 22)
- Xiner Li, Shurui Gui, Youzhi Luo, and Shuiwang Ji. Graph structure and feature extrapolation for out-of-distribution generalization. *arXiv preprint*, arXiv:2306.08076, 2023. (Cited on page 22)
- Wanyu Lin, Hao Lan, and Baochun Li. Generative causal explanations for graph neural networks. In *International Conference on Machine Learning*, volume 139, pp. 6666–6679, 2021. (Cited on pages 1, 3 and 20)
- Wanyu Lin, Hao Lan, Hao Wang, and Baochun Li. Orphicx: A causality-inspired latent variable model for interpreting graph neural networks. In *IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 13719–13728, 2022a. (Cited on pages 1, 3 and 20)
- Yong Lin, Shengyu Zhu, Lu Tan, and Peng Cui. ZIN: When and how to learn invariance without environment partition? In *Advances in Neural Information Processing Systems*, 2022b. (Cited on page 35)
- Zachary C. Lipton. The mythos of model interpretability. *Commun. ACM*, 61(10):36–43, 2018. (Cited on pages 3 and 21)
- Gang Liu, Tong Zhao, Jiabin Xu, Tengfei Luo, and Meng Jiang. Graph rationalization with environment-based augmentations. *arXiv preprint arXiv:2206.02886*, 2022a. (Cited on pages 3, 20 and 22)
- Meng Liu, Youzhi Luo, Kanji Uchino, Koji Maruhashi, and Shuiwang Ji. Generating 3d molecules for target protein binding. *arXiv preprint*, arXiv:2204.09410, 2022b. (Cited on page 35)
- Zhihai Liu, Minyi Su, Li Han, Jie Liu, Qifan Yang, Yan Li, and Renxiao Wang. Forging the basis for developing protein-ligand interaction scoring functions. *Accounts of chemical research*, 50 2: 302–309, 2017. (Cited on page 35)
- László Lovász and Balázs Szegedy. Limits of dense graph sequences. *Journal of Combinatorial Theory, Series B*, 96(6):933–957, 2006. (Cited on page 4)
- Dongsheng Luo, Wei Cheng, Dongkuan Xu, Wenchao Yu, Bo Zong, Haifeng Chen, and Xiang Zhang. Parameterized explainer for graph neural network. In *Advances in Neural Information Processing Systems*, pp. 19620–19631, 2020. (Cited on pages 1, 3, 7, 8, 20, 33 and 36)
- Jing Ma, Ruocheng Guo, Saumitra Mishra, Aidong Zhang, and Jundong Li. Clear: Generative counterfactual explanations on graphs. In *Advances in Neural Information Processing Systems*, pp. 25895–25907, 2022. (Cited on pages 3 and 21)
- Chris J. Maddison, Andriy Mnih, and Yee Whye Teh. The concrete distribution: A continuous relaxation of discrete random variables. In *International Conference on Learning Representations*, 2017. (Cited on pages 7 and 29)

- Sadegh Mahdavi, Kevin Swersky, Thomas Kipf, Milad Hashemi, Christos Thrampoulidis, and Renjie Liao. Towards better out-of-distribution generalization of neural algorithmic reasoning tasks. *arXiv preprint arXiv:2211.00692*, 2022. (Cited on page 22)
- Kevin McCloskey, Ankur Taly, Federico Monti, Michael P. Brenner, and Lucy J. Colwell. Using attribution to decode binding mechanism in neural network models for chemistry. *Proceedings of the National Academy of Sciences*, 116:11624 – 11629, 2018. (Cited on pages 34 and 35)
- Siqi Miao, Miaoyuan Liu, and Pan Li. Interpretable and generalizable graph learning via stochastic attention mechanism. *International Conference on Machine Learning*, 2022. (Cited on pages 1, 2, 3, 4, 5, 6, 7, 8, 20, 21, 22, 23, 24, 33, 35 and 36)
- Siqi Miao, Yunan Luo, Mia Liu, and Pan Li. Interpretable geometric deep learning via learnable randomness injection. In *International Conference on Learning Representations*, 2023. (Cited on pages 1, 2, 3, 7, 8, 20, 22, 23, 33, 34, 35 and 36)
- Christopher W. Murray and David C Rees. The rise of fragment-based drug discovery. *Nature chemistry*, 1 3:187–92, 2009. (Cited on page 1)
- Guillermo Owen. Multilinear extensions of games. *Management Science*, 18:64–79, 1972. (Cited on page 22)
- T. Papamarkou, J. Hinkle, M. T. Young, and D. Womble. Challenges in Markov chain Monte Carlo for Bayesian neural networks. *Statistical Science*, 37(3):425–442, 2022. (Cited on pages 7 and 30)
- Adam Paszke, Sam Gross, Francisco Massa, Adam Lerer, James Bradbury, Gregory Chanan, Trevor Killeen, Zeming Lin, Natalia Gimelshein, Luca Antiga, Alban Desmaison, Andreas Kopf, Edward Yang, Zachary DeVito, Martin Raison, Alykhan Tejani, Sasank Chilamkurthy, Benoit Steiner, Lu Fang, Junjie Bai, and Soumith Chintala. Pytorch: An imperative style, high-performance deep learning library. In *Advances in Neural Information Processing Systems*, pp. 8024–8035, 2019. (Cited on page 41)
- Mario Alfonso Prado-Romero, Bardh Prenkaj, Giovanni Stilo, and Fosca Giannotti. A survey on graph counterfactual explanations: Definitions, methods, evaluation, and research challenges. *ACM Computing Surveys*, 2022. (Cited on pages 3, 6 and 21)
- Marco Tulio Ribeiro, Sameer Singh, and Carlos Guestrin. ”why should i trust you?”: Explaining the predictions of any classifier. In *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, pp. 1135–1144, 2016. (Cited on pages 3 and 21)
- Cynthia Rudin. Stop explaining black box machine learning models for high stakes decisions and use interpretable models instead. *Nature Machine Intelligence*, 1:206–215, 2018. (Cited on page 21)
- Aytunc Sahin, Yatao Bian, Joachim M. Buhmann, and Andreas Krause. From sets to multisets: Provable variational inference for probabilistic integer submodular models. In *International Conference on Machine Learning*, volume 119, pp. 8388–8397, 2020. (Cited on pages 3 and 22)
- Victor Garcia Satorras, Emiel Hoogetboom, and Max Welling. E(n) equivariant graph neural networks. In *International Conference on Machine Learning*, pp. 9323–9332, 2021. (Cited on pages 8 and 35)
- Michael Sejr Schlichtkrull, Nicola De Cao, and Ivan Titov. Interpreting graph neural networks for NLP with differentiable edge masking. In *International Conference on Learning Representations*, 2021. (Cited on page 8)
- R. Schulte, V. Bashkurov, Tianfang Li, Zhengrong Liang, K. Mueller, J. Heimann, L.R. Johnson, B. Keeney, H.F.-W. Sadrozinski, A. Seiden, D.C. Williams, Lan Zhang, Zhang Li, S. Peggs, T. Satogata, and C. Woody. Conceptual design of a proton computed tomography system for applications in proton radiation therapy. *IEEE Transactions on Nuclear Science*, 51(3):866–872, 2004. (Cited on page 34)
- Kristof T. Schütt, Huziel E. Sauceda, P J Kindermans, Alexandre Tkatchenko, and Klaus-Robert Müller. Schnet - a deep learning architecture for molecules and materials. *The Journal of chemical physics*, 148 24:241722, 2017. (Cited on page 1)

- Ramprasaath R. Selvaraju, Michael Cogswell, Abhishek Das, Ramakrishna Vedantam, Devi Parikh, and Dhruv Batra. Grad-cam: Visual explanations from deep networks via gradient-based localization. In *IEEE International Conference on Computer Vision*, pp. 618–626. IEEE Computer Society, 2017. (Cited on page 8)
- Avanti Shrikumar, Peyton Greenside, and Anshul Kundaje. Learning important features through propagating activation differences. In *International Conference on Machine Learning*, pp. 3145–3153, 2017. (Cited on page 8)
- Tom A.B. Snijders and Krzysztof Nowicki. Estimation and prediction for stochastic blockmodels for graphs with latent block structure. In *Journal of Classification*, volume 14, pp. 75–100, 1997. (Cited on page 4)
- Richard Socher, Alex Perelygin, Jean Wu, Jason Chuang, Christopher D. Manning, Andrew Y. Ng, and Christopher Potts. Recursive deep models for semantic compositionality over a sentiment treebank. In *Conference on Empirical Methods in Natural Language Processing*, pp. 1631–1642, 2013. (Cited on pages 8 and 33)
- Hannes Stárk, Octavian-Eugen Ganea, Lagnajit Pattanaik, Regina Barzilay, and T. Jaakkola. Equibind: Geometric deep learning for drug binding structure prediction. In *International Conference on Machine Learning, 2022*. (Cited on page 35)
- Yongduo Sui, Xiang Wang, Jiancan Wu, Min Lin, Xiangnan He, and Tat-Seng Chua. Causal attention for interpretable and generalizable graph classification. In *The 28th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*, pp. 1696–1705, 2022. (Cited on pages 3 and 20)
- Saeid Asgari Taghanaki, Kaveh Hassani, Pradeep Kumar Jayaraman, Amir Hosein Khas Ahmadi, and Tonya Custis. Pointmask: Towards interpretable and bias-resilient point cloud processing. *arXiv preprint, arXiv:2007.04525*, 2020. (Cited on page 8)
- Naftali Tishby, Fernando C. Pereira, and William Bialek. The information bottleneck method. In *Annual Allerton Conference on Communication, Control and Computing*, pp. 368–377, 1999. (Cited on pages 3 and 20)
- Pablo Villanueva-Domingo, Francisco Villaescusa-Navarro, Daniel Angl’es-Alc’azar, Shy Genel, Federico Marinacci, David N. Spergel, Lars E. Hernquist, Mark Vogelsberger, Romeel Davé, and Desika Narayanan. Inferring halo masses with graph neural networks. *The Astrophysical Journal*, 935, 2021. (Cited on page 1)
- Jan Vondrak. Optimal approximation for the submodular welfare problem in the value oracle model. In *Annual ACM Symposium on Theory of Computing*, pp. 67–74, 2008. (Cited on pages 3 and 22)
- Minh N. Vu and My T. Thai. Pgm-explainer: Probabilistic graphical model explanations for graph neural networks. In *Advances in Neural Information Processing Systems*, 2020. (Cited on pages 1, 3 and 20)
- Cheng Wang and Yingkai Zhang. Improving scoring-docking-screening powers of protein–ligand scoring functions using random forest. *Journal of Computational Chemistry*, 38:169 – 177, 2017. (Cited on page 35)
- Hanchen Wang, Tianfan Fu, Yuanqi Du, Wenhao Gao, Kexin Huang, Ziming Liu, Payal Chandak, Shengchao Liu, Peter Van Katwyk, Andreea Deac, Anima Anandkumar, Karianne J. Bergen, Carla P. Gomes, Shirley Ho, Pushmeet Kohli, Joan Lasenby, Jure Leskovec, Tie-Yan Liu, Arjun K. Manrai, Debora Marks, Bharath Ramsundar, Le Song, Jimeng Sun, Jian Tang, Petar Velickovic, Max Welling, Linfeng Zhang, Connor W. Coley, Yoshua Bengio, and Marinka Zitnik. Scientific discovery in the age of artificial intelligence. *Nature*, 620:47 – 60, 2023. (Cited on page 1)
- Joanna Wencel-Delord and Frank Glorius. C-h bond activation enables the rapid construction and late-stage diversification of functional molecules. *Nature chemistry*, 5 5:369–75, 2013. (Cited on page 1)
- Felix Wu, Amauri Souza, Tianyi Zhang, Christopher Fifty, Tao Yu, and Kilian Weinberger. Simplifying graph convolutional networks. In *Proceedings of the 36th International Conference on Machine Learning*, pp. 6861–6871, 2019. (Cited on pages 4, 26 and 27)

- Qitian Wu, Hengrui Zhang, Junchi Yan, and David Wipf. Handling distribution shifts on graphs: An invariance perspective. In *International Conference on Learning Representations, 2022a*. (Cited on pages 1 and 22)
- Tailin Wu, Hongyu Ren, Pan Li, and Jure Leskovec. Graph information bottleneck. In *Advances in Neural Information Processing Systems*, pp. 20437–20448, 2020. (Cited on pages 3 and 20)
- Yingxin Wu, Xiang Wang, An Zhang, Xiangnan He, and Tat-Seng Chua. Discovering invariant rationales for graph neural networks. In *International Conference on Learning Representations, 2022b*. (Cited on pages 1, 3, 8, 20, 22, 33, 36 and 37)
- Tian Xie and Jeffrey C. Grossman. Crystal graph convolutional neural networks for an accurate and interpretable prediction of material properties. *Physical review letters*, 120 14:145301, 2017. (Cited on page 1)
- Keyulu Xu, Weihua Hu, Jure Leskovec, and Stefanie Jegelka. How powerful are graph neural networks? In *International Conference on Learning Representations, 2019*. (Cited on pages 6, 8, 20, 32 and 35)
- Keyulu Xu, Mozhi Zhang, Jingling Li, Simon Shaolei Du, Ken-ichi Kawarabayashi, and Stefanie Jegelka. How neural networks extrapolate: From feedforward to graph neural networks. In *International Conference on Learning Representations, 2021*. (Cited on page 22)
- Ling Yang, Jiayi Zheng, Heyuan Wang, Zhongyi Liu, Zhilin Huang, Shenda Hong, Wentao Zhang, and Bin Cui. Individual and structural graph information bottlenecks for out-of-distribution generalization. *arXiv preprint*, arXiv:2306.15902, 2023. (Cited on pages 3, 20 and 22)
- Nianzu Yang, Kaipeng Zeng, Qitian Wu, Xiaosong Jia, and Junchi Yan. Learning substructure invariance for out-of-distribution molecular representations. In *Advances in Neural Information Processing Systems, 2022*. (Cited on page 22)
- Gilad Yehudai, Ethan Fetaya, Eli Meir, Gal Chechik, and Haggai Maron. From local structures to size generalization in graph neural networks. In *International Conference on Machine Learning*, pp. 11975–11986, 2021. (Cited on page 22)
- Zhitao Ying, Dylan Bourgeois, Jiaxuan You, Marinka Zitnik, and Jure Leskovec. Gnnexplainer: Generating explanations for graph neural networks. In *Advances in Neural Information Processing Systems*, pp. 9240–9251, 2019. (Cited on pages 1, 3, 8, 20 and 33)
- Junchi Yu, Tingyang Xu, Yu Rong, Yatao Bian, Junzhou Huang, and Ran He. Graph information bottleneck for subgraph recognition. In *International Conference on Learning Representations, 2021*. (Cited on pages 1, 3, 8, 20, 22 and 24)
- Junchi Yu, Jie Cao, and Ran He. Improving subgraph recognition with variational graph information bottleneck. In *IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 19374–19383. IEEE, 2022. (Cited on pages 3, 20 and 22)
- Junchi Yu, Jian Liang, and Ran He. Mind the label shift of augmentation-based graph OOD generalization. In *IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 11620–11630. IEEE, 2023. (Cited on page 22)
- Hao Yuan, Jiliang Tang, Xia Hu, and Shuiwang Ji. XGNN: towards model-level explanations of graph neural networks. In *The 26th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*, pp. 430–438, 2020a. (Cited on pages 1, 3 and 20)
- Hao Yuan, Haiyang Yu, Shurui Gui, and Shuiwang Ji. Explainability in graph neural networks: A taxonomic survey. *arXiv preprint*, arXiv:2012.15445, 2020b. (Cited on pages 3, 8, 21, 33 and 36)
- Hao Yuan, Haiyang Yu, Jie Wang, Kang Li, and Shuiwang Ji. On explainability of graph neural networks via subgraph explorations. In *International Conference on Machine Learning*, volume 139, pp. 12241–12252, 2021. (Cited on pages 1, 3 and 20)

Xuan Zhang, Limei Wang, Jacob Helwig, Youzhi Luo, Cong Fu, Yaochen Xie, Meng Liu, Yuchao Lin, Zhao Xu, Keqiang Yan, Keir Adams, Maurice Weiler, Xiner Li, Tianfan Fu, Yucheng Wang, Haiyang Yu, Yuqing Xie, Xiang Fu, Alex Strasser, Shenglong Xu, Yi Liu, Yuanqi Du, Alexandra Saxton, Hongyi Ling, Hannah Lawrence, Hannes Stärk, Shurui Gui, Carl Edwards, Nicholas Gao, Adriana Ladera, Tailin Wu, Elyssa F. Hofgard, Aria Mansouri Tehrani, Rui Wang, Ameya Daigavane, Montgomery Bohde, Jerry Kurtin, Qian Huang, Tuong Phung, Minkai Xu, Chaitanya K. Joshi, Simon V. Mathis, Kamyar Azizzadenesheli, Ada Fang, Alán Aspuru-Guzik, Erik Bekkers, Michael M. Bronstein, Marinka Zitnik, Anima Anandkumar, Stefano Ermon, Pietro Liò, Rose Yu, Stephan Günnemann, Jure Leskovec, Heng Ji, Jimeng Sun, Regina Barzilay, Tommi S. Jaakkola, Connor W. Coley, Xiaoning Qian, Xiaofeng Qian, Tess E. Smidt, and Shuiwang Ji. Artificial intelligence for science in quantum, atomistic, and continuum systems. *arXiv preprint*, arXiv:2307.08423, 2023. (Cited on pages 1 and 21)

Zaixi Zhang, Qi Liu, Hao Wang, Chengqiang Lu, and Cheekong Lee. Protgnn: Towards self-explaining graph neural networks. In *Thirty-Sixth AAAI Conference on Artificial Intelligence*, pp. 9127–9135, 2022. (Cited on pages 3 and 20)

Yangze Zhou, Gitta Kutyniok, and Bruno Ribeiro. OOD link prediction generalization capabilities of message-passing GNNs in larger test graphs. In *Advances in Neural Information Processing Systems*, 2022. (Cited on page 22)

# Appendix of GMT

## CONTENTS

<b>A</b>	<b>Notations</b>	<b>19</b>
<b>B</b>	<b>More Details about the Background</b>	<b>20</b>
B.1	More related works . . . . .	20
B.2	Variational bounds and realization of the IB principle . . . . .	23
<b>C</b>	<b>On the Generalization and Interpretability: A Causal View</b>	<b>24</b>
C.1	Structural Causal Model for XGNNs . . . . .	24
C.2	Practical Estimation of Counterfactual Fidelity . . . . .	25
<b>D</b>	<b>Theories and Proofs</b>	<b>26</b>
D.1	Useful definitions . . . . .	26
D.2	Proof for Proposition 3.3 . . . . .	26
D.3	Proof for Proposition 4.2 . . . . .	27
D.4	Proof for Theorem 5.1 . . . . .	28
<b>E</b>	<b>More Discussions on Practical Implementations of GMT</b>	<b>29</b>
E.1	Algorithms of GMT . . . . .	29
E.2	Discussions on GMT Implementations . . . . .	30
<b>F</b>	<b>More Details about the Experiments</b>	<b>32</b>
F.1	Datasets . . . . .	32
F.2	Baselines and Evaluation Setup . . . . .	35
F.3	More interpretation results . . . . .	37
F.4	Computational analysis . . . . .	37
F.5	More counterfactual fidelity studies . . . . .	38
F.6	SubMT approximation gap analysis . . . . .	40
F.7	Software and Hardware . . . . .	41
F.8	Interpretation Visualization . . . . .	41

## A NOTATIONS

In the following, we list notations for key concepts that have appeared in this paper.

Table 5: Notations for key concepts involved in this paper.

$\mathcal{G}$	the graph space
$\mathcal{G}_c$	the space of subgraphs with respect to the graphs from $\mathcal{G}$
$\mathcal{Y}$	the label space
$\rho$	the pooling function of the GNN
$d(\cdot, \cdot)$	a distribution distance metric
$L(\cdot, \cdot)$	the loss function
$G \in \mathcal{G}$	a graph
$G = (A, X)$	a graph with the adjacency matrix $A \in \{0, 1\}^{n \times n}$ and node feature matrix $X \in \mathbb{R}^{n \times d}$ for brevity, we also use $G$ and $Y$ to denote the random variables as the graphs and labels
$f = f_c \circ g$	a XGNN with a subgraph extractor $g$ and a classifier $f_c$
$g$	a subgraph extractor $g : \mathcal{G} \rightarrow \mathcal{G}_c$
$f_c$	a classifier GNN $f_c : \mathcal{G}_c \rightarrow \mathcal{Y}$
$G_c$	the invariant subgraph with respect to $G$
$G_s$	the spurious subgraph with respect to $G$
$\hat{A}_c, \hat{A}$	the weighted adjacency matrix for causal subgraph with entries $A_{u,v} = \alpha_e$ as the sampling probability predicted by $g$
$\hat{A}_s$	the weighted adjacency matrix for spurious subgraph with entries $A_{u,v} = 1 - \alpha_e$ as the sampling probability predicted by $g$
$\hat{G}_c$	the estimated invariant subgraph produced by $g$ if the subgraph partitioning is conducted in an edge-centric view, then $\hat{G}_c = (X, \hat{A}_c)$
$\hat{G}_s$	the estimated spurious subgraph produced by tacking the complementary of $\hat{G}_c$ if the subgraph partitioning is conducted in an edge-centric view, then $\hat{G}_s = (X, \hat{A}_s)$
$I(G_c; Y)$	mutual information between the extracted subgraph $G_c$ and $Y$ , specialized for maximizing $I(G; Y)$
$P(G_c G) \in \mathbb{R}_+$	the probability for sampling $G_c$ from $G$ with the subgraph extractor $g$
$P(Y G) \in \mathbb{R}_+^{ \mathcal{Y} }$	the label distribution of $Y$ conditioned on $G$
$P_f(Y G) \in \mathbb{R}_+^{ \mathcal{Y} }$	the predicted label distribution of $Y$ conditioned on $G$
$f_c(G_c) \in \mathbb{R}_+^{ \mathcal{Y} }$	the predicted label distribution of $Y$ with $f_c$ by taking the input $G_c$

## B MORE DETAILS ABOUT THE BACKGROUND

We begin by introducing related works in Appendix B.1 and then more backgrounds about graph information bottleneck in Appendix B.2, especially for how to obtain the formulas in the main text.

### B.1 MORE RELATED WORKS

We give a more detailed background introduction of interpretable and generalizable GNNs (XGNNs) in this section.

**Graph Neural Networks.** We use  $G = (A, X)$  to denote a graph with  $n$  nodes and  $m$  edges. Within  $G$ ,  $A \in \{0, 1\}^{n \times n}$  is the adjacency matrix, and  $X \in \mathbb{R}^{n \times d}$  is the node feature matrix with a node feature dimension of  $d$ . This work focuses on the task of graph classification. Specifically, we are given a set of  $N$  graphs  $\{G_i\}_{i=1}^N \subseteq \mathcal{G}$  and their labels  $\{Y_i\}_{i=1}^N \subseteq \mathcal{Y} = \mathbb{R}^c$  from  $c$  classes. Then, we need to train a GNN  $\rho \circ h$  with an encoder  $h : \mathcal{G} \rightarrow \mathbb{R}^h$  that learns a meaningful representation  $h_G$  for each graph  $G$  to help predict their labels  $y_G = \rho(h_G)$  with a downstream classifier  $\rho : \mathbb{R}^h \rightarrow \mathcal{Y}$ . The representation  $h_G$  is typically obtained by performing pooling with a READOUT function on the learned node representations:

$$h_G = \text{READOUT}(\{h_u^{(K)} | u \in V\}), \quad (13)$$

where the READOUT is a permutation invariant function (e.g., SUM, MEAN) (Xu et al., 2019), and  $h_u^{(K)}$  stands for the node representation of  $u \in V$  at  $K$ -th layer that is obtained by neighbor aggregation:

$$h_u^{(K)} = \sigma(W_K \cdot a(\{h_v^{(K-1)} | v \in \mathcal{N}(u) \cup \{u\}\})), \quad (14)$$

where  $\mathcal{N}(u)$  is the set of neighbors of node  $u$ ,  $\sigma(\cdot)$  is an activation function, e.g., ReLU, and  $a(\cdot)$  is an aggregation function over neighbors, e.g., MEAN.

**Interpretable GNNs.** Let  $G = (A, X)$  be a graph with node set  $V = \{v_1, v_2, \dots, v_n\}$  and edge set  $E = \{e_1, e_2, \dots, e_m\}$ , where  $A \in \{0, 1\}^{n \times n}$  is the adjacency matrix and  $X \in \mathbb{R}^{n \times d}$  is the node feature matrix. In this work, we focus on interpretable GNNs (or XGNNs) for the graph classification task, while the results can be generalized to node-level tasks as well (Wu et al., 2020). Given each sample from training data  $\mathcal{D}_{\text{tr}} = (G^i, Y^i)$ , an interpretable GNN  $f := h \circ g$  aims to identify a (causal) subgraph  $G_c \subseteq G$  via a subgraph extractor GNN  $g : \mathcal{G} \rightarrow \mathcal{G}_c$ , and then predicts the label via a subgraph classifier GNN  $f_c : \mathcal{G}_c \rightarrow \mathcal{Y}$ , where  $\mathcal{G}, \mathcal{G}_c, \mathcal{Y}$  are the spaces of graphs, subgraphs, and the labels, respectively (Yu et al., 2021). Although *post-hoc* explanation approaches also aim to find an interpretable subgraph as the explanation for the model prediction (Ying et al., 2019; Yuan et al., 2020a; Vu & Thai, 2020; Luo et al., 2020; Yuan et al., 2021; Lin et al., 2021; 2022a), they are shown to be suboptimal in interpretation performance and sensitive to the performance of the pre-trained GNNs (Miao et al., 2022). Therefore, this work focuses on *intrinsic interpretable* GNNs (XGNNs).

A predominant approach to implement XGNNs is to incorporate the idea of information bottleneck (Tishby et al., 1999), such that  $G_c$  keeps the minimal sufficient information of  $G$  about  $Y$  (Yu et al., 2021; 2022; Miao et al., 2022; 2023; Yang et al., 2023), which can be formulated as

$$\max_{G_c} I(G_c; Y) - \lambda I(G_c; G), \quad G_c \sim g(G), \quad (15)$$

where maximizing the mutual information between  $G_c$  and  $Y$  endows the interpretability of  $G_c$  while minimizing  $I(G_c; G)$  ensures  $G_c$  captures only the most necessary information,  $\lambda$  is a hyperparameter trade off between the two objectives. In addition to minimizing  $I(G_c; G)$ , there are also alternative approaches that impose different constraints such as causal invariance (Chen et al., 2022a; Li et al., 2022) or disentanglement (Wu et al., 2022b; Sui et al., 2022; Liu et al., 2022a; Fan et al., 2022) to identify the desired subgraphs. When extracting the subgraph, XGNNs adopts the attention mechanism to learn the sampling probability of each edge or node, which avoids the complicated Monte Carlo tree search used in other alternative implementations (Zhang et al., 2022). Specifically, given node representation learned by message passing  $H_i \in \mathbb{R}^h$  for each node  $i$ , XGNNs either learns a **node attention**  $\alpha_i \in \mathbb{R}_+ = \sigma(a(H_i))$  via the attention function  $a : \mathbb{R}^h \rightarrow \mathbb{R}_+$ , or the **edge attention**  $\alpha_e \in \mathbb{R}_+ = \sigma(a([H_u, H_v]))$  for each edge  $e = (u, v)$  via the attention function  $a : \mathbb{R}^{2h} \rightarrow \mathbb{R}_+$ , where  $\sigma(\cdot)$  is a sigmoid function.  $\alpha = [\alpha_1, \dots, \alpha_m]^T$  essentially elicits a subgraph

distribution of the interpretable subgraph. In this work, we focus on edge attention-based subgraph distribution as it is most widely used in XGNNs while our method can be easily generalized to node attention-based subgraph approaches as demonstrated in the experiments with geometric learning datasets.

Besides, [Fountoulakis et al. \(2023\)](#); [Lee et al. \(2023\)](#) find the failures of graph attention networks in properly propagating messages with the attention mechanism. They differ from our work as they focus on node classification tasks.

**Faithful interpretation and (OOD) generalization.** The faithfulness of interpretation is critical to all interpretable and explainable methods ([Ribeiro et al., 2016](#); [Lipton, 2018](#); [Alvarez-Melis & Jaakkola, 2018](#); [Rudin, 2018](#); [Jain & Wallace, 2019](#); [Karimi et al., 2023](#)). Yet, there are many failure cases found especially when with attention mechanisms. For example, [Jain & Wallace \(2019\)](#) reveals that in NLP, randomly shuffling or imposing adversarial noises will not affect the predictions too much, highlighting a weak correlation between attention and prediction. [Karimi et al. \(2023\)](#) present a causal analysis showing the hyperparameters and the architecture setup could be a cofounder that affects the causal analysis. [Chang et al. \(2020\)](#) show interpretations will fail when distribution shifts are presented. Although the faithfulness of explanation/interpretations has been widely a concern for Euclidean data, whether and how GNNs and XGNNs suffer from the same issue is under-explored.

Talking about the progress in graph data, there are several metrics developed to measure the faithfulness of graph explanations, such as fidelity ([Yuan et al., 2020b](#); [Amara et al., 2022](#)), counterfactual robustness ([Bajaj et al., 2021](#); [Prado-Romero et al., 2022](#); [Ma et al., 2022](#)), and equivalence ([Crabbé & van der Schaar, 2023](#)), which are however limited to post-hoc graph explanation methods. In fact, post-hoc explanation methods are mostly developed to adhere the faithfulness measures such as fidelity. However, as shown by [Miao et al. \(2022\)](#), the post-hoc methods are suboptimal in finding the interpretable subgraph and sensitive to the pre-trained model, which highlights a drawback of the existing faithfulness measure. In contrast, we develop the first faithfulness measure for XGNNs in terms of counterfactual invariance.

Although [Bajaj et al. \(2021\)](#); [Prado-Romero et al. \(2022\)](#); [Ma et al. \(2022\)](#) also adopt the concept of counterfactual to develop post-hoc explanation methods, they focus on finding the minimal perturbations that will change the predictions. Counterfactual is also widely used to improve graph representation learning ([Guo et al., 2023](#)). In contrast, we adopt the concept of counterfactual to measure the sensitivity of the XGNNs predictions to the predicted attention.




Figure 4: Full SCMs on Graph Distribution Shifts ([Chen et al., 2022a](#)).

**On the natural connection of XGNNs and OOD generalization on graphs.** In the context of graph classification, the generalization ability and the faithfulness of the interpretation are naturally intertwined in XGNNs. In many realistic graph classification practices such as drug property prediction ([Ji et al., 2022](#); [Zhang et al., 2023](#)), the property of a drug molecule can naturally be represented by a subgraph, termed as causal subgraph. The causal subgraph, in return, holds a causal relationship with the drug property. Therefore, it is natural to identify the underlying causal subgraph to provide OOD generalizable predictions and interpretations.

Typically, XGNNs need to extract the underlying ground truth subgraph in order to make correct predictions on unseen test graphs ([Miao et al., 2022](#)). When distribution shifts are presented in the

test data, it is critical to find the underlying subgraph that has a causal relationship with the target label (or causal subgraphs) (Chang et al., 2020; Chen et al., 2022a).

We now briefly introduce the background of causal subgraph and OOD generalization. Specifically, we are given a set of graph datasets  $\mathcal{D} = \{\mathcal{D}_e\}_e$  collected from multiple environments  $\mathcal{E}_{\text{all}}$ . Samples  $(G_i^e, Y_i^e) \in \mathcal{D}^e$  from the same environment are considered as drawn independently from an identical distribution  $\mathbb{P}^e$ . We consider the graph generation process proposed by Chen et al. (2022a) that covers a broad case of graph distribution shifts. Fig. 4 shows the full graph generation process considered in Chen et al. (2022a). The generation of the observed graph  $G$  and labels  $Y$  are controlled by a set of latent causal variable  $C$  and spurious variable  $S$ , i.e.,

$$G := f_{\text{gen}}(C, S).$$

$C$  and  $S$  control the generation of  $G$  by controlling the underlying invariant subgraph  $G_c$  and spurious subgraph  $G_s$ , respectively. Since  $S$  can be affected by the environment  $E$ , the correlation between  $Y$ ,  $S$  and  $G_s$  can change arbitrarily when the environment changes.  $C$  and  $S$  control the generation of the underlying invariant subgraph  $G_c$  and spurious subgraph  $G_s$ , respectively. Since  $S$  can be affected by the environment  $E$ , the correlation between  $Y$ ,  $S$  and  $G_s$  can change arbitrarily when the environment changes. Besides, the latent interaction among  $C$ ,  $S$  and  $Y$  can be further categorized into *Full Informative Invariant Features (FIIF)* when  $Y \perp\!\!\!\perp S|C$  and *Partially Informative Invariant Features (PIIF)* when  $Y \not\perp\!\!\!\perp S|C$ . Furthermore, PIIF and FIIF shifts can be mixed together and yield *Mixed Informative Invariant Features (MIIF)*, as shown in Fig. 4. We refer interested readers to Chen et al. (2022a) for a detailed introduction to the graph generation process.

To tackle the OOD generalization challenge on graphs generated following in Fig. 4, the existing invariant graph learning approaches generically aim to identify the underlying invariant subgraph  $G_c$  to predict the label  $Y$  (Wu et al., 2022a; Chen et al., 2022a). Specifically, the goal of OOD generalization on graphs is to learn an invariant XGNN  $f := f_c \circ g$ , with the following objective:

$$\max_{f_c, g} I(\widehat{G}_c; Y), \text{ s.t. } \widehat{G}_c \perp\!\!\!\perp E, \widehat{G}_c = g(G). \quad (16)$$

Since  $E$  is not observed, many strategies are proposed to impose the independence of  $\widehat{G}_c$  and  $E$ . A common approach is to augment the environment information. For example, based on the estimated invariant subgraphs  $\widehat{G}_c$  and spurious subgraphs  $\widehat{G}_s$ , Wu et al. (2022b); Liu et al. (2022a); Wu et al. (2022a); Yu et al. (2023) propose to generate new environments, while Li et al. (2022) propose to infer the underlying environment labels via clustering. Yang et al. (2022) propose a variational framework to infer the environment labels. Gui et al. (2023) propose to learn causal independence between labels and environments. Yu et al. (2021; 2022); Miao et al. (2022; 2023); Yang et al. (2023) adopt graph information bottleneck to tackle FIIF graph shifts, and they cannot generalize to PIIF shifts. Nevertheless, since most of the existing works adopt the backbone of XGNNs, and XGNNs with information bottleneck is the state-of-the-art method with both high interpretation performance and OOD generalization performance, the focus in this work will be around tackling FIIF shifts with the principle of graph information bottleneck. More details are given in the next section.

In addition to the aforementioned approaches, Yehudai et al. (2021); Bevilacqua et al. (2021); Zhou et al. (2022) study the OOD generalization as an extrapolation from small graphs to larger graphs in the task of graph classification and link prediction. In contrast, we study OOD generalization against various graph distribution shifts formulated in Fig. 4. Li et al. (2023) propose an extrapolation strategy to improve OOD generalization on graphs. In addition to the standard OOD generalization tasks studied in this paper, Xu et al. (2021); Mahdavi et al. (2022) study the OOD generalization in tasks of algorithmic reasoning on graphs. Jin et al. (2022) study the test-time adaption in the graph regime. Kamhoua et al. (2022) study the 3D shape matching under the presence of noises.

**Multilinear extension.** Multilinear extension serves as a powerful tool for maximizing combinatorial functions, especially for submodular set function maximization (Owen, 1972; Călinescu et al., 2007; Vondrak, 2008; Calinescu et al., 2011; Chekuri et al., 2014; 2015; Bian et al., 2019; Sahin et al., 2020; Bian et al., 2022; Karalias et al., 2022). For example, Vondrak (2008); Calinescu et al. (2011) study the multilinear extension in the context of social welfare. Bian et al. (2022) study the multilinear extension for cooperative games. It is the expected value of a set function under the fully factorized i.i.d. Bernoulli distribution. The closest work to ours is Karalias et al. (2022) that builds neural set function extensions for multiple discrete functions. Nevertheless, to the best of our knowledge, the notion of multilinear extensions for XGNNs is yet underexplored. In contrast, in this work, we

are the first to identify subgraph multilinear extension as the factorized subgraph distribution for interpretable subgraph learning.

## B.2 VARIATIONAL BOUNDS AND REALIZATION OF THE IB PRINCIPLE

We first introduce how to derive Eq. 3 in the main text, and then discuss how to implement the graph information bottleneck regularization  $\min I(G_c; G)$  following the state-of-the-art architecture GSAT (Miao et al., 2022; 2023).

**Variational bounds for  $I(G; Y)$ .** For the term  $I(G; Y)$ , notice that

$$I(G; Y) = \mathbb{E}_{G, Y} \left[ \log \frac{P(Y|G)}{P(Y)} \right] \quad (17)$$

Since the true  $P(Y|G)$  is intractable, through XGNN modelling we introduce a variational approximation  $P_{f_c, g}(Y|G)$ . Then,

$$I(G; Y) = \mathbb{E}_{G, Y} \left[ \log \frac{P_{f_c, g}(Y|G)}{P(Y)} \right] + \mathbb{E}_{G, Y} \left[ \log \frac{P(Y|G)}{P_{f_c, g}(Y|G)} \right] \quad (18)$$

$$= \mathbb{E}_{G, Y} \left[ \log \frac{P_{f_c, g}(Y|G)}{P(Y)} \right] + D_{\text{KL}}(P(Y|G) \| P_{f_c, g}(Y|G)) \quad (19)$$

$$\geq \mathbb{E}_{G, Y} [\log P_{f_c, g}(Y|G)] + H(Y) \quad (20)$$

Since the optimization does not involve  $H(Y)$ , we continue with  $\mathbb{E}_{G, Y} [\log P_{f_c, g}(Y|G)]$ ,

$$\mathbb{E}_{G, Y} [\log P_{f_c, g}(Y|G)] = \mathbb{E}_{G, Y} \left[ \log \sum_{G_c} P_{f_c, g}(Y, G_c|G) \right] \quad (21)$$

$$= \mathbb{E}_{G, Y} \left[ \log \sum_{G_c} P_{f_c, g}(Y|G, G_c) P_{f_c, g}(G_c|G) \right] \quad (22)$$

$$= \mathbb{E}_{G, Y} \left[ \log \sum_{G_c} P_{f_c}(Y|G_c) P_g(G_c|G) \right] \quad (23)$$

where Eq. 23 is due to the implementation of XGNNs. Eq. 23 can also be written with expectations:

$$\mathbb{E}_{G, Y} \left[ \log \sum_{G_c} P_{f_c}(Y|G_c) P_g(G_c|G) \right] = \mathbb{E}_{G, Y} [\log \mathbb{E}_{G_c \sim \mathbb{P}(G_c|G)} P_{f_c}(Y|G_c)].$$

Maximizing  $I(G; Y)$  is then equivalent to minimizing  $-I(G; Y)$ , and further minimizing  $\mathbb{E}_{G, Y} [-\log P_{f_c, g}(Y|G)]$ . This achieves to Eq. 3 in the main text, i.e.,

$$\mathbb{E}_{(G, Y) \sim \mathcal{D}_{\text{tr}}} [-\log P(Y | \mathbb{E}_{G_c \sim \mathcal{G}} G_c)] = \mathbb{E}_{(G, Y) \sim \mathcal{D}_{\text{tr}}} [L(f_c(\alpha; G), Y)],$$

with  $L$  as the cross entropy loss, and  $\alpha$  as the predicted sampling probability for edges.  $\alpha$  factorizes the sampling probability of the subgraphs as independent Bernoulli distributions on edges  $e \sim \text{Bern}(\alpha_e), \forall e \in E$ :

$$P(G_c|G) = \prod_{e \in G_c} \alpha_e \prod_{e \in G/G_c} (1 - \alpha_e).$$

**Variational bounds for  $I(G_c; G)$ .** For the term  $I(G_c; G)$ , since we factorize graph distribution as multiple independent Bernoulli distributions on edges, we are able to calculate the KL divergence to upper bound  $I(G_c; G)$ :

$$I(G_c; G) \leq D_{\text{KL}}(P(G_c|G) \| Q(G_c)), \quad (24)$$

where  $Q(G_c)$  is a variational approximation to  $P(G_c)$ .  $D_{\text{KL}}$  can be obtained via

$$D_{\text{KL}}(P(G_c|G) \| Q(G_c)) = \sum_{e \in G_c} D_{\text{KL}}(\text{Bern}(\alpha_e) \| \text{Bern}(r)) + c(n, r), \quad (25)$$

where  $c(n, r)$  is a small constant,  $r$  is a hyperparameter to specify the prior for subgraph distributions. To minimize  $I(G_c; G)$  is essentially to minimize  $D_{\text{KL}}(\text{Bern}(\alpha_e) || \text{Bern}(r))$ . The KL divergence can be directly calculated as

$$D_{\text{KL}}(\text{Bern}(\alpha_e) || \text{Bern}(r)) = \sum_e \alpha_e \log \frac{\alpha_e}{r} + (1 - \alpha_e) \log \frac{(1 - \alpha_e)}{(1 - r)}. \quad (26)$$

Miao et al. (2022) find the mutual information based regularization can effectively regularize the information contained in  $G_c$  than previous implementations such as vanilla size constraints with the norm of attention scores or connectivity constraints (Yu et al., 2021).

Besides, we would like to note that GSAT implementation provided by the author does not exactly equal to the mathematical formulation, i.e., they directly take the unnormalized attention to Eq. 26, as acknowledged by the authors<sup>3</sup>. The reason for using another form of information regularization is because the latter empirically performs better. Nevertheless, LRI adopts the mathematically correct form and obtains better empirical performance. In our experiments, we adopt the mathematically correct form for both regular and geometric learning tasks, in order to align with the theory. Empirically, we find the two forms perform competitively well with the suggested hyperparameters and hence stick to the mathematically correct form.

## C ON THE GENERALIZATION AND INTERPRETABILITY: A CAUSAL VIEW

### C.1 STRUCTURAL CAUSAL MODEL FOR XGNNs

We provide a detailed description and the full structural causal model of XGNNs in complementary to the causal analysis in Sec. 4.




Figure 5: Bernoulli Parameterized SCM for interpretable GNN

**Data generation.** We consider the same data model as previous works (Bevilacqua et al., 2021; Miao et al., 2022; Chen et al., 2022a), where the underlying causal subgraph  $G_c$  and the spurious subgraph  $G_s$  will be assembled via some underlying assembling process  $G = f_g(G_c, G_s)$ , as illustrated in Appendix B Fig. 4.

We focus on the FIIF distribution shifts (Fig. 4(b)) that can be resolved by graph information bottleneck (Miao et al., 2022; Chen et al., 2022a). As shown in the figure, there are latent causal and spurious variables  $C$  and  $S$  that have an invariant and spurious correlation with the label  $Y$ , respectively.  $C$  and  $S$  further control the generation of the graph structure of the causal subgraph  $G_c$ , and the spurious subgraph  $G_s$ . Specifically,  $C$  and  $S$  will specify the number of nodes in  $G_c$  and  $G_s$  as  $N_c$  and  $N_s$ . Then,  $C$  and  $S$  further control the underlying Bernoulli distributions on edges, by specifying the sampling probability as  $P_c$  and  $P_s$ . With  $N_c$  and  $P_c$  (or  $N_s$  and  $P_s$ ),  $A_c$  (or  $A_s$ ) can be sampled and then assembled into the observed graph structure  $A$ . As we focus on the edge-centric view, our discussion focuses on the graph structures  $A_c$  and  $A_s$  of the subgraphs. Nevertheless, a similar generation model can also be developed for the node-centric view.

<sup>3</sup><https://github.com/Graph-COM/GSAT/issues/10>

**Interpretation.** Correspondingly, XGNNs first uses a subgraph extractor to predict the causal and spurious subgraphs  $\hat{G}_c$  and  $\hat{G}_s$ , respectively. The extraction aims to reverse the generation and recover the underlying  $P_c$ , by learning the  $\hat{P}_c$  via the attention  $\alpha$ . We denote the architecture and the hyperparameter settings as  $H$ . Once  $\hat{P}_c$  is determined,  $\hat{P}_s = 1 - \hat{P}_c$  is also obtained by finding the complementary part. Then, the estimated causal and spurious subgraphs are sampled from  $\hat{P}_c$  and  $\hat{P}_s$ , respectively. With the estimated causal subgraph  $\hat{G}_c = (X, \hat{A}_c)$ , the classifier GNN  $c(\cdot)$  will use it to make a prediction  $\hat{Y}$ .

## C.2 PRACTICAL ESTIMATION OF COUNTERFACTUAL FIDELITY

Since it is prohibitively expensive to enumerate all possible  $\tilde{G}$  and the distance  $\delta$  to examine the counterfactual fidelity. We instead consider an alternative notion that adopts random perturbation onto the learned attention score. Specifically, we consider a random attention matrix  $\tilde{A} \sim \sigma(\mathcal{N}(\mu_{\hat{H}_A}, \sigma_{\hat{H}_A}))$ , where  $\mu_{\hat{H}_A}$  and  $\sigma_{\hat{H}_A}$  are the mean and standard deviation of the pre-attention matrix  $\hat{H}_A$  (The adjacency matrix with the unnormalized attention). Since each non-symmetric entry in the attention is generated independently, each non-symmetric entry in  $\tilde{A}$  is sampled independently following the factorization of  $P(G)$ . We randomly sample  $\tilde{A}$  by  $k$  times and calculate the following:

$$c_{\hat{G}_c} = \frac{1}{k} \sum_{i=1}^k d(f_c(Y|\tilde{G}_c^i), f_c(Y|\hat{G}_c)), \quad (27)$$

where  $\tilde{G}_c^i = (X, \tilde{A}_c^i)$  and  $d$  is total variation distance. The detailed computation of the practical counterfactual fidelity is provided in Algorithm 1.


---

### Algorithm 1 Practical estimation of counterfactual fidelity.

---


- 1: **Input:** Training data  $\mathcal{D}_{\text{tr}}$ ; a trained XGNN  $f$  with subgraph extractor  $g$ , and classifier  $f_c$ ; sampling times  $e_s$ ; batch size  $b$ ; total variation distance  $d(\cdot)$ ;
  - 2: // Minibatch sampling.
  - 3: **for**  $j = 1$  to  $|\mathcal{D}_{\text{tr}}|/b$  **do**
  - 4:   Sample a batch of data  $\{G^i, Y^i\}_{i=1}^b$  from  $\mathcal{D}_{\text{tr}}$ ;
  - 5:   Obtain the pre-attention matrix  $\hat{H}_A$ ;
  - 6:   Obtain the attention matrix  $\hat{A} = \sigma(\hat{H}_A)$ ;
  - 7:   Obtain the original prediction with  $f_c$  based on the attention matrix  $\hat{A}$  as  $\{\hat{y}^i\}_{i=1}^b$ ;
  - 8:   // Random noises injection.
  - 9:   **for**  $k = 1$  to  $e_s$  **do**
  - 10:     Sample a random attention matrix  $\tilde{A} \sim \sigma(\mathcal{N}(\mu_{\hat{H}_A}, \sigma_{\hat{H}_A}))$ ;
  - 11:     Obtain sampling attention  $\{\alpha^i\}_{i=1}^b$ ;
  - 12:     Obtain the perturbed prediction with  $f_c$  based on the attention matrix  $\tilde{A}$  as  $\{\hat{y}_k^i\}_{i=1}^b$ ;
  - 13:   **end for**
  - 14:   Calculate  $\{c_{\hat{G}_c}^i\}_{i=1}^b$  with  $k$  groups of  $\{\hat{y}_k^i\}_{i=1}^b$  and  $\{\hat{y}^i\}_{i=1}^b$ ;
  - 15:   Obtain the averaged  $c_{\hat{G}_c}^j$  within the batch;
  - 16: **end for**
  - 17: Obtain the averaged  $c_{\hat{G}_c}$  within the training data;
  - 18: **Return** estimated  $c_{\hat{G}_c}$ ;
- 

Shown as in Fig. 6, 7, we plot the counterfactual fidelity of GSAT and the simulated SubMT with 10 and 100 sampling rounds on BA-2Motifs and Mutag datasets. The SubMT is approximated via GMT-sam with different sampling rounds. It can be found that GSAT achieves a counterfactual fidelity that is 2 to 3 times lower than the simulated SubMT via GMT-sam with 10 and 100 sampling rounds. Moreover, in simple tasks such as BA-2Motifs and Mutag, using larger sampling rounds like 100 does not necessarily bring more counterfactual fidelity. One reason can be using small sampling rounds to touch the upper bounds of counterfactual fidelity measured in our work. We also provide a discussion on why the counterfactual fidelity grows slowly at the initial epochs in BA-2Motif datasets in Appendix E.2. More counterfactual fidelity studies can be found in Appendix F.5.



(a) SubMT on BA-2Motifs trainset. (b) SubMT on BA-2Motifs valset. (c) SubMT on BA-2Motifs test set.

Figure 6: Counterfactual fidelity on BA-2Motifs.



(a) SubMT on Mutag trainset. (b) SubMT on Mutag validation set. (c) SubMT on Mutag test set.

Figure 7: Counterfactual fidelity on Mutag.

## D THEORIES AND PROOFS

### D.1 USEFUL DEFINITIONS

We give the relevant definitions here for ease of reference when reading our proofs.

**Definition D.1** (Subgraph multilinear extension (SubMT)). *Given the attention  $\alpha \in \mathbb{R}_+^m$  as edge sampling probability of  $G_c$ , XGNNs factorize  $P(G)$  as independent Bernoulli distributions on edges:*

$$P(G_c|G) = \prod_{e \in G_c} \alpha_e \prod_{e \in G/G_c} (1 - \alpha_e),$$

which elicits the multilinear extension of  $f_c(G_c)$  in Eq. 3 as:

$$F_c(\alpha; G) := \sum_{G_c \in G} f_c(G_c) \prod_{e \in G_c} \alpha_e \prod_{e \in G/G_c} (1 - \alpha_e) = \mathbb{E}_{G_c \sim G} f_c(G_c). \quad (28)$$

**Definition D.2** ( $\epsilon$ -SubMT approximation). *Let  $d(\cdot, \cdot)$  be a distribution distance metric, a XGNN  $f = f_c \circ g$   $\epsilon$ -approximates SubMT (Def. 3.1), if there exists  $\epsilon \in \mathbb{R}_+$  such that  $d(P_f(Y|G), P(Y|G)) \leq \epsilon$  where  $P(Y|G) \in \mathbb{R}^{|\mathcal{Y}|}$  is the ground truth conditional label distribution, and  $P_f(Y|G) \in \mathbb{R}^{|\mathcal{Y}|}$  is the predicted label distribution for  $G$  via a XGNN  $f$ , i.e.,  $P_f(Y|G) = f_c(\mathbb{E}_{G_c \sim G} G_c)$ .*

**Definition D.3** ( $(\delta, \epsilon)$ -counterfactual fidelity). *Given a meaningful minimal distance  $\delta > 0$ , let  $d(\cdot, \cdot)$  be a distribution distance metric, if a XGNN  $f = f_c \circ g$  commits to the  $\epsilon$ -counterfactual fidelity, then there exist  $\epsilon > 0$  such that,  $\forall G, \tilde{G}$  that  $d(P(Y|G), P(Y|\tilde{G})) \geq \delta$ , the following holds:*

$$d(P_f(Y|\tilde{G}), P_f(Y|G)) \geq \epsilon \delta.$$

### D.2 PROOF FOR PROPOSITION 3.3

Obviously  $f_c(\cdot)$  is a non-linear function even with a linearized GNN (Wu et al., 2019) with linear activations and pooling such as sum pooling, which can be written as:

where  $\rho$  is the pooling,  $k$  is the number of layers and  $\mathbf{W} \in \mathbb{R}^{h \times h}$  are the learnable weights.

**Proposition D.4.** Consider a linearized GNN (Wu et al., 2019) with number of message passing layers  $k > 1$ , linear activations and pooling,

$$f_c(G_c) = \rho(\widehat{A}^k X W), \quad (29)$$

if there exists  $1 \leq i, j \leq n$  that  $0 < \widehat{A}_{i,j} < 1$ , Eq. 8 can not hold, thus Eq. 29 can not approximate SubMT (Def. 3.1).

*Proof.* To begin with, given a linear pooling function  $\rho$ , one could write the outcomes of  $f_c(A) = \rho(A^k X W)$  as a summation in  $A_{i,j}^k v_{i,j}$ , with  $v_{i,j}$  is the weight that accounting for the pooling as well as  $XW$ :

$$f_c(A) = \sum_i \sum_j A_{i,j} v_{i,j}. \quad (30)$$

Given the linearity of expectations, the comparison between  $E[f_c(A)]$  and  $f_c(E[A])$  now turns into the comparison between  $E[A_{i,j}^k v_j]$  and  $(E[A_{i,j}])^k v_j$ . Since  $A_{i,j}$  is drawn from the Bernoulli distribution, with the expectation as  $\widehat{A}_{i,j}$ , it suffices to know that

$$E[A_{i,j}^k v_j] = 1^k \widehat{A}_{i,j} + 0^k (1 - \widehat{A}_{i,j}) = \widehat{A}_{i,j}, \quad (31)$$

while  $(E[A_{i,j}])^k = \widehat{A}_{i,j}^k$ . Then, we know that  $E[f_c(A)] \neq f_c(E[A])$ .  $\square$

We also conduct empirical verifications with GSAT implemented in GIN and SGC with various layers in Appendix F.6.

### D.3 PROOF FOR PROPOSITION 4.2

**Proposition D.5.** If a XGNN  $f$   $\epsilon$ -approximates SubMT (Def. D.2), then  $f$  also satisfies  $(\delta, 1 - \frac{2\epsilon}{\delta})$ -counterfactual fidelity (Def. D.3).

*Proof.* Considering any two graphs  $G$  and  $\widetilde{G}$  that  $d(P(Y|G), P(Y|\widetilde{G})) \geq \delta$ , since  $d$  is a distance metric, we have the following inequality holds:

$$d(P(Y|G), P_f(Y|\widetilde{G})) \leq d(P_f(Y|G), P(Y|G)) + d(P_f(Y|G), P_f(Y|\widetilde{G})), \quad (32)$$

by the triangle inequality. Furthermore, we have

$$d(P(Y|G), P_f(Y|\widetilde{G})) - d(P_f(Y|G), P(Y|G)) \leq d(P_f(Y|G), P_f(Y|\widetilde{G})) \quad (33)$$

As XGNN  $f$  that  $\epsilon$ -approximates SubMT, we have the following by definition:

$$d(P_f(Y|\widetilde{G}), P(Y|\widetilde{G})) \leq \epsilon, d(P_f(Y|G), P(Y|G)) \leq \epsilon.$$

Then, call the triangle inequality again, we have

$$\begin{aligned} d(P(Y|G), P(Y|\widetilde{G})) &\leq d(P_f(Y|\widetilde{G}), P(Y|G)) + d(P_f(Y|\widetilde{G}), P(Y|\widetilde{G})) \\ d(P(Y|G), P(Y|\widetilde{G})) - d(P_f(Y|\widetilde{G}), P(Y|\widetilde{G})) &\leq d(P_f(Y|\widetilde{G}), P(Y|G)) \\ \delta - d(P_f(Y|\widetilde{G}), P(Y|\widetilde{G})) &\leq d(P_f(Y|\widetilde{G}), P(Y|G)) \\ \delta - \epsilon &\leq d(P_f(Y|\widetilde{G}), P(Y|G)). \end{aligned} \quad (34)$$

Combining the aforementioned three inequalities, we have

$$d(P_f(Y|\widetilde{G}), P(Y|G)) - d(P_f(Y|G), P(Y|G)) \geq \delta - 2\epsilon,$$

Then, it suffices to know that

$$\delta - 2\epsilon \leq d(P_f(Y|G), P_f(Y|\widetilde{G})). \quad (35)$$

$\square$

## D.4 PROOF FOR THEOREM 5.1

**Theorem D.6.** *Given the attention matrix  $\widehat{A}$ , and the distribution distance metric  $d$  as the total variation distance, let  $C = |\mathcal{Y}|$ , for a GMT-sam with  $t$  i.i.d. samples of  $G_c^i \sim P(G_c|G)$ , then, there exists  $\epsilon \in \mathbb{R}_+$  such that, with a probability at least  $1 - e^{-t\epsilon^2/4}$ , GMT-sam  $\frac{\epsilon C}{2}$ -approximates SubMT (Def. D.2) and satisfies  $(\delta, 1 - \frac{\epsilon C}{\delta})$  counterfactual fidelity (Def. D.3).*

*Proof.* Recall the SubMT objective:

$$F_c(\boldsymbol{\alpha}; G) := \sum_{G_c \in G} f_c(G_c) \prod_{e \in G_c} \alpha_e \prod_{e \in G/G_c} (1 - \alpha_e),$$

which is the expanded form of  $\mathbb{E}[f_c(G_c)]$ ,  $G_c \sim P(G_c|\widehat{A})$ . Then, denote  $M = \max |f_c(G_c)|$ ,  $f_c(G_c)$  can be considered as a random variable within the range of  $[-M, M]$ . Considering  $t$  random i.i.d. examples of  $\{G_c^i\}_{i=1}^t$  drawn from  $P(G_c|\widehat{A})$ , and the predicted probability for each class, denoted as  $Y_i = \frac{1}{M} f_c(G_c^i)$ , we then have  $Y_i \in [-1, 1]$  and  $\sum_{i=1}^t \mathbb{E}[Y_i] = \frac{t}{M} F(\boldsymbol{\alpha}; G)$ . It allows us to adopt the Markov's inequality and obtain the following Chernoff bound:

$$\Pr\left(\left|\sum_{i=1}^t Y_i - \frac{t}{M} F(\boldsymbol{\alpha}; G)\right| > t\epsilon\right) < e^{-t^2\epsilon^2/4t} = e^{-t\epsilon^2/4}.$$

Since by definition of GMT-sam, i.e.,

$$f_c^s(\widehat{G}_c) = \frac{1}{t} \sum_{i=1}^t f_c(Y|G_c^i),$$

we have

$$\sum_{i=1}^t Y_i = \frac{t}{M} \sum_{i=1}^t f_c(G_c^i) = \frac{t}{M} f_c^s(\widehat{G}_c),$$

the bound can be written as:

$$\begin{aligned} \Pr\left(\left|\frac{t}{M} f_c^s(\widehat{G}_c) - \frac{t}{M} F(\boldsymbol{\alpha}; G)\right| > t\epsilon\right) &< e^{-t^2\epsilon^2/4t} = e^{-t\epsilon^2/4} \\ \Pr\left(\left|f_c^s(\widehat{G}_c) - F(\boldsymbol{\alpha}; G)\right| > \epsilon M\right) &< e^{-t\epsilon^2/4} \\ \Pr\left(\left|f_c^s(\widehat{G}_c) - F(\boldsymbol{\alpha}; G)\right| \leq \epsilon M\right) &\geq 1 - e^{-t\epsilon^2/4}. \end{aligned} \quad (36)$$

In other words, with a probability at least  $1 - e^{-t\epsilon^2/4}$ , we have the following holds:

$$\left|f_c^s(\widehat{G}_c) - F_c(\boldsymbol{\alpha}; G)\right| \leq \epsilon M. \quad (37)$$

Since  $M$  is defined as the maximal probability for each class,

$$M = \max \mathbb{E}[f_c P(Y|G_c)],$$

it suffices to know that  $M \leq 1$ . Therefore, it follows that

$$\left|f_c^s(\widehat{G}_c) - F_c(\boldsymbol{\alpha}; G)\right| \leq \epsilon,$$

for each class, which further implies that

$$\left|f_c^s(\widehat{G}_c) - F_c(\boldsymbol{\alpha}; G)\right| \leq \epsilon |\mathcal{Y}| = \epsilon C,$$

which commits to the  $\frac{\epsilon C}{2}$  SubMT approximation under the total variation distance. Then, using the results of Proposition 4.2, we know GMT-sam also commits to the  $1 - \frac{\epsilon C}{\delta}$  counterfactual fidelity.  $\square$

## E MORE DISCUSSIONS ON PRACTICAL IMPLEMENTATIONS OF GMT

We provide more discussion in complementary to the description of Sec. 5 in the main text.

### E.1 ALGORITHMS OF GMT

**Training subgraph extractor with random subgraph sampling.** We focus on discussing the implementation details of GMT-sam since GMT-lin differs from GSAT only in the number of weighted message passing times. GMT-sam contains two stages: i) subgraph extractor training, and ii) neural subgraph extension learning. The first stage aims to train the subgraph extractor to extract the desired subgraphs, while the second stage aims to reduce the additional computation overhead of the random subgraph sampling, and further better learn the correlations between the soft subgraphs and the labels. The algorithm for stage i) is given in Algorithm 2 and for stage ii) is given in Algorithm 3, respectively.

---

#### Algorithm 2 Subgraph extractor training algorithm of Graph Multilinear neT (GMT).

---

- 1: **Input:** Training data  $\mathcal{D}_{\text{tr}}$ ; a XGNN  $f$  with subgraph extractor  $g$ , and classifier  $f_c$ ; subgraph sampling epochs  $e_s$ ; length of maximum subgraph learning epochs  $e_l$ ; batch size  $b$ ; loss function  $l(\cdot)$ ; subgraph regularization  $o(\cdot)$ ; subgraph regularization weight  $\gamma$ ;
  - 2: Randomly initialize  $f$ ;
  - 3: // Phase of subgraph learning.
  - 4: **for**  $j = 1$  to  $e_l$  **do**
  - 5:   Sample a batch of data  $\{G^i, Y^i\}_{i=1}^b$  from  $\mathcal{D}_{\text{tr}}$ ;
  - 6:   Obtain sampling attention  $\{\alpha^i\}_{i=1}^b$  via Eq. 38;
  - 7:   // MCMC subgraph sampling.
  - 8:   **for**  $k = 1$  to  $e_s$  **do**
  - 9:     Obtain the sampling probability  $\{\beta^i\}_{i=1}^b$  via Eq. 39 using Gumbel-softmax;
  - 10:     Randomly sample subgraphs  $\{G_c^i \sim \text{Ber}(\beta^i)\}_{i=1}^b$  via Eq. 40;
  - 11:     Obtain predictions as logits  $\{\hat{y}_j^i\}_{i=1}^b$ ;
  - 12:   **end for**
  - 13:   Obtain simulated prediction  $\{\hat{y}^i = \frac{1}{e_s} \sum_{k=1}^{e_s} \hat{y}_k^i\}_{i=1}^b$ ;
  - 14:   Obtain prediction loss  $l_p$  with  $l(\cdot)$  and  $\{\hat{y}^i\}_{i=1}^b$ ;
  - 15:   Obtain subgraph regularization loss  $l_o$  with  $o(\cdot)$  and  $\{\alpha^i\}_{i=1}^b$ ;
  - 16:   Obtain the final loss  $l_f = l_p + \eta \cdot l_o$ ;
  - 17:   Updated model via backpropagation with  $l_f$ ;
  - 18: **end for**
  - 19: **Return** trained subgraph extraction model  $f_c \circ g$ ;
- 

For each input graph along with the label  $(G, Y)$ , the subgraph extractor  $g$  first propagates among  $G$  and obtains the node representations  $H_i \in \mathbb{R}^h$  for each node. Then, the (edge-centric) sampling attention is obtained as the following

$$\alpha_e = a([H_u, H_v]), \quad (38)$$

for each edge  $e = (u, v) \in E$ , where  $a(\cdot)$  is the attention function and can be simply implemented as a MLP. Note that  $\alpha_e$  is slightly different from that in the main text, since we will discuss in detail the discrete sampling process in the implementation.

To enable the gradient backpropagation along with the discrete sampling of subgraphs, we will adopt the Gumbel-softmax trick and straight-through estimator (Jang et al., 2017; Maddison et al., 2017). With the attention from Eq. 38, the sampling probability  $\beta$  is then obtained as follows

$$\beta_e = \sigma((\alpha_e + D)/\tau), \quad (39)$$

where  $\tau$  is the temperature,  $\sigma$  is the sigmoid function, and

$$D = \log U - \log(1 - U),$$

with  $U \sim \text{Uniform}(0, 1)$ . To sample the discrete subgraph, we sample from the Bernoulli distributions on edges independently

$$A_e \sim \text{Bern}(\beta_e)$$

and obtain the discrete subgraph with each entry as

$$A_e = \text{StopGrad}(A_e - \alpha_e) + \alpha_e, \quad (40)$$

which allows computing the gradients along with the subgraph sampling probability. Although the trick works empirically well, the estimated gradients are approximated ones that have biases from the ground truth. It might be of independent interest to analyze whether the random subgraph sampling in GMT-sam can also reduce the gradient estimator biases during discrete sampling.

---

**Algorithm 3** Subgraph classifier training algorithm of Graph Multilinear neT (GMT).

---

- 1: **Input:** Training data  $\mathcal{D}_{\text{tr}}$ ; trained XGNN  $f$  with subgraph extractor  $g$ , and classifier  $f_c$  by Alg. 2; length of maximum subgraph classifier training epochs  $e_c$ ; batch size  $b$ ; loss function  $l(\cdot)$ ; subgraph regularization  $o(\cdot)$ ; subgraph regularization weight  $\gamma$ ;
  - 2: Randomly initialize  $f$ ;
  - 3: // Phase of subgraph classifier learning.
  - 4: **for**  $j = 1$  to  $e_l$  **do**
  - 5:   Sample a batch of data  $\{G^i, Y^i\}_{i=1}^b$  from  $\mathcal{D}_{\text{tr}}$ ;
  - 6:   Obtain sampling attention  $\{\alpha^i\}_{i=1}^b$  via Eq. 38;
  - 7:   // Soft subgraph propagation.
  - 8:   Obtain edge sampling probability  $\{\beta^i = \text{StopGrad}(\alpha^i)\}_{i=1}^b$ ; // subgraph extractor frozen
  - 9:   Obtain prediction with subgraph  $\{\hat{y}^i\}_{i=1}^b$  via weighted message passing with  $\{\beta^i\}_{i=1}^b$ ;
  - 10:   Obtain prediction loss  $l_p$  with  $l(\cdot)$  and  $\{\hat{y}^i\}_{i=1}^b$ ;
  - 11:   Obtain subgraph regularization loss  $l_o$  with  $o(\cdot)$  and  $\{\alpha^i\}_{i=1}^b$ ;
  - 12:   Obtain final loss  $l_f = l_p + \eta \cdot l_o$ ;
  - 13:   Updated model via backpropagation with  $l_f$ ;
  - 14: **end for**
  - 15: **Return** final model  $f_c \circ g$ ;
- 

**Learning neural subgraph multilinear extension.** When the subgraph extractor is trained, we then enter into stage two, which focuses on extracting the learned subgraph information for better predicting the label with a single pass forward. More concretely, although GMT trained with GMT-sam improves interpretability, GMT-sam still requires multiple random subgraph sampling to approximate SubMT and costs much additional overhead. To this end, we propose to learn a neural SubMT that only requires a single sampling, based on the trained subgraph extractor  $g$  with GMT-sam.

Learning the neural SubMT is essentially to approximate the MCMC with a neural network, though it is inherently challenging to approximate MCMC (Johndrow et al., 2020; Papamarkou et al., 2022). Nevertheless, the feasibility of neural SubMT learning is backed by the inherent causal subgraph assumption of (Chen et al., 2022a), once the causal subgraph is correctly identified, simply learning the statistical correlation between the subgraph and the label is sufficient to recover the causal relation.

Therefore, we propose to simply re-train a new classifier GNN with the frozen subgraph extractor, to distill the knowledge contained in  $\hat{G}_c$  about  $Y$ . The implementation is simply to stop the gradients of the subgraph extractor, while only optimizing the classifier GNN with the predicted sampling probability. Note that it breaks the shared encoder structure of the GSAT, which could avoid potential representation conflicts for a graph encoder shared by both the subgraph extractor and the classifier. Under this consideration, we also enable the BatchNorm (Ioffe & Szegedy, 2015) in the subgraph extractor to keep count of the running stats when training the new classifier.

Empirically, the weighted message passing can effectively capture the desired information from  $g$  and lead to a performance increase. This scheme also brings additional benefits over the originally trained classifier, which focuses on providing the gradient guidance for finding proper  $G_c$  instead of learning all the available statistical correlations between  $G_c$  and  $Y$ .

## E.2 DISCUSSIONS ON GMT IMPLEMENTATIONS

With the overall algorithm training the subgraph extractor and the classifier, we then discuss in more detail the specific implementation choices of GMT-sam.

**Transforming node-centric random subgraph sampling** In the task of geometric learning, the input graphs are initially represented as point clouds. The graph structures are built upon the node features and geometric knowledge. Therefore, LRI adopts the node-centric sampling and learns sampling probabilities for nodes when implementing the graph information bottleneck. However, when sampling concrete subgraphs from a node-centric view, it will often lead to a too aggressive sampling. Otherwise, one has to increase the sampling probability  $r$  of the variational distribution  $Q(G_c)$  in Eq. 26. To this end, we can transform the node-centric sampling to edge-centric sampling. Let  $\alpha_i$  denote the sampling probability for node  $i$ , then the edge sampling probabilities can be obtained via:

$$\beta_e = \alpha_u \cdot \alpha_v, \quad (41)$$

for each edge  $e = (u, v) \in E$ . It thus enables the subgraph sampling from the node-centric view. Empirically, in geometric datasets, we observe a lower variance when transforming the node-centric sampling to edge-centric sampling.

**Warmup of GMT-sam.** Although more sampling rounds can improve the approximation precision of GMT-sam to SubMT, it would also affect the optimization of the interpretable subgraph learning, in addition to the additional unnecessary computational overhead. For example, at the beginning of the interpretable subgraph learning, the subgraph extractor will yield random probabilities like 0.5.

- First, a more accurate estimation based on random SubMT is unnecessary.
- Second, at such random probabilities, every subgraph gets a nearly equal chance of being sampled, and gets gradients backpropagated. Since neural networks are universal approximators, the whole network can easily be misled by the noises, which will slow down the learning speed of the meaningful subgraphs.
- Third, when spurious correlations exist between subgraphs and the labels, the learning process will be more easily misled by the potential spurious correlations at the beginning of the subgraph learning.

More importantly, sampling multiple times can lead to trivial solutions with degenerated performance in the GSAT objective. Specifically, the formulation of the mutual information regularizer in GSAT has a trivial solution where all  $\alpha_e$  directly collapses to the given  $r$ . More formally, let  $\alpha_e = r$  in the following objective obviously lead to zero loss that appears to be a Pareto optimal solution (Chen et al., 2022b) that can be selected as the output:

$$D_{\text{KL}}(\text{Bern}(\alpha_e) \parallel \text{Bern}(r)) = \sum_e \alpha_e \log \frac{r}{\alpha_e} + (1 - r) \log \frac{(1 - \alpha_e)}{(1 - r)} = 0.$$

The trivial solutions can occur to GMT more easily with more rounds of subgraph sampling, especially in too simple or too complicated tasks.

To tackle the above problem, we propose two warmup strategies:

- Larger initial prior  $r$  of  $Q(G_c)$  in Eq. 26: GSAT achieves the objective of graph information bottleneck with a schedule of  $r$  in  $Q(G_c)$  as 0.9, which could promote the random sampling probabilities to meaningful subgraph signals. As the random subgraph sampling will slow the optimization, we can warm up the initial subgraph learning with a larger initial  $r$ . In experiments, we try with  $r = 1.0$  and  $r = 0.9$ , and find  $r = 0.1$  can effectively warm up and speed up the subgraph learning, which is especially meaningful for too simple tasks where XGNNs can easily overfit to, or too hard tasks where XGNNs learns the meaningful subgraph signals in a quite slow speed. We can also use a larger regularization penalty at the initial stage to speed up meaningful subgraph learning.
- Single subgraph sampling: As sampling too many subgraphs can bring many drawbacks such as overfitting and slow learning, we propose warm up the initial subgraph learning with a single sampling during the first stage of  $r$  (i.e., when  $r$  still equals to the initial  $r$  in the schedule of GSAT). The single subgraph sampling also implicitly promotes meaningful subgraph learning, as it encourages a higher chance even for a small difference in the sampling probability.

In addition to helping with the warmup of the interpretable subgraph, single subgraph sampling also has some additional benefits and effectively tackles the trivial solution of GSAT objective. It also brings more variance between meaningful subgraph learning and noisy subgraph learning, and we find using a single random subgraph learning is extremely helpful for simple tasks such as BA\_2 motifs in our experiments. The implicit variance of single random subgraph sampling also brings additional benefits to maintaining high variance between the signal subgraph and noisy subgraph, which might be of independent interest. It turns out the variance in single subgraph learning can have an implicit regularization preventing the trivial solution.

In experiments, we will use all of the warmup strategies together (i.e., a larger initial  $r$ , a larger penalty score, and single subgraph sampling) when we observe a performance degeneration in the validation set. Otherwise, we will stick to the original receipt. More details are given in Sec. F.2.

**Single weighted message passing in GMT-lin.** Although it has been shown that propagation with the attention only once can effectively reduce the SubMT approximation error, it remains unknown which layer the attention should be applied. Empirically, we examine the following three strategies:

- Weighted message passing on the first layer;
- Weighted message passing on the last layer;
- Single weighted message passing of all layers, and then average the logits;

We find applying weighted message passing to the first layer outperforms the other two strategies in experiments, and thus we stick to the first layer weighted message passing scheme. Exploring the reasons behind the intriguing phenomenon will be an interesting future extension.

**Subgraph sampling for neural SubMT.** Although the weighted message passing with  $\alpha$  produced by the trained subgraph extractor already achieves better performance, it may not maximally extract the full underlying information of the learned subgraph and the labels, since the original function is a MCMC that is not easy to be fitted (Johndrow et al., 2020). Besides, the weighted message passing itself may not be expressive enough due to the expressivity constraints of GNNs (Xu et al., 2019), and also the limitations of the attention-based GNNs (Fountoulakis et al., 2023; Lee et al., 2023).

Therefore, we propose more subgraph sampling strategies along with alternative architecture of the new classifier, in order to best fit the underlying MCMC function. Specifically, we consider the following aspects:

- Initialization: the graph encoder of the new classifier can be initialized from scratch and avoids overfitting, or initialized from the random subgraph sampling trained models;
- Architecture: weighted message passing, or single weighted message passing as that of GMT-lin;
- Attention sampling: set the minimum  $p\%$  attention scores directly to 0; set the maximum  $p\%$  attention scores directly to 1; set the maximum  $p\%$  attention scores directly to 1 while set the minimum  $(1 - p)\%$  attention scores directly to 0;

We examine the aforementioned strategies and choose the one according to the validation performance in experiments. We exhibit the detailed hyperparameter setup in Appendix F.2.

## F MORE DETAILS ABOUT THE EXPERIMENTS

In this section, we provide more details about the experiments, including the dataset preparation, baseline implementations, models and hyperparameters selection as well as the evaluation protocols.

### F.1 DATASETS

We provide more details about the motivation and construction method of the datasets that are used in our experiments. Statistics of the regular graph datasets are presented in Table 6, and statistics of the geometric graph datasets are presented in Table 7.

Table 6: Information about the datasets used in experiments. The number of nodes and edges are respectively taking average among all graphs.

DATASETS	# TRAINING	# VALIDATION	# TESTING	# CLASSES	# NODES	# EDGES	METRICS
BA-2MOTIFS	800	100	100	2	25	50.96	ACC
MUTAG	2,360	591	1,015	2	30.13	60.91	ACC
SUPRIOUS-MOTIF $b = 0.5$	9,000	3,000	6,000	3	45.05	65.72	ACC
SUPRIOUS-MOTIF $b = 0.7$	9,000	3,000	6,000	3	46.36	67.10	ACC
SUPRIOUS-MOTIF $b = 0.9$	9,000	3,000	6,000	3	46.58	67.59	ACC
MNIST-75SP	20,000	5,000	10,000	10	70.57	590.52	ACC
GRAPH-SST2	28,327	3,147	12,305	2	10.20	18.40	ACC
OGBG-MOLHIV	32,901	4,113	4,113	2	25.51	54.94	AUC

Table 7: Statistics of the four geometric datasets from Miao et al. (2023).

	# Classes	# Features in X	# Dimensions in r	# Samples	Avg. # Points/Sample	Avg. # Important Points/Sample	Class Ratio	Split Scheme	Split Ratio
ActsTrack	2	0	3	3241	109.1	22.8	39/61	Random	70/15/15
Tau3Mu	2	1	2	129687	16.9	5.5	24/76	Random	70/15/15
SynMol	2	1	3	8663	21.9	6.6	18/82	Patterns	78/11/11
PLBind	2	3	3	10891	339.8	132.2	29/71	Time	92/6/2

**BA-2Motifs** (Luo et al., 2020) is a synthetic dataset that adopts the Barabási–Albert (BA) graph data model to generate subgraphs in specific shapes. Each graph contains a motif subgraph that is either a five-node cycle or a house. The class labels are determined by the motif, and the motif itself serves as the interpretation of ground truth. The motif is then attached to a large base graph.

**Mutag** (Debnath et al., 1991) is a typical molecular property prediction dataset. The nodes represent atoms and the edges represent chemical bonds. The label of each graph is binary and is determined based on its mutagenic effect. Following Luo et al. (2020); Miao et al. (2022), -NO<sub>2</sub> and -NH<sub>2</sub> in mutagen graphs are labeled as ground-truth explanations.

**MNIST-sp** (Knyazev et al., 2019) is a graph dataset converted from MNIST dataset via superpixel transformation. The nodes of MNIST-75sp graphs are the superpixels and the edges are generated according to the spatial distance of nodes in the original image. The ground truth explanations of MNIST-75sp are simply the non-zero pixels. As the original digits are hand-written, the interpretation subgraphs could be in varying sizes.

**Suprious-Motif datasets** (Wu et al., 2022b) is a 3-class synthetic datasets based on BA-2Motifs (Ying et al., 2019; Luo et al., 2020) with structural distribution shifts. The model needs to tell which one of three motifs (House, Cycle, Crane) the graph contains. For each dataset, 3000 graphs are generated for each class at the training set, 1000 graphs for each class at the validation set and testing set, respectively. During the construction of the training data, the motif and one of the three base graphs (Tree, Ladder, Wheel) are artificially (spuriously) correlated with a probability of various biases, and equally correlated with the other two. Specifically, given a predefined bias  $b$ , the probability of a specific motif (e.g., House) and a specific base graph (Tree) will co-occur is  $b$  while for the others is  $(1 - b)/2$  (e.g., House-Ladder, House-Wheel). The test data does not have spurious correlations with the base graphs, however, test data will use larger base graphs that contain graph size distribution shifts. Following Miao et al. (2022), we select datasets with a bias of  $b = 0.5$ ,  $b = 0.7$ , and  $b = 0.9$ . The interpretation ground truth is therefore the motif itself.

**Graph-SST2** (Socher et al., 2013; Yuan et al., 2020b) is converted from a sentiment analysis dataset in texts. Each sentence in SST2 will be converted to a graph. In the converted graph, the nodes are the words and the edges are the relations between different words. Node features are generated using BERT (Devlin et al., 2019) and the edges are parsed by a Biaffine parser (Gardner et al., 2018). Following previous works (Wu et al., 2022b; Miao et al., 2022; Chen et al., 2022a), our splits are created according to the averaged degrees of each graph. Specifically, we assign the graphs as follows: Those that have smaller or equal to 50-th percentile averaged degree are assigned to training, those that have averaged degree larger than 50-th percentile while smaller than 80-th percentile are assigned to the validation set, and the left are assigned to test set. Since the original dataset does not have the ground truth interpretations, we report only the classification results.

**OGBG-Molhiv** (Hu et al., 2020) is also a molecular property prediction dataset. The nodes represent atoms and the edges represent chemical bonds. The label of each graph is binary and is determined based on whether a molecule inhibits HIV virus replication or not. The training, validation and test

splits are constructed according to the scaffolds (Hu et al., 2020) hence there also exist distribution shifts across different splits. Since the original dataset does not have the ground truth interpretations, we report only the classification results.

In what follows we continue to introduce the four geometric learning datasets. We refer interested readers to Miao et al. (2023) for more details.

**ActsTrack** dataset (Miao et al., 2023):

- **Background:** **ActsTrack** involves a fundamental resource in High Energy Physics (HEP), employed for the purpose of reconstructing various properties, including the kinematics, of charged particles based on a series of positional measurements obtained from a tracking detector. Within the realm of HEP experimental data analysis, particle tracking is an essential procedure, and it also finds application in medical contexts, such as proton therapy (Schulte et al., 2004). ActsTrack is formulated differently by Miao et al. (2023) from traditional track reconstruction tasks: It requires predicting the existence of a  $z \rightarrow \mu\mu$  decay and using the set of points from the  $\mu$ 's to verify model interpretation, which can be used to reconstruct  $\mu$  tracks.
- **Construction:** In the **ActsTrack** dataset, each data point corresponds to a detector hit left by a particle, and it is associated with a 3D coordinate. Notably, the data points in ActsTrack lack any features in the X dimension, necessitating the use of a placeholder feature with all values set to one during model training. Additionally, the dataset provides information about the momenta of particles as measured by the detectors, which has the potential to be employed for assessing fine-grained geometric patterns in the data; however, it is not utilized as part of the model training process. Given that, on average, each particle generates approximately 12 hits, and a model can perform well by capturing the trajectory of any one of the  $\mu$  (muon) particles resulting from the decay, we report performance metrics in precision@12 following Miao et al. (2023). The dataset was randomly split into training, validation, and test sets, maintaining a distribution ratio of 70% for training, 15% for validation, and 15% for testing.

**Tau3Mu** dataset (Miao et al., 2023):

- **Background:** **Tau3Mu** involves another application in High Energy Physics (HEP) dedicated to identifying a particularly challenging signature – charged lepton flavor-violating decays, specifically  $\tau \rightarrow \mu\mu\mu$  decay. This task involves the analysis of simulated muon detector hits resulting from proton-proton collisions. It's worth noting that such decays are heavily suppressed within the framework of the Standard Model (SM) of particle physics (Holstein, 2006), making their detection a strong indicator of physics phenomena beyond the Standard Model (Collaboration, 2020). Unfortunately,  $\tau \rightarrow \mu\mu\mu$  decay involves particles with extremely low momentum, rendering them technically impossible to trigger using conventional human-engineered algorithms. Consequently, the online detection of these decays necessitates the utilization of advanced models that explore the correlations between signal hits and background hits, particularly in the context of the Large Hadron Collider. Our specific objective is twofold: to predict the occurrence of  $\tau \rightarrow \mu\mu\mu$  decay and to employ the detector hits generated by the  $\mu$  (muon) particles to validate the model's interpretations.
- **Construction:** **Tau3Mu** uses the data simulated via the PYTHIA generator (Bierlich et al., 2022). The interpretation labels are using the signal sample with the background samples on a per-event basis (per point cloud) while preserving the ground-truth labels. The hits originating from  $\mu$  (muon) particles resulting from the  $\tau \rightarrow \mu\mu\mu$  decay are designated as ground-truth interpretation. The training data only include hits from the initial layer of detectors, ensuring that each sample in the dataset contains a minimum of three detector hits. Each data point in the samples comprises measurements of a local bending angle and a 2D coordinate within the pseudorapidity-azimuth ( $\eta - \phi$ ) space. Given that, in the most favorable scenario, the model is required to capture hits from each  $\mu$  particle, we report precision@3 following Miao et al. (2023). Lastly, the dataset is randomly split into training, validation, and test sets, maintaining a distribution ratio of 70% for training, 15% for validation, and 15% for testing.

**SynMol** dataset (Miao et al., 2023):

- **Background:** **SynMol** is a molecular property prediction task. While prior research efforts have explored model interpretability within this domain (McCloskey et al., 2018), their emphasis has

been primarily on examining chemical bond graph representations of molecules, often overlooking the consideration of geometric attributes. In our present study, we shift our attention towards 3D representations of molecules. Our specific objective is to predict a property associated with two functional groups, namely carbonyl and unbranched alkane (as defined by McCloskey et al. (2018)), and subsequently employ the atoms within these functional groups to validate our model’s interpretations.

- Construction: **SynMol** is constructed based on ZINC (Lin et al., 2022b) following McCloskey et al. (2018) that creates synthetic properties based on the existence of certain functional groups. The labeling criteria involve classifying a molecule as a positive sample if it contains both an unbranched alkane and a carbonyl group. Conversely, molecules lacking this combination are categorized as negative samples. Consequently, the atoms within branched alkanes and carbonyl groups serve as the designated ground-truth interpretation. In addition to specifying a 3D coordinate, each data point within a sample is also associated with a categorical feature signifying the type of atom it represents. While the combined total of atoms in the two functional groups may be limited to just five, it is important to note that certain molecules may contain multiple instances of such functional groups. Consequently, we report precision metric at precision@5 following Miao et al. (2023). Finally, to mitigate dataset bias, the dataset is split into training, validation, and test sets using a distribution strategy following McCloskey et al. (2018); Miao et al. (2023). This approach ensures a uniform distribution of molecules containing or lacking either of these functional groups.

**PLBind** dataset (Miao et al., 2023):

- Background: **PLBind** is to predict protein-ligand binding affinities leveraging the 3D structural information of both proteins and ligands. This task holds paramount significance in the field of drug discovery, as a high affinity between a protein and a ligand is a critical criterion in the drug selection process (Wang & Zhang, 2017; Karimi et al., 2019). The accurate prediction of these affinities using interpretable models serves as a valuable resource for rational drug design and contributes to a deeper comprehension of the underlying biophysical mechanisms governing protein-ligand binding (Du et al., 2016). Our specific mission is to forecast whether the affinity surpasses a predefined threshold, and we achieve this by examining the amino acids situated within the binding site of the test protein to corroborate our model’s interpretations.
- Construction: **PLBind** is constructed protein-ligand complexes from PDBind (Liu et al., 2017). PDBind annotates binding affinities for a subset of complexes in the Protein Data Bank (PDB) (Berman et al., 2000), therefore, a threshold on the binding affinity between a pair of protein and ligand can be used to construct a binary classification task. The ground-truth interpretation is then the part of the protein that are within 15Å of the ligand to be the binding site (Liu et al., 2022b). Besides, PLBind also includes all atomic contacts (hydrogen bond and hydrophobic contact) for every protein-ligand pair from PDBsum (Laskowski, 2001), where the ground-truth interpretations are the corresponding amino acids in the protein. Every amino acid in a protein is linked to a 3D coordinate, an amino acid type designation, the solvent-accessible surface area (SASA), and the B-factor. Likewise, each atom within a ligand is associated with a 3D coordinate, an atom type classification, and Gasteiger charges. The whole dataset is then partitioned into training, validation, and test sets, adopting a division based on the year of discovery for the complexes, following Stárk et al. (2022).

## F.2 BASELINES AND EVALUATION SETUP

During the experiments, we do not tune the hyperparameters exhaustively while following the common recipes for optimizing GNNs, and also the recommendation setups by previous works. Details are as follows.

**GNN encoder.** For fair comparison, we use the same GNN architecture as graph encoders for all methods, following Miao et al. (2022; 2023). For the backbone of GIN, we use 2-layer GIN (Xu et al., 2019) with Batch Normalization (Ioffe & Szegedy, 2015) between layers, a hidden dimension of 64 and a dropout ratio of 0.3. For the backbone of PNA, we use 4-layer PNA (Corso et al., 2020) with Batch Normalization (Ioffe & Szegedy, 2015) between layers, a hidden dimension of 80 and a dropout ratio of 0.3. The PNA network does not use scalars, while using (mean, min, max, std aggregators. For the backbone of EGNN (Satorras et al., 2021), we use 4-layer EGNN with Batch

Normalization (Ioffe & Szegedy, 2015) between layers, a hidden dimension of 64 and a dropout ratio of 0.2. The pooling functions are all sum pooling.

**Datase Splits.** We follow previous works (Luo et al., 2020; Miao et al., 2022) to split BA-2Motifs randomly into three sets as (80%/10%/10%), Mutag randomly into 80%/20% as train and validation sets where the test data are the mutagen molecules with -NO<sub>2</sub> or -NH<sub>2</sub>. We use the default split for MNIST-75sp given by (Knyazev et al., 2019) with a smaller sampling size following (Miao et al., 2022). We use the default splits for Graph-SST2 (Yuan et al., 2020b), Spurious-Motifs (Wu et al., 2022b) and OGBG-Molhiv (Hu et al., 2020) datasets. For geometric datasets, we use the author provided default splits.

**Baseline implementations.** We use the author provided codes to implement the baselines GSAT (Miao et al., 2022)<sup>4</sup> and LRI (Miao et al., 2023)<sup>5</sup>. We re-run GSAT and LRI under the same environment using the author-recommended hyperparameters for a fair comparison. Specifically, BA-2Motif, Mutag and PLBind use  $r = 0.5$ , and all other datasets use  $r = 0.7$ . The  $\lambda$  of information regularizer is set to be 1 for regular graphs, 0.01 for Tau3Mu, and 0.1 for ActsTrack, SynMol and PLBind as recommended by the authors.  $r$  will initially be set to 0.9 and gradually decay to the tuned value. We adopt a step decay, where  $r$  will decay 0.1 for every 10 epochs. As for the implementation of explanation methods, for regular graphs, we directly adopt the results reported. For geometric graphs, we re-run the baselines to obtain the results, as previous results are obtained according to the best validation interpretation performance that may mismatch the practical scenario where the interpretation labels are usually not available.

**Optimization and model selection.** Following previous works, by default, we use Adam optimizer (Kingma & Ba, 2015) with a learning rate of  $1e - 3$  and a batch size of 128 for all models at all datasets, except for Spurious-Motif with GIN and PNA, Graph-SST2 with PNA that we will use a learning rate of  $3e - 3$ . When GIN is used as the backbone model, MNIST-75sp is trained for 200 epochs, and all other datasets are trained for 100 epochs, as we observe that 100 epochs are sufficient for convergence at OGBG-Molhiv. When PNA is used, Mutag and Ba-2Motifs are trained for 50 epochs and all other datasets are trained for 200 epochs. We report the performance of the epoch that achieves the best validation prediction performance and use the models that achieve such best validation performance as the pre-trained models. All datasets use a batch size of 128; except for MNIST-75sp with GIN, we use a batch size of 256 to speed up training due to its large size in the graph setting.

The final model is selected according to the best validation classification performance. We report the mean and standard deviation of 10 runs with random seeds from 0 to 9.

**Implementations of GMT.** For a fair comparison, GMT uses the same GNN architecture for GNN encoders as the baseline methods. We search for the hyperparameters of  $r$  from  $[r_0 - 0.1, r_0, r_0 + 0.1]$  according to the default  $r_0$  given by Miao et al. (2022; 2023). We search the weights of graph information regularizers from  $[0.1, 0.5, 1, 2]$  for regular graphs and from  $[0.01, 0.1, 1]$  for geometric datasets. To avoid trivial solutions of the subgraph extractor at the early stage, we search for warm-up strategies mentioned in Appendix E.2. Besides, we also search for the decay epochs of the  $r$  scheduler to avoid trivial solutions. We search for the sampling rounds from  $[1, 20, 40, 80, 100, 200]$  when the memory allows. In experiments, we find GMT already achieves the state-of-the-art results in most of the set-ups without the warm-up. Only in BA-2Motifs and MNIST-75sp with GIN, and in Tau3Mu with EGNN, GMT needs the warmups.

<sup>4</sup><https://github.com/Graph-COM/GSAT>

<sup>5</sup><https://github.com/Graph-COM/LRI>

Table 8: Sensitivity to different subgraph decoding strategies.

Initialization	Architecture	Attention	Generalization			Interpretation		
			spmotif-0.5	spmotif-0.7	spmotif-0.9	spmotif-0.5	spmotif-0.7	spmotif-0.9
		GSAT	47.45±5.87	43.57±3.05	45.39±5.02	74.49±4.46	72.95±6.40	65.25±4.42
new	mul	min0	<b>60.09</b> ±5.57	54.34±4.04	<b>55.83</b> ±5.68	85.50±2.40	<b>84.67</b> ±2.38	73.49±5.33
old	mul	min0	58.83±7.22	<b>55.04</b> ±4.73	55.77±5.97	<b>85.52</b> ±2.41	84.65±2.42	73.49±5.33
new	mul	max1	44.49±2.65	49.77±2.31	50.22±2.79	85.50±2.39	84.66±2.37	73.50±5.31
old	mul	max1	45.91±2.86	49.11±3.04	50.30±2.07	85.49±2.39	84.64±2.39	73.50±5.35
old	mul	min0max1	51.21±6.46	50.91±6.50	53.13±4.46	<b>85.52</b> ±2.41	84.66±2.43	73.49±5.34
new	mul	normal	47.69±5.72	44.12±5.44	40.69±4.84	84.69±2.40	80.08±5.37	73.48±5.34
old	mul	normal	45.36±2.65	44.25±5.41	43.43±5.44	83.52±3.41	80.07±5.35	73.49±5.36
new	lin	normal	43.54±5.02	47.59±4.78	46.53±3.27	85.47±2.39	80.07±5.37	<b>73.52</b> ±5.34
old	lin	normal	46.18±3.03	46.42±5.63	49.00±3.34	83.51±3.39	80.09±5.34	73.46±5.35

To better extract the subgraph information, we also search for subgraph sampling strategies mentioned in Appendix E.2. Note that the hyperparameter search and training of the classifier is independent of the hyperparameter search of the subgraph extractor. Once could select the best subgraph extractor and train the new classifier onto it. When training the classifier, we search for the following 9 subgraph decoding strategies as shown in Table F.2. Specifically,

- Initialization: "new" refers to that the classifier is initialized from scratch; "old" refers to that the classifier is initialized from the subgraph extractor;
- Architecture: "mul" refers to the default message passing architecture; "lin" refers to the GMT-lin architecture;
- Attention: "normal" refers to the default weighted message passing scheme; "min0" refers to setting the minimum  $p\%$  attention scores directly to 0; "max0" refers to setting the maximum  $p\%$  attention scores directly to 1; "min0max1" refers to setting the maximum  $p\%$  attention scores directly to 1 while set the minimum  $(1 - p)\%$  attention scores directly to 0;

Table F.2 demonstrates the generalization and interpretation performance of GMT-sam in spurious motif datasets (Wu et al., 2022b), denoted as "spmotif" with different levels of spurious correlations. It can be found that GMT-sam is generically robust to the different choices of the decoding scheme and leads to improvements in terms of OOD generalizability and interpretability.

### F.3 MORE INTERPRETATION RESULTS

We additionally conduct experiments with post-hoc explanation methods based on the PNA backbone. Specifically, we selected two representative post-hoc methods GNNExplainer and PGExplainer, and one representative intrinsic interpretable baseline DIR. The results are given in the table below. It can be found that most of the baselines still significantly underperform GSAT and GMT. One exception is that DIR obtains highly competitive (though unstable) interpretation results in spurious motif datasets, nevertheless, the generalization performance of DIR remains highly degenerated (53.03±8.05 on spmotif\_0.9).

Table 9: More interpretation results of baselines using PNA

	BA_2Motifs	Mutag	MNIST-75sp	spmotif_0.5	spmotif_0.7	spmotif_0.9
GNNExp	54.14±3.30	73.10±7.44	53.91±2.67	59.40±3.88	56.20±6.30	57.39±5.95
PGE	48.80±14.58	76.02±7.37	56.61±3.38	59.46±1.57	59.65±1.19	60.57±0.85
DIR	72.33±23.87	87.57±27.87	43.12±10.07	85.90±2.24	83.13±4.26	85.10±4.15
GSAT	89.35±5.41	99.00±0.37	85.72±1.10	79.84±3.21	79.76±3.66	80.70±5.45
GMT-lin	95.79±7.30	99.58±0.17	85.02±1.03	80.19±2.22	84.74±1.82	85.08±3.85
GMT-sam	99.60±0.48	99.89±0.05	87.34±1.79	88.27±1.71	86.58±1.89	85.26±1.92

### F.4 COMPUTATIONAL ANALYSIS

We provide more discussion and analysis about the computational overhead required by GMT, when compared to GSAT. As GMT-lin differs only in the number of weighted message passing rounds


from GSAT, and has the same number of total message passing rounds, hence GMT-lin and GSAT have the same time complexity as  $O(E)$  for each epoch, or for inference. When comparing GMT-sam to GMT-lin and GSAT, During training, GMT-sam needs to process  $k$  rounds of random subgraph sampling, resulting in  $O(k|E|)$  time complexity; During inference, GMT-sam with normal subgraph decoding methods requires the same complexity as GMT-lin and GSAT, as  $O(|E|)$ . When with special decoding strategy such as setting part of the attention entries to 1 or 0, GMT-sam additionally needs to sort the attention weights, and requires  $O(|E| + |E| \log |E|)$  time complexity.

Training	BA_2Motifs		MNIST-75sp		ActsTrack
	GIN	PNA	GIN	PNA	EGNN
GSAT	0.70±0.12	1.00±0.13	41.28±0.61	80.98±10.55	3.57±1.41
GMT-lin	0.68±0.12	1.02±0.15	41.12±0.69	81.11±10.44	3.69±0.93
GMT-sam	6.25±0.48	17.03±0.91	136.60±1.21	280.77±4.00	5.38±0.59
Inference					
GSAT	0.07±0.05	0.11±0.12	18.69±0.35	24.40±2.06	0.84±0.38
GMT-lin	0.08±0.07	0.07±0.01	18.72±0.41	23.81±1.89	0.80±0.21
GMT-sam (normal)	0.05±0.01	0.12±0.01	18.72±0.35	18.01±1.47	0.50±0.13
GMT-sam (sort)	0.07±0.01	0.21±0.06	19.07±0.55	18.69±3.35	0.54±0.10

In the table above, we benchmarked the real training/inference time of GSAT, GMT-lin and GMT-sam in different datasets, where each entry demonstrates the time in seconds for one epoch. We benchmark the latency of GSAT, GMT-lin and GMT-sam based on GIN, PNA and EGNN on different scales of datasets. The sampling rounds of GMT-sam are set to 20 for PNA on MNIST-sp, 10 for EGNN, and 100 to other setups. From the table, it can be found that, although GMT-sam takes longer time for training, but the absolute values are not high even for the largest dataset MNIST-sp. As for inference, GMT-sam enjoys a similar latency as others, aligned with our discussion.

### F.5 MORE COUNTERFACTUAL FIDELITY STUDIES

To better understand the results, we provide more counterfactual fidelity results in supplementary to Sec. 3.2 and Fig. 6 and 7. Shown as in Fig. 8, 9, we plot the counterfactual fidelity results of GSAT and the simulated SubMT via GMT-sam with 10 and 100 on BA-2Motifs and Mutag datasets with the distance measure as KL divergence. Fig. 10, 11 show the counterfactual fidelity results of GSAT and the simulated SubMT via GMT-sam with 10 and 100 on BA-2Motifs and Mutag datasets with the distance measure as JSD divergence. It can be found that, the gap in counterfactual fidelity measured in KL divergence or JSD divergence can be even larger between GSAT and SubMT, growing up to 10 times. These results can serve as strong evidence for the degenerated interpretability caused by the failure of SubMT approximation.



(a) SubMT on BA-2Motifs trainset. (b) SubMT on BA-2Motifs valset. (c) SubMT on BA-2Motifs test set.

Figure 8: Counterfactual fidelity on BA-2Motifs with the distance measure as KL divergence.




Figure 9: Counterfactual fidelity on Mutag with the distance measure as KL divergence.




Figure 10: Counterfactual fidelity on BA-2Motifs with the distance measure as JSD divergence.




Figure 11: Counterfactual fidelity on Mutag with the distance measure as JSD divergence.




Figure 12: The GMT optimization issue in terms of counterfactual fidelity on BA-2Motifs.

Shown as in Fig. 12, 13, we plot the counterfactual fidelity results of GSAT and the simulated SubMT via GMT-sam with 10 and 100 on BA-2Motifs and Mutag datasets. Compared to previous results, the GMT-sam in Fig. 12, 13 does not use any warmup strategies that may suffer from the optimization

issue as discussed in Sec. E. It can be found that, at the beginning of the optimization, GMT-sam demonstrates increasing counterfactual fidelity. However, as the optimization keeps proceeding, the counterfactual fidelity of GMT-sam will degenerate, because of fitting to the trivial solution of the GSAT objective. Consequently, the interpretation results will degenerate too at the end of the optimization.




Figure 13: The GMT optimization issue in terms of counterfactual fidelity on Mutag.

### F.6 SUBMT APPROXIMATION GAP ANALYSIS




Figure 14: The SubMT approximation gap of GSAT with GSC on BA-2Motifs.




Figure 15: The SubMT approximation gap of GSAT with GIN on BA-2Motifs.




Figure 16: The SubMT approximation gap of GSAT with SGC on Mutag.




Figure 17: The SubMT approximation gap of GSAT with GIN on Mutag.

Fig. 14 and 15, Fig. 16 and 17 demonstrate the SubMT approximation gaps of GSAT implemented in GIN and SGC on BA\_2Motifs and Mutag respectively. To fully verify Proposition D.4, we range the number of layers of GIN and SGC from 1 to 5. It can be found that the results are well aligned with Proposition D.4. When the number of layers is 1, the SubMT approximation gap is smallest, because of more “linearity” in the network. While along with the growing number of GNN layers, the network becomes more “nonlinear” such that the SubMT approximation gap will be larger.


### F.7 SOFTWARE AND HARDWARE

We implement our methods with PyTorch (Paszke et al., 2019) and PyTorch Geometric (Fey & Lenssen, 2019) 2.0.4. We ran our experiments on Linux Servers installed with V100 graphics cards and CUDA 11.3.


### F.8 INTERPRETATION VISUALIZATION

To better understand the results, we provide visualizations of the learned interpretable subgraphs by GSAT and GMT-sam in the Spurious-Motif datasets, as well as the learned interpretable subgraphs by GMT-sam in OGBG-Molhiv dataset.

The results on Spurious-Motif datasets are given in Fig. 18, 19, 20 for  $b = 0.5$ ,  $b = 0.7$  and  $b = 0.9$ , respectively. The red nodes are the ground-truth interpretable subgraphs. It can be found that GMT-sam indeed learns the interpretable subgraph better than GSAT, which also explains the excellent OOD generalization ability of GMT-sam on Spurious Motif datasets.



(a) Spurious-Motif class 0 under bias= 0.5 by GSAT.




(b) Spurious-Motif class 0 under bias= 0.5 by GMT-sam.




(c) Spurious-Motif class 1 under bias= 0.5 by GSAT.



(d) Spurious-Motif class 1 under bias= 0.5 by GMT-sam.




(e) Spurious-Motif class 2 under bias= 0.5 by GSAT.




(f) Spurious-Motif class 2 under bias= 0.5 by GMT-sam.


Figure 18: Learned interpretable subgraphs by GSAT and GMT-sam on Spurious-Motif  $b = 0.5$ .




(a) Spurious-Motif class 0 under bias= 0.5 by GSAT.




(b) Spurious-Motif class 0 under bias= 0.5 by GMT-sam.




(c) Spurious-Motif class 1 under bias= 0.5 by GSAT.



(d) Spurious-Motif class 1 under bias= 0.5 by GMT-sam.



(e) Spurious-Motif class 2 under bias= 0.5 by GSAT.



(f) Spurious-Motif class 2 under bias= 0.5 by GMT-sam.

Figure 19: Learned interpretable subgraphs by GSAT and GMT-sam on Spurious-Motif  $b = 0.7$ .




Figure 20: Learned interpretable subgraphs by GSAT and GMT-sam on Spurious-Motif  $b = 0.9$ .

In addition, we also provide the visualization of interpretable subgraphs learned by GMT-sam on OGBG-Molhiv, given in Fig. 21.




Figure 21: Learned interpretable subgraphs by GMT-sam on OGBG-Molhiv.