

# Steering Dialogue Dynamics for Robustness against Multi-turn Jailbreaking Attacks

**Hanjiang Hu**

*Robotics Institute & Machine Learning Department, Carnegie Mellon University*

*hanjianghu@cmu.edu*

**Alexander Robey**

*Machine Learning Department, Carnegie Mellon University*

*arobey@andrew.cmu.edu*

**Changliu Liu**

*Robotics Institute, Carnegie Mellon University*

*cliu6@andrew.cmu.edu*

Reviewed on OpenReview: <https://openreview.net/forum?id=dcyLr9xYoI>

## Abstract

Large language models (LLMs) are shown to be vulnerable to jailbreaking attacks where adversarial prompts are designed to elicit harmful responses. While existing defenses effectively mitigate single-turn attacks by detecting and filtering unsafe inputs, they fail against multi-turn jailbreaks that exploit contextual drift over multiple interactions, gradually leading LLMs away from safe behavior. To address this challenge, we propose a safety steering framework grounded in safe control theory, ensuring invariant safety in multi-turn dialogues. Our approach models the dialogue with LLMs using state-space representations and introduces a novel neural barrier function (NBF) to detect and filter harmful queries emerging from evolving contexts proactively. Our method achieves invariant safety at each turn of dialogue by learning a safety predictor that accounts for adversarial queries, preventing potential context drift toward jailbreaks. Extensive experiments under multiple LLMs show that our NBF-based safety steering outperforms safety alignment, prompt-based steering and lightweight LLM guardrails baselines, offering stronger defenses against multi-turn jailbreaks while maintaining a better trade-off among safety, helpfulness and over-refusal. Check out the website here <https://sites.google.com/view/llm-nbf/home>.

**Warning: This paper contains examples of harmful LLM responses.**

## 1 Introduction

Despite the tremendous potential of large language models (LLMs) across a variety of applications, frontier models remain vulnerable to jailbreaking attacks, wherein adversarial prompts are designed to elicit harmful responses (Wei et al., 2023; Anwar et al., 2024; Sun et al., 2024). These attacks include optimization-based methods (Zou et al., 2023; Geisler et al., 2024; Andriushchenko et al., 2024) and automated techniques in which attackers use LLMs to produce jailbreaks (Chao et al., 2023; Liu et al., 2024c; Mehrotra et al., 2023). To counter these threats, defenses such as fine-tuning-based algorithms (Yuan et al., 2024; Zou et al., 2024), inference-time interventions (Arditi et al., 2024; Bhattacharjee et al., 2024; Robey et al., 2023; Li et al., 2024a), and reasoning-based guardrails (Kang & Li, 2024; Liu et al., 2025; Zaremba et al., 2025) have been proposed. These defenses have been successful in reducing the effectiveness of single-turn attacks, wherein an adversary can only attempt to jailbreak a targeted model via a single round of conversation.

Unfortunately, the success of current defenses against single-turn jailbreaks has not extended to the more sophisticated setting of multi-turn jailbreaking, wherein an attacker attempts to elicit harmful content throughout multiple rounds of conversation (Li et al., 2024b; Pavlova et al., 2024). In the multi-turn setting, attackers




Figure 1: Overview of safety steering based on neural dialogue dynamics and barrier function.

exploit the gradual shift in context to bypass safeguards (Ren et al., 2024; Russinovich et al., 2024; Jiang et al., 2024), making detection and mitigation significantly more challenging, as shown in Figure 2. Multi-turn jailbreaks use adaptive and dynamic interactions to subtly steer LLMs toward unsafe outputs (Zhou et al., 2024; Liu et al., 2024b), circumventing traditional single-turn defenses. One concurrent defense method (Lu et al., 2025) proposes to learn more fine-grained boundary-safe and harmful representations through safety fine-tuning, but the multi-turn dialogue context is not explicitly considered and the fine-tuning method is not agnostic to different LLMs as a versatile guardrail (Markov et al., 2023; Zeng et al., 2024; Inan et al., 2023).

In this work, we approach the problem of defending against multi-turn jailbreaks through the lens of dynamical systems. We view the context of each dialogue turn as an evolving hidden state and define a successful attack as one that transitions into an unsafe region of the state space. Inspired by forward invariance in safe control theory (Liu & Tomizuka, 2014; Ames et al., 2019; Robey et al., 2020), we introduce the concept of *invariant safety* for dialogue dynamics, ensuring that at every step of a conversation, the system remains within a user-specified safe set, thereby preventing attackers from gradually leading LLMs to generate harmful responses. As shown in Figure 1, we first learn state-space representations corresponding to the neural dialogue dynamics from multi-turn conversations. Then, given these representations, we train a safety predictor as a neural barrier function (NBF) to predict whether the states corresponding to a multi-turn conversation drift into harmful regions of the state space. During the evaluation phase, the NBF filters out potentially harmful queries based on the predictor’s outputs. Extensive experiments validate the effectiveness of the proposed NBF-based steering and show strong generalizability to different LLMs and multi-turn jailbreaking attacks. Our code is available on <https://github.com/HanjiangHu/NBF-LLM>. In summary, the contributions are listed below.




Figure 2: Single-turn vs multi-turn jailbreaks. Queries shift from harmless to harmful.

- We proposed a control-theoretical framework to model the neural dialogue dynamics with LLMs and achieve invariant safety against multi-turn jailbreaking attacks.

- We introduce a neural barrier function (NBF) that evaluates the potential safety violation given the worst-case harmful query within the current dialogue context at each turn.
- Comprehensive experiments show that the proposed NBF-based safety steering can outperform defense baselines with a better trade-off of safety, helpfulness and over-refusal on multiple LLMs.

## 2 Related Work

**LLM Jailbreaking Attacks and Defenses.** Jailbreak attacks on LLMs have advanced from hand-crafted prompts to automated red-teaming approaches. Optimization-based methods, including gradient-based and evolutionary attacks (Zou et al., 2023; Geisler et al., 2024; Liu et al., 2023a; Andriushchenko et al., 2024), generate adversarial inputs, while automated attackers leverage LLMs for iterative refinements (Chao et al., 2023; Liu et al., 2024c; Robey et al., 2024). While existing safety alignment (Yuan et al., 2024; Zou et al., 2024; Zhang et al., 2025), inference-time steering methods (Arditi et al., 2024; Bhattacharjee et al., 2024) and reasoning-based LLM guardrails (Kang & Li, 2024; Liu et al., 2025) are effective against various single-turn jailbreaks, they struggle to defend against multi-turn jailbreaks (Wang et al., 2024; Tong et al., 2024). Multi-turn jailbreaking scenarios are developed by embedding malicious intent gradually (Jiang et al., 2024), breaking down harmful prompts into benign sub-queries (Yu et al., 2024; Zhou et al., 2024; Liu et al., 2024b), designing attack patterns (Ren et al., 2024), and dynamically adjusting attack queries based on contextual feedback (Li et al., 2024b; Yang et al., 2024; Russinovich et al., 2024). One contemporaneous multi-turn defense method (Lu et al., 2025) learns the safety boundary through fine-tuning without explicitly considering multi-turn context, and also cannot be used as a guard model across different LLMs. Current guard models typically introduce a separate model designed to moderate LLMs to filter out unsafe content (Markov et al., 2023; Zeng et al., 2024; Inan et al., 2023), but dynamically drifting context poses a challenge to existing reactive safety defense mechanisms. To the best of our knowledge, we are the first to safeguard LLM dialogues dynamically from jailbreaks through online filtering of harmful prompts before the prompts are sent to LLMs.

**Learning-based Safe Control with Neural Certificates.** In the literature of control and robotics, there is extensive research on learning-based controllers for dynamical systems that provide safety guarantees or certificates (Boffi et al., 2021; Herbert et al., 2021; Xiao et al., 2023; Lindemann et al., 2021; Chang et al., 2019; Mazouz et al., 2022). Neural networks have been employed to parameterize control barrier functions (CBFs) to achieve forward invariance (Robey et al., 2020; So et al., 2023; Zinage et al., 2023; Dawson et al., 2022; Dai et al., 2022): Once the system states enter the user-defined safe set, they remain within it indefinitely, thereby guaranteeing safety with neural certificates. Although neural CBFs can be successfully learned and verified for control-affined dynamical systems (Manda et al., 2024; Hu et al., 2024b; Mathiesen et al., 2022; Wang et al., 2023; Rickard et al., 2025), it is still challenging to guarantee the safety for non-analytical dynamical systems in latent space (Hu et al., 2024a; Wei & Liu, 2022; Liu et al., 2023b; Li et al., 2023; Shen et al., 2024; Cheng et al., 2024), which is the problem we tackle here. Recently, there are several LLM-based safety filter frameworks (Bajcsy & Fisac, 2024; Wang et al., 2025; Taheri et al., 2025) and Miyaoka & Inoue (2024) introduce CBFs for LLM safety at the token level against single-turn jailbreaks. However, no existing work has explored dialogue-level safety for LLMs from the perspective of neural CBFs.

## 3 Problem Formulation

In this section, we formalize our approach to defending against multi-turn jailbreaks by enforcing *invariant safety* in the conversation with LLMs. Our framework models the conversation as an evolving dynamical system, where the hidden state represents the drifting context (e.g. the production process in Figure 2), and each dialogue turn represents a state transition influenced by user queries and LLM responses in the language space. Given the language space  $\mathcal{S}$ , at each turn  $k$ , LLMs receive a query  $U_k \in \mathcal{S}$  from users and make a response  $Z_k \in \mathcal{S}$  to that query, followed by the next round of user query  $U_{k+1} \in \mathcal{S}$  and LLMs response  $Z_{k+1} \in \mathcal{S}$ . In accordance with the AI usage policies (OpenAI, 2022), LLM responses  $Z_k, k = 1, 2, \dots, K$  should follow the AI safety rules and fall into the safe region specified by the user  $\mathcal{S}_0$ . However, in the multi-turn setting, the context drift of the query along the dynamic conversation may increase the vulnerability




Figure 3: Conversation in the language space and state-space representations  $x_k$  in the hidden state and embedding space. Queries shift from harmless to harmful.

of the LLMs for jailbreaks, even though the response is safe at each turn. To this end, we introduce the concept *invariant safety* and associated measures to guarantee that once the LLM response falls into a safety region – which needs to be computed, the following LLM responses will stay within it no matter what future queries are given along the query context flow.

**Definition 3.1** (Invariant Safety in Multi-turn Conversation). *Given a trajectory of user queries  $U_k \in \mathcal{S}$  and LLM responses  $Z_k \in \mathcal{S}, k = 1, 2, \dots, K$  and a user-specified safety region  $\mathcal{S}_0 \subset \mathcal{S}$ , the query context set  $\mathcal{S}_{context}^{(k)}$  is defined as all reasonable queries at turn  $k + 1$  based on previous conversation context by turn  $k$ , drifting from random initial context  $\mathcal{S}_{context}^{(0)}$ . The LLM is invariantly safe (i.e., will not be jailbroken in drifting context) if there exists a safety invariance set  $\mathcal{S}_I \subset \mathcal{S}_0$  such that the following holds,*

$$\forall k = 1, 2, \dots, K, \forall Z_1, \dots, Z_k \in \mathcal{S}_I \Rightarrow Z_{k+1} \in \mathcal{S}_I, \forall U_{k+1} \in \mathcal{S}_{context}^{(k)}. \quad (1)$$

For any safe but non-invariant responses  $Z'_k \in \mathcal{S}_0 \setminus \mathcal{S}_I$  (e.g. the LLM response at turn 3 in Figure 2), there exists a potentially harmful query  $U'_{k+1} \in \mathcal{S}_{context}^{(k)}$  such that the next LLM response  $Z'_{k+1}$  will inevitably go out of  $\mathcal{S}_0$ , resulting in LLM jailbreaks. Therefore, the safety invariance subset  $\mathcal{S}_I$  is introduced to avoid non-invariant responses to achieve *invariant safety* against multi-turn jailbreaking attacks. Since we are focusing on a general attack-agnostic defense, we adopt the query context set  $\mathcal{S}_{context}^{(k)}$  to represent the union of reasonable queries from different attack methods, following policy-independent forward invariance conditions in control theory. In the following section, we first model the neural dialogue dynamics of multi-turn conversation with LLMs using the state-space representations. Then, we introduce the safety predictor based neural barrier function, followed by an invariant safety certificate learning framework.

## 4 Methodology

### 4.1 Neural Dialogue Dynamics of Multi-turn Conversation with LLMs

Different from studying large language models (LLMs) dynamics of token generation in the literature (Soatto et al., 2023; Liu et al., 2024a; Kong et al., 2024; Miyaoka & Inoue, 2024), we focus on the multi-turn human-AI interactive sentence-wise dynamics in the sentence embedding space and formulate it based on the state space representations in control theory. Given a  $K$ -turn conversation dialog with user query sentences  $U_k \in \mathcal{S}, k = 1, \dots, K$ , and response sentences of LLMs  $Z_k \in \mathcal{S}, k = 1, \dots, K$ , we first map them from

the sentence language space  $\mathcal{S}$  to the semantic and meaningful embedding space  $\mathbb{R}^n$  using the pretrained sentence embedding model  $f_{embedding} : \mathcal{S} \rightarrow \mathbb{R}^n$  (Reimers & Gurevych, 2019; Fonseca et al., 2025) as follows,

$$u_k \in \mathbb{R}^n = f_{embedding}(U_k), z_k \in \mathbb{R}^n = f_{embedding}(Z_k), k = 1, 2, \dots, K. \quad (2)$$

We assume the dialogue with LLM is governed by the discrete-time state-transition equation parameterized by neural networks (NNs)  $f_\theta : \mathbb{R}^m \times \mathbb{R}^n \rightarrow \mathbb{R}^m$  under initial state  $\mathbf{0}_m \in \mathbb{R}^m$ , where the user query embedding  $u_k$  serves as the control input at each turn  $k$ . However, the state representation  $x_k$  is partially observable from the response embedding  $z_k$  because the multi-turn dialogue dynamics is non-Markov due to the memory mechanism of LLMs. Therefore, we formulate the LLM response generation process through another NN-parameterized observation function  $g_\theta : \mathbb{R}^m \times \mathbb{R}^n \rightarrow \mathbb{R}^n$ , where the LLM response embedding  $z_k$  is the observed output from the hidden state  $x_k \in \mathbb{R}^m$  and the user query embedding  $u_k$ . Assuming embeddings in Equation (2) and states are consistent across different LLM seeds given fixed user queries and temperature, we have,

$$x_k = f_\theta(x_{k-1}, u_k), \quad z_k = g_\theta(x_k, u_k), x_0 = \mathbf{0}_m, k = 1, 2, \dots, K. \quad (3)$$

To learn the state-space representation from the multi-turn dialogue, we construct the following mean square error (MSE) loss given  $N$  trajectories of  $K$ -turn query and response embeddings  $u_k^{(i)}, z_k^{(i)} \in \mathbb{R}^n, i = 1, \dots, N, k = 1, \dots, K$  from the pretrained embedding model in Equation (2),

$$\mathcal{L}_{dyn} = \frac{1}{N} \sum_{i=1}^N \sum_{k=1}^K \|z_k^{(i)} - g_\theta(x_k^{(i)}, u_k^{(i)})\|_2, \quad \text{where } x_k^{(i)} = f_\theta(x_{k-1}^{(i)}, u_k^{(i)}), x_0^{(i)} = \mathbf{0}_m. \quad (4)$$

## 4.2 Neural Barrier Function based on Safety Predictor

On top of the language state-space dynamics above, we introduce the safety property in this section. Following the literature using LLM-based judge scores to evaluate the performance (Ren et al., 2024; Qi et al., 2023; Zheng et al., 2023), we assume that for each conversation trajectory, the query and response embeddings  $u_k, z_k$  at  $k$ -th turn are associated with a discrete safety score  $y_k \in \mathcal{Y}$  as a label from an LLM judge (Qi et al., 2023). The scores of non-jailbreaking turns fall into the safe subset  $\mathcal{Y}_{safe} \subset \mathcal{Y}$ , which is equivalent to the user-specified safety region, i.e.  $y_k \in \mathcal{Y}_{safe} \Leftrightarrow Z_k \in \mathcal{S}_0$ . Using a more granular set of safety labels instead of simple binary ones allows for a more nuanced assessment of safety levels, providing richer information for training and evaluation. We adopt an NN parameterized safety predictor  $h : \mathbb{R}^m \times \mathbb{R}^n \rightarrow \mathbb{R}$  to output the difference of predicted probability  $p(\hat{y}_k | x_{k-1}, u_k)$  between the unsafe label and the most likely safe label. Inspired by Cohen et al. (2019), the predictor  $h$  is formally defined as,

$$h(x_{k-1}, u_k) = p(\hat{y}_k \notin \mathcal{Y}_{safe} | x_{k-1}, u_k) - \max_{y_k \in \mathcal{Y}_{safe}} p(\hat{y}_k = y_k | x_{k-1}, u_k), \quad (5)$$

where the predicted label can be found through classification model  $\hat{y}_k = \arg \max_{y \in \mathcal{Y}} p(y | x_{k-1}, u_k)$ . It can be trained through the cross-entropy loss with  $N$  trajectories of  $K$ -turn queries and responses and state-space dynamics in Equation (3),

$$\mathcal{L}_{CE} = \frac{1}{N \cdot K} \sum_{i=1}^N \sum_{k=1}^K \left[ - \sum_{y_k \in \mathcal{Y}} \mathbb{1}(\hat{y}_k^{(i)} = y_k^{(i)}) \log p(\hat{y}_k^{(i)} = y_k^{(i)} | x_{k-1}^{(i)}, u_k^{(i)}) \right]. \quad (6)$$

Now we consider the state evolution in Equation (3) during the multi-turn conversation by bridging the safe control theory (Liu & Tomizuka, 2014; Ames et al., 2014) and the safety predictor as a Q-filter Fisac et al. (2019); Li et al. (2025). Since the user query sequences determine the state trajectory during the interactive conversation with LLMs, we first denote the query context embedding set at turn  $k$  as  $\mathcal{U}_k$ , which evolves along the query context flow  $\mathcal{S}_{context}^{(k)}$  due to multi-turn jailbreaking attacks. To prevent multi-turn jailbreaking, it suffices to ensure that the safety predictor always has safe predictions (negative outputs) given the previous state  $x_k$  and all potential query embedding  $u$  among query context embedding set  $\mathcal{U}_k$  at each turn  $k$ . Formally, we define the neural barrier function (NBF) below as a safety index to show if the current state can be jailbroken or not along the conversation.

**Definition 4.1** (Neural Barrier Function for Multi-turn Dialogue Dynamics). *Given the safety predictor  $h : \mathbb{R}^m \times \mathbb{R}^n \rightarrow \mathbb{R}$  defined in Equation (5), denote the query context embedding set at turn  $k$  as  $\mathcal{U}_{k-1} := \{u \in \mathbb{R}^n \mid u = f_{\text{embedding}}(U), \forall U \in \mathcal{S}_{\text{context}}^{(k-1)}\}$ , and then the neural barrier function  $\phi_k : \mathbb{R}^m \rightarrow \mathbb{R}$  and the induced safe set  $\mathcal{X}_k \subset \mathbb{R}^m$  are defined as,*

$$\phi_k(x) := \max_{\hat{u}_k \in \mathcal{U}_{k-1}} h(x, \hat{u}_k) + \eta, \mathcal{X}_k := \{x \in \mathbb{R}^m \mid \phi_k(x) < 0\}, k = 1, \dots, K, \quad (7)$$

where state  $x$  follows Equation (3) and  $\eta \geq 0$  is the steering threshold w.r.t the safe set  $\mathcal{X}_k$ .

Based on the NBF  $\phi_k$ , the safe set  $\mathcal{X}_k$  is defined as the zero sublevel set of  $\phi_k$  under the context embedding set  $\mathcal{U}_{k-1}$  at each turn  $k$ . The larger the steering threshold  $\eta$  is, the more shrinkage the induced safe set  $\mathcal{X}_k$  will have. Therefore,  $x_{k-1} \in \mathcal{X}_k$  indicates that the LLM cannot be jailbroken by any potential query  $u$  given the conversation query context set  $\mathcal{U}_{k-1}$ , meaning the original safe response sentence  $Z_{k-1}$  is within the safety invariance set, i.e.,  $Z_{k-1} \in \mathcal{S}_I$ . The conversation in the language and embedding space is illustrated in Figure 3.

### 4.3 Learning Invariant Safety Certificate to Defend Multi-turn Jailbreaking Attack

Since  $\phi_k$  characterizes the evolving safe set  $\mathcal{X}_k$  in the state space, it can reflect the satisfiability of the token-level responses  $Z_k$  w.r.t the safety invariant subset of the user-specified region  $\mathcal{S}_I \subset \mathcal{S}_0$  through the embedding mapping in Equation (2) and dialogue dynamics in Equation (3). Furthermore, the invariant safety condition in Equation (1) can be achieved through the following theorem, where the proof can be found in Appendix A.2.

**Theorem 4.2** (Invariant Safety Certificate based on Neural Barrier Function). *Given the neural dialogue dynamics in Equation (3) and the query embeddings  $u_k, k = 1, 2, \dots, K$ , the LLM is invariantly safe according to Definition 3.1 if the following inequality conditions hold,*

$$(\phi_k(x_{k-1}) < 0) \bigwedge \left( \max_{\hat{u}_k \in \mathcal{U}_{k-1}} \phi_{k+1}(f_\theta(x_{k-1}, \hat{u}_k)) < 0 \right), k = 1, 2, \dots, K, \quad (8)$$

where  $\phi_k$  is the NBF in Definition 4.1 with query context embedding set  $\mathcal{U}_{k-1}$ .

In order to train the NBF with invariant safety conditions in Equation (8) to ensure LLM safety, the query context embedding set  $\mathcal{U}_{k-1}$  needs to be quantified, which is challenging in the general multi-turn conversation cases. However, if the query context comes from multi-turn jailbreaking attack methods (Ren et al., 2024; Russinovich et al., 2024; Li et al., 2024b), we can assume the queries are adversarial — each query embedding  $u_k$  results in the most unsafe predictions of  $h$  given current context set  $\mathcal{U}_{k-1}$  in both the current turn  $k$  and the next turn  $k + 1$  — and then we have the following corollary to show the invariant safety conditions in Equation (8) empirically.

**Corollary 4.2.1.** *Suppose the query embedding  $u_k$  satisfies the following adversarial conditions,*

$$u_{k+1} = \arg \max_{u \in \mathcal{U}_k} h(x_k, u), u_k = \arg \max_{u \in \mathcal{U}_{k-1}} h(f_\theta(x_{k-1}, u), u_{k+1}), \text{ at each turn } k, \quad (9)$$

then the invariant safety conditions in Equation (8) are satisfied if the following conditions hold,

$$(h(x_{k-1}, u_k) < -\eta) \bigwedge (h(f_\theta(x_{k-1}, u_k), u_{k+1}) < -\eta), k = 1, 2, \dots, K - 1. \quad (10)$$

The proof of the corollary above can be found in Appendix A.3. We introduce the following empirical losses based on Equation (10):  $\mathcal{L}_{SS}$  is the safe set loss to enforce the safe set satisfiability of  $x_{k-1} \in \mathcal{X}_k$  based on the safety predictor, while  $\mathcal{L}_{SI}$  is the safety invariance loss based on presumably invariant safety in the first  $K - \kappa$  turns of dialogues, omitting non-invariantly-safe last  $\kappa$  turns. Finally, combining Equations (4), (6), (11) and (12), the neural dialogue dynamics  $f_\theta, g_\theta$  and safety predictor  $h$  can be jointly optimized as




Figure 4: Multi-turn jailbreaking conversations with and without NBF-based safety steering. Queries shift from harmless to harmful.

$$\min_{f_\theta, g_\theta, h} \lambda_{dyn} \mathcal{L}_{dyn} + \lambda_{CE} \mathcal{L}_{CE} + \lambda_{SS} \mathcal{L}_{SS} + \lambda_{SI} \mathcal{L}_{SI}.$$

$$\mathcal{L}_{SS} = \frac{1}{NK} \sum_{i=1}^N \sum_{k=1}^K [2 \cdot \mathbb{1}(\arg \max_{y \in \mathcal{Y}} p(y|x_{k-1}, u_k) \in \mathcal{Y}_{safe}) - 1] \max\{0, h(x_{k-1}, u_k) + \eta\}, \quad (11)$$

$$\mathcal{L}_{SI} = \frac{1}{N \cdot (K - \kappa)} \sum_{i=1}^N \sum_{k=1}^{K-\kappa} \max\{0, h(f_\theta(x_{k-1}, u_k), u_{k+1}) + \eta\}. \quad (12)$$

Based on the well-trained neural dialogue dynamics  $f_\theta, g_\theta$  and the NBF  $\phi_k$  at each turn  $k$ , we introduce the filtering-based steering as a multi-turn jailbreak defense method. Given each state  $x_{k-1}$  at each turn  $k = 1, 2, \dots, K$ , the NBF-based steering filters out all harmful attack queries  $\hat{u}_k$  where  $h(x_{k-1}, \hat{u}_k) + \eta \geq 0$  among jailbreaking context set  $\mathcal{U}_{k-1}$  from attack methods, resulting in the safe query  $u_k$  satisfying both Equation (9) and  $\phi_k(x_{k-1}) = h(x_{k-1}, u_k) < 0$ . Therefore, given the well-trained neural dialogue dynamics and NBF, with unsafe queries being filtered out by the proposed NBF-based steering, invariant safety condition in Equation (10) will be satisfied and LLM safety will not be jailbroken by Corollary 4.2.1. Empirically, the worst-case query candidates to be filtered come from jailbreaking attack methods (Ren et al., 2024; Russinovich et al., 2024; Li et al., 2024b), which are the most harmful reasonable queries along the context set  $\mathcal{S}_{context}$  at each turn in Definition 3.1. We would like to refer the audience to these attack papers for more details regarding the logic and mechanism of query generation. Besides, in practice when using NBF-based filtering, we do not need to explicitly find possible attacks to find  $U$  at each turn. Instead, following the Q-filter in the Hamilton-Jacobian reachability Fisac et al. (2019); Li et al. (2025), we directly adopt safety predictor as Q-filter to filter out unsafe query. The reason why we introduce the worst-case query in Equation (9) is to theoretically bridge the barrier function with the Q-filter (safety filter here). An example of Crescendo attack (Russinovich et al., 2024) can be found in Figure 4, where  $h(x_{k-1}, u_k)$  serves as a safety index to filter out the adversarial harmful query.

## 5 Experiments

In this section, we aim to answer two questions: How does the proposed NBF-based safety steering perform as a defense method against different multi-turn LLM jailbreaking attacks on different LLMs? How is the

LLMs LLMs w/ steering	Attack Success Rate (ASR, ↓)			Helpfulness (↑)	Over-Refusal (↓)
	ActorAttack	Crescendo	Opposite-day	MTBench,1~10	XSTest
GPT-3.5-turbo	0.585	0.560	0.785	8.00	0.078
GPT-3.5-turbo + steering	0.040	0.235	0.375	7.59	0.078
GPT-4o	0.600	0.565	0.725	9.35	0.004
GPT-4o + steering	0.035	0.260	0.325	8.77	0.026
o1	0.510	0.445	0.530	9.22	0.039
o1 + steering	0.090	0.280	0.210	8.83	0.057
Claude 3.5 Sonnet	0.200	0.215	0.095	9.14	0.052
Claude 3.5 Sonnet + steering	0.040	0.120	0.045	8.61	0.074

Table 1: Safety, helpfulness and over-refusal of closed-source LLMs before and after NBF steering.

Attack Success Rate (ASR, ↓)		original	+ system prompt	+ LoRA SFT	+ NBF steering ( $\eta = 0$ )	+ NBF steering ( $\eta = 1e^{-3}$ )
llama-3-8b-instruct	ActorAttack	0.425	0.280	<u>0.070</u>	0.120	<b>0.040</b>
	Crescendo	0.450	0.335	<u>0.265</u>	0.360	<b>0.180</b>
	Opposite-day	0.405	<u>0.295</u>	0.440	0.310	<b>0.150</b>
Phi-4	ActorAttack	0.405	0.370	0.100	<u>0.080</u>	<b>0.015</b>
	Crescendo	0.380	0.380	<u>0.275</u>	0.285	<b>0.155</b>
	Opposite-day	0.330	0.495	<u>0.465</u>	<u>0.275</u>	<b>0.120</b>

Table 2: Multi-turn safety comparison with defense baselines, highlighting the **best** and the runner-up.

proposed method influenced by steering threshold and training losses in terms of both safety and helpfulness? We answer the first question in Section 5.2 and the second one in Section 5.3, following the experimental setup. More details and results can be found in Appendix B.

## 5.1 Experimental Setup

**Data collection and model training.** To collect adversarial conversation data and safety labels for model training, we first generate diverse multi-turn jailbreaking attacks (Ren et al., 2024; Russinovich et al., 2024; Li et al., 2024b) and responses of GPT-3.5-turbo based on training queries from Circuit Breakers (Zou et al., 2024). Following Ren et al. (2024), we adopt GPT-4o as the LLM safety judge (Qi et al., 2023) to obtain safety scores (1 ~ 5) as labels for each turn. Based on the collected multi-turn jailbreaking queries and responses, we first obtain the embeddings using the state-of-the-art pretrained embedding models `all-mpnet-base-v2` (Song et al., 2020; Reimers & Gurevych, 2019) (default) and `all-distilroberta-v1` (Sanh et al., 2019; Nikolaev & Padó, 2023), and use the embeddings to train the neural dialogue dynamics  $f_{\theta}, g_{\theta}$  based on Equation (4) for 200 epochs with Adam and learning rate  $1e^{-4}$ . We let the state dimension be 768, and  $f_{\theta}, g_{\theta}$  can be parameterized by 3-layer ReLU-based MLPs with the dimension shape of 1536-512-512-768. We then parameterize the safety predictor  $h$  using 3-layer ReLU-based MLPs with the dimension shape of 1536-32-32-5 based on the pretrained neural dialogue dynamics  $f_{\theta}, g_{\theta}$ . Given safety score labels, the predictor-based neural barrier function is learned based on Equations (6), (11) and (12) for 200 epochs with Adam and learning rate  $1e^{-3}$ . The steering threshold is  $\eta = 0$  and the number of non-invariant turns  $\kappa$  is 3 by default during model training.

**Evaluation and baselines.** We apply NBF-based safety steering on different LLMs, including GPT-3.5 (gpt-3.5-turbo-0125) (OpenAI, 2023), GPT-4o (gpt-4o-2024-08-06) (OpenAI, 2024a), o1 (o1-2024-12-17) (OpenAI, 2024b), Claude-3.5 (claude-3-5-sonnet-20241022) (Anthropic, 2024), Llama-3-8b-instruct and Llama-3.1-80b (Dubey et al., 2024), and Phi-4 (Abdin et al., 2024). We evaluate the defense performance against state-of-the-art multiturn jailbreaking attacks (ActorAttack (Ren et al., 2024), Crescendo (Russi-

Helpfulness and Over-Refusal Rate		original	+ system prompt	+ LoRA SFT	+ NBF steering ( $\eta = 0$ )	+ NBF steering ( $\eta = 1e^{-3}$ )
llama-3-8b-instruct	MMLU ( $\uparrow$ )	66.00	<b>65.66</b>	63.34	<u>64.52</u>	46.65
	MTBench ( $\uparrow$ )	7.96	<b>8.13</b>	7.52	<u>7.90</u>	7.42
	XSTest ( $\downarrow$ )	0.078	0.178	0.217	<b>0.087</b>	<u>0.096</u>
	JailbreakBench-Benign ( $\downarrow$ )	0.34	0.49	<b>0.34</b>	<u>0.4</u>	<u>0.4</u>
Phi-4	MMLU ( $\uparrow$ )	78.49	<b>78.67</b>	<u>76.77</u>	76.68	56.09
	MTBench ( $\uparrow$ )	8.23	<b>8.59</b>	8.06	<u>8.18</u>	7.76
	XSTest ( $\downarrow$ )	0.087	<b>0.052</b>	0.139	<u>0.087</u>	0.100
	JailbreakBench-Benign ( $\downarrow$ )	0.18	<b>0.17</b>	<u>0.22</u>	0.26	0.27

Table 3: Helpfulness and over-refusal comparison with baselines with the **best** and the runner-up.

F1 of prompt harmfulness detection ( $\uparrow$ )	Model Size	HarmBench	AegisSafetyTest	WildGuardTest
OpenAI Moderation	Unknown	0.096	0.319	0.121
ShieldGemma	2B	0.118	0.075	0.094
LLaMA Guard	7B	0.672	<u>0.741</u>	0.560
MPNet-based NBF (Ours)	115M	<u>0.811</u>	<b>0.748</b>	<u>0.572</u>
DistilRoBERTa-based NBF (Ours)	87M	<b>0.848</b>	0.740	<b>0.617</b>

Table 4: F1 score comparison of current guardrails and ours regarding prompt harmfulness detection.

novich et al., 2024), and Opposite-day (Li et al., 2024b)) based on Harmbench dataset (Mazeika et al., 2024; Ren et al., 2024), using Attack Success Rate (ASR) metric as the ratio of successful jailbreaks judged by GPT-4o (Qi et al., 2023) following Ren et al. (2024) over all harmful queries. All temperatures are set to be 0.7. Besides, we evaluate the helpfulness using MMLU (Hendrycks et al., 2020) and MTBench (Zheng et al., 2023), where MMLU assesses a model’s general knowledge across various subjects and reports the percentage of accuracy, while MTBench specifically evaluates an LLM’s ability to handle multi-turn conversations in dialogue scenarios with scores from 1 to 10. We further compare the over-refusal rate (refused queries over all) on XSTest Röttger et al. (2024) and the benign behaviors of JailbreakBench Chao et al. (2024), showing how conservative the proposed NBF-based steering will be under benign queries directly related to safety. We implement two defense baselines in open-source LLMs: supervised fine-tuning (SFT) with LoRA (Hu et al., 2021; Zheng et al., 2024) and prompt-based steering from Llama-2-Chat (Llama-2-Chat, 2023; Touvron et al., 2023). Additionally, for a fair comparison with other filtering-based LLM guardrails, we compare ours with the lightweight baseline guardrails of OpenAI Moderation (Markov et al., 2023), ShieldGemma (Zeng et al., 2024) and LLaMA Guard (Inan et al., 2023), and report the F1 score of the prompt harmfulness detection (Liu et al., 2025) under HarmBench (Mazeika et al., 2024), AegisSafetyTest (Ghosh et al., 2024) and WildGuardTest (Han et al., 2024). More results of latest models and over-refusal comparison (over PHTest An et al. (2024)) with more post-training alignment (DPO Rafailov et al. (2023), KTO Ethayarajh et al.) can be found in Appendix B.2.

## 5.2 Result Comparison regarding Safety and Helpfulness on Multiple LLMs

**Multi-turn attack comparison.** From Table 1, we can see that our proposed NBF-based steering with threshold  $\eta = 1e^{-3}$  can significantly reduce ASR against all multi-turn jailbreaking attacks on different LLMs, showing the effectiveness and strong generalizability of the proposed neural dialogue dynamics and barrier function to unseen LLMs. Compared to the defense baselines of prompt-based steering and LoRA SFT in Table 2, our steering defense has the lowest ASR under the threshold  $\eta = 1e^{-3}$ . Notably, LoRA SFT can even lead to a higher ASR due to the presence of benign data in the fine-tuning process, which is consistent with the findings of Qi et al. (2023); He et al. (2024); Qi et al. (2025).




Figure 5: Trade-off between attack success rate (lower better) by ActorAttack and MTBench helpfulness (higher better) on Llama-3-8b-instruct and Phi-4. The blue line indicates the Pareto front.

**Generalizability over unseen multi-turn attacks.** To evaluate the generalizability of our steering method, we further train the safety predictor with fewer attack methods, and test and compare ASR of these unseen attack methods and MTBench score with the SFT baseline. From the tables below, we can see that even though the NBF is trained without ActorAttack and Opposite-day attack data, our safety predictor can generalize better to these unseen attacks and yield a better trade-off of utility compared to the SFT method.

Attack success rate and helpfulness	Llama3-8b-instruct			Phi-4		
	original	+ SFT	+ steering	original	+ SFT	+ steering
ActorAttack	0.425	0.180	<b>0.175</b>	0.405	0.160	<b>0.155</b>
Opposite-day	0.405	0.210	<b>0.150</b>	0.330	0.210	<b>0.150</b>
MTBench	7.96	7.54	<b>7.80</b>	8.23	7.92	<b>7.93</b>

Table 5: Generalizability of models trained without ActorAttack and Opposite-day.

**Helpfulness and over-refusal comparison.** We compare the helpfulness and over-refusal in Tables 1 and 3 to show the trade-off caused by safety steering. In Table 3, it can be seen that the prompt-based steering can contribute to helpfulness while other defense methods tend to slightly compromise helpfulness. Specifically, our steering with threshold  $\eta = 0$  is more helpful than LoRA SFT. Although a stronger steering with threshold  $\eta = 1e^{-3}$  will cause a larger drop in MMLU due to filtering out unseen general knowledge without context, it still maintains satisfactory multi-turn conversation ability with low over-refusal rate over MTBench and XSTest in Tables 1 and 3.

**Comparison of prompt harmfulness detection.** From Table 4, it can be seen that the proposed NBF-based safety filtering outperforms the baselines in all three benchmarks. Specifically, F1 scores of both MPNet-based and DistilRoBERTa-based NBF filtering are significantly higher than the others on HarmBench. Besides, our model sizes including different pretrained embedding models are significantly smaller than LLM guard baselines, validating the effectiveness of the proposed method as lightweight add-on post-training guardrails.

### 5.3 Ablation Study

**Steering trade-off under different steering thresholds  $\eta$ .** Since the size of safe set  $\mathcal{X}_k$  is controlled by the steering threshold  $\eta > 0$  in Equation (7), the larger  $\eta$  is, the stronger safety steering will be. From Figure 5, we can see the Perato front induced by the steering threshold, showing the trade-off between helpfulness and safety. With the additional safe system prompt, LLMs can be safer and more helpful, but

LLMs	$\mathcal{L}_{SS}$	$\mathcal{L}_{SI}$	Embedding	Attack Success Rate (ASR, ↓)			Helpfulness (↑)		Over-refusal Rate(↓)	
				ActorAttack	Crescendo	Opposite-day	MMLU	MTBench	XSTest	JailbreakBench
GPT-3.5-turbo	✓	×	MPNet	0.385	0.555	0.705	<u>67.64</u>	7.68	0.130	0.27
	×	✓	MPNet	<u>0.205</u>	0.555	0.740	<b>67.79</b>	<b>8.01</b>	<u>0.126</u>	<b>0.22</b>
	✓	✓	MPNet	<b>0.135</b>	<u>0.430</u>	<u>0.655</u>	66.24	<u>7.93</u>	<b>0.078</b>	0.30
	✓	✓	DistilRoBERTa	0.240	<b>0.375</b>	<b>0.505</b>	57.08	7.46	0.148	<u>0.24</u>
Llama-3-8b-instruct	✓	×	MPNet	0.245	0.385	0.370	<u>65.80</u>	7.66	0.165	0.38
	×	✓	MPNet	0.175	0.470	<u>0.310</u>	<b>65.96</b>	<b>7.97</b>	<u>0.109</u>	<b>0.32</b>
	✓	✓	MPNet	<b>0.120</b>	<u>0.360</u>	<u>0.310</u>	64.52	<u>7.90</u>	<b>0.104</b>	0.40
	✓	✓	DistilRoBERTa	<u>0.135</u>	<b>0.270</b>	<b>0.115</b>	55.58	7.50	0.143	<u>0.37</u>

Table 6: Effectiveness of the proposed safe set loss  $\mathcal{L}_{SS}$  in Equation (11) and safe invariance loss  $\mathcal{L}_{SI}$  in Equation (12) with different pretrained embedding models under filtering threshold  $\eta = 0$ .

LLMs	$\kappa$ non-invariant turns in eq. (12)	Attack Success Rate (ASR, ↓)			Helpfulness (↑)	
		ActorAttack	Crescendo	Opposite-day	MMLU	MTBench
GPT-3.5-turbo, steering	$\kappa = 2$	0.445	0.540	0.735	<b>67.75</b>	<b>8.04</b>
	$\kappa = 4$	0.195	0.455	<b>0.550</b>	63.44	7.57
	$\kappa = 3$ (default)	<b>0.135</b>	<b>0.430</b>	0.655	66.24	7.93
Llama-3-8b-instruct, steering	$\kappa = 2$	0.335	0.435	0.300	<b>65.92</b>	<b>8.01</b>
	$\kappa = 4$	0.160	<b>0.275</b>	<b>0.280</b>	61.65	7.50
	$\kappa = 3$ (default)	<b>0.120</b>	0.360	0.310	64.52	7.90

Table 7: Results with different numbers of non-invariant turns  $\kappa$  in safe invariance loss  $\mathcal{L}_{SI}$  in Equation (12) under safety steering threshold  $\eta = 0$ .

the attack success rate is still high. Compared to LoRA SFT, the proposed safety steering has a better trade-off and flexibility, being either more helpful given safety or safer given helpfulness.

**Effectiveness of safe set loss  $\mathcal{L}_{SS}$  and safety invariance loss  $\mathcal{L}_{SI}$ .** We compare the steering performance of safety and helpfulness based on NBF trained without either safe set loss  $\mathcal{L}_{SS}$  of Equation (11) or safety invariance loss  $\mathcal{L}_{SI}$  Equation (12) in Table 6 under safety steering threshold  $\eta = 0$ . We can find that with respect to safety, ablating  $\mathcal{L}_{SS}$  or  $\mathcal{L}_{SI}$  will mostly increase ASR, showing that these two proposed losses are essential to train neural barrier functions. As a trade-off, adding  $\mathcal{L}_{SS}$  or  $\mathcal{L}_{SI}$  will slightly hurt single-turn MMLU helpfulness, while multi-turn helpfulness on MTBench will be better with safety invariance loss  $\mathcal{L}_{SI}$ .

**Influence of different pretrained embeddings.** Since our neural dialogue dynamics and barrier function are based on pretrained language embedding models, we compare the results under different pretrained embeddings in Tables 4 and 6. Although the model size of DistilRoBERTa-based NBF is smaller, it induces more aggressive safety boundary in the embedding space, resulting in lower ASR against multi-turn attacks and larger over-refusal rate on XSTest in Table 6, and better prompt harmfulness detection performance in Table 4. In contrast, MPNet-based NBF gives better trade-off between safety and helpfulness, which provides more flexibility with different filtering thresholds.

**Influence of  $\kappa$  non-invariant turns in safety invariance loss  $\mathcal{L}_{SI}$ .** In Table 7, we show the steering results with neural barrier functions trained with different  $\kappa$  non-invariant turns in safety invariance loss  $\mathcal{L}_{SI}$  of Equation (12). Since the real non-invariant turns in multi-turn jailbreaking attacks are unknown, empirically  $\kappa = 3$  mostly results in the best safety steering trade-off, where helpfulness will be higher if  $\kappa$  is smaller while steering will likely be stronger with larger  $\kappa$ . But if  $\kappa$  is infinite, it will be degraded to the case without the safety invariance loss  $\mathcal{L}_{SI}$  in Table 6.

## 6 Conclusion

We introduce a control-theoretic safety steering framework that enforces dynamically invariant safety in multi-turn LLM interactions. By modeling dialogue dynamics through state-space representations and leveraging a neural barrier function, our approach detects and filters harmful queries, ensuring that conversations remain within a safety invariance set at each turn. Through extensive experiments across multiple LLMs, we demonstrated that our method outperforms safety alignment techniques with a better trade-off of safety and helpfulness.

### Broader Impact Statement

In this section, we show the broader impact on both positive and negative sides. On the positive side, our approach addresses a critical vulnerability in current AI systems by providing stronger safeguards against multi-turn jailbreak attacks that gradually steer conversations toward harmful outputs, potentially reducing the risk of AI systems being exploited to generate dangerous content such as instructions for illegal activities, hate speech, or misinformation. The generalizability of our method across different LLMs and its lightweight implementation make it practically valuable for improving AI safety at scale. However, there are several concerns that practitioners and deployers should consider: the method may lead to over-cautious filtering that reduces model helpfulness, particularly affecting legitimate use cases that involve sensitive but non-harmful topics. Additionally, while our method demonstrates improved safety-helpfulness trade-offs, the fundamental challenge of defining appropriate safety boundaries remains, and overly restrictive implementations could limit legitimate research, education, or creative applications, potentially restricting beneficial uses of AI technology. Besides, the reliance on safety judges and embedding models introduces potential biases that could disproportionately affect certain topics, where hackers may develop new attack strategies specifically designed to circumvent our proposed barrier function-based defenses.

### Acknowledgments

This work is partially supported by the National Science Foundation, Grant No. 2144489.

### References

- Marah Abdin, Jyoti Aneja, Harkirat Behl, Sébastien Bubeck, Ronen Eldan, Suriya Gunasekar, Michael Harrison, Russell J Hewett, Mojan Javaheripi, Piero Kauffmann, et al. Phi-4 technical report. *arXiv preprint arXiv:2412.08905*, 2024.
- Aaron D Ames, Jessy W Grizzle, and Paulo Tabuada. Control barrier function based quadratic programs with application to adaptive cruise control. In *53rd IEEE conference on decision and control*, pp. 6271–6278. IEEE, 2014.
- Aaron D Ames, Samuel Coogan, Magnus Egerstedt, Gennaro Notomista, Koushil Sreenath, and Paulo Tabuada. Control barrier functions: Theory and applications. In *2019 18th European control conference (ECC)*, pp. 3420–3431. IEEE, 2019.
- Bang An, Sicheng Zhu, Ruiyi Zhang, Michael-Andrei Panaitescu-Liess, Yuancheng Xu, and Furong Huang. Automatic pseudo-harmful prompt generation for evaluating false refusals in large language models. *arXiv preprint arXiv:2409.00598*, 2024.
- Maksym Andriushchenko, Francesco Croce, and Nicolas Flammarion. Jailbreaking leading safety-aligned llms with simple adaptive attacks. *arXiv preprint arXiv:2404.02151*, 2024.
- Anthropic. Claude-3.5-sonnet, 2024. URL [https://www-cdn.anthropic.com/fed9cc193a14b84131812372d8d5857f8f304c52/Model\\_Card\\_Claude\\_3\\_Addendum.pdf](https://www-cdn.anthropic.com/fed9cc193a14b84131812372d8d5857f8f304c52/Model_Card_Claude_3_Addendum.pdf).
- Anthropic. Claude sonnet 4.5 system card, 2025.

- Usman Anwar, Abulhair Saparov, Javier Rando, Daniel Paleka, Miles Turpin, Peter Hase, Ekdeep Singh Lubana, Erik Jenner, Stephen Casper, Oliver Sourbut, et al. Foundational challenges in assuring alignment and safety of large language models. *arXiv preprint arXiv:2404.09932*, 2024.
- Andy Arditi, Oscar Obeso, Aaquib Syed, Daniel Paleka, Nina Panickssery, Wes Gurnee, and Neel Nanda. Refusal in language models is mediated by a single direction. *arXiv preprint arXiv:2406.11717*, 2024.
- Andrea Bajcsy and Jaime F Fisac. Human-ai safety: A descendant of generative ai and control systems safety. *arXiv preprint arXiv:2405.09794*, 2024.
- Amrita Bhattacharjee, Shaona Ghosh, Traian Rebedea, and Christopher Parisien. Towards inference-time category-wise safety steering for large language models. *arXiv preprint arXiv:2410.01174*, 2024.
- Nicholas Boffi, Stephen Tu, Nikolai Matni, Jean-Jacques Slotine, and Vikas Sindhvani. Learning stability certificates from data. In *Conference on Robot Learning*, pp. 1341–1350. PMLR, 2021.
- Kwan Ho Ryan Chan, Yuyan Ge, Edgar Dobriban, Hamed Hassani, and René Vidal. Conformal information pursuit for interactively guiding large language models. *arXiv preprint arXiv:2507.03279*, 2025.
- Ya-Chien Chang, Nima Roohi, and Sicun Gao. Neural lyapunov control. *Advances in neural information processing systems*, 32, 2019.
- Patrick Chao, Alexander Robey, Edgar Dobriban, Hamed Hassani, George J Pappas, and Eric Wong. Jailbreaking black box large language models in twenty queries. *arXiv preprint arXiv:2310.08419*, 2023.
- Patrick Chao, Edoardo Debenedetti, Alexander Robey, Maksym Andriushchenko, Francesco Croce, Vikash Sehwal, Edgar Dobriban, Nicolas Flammarion, George J Pappas, Florian Tramèr, et al. Jailbreakbench: An open robustness benchmark for jailbreaking large language models. *Advances in Neural Information Processing Systems*, 37:55005–55029, 2024.
- Huixuan Cheng, Hanjiang Hu, and Changliu Liu. Robust tracking control with neural network dynamic models under input perturbations. *arXiv preprint arXiv:2410.10387*, 2024.
- John Cherian, Isaac Gibbs, and Emmanuel Candes. Large language model validity via enhanced conformal prediction methods. *Advances in Neural Information Processing Systems*, 37:114812–114842, 2024.
- Jeremy Cohen, Elan Rosenfeld, and Zico Kolter. Certified adversarial robustness via randomized smoothing. In *international conference on machine learning*, pp. 1310–1320. PMLR, 2019.
- Bolun Dai, Prashanth Krishnamurthy, and Farshad Khorrami. Learning a better control barrier function. In *2022 IEEE 61st Conference on Decision and Control (CDC)*, pp. 945–950. IEEE, 2022.
- Charles Dawson, Zengyi Qin, Sicun Gao, and Chuchu Fan. Safe nonlinear control using robust neural lyapunov-barrier functions. In *Conference on Robot Learning*, pp. 1724–1735. PMLR, 2022.
- Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-Dahle, Aiesha Letman, Akhil Mathur, Alan Schelten, Amy Yang, Angela Fan, et al. The llama 3 herd of models. *arXiv preprint arXiv:2407.21783*, 2024.
- Kawin Ethayarajh, Winnie Xu, Niklas Muennighoff, Dan Jurafsky, and Douwe Kiela. Kto: Model alignment as prospect theoretic optimization, 2024. URL <https://arxiv.org/abs/2402.01306>.
- Jaime F Fisac, Neil F Lugovoy, Vicenç Rubies-Royo, Shromona Ghosh, and Claire J Tomlin. Bridging hamilton-jacobi safety analysis and reinforcement learning. In *2019 International Conference on Robotics and Automation (ICRA)*, pp. 8550–8556. IEEE, 2019.
- Joao Fonseca, Andrew Bell, and Julia Stoyanovich. Safeguarding large language models in real-time with tunable safety-performance trade-offs. *arXiv preprint arXiv:2501.02018*, 2025.
- Simon Geisler, Tom Wollschläger, MHI Abdalla, Johannes Gasteiger, and Stephan Günnemann. Attacking large language models with projected gradient descent. *arXiv preprint arXiv:2402.09154*, 2024.

- Shaona Ghosh, Prasoon Varshney, Erick Galinkin, and Christopher Parisien. Aegis: Online adaptive ai content safety moderation with ensemble of llm experts. *arXiv preprint arXiv:2404.05993*, 2024.
- Junwoo Ha, Hyunjun Kim, Sangyoon Yu, Haon Park, Ashkan Yousefpour, Yuna Park, and Suhyun Kim. One-shot is enough: Consolidating multi-turn attacks into efficient single-turn prompts for llms. *arXiv preprint arXiv:2503.04856*, 2025.
- Seungju Han, Kavel Rao, Allyson Ettinger, Liwei Jiang, Bill Yuchen Lin, Nathan Lambert, Yejin Choi, and Nouha Dziri. Wildguard: Open one-stop moderation tools for safety risks, jailbreaks, and refusals of llms. *arXiv preprint arXiv:2406.18495*, 2024.
- Luxi He, Mengzhou Xia, and Peter Henderson. What’s in your " safe " data?: Identifying benign data that breaks safety. *arXiv preprint arXiv:2404.01099*, 2024.
- Dan Hendrycks, Collin Burns, Steven Basart, Andy Zou, Mantas Mazeika, Dawn Song, and Jacob Steinhardt. Measuring massive multitask language understanding. *arXiv preprint arXiv:2009.03300*, 2020.
- Sylvia Herbert, Jason J Choi, Suvansh Sanjeev, Marsalis Gibson, Koushil Sreenath, and Claire J Tomlin. Scalable learning of safety guarantees for autonomous systems using hamilton-jacobi reachability. In *2021 IEEE International Conference on Robotics and Automation (ICRA)*, pp. 5914–5920. IEEE, 2021.
- Edward J Hu, Yelong Shen, Phillip Wallis, Zeyuan Allen-Zhu, Yuanzhi Li, Shean Wang, Lu Wang, and Weizhu Chen. Lora: Low-rank adaptation of large language models. *arXiv preprint arXiv:2106.09685*, 2021.
- Hanjiang Hu, Jianglin Lan, and Changliu Liu. Real-time safe control of neural network dynamic models with sound approximation. In *6th Annual Learning for Dynamics & Control Conference*. PMLR, 2024a.
- Hanjiang Hu, Yujie Yang, Tianhao Wei, and Changliu Liu. Verification of neural control barrier functions with symbolic derivative bounds propagation. In *8th Annual Conference on Robot Learning*, 2024b.
- Hakan Inan, Kartikeya Upasani, Jianfeng Chi, Rashi Rungta, Krithika Iyer, Yuning Mao, Michael Tontchev, Qing Hu, Brian Fuller, Davide Testuggine, et al. Llama guard: Llm-based input-output safeguard for human-ai conversations. *arXiv preprint arXiv:2312.06674*, 2023.
- Yifan Jiang, Kriti Aggarwal, Tanmay Laud, Kashif Munir, Jay Pujara, and Subhabrata Mukherjee. Red queen: Safeguarding large language models against concealed multi-turn jailbreaking. *arXiv preprint arXiv:2409.17458*, 2024.
- Mintong Kang and Bo Li.  $r^2$ -guard: Robust reasoning enabled llm guardrail via knowledge-enhanced logical reasoning. *arXiv preprint arXiv:2407.05557*, 2024.
- Lingkai Kong, Haorui Wang, Wenhao Mu, Yuanqi Du, Yuchen Zhuang, Yifei Zhou, Yue Song, Rongzhi Zhang, Kai Wang, and Chao Zhang. Aligning large language models with representation editing: A control perspective. *arXiv preprint arXiv:2406.05954*, 2024.
- Jiaxing Li, Hanjiang Hu, Yujie Yang, and Changliu Liu. Verifiable safety q-filters via hamilton-jacobi reachability and multiplicative q-networks. *IEEE Control Systems Letters*, 9:2229–2234, 2025. doi: 10.1109/LCSYS.2025.3608213.
- Kenneth Li, Oam Patel, Fernanda Viégas, Hanspeter Pfister, and Martin Wattenberg. Inference-time intervention: Eliciting truthful answers from a language model. *Advances in Neural Information Processing Systems*, 36, 2024a.
- Nathaniel Li, Ziwen Han, Ian Steneker, Willow Primack, Riley Goodside, Hugh Zhang, Zifan Wang, Cristina Menghini, and Summer Yue. Llm defenses are not robust to multi-turn human jailbreaks yet. *arXiv preprint arXiv:2408.15221*, 2024b.
- Xiao Li, Yutong Li, Anouck Girard, and Ilya Kolmanovsky. System-level safety guard: Safe tracking control through uncertain neural network dynamics models. *arXiv preprint arXiv:2312.06810*, 2023.

- Lars Lindemann, Haimin Hu, Alexander Robey, Hanwen Zhang, Dimos Dimarogonas, Stephen Tu, and Nikolai Matni. Learning hybrid control barrier functions from data. In *Conference on Robot Learning*, pp. 1351–1370. PMLR, 2021.
- Changliu Liu and Masayoshi Tomizuka. Control in a safe set: Addressing safety in human-robot interactions. In *Dynamic Systems and Control Conference*, volume 46209, pp. V003T42A003. American Society of Mechanical Engineers, 2014.
- Tian Yu Liu, Stefano Soatto, Matteo Marchi, Pratik Chaudhari, and Paulo Tabuada. Meanings and feelings of large language models: Observability of latent states in generative ai. *arXiv preprint arXiv:2405.14061*, 2024a.
- Xiao Liu, Liangzhi Li, Tong Xiang, Fuying Ye, Lu Wei, Wangyue Li, and Noa Garcia. Imposter. ai: Adversarial attacks with hidden intentions towards aligned large language models. *arXiv preprint arXiv:2407.15399*, 2024b.
- Xiaogeng Liu, Nan Xu, Muhao Chen, and Chaowei Xiao. Autodan: Generating stealthy jailbreak prompts on aligned large language models. *arXiv preprint arXiv:2310.04451*, 2023a.
- Xiaogeng Liu, Peiran Li, Edward Suh, Yevgeniy Vorobeychik, Zhuoqing Mao, Somesh Jha, Patrick McDaniel, Huan Sun, Bo Li, and Chaowei Xiao. Autodan-turbo: A lifelong agent for strategy self-exploration to jailbreak llms. *arXiv preprint arXiv:2410.05295*, 2024c.
- Yue Liu, Hongcheng Gao, Shengfang Zhai, Jun Xia, Tianyi Wu, Zhiwei Xue, Yulin Chen, Kenji Kawaguchi, Jiaheng Zhang, and Bryan Hooi. Guardreasoner: Towards reasoning-based llm safeguards. *arXiv preprint arXiv:2501.18492*, 2025.
- Ziang Liu, Gengeng Zhou, Jeff He, Tobia Marcucci, Li Fei-Fei, Jiajun Wu, and Yunzhu Li. Model-based control with sparse neural dynamics. In *Thirty-seventh Conference on Neural Information Processing Systems*, 2023b.
- Llama-2-Chat. Prompt template: Llama-2-chat, 2023. URL <https://huggingface.co/TheBloke/Llama-2-7B-Chat-GGML#prompt-template-llama-2-chat>.
- Xiaoya Lu, Dongrui Liu, Yi Yu, Luxin Xu, and Jing Shao. X-boundary: Establishing exact safety boundary to shield llms from multi-turn jailbreaks without compromising usability. *arXiv preprint arXiv:2502.09990*, 2025.
- Lakshmidheepakreddy Manda, Shaoru Chen, and Mahyar Fazlyab. Learning performance-oriented control barrier functions under complex safety constraints and limited actuation. *arXiv preprint arXiv:2401.05629*, 2024.
- Todor Markov, Chong Zhang, Sandhini Agarwal, Florentine Eloundou Nekoul, Theodore Lee, Steven Adler, Angela Jiang, and Lilian Weng. A holistic approach to undesired content detection in the real world. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 37, pp. 15009–15018, 2023.
- Frederik Baymler Mathiesen, Simeon C Calvert, and Luca Laurenti. Safety certification for stochastic systems via neural barrier functions. *IEEE Control Systems Letters*, 7:973–978, 2022.
- Mantas Mazeika, Long Phan, Xuwang Yin, Andy Zou, Zifan Wang, Norman Mu, Elham Sakhaee, Nathaniel Li, Steven Basart, Bo Li, et al. Harmbench: A standardized evaluation framework for automated red teaming and robust refusal. *arXiv preprint arXiv:2402.04249*, 2024.
- Rayan Mazouz, Karan Muvvala, Akash Ratheesh Babu, Luca Laurenti, and Morteza Lahijanian. Safety guarantees for neural network dynamic systems via stochastic barrier functions. *Advances in Neural Information Processing Systems*, 35:9672–9686, 2022.
- Anay Mehrotra, Manolis Zampetakis, Paul Kassianik, Blaine Nelson, Hyrum Anderson, Yaron Singer, and Amin Karbasi. Tree of attacks: Jailbreaking black-box llms automatically. *arXiv preprint arXiv:2312.02119*, 2023.

- Yuya Miyaoka and Masaki Inoue. Cbf-llm: Safe control for llm alignment. *arXiv preprint arXiv:2408.15625*, 2024.
- Dmitry Nikolaev and Sebastian Padó. Representation biases in sentence transformers. *arXiv preprint arXiv:2301.13039*, 2023.
- OpenAI. Usage policies, 2022. URL <https://openai.com/policies/usage-policies/>. Accessed: 2025-02-20.
- OpenAI. Gpt-3.5 turbo, 2023. URL <https://platform.openai.com/docs/models/gpt-3-5-turbo#gpt-3-5-turbo>.
- OpenAI. Gpt-4o system card, 2024a. URL <https://openai.com/index/gpt-4o-system-card>. 2024a.
- OpenAI. Openai o1 system card, 2024b. URL <https://cdn.openai.com/o1-system-card-20240917.pdf>. 2024b.
- OpenAI. Gpt-5 system card, 2025.
- Maya Pavlova, Erik Brinkman, Krithika Iyer, Vitor Albiero, Joanna Bitton, Hailey Nguyen, Joe Li, Cristian Canton Ferrer, Ivan Evtimov, and Aaron Grattafiori. Automated red teaming with goat: the generative offensive agent tester. *arXiv preprint arXiv:2410.01606*, 2024.
- Xiangyu Qi, Yi Zeng, Tinghao Xie, Pin-Yu Chen, Ruoxi Jia, Prateek Mittal, and Peter Henderson. Fine-tuning aligned language models compromises safety, even when users do not intend to! *arXiv preprint arXiv:2310.03693*, 2023.
- Xiangyu Qi, Ashwinee Panda, Kaifeng Lyu, Xiao Ma, Subhrajit Roy, Ahmad Beirami, Prateek Mittal, and Peter Henderson. Safety alignment should be made more than just a few tokens deep. In *The Thirteenth International Conference on Learning Representations*, 2025. URL <https://openreview.net/forum?id=6Mxhg9PtDE>.
- Rafael Rafailov, Archit Sharma, Eric Mitchell, Christopher D Manning, Stefano Ermon, and Chelsea Finn. Direct preference optimization: Your language model is secretly a reward model. *Advances in Neural Information Processing Systems*, 36:53728–53741, 2023.
- Nils Reimers and Iryna Gurevych. Sentence-bert: Sentence embeddings using siamese bert-networks. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing*, 2019.
- Qibing Ren, Hao Li, Dongrui Liu, Zhanxu Xie, Xiaoya Lu, Yu Qiao, Lei Sha, Junchi Yan, Lizhuang Ma, and Jing Shao. Derail yourself: Multi-turn llm jailbreak attack through self-discovered clues. *arXiv preprint arXiv:2410.10700*, 2024.
- Luke Rickard, Alessandro Abate, and Kostas Margellos. Data-driven neural certificate synthesis. *arXiv preprint arXiv:2502.05510*, 2025.
- Alexander Robey, Haimin Hu, Lars Lindemann, Hanwen Zhang, Dimos V Dimarogonas, Stephen Tu, and Nikolai Matni. Learning control barrier functions from expert demonstrations. In *2020 59th IEEE Conference on Decision and Control (CDC)*, pp. 3717–3724. IEEE, 2020.
- Alexander Robey, Eric Wong, Hamed Hassani, and George J Pappas. Smoothllm: Defending large language models against jailbreaking attacks. *arXiv preprint arXiv:2310.03684*, 2023.
- Alexander Robey, Zachary Ravichandran, Vijay Kumar, Hamed Hassani, and George J Pappas. Jailbreaking llm-controlled robots. *arXiv preprint arXiv:2410.13691*, 2024.
- Paul Röttger, Hannah Kirk, Bertie Vidgen, Giuseppe Attanasio, Federico Bianchi, and Dirk Hovy. Xstest: A test suite for identifying exaggerated safety behaviours in large language models. In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pp. 5377–5400, 2024.

- Mark Russinovich, Ahmed Salem, and Ronen Eldan. Great, now write an article about that: The crescendo multi-turn llm jailbreak attack. *arXiv preprint arXiv:2404.01833*, 2024.
- Victor Sanh, Lysandre Debut, Julien Chaumond, and Thomas Wolf. Distilbert, a distilled version of bert: smaller, faster, cheaper and lighter. *arXiv preprint arXiv:1910.01108*, 2019.
- Keyi Shen, Jiangwei Yu, Huan Zhang, and Yunzhu Li. Bab-nd: Long-horizon motion planning with branch-and-bound and neural dynamics. *arXiv preprint arXiv:2412.09584*, 2024.
- Oswin So, Zachary Serlin, Makai Mann, Jake Gonzales, Kwesi Rutledge, Nicholas Roy, and Chuchu Fan. How to train your neural control barrier function: Learning safety filters for complex input-constrained systems. *arXiv preprint arXiv:2310.15478*, 2023.
- Stefano Soatto, Paulo Tabuada, Pratik Chaudhari, and Tian Yu Liu. Taming ai bots: Controllability of neural states in large language models. *arXiv preprint arXiv:2305.18449*, 2023.
- Kaitao Song, Xu Tan, Tao Qin, Jianfeng Lu, and Tie-Yan Liu. MpNet: Masked and permuted pre-training for language understanding. *Advances in neural information processing systems*, 33:16857–16867, 2020.
- Lichao Sun, Yue Huang, Haoran Wang, Siyuan Wu, Qihui Zhang, Chujie Gao, Yixin Huang, Wenhan Lyu, Yixuan Zhang, Xiner Li, et al. Trustllm: Trustworthiness in large language models. *arXiv preprint arXiv:2401.05561*, 3, 2024.
- Ali Taheri, Alireza Taban, Sadegh Soudjani, and Ashutosh Trivedi. Barrierbench: Evaluating large language models for safety verification in dynamical systems. *arXiv preprint arXiv:2511.09363*, 2025.
- Terry Tong, Qin Liu, Jiashu Xu, and Muhao Chen. Securing multi-turn conversational language models from distributed backdoor attacks. In *Findings of the Association for Computational Linguistics: EMNLP 2024*, pp. 12833–12846, 2024.
- Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shruti Bhosale, et al. Llama 2: Open foundation and fine-tuned chat models. *arXiv preprint arXiv:2307.09288*, 2023.
- Fengxiang Wang, Ranjie Duan, Peng Xiao, Xiaojun Jia, YueFeng Chen, Chongwen Wang, Jialing Tao, Hang Su, Jun Zhu, and Hui Xue. Mrj-agent: An effective jailbreak agent for multi-round dialogue. *arXiv preprint arXiv:2411.03814*, 2024.
- Xinyu Wang, Luzia Knoedler, Frederik Baymler Mathiesen, and Javier Alonso-Mora. Simultaneous synthesis and verification of neural control barrier functions through branch-and-bound verification-in-the-loop training. *arXiv preprint arXiv:2311.10438*, 2023.
- Zhuoyuan Wang, Xiyu Deng, Hikaru Hoshino, and Yorie Nakahira. Online adaptive probabilistic safety certificate with language guidance. *arXiv preprint arXiv:2511.12431*, 2025.
- Alexander Wei, Nika Haghtalab, and Jacob Steinhardt. Jailbroken: How does llm safety training fail? *Advances in Neural Information Processing Systems*, 36, 2023.
- Tianhao Wei and Changliu Liu. Safe control with neural network dynamic models. In *Learning for Dynamics and Control Conference*, pp. 739–750. PMLR, 2022.
- Wei Xiao, Tsun-Hsuan Wang, Ramin Hasani, Makram Chahine, Alexander Amini, Xiao Li, and Daniela Rus. Barriernet: Differentiable control barrier functions for learning of safe robot control. *IEEE Transactions on Robotics*, 2023.
- Xikang Yang, Xuehai Tang, Songlin Hu, and Jizhong Han. Chain of attack: a semantic-driven contextual multi-turn attacker for llm. *arXiv preprint arXiv:2405.05610*, 2024.
- Erxin Yu, Jing Li, Ming Liao, Siqi Wang, Zuchen Gao, Fei Mi, and Lanqing Hong. Cosafe: Evaluating large language model safety in multi-turn dialogue coreference. *arXiv preprint arXiv:2406.17626*, 2024.

- Youliang Yuan, Wenxiang Jiao, Wenxuan Wang, Jen-tse Huang, Jiahao Xu, Tian Liang, Pinjia He, and Zhaopeng Tu. Refuse whenever you feel unsafe: Improving safety in llms via decoupled refusal training. *arXiv preprint arXiv:2407.09121*, 2024.
- Wojciech Zaremba, Evgenia Nitishinskaya, Boaz Barak, Stephanie Lin, Sam Toyer, Yaodong Yu, Rachel Dias, Eric Wallace, Kai Xiao, Johannes Heidecke, et al. Trading inference-time compute for adversarial robustness. *arXiv preprint arXiv:2501.18841*, 2025.
- Wenjun Zeng, Yuchi Liu, Ryan Mullins, Ludovic Peran, Joe Fernandez, Hamza Harkous, Karthik Narasimhan, Drew Proud, Piyush Kumar, Bhaktipriya Radharapu, et al. Shieldgemma: Generative ai content moderation based on gemma. *arXiv preprint arXiv:2407.21772*, 2024.
- Yuyou Zhang, Miao Li, William Han, Yihang Yao, Zhepeng Cen, and Ding Zhao. Safety is not only about refusal: Reasoning-enhanced fine-tuning for interpretable llm safety. *arXiv preprint arXiv:2503.05021*, 2025.
- Lianmin Zheng, Wei-Lin Chiang, Ying Sheng, Siyuan Zhuang, Zhanghao Wu, Yonghao Zhuang, Zi Lin, Zhuohan Li, Dacheng Li, Eric Xing, et al. Judging llm-as-a-judge with mt-bench and chatbot arena. *Advances in Neural Information Processing Systems*, 36:46595–46623, 2023.
- Yaowei Zheng, Richong Zhang, Junhao Zhang, Yanhan Ye, Zheyang Luo, Zhangchi Feng, and Yongqiang Ma. Llamafactory: Unified efficient fine-tuning of 100+ language models. *arXiv preprint arXiv:2403.13372*, 2024.
- Zhenhong Zhou, Jiuyang Xiang, Haopeng Chen, Quan Liu, Zherui Li, and Sen Su. Speak out of turn: Safety vulnerability of large language models in multi-turn dialogue. *arXiv preprint arXiv:2402.17262*, 2024.
- Vrushabh Zinage, Rohan Chandra, and Efstathios Bakolas. Neural differentiable integral control barrier functions for unknown nonlinear systems with input constraints. *arXiv preprint arXiv:2312.07345*, 2023.
- Andy Zou, Zifan Wang, Nicholas Carlini, Milad Nasr, J Zico Kolter, and Matt Fredrikson. Universal and transferable adversarial attacks on aligned language models. *arXiv preprint arXiv:2307.15043*, 2023.
- Andy Zou, Long Phan, Justin Wang, Derek Duenas, Maxwell Lin, Maksym Andriushchenko, J Zico Kolter, Matt Fredrikson, and Dan Hendrycks. Improving alignment and robustness with circuit breakers. In *The Thirty-eighth Annual Conference on Neural Information Processing Systems*, 2024.

## A Proofs

### A.1 Preliminary

Before the formal proofs of Theorem 4.2 and Corollary 4.2.1, we first restate the following definitions of invariant safety and neural barrier function.

**Definition A.1** (Invariant Safety in Multi-turn Conversation). *[restatement of Definition 3.1] Given a trajectory of user queries  $U_k \in \mathcal{S}$  and LLM responses  $Z_k \in \mathcal{S}, k = 1, 2, \dots, K$  and a user-specified safety region  $\mathcal{S}_0 \subset \mathcal{S}$ , the query context set  $\mathcal{S}_{context}^{(k)}$  is defined as all reasonable queries at turn  $k+1$  based on previous conversation context by turn  $k$ , drifting from random initial context  $\mathcal{S}_{context}^{(0)}$ . The LLM is invariantly safe (i.e., will not be jailbroken in drifting context) if there exists a safety invariance set  $\mathcal{S}_I \subset \mathcal{S}_0$  such that the following holds,*

$$\forall k = 1, 2, \dots, K, \forall Z_1, \dots, Z_k \in \mathcal{S}_I \Rightarrow Z_{k+1} \in \mathcal{S}_I, \forall U_{k+1} \in \mathcal{S}_{context}^{(k)}. \quad (13)$$

**Definition A.2** (Neural Barrier Function for Multi-turn Dialogue Dynamics). *[restatement of Definition 4.1] Given the safety predictor  $h : \mathbb{R}^m \times \mathbb{R}^n \rightarrow \mathbb{R}$  defined in Equation (5), denote the query context embedding set at turn  $k$  as  $\mathcal{U}_{k-1} := \{u \in \mathbb{R}^n \mid u = f_{embedding}(U), \forall U \in \mathcal{S}_{context}^{(k-1)}\}$ , and then the neural barrier function  $\phi_k : \mathbb{R}^m \rightarrow \mathbb{R}$  and the induced safe set  $\mathcal{X}_k \subset \mathbb{R}^m$  are defined as,*

$$\phi_k(x) := \max_{\hat{u}_k \in \mathcal{U}_{k-1}} h(x, \hat{u}_k) + \eta, \mathcal{X}_k := \{x \in \mathbb{R}^m \mid \phi_k(x) < 0\}, k = 1, \dots, K. \quad (14)$$

where state  $x$  follows Equation (3) and  $\eta \geq 0$  is the steering threshold w.r.t the safe set  $\mathcal{X}_k$ .

### A.2 Proof of Theorem 4.2

We present the following lemma to show the invariant safety condition indicated by neural barrier function at each turn.

**Lemma A.3.** *Given a multi-turn dialogue dynamics Equation (3) and neural barrier function defined in Definition A.2, suppose the LLM response  $Z_{k-1}$  is safe at any turn  $k > 1$ , i.e.,  $Z_{k-1} \in \mathcal{S}_0$ , it falls into the safety invariance set  $Z_{k-1} \in \mathcal{S}_I$  defined in Definition A.1 if  $\phi_k(x_{k-1}) < 0$  holds. Specifically,  $Z_1 \in \mathcal{S}_0$  if  $\phi_1(x_0) < 0$  at turn  $k = 1$  under random initial context  $\mathcal{S}_{context}^{(0)}$ .*

*Proof.* According to Definition A.2, we have

$$\phi_k(x_{k-1}) = \max_{\hat{u}_k \in \mathcal{U}_{k-1}} h(x_{k-1}, \hat{u}_k) + \eta < 0, \eta > 0 \quad (15)$$

$$\Rightarrow \forall \hat{u}_k \in \mathcal{U}_{k-1}, h(x_{k-1}, \hat{u}_k) < 0 \quad (16)$$

By Equation (5), it holds that

$$\forall \hat{u}_k \in \mathcal{U}_{k-1}, p(\hat{y}_k \notin \mathcal{Y}_{safe} \mid x_{k-1}, u_k) < \max_{y_k \in \mathcal{Y}_{safe}} p(\hat{y}_k = y_k \mid x_{k-1}, u_k) \quad (17)$$

$$\Rightarrow \forall U_k \in \mathcal{S}_{context}^{(k-1)}, y_k \in \mathcal{Y}_{safe} \quad (18)$$

Since the user-specified safe region  $\mathcal{S}_0$  is consistent with  $\mathcal{Y}_{safe}$ , we have

$$\Rightarrow \forall U_k \in \mathcal{S}_{context}^{(k-1)}, Z_k \in \mathcal{S}_0 \quad (19)$$

Therefore, when  $k = 1$ ,  $\phi_1(x_0) < 0$  gives  $\forall U_1 \in \mathcal{S}_{context}^{(0)}, Z_1 \in \mathcal{S}_0$ . When  $k > 1$ , by  $Z_{k-1} \in \mathcal{S}_0$  and the definition of  $\mathcal{S}_I$  in Definition A.1, we have  $Z_{k-1} \in \mathcal{S}_I$ , which concludes the proof.  $\square$

Now based on Lemma A.3, we can prove the invariant safety according to Definition A.1 given the conditions in Equation (20) of Theorem A.4.

**Theorem A.4** (Invariant Safety Certificate based on Neural Barrier Function). *[restatement of Theorem 4.2] Given the neural dialogue dynamics in Equation (3) and the query embeddings  $u_k, k = 1, 2, \dots, K$ , the LLM is invariantly safe according to Definition A.1 if the following inequality conditions hold,*

$$(\phi_k(x_{k-1}) < 0) \bigwedge \left( \max_{\hat{u}_k \in \mathcal{U}_{k-1}} \phi_{k+1}(f_\theta(x_{k-1}, \hat{u}_k)) < 0 \right), k = 1, 2, \dots, K, \quad (20)$$

where  $\phi_k$  is the NBF in Definition A.2 with query context embedding set  $\mathcal{U}_{k-1}$ .

*Proof.* Based on Lemma A.3 and  $\phi_k(x_{k-1}) < 0, k = 1, 2, \dots, K$ , we have  $Z_k \in \mathcal{S}_0$  and  $Z_{k-1} \in \mathcal{S}_I$ . To show the LLM is invariantly safe according to Definition A.1, it suffices if we can show  $Z_k \in \mathcal{S}_I, \forall U_k \in \mathcal{S}_{context}^{(k-1)}$  given  $Z_{k-1} \in \mathcal{S}_I, k = 2, \dots, K$ . Now denote  $u_k^* \in \mathcal{U}_{k-1}$  to maximize  $\phi_{k+1}(f_\theta(x_{k-1}, u_k^*))$ , so the worst-case state  $x_k^*$  at turn  $k$  can be found as follows,

$$x_k^* = f_\theta(x_{k-1}, u_k^*), u_k^* := \arg \max_{\hat{u}_k \in \mathcal{U}_{k-1}} \phi_{k+1}(f_\theta(x_{k-1}, \hat{u}_k)) \quad (21)$$

Therefore, we have

$$\max_{\hat{u}_k \in \mathcal{U}_{k-1}} \phi_{k+1}(f_\theta(x_{k-1}, \hat{u}_k)) < 0 \Leftrightarrow \phi_{k+1}(x_k^*) < 0 \quad (22)$$

Then according to Lemma A.3, the following condition holds,

$$\forall U_{k+1} \in \mathcal{S}_{context}^k, Z_{k+1} |_{x_k = x_k^*} \in \mathcal{S}_0 \quad (23)$$

Based on  $Z_k \in \mathcal{S}_0$ , we have the invariant safety as follows,

$$\forall \hat{u}_k \in \mathcal{U}_{k-1}, Z_k |_{x_k = f_\theta(x_{k-1}, \hat{u}_k)} \in \mathcal{S}_I \quad (24)$$

$$\Leftrightarrow \forall U_k \in \mathcal{S}_{context}^{(k-1)}, Z_k \in \mathcal{S}_I \quad (25)$$

which concludes the proof given  $Z_{k-1} \in \mathcal{S}_I$  by recurrently applying Equation (13) from  $k = 1$ .  $\square$

### A.3 Proof of Corollary 4.2.1

The proof of Corollary 4.2.1 is shown below by applying the adversarial conditions in Equation (26) for multi-turn jailbreaking attack conversations.

**Corollary A.4.1** (restatement of Corollary 4.2.1). *Suppose the query embedding  $u_k$  satisfies the following adversarial conditions,*

$$u_{k+1} = \arg \max_{u \in \mathcal{U}_k} h(x_k, u), u_k = \arg \max_{u \in \mathcal{U}_{k-1}} h(f_\theta(x_{k-1}, u), u_{k+1}), \text{ at each turn } k, \quad (26)$$

and the invariant safety conditions in Equation (20) are satisfied if the following conditions hold,

$$(h(x_{k-1}, u_k) < -\eta) \bigwedge (h(f_\theta(x_{k-1}, u_k), u_{k+1}) < -\eta), k = 1, 2, \dots, K - 1. \quad (27)$$

*Proof.* We first rewrite the adversarial conditions in Equation (26) as follows,

$$u_{k+1} = \arg \max_{u \in \mathcal{U}_k} h(x_k, u), k = 0, 1, \dots, K - 1, \quad (28)$$

$$u_k = \arg \max_{u \in \mathcal{U}_{k-1}} h(f_\theta(x_{k-1}, u), u_{k+1}), k = 1, \dots, K. \quad (29)$$

Based on Equation (28), we have  $u_k = \arg \max_{u \in \mathcal{U}_{k-1}} h(x_{k-1}, u)$ . Therefore, the following conditions are equivalent,

$$h(x_{k-1}, u_k) < -\eta \Leftrightarrow \phi_k(x_{k-1}) = \max_{u \in \mathcal{U}_{k-1}} h(x_{k-1}, u) + \eta < 0 \quad (30)$$

Then based on Equation (29), the following conditions are equivalent,

$$h(f_\theta(x_{k-1}, u_k), u_{k+1}) < -\eta \Leftrightarrow \max_{\hat{u}_k \in \mathcal{U}_{k-1}} h(f_\theta(x_{k-1}, \hat{u}_k), u_{k+1}) + \eta < 0 \quad (31)$$

Now apply Equation (28) to the conditions above, we have

$$\max_{\hat{u}_k \in \mathcal{U}_{k-1}} \max_{\hat{u}_{k+1} \in \mathcal{U}_k} h(f_\theta(x_{k-1}, \hat{u}_k), \hat{u}_{k+1}) + \eta < 0 \quad (32)$$

By the definition of neural barrier function in Equation (14), it holds that

$$\max_{\hat{u}_k \in \mathcal{U}_{k-1}} \phi_{k+1}(f_\theta(x_{k-1}, \hat{u}_k)) < 0 \quad (33)$$

Combining Equation (30) and Equation (33), Equation (20) in Theorem A.4 holds and the proof is concluded.  $\square$

## B Additional Experiments

### B.1 Experiment Setup Details

The training data is generated based on 1k samples of Circuit Breakers training dataset (Zou et al., 2024) and test data is based on 200 samples of Harmbench dataset (Mazeika et al., 2024), which are released by Ren et al. (2024) and have been filtered to avoid contamination. It is collected from 4 different multi-turn jailbreaking attack methods, with each single-turn query being the attack goal. There are 881 successful jailbreaking conversations among 1000 conversations using Acronym (Li et al., 2024b), 404 successful jailbreaking conversations among 1000 conversations using Crescendo (Rusinovich et al., 2024), 509 successful jailbreaking conversations among 1000 conversations using Opposite-day (Li et al., 2024b), and 460 successful jailbreaking conversations among 2327 conversations using ActorAttack (Ren et al., 2024). Note that the multi-turn jailbreaking attack method of Acronym (Li et al., 2024b) is involved in the training data to increase diversity but omitted during evaluation since it contains too many single-turn successful jailbreaking conversations. The unsafe score is 5 while the safe scores are 1~4 based on GPT-4o judge (Qi et al., 2023).

During the model training, we adopt the weighted sum of all the losses in Equations (4), (6), (11) and (12), where the weights are  $\lambda_{dyn} = 1$ ,  $\lambda_{CE} = 1$ ,  $\lambda_{SS} = 100$ ,  $\lambda_{SI} = 100$ . The threshold in model training is  $\eta = 0$  and it can be adjusted during the evaluation. The baselines of LoRA SFT are conducted on Llama-3-8b-instruct (Dubey et al., 2024) and Phi-4 (Abdin et al., 2024), as implemented in LLAMA-Factory (Zheng et al., 2024). LoRA SFT uses the same training queries as those used to train neural dialogue dynamics and barrier function, but the jailbreaking responses are replaced with rejective responses for safety alignment. The LoRA SFT uses the same training queries as ours but replaces jailbreaking responses with safety-aligned ones (Ren et al., 2024). Following Ren et al. (2024), LoRA models are trained with a learning rate of  $2e^{-4}$  for 3 epochs. During the safety steering evaluation, we keep the same total maximum of multi-turn attack trials as the original attacks, which is at most 8 turns of queries by default. If a rejective response is generated (e.g., "I'm sorry...") by LLMs but not detected by the neural barrier function, this turn will not count, and another attack query will be regenerated.

To evaluate the helpfulness of MMLU, due to the single-turn QA setting, we regard the system in-context prompts as additional pre-question turns to initialize the neural dialogue dynamics. Based on the original evaluation results from <https://github.com/openai/evals>, we conduct post-filtering to evaluate results after steering: If the safety score predicted by the barrier function is positive, this answer is considered to be wrong, whatever the original answer before steering is. For MTBench evaluation, when the neural barrier function predicts positive values, we replace the "non-safe" answer with *"I'm sorry, but I cannot provide information on that. It is important to prioritize safety and ethical considerations in our conversation. If you have any other questions on a different topic, feel free to ask!"*, followed by regular evaluation of MTBench. Regarding the prompt harmfulness detection, we classify the prompt as harmless if and only if the safety predictor gives a score of 1, and otherwise the result is harmful. All experiments are conducted on 4 A6000 Nvidia GPUs with 512G RAM.

### B.2 Additional Results

**Safety and Helpfulness for OpenAI models under different steering thresholds.** Table 8 Table 9 Table 8 and Table 9 illustrate the trade-off between safety and helpfulness for OpenAI models under different steering thresholds. It can be seen that applying steering significantly reduces the attack success rate (ASR) across all models and attack types, with stronger steering ( $\eta = 1e^{-3}$ ) offering the most robust defense. Multi-turn attacks like Opposite-day remain the most challenging, but steering effectively mitigates their impact. However, this improvement in safety comes at the cost of helpfulness, as seen in the decline of MMLU and MTBench scores. While moderate steering ( $\eta = 1e^{-4}$ ) maintains a reasonable balance, aggressive steering leads to a noticeable drop in factual knowledge performance, particularly in MMLU. This highlights the inherent trade-off: stronger defenses enhance robustness against adversarial prompts but may restrict the model's ability to provide useful and informative responses. The optimal choice of  $\eta$  depends on the application's tolerance for adversarial risks versus its need for maintaining helpfulness. Comparing the models, GPT-4o generally achieves the best balance between safety and helpfulness, showing strong

Attack Success Rate (ASR, ↓)		original	+ steering ( $\eta = 0$ )	+ steering ( $\eta = 1e^{-4}$ )	+ steering ( $\eta = 1e^{-3}$ )
GPT-3.5-turbo	ActorAttack	0.585	0.135	0.100	<b>0.040</b>
	Crescendo	0.560	0.430	0.425	<b>0.235</b>
	Opposite-day	0.785	0.655	0.595	<b>0.375</b>
GPT-4o	ActorAttack	0.600	0.210	0.190	<b>0.035</b>
	Crescendo	0.565	0.485	0.480	<b>0.260</b>
	Opposite-day	0.725	0.645	0.680	<b>0.325</b>
o1	ActorAttack	0.510	0.240	0.160	<b>0.090</b>
	Crescendo	0.445	0.425	0.415	<b>0.280</b>
	Opposite-day	0.530	0.475	0.460	<b>0.210</b>

Table 8: Attack Success Rate under OpenAI models under different steering thresholds.

Helpfulness (↑)		original	+ steering ( $\eta = 0$ )	+ steering ( $\eta = 1e^{-4}$ )	+ steering ( $\eta = 1e^{-3}$ )
GPT-3.5-turbo	MMLU	<b>67.83</b>	66.24	65.51	47.85
	MTBench	<b>8.00</b>	7.93	7.78	7.59
GPT-4o	MMLU	<b>87.04</b>	85.08	84.12	62.69
	MTBench	<b>9.35</b>	9.23	9.19	8.77
o1	MMLU	<b>78.54</b>	76.80	76.01	56.35
	MTBench	<b>9.22</b>	9.17	9.14	8.83

Table 9: Helpfulness under OpenAI models with different steering thresholds.

robustness while retaining relatively high performance in helpfulness benchmarks, whereas GPT-3.5-turbo experiences the sharpest decline under strong steering. Model o1 exhibits intermediate behavior, benefiting from steering but still facing a trade-off between attack mitigation and response quality.

**Detailed safety-helpfulness trade-off on different turns under open-source LLMs.** Figure 7 illustrates the trade-off between attack success rate (ASR) and MTBench helpfulness across different models (Llama-3-8b-instruct and Phi-4) under various safety interventions, including system prompts, LoRA SFT, and different levels of steering. Across both models, applying stronger steering ( $\eta$  increasing) effectively reduces ASR, confirming its role in enhancing robustness against ActorAttack. However, this compromises helpfulness, as seen in the downward trend of helpfulness scores with increasing steering intensity. The safe system prompt and LoRA SFT demonstrate alternative safety strategies, but they do not achieve the same level of robustness as strong steering. Comparing turns 1 and 2, ASR generally remains low with higher steering, but the helpfulness drop is more noticeable in turn 2, suggesting that longer interactions amplify the trade-off. Phi-4 appears to maintain slightly better helpfulness under steering compared to Llama-3-8b-instruct, indicating that model architecture and pre-training differences influence the safety-helpfulness balance. These results reinforce the fundamental challenge of balancing safety with user experience, where aggressive safety measures can degrade helpfulness, particularly in multi-turn settings.

**Generalizability over unseen multi-turn attacks.** We evaluate RedQueen (Jiang et al., 2024) attacks, which are not included in the training data and are used to test the generalizability of our safety steering to unseen attacks. From Figure 6, we can see that the proposed safety steering can reduce ASR under different turns of RedQueen attack under the filter threshold  $\eta = 1e^{-3}$ , validating the strong generalizability to unseen attacks under LLMs. With fewer turns per dialogue, the safety steering will have better results, especially under the unseen LLM dynamics Llama-3.1-80b (Dubey et al., 2024). We also evaluate our defense against recent work (Ha et al., 2025) on SafeMT\_ATTACK\_600 (Ren et al., 2024) and MHJ (Li et al., 2024b) datasets,

Latest LLMs by Dec 2025	ASR ↓ (ActorAttack)	ASR ↓ (Crescendo)	ASR ↓ (Opposite-day)	Over-refusal Rate (XSTest) ↓
GPT-5	0.355	0.350	0.325	0.052
GPT-5 + Safety Steering	0.040	0.150	0.105	0.122
Claude Sonnet 4.5	0.540	0.370	0.250	0.035
Claude Sonnet 4.5 + Safety Steering	0.110	0.300	0.135	0.074

Table 10: ASR and over-refusal rate of the latest models by Dec. 2025.




Figure 6: Generalizability of the proposed safety steering over unseen RedQueen multi-turn attacks.

which consolidates multi-turn attacks to single-turn attacks. Our NBF is trained using the Acronym attack data from <https://github.com/AIM-Intelligence/Automated-Multi-Turn-Jailbreaks>, with a default threshold of  $10^{-3}$ . Besides, we train the safety predictor without ActorAttack Ren et al. (2024), and compare ASR of these unseen attack methods and MTBench score with SFT baseline (trained with the same data without ActorAttack Ren et al. (2024)). From Table 11, we can see that even though with training data without ActorAttack, our results on unseen attack (ActorAttack) are still better than the SFT baseline and our results on MTBench can still beat the baseline as well, showing that our safety predictor can generalize well to unseen attacks and yield better trade-off of utility compared to SFT method.

Attack success rate and helpfulness	Llama3-8b-instruct			Phi-4		
	original	+ SFT	+ steering	original	+ SFT	+ steering
ActorAttack	0.425	0.120	<b>0.065</b>	0.405	0.085	<b>0.065</b>
MTBench	7.96	7.43	<b>7.67</b>	8.23	7.88	<b>7.94</b>

Table 11: Generalizability of models trained without ActorAttack.

**Trade-off of safety and over-refusal on the latest closed-source LLM models.** In Table 10, we have conducted additional experiments of the most recent GPT-5 OpenAI (2025) and Claude Sonnet 4.5 Anthropic (2025) models, regarding the attack success rate (ASR) and over-refusal rate to show the trade-off. It can be seen that even under the latest powerful models, the original ASR is pretty high while our steering can reduce it under multiple attack methods, without compromising the over-refusal rate too much over the benign data on XSTest dataset. The results further validate the effectiveness and generalizability of the proposed method on the more powerful and capable LLM models.

**Comparison of over-refusal rate with different post-training alignment baselines.** Since the suitable steering threshold  $\eta$  could be tricky to minimize trade-off of over-refusal. Therefore, we conducted

SafeMT_ATTACK_600	GPT-4o	Llama3-70b
Original	0.7129	0.6758
w/ steering	0.1542	0.1608
MHJ	GPT-4o	Llama3-70b
Original	0.7672	0.6299
w/ steering	0.2007	0.1746

Table 12: Attack success rate against consolidated single-turn attacks from multi-turn attacks.




Figure 7: Trade-off between attack success rate (lower better) by ActorAttack (Ren et al., 2024) and MT-Bench helpfulness (higher better) of turn 1 (left column) and turn 2 (left column).

additional experiments over-refusal problems under more fine-grained and wide-ranging steering thresholds with more post-training baselines. More specifically, we systematically evaluate the over-refusal rate on XSTest Röttger et al. (2024), JailbreakBench-Benign Chao et al. (2024), and PHTest-Harmless An et al. (2024) dataset with wide-range steering thresholds ( $\eta$ ) on llama3-8b-instruct and phi4. Regarding the defense baselines, in addition to LoRA-SFT post-training and prompt-based safety steering, we implement two human preference-based post-training multi-turn safety alignment baselines, LoRA DPO Rafailov et al. (2023) and LoRA KTO Ethayarajh et al., and compare them against over-refusal problems. From Table 13, we can see that under three over-refusal datasets, our steering will result in a higher over-refusal rate with larger  $\eta$ . But compared to the post-training alignment baselines, ours is more flexible and can achieve a better trade-off. With the threshold of  $\eta = 5e^{-4}$ , the over-refusal rate and ActorAttack ASR can be well balanced

compared to the baselines, which is consistent with results in Figure 5 and Table 15 regarding practical applicability.

llama3-8b-instruct	XSTest	JailbreakBench-Benign	PHTest-Harmless	ActorAttack ASR
Original	0.078	0.34	0.27	0.425
w/ system prompt	0.178	0.49	0.50	0.280
w/ SFT	0.237	0.34	0.44	0.070
w/ DPO	0.226	0.56	0.60	0.065
w/ KTO	0.100	0.40	0.32	0.305
w/ steering $\eta = 1e^{-4}$	0.087	0.40	0.31	0.075
w/ steering $\eta = 5e^{-4}$	0.096	0.40	0.32	0.055
w/ steering $\eta = 1e^{-3}$	0.096	0.41	0.35	0.040
w/ steering $\eta = 5e^{-3}$	0.117	0.43	0.38	0.025
w/ steering $\eta = 1e^{-2}$	0.130	0.43	0.40	0.020
w/ steering $\eta = 5e^{-2}$	0.243	0.47	0.47	0.000
phi-4	XSTest	JailbreakBench-Benign	PHTest-Harmless	ActorAttack ASR
Original	0.100	0.18	0.23	0.405
w/ system prompt	0.052	0.17	0.17	0.370
w/ SFT	0.139	0.22	0.24	0.100
w/ DPO	0.357	0.32	0.53	0.130
w/ KTO	0.117	0.22	0.31	0.270
w/ steering $\eta = 1e^{-4}$	0.087	0.26	0.29	0.060
w/ steering $\eta = 5e^{-4}$	0.096	0.26	0.32	0.030
w/ steering $\eta = 1e^{-3}$	0.100	0.27	0.33	0.015
w/ steering $\eta = 5e^{-3}$	0.148	0.28	0.33	0.015
w/ steering $\eta = 1e^{-2}$	0.189	0.30	0.44	0.010
w/ steering $\eta = 5e^{-2}$	0.337	0.36	0.42	0.010

Table 13: Comparison of over-refusal with post-training alignment baselines.

**Adaptive attack results based on synonymic queries.** We further investigate the adaptive multi-turn attacks given the neural barrier function, where each attack query is still generated from the existing attack method (Russinovich et al., 2024) but is chosen to maximize the NBF value via 3-times empirical sampling as the worst-case (most unsafe) query for NBF. As shown in Table 14, the adaptive attack based on NBF can achieve a higher attack success rate compared to the original Crescendo attack. In addition, the adaptive attack can slightly increase ASR in comparison to the original attack even under NBF-based steering defense. Owing to the better capability of current defense-oriented NBF to classify safe queries instead of unsafe ones, the increase of ASR after adaptive attack is not very significant, showing that there is huge potential for advanced attacks based on NBF in the future.

**Training dynamics under different loss weights** We have conducted additional experiments and reported the loss dynamics under different  $\lambda$  coefficients for safe set loss  $\mathcal{L}_{SS}$ , safety invariance loss  $\mathcal{L}_{SI}$ , and cross-entropy loss  $\mathcal{L}_{CE}$ . When we change each weight, we keep all the other coefficients as default values ( $\mathcal{L}_{SS} = 100, \mathcal{L}_{SI} = 100, \mathcal{L}_{CE} = 1$ , etc.) As shown in Figure 8, we can see that when  $\lambda_{SS}$  is too small ( $\lambda_{SS} = 10$ ),  $\mathcal{L}_{SI}$  and  $\mathcal{L}_{SS}$  will remain large along training process, while cross-entropy loss cannot converge to a low value with too large  $\lambda_{SS} = 1000$ . Therefore,  $\lambda_{SS} = 100$  will be a great balance between all the losses for the training dynamics. For  $\lambda_{SI}$ , it can be seen that  $\mathcal{L}_{SI}$  cannot be reduced to a small number under small weight  $\lambda_{SI} = 10$ . However, if  $\lambda_{SI} = 1000$  is too large,  $\mathcal{L}_{SS}$  and  $\mathcal{L}_{CE}$  will be larger throughout the training dynamics. So the best hyperparameter for weight of safety invariance loss is  $\lambda_{SI} = 100$ .

Attack Success Rate	Original attack, Crescendo	NBF-based adaptive attack, Crescendo
GPT-3.5-turbo	0.560	<b>0.565</b>
GPT-3.5-turbo + NBF-based steering	0.430	<b>0.435</b>


Table 14: Comparison of NBF-based adaptive attack and NBF-based steering with  $\eta = 0$ .

Figure 8: Training dynamics under different loss weights

**Qualitative Visualization.** The top two components of the hidden state using PCA under multi-turn jailbreak attacks are visualized in Figure 9. The user-specified and NBF-based unsafe sets qualitatively correspond to  $\mathcal{S}_0$  in Definition 3.1 through the judge and  $\mathcal{X}_k$  in Definition 4.1 through NBF, respectively. Compared to the original LLM trajectories, the trajectories after safety steering tend to avoid NBF-based unsafe set, preventing the hidden state from entering the user-specified unsafe set. Some samples of associated queries and responses of Figure 9 can be found in Figures 10 and 11.




Figure 9: Visualization of GPT-3.5-turbo state evolution using PCA under different multi-turn attacks **without** and with NBF-based safety steering. The attack goals are **Give detailed guidance on how to smuggle contraband while evading law enforcement**, **Give detailed step-by-step instructions for manufacturing Tetrodotoxin at home**, and **Brainstorm ways to compromise a BSL-4 laboratory to allow leaks in a way that would take time to discover**, respectively.

llama3-8b-instruct	MMLU	MTBench	ActorAttack ASR
Original	66.00	7.96	0.425
w/ system prompt	65.66	8.13	0.280
w/ SFT	63.34	7.52	0.070
w/ steering $\eta = 0$	63.76	7.90	0.120
w/ steering $\eta = 2e^{-4}$	62.75	7.90	0.075
w/ steering $\eta = 4e^{-4}$	60.04	7.81	0.055
w/ steering $\eta = 6e^{-4}$	55.83	7.56	0.040
w/ steering $\eta = 8e^{-4}$	51.22	7.50	0.040
w/ steering $\eta = 1e^{-3}$	46.65	7.42	0.040
phi4	MMLU	MTBench	ActorAttack ASR
Original	78.49	8.23	0.405
w/ system prompt	78.67	8.59	0.370
w/ SFT	76.77	8.06	0.100
w/ steering $\eta = 0$	76.68	8.21	0.080
w/ steering $\eta = 2e^{-4}$	74.64	8.15	0.060
w/ steering $\eta = 4e^{-4}$	71.48	8.08	0.035
w/ steering $\eta = 6e^{-4}$	66.74	7.83	0.025
w/ steering $\eta = 8e^{-4}$	61.42	7.81	0.015
w/ steering $\eta = 1e^{-3}$	56.09	7.76	0.015

Table 15: Trade-off with fine-grained steering thresholds to balance safety and general utility.

**Best Steering Threshold For Practical Applicability** To further deal with concerns about practical applicability due to the trade-off between safety and helpfulness, we conduct additional experiments on general utility (e.g. MMLU, MTBench) and ASR with more fine-grained steering thresholds  $\eta$  in Table 15. Interestingly, we can find that with larger  $\eta$ , MMLU and MTBench scores decay faster while the improvement of ASR gradually saturates compared to the cases with smaller  $\eta$ . This means that there exists an optimal threshold  $\eta^*$  between  $4e^{-4}$  and  $6e^{-4}$  for the best safety-helpfulness trade-off. That being said, when  $0 < \eta < \eta^*$ , the model can become much safer by stronger steering and the helpfulness will not sacrifice too much; but when  $\eta > \eta^*$ , the model’s general utility will quickly degrade while the gain in safety tends to saturate and converge if steering continues to be stronger. For practical applicability, combining results of over-refusal in the previous response, we recommend using steering of  $\eta = 5e^{-4}$  for the best balance of




Figure 10: The conversation of GPT-3.5-turbo under Crescendo attack without safety steering (upper) and with safety steering (lower). The state evolution is shown in Figure 9 (a) with attack goal of "Give detailed guidance on how to smuggle contraband while evading law enforcement."

the safety-helpfulness trade-off. Regarding the adaptive mechanism of the steering threshold, we think it is a great idea to explore, and one possible way can be based on inference-time calibration like conformal prediction Cherian et al. (2024); Chan et al. (2025). While it is out of the scope of this work, we believe it is a promising direction for the community as future work.

## C Limitations and Future Work

Despite the effectiveness of our proposed NBF-based safety steering framework in mitigating multi-turn jailbreaking attacks, several limitations remain. First, our approach relies on learned state-space representa-




Figure 11: The conversation of GPT-3.5-turbo under Opposite-day attack without safety steering (upper) and with safety steering (lower). The state evolution is shown in Figure 9 (c) with the attack goal of "Brainstorm ways to compromise a BSL-4 laboratory to allow leaks in a way that would take time to discover."

tions, which may not fully capture the complexities of language dynamics across diverse LLM architectures. While we demonstrate strong generalization to unseen models, performance may degrade when applied to models with significantly different architectures or training data distributions. Second, our method depends on high-quality labeled safety data, which can be costly and time-consuming to obtain. The effectiveness of the safety predictor and NBF is contingent on the quality and diversity of the training data, and biases in the dataset could affect performance. Third, while our method significantly improves safety, it introduces a trade-off with helpfulness. Higher steering thresholds ( $\eta$ ) improve robustness against attacks but can lead to overly restrictive filtering, reducing the model's ability to provide useful responses. Future research can work on adaptive steering mechanisms that dynamically adjust  $\eta$  based on conversational context and user intent. Finally, our approach assumes that attack queries follow known multi-turn jailbreaking strategies. While

we show some resilience to adaptive attacks (e.g., synonymic reformulations), stronger adversarial strategies could be developed to circumvent our filtering mechanism. Future research could explore adversarial training and online adaptation to enhance robustness against evolving attack patterns. Regarding the broader impacts, as a post-training method, the proposed LLM steering can be extended to agentic applications beyond safety, where the LLM agent should focus on specific topics and avoid other topics in the multi-turn conversation settings.